

Name	Jacklyn Goh 2	
Age	0	
Gender	female	
Address		
Doctor		
User remark		
Acquisition System	NeuroScan	
Sampling Rate (Hz)	250	
Number of Channels	9	
Monitor Selected	Monitor 0 (Main window)	
Run Mode	USE	
Synchronous Mode	Normal	
Feature Extraction	TRCA	
Number of Blocks	1	
Data Saved Path	D:\zhengjiahan\uniBrain-Speller\Result	
Accuracy (%)	N/A	
ITR (bits/min)	N/A	
Accuracy (%) and ITR (bits/min) over window length	Image not found	
Commenced Date and Time	May 17, 2023, 10:34 AM	
Total Run Time	0H 30M 54S	
Keyboard Name	Mouse 13 keys HS	

**Keyboard Processing Table:**

Key Name	Frequency (Hz)	Phase (rad)	Training Accuracy (%)	Testing Accuracy (%)	No of Outputs
■ ■	8.0	0.0	100.0	100.0	12
←	8.6	2.09	100.0	100.0	42
■ ■	9.2	4.19	100.0	100.0	15
↑	9.8	0.0	100.0	100.0	37
L	10.4	2.09	100.0	100.0	55
↓	11.0	4.19	100.0	100.0	38
■ ■	11.6	0.0	100.0	100.0	21
→	12.2	2.09	100.0	100.0	41
■ ■	12.8	4.19	100.0	100.0	19
Drag	13.4	0.0	100.0	100.0	37
R	14.0	2.09	80.0	100.0	5
+	14.6	0.0	60.0	100.0	41
-	15.2	4.19	100.0	100.0	20