Name	Toto 3					
Age	0					
Gender	female					
Address						
Doctor						
User remark						
Acquisition System	NeuroScan					
Sampling Rate (Hz)	250					
Number of Channels	9					
Monitor Selected	Monitor 0 (Main window)					
Run Mode	USE					
Synchronous Mode	Normal					
Feature Extraction	TRCA					
Number of Blocks	1					
Data Saved Path	D:\zhengjiahan\uniBrain-Speller\Result					
Accuracy (%)	N/A					
ITR (bits/min)	N/A					
Accuracy (%) and ITR (bits/min) over window length	Image not found					
Commenced Date and Time	May 17, 2023, 06:27 PM					
Total Run Time	0H 12M 28S					
Keyboard Name	Mouse 13 keys HS					

Keyboard Processing Table:

Key Name	Frequency (Hz)	Phase (rad)	Training Accuracy (%)	Testing Accuracy (%)	No of Outputs
	8.0	0.0	100.0	100.0	16
\leftarrow	8.6	2.09	100.0	100.0	12
	9.2	4.19	100.0	100.0	13
1	9.8	0.0	100.0	100.0	5
L	10.4	2.09	100.0	100.0	20
\downarrow	11.0	4.19	100.0	100.0	3
	11.6	0.0	100.0	100.0	12
\rightarrow	12.2	2.09	100.0	100.0	11
	12.8	4.19	100.0	100.0	12
Drag	13.4	0.0	80.0	100.0	3
R	14.0	2.09	100.0	100.0	3
+	14.6	0.0	60.0	100.0	17
-	15.2	4.19	100.0	100.0	14