

Steps to create JAR file:

- 1) Download & unzip the prometheus-integration.zip folder.
- 2) To import it in TIBCO BW studio follow below steps:

Right click in Project Explorer -> click Import... -> select Plug-ins and Fragments -> select Import from directory radio button and browse it to prometheus-integration folder (unzipped in step 1)



Now click Next -> Select Prometheus plugin -> click Add button -> click Finish. This will import the plugin in the studio.




3) To create JAR of this plugin, follow below steps:


Make sure to update com.tibco.bw.prometheus.monitor with. (dot) in Bundle-Classpath field as given below in META-INF/MANIFEST.MF file:

```
Bundle-ClassPath: .,
lib/simpleclient-0.5.0.jar,
lib/simpleclient_hotspot-0.5.0.jar,
lib/simpleclient_httpserver-0.5.0.jar,
lib/simpleclient_common-0.5.0.jar,
lib/simpleclient_jetty-0.5.0.jar,
lib/simpleclient_servlet-0.5.0.jar
```


Right click on Plugin -> Export -> click Export... -> select type as JAR file




click Next -> select file specification as given below -> click Finish



Click Next -> again click next -> select radio button to use existing MANIFEST.MF flie and browse th manifest file





Click Finish. This will generate prometheus-integration.jar (or name given by you).