Knowledge Engineering and Semantic Web

Exercise Sheet: 7
Will be discussed on: July 04,2023



TUTORS:

Yaser Jaradeh, Hassan Hussien, and some other ORKG members

QUESTIONS: Please don't hesitate to ask any questions. Questions help you and your peers.

PRINT: Please consider the environment before printing the exercise.

1 NNF Rules

$$egin{array}{lll} A \Rightarrow B &
ightarrow
eg A &
ightarrow B &
ightarrow (
eg A &
ightarrow B &
ightarrow (
eg A &
ightarrow B) &
ightarrow
eg A &
ightarrow
eg A &
ightarrow B &
ightarrow
eg A &
ightarrow A &
ightarrow
eg A &
ightarrow A &
ightarrow
eg A &
ighta$$

2 ALC to NNF

Convert the following ALC axioms into Negation Normal Form (NNF)

- $\bullet \neg (A \sqcup \neg B)$
- $\neg(\neg(A \sqcup \neg B) \sqcap \neg C)$
- $\neg (A \sqsubseteq B) \sqcup (C \sqsubseteq D)$
- $\neg(\forall r.A \sqcup B)$

3 SHACL Shapes

Consider the following SHACL shapes graph:

```
@prefix ex: <http://example.org/> .
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .
@prefix sh: <http://www.w3.org/ns/shacl#> .
ex:PersonShape
                   sh:NodeShape;
    sh:targetClass ex:Person;
                                      ex:name ;
    sh:property
                       sh:path
                                      xsd:string ;
                       sh:datatype
                       sh:minLength
                                       3;
                       sh:maxLength
                                       20;
                   ] .
```

Based on the provided SHACL shapes graph, write an RDF data graph that conforms to the defined constraints.