Weikersheim, Residenzschloss

Team Redaktion

2024-03-22

Table of contents

1	Katalog zur Ausstellung: Der Große Saal (Rittersaal)	1
2	Der Große Saal (Rittersaal)	3

Chapter 1

Katalog zur Ausstellung: Der Große Saal (Rittersaal)

Ein Katalog mit Kunstwerken aus der CbDD-Sammlung. Textteil: 6e73f774-4b7f-4e37-937b-e11cc35c5bc8

Großer Saal (Rittersaal) [Raum]

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivs 4.0 International License.

 $2CHAPTER\ 1.\ KATALOG\ ZUR\ AUSSTELLUNG: DER\ GROSSE\ SAAL\ (RITTERSAAL)$

Chapter 2

Der Große Saal (Rittersaal)

How to use your own text for processing

- 1. Add a new Text item to the wikibase. link to wikibase new item the item should contain the following statements:
- P57 (external link): link to the html file containing the new text
- P46 (kurator): Item of the curator. you may use an existing item like Q210 (Ulrike seeger) for test purposes
- P53 (license): Item of a license for the text. e.g Q203 (CC BY-NC-ND 4.0 DEED)
- P6 (is part of): set value to Q218 (Schlossanlage Weikersheim)
- 2. check if your new text item occurs in the list of selected text items: Link to wikibase query service
- 3. set parameter of get_text() to the id of your new text item e.g.: get_text("Q209")

How to select images for processing

Images are selected via the sparql query. The method get_img() is capable of using a wikibase item id as parameter to select images with the property P6 (is part of) linking to the given item id.

- 1. select a valid location id from the query result: Link to wikibase query service
- 2. set parameter of get_img() to the id of your selected location item e.g.: get_img("Q217")