Consumer Interface and dirign 39110373 MARINARAN BP Assignment-1 Fill in the Blanks = 1 class and id (2) Display (3) Entenoble Style Sheet Language Transformation (d) KWT B Dom (Downent Object Model) 6 Shat question (< Nonl) (had) cstyle> tolde, the tol (boden: O. spr Solid black; Loder-Wlaps: Whops; 2/8/y/w) 1 /head> (body) 2 boleh kodu : "I" width = "30%") 1647 ch> No. 4th

Full Nome (1th) (th) Position (1th) Lth > Solary (1th) (th) Type (1th) < 1/m Etd style = "tent-align: conten"> 1 < / (d) (H) 2 Hd > 13/11 Goths < 1 Hd> 21d> Founda Morroselt 2/1d) Ltd > Foe Style="tent-alion: center"> \$10007 C/Ld> Ltel & vouspon = "4" style "= "tent-olign : Center"> Company Founder (16) (16) Uld style="tent-olign: center" >2 2/td> 261) Cld > Stem Jobs (1td) 2 bd 7 Founder Apple (16d) style = "font-align: center">\$ 1200 (11d) </br> I to Style = "tent-dhign: center"> 3(16) 2 W> (1d) lary Page (1td) (Id) Founda Page 2 Hd) goigh (16d)

Style="tent-allign: unter"> \$11000 Z/tel) L16~) ととり 2 for style = " bout - altign; center "> 4 2/60) Ltd) Mark Zuelevbug 21td) 2 fd > Founder Facilion 2 (ld) (to Syl = "fent-dialign=center" > \$ 1300 ZIW <16x> Lth Wespan="3"> total Emporse: 21th) (th style="tent-adign=tentar">\$4600 21th) 116 2 / bally <150dy> 1 In the care of "isibility: hidden" the Hame element will not be visible but, it will still offer the layout of the DOM. whereas, in case of "display: none" the x17m2 element will be removed from the display i.e. A will all element will not be then and it will nest not offect the Doom,

B) we can integrate a css to a ver page in
the following ways:
With an enternal file: Llink hory = "style iss" rel = "style sheed" type = "tent (iss" > type = "tent (iss" >
with an link to try in head
(head)
L Style) border
margin: 0;
padding: 0%
LI Style>
(head)
La star itself
(11) Embedding in the tag iter itself
(11) Embedding in the reg !! Le zeem"> LIh!> (h) style="font-weight: 1.2 rem"> LIh!>
(y) Languages:
(1) KIM, CSS (1) Javas (11) Javas ari)
and In all the result of the three in CS through
S) media jero)
Which we can make the website responsive
te any snean like: Phone, tublet, Captop.

() mind version: "1.0" Encoding = "UT = -8"?) _ < students > _ (student) Knowy > Roy < (name) Ldams 9 (Idans) (Egylish) 89 3 ([Egylish) Linally s as. (I mouthy) (1 Student) - (student) (name) Rajver (Iname) L class) q 21 class)

(English) 29 (1 English)

Lonally)

Lostudents

Lostudents