COMPUTER A GIWORK LATT - SEM. PRACTICAL

Register Number: 39110373

Mami: MARIMARAN BP

Branch: CSE

Sem: 5

Subject lode: SCSA2701

Subject J. Computer Notwork Morry Lob

Pote: 23/12/2021

Balch 3d: 4 (cm-4)

Dunation: 2 hm.

no of 1: \$6

Aim: To implement FTP wring TCP

Algorithm

stept: heate instance for sochet class and establish

connectivity with the some

Step?: Un du port no. 400

Sleps: the Relein the file from Server

slepy: Rut the connection with Server

SERVER

Stepl: head instances instances for the servers dues class and accept the server server part

Stepl: Read the filmane to be opened

Steps: Send file to the client

Program.

Sorm:

imports javanji

import java. io. x;

public clars FTPServer &

public clars FTPServer &

public clars FTPServer &

go Enerption (

go Enerption (

Ser un Sochet SS = new Server sochets (4000).

System out println ("Server ready for Connection");

System.out. println (" Connection in sucusful & system.out. println (" Connection in sucusful & waiting for chatting");

Input Stream (stream = 5 get Input Stream (); Buffered Reader pleBead new Buffered Reader (new Imput Stream Reader ((strom)).

String frame = (file Read . readline ();

Buffered Reader content Read = new Buffend Reader (new FileReader (frame)):

Output Stream Oshiam . S. get Outputs Stream(); Print With purite = new Print With (ostream) tue);

while (str = wontent Read read line ())! rull) punta. printh (8W);

s. dox(); (66 Read-dux(); content Read (dux(); SS. Mylly

cheel: import java. net . *; imputs java.io. 4; public class FTP Client { public states void moun (String angle []) throws Enception) of Sockets 5- new Sockets (met Add noss. get Local Host (), 4000); System out println ("Enter the bile At none"), Buffered Reader kyrhead = new Buffered Reader (rue mput Stream Reader (Systomin));

String from - kyRead. modlinel); Output Stream ostream = 5. get Output Stream

Printwith purite - new Print write (ogheam, twe);

purite printle (frame); anputstream istream = sight amputstream Buffered Reader sorbered

Buffered Reading socket Read : new Buffered Reader (new Input Stream Reader (istream));

String str;

while ((str = socket Read read Line())! = null)

System out. println(sh);

3

punito dose(); sochethead dose(); kny Read dose();

O | P

Jonac FTP Serven. java

journ FPSann Serve ready Jor Connection Java C FTP Clients

Java C FTP Clients

Java FTP Clients

Enter the ble name

FTPFile Text-tab

huy there FTP program worked

huy there FTP program worked

so warsfully!!

