

Extending the Site Using Bootstrap Components



Gill Cleeren

CTO Xebia Microsoft Services Belgium


@gillcleeren | www.snowball.be




Understanding Bootstrap Components




Bootstrap Components



**Ready-made building
blocks**



**Work using CSS
classes**



**Often rely on
JavaScript for
interactivity, part of
Bootstrap**



Looking at a First Component: Progress

```
<div class="progress">  
  <div class="progress-bar"  
    role="progressbar"  
    style="width: 50%"  
    aria-valuenow="50"  
    aria-valuemin="0"  
    aria-valuemax="100">  
  </div>  
</div>
```



Basic Bootstrap Components

Alert

Button

Breadcrumb

Nav & Navbar

Card

Progress






Forms

Bootstrap contains many component related to creating modern forms





JavaScript-based Components

There are many more components to be discovered which bring more interactive features




Demo: Using the Progress Component



Adding Components to Our Pages




Introducing the Bootstrap nav Component



Generic way for navigation



.nav component



Use with menu items, pills, tabs or even dropdowns



Using the nav Component

A Basic Menu

index.html

```
<ul class="nav">
  <li class="nav-item">
    <a class="nav-link active"
      aria-current="page" href="#">Home</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Pies</a>
  </li>
  <li class="nav-item">
    <a class="nav-link" href="#">Contact
us</a>
  </li>
</ul>
```

Home Pies Contact us




Different Layout Options



Tabs



Pills



Dropdown



Adding the navbar Component




Responsive navigation

Easy for mobile menu

Based on .navbar



The navbar Sub-components



Demo: Adding Navigation to the Site



The background features a light gray abstract pattern with various shapes, including circles, squares, and wavy lines, some containing smaller patterns like dots or internal wavy lines.


Demo: Bringing in a Breadcrumb Component



Demo: Looking at the Home Page



The Bootstrap Card Component



Content container

Use standalone or in list

Often combined with image




Using the Bootstrap Card

```
<div class="card">
  
  <div class="card-body">
    <h5 class="card-title">Apple pie</h5>
    <p class="card-text">Our famous apple pies!</p>
  </div>
  <div class="card-footer">
    <a href="applepie.html" class="btn btn-primary">View details</a>
  </div>
</div>
```




Using the Different Card Options



Horizontal



Using an image



Full background color




Demo: Using the Card in the List Page



Using Interactive Components





Interactive Bootstrap Components

Added through JavaScript

**Comes with Bootstrap download or
via CDN**

Not all components require this!



```
bootstrap/
├── css/
│   ├── bootstrap.css
│   ├── bootstrap.css.map
│   ├── bootstrap.min.css
│   ├── bootstrap.min.css.map
│   ├── ...
│   ├── bootstrap.rtl.css
│   ├── bootstrap-grid.css
│   ├── bootstrap-grid.rtl.css
│   ├── bootstrap-reboot.css
│   ├── bootstrap-reboot.rtl.css
│   ├── bootstrap-utilities.rtl.css
│   └── bootstrap-utilities.rtl.css
└── js/
    ├── bootstrap.bundle.js
    ├── bootstrap.bundle.js.map
    ├── bootstrap.bundle.min.js
    ├── bootstrap.bundle.min.js.map
    ├── bootstrap.esm.js
    ├── bootstrap.esm.js.map
    ├── bootstrap.esm.min.js
    ├── bootstrap.esm.min.js.map
    ├── bootstrap.js
    ├── bootstrap.js.map
    ├── bootstrap.min.js
    └── bootstrap.min.js.map
```




```
bootstrap/
├── css/
│   ├── bootstrap.css
│   ├── bootstrap.css.map
│   ├── bootstrap.min.css
│   ├── bootstrap.min.css.map
│   ├── ...
│   ├── bootstrap.rtl.css
│   ├── bootstrap-grid.css
│   ├── bootstrap-grid.rtl.css
│   ├── bootstrap-reboot.css
│   ├── bootstrap-reboot.rtl.css
│   ├── bootstrap-utilities.rtl.css
│   └── bootstrap-utilities.rtl.css
└── js/
    ├── bootstrap.bundle.js
    ├── bootstrap.bundle.js.map
    ├── bootstrap.bundle.min.js
    ├── bootstrap.bundle.min.js.map
    ├── bootstrap.esm.js
    ├── bootstrap.esm.js.map
    ├── bootstrap.esm.min.js
    ├── bootstrap.esm.min.js.map
    ├── bootstrap.js
    ├── bootstrap.js.map
    ├── bootstrap.min.js
    └── bootstrap.min.js.map
```




```
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"  
integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdslK1eN7N6jIeHz"  
crossorigin="anonymous"></script>
```

Bringing in the Correct JavaScript Reference



Adding the Dropdown



Demo: Adding the Dropdown in the navbar



Demo: Adding the Collapse Component

