

Creating Forms with Bootstrap Components



Gill Cleeren

CTO Xebia Microsoft Services Belgium

@gillcleeren | www.snowball.be



Exploring Forms with Bootstrap



Adding Bootstrap to a Form

Basic form

Basic form

User name

Password

☐ Remember me

Log in

Log in



Working with Bootstrap Forms

Classes on components

Validation

`<form>` tag

Layout based on Grid



Looking at a First Form

```
<form>
  <div class="mb-2">
    <label for="emailInput" class="form-label">Email address</label>
    <input type="email" class="form-control" id="emailInput">
  </div>
  <div class="mb-3">
    <label for="passwordInput" class="form-label">Password</label>
    <input type="password" class="form-control" id="passwordInput">
  </div>
  <div class="mb-3 form-check">
    <input type="checkbox" class="form-check-input" id="rememberMeCheck">
    <label class="form-check-label" for="rememberMeCheck">Remember me</label>
  </div>
  <button type="submit" class="btn btn-primary">Login</button>
</form>
```



The Resulting Form

Email address

Password

☐ Remember me

Login



Relevant Classes for Forms

form-control

Default style for form components

form-label

Used on labels

form-text

Text display inside forms



Using form-text

```
<form>
  <div class="mb-2">
    <label for="emailInput" class="form-label">Email address</label>
    <input type="email" class="form-control" id="emailInput" >
    <div id="emailHelp" class="form-text">
      Your email address won't be shared with anyone. Promised!</div>
    </div>
  </div>
</form>
```



Using form-text

Email address

Your email address won't be shared with anyone. Promised!



Demo: Creating a First Form



Form Layout Using Margins

```
<form>
  <div class="mb-2">
    <label for="emailInput" class="form-label">Email address</label>
    <input type="email" class="form-control" id="emailInput">
  </div>
  <div class="mb-3">
    <label for="passwordInput" class="form-label">Password</label>
    <input type="password" class="form-control" id="passwordInput">
  </div>
  <div class="mb-3 form-check">
    <input type="checkbox" class="form-check-input" id="rememberMeCheck">
    <label class="form-check-label" for="rememberMeCheck">Remember me</label>
  </div>
  <button type="submit" class="btn btn-primary">Login</button>
</form>
```



Forms Layout Using the Grid

```
<form class="row g-3">
  <div class="col-md-6">
    <label for="emailInput" class="form-label">Email address</label>
    <input type="email" class="form-control" id="emailInput" >
    <div id="emailHelp" class="form-text">
      Your email address won't be shared with anyone. Promised!
    </div>
  </div>
  <div class="col-md-6">
    <label for="passwordInput" class="form-label">Password</label>
    <input type="password" class="form-control" id="passwordInput">
  </div>
</form>
```



The Resulting Form

Email address

Password

Your email address won't be shared with anyone. Promised!



Complex Forms

Your address

First name

Last name

@ Username

Email (Optional)

Address

Address 2 (Optional)

Country

State

Zip

☐ Shipping address is the same as my billing address

☐ Save this information for next time



Demo: Applying Different Form Layouts



Using the Bootstrap Form Components




```
<div class="mb-2">  
  <label for="emailInput" class="form-label">Email address</label>  
  <input type="email" class="form-control" id="emailInput">  
</div>
```

Using an Input for Email Capture



Using Different Sizes

```
<input class="form-control form-control-lg" type="text" placeholder="Large size">
```

```
<input class="form-control" type="text" placeholder="Default size" >
```

```
<input class="form-control form-control-sm" type="text" placeholder="Small size">
```

Large size

Default size

Small size



```
<div class="mb-3">  
  <label for="commentTextArea" class="form-label">Comments</label>  
  <textarea class="form-control" id="commentTextArea" rows="3"></textarea>  
</div>
```

Using the Text Area



Using a Checkbox

```
<div class="form-check">
  <input class="form-check-input" type="checkbox" value=""
        id="keepUpdatedCheck">
  <label class="form-check-label" for="keepUpdatedCheck">
    Keep me updated
  </label>
</div>
<div class="form-check">
  <input class="form-check-input" type="checkbox" value=""
        id="sendOffersCheck" checked>
  <label class="form-check-label" for="sendOffersCheck">
    Send me new offers on pies!
  </label>
</div>
```

☐ Keep me updated

☒ Send me new offers on pies!



Selecting a Value Using the Range

```
<label for="numberOfPiesRange" class="form-label">  
    Number of pies per month I want to order  
</label>  
<input type="range" class="form-range" min="0" max="5"  
    id="numberOfPiesRange">
```

Number of pies per month I want to order



Demo: Discovering the Form Components






Demo: Creating the Complete Form



Adding Form Validation



Form Validation Using Bootstrap



Relies on `:valid` and `:invalid` pseudo classes for client-side validation as well as `.was-validated` class



`.is-valid` and `.is-invalid` for server-side



`novalidate`



Validation in a Form

Name on card 

Full name as displayed on card
Name on card is required

Expiration 

Expiration date required

CVV 

Security code required

Credit card number 

Credit card number is required



Demo: Adding Validation to the Form



Course Summary

Bootstrap is a very popular CSS framework

Grid can help building a responsive, mobile-friendly layout

Applied built-in styling for text, images, spacing, and colors

Used common UI components like navbars, buttons, cards and more

Created fully structured and accessible forms with validation





Congratulations
on finishing this course!

