

jQuery Techniques



Craig Shoemaker

Senior Web Developer

@craigshoemaker craigshoemaker.net

Selector Caching

Repeated Selectors

```
$( "#container" ).width( "100px" );
```

```
$( "#container" ).height( "100px" );
```

Repeated Selectors

```
$("#container").width("100px");
```

```
$("#container").height("100px");
```

Cached Selector

```
const $container = $("#container");  
  
$container.width("100px");  
$container.height("100px");
```


Cached Selector

```
const $container = $("#container");  
  
$container.width("100px");  
$container.height("100px");
```

Without Naming Convention

```
$(/* jQuery ready */) => {  
  const order = localStorage.getItem("order");  
  const pieOrder = JSON.parse(order);  
  
  if (order) {  
    const pie = $(".pie");  
    const title = pie.find(".title");  
    const price = pie.find(".price");  
    const desc = pie.find(".desc");  
  
    title.text(pieOrder.title);  
    price.text(pieOrder.price);  
    desc.text(pieOrder.desc);  
  
    const img = pie.find("img");  
    img.attr("src", `images/${ pieOrder.id }.png`);  
    img.attr("alt", pieOrder.title);  
  }  
});
```

With Naming Convention

```
$(/* jQuery ready */) => {  
  const order = localStorage.getItem("order");  
  const pieOrder = JSON.parse(order);  
  
  if (order) {  
    const $pie = $(".pie");  
    const $title = $pie.find(".title");  
    const $price = $pie.find(".price");  
    const $desc = $pie.find(".desc");  
  
    $title.text(pieOrder.title);  
    $price.text(pieOrder.price);  
    $desc.text(pieOrder.desc);  
  
    const $img = $pie.find("img");  
    $img.attr("src", `images/${ pieOrder.id }.png`);  
    $img.attr("alt", pieOrder.title);  
  }  
});
```


With Naming Convention

```
$(/* jQuery ready */) => {  
  const order = localStorage.getItem("order");  
  const pieOrder = JSON.parse(order);  
  
  if (order) {  
    const $pie = $(".pie");  
    const $title = $pie.find(".title");  
    const $price = $pie.find(".price");  
    const $desc = $pie.find(".desc");  
  
    $title.text(pieOrder.title);  
    $price.text(pieOrder.price);  
    $desc.text(pieOrder.desc);  
  
    const $img = $pie.find("img");  
    $img.attr("src", `images/${ pieOrder.id }.png`);  
    $img.attr("alt", pieOrder.title);  
  }  
});
```

Chaining Function Calls

Without Function Chaining

```
$("#button").click(() => {  
    $("#container").animate({ width: "80%" });  
    $("#container").animate({ fontSize: "3em" });  
    $("#container").animate({ borderWidth: 3 });  
});
```

With Function Chaining

```
$( "button" ).click(() => {  
    $( "#container" )  
        .animate({ width: "80%" })  
        .animate({ fontSize: "3em" })  
        .animate({ borderWidth: 3 });  
});
```

Function Chaining

```
$("#container")  
  .animate({ width: "80%" })  
  .animate({ fontSize: "3em" })  
  .animate({ borderWidth: 3 });
```


Function Chaining

```
$("#container")  
  .animate({ width: "80%" }) // is chain-able  
  .animate({ fontSize: "3em" })  
  .animate({ borderWidth: 3 });
```

Function Chaining

```
$( "#container" )  
    .animate( { width: "80%" } ) // is chain-able  
    .animate( { fontSize: "3em" } )  
    .animate( { borderWidth: 3 } );  
  
$( "#nameBox" ).txt();
```

Function Chaining

```
$("#container")  
  .animate({ width: "80%" }) // is chain-able  
  .animate({ fontSize: "3em" })  
  .animate({ borderWidth: 3 });
```

```
$("#nameBox").txt(); // is NOT chain-able
```


Function Chaining

```
$("#container")  
  .animate({ width: "80%" }) // is chain-able  
  .animate({ fontSize: "3em" })  
  .animate({ borderWidth: 3 });
```

```
$("#nameBox").txt(); // is NOT chain-able
```

Working with the `this` Keyword

this Keyword

```
$( 'button' ).on( 'click', function(e) {  
    // this === button clicked by user  
    $(this).text( 'Clicked' );  
});
```

this Keyword

```
$( 'button' ).on( 'click', function(e) {  
    // this === button clicked by user  
    $(this).text( 'Clicked' );  
});
```

this Keyword

```
$( 'button' ).on( 'click', function(e) {  
    // this === button clicked by user  
    $(this).text( 'Clicked' );  
});
```


this Keyword

```
$( 'button' ).on( 'click', (e) => {  
    // this === window object  
    $(this).find( 'title' ).text( 'jQuery Demo' );  
});
```

`this` Keyword

```
$( 'button' ).on( 'click', (e) => {  
    // this === window object  
    $(this).find( 'title' ).text( 'jQuery Demo' );  
});
```

this Keyword

```
$( 'button' ).on( 'click', (e) => {  
    // this === window object  
    $(this).find( 'title' ).text( 'jQuery Demo' );  
});
```


this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```


this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```


this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$'a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value); // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

this Keyword

```
$.fn.setTarget = function(value = '_blank') {  
    return this.each(function() { // this === jQuery object  
        $(this).attr('target', value) // this === DOM element  
    });  
};  
  
$('a').setTarget(); // format links to open in a new tab
```

In jQuery functions, `this` refers to the current jQuery object.

In jQuery browser functionality wrappers, **this** refers to the raw DOM object.

jQuery Object Detection

```
const isjQueryObject = (obj) => obj instanceof jQuery;
```

Working with Promises

Write code for your future self,
not the computer.



Promises

Code that runs when a process is done.

Promise

```
$.get("/data/pies.json")  
  .done((data) => {  
    // Do something interesting here  
  })
```

Summary



- Selecting DOM elements
- Working with style sheets
- Adding interactivity
- Reading and displaying data
- jQuery techniques