ORDER-INFO

THIS PARTS CATALOGUE CONTAINS ALL ORDER INFORMATION OF TYPES 914 FROM MODEL YEAR 1970 - 1976 914-6 FROM MODEL YEAR 1972 - 1972

IT IS AVAILABLE IN TWO EDITIONS IN THE FOLLOWING LANGUAGES:

EDITION

USA, CANADA - \*

EDITION

ALL OTHER COUNTRIES - GERMAN

\* - ENGLISH

- FRENCH

- ITALIAN

- SPANISH

UPDATING IS BEING PERFORMED BY CHANGING OF UPDATE.

THE EDITION CAN BE RECOGNIZED BY THE CURRENT NO. IN THE BOTTOM LINE OF SUBJECT UPDATE.

THE PREVIOUS UPDATE SHOULD NO LONGER BE USED.

ALL ILLUSTRATIONS ARE SUBJECT TO CHANGE WITHOUT OBLIGATION.

WE RESERVE THE RIGHT TO SUPPLY A SUBSEQUENTLY PRODUCED COMPONENT, ON WHICH ADDITIONAL WORK IS NECESSARY, INSTEAD OF THE COMPONENT LISTED IN THE CATALOGUE

EXPLANAT.- VIN EXPLANATION OF THE ABRIDGED VERSION OF THE VEHICLE IDENT. NUMBERS (VIN) \_\_\_\_\_\_ USED IN THE CATALOGUE TYPE 914 1 2 3 4 5 6 7 8 9 10 DIGIT: 4 7 0 2 9 0 0 0 0 1 EXAMPLE: === = === ====== ! ! ! VEHICLE TYPE----+ ! ! ! MODEL YEAR----+ INDEX OF VARIANTS----+ SERIAL NUMBER-----+ EXPLANATION OF THE ABRIDGED VERSION OF THE VEHICLE IDENT. NUMBERS (VIN) \_\_\_\_\_\_ USED IN THE CATALOGUE TYPE 914/6 1 2 3 4 5 6 7 8 9 10 DIGIT: EXAMPLE: 9 1 4 0 4 3 0 0 0 1 ===== = = ====== VEHICLE TYPE----+ MODEL YEAR----+ ! BODY AND ENGINE VERSION-----+ SERIAL NUMBER-----+

| Model: | 914 70 | Model life | 1970>>1976 |  |  |
|--------|--------|------------|------------|--|--|

| SUMMARY TYPES |      |                   |             |
|---------------|------|-------------------|-------------|
| VEHICLE TYPE  | MY   | VEHICLE IDENT NR. | ENGINE TYPE |
| 914           | 70 0 | 47029 00001>>     | 022         |
| 914-6         | 70 0 | 91404 30001>>     | 901.36/37   |
| 914-6 (USA)   | 70 0 | 91404 30001>>     | 901.38/39   |
| 914           | 71 1 | 47129 00001>>     | 022         |
| 914-6         | 71 1 | 91414 30001>>     | 901.36/37   |
| 914-6 (USA)   | 71 1 | 91414 30001>>     | 901.38/39   |
| 914           | 72 2 | 47229 00001>>     | 022         |
| 914-6 (USA)   | 72 2 | 91424 30001>>     | 901.38      |
| 914-1.7       | 73 3 | 47329 00001>>     | 022         |
| 914-2.0       | 73 3 | 47329 00001>>     | 039         |
| 914-1.8       | 74 4 | 47429 00001>>     | 022         |
| 914-1.8V      | 74 4 | 47429 00001>>     | 021         |
| 914-2.0       | 74 4 | 47429 00001>>     | 039         |
| 914-1.8       | 75 5 | 47529 00001>>     | 022         |
| 914-1.8V      | 75 5 | 47529 00001>>     | 021         |
| 914-2.0       | 75 5 | 47529 00001>>     | 039         |
| 914-1.8       | 76 6 | 47629 00001>>     | 022         |
| 914-1.8V      |      | 47629 00001>>     | 021         |
| 914-2.0       |      | 47629 00001>>     | 039         |
|               |      |                   |             |

|                                 | V-Pages                                 |  |
|---------------------------------|---|--|
| Madala 044.70                   | Andal 1:50 4070 + 4070                  |  |
|                                 | Model life 1970>>1976                   |  |
| EXPL.ENGINE-NO.                 |   |  |
|                                 |   |  |
|                                 | BERS USED IN THE CATALOGUE TYPE 914     |  |
| DIGIT:                          | 1 2 3 4 5 6 7 8 9                       |  |
| EXAMPLE:                        | E A 0 0 0 0 3 9 1                       |  |
|                                 | === ==================================  |  |
| IDENTIFICATION LETTERS          | + !<br>!                                |  |
| SERIAL NUMBER                   | ·<br>+                                  |  |
|                                 |   |  |
| ZYDI.ANATION OF THE MOTOR-NIIME | BERS USED IN THE CATALOGUE 914/6        |  |
|                                 | ======================================= |  |
| DIGIT:                          | 1 2 3 4 5 6 7                           |  |
| EXAMPLE:                        | 6 4 0 0 3 9 1                           |  |
|                                 | = = ======                              |  |
| ENGINE TYPE (6 = 6-CYLENGIN     | !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!  |  |
| ENGINE VERSION                  | !!!!<br>+!!!                            |  |
| MODEL YEAR                      | !!!<br>+!                               |  |
|                                 | !                                       |  |
| SERIAL NUMBER                   | +                                       |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |
|                                 |   |  |

| Model: | 914 70 | Model life | 1970>>1976 |
|--------|--------|------------|------------|

| SUMMARY ENGINES     |        |                    |   |  |  |  |
|---------------------|--------|--------------------|---|--|--|--|
|                     | ENGINE |                    |   |  |  |  |
| VEHICLE TYPE        | TYPE   | MY ENGINE NO.      | TECHNICAL DATA                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914                 | 022    | 70 0 W0 000 001 >> | 4CYL/1,7L/59KW                          |  |  |  |
|                     | 022    | 70 0 W0 000 001 22 | 101H/1/1H/35KW                          |  |  |  |
| 914-6               | 901.36 | 70 0 640 0001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914-6 SPM           | 901.37 |                    | 6CYL/2,0L/81KW                          |  |  |  |
| 914-6 (USA)         |        | 70 0 640 4001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
| 914-6 (USA) SPM     | 901.39 | 70 0 640 7001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
|                     |        |                    |   |  |  |  |
| 914                 | 022    | 71 1 W 057461 >>   | 4CYL/1,7L/59KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914-6               | 901.36 | 71 1 641 0001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
| 914-6 SPM           | 901.37 | 71 1 641 3001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
| 914-6 (USA)         | 901.38 | 71 1 641 4001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
| 914-6 (USA) SPM     | 901.39 | 71 1 641 7001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
|                     |        |                    | , |  |  |  |
| 914                 | 022    | 72 2 W0 129 582 >> | 4CYL/1,7L/59KW                          |  |  |  |
| 914                 | 022    | 72 2 EAO 000 001>> | 4CYL/1,7L/59KW                          |  |  |  |
| 914-6 (USA)         | 901.38 | 72 2 642 0001 >>   | 6CYL/2,0L/81KW                          |  |  |  |
| 914-0 (USA)         | 901.30 | 72 2 042 0001 >>   | OCIL/Z,OL/OIKW                          |  |  |  |
| 914                 | 022    | 73 3 W0 170 001 >> | 4CYL/1,7L/59KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914 (USA)           | 022    | 73 3 EAO 057001 >> | 4CYL/1,7L/59KW                          |  |  |  |
| 914 (CAL)           | 022    | 73 3 EB0 000 001>> | 4CYL/1,7L/53KW                          |  |  |  |
| 914-2,0 (USA)       | 039    | 73 3 GAO 000 001>> | 4CYL/2,0L/70KW                          |  |  |  |
| 914-2,0             | 039    | 73 3 GB0 000 001>> | 4CYL/2,0L/74KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914-1,8V            | 021    | 74 4 ANO 000 001>> | 4CYL/1,8L/63KW                          |  |  |  |
| 914-1.8 (USA)(CAL)  | 022    | 74 4 ECO 000 001>> | 4CYL/1.8L/56KW                          |  |  |  |
| 914-2,0 (USA)       | 039    | 74 4 GAO 006 766>> | 4CYL/2,0L/70KW                          |  |  |  |
| 914-2,0             | 039    | 74 4 GB0 007 402>> | 4CYL/2,0L/74KW                          |  |  |  |
|                     |        |                    |   |  |  |  |
| 914-1,8V            | 021    | 75 5 ANO 008 798>> | 4CYL/1,8L/63KW                          |  |  |  |
| 914-1,8 (USA)(CAL)  | 022    | 75 5 ECO 037 552>> | 4CYL/1,8L/56KW                          |  |  |  |
| 914-2,0             | 039    | 75 5 GB0 009 822>> | 4CYL/2,0L/74KW                          |  |  |  |
| 914-2,0 (USA)(CAL)  | 039    | 75 5 GCO 000 001>> | 4CYL/2,0L/65KW                          |  |  |  |
| JII Z,O (ODA)(CALI) | 037    | 12 2 GC0 000 00122 | ICIH/Z,OH/OJKW                          |  |  |  |
| 014 1 077           | 0.21   | 76 6 ANO 000 000-  | ACVI /1 OI /62WM                        |  |  |  |
| 914-1,8V            | 021    | 76 6 ANO 008 899>> | 4CYL/1,8L/63KW                          |  |  |  |
| 914-1,8 (USA)(CAL)  | 022    | 76 6 ECO 045 073>> | 4CYL/1,8L/56KW                          |  |  |  |
| 914-2,0             | 039    | 76 6 GB0 010 779>> | 4CYL/2,0L/74KW                          |  |  |  |
| 914-2,0             | 039    | 76 6 GC0 002 915>> | 4CYL/2,0L/65KW                          |  |  |  |
|                     |        |                    |   |  |  |  |

| EXPLANATION OF THE TRANSMISSION-NUMBERS USED IN THE CATALOGUE TYPE 914  DIGIT: 1 2 3 4 5 6 7 8 9  EXAMPLE: H A 0 0 0 0 3 9 1  """ "" "" "" "" "" "" "" "" "" "" "" " | Model:       | 914 70          | N           | /lodel life    | 1970>>1    | 976  |        |               |            |        |      |        |        |       |
|--|--------------|-----------------|-------------|----------------|------------|------|--------|---------------|------------|--------|------|--------|--------|-------|
| DIGIT: 1 2 3 4 5 6 7 8 9  EXAMPLE: H A 0 0 0 0 3 9 1  TRANSMISSION TYPE  | EXPL.T       | RANSMISS.       |             |                |            |      |        |               |            |        |      |        |        |       |
| DIGIT:  1 2 3 4 5 6 7 8 9  EXAMPLE:  H A 0 0 0 3 9 1   | l            |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| DIGIT: 1 2 3 4 5 6 7 8 9  EXAMPLE: H A 0 0 0 0 0 3 9 1  TRANSMISSION TYPE  | l            |                 |             | ======         | ======     | ==== | ====   | ===           | ===        | ===    | ==:  | ===    | ==:    | ====  |
| EXAMPLE:    H A 0 0 0 0 0 3 9 1  | l            |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| EXAMPLE:    H A 0 0 0 0 0 3 9 1  |              |                 |             |                |            |      | -      | •             | 2          | 4      | _    |        | 0      | •     |
| TRANSMISSION TYPE  | DIGIT:       |                 |             |                |            |      | Τ      | 2             | 3          | 4      | 5    | 6 7    | 8      | 9     |
|  | EXAMPL       | .E:             |             |                |            |      | Н      | А             | 0          | 0      | 0    | 0 3    | 9      | 1     |
| TRANSMISSION VERSION   |              |                 |             |                |            |      |        |               | ==         | ===    | ==   | ===    | ==:    | ==    |
|  | TRANSM       | TISSION TYPE-   |             |                |            |      |        |               |            |        |      | !      |        |       |
|  |              | IIDDION III     |             |                |            |      | •      | !             |            |        |      | !      |        |       |
| EXPLANATION OF THE TRANSMISSION-NUMBERS USED IN THE CATALOGUE TYPE 914  FROM MODEL YEAR 1974  EXAMPLE:    A  | TRANSM       | IISSION VERSI   | ION         |                |            |      |        | -+            |            |        |      | !      |        |       |
| EXPLANATION OF THE TRANSMISSION-NUMBERS USED IN THE CATALOGUE TYPE 914  FROM MODEL YEAR 1974  EXAMPLE:    A  | CEDTAT       | NIIMDED         |             |                |            |      |        |               |            |        |      | !      |        |       |
| FROM MODEL YEAR 1974  DIGIT:  1 2 3 4 5 6 7  EXAMPLE:  H A 0 8 1 2 4  = = == = = = = = = = = = = = = = = =   | SEKIAL       | NOMBER          |             |                |            |      |        |               |            |        |      | -      |        |       |
| FROM MODEL YEAR 1974  DIGIT:  1 2 3 4 5 6 7  EXAMPLE:  H A 0 8 1 2 4  = = == = = = = = = = = = = = = = = =   |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| FROM MODEL YEAR 1974  DIGIT:  1 2 3 4 5 6 7  EXAMPLE:  H A 0 8 1 2 4  = = == = = = = = = = = = = = = = = =   | די ע דע איז  |                 |             | ד ∩ אז אזוזאיי | ביים מותים | דאי  | mii in | C171          | רי א ד     | . 00   | יידד | יזים   | ים כו. | 014   |
| FROM MODEL YEAR 1974  ===================================  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| DIGIT: 1 2 3 4 5 6 7  EXAMPLE: H A 0 8 1 2 4  = = === === = = = = = = = =   ! ! ! ! !  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| EXAMPLE:  # A 0 8 1 2 4  = = === = = = = = = = = = = = = = =   | =====        | :========       | ===         |                |            |      |        |               |            |        |      |        |        |       |
| EXAMPLE:  # A 0 8 1 2 4  = = === = = = = = = = = = = = = = =   | DIGIT:       |                 |             |                |            |      | 1      | 2             | 3          | 4      | 5    | 6      | 7      |       |
|  | 21011        |                 |             |                |            |      | _      | _             | J          | -      | J    | Ü      | •      |       |
|  | EXAMPL       | Æ:              |             |                |            |      |        |               |            |        |      |        |        |       |
| TRANSMISSION TYPE  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
|  | TRANSM       | IISSION TYPE-   |             |                |            |      |        |               |            |        |      |        | !      |       |
|  |              |                 |             |                |            |      |        | !             | !          | !      |      | !      | !      |       |
| ! !  | TRANSM       | IISSION VERSI   | ION         |                |            |      |        | -+            | !          | !      |      | !      | !      |       |
| ! !  | MANUFA       | CTURING DAY-    |             |                |            |      |        |               | :<br>+ – – | :<br>- |      | :<br>! | !      |       |
| MANUFACTURING YEAR   |              |                 |             |                |            |      |        |               |            |        |      | !      | !      |       |
| EXPLANATION OF THE TRANSMISSION-NUMBERS USED IN THE CATALOGUE TYPE 914/6  DIGIT:  1 2 3 4 5 6 7  EXAMPLE:  7 5 0 0 3 9 1  = = = ====== !!!!!  TRANSMISSION TYPE      | MANUFA       | CTURING MONT    | ГН          |                |            |      |        |               |            |        |      | +      | !      |       |
| EXPLANATION OF THE TRANSMISSION-NUMBERS USED IN THE CATALOGUE TYPE 914/6  DIGIT: 1 2 3 4 5 6 7  EXAMPLE: 7 5 0 0 3 9 1  = = = ====== !!!!!  TRANSMISSION TYPE        | ΜΔΝΙΙΓΙΔ     | ACTIBING VEAR   | ?           |                |            |      |        |               |            |        |      |        | !      |       |
| DIGIT: 1 2 3 4 5 6 7  EXAMPLE: 7 5 0 0 3 9 1  = = = ======= !!!!!!  TRANSMISSION TYPE  | IMNOLA       | CIORING IEAR    |             |                |            |      |        |               |            |        |      |        |        |       |
| DIGIT: 1 2 3 4 5 6 7  EXAMPLE: 7 5 0 0 3 9 1  = = = ======= !!!!!!  TRANSMISSION TYPE  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| DIGIT: 1 2 3 4 5 6 7  EXAMPLE: 7 5 0 0 3 9 1  = = = ======= !!!!!!  TRANSMISSION TYPE  | EYDI.AN      | ואידראו הבי דענ | T TDANGMIGG | TON_NIIMR      | בסכ ווכב   | D TM | יועד   | $C^{\Lambda}$ | тлτ        | .0G    | चा   | ΨV     | ם.     | 914/6 |
| EXAMPLE: 7 5 0 0 3 9 1  = = = =======  ! ! ! !  TRANSMISSION TYPE  | =====        |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| EXAMPLE: 7 5 0 0 3 9 1  = = = =======  ! ! ! !  TRANSMISSION TYPE  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| = = = ====== ! ! ! !  TRANSMISSION TYPE  | DIGIT:       |                 |             |                |            |      | 1      | 2 3           | 4          | 1 5    | 6    | 7      |        |       |
| = = = ======<br>! ! ! !<br>TRANSMISSION TYPE   | EXAMPL       | Œ:              |             |                |            |      | 7      | 5 0           | (          | ) 3    | 9    | 1      |        |       |
| TRANSMISSION TYPE  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |
| !!!! TRANSMISSION VERSION  | mn ~ ~ ~ ~ . | ATGGTON TOTAL   |             |                |            |      | •      |               |            |        | !    |        |        |       |
| TRANSMISSION VERSION   | ı KANSM      | ITSSION TYPE-   |             |                |            |      |        |               |            |        | !!   |        |        |       |
| !  | TRANSM       | IISSION VERSI   | ION         |                |            |      |        |               |            |        | !    |        |        |       |
| !  |              |                 |             |                |            |      |        | !             |            |        | !    |        |        |       |
| ;<br>SERIAL NUMBER+  | MODEL        | YEAR            |             |                |            |      |        | +             |            |        | !    |        |        |       |
|  | SERIAL       | NUMBER          |             |                |            |      |        |               |            |        | +    |        |        |       |
|  |              |                 |             |                |            |      |        |               |            |        |      |        |        |       |

| Model: | 914 70 | Model life | 1970>>1976 |
|--------|--------|------------|------------|

| SUMM.TRANSMISS.      |          |                         |                |
|----------------------|----------|-------------------------|----------------|
|                      | TRANSM.  |                         |                |
| VEHICLE TYPE         | TYPE     | MY TRANSMISSION NO.     | TECHNICAL DATA |
| 014                  | 200 11   | FO. 0. 777.0. 000. 001. | F              |
|                      | . 300.11 |                         | 5-SPEED        |
| 914 914              | . 300.11 | 70 0 HB0 000 001>>      | 5-SPEED        |
|                      |          |                         | (LIM. SLIP     |
| 014 6                | 200 01   | FO. 0. FFO. 0001        | DIFFERENTIAL)  |
|                      |          | 70 0 750 0001 >>        | 5-SPEED        |
| 914-6 914            | . 300.05 | 70 0 780 0001 >>        | 4-SPEED        |
|                      |          |                         | (SPORTOMATIC)  |
| 914 914              | . 300.11 | 70 0 HA0 014 826>>      | 5-SPEED        |
|                      | . 300.11 |                         | 5-SPEED        |
| 711                  | . 300.11 | , 0 0 1120 000 001      | (LIM. SLIP     |
|                      |          |                         | DIFFERENTIAL)  |
| 914-6 914            | 300 01   | 71 1 751 0001 >>        | 5-SPEED        |
|                      |          | 71 1 761 0001 >>        | 4-SPEED        |
|                      | . 300.03 | 71 1 701 0001 77        | (SPORTOMATIC)  |
|                      |          |                         | (BIORIONALIC)  |
| 914 914              | . 300.11 | 72 2 HAO 030 094>>      | 5-SPEED        |
| 914-6 914            | . 300.01 | 72 2 752 0001 >>        | 5-SPEED        |
|                      |          |                         |                |
| 914-1,7/2,0 914      | . 300.12 | 73 3 HAO 051 316>>      | 5-SPEED        |
|                      |          |                         |                |
| 914-1,8/1,8V/2,0 914 | . 300.12 | 74 4 HA 13 08 3 >>      | 5-SPEED        |
| 014 1 0 /1 077 /0 0  | 200 10   | EE E 333 05 00 4        | 5 GD = D       |
| 914-1,8/1,8V/2,0 914 | . 300.12 | /5 5 HA U5 U8 4 >>      | 5-SPEED        |
| 914-1,8/1,8V/2,0 914 | 300 10   | 76 6 HA 05 08 5 >>      | 5-SPEED        |
| Jit I,0/I,0V/Z,0 914 | . 500.12 | 70 0 HA 03 00 3 //      | J DEEDU        |

| Model: | 914 70 | Model life | 1970>>1976 |
|--------|--------|------------|------------|

| LEGENDS/NOTICES |   |
|-----------------|---|
|                 | LEGENDS AND NOTICES   |
|                 |   |
|                 | IN COLUMN -S- STATUS  |
| N               | NEW ADDITION  |
| Р               | PART ALREADY IN PROGRAMME, BUT NEW AT THIS APPLICATION  |
| E               | THIS PART NO. IS NO LONGER AVAILABLE FROM PORSCHE   |
| W               | DELETED AT THIS APPLICATION, BUT CONTINUED, TO BE CARRIED                                       |
| A               | STOCK TO BE USED UP   |
| υ               | DELETED WITHOUT REPLACEMENT   |
| *               | PART ALSO OR ONLY AVAILABLE<br>IN REPAIR KIT  |
| >               | ALSO AVAILABLE IN EXCHANGE  |
|                 | IN COLUMN - ILL   |
| 1               | IDENTIFICATION NO. IN ILLUSTRATION  |
| (1)             | PART ONLY SIMILAR AS ILLUSTRATED  |
| -               | PART IS NOT ILLUSTRATED   |
|                 | FIGNUMBERS FOR WHICH THERE IS SHOWN NO TEXT ARE NOT VALID FOR THIS EDITION OF CATALOGUE         |
|                 | IN COLUMN -PART NUMBER/CODE-  |
| 000 000 000 00  | PART NUMBER EQUALS ORDERING NO., IF A CODE IS SHOWN, IT WILL HAVE TO BE PART OF ORDERING NUMBER |
| 01C             | COLOUR CODE   |
|                 | IN COLUMN -TEXT   |
|                 | INSTALLATION WITH ENGINE OR CHASSIS NUMBER-RANGE  |
|                 | EXAMPLE:  |

|       | 5CHE  |    |             |       | V-Pages     | PORSCHE |
|-------|-------|----|-------------|-------|-------------|---------|
|       |       |    |             |       | -           |         |
|       | 0115  |    |             |       | 4070 4070   |         |
|       | 914 7 |    |             |       | 1970>>1976  |         |
| M 640 | 0391  | >> |             | FROM  | ENGINE NO.  |         |
| F     |       | >> | 914043 0391 | UP TO | CHASSIS NO. |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |
|       |       |    |             |       |             |         |

|     | LEGENDS/NOTICES |   |
|-----|-----------------|---|
|     |                 | IN COLUMN - A -   |
|     |                 |   |
|     |                 | IDENTIFICATION LETTER FOR PERIOD OF INSTALLATION THAT IS REPEATED SEVERAL TIMES IN THE CATALOG GROUP. |
|     |                 | EXPLANATION PLEASE FIND IN TEXT COLUMN OF THE CATALOG GROUP   |
|     |                 | IN COLUMN - QU - = NO. OF PIECES  |
|     | 1               | NUMBER PER APPLICATION  |
|     | X               | NUMBER AS NEEDED  |
|     | *               | AVAILABLE ONLY IN RUNNING LENGTHS 1 = 1 METRE   |
|     |                 | IN COLUMN - MODEL/SYMBOL -  |
|     | -76             | LIMITATION OF MODEL YEAR FOR INSTANCE: VALID UP TO END OF MODEL YEAR 1976                             |
|     | /LL             | LHD   |
|     | /RL             | RHD   |
|     | /V              | FRONT I   |
|     | /H              | I REAR I I> APPLIES TO  |
|     | /L              | LEFT I DIRECTION OF TRAVEL  |
|     | /R              | I<br>RIGHT I<br>+   |
|     | SPM             | SPORTOMATIC   |
|     | М               | SUMMARY OF OPTIONAL EXTRAS  |
| - 1 |                 |   |

| Model: | 914 70 | Model life | 1970>>1976 |
|--------|--------|------------|------------|

| COUNTRY-EQUIP. |                                  |
|----------------|----------------------------------|
|                | EQUIPMENT BY COUNTRY REGULATIONS |
| (A)            | AUSTRIA                          |
| (AUS)          | AUSTRALIA                        |
| (B)            | BELGIUM                          |
| (CDN)          | CANADA                           |
| (CH)           | SWITZERLAND                      |
| (D)            | FEDERAL REPUBLIC OF GERMANY      |
| (DK)           | DENMARK                          |
| (E)            | SPAIN                            |
| (F)            | FRANCE                           |
| (GB)           | GREAT BRITAIN                    |
| ( GR )         | GREECE                           |
| (HK)           | HONGKONG                         |
| (I)            | ITALY                            |
| (J)            | JAPAN                            |
| (L)            | LUXEMBURG                        |
| (N)            | NORWAY                           |
| (NL)           | NETHERLANDS                      |
| (NZ)           | NEW ZEALAND                      |
| (P)            | PORTUGAL                         |
| (RC)           | TAIWAN                           |
| (S)            | SWEDEN                           |
| (SA)           | SAUDI ARABIA                     |
| (SF)           | FINLAND                          |
| (USA)          | UNITED STATES OF AMERICA         |
| (ZA)           | SOUTH AFRICA                     |
|                |                                  |
| 1              |                                  |

|        | CHE    |            | Illustration: 001-00 |  |
|--------|--------|------------|----------------------|--|
|        |        |            |                      |  |
| lodel: | 914 70 | Model life | 1970>>1976           |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |

| Pos |                              |                            |           | Model  |       |
|-----|------------------------------|----------------------------|-----------|--------|-------|
| 705 | Part Number                  | Description                | Veilla! K | Qty    | WOUEI |
|     |                              | Tool                       |           |        |       |
|     |                              | Jack                       |           | _      |       |
| >>  | 914 721 001 10               | Tool bag                   |           | 1      | 914-6 |
|     |                              | Comprising:                |           | 1      |       |
| _   | 477 012 202 7                | Tool bag Spark plug wrench |           | 1<br>1 |       |
| _   | 477 012 203 A<br>477 012 227 | Angular screw driver       |           | 1      |       |
| _   | 999 571 045 02               | Rim wrench                 |           | 1      |       |
| _   | 999 195 011 02               | Double-end spanner         |           | 1      |       |
|     |                              | 8 X 9 / 110 MM             |           | _      |       |
| _   | 999 195 012 02               | Double-end spanner         |           | 1      |       |
|     |                              | 10 X 11 / 126 MM           |           |        |       |
| _   | 999 195 007 02               | Double-end spanner         |           | 1      |       |
|     |                              | 12 X 13 / 140 MM           |           |        |       |
| -   | 999 195 015 02               | Double-end spanner         |           | 1      |       |
|     |                              | 17 X 19 / 187 MM           |           |        |       |
| -   | 999 195 014 02               | Double-end spanner         |           | 1      |       |
|     |                              | 14 X 15 / 157 MM           |           | _      |       |
| -   | 999 571 017 02               | Ring wrench                |           | 1      |       |
|     | 999 191 002 02               | 22 X 19<br>Screwdriver     |           | 1      |       |
| _   | 900 137 001 02               |                            |           | 1      |       |
| _   | 200 T21 OOT OZ               | Phillips screwdriver B 2   |           |        |       |
| _   | 999 107 003 02               | Universal pliers           |           | 1      |       |
| _   | 999 192 176 50               | Narrow v-belt              |           | 1      |       |
|     |                              | 9,5 X 710                  |           | _      |       |
| _   | 999 192 176 5A               | Narrow v-belt              |           | 1      |       |
|     |                              | 9,5 x 710                  |           |        |       |
| _   | 914 721 013 10               | Bag                        |           | 1      |       |
|     |                              | with                       |           |        |       |
|     |                              | Lock                       |           |        |       |
|     |                              | Lock                       |           |        |       |
| -   |                              | Bag                        |           | 1      |       |
|     |                              | Plastic material           |           | 1      |       |
| _   | N 017 121 1                  | Safety fuse<br>8           |           | 1      |       |
| _   | N 017 121 5                  | Lock                       |           | 1      |       |
|     | N 017 121 3                  | 25                         |           | 1      |       |
| _   | 911 721 702 00               | Retaining bracket          |           | 1      |       |
|     |                              | for                        |           | _      |       |
|     |                              | V-belt pulley              |           |        |       |
| >>  | 411 012 021                  | Tool bag                   |           | 1      | 914-4 |
|     |                              | Comprising:                |           |        |       |
| -   | 311 012 205 A                | Socket wrench              |           | 1      |       |
|     |                              | for                        |           |        |       |
|     |                              | Wheel bolt                 |           |        |       |
| -   | 111 012 221                  | Socket wrench              |           | 1      |       |
|     |                              | with<br>Handle             |           |        |       |
| _   | 343 012 221                  | Tool                       |           | 1      |       |
| _   | 343 012 221                  | with                       |           | 1      |       |
|     |                              | Handle                     |           |        |       |
| _   | N 030 055 1                  | Double socket wrench       |           | 1      |       |
|     |                              | 8 X 13                     |           |        |       |
| _   | 251 012 243                  | Hook                       |           | 1      |       |
|     |                              | for                        |           |        |       |
|     |                              | Hub cap                    |           |        |       |
| -   | 111 012 255                  | Screwdriver                |           | 1      |       |
|     |                              | for                        |           |        |       |
|     |                              | Slotted screw              |           |        |       |
|     |                              | And                        |           |        |       |
|     | 411 010 201 3                | Cross-recess screw         |           | 1      |       |
|     | 411 012 201 A                | Socket wrench              |           | 1      |       |

| Model: | 914 70 Model life 1970>>1976 |                             |            |     |               |
|--------|------------------------------|-----------------------------|------------|-----|---------------|
| Pos    | Part Number                  | Description                 | Remark     | Qty | Model         |
|        |                              | for                         |            |     |               |
|        |                              | Spark plug                  |            |     |               |
| >>     | 111 012 021 B                | Tool bag                    | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | Comprising:                 |            |     |               |
| -      | 111 012 219                  | Socket wrench               | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | for                         |            |     |               |
|        | 111 012 221                  | Wheel bolt<br>Socket wrench | /1 0 / 2 0 | 1   | 014 1 7/1 077 |
| -      | 111 012 221                  | with                        | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | Handle                      |            |     |               |
| _      | N 030 057 1                  | Double-end spanner          | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | 10 X 13                     |            |     |               |
| -      | 251 012 243                  | Hook                        | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | for                         |            |     |               |
|        | 111 010 055                  | Hub cap                     | /1 0 /0 0  |     | 014 1 5/1 077 |
| _      | 111 012 255                  | Screwdriver for             | /1,8/2,0   | 1   | 914-1,7/1,8V  |
|        |                              | Slotted screw               |            |     |               |
|        |                              | Cross-recess screw          |            |     |               |
| _      | 914 721 011 10               | Jack                        |            | 1   |               |
| -      | 914 721 111 10               | Rubber ring                 |            | 1   |               |
|        |                              | for                         |            |     |               |
|        |                              | Jack                        | /1 0 /0 0  |     | 014 1 7 /1 0  |
| _      | 914 722 021 10               | Bracket<br>for              | /1,8/2,0   | 2   | 914-1,7/1,8V  |
|        |                              | Jack                        |            |     |               |
| _      | 914 722 105 10               | Towing lug                  |            | 1   |               |
| _      | 914 722 015 10               | Bag                         |            | 1   |               |
|        |                              | for                         |            |     |               |
|        |                              | Key                         |            |     |               |
| -      | 000 061 371                  | Floor mat                   |            | 1   | 914-4         |
| >>     | 914 721 008 10               | Bag<br>Comprising:          |            | 1   | 914-6         |
| _      | 914 721 013 10               | Bag                         |            | 1   |               |
|        |                              | with                        |            | -   |               |
|        |                              | Lock                        |            |     |               |
|        |                              | Lock                        |            |     |               |
| -      | 999 170 055 90               | Spark plug                  |            | 3   |               |
|        | N 017 011 20                 | - bosch -                   |            |     |               |
| _      | N 017 811 32                 | Spark plug<br>- bosch -     |            | 3   |               |
| _      | 999 170 165 90               | Spark plug                  |            | 3   |               |
|        |                              | - bosch -                   |            |     |               |
| _      | 901 105 901 50               | Set of valve springs        |            | 1   |               |
|        |                              | Inner                       |            |     |               |
|        |                              | And                         |            |     |               |
| _      | 901 105 901 51               | Outer Set of valve springs  |            | 1   |               |
|        | 901 103 901 31               | Inner                       |            |     |               |
|        |                              | And                         |            |     |               |
|        |                              | Outer                       |            |     |               |
| -      | 901 105 417 00               | Collet                      |            | 2   |               |
|        |                              | Divided                     |            |     |               |
| -      | 911 104 193 03               | Valve stem seal             |            | 1   |               |
| _      | 901 105 370 02               | Valve<br>Adjusting screw    |            | 2   |               |
| -      | 701 103 370 02               | Valve                       |            | _   |               |
| _      | 999 034 005 00               | Nut                         |            | 2   |               |
| -      | 911 107 176 01               | Magnetic screw              |            | 1   |               |
| -      | 900 123 011 30               | Sealing ring                |            | 1   |               |
|        |                              | A 22 X 27                   |            | _   |               |
| -      | 930 101 391 01               | Gasket                      |            | 2   |               |
|        |                              | for                         |            |     |               |

| Part Number   Description   Remark   Qty   Mode  |    |
|--|----|
| - 901 609 309 00 Screened connector Ignition lead Screened connector Ignition lead Screened connector Ignition lead Screened connector Ignition lead Gasket set for Mixture control unit Clutch cable 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3  | el |
| - 901 609 309 00 Screemed connector Ignition lead Screemed connector Ignition lead Screemed connector Ignition lead Screemed connector Ignition lead Gasket set for Mixture control unit Clutch cable Clutch cable 1 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3   |    |
| Ignition lead   Screened connector   Ignition lead   |    |
| - 901 609 309 01   Screened connector   Ignition lead  |    |
| Ignition lead   Gasket set   1   |    |
| - 901 108 948 01 Gasket set for Mixture control unit - 914 423 401 02 Clutch cable 1 - 914 423 401 08 Clutch cable 1 - 901 104 391 01 Cylinder head gasket 3 - 930 105 193 00 Gasket 1 - 930 105 193 05 Gasket 1 - 930 105 193 05 Gasket 1 - 930 105 191 03 Gasket   1 - 930 105 191 03 Gasket   1 - 930 105 192 01 Gasket   /L 1 - 930 105 192 01 Gasket   /R 1 - 930 105 192 01 Gasket   /R 1 - 930 105 192 03 Gasket   /R 1 - 930 105 192 04 Gasket   /R 1 - 930 105 192 04 Gasket   /R 1 - 930 105 194 00 Gasket   /R 1 - 930 105 194 02 Ga |    |
| For   Mixture control unit   |    |
| Mixture control unit   Clutch cable   1   Clutch cable   Clutch cable   Clutch cable   Clutch cable   Clutch case   Clu   |    |
| - 914 423 401 02   |    |
| - 914 423 401 02   |    |
| - 914 423 401 08 Clutch cable - 901 104 391 01 Cylinder head gasket - 930 105 193 00 Gasket for Crankcase And Chain case Gasket for Crankcase And Chain case Gasket for Lid Chain case Gasket for Lid Chain case - 930 105 192 01 Gasket for Lid Chain case Gasket for Lid Chain case Gasket for Lid Chain case - 930 105 192 01 Gasket for Lid Chain case Gasket for Lid Camshaft housing Upper Gasket for Lid Camshaft housing Upper Gasket for Lid Camshaft housing Upper   |    |
| - 901 104 391 01   |    |
| - 930 105 193 00 Gasket for Crankcase And Chain case Gasket for Crankcase And Chain case - 930 105 191 03 Gasket for Lid Chain case - 930 105 192 01 Gasket for Lid Chain case - 930 105 192 03 Gasket for Lid Chain case - 930 105 192 04 Gasket for Lid Chain case - 930 105 194 00 Gasket for Lid Camshaft housing Upper Lid Camshaft housing  |    |
| for Crankcase And Chain case  - 930 105 193 05 Gasket   1 for Crankcase And Chain case   1 for Crankcase And Chain case   1 for Chain case   2 for |    |
| Crankcase And Chain case Gasket for Crankcase And Chain case Gasket For Crankcase And Chain case Gasket For Lid Camshaft housing Upper Upper Upper Gasket For Lid Camshaft housing Upper Upper Camshaft housing Upper Upper Camshaft housing Upper Camshaft housing Upper Camshaft housing Upper Camshaft housing  |    |
| And Chain case Gasket for Crankcase And Chain case Chain case And Chain case Chain case And Chain case Chain case Gasket for Lid Chain case Gasket For Lid Chain case  - 930 105 192 01 Gasket for Lid Chain case Gasket For Lid Chain case  - 930 105 192 03 Gasket For Lid Chain case Gasket For Lid Chain case  - 930 105 192 04 Gasket For Lid Chain case  - 930 105 194 00 Gasket For Lid Casshaft housing Upper  - 930 105 194 02 Gasket For Lid Camshaft housing Upper  - 930 105 194 02 Gasket For Lid Camshaft housing Upper  - 930 105 194 02 Gasket For Lid Camshaft housing Upper Camshaft housing Upper  - 930 105 194 02 Gasket For Lid Camshaft housing Upper Camshaft housing  |    |
| Chain case Gasket for Crankcase And Chain case Gasket for Crankcase And Chain case Gasket for Lid Chain case Gasket for Lid Chain case  - 930 105 192 01 Gasket for Lid Chain case Gasket for Lid Chain case Gasket /R 1  for Lid Chain case  - 930 105 192 03 Gasket for Lid Chain case Gasket /R 1  for Lid Chain case  - 930 105 192 04 Gasket for Lid Chain case Gasket  - 930 105 194 00 Gasket for Lid Camshaft housing Upper Upper Josephare Gasket for Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing Upper Gasket for Lid Camshaft housing Upper Camshaft housing Upper Camshaft housing Upper Camshaft housing Upper Camshaft housing   |    |
| - 930 105 193 05 Gasket for Crankcase And Chain case - 930 105 191 03 Gasket /L 1 for Lid Chain case - 930 105 192 01 Gasket /R 1 for Lid Chain case - 930 105 192 03 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 194 00 Gasket /R 1 for Lid Chain case - 930 105 194 00 Gasket /R 2 for Lid Camshaft housing Upper - 930 105 194 02 Gasket /Gor Lid Camshaft housing Upper - 930 105 194 02 Gasket /Gor Lid Camshaft housing Upper - 930 105 194 02 Gasket /Gor Lid Camshaft housing Upper   |    |
| for Crankcase And Chain case - 930 105 191 03 Gasket for Lid Chain case - 930 105 192 01 Gasket /R 1 for Lid Chain case - 930 105 192 03 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 194 00 Gasket /R 2 for Lid Camshaft housing Upper - 930 105 194 02 Gasket /C 2 G |    |
| Crankcase And Chain case  - 930 105 191 03 Gasket for Lid Chain case  - 930 105 192 01 Gasket  - 930 105 192 03 Gasket  - 930 105 192 03 Gasket for Lid Chain case  - 930 105 192 04 Gasket  - 930 105 192 04 Gasket  - 930 105 194 00 Gasket  - 930 105 194 02 Gasket - 930 105 194 02 Gasket  |    |
| And Chain case  - 930 105 191 03 Gasket for Lid Chain case  - 930 105 192 01 Gasket /R 1  - 930 105 192 03 Gasket /R 1  - 930 105 192 03 Gasket /R 1  - 930 105 192 04 Gasket /R 1  - 930 105 192 04 Gasket /R 1  - 930 105 194 00 Gasket /R 1  - 930 105 194 00 Gasket /R 1  - 930 105 194 00 Gasket /R 2  - 930 105 194 00 Gasket //R 2  - 930 105 194 |    |
| And Chain case  - 930 105 191 03 Gasket for Lid Chain case  - 930 105 192 01 Gasket /R 1  - 930 105 192 03 Gasket /R 1  - 930 105 192 03 Gasket /R 1  - 930 105 192 04 Gasket /R 1  - 930 105 192 04 Gasket /R 1  - 930 105 194 00 Gasket /R 1  - 930 105 194 00 Gasket /R 1  - 930 105 194 00 Gasket /R 2  - 930 105 194 00 Gasket //R 2  - 930 105 194 |    |
| Chain case Gasket for Lid Camshaft housing Upper Gasket For Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing Upper Gasket For Lid Camshaft housing Upper  |    |
| - 930 105 191 03 Gasket for Lid Chain case - 930 105 192 01 Gasket /R 1  - 930 105 192 03 Gasket /R 1  - 930 105 192 03 Gasket /R 1  for Lid Chain case - 930 105 192 04 Gasket /R 1  - 930 105 192 04 Gasket /R 1  - 930 105 194 00 Gasket /R 1  - 930 105 194 00 Gasket /R 2  - 930 105 194 00 Gasket /R 2  - 930 105 194 02 Gasket //  2  - 930 10 |    |
| for Lid Chain case  Gasket for Lid Chain case  Gasket for Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Chain case  Gasket  For Lid Camshaft housing Upper  Gasket For Lid Camshaft housing Upper  Gasket For Lid Camshaft housing Upper   |    |
| Lid Chain case Gasket for Lid Camshaft housing Upper  - 930 105 194 02 Gasket For Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing  |    |
| Chain case Gasket for Lid Chain case Gasket 7R  1  930 105 192 03 Gasket 7R  1  for Lid Chain case Gasket 7R  1  1  607 Lid Chain case Gasket 7R  1  1  1  1  1  1  1  1  1  1  1  1  1  |    |
| - 930 105 192 01 Gasket for Lid Chain case - 930 105 192 03 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 192 04 Gasket /R 1 for Lid Chain case - 930 105 194 00 Gasket /R 2 for Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing  |    |
| for Lid Chain case  - 930 105 192 03   |    |
| Lid Chain case  - 930 105 192 03   |    |
| Chain case Gasket for Lid Chain case  - 930 105 192 04 Gasket for Lid Chain case  - 930 105 192 04 Gasket for Lid Chain case  - 930 105 194 00 Gasket for Lid Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing Upper Lid Camshaft housing Upper Lid Camshaft housing   |    |
| - 930 105 192 03 Gasket for Lid Chain case - 930 105 192 04 Gasket for Lid Chain case - 930 105 194 00 Gasket for Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing  |    |
| - 930 105 192 03 Gasket for Lid Chain case - 930 105 192 04 Gasket for Lid Chain case - 930 105 194 00 Gasket for Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing  |    |
| for Lid Chain case  - 930 105 192 04   |    |
| Lid Chain case  - 930 105 192 04   |    |
| Chain case  - 930 105 192 04   |    |
| - 930 105 192 04 Gasket for Lid Chain case  - 930 105 194 00 Gasket for Lid Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing Upper Lid Camshaft housing  |    |
| for Lid Chain case  - 930 105 194 00 Gasket for Lid Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing Upper Lid Camshaft housing  |    |
| Lid Chain case  - 930 105 194 00 Gasket for Lid Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing   |    |
| Chain case  - 930 105 194 00 Gasket  for Lid Camshaft housing Upper  - 930 105 194 02 Gasket  for Lid Camshaft housing   |    |
| - 930 105 194 00 Gasket for Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing  |    |
| for Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing  |    |
| Lid Camshaft housing Upper - 930 105 194 02 Gasket for Lid Camshaft housing  |    |
| Lid Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing   |    |
| Camshaft housing Upper  - 930 105 194 02 Gasket for Lid Camshaft housing   |    |
| Upper - 930 105 194 02 Gasket for Lid Camshaft housing   |    |
| - 930 105 194 02 Gasket for Lid Camshaft housing   |    |
| for Lid Camshaft housing   |    |
| Lid<br>Camshaft housing  |    |
| Camshaft housing   |    |
|  |    |
| Inner  |    |
| 1  |    |
| - 930 105 194 04 Gasket 2  |    |
| for  |    |
| Lid  |    |
| Camshaft housing   |    |
| Upper  |    |
|  |    |
| - 930 105 195 00 Gasket 2  |    |
| for  |    |
| Lid  |    |
| Camshaft housing   |    |
| Lower  |    |
| - 930 105 195 02 Gasket 2  |    |
| for  |    |
| Lid  |    |
| Camshaft housing   |    |
| Lower  |    |
| 1 1 1  |    |
| - 930 105 195 05 Gasket 2  |    |

| Pos | Part Number                      | Description                    | Remark | Qty    | Model |
|-----|----------------------------------|--------------------------------|--------|--------|-------|
|     | I art Humber                     | -                              | Kemark | Qty    | Wodel |
|     |                                  | for<br>Lid                     |        |        |       |
|     |                                  | Camshaft housing               |        |        |       |
|     |                                  | Lower                          |        |        |       |
| _   | 930 105 195 06                   | Gasket                         |        | 2      |       |
|     |                                  | for                            |        |        |       |
|     |                                  | Lid                            |        |        |       |
|     |                                  | Camshaft housing Lower         |        |        |       |
| _   | 930 105 195 07                   | Gasket                         |        | 2      |       |
|     | 300 103 133 07                   | for                            |        | 2      |       |
|     |                                  | Lid                            |        |        |       |
|     |                                  | Camshaft housing               |        |        |       |
|     | 014 501 005 10                   | Lower                          |        | 1      | 014.6 |
| >>  | 914 721 007 10                   | Bag<br>Comprising:             |        | 1      | 914-6 |
| _   | 914 721 902 10                   | Bag                            |        | 1      |       |
| _   | 914 721 013 10                   | Bag                            |        | 1      |       |
|     |                                  | with                           |        |        |       |
|     |                                  | Lock                           |        |        |       |
| _   | 999 170 010 91                   | Lock<br>Spark plug             |        | 3      |       |
| _   | 999 170 010 91                   | - bosch -                      |        | 3      |       |
| _   | 999 170 186 90                   | Spark plug                     |        | 3      |       |
|     |                                  | - bosch -                      |        |        |       |
| -   | 901 105 901 50                   | Set of valve springs           |        | 1      |       |
|     |                                  | Inner                          |        |        |       |
|     |                                  | And<br>Outer                   |        |        |       |
| _   | 901 105 901 51                   | Set of valve springs           |        | 1      |       |
|     | 01 103 701 31                    | Inner                          |        | -      |       |
|     |                                  | And                            |        |        |       |
|     |                                  | Outer                          |        |        |       |
| -   | 901 105 417 00                   | Collet                         |        | 2      |       |
| _   | 911 104 193 03                   | Divided<br>Valve stem seal     |        | 1      |       |
|     | 711 104 175 05                   | Valve Stell Stall              |        | _      |       |
| -   | 901 105 370 02                   | Adjusting screw                |        | 2      |       |
|     |                                  | Valve                          |        |        |       |
| -   | 999 034 005 00                   | Nut                            |        | 2      |       |
| _   | 911 107 176 01<br>900 123 011 30 | Magnetic screw Sealing ring    |        | 1<br>1 |       |
| _   | 900 123 011 30                   | A 22 X 27                      |        | 1      |       |
| _   | 901 609 309 00                   | Screened connector             |        | 2      |       |
|     |                                  | Ignition lead                  |        |        |       |
| -   | 901 609 309 01                   | Screened connector             |        | 2      |       |
|     | 001 100 040 01                   | Ignition lead                  |        | 1      |       |
| -   | 901 108 948 01                   | Gasket set for                 |        | 1      |       |
|     |                                  | Mixture control unit           |        |        |       |
| _   | 914 423 401 02                   | Clutch cable                   |        | 1      |       |
| -   | 914 423 401 08                   | Clutch cable                   |        | 1      |       |
| -   | 930 105 191 03                   | Gasket                         |        | 3      |       |
| _   | 901 104 391 01                   | Cylinder hand gagket           |        | 3      |       |
| _   | 930 105 193 00                   | Cylinder head gasket<br>Gasket |        | 1      |       |
|     |                                  | for                            |        | _      |       |
|     |                                  | Crankcase                      |        |        |       |
|     |                                  | And                            |        |        |       |
|     | 020 105 100 05                   | Chain case                     |        | 1      |       |
| _   | 930 105 193 05                   | Gasket<br>for                  |        | 1      |       |
|     |                                  | Crankcase                      |        |        |       |
|     |                                  |                                |        |        |       |

| woder. | 914 70         | Woder life 1970>>1976   | r <u> </u> | T        |       |
|--------|----------------|-------------------------|------------|----------|-------|
| Pos    | Part Number    | Description             | Remark     | Qty      | Model |
|        |                | And                     |            |          |       |
|        |                | Chain case              |            |          |       |
| -      | 930 105 191 03 | Gasket                  | /L         | 1        |       |
|        |                | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        |                | Chain case              |            |          |       |
| -      | 930 105 192 01 | Gasket                  | /R         | 1        |       |
|        |                | for<br>Lid              |            |          |       |
|        |                | Chain case              |            |          |       |
| _      | 930 105 192 03 | Gasket                  | /R         | 1        |       |
|        | 300 103 172 03 | for                     | / 10       | -        |       |
|        |                | Lid                     |            |          |       |
|        |                | Chain case              |            |          |       |
| -      | 930 105 192 04 | Gasket                  | /R         | 1        |       |
|        |                | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        | 000 105 104 00 | Chain case              |            |          |       |
| _      | 930 105 194 00 | Gasket<br>for           |            | 2        |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        |                | Upper                   |            |          |       |
| _      | 930 105 194 02 | Gasket                  |            | 2        |       |
|        |                | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        | 000 105 104 04 | Upper                   |            |          |       |
| _      | 930 105 194 04 | Gasket<br>for           |            | 2        |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        |                | Upper                   |            |          |       |
| _      | 930 105 195 00 | Gasket                  |            | 2        |       |
|        |                | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        | 930 105 195 02 | Lower<br>Gasket         |            | 2        |       |
| -      | 930 105 195 02 | for                     |            | <u> </u> |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        |                | Lower                   |            |          |       |
| -      | 930 105 195 05 | Gasket                  |            | 2        |       |
|        |                | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
| _      | 930 105 195 06 | Lower<br>Gasket         |            | 2        |       |
|        | 730 103 173 00 | for                     |            |          |       |
|        |                | Lid                     |            |          |       |
|        |                | Camshaft housing        |            |          |       |
|        |                | Lower                   |            |          |       |
| -      | 930 105 195 07 | Gasket                  |            | 2        |       |
|        |                | for                     |            |          |       |
|        |                | Lid<br>Camshaft housing |            |          |       |
|        |                | Lower                   |            |          |       |
|        |                |                         |            |          |       |
|        |                |                         |            |          |       |
|        |                |                         |            |          |       |
|        |                |                         |            |          |       |
|        |                |                         |            |          |       |

| POR=   | 5⊂HE   |            | Illustration: 001-05 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |

| Pos  | Part Number    | Description                   | Remark | Qty | Model        |
|------|----------------|-------------------------------|--------|-----|--------------|
| . 55 | . are realison | ·                             |        | ۳۰, |              |
|      |                | Stickers                      |        |     |              |
| _    | 901 006 508 00 | Badge<br>Sticker              |        | 1   | SPM          |
|      | 701 000 300 00 | for                           |        | _   | SFM .        |
|      |                | Generator                     |        |     |              |
|      |                | And                           |        |     |              |
|      |                | Regulator                     |        |     |              |
| -    | 901 006 509 00 | Sticker<br>for                |        | 1   | SPM          |
|      |                | Ignition point                |        |     |              |
|      |                | Adjustment                    |        |     |              |
| _    | 901 006 509 02 | Sticker                       | (J)    | 1   | SPM: (USA    |
|      |                | for                           |        |     |              |
|      |                | Ignition point                |        |     |              |
|      | 001 006 500 03 | Adjustment                    | ( - )  | 1   | GDV (77G)    |
| _    | 901 006 509 03 | Sticker<br>for                | (J) 70 | 1   | SPM: (USA    |
|      |                | Ignition point                |        |     |              |
|      |                | Adjustment                    |        |     |              |
| -    | 901 006 509 06 | Sticker                       |        | 1   | SPM          |
|      |                | for                           |        |     |              |
|      |                | Catalytic converter           |        |     |              |
|      | 901 006 509 09 | Adjustment<br>Sticker         | 71     | 1   | SPM          |
| _    | 901 006 509 09 | for                           | / 1    | Ι Τ | SPM          |
|      |                | Ignition point                |        |     |              |
|      |                | Adjustment                    |        |     |              |
| -    | 901 006 507 00 | Sticker                       |        | 1   | SPM          |
|      |                | Tyre pressure                 |        |     |              |
|      |                | for V > 200 KM/H              |        |     |              |
| _    | 901 006 504 01 | Sticker                       |        | 1   | SPM          |
|      | 701 000 301 01 | for                           |        | _   | 0111         |
|      |                | Engine-oil level              |        |     |              |
| -    | 022 100 175    | Sticker                       |        | 1   | 914-1,7/1,8V |
|      |                | for                           |        |     |              |
|      |                | Valve clearance<br>Adjustment |        |     |              |
|      |                | Sticker                       |        |     |              |
|      |                | for                           |        |     |              |
|      |                | Valve clearance               |        |     |              |
|      |                | Adjustment                    |        |     |              |
|      |                | See group                     |        |     |              |
| _    | 901 006 503 00 | 1/11/00<br>Sticker            |        | 1   | SPM          |
|      | 201 000 202 00 | for                           |        | _   | DEPI         |
|      |                | Valve clearance               |        |     |              |
|      |                | Adjustment                    |        |     |              |
| -    | 901 006 502 00 | Sticker                       |        | 1   | SPM          |
|      |                | for                           |        |     |              |
| _    | 911 108 611 01 | Firing order<br>Sticker       |        | 1   | 914-6        |
|      | )              | for                           |        |     | ) J I I      |
|      |                | Filter                        |        |     |              |
|      |                | Number plate                  |        |     |              |
| -    | 914 006 501 00 | Sticker                       |        | 1   | 914-6        |
|      | 014 006 501 10 | Tyre                          | 71     | 1   | 014 4        |
| _    | 914 006 501 10 | Sticker<br>Tyre               | -71    | 1   | 914-4        |
|      |                | 155 SR 15                     |        |     |              |
| _    | 914 006 501 11 | Sticker                       | 72-    | 1   | 914-4        |
|      |                | Tyre                          |        |     |              |
|      |                | 155 SR 15                     |        |     |              |


| Pos | Part Number    | Description                      | Remark  | Qty | Model       |
|-----|----------------|----------------------------------|---------|-----|-------------|
|     |                | <u> </u>                         |         |     |             |
| -   | 914 006 504 10 | Sticker                          | -73     | 1   | 914-1,7     |
|     |                | Tyre<br>155 SR 15                |         |     |             |
| _   | 914 006 505 10 | Sticker                          | -74     | 1   | 914-2,0     |
|     |                | Tyre                             |         |     |             |
|     |                | 165 SR 15                        |         |     |             |
| -   |                | Sticker                          | -74     | 1   | 914-1,7     |
|     |                | Tyre<br>165 SR 15                |         |     |             |
| _   | 914 006 505 11 | Sticker                          | 75-     | 1   | 914-1,8     |
|     |                | Tyre                             |         |     |             |
|     | 014 006 506 00 | 165 SR 15                        |         |     |             |
| _   | 914 006 506 00 | Sticker<br>Tyre                  | 2,0 -74 | 1   | 914-1,7/1,8 |
|     |                | 165 HR 15                        |         |     |             |
| -   | 914 006 506 11 | Sticker                          | 75-     | 1   | 914-2,0     |
|     |                | Tyre                             |         |     |             |
| _   | 911 108 611 01 | 165 HR 15<br>Sticker             |         | 1   | 914-6       |
| _   | 911 100 011 01 | for                              |         | 1   | 914-0       |
|     |                | Filter                           |         |     |             |
|     |                | Number plate                     |         |     |             |
| -   | 914 006 501 00 | Sticker                          |         | 1   | 914-6       |
| _   | 914 006 501 10 | Tyre<br>Sticker                  | -71     | 1   | 914-4       |
|     | ]              | Tyre                             | , -     | -   |             |
|     |                | 155 SR 15                        |         |     |             |
| -   | 914 006 501 11 | Sticker                          | 72-     | 1   | 914-4       |
|     |                | Tyre<br>155 SR 15                |         |     |             |
| _   | 914 006 504 10 | Sticker                          | -73     | 1   | 914-1,7     |
|     |                | Tyre                             |         |     | ,           |
|     |                | 155 SR 15                        |         |     |             |
| -   | 914 006 505 10 | Sticker<br>Tyre                  | -74     | 1   | 914-2,0     |
|     |                | 165 SR 15                        |         |     |             |
| -   |                | Sticker                          | -74     | 1   | 914-1,7     |
|     |                | Tyre                             |         |     |             |
|     | 014 006 505 11 | 165 SR 15                        |         |     | 014 1 0     |
| -   | 914 006 505 11 | Sticker<br>Tyre                  | 75-     | 1   | 914-1,8     |
|     |                | 165 SR 15                        |         |     |             |
| -   | 914 006 506 00 | Sticker                          | 2,0 -74 | 1   | 914-1,7/1,8 |
|     |                | Tyre                             |         |     |             |
| _   | 914 006 506 11 | 165 HR 15<br>Sticker             | 75-     | 1   | 914-2,0     |
|     | 714 000 300 11 | Tyre                             | 73      | -   | J14 2,0     |
|     |                | 165 HR 15                        |         |     |             |
| -   | 411 000 263 A  | Sticker                          |         | 1   |             |
|     |                | Required octane number<br>98 ROZ |         |     |             |
| _   | 113 000 263 B  | Sticker                          |         | 1   |             |
|     |                | Indicator lights                 |         |     |             |
|     |                | 91 ROZ                           |         |     |             |
| _   | PCG 701 105 00 | Badge                            |         | 1   |             |
|     |                | for<br>Lacquers                  |         |     |             |
| _   | 902 701 111 00 | Badge                            |         | 1   |             |
|     |                | KARMANN                          |         |     |             |
|     |                | Body                             |         |     |             |
|     |                | Paint Use also:                  |         |     |             |
| _   | 900 093 001 02 | T-headed screw                   |         | 4   |             |
| L   |                | 1                                | 1       |     | <u> </u>    |

| PORSCHE | Illustration: 001-05 | PORSCHE |
|---------|----------------------|---------|
|         |                      |         |
|         |                      |         |

| Part Number | Description | Domark | 044 | Model |
|-------------|-------------|--------|-----|-------|
| ran number  | Description | Remark | Qty | Model |
|             | Rivet       |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
|             |             |        |     |       |
| 1           |             | i      |     | 1     |


|        |        |            | Illustration: 002-00 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
| ı      |        |            |                      |         |

| woder. | 914 70         | Woderlife 1970>>1976   |        |     |       |
|--------|----------------|--|--------|-----|-------|
| Pos    | Part Number    | Description  | Remark | Qty | Model |
| -      | 914 361 902 00 | Snow chains Ski rack Snow chains Set for Tyre  |        | х   |       |
| -      | 911 361 909 00 | 155 SR 15<br>155 SR 15 M + S<br>155 SR 15 M + S - E<br>Snow chains<br>Set<br>for<br>Tyre<br>165 HR 15          |        | х   |       |
| -      | 914 801 901 10 | 165 SR 15 165 SR 15 M + S 165 SR 15 M + S - E Ski rack Complete Front and rear Set for subsequent installation |        | 1   |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |




| Pos      | Part Numb              | er                                      | Description            | Remark | Qty    | Model |
|----------|------------------------|---|------------------------|--------|--------|-------|
| - 03     | T dit italiib          |   | <u> </u>               | Kemark | - City |       |
|          |                        |   | Crankcase<br>Left      |        |        | 914-6 |
| 1        | 901 101 9              | 912 00                                  | Crankcase              |        | 1      |       |
|          |                        | , | with studs             |        | -      |       |
| 2        | 999 062 0              | 090 02                                  | Stud                   |        | 2      |       |
|          |                        |   | M 10 X 40              |        |        |       |
| 3        | 999 062 0              | 039 02                                  | Stud                   |        | 1      |       |
| 3        | 999 062 1              | 183 02                                  | M 10 X 50<br>Stud      |        | 1      |       |
|          |                        | 200 02                                  | M 10 X 50              |        | -      |       |
| 4        | 999 062 0              | 085 02                                  | Stud                   |        | 4      |       |
|          |                        |   | BM 6 X 20              |        |        |       |
| 5<br>6   | 901 101 1<br>999 061 0 |   | Stud<br>Stud           |        | 24     |       |
| 7        | 999 061 0              |   | Stud                   |        | 2<br>4 |       |
| , ,      |                        | 007 02                                  | BM 8 X 22              |        | -      |       |
| 7        | 900 060 1              | 106 01                                  | Stud                   |        | 4      |       |
|          |                        |   | BM 8 X 22              |        |        |       |
|          |                        |   | for                    |        |        |       |
|          |                        |   | Mount<br>Chain case    |        |        |       |
| 8        | 900 061 0              | 004 02                                  | Stud                   |        | 1      |       |
|          |                        | 001 02                                  | BM 8 X 12              |        | -      |       |
|          |                        |   | for                    |        |        |       |
|          |                        |   | Support                |        |        |       |
|          | 000 000 0              | 000 00                                  | Distributor            |        | 2      |       |
| 9        | 999 062 0              | 002 02                                  | Stud<br>BM 6 X 15      |        | 3      |       |
| 10       | 999 062 0              | 055 02                                  | Stud                   |        | 5      |       |
|          |                        | 000 02                                  | BM 6 X 12              |        | 3      |       |
| 11       | 901 101 1              |   | Stud                   |        | 2      |       |
| 12       | 999 062 0              | 006 02                                  | Stud                   |        | 2      |       |
| 1 2      | 001 101 1              | 145 00                                  | BM 8 X 20              |        | 4      |       |
| 13<br>14 | 901 101 1<br>999 062 0 |   | Dowel sleeve<br>Stud   |        | 4<br>2 |       |
| 15       | 999 062 0              |   | Stud                   |        | 2      |       |
|          |                        |   | BM 8 X 28              |        |        |       |
| 15       | 900 060 1              | 105 01                                  | Stud                   |        | 2      |       |
|          |                        |   | BM 8 X 28              |        |        |       |
|          |                        |   | for Mount              |        |        |       |
|          |                        |   | Chain case             |        |        |       |
| 16       | 901 107 3              | 351 01                                  | Oil tube               |        | 4      |       |
| (16)     | 930 107 (              | 040 01                                  | Set                    |        | X      |       |
|          |                        |   | Set                    |        |        |       |
|          |                        |   | Divided Comprising:    |        |        |       |
|          |                        |   | Oil tube               |        |        |       |
|          |                        |   | I                      |        |        |       |
|          |                        |   | Oil tube               |        |        |       |
|          |                        |   | II                     |        |        |       |
| -        | 900 041 0              |   | Circlip                |        | 1      |       |
| _        | 999 707 1<br>999 707 1 |   | Round seal O-ring      |        | 2<br>2 |       |
| _        | 999 707 1              |   | Round seal             |        | 2      |       |
| _        | 999 707 1              | 112 4A                                  | Round seal             |        | 2      |       |
| 17       | 999 707 1              | 112 40                                  | Round seal             |        | 8      |       |
|          | 000 505                | 110 4-                                  | R 25 - 6               |        |        |       |
| 17       | 999 707 1              | 112 4A                                  | Round seal<br>R 25 - 6 |        | 8      |       |
| 18       | 900 136 (              | 013 02                                  | R 25 - 6<br>Union      |        | 1      |       |
|          |                        |   | A 16                   |        | _      |       |
| 19       | 900 123 (              | 011 30                                  | Sealing ring           |        | 1      |       |

| Pos  | Dart Number                      | Description                  | Remark       | Otv    | Model   |
|------|----------------------------------|------------------------------|--------------|--------|---------|
| -08  | Part Number                      | Description                  | V & III al K | Qty    | IVIOUEI |
|      |                                  | A 22 X 27                    |              |        |         |
| 20   | 900 031 014 30                   | Washer                       |              | 21     |         |
|      |                                  | 8,4                          |              |        |         |
| 21   | 900 084 004 03                   | Hexagon nut                  |              | 21     |         |
|      |                                  | м 8                          |              |        |         |
| 21   | 900 084 004 02                   | Hexagon nut                  |              | 21     |         |
|      |                                  | M 8                          |              | _      |         |
| 22   | N 012 242 3                      | Spring washer                |              | 1      |         |
| 0.0  | 000 155 000 00                   | B 10 X 18                    |              | -      |         |
| 23   | 900 157 002 02                   | Hexagon nut                  |              | 1      |         |
| 22   | 000 157 000 00                   | M 10                         |              | 1      |         |
| 23   | 900 157 002 03                   | Hexagon nut<br>M 10          |              | 1      |         |
| 24   | 930 107 791 00                   | Gasket                       |              | 1      |         |
| 25   | 901 107 073 02                   | Lid                          |              | 1      |         |
| 26   | 999 701 006 40                   | O-ring                       |              | 12     |         |
|      | 901 101 161 01                   |                              |              | 12     |         |
| 27   | 901 101 161 01                   | Washer<br>Washer             |              | 12     |         |
| (27) | 999 070 004 02                   | Cap nut                      |              | 13     |         |
| 28   |                                  | _ =                          |              | 13     |         |
| 28   | 999 070 004 03                   | Cap nut                      |              |        |         |
| 29   | 901 107 512 01                   | Piston                       |              | 1      |         |
| 30   | 901 107 531 00                   | Compression spring           |              | 1      |         |
| 31   | 900 123 071 30                   | Sealing ring                 |              | 1      |         |
| 2.0  |                                  | A 18 X 24                    |              | _      |         |
| 32   | 999 064 010 02                   | Screw plug                   |              | 1      |         |
| 33   | 901 107 375 00                   | Screw socket                 |              | 1      |         |
| -    | 900 123 005 30                   | Sealing ring                 |              | 1      |         |
| 2.4  |                                  | A 12 X 16                    |              | _      |         |
| 34   | N 020 825 1                      | Cutting ring                 |              | 1      |         |
| 2.5  | 000 104 002 00                   | LL 8                         |              | -      |         |
| 35   | 900 104 003 02                   | Union nut                    |              | 1      |         |
| 2.5  |                                  | ALL 8                        |              | _      |         |
| 35   | 900 104 003 03                   | Union nut                    |              | 1      |         |
| 26   | 900 076 010 02                   | ALL 8                        |              | _      |         |
| 36   | 900 076 010 02                   | Nut                          |              | 6      |         |
| 26   | 900 076 010 0B                   | M 6                          |              | _      |         |
| 36   | 900 076 010 08                   | Nut                          |              | 6      |         |
|      |                                  | M 6                          |              |        |         |
|      |                                  | for                          |              |        |         |
|      |                                  | Mount                        |              |        |         |
| 37   | 900 028 008 01                   | Oil strainer                 |              | 6      |         |
| 3 /  | 300 078 008 01                   | Lock ring                    |              | Ö      |         |
| 39   | 011 107 176 01                   | B 8                          |              | 1      |         |
| 40   | 911 107 176 01<br>900 123 011 30 | Magnetic screw Sealing ring  |              | 1<br>1 |         |
| 40   | 900 143 U11 3U                   | A 22 X 27                    |              | т      |         |
| 41   | 930 101 391 01                   | Gasket                       |              | 2      |         |
| 41   | 930 101 391 01                   | Gasket<br> Lid               |              | 1      |         |
| 44   | 230 TOT 207 00                   | Technical information        |              | т_     |         |
|      |                                  |                              |              |        |         |
| 43   | 901 101 380 01                   | gr.1 nr.1/85<br>Oil strainer |              | 1      |         |
| 43   | 999 062 099 02                   | Stud                         |              | 2      | SPM     |
| 44   | 002 UZ UZ UZ UZ                  | BM 10 X 105                  |              | ∠      | SEM     |
| 44   | 900 060 096 01                   | Stud                         |              | 2      | SPM     |
| 44   | 10 060 000 0T                    | BM 10 X 105                  |              | ∠      | DPM     |
|      |                                  | for                          |              |        |         |
|      |                                  | Transmission                 |              |        |         |
|      |                                  | II ali Sill I SSI Oli        |              |        |         |
|      |                                  |                              |              |        |         |
|      |                                  |                              |              |        |         |
|      |                                  |                              |              |        |         |
|      |                                  |                              |              |        |         |
|      |                                  |                              |              |        |         |
|      |                                  |                              |              |        |         |



| woder.  | 914 70         | Widder life 1970>>1970            |        |     |          |
|---------|----------------|-----------------------------------|--------|-----|----------|
| Pos     | Part Number    | Description                       | Remark | Qty | Model    |
|         |                | Crankcase                         |        |     | 914-6    |
|         |                | Right                             |        |     | 714 0    |
| 1       | 901 101 912 00 | Crankcase                         |        | 1   |          |
| _       | 001 101 912 00 | with studs                        |        | _   |          |
| 2       | 999 062 090 02 | Stud                              |        | 2   |          |
|         | 002 000 02     | M 10 X 40                         |        |     |          |
| 3       | 999 061 056 02 | Stud                              |        | 1   |          |
|         | 333 001 030 02 | M 10 X 15                         |        | _   |          |
| 4       | 999 062 010 02 | Stud                              |        | 1   |          |
|         |                | BM 8 X 35                         |        |     |          |
| 5       | 999 062 115 02 | Stud                              |        | 12  |          |
|         |                | BM 8 X 32                         |        |     |          |
| 6       | 999 504 062 02 | Threaded bush                     |        | 1   |          |
| 7       | 999 062 006 02 | Stud                              |        | 3   |          |
|         |                | BM 8 X 20                         |        |     |          |
|         |                | for                               |        |     |          |
|         |                | Mount                             |        |     |          |
|         |                | Oil pump                          |        |     |          |
|         |                | And                               |        |     |          |
|         |                | Chain case                        |        |     |          |
| 8       | 999 062 009 02 | Stud                              |        | 1   |          |
|         |                | BM 8 X 28                         |        |     |          |
| 8       | 900 060 105 01 | Stud                              |        | 1   |          |
|         | 000 061 055 00 | BM 8 X 28                         |        |     |          |
| 9       | 900 061 057 02 | Stud                              |        | 4   |          |
| 9       | 999 062 057 02 | BM 8 X 15                         |        | 4   |          |
| 9       | 999 062 057 02 | Stud<br>BM 8 X 15                 |        | 4   |          |
|         |                | for                               |        |     |          |
|         |                | Oil cooler                        |        |     |          |
| 9       | 999 062 073 02 | Stud                              |        | 4   |          |
|         | 002 073 02     | BM 8 X 15                         |        |     |          |
|         |                | for                               |        |     |          |
|         |                | Oil cooler                        |        |     |          |
| 10      | 999 062 055 02 | Stud                              |        | 7   |          |
|         |                | BM 6 X 12                         |        |     |          |
| 11      | 900 074 134 02 | Hexagon-head bolt                 |        | 1   |          |
|         |                | M 8 X 45                          |        |     |          |
| 12      | 900 060 101 01 | Stud                              |        | 3   |          |
| 13      | 999 062 075 02 | Stud                              |        | 2   |          |
|         |                | BM 8 X 48                         |        |     |          |
| 14      | 999 062 138 02 | Stud                              |        | 1   |          |
|         |                | BM 8 X 52                         |        |     |          |
| 14      | 900 060 102 01 | Stud                              |        | 1   |          |
|         |                | BM 8 X 52                         |        | _   |          |
| 15      | 999 062 051 02 | Stud                              |        | 1   |          |
| 1.6     | 000 060 015 00 | BM 8 X 108                        |        | -   |          |
| 16      | 999 062 217 08 | Screw                             |        | 1   |          |
| 17      | 999 113 057 52 | BM 10 X 85<br>Radial sealing ring |        | 1   |          |
| 1 /     | 999 113 057 52 | 65 X 85 X 10                      |        | 1   |          |
| (17)    | 901 102 911 00 | Radial sealing ring               |        | 1   |          |
| ( 1 / ) | 001 102 711 00 | 64,5 X 85 X 10                    |        |     |          |
|         |                | Undersize                         |        |     |          |
| 18      | 900 095 025 01 | Roll pin                          |        | 1   |          |
| -       |                | 8 X 16                            |        | -   |          |
|         |                | for                               |        |     |          |
|         |                | Fan housing                       |        |     |          |
| 19      | 901 101 195 00 | Dowel sleeve                      |        | 2   |          |
| 20      | 900 031 014 30 | Washer                            |        | 1   |          |
|         |                | 8,4                               |        |     |          |
| -       | 999 151 022 02 | Washer                            |        | 1   |          |
|         |                | 20 X 8,4 X 2                      |        |     |          |
|         | I              | _!                                |        |     | <u> </u> |

| Model:   | odel: 914 70 Model life 1970>>1976 |                                  |        |          |       |  |
|----------|------------------------------------|----------------------------------|--------|----------|-------|--|
| Pos      | Part Number                        | Description                      | Remark | Qty      | Model |  |
|          |                                    | Between                          |        |          |       |  |
|          |                                    | Housing                          |        |          |       |  |
|          |                                    | And                              |        |          |       |  |
|          |                                    | Ground strap                     |        |          |       |  |
| 21       | 900 084 004 03                     | Hexagon nut                      |        | 1        |       |  |
|          |                                    | м 8                              |        |          |       |  |
| 21       | 900 084 004 02                     | Hexagon nut                      |        | 1        |       |  |
|          |                                    | м 8                              |        |          |       |  |
| 22       | 900 124 002 02                     | Screw plug                       |        | 1        | SPM   |  |
|          |                                    | AM 14 X 1,5                      |        |          |       |  |
| 23       | 900 123 007 30                     | Sealing ring                     |        | 1        |       |  |
|          |                                    | 14 X 18                          |        |          |       |  |
| 24       | 999 704 172 50                     | Sealing ring                     |        | 1        |       |  |
| 25       | 901 101 173 00                     | Screw                            |        | 11       |       |  |
| 26       | 999 701 006 40                     | O-ring                           |        | 12       |       |  |
| 27       | 901 101 161 01                     | Washer                           |        | 12<br>12 |       |  |
| (27)     | 901 101 161 02                     | Washer                           |        | 1        |       |  |
| 28<br>29 | 901 641 632 00<br>901 107 512 01   | Remote temperature sensor Piston |        | 1        |       |  |
| 30       | 901 107 512 01                     | Compression spring               |        | 1        |       |  |
| 31       | 900 123 071 30                     | Sealing ring                     |        | 1        |       |  |
| 31       | 700 123 071 30                     | A 18 X 24                        |        | _        |       |  |
| 32       | 999 064 010 02                     | Screw plug                       |        | 1        |       |  |
| 33       | 901 107 375 00                     | Screw socket                     |        | 1        |       |  |
| -        | 900 123 005 30                     | Sealing ring                     |        | 1        |       |  |
|          |                                    | A 12 X 16                        |        |          |       |  |
| 34       | N 020 825 1                        | Cutting ring                     |        | 1        |       |  |
|          |                                    | LL 8                             |        |          |       |  |
| 35       | 900 104 003 02                     | Union nut                        |        | 1        |       |  |
|          |                                    | ALL 8                            |        |          |       |  |
| 35       | 900 104 003 03                     | Union nut                        |        | 1        |       |  |
|          |                                    | ALL 8                            |        |          |       |  |
| 36       | 900 076 010 02                     | Nut                              |        | 2        |       |  |
|          |                                    | M 6                              |        |          |       |  |
| 36       | 900 076 010 0B                     | Nut                              |        | 2        |       |  |
| 27       | 000 000 000 01                     | M 6                              |        | 2        |       |  |
| 37       | 900 028 008 01                     | Lock ring B 6                    |        | _ Z      |       |  |
| 37/1     | 901 101 035 01                     | Oil strainer                     | /L     | 1        |       |  |
| 38       | 901 101 035 01                     | Oil strainer                     | /R     | 1        |       |  |
| 39       | 900 031 011 30                     | Washer                           | / 10   | 3        |       |  |
|          |                                    | М 6                              |        |          |       |  |
| 40       | 999 701 053 50                     | Sealing ring                     |        | 1        |       |  |
|          |                                    | 39,2 X 3                         |        |          |       |  |
|          | 901 107 751 00                     | Oil thermostat                   | -70    | 1        |       |  |
| (41)     | 930 107 765 00                     | Oil thermostat                   | 71-    | 1        |       |  |
| 42       | 901 105 141 02                     | Cover                            |        | 1        |       |  |
| 43       | 930 105 198 01                     | Gasket                           |        | 1        |       |  |
| 44       | 911 606 230 00                     | Oil pressure switch              |        | 1        |       |  |
| 45       | 999 659 009 40                     | Cap                              |        | 1        |       |  |
| 46       | 900 084 010 02                     | Lock nut                         |        | 3        |       |  |
| 47       | 001 101 175 01                     | M 6                              |        | 1        |       |  |
| 47<br>48 | 901 101 175 01<br>900 123 044 30   | Reducing socket Sealing ring     |        | 1        |       |  |
| 48       | 900 123 044 30                     | A 18 X 22                        |        | 1        |       |  |
|          |                                    | A 10 A 22                        |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |
|          |                                    |                                  |        |          |       |  |




| Model:  | 914 70                 |       |     | Model life 1970>>1976               |        |        |           |
|---------|------------------------|-------|-----|-------------------------------------|--------|--------|-----------|
| Pos     | Part Numb              | er    |     | Description                         | Remark | Qty    | Model     |
|         |                        |       |     | Crankshaft                          |        |        | 914-6     |
| 1       |                        |       |     | Crankshaft                          |        | 1      |           |
|         |                        |       |     | with                                |        |        |           |
|         | 001 100                | 011   | 0.0 | Connecting rod                      |        | 1      |           |
| 2 3     | 901 102 (<br>901 102 ( |       |     | Crankshaft<br>Flywheel              |        | 1<br>1 |           |
| 3       | 901 102 (              | 026   | 01  | Complete                            |        |        |           |
| 3       | 901 102 (              | 026   | 02  | Flywheel                            |        | 1      |           |
|         |                        |       |     | Complete                            |        |        |           |
| _       | 999 012 (              |       |     | Straight pin                        |        | 3      |           |
| 4-6     | 901 102 (              | 025   | 01  | Bush                                |        | 1      |           |
| l _     |                        |       |     | Complete                            |        | _      |           |
| 7       | 901 102 3              | 162   | 04  | Washer<br>for                       |        | 1      |           |
|         |                        |       |     | Mount                               |        |        |           |
|         |                        |       |     | Flywheel                            |        |        |           |
| 8       | 911 102 1              | 171   | 00  | Pan-head screw                      |        | 6      | 901/36/38 |
|         |                        |       |     | for                                 |        |        |           |
|         |                        |       |     | Mount                               |        |        |           |
|         |                        |       |     | Flywheel                            |        | _      |           |
| (8)     | 999 067 (              |       |     | Pan-head screw                      |        | 6      | 901/37/39 |
| 9<br>10 | 901 102 1<br>901 102 1 |       |     | Woodruff key Timing gear            |        | 1<br>1 |           |
| 1 10    | 901 102 .              | ттт   | 00  | for                                 |        |        |           |
|         |                        |       |     | Number 0                            |        |        |           |
| (10)    | 901 102 3              | 111   | 10  | Timing gear                         |        | 1      |           |
|         |                        |       |     | for                                 |        |        |           |
|         |                        |       |     | Number 1                            |        |        |           |
| (10)    | 901 102 3              | 111   | 20  | Timing gear                         |        | 1      |           |
|         |                        |       |     | for                                 |        |        |           |
| 11      | 901 102 3              | 1/5   | 0.0 | Number 1 Intermediate ring          |        | 1      |           |
| 12      | 901 102 3              |       |     | Drive wheel                         |        | 1      |           |
| 12      | 901 102                |       |     | Drive wheel                         |        | 1      |           |
| 13      | 901 102 3              |       |     | Circlip                             |        | 1      |           |
| 14      | 911 102 (              |       |     | V-belt pulley                       |        | 1      |           |
| 15      | 900 012 (              | 060   | 00  | Straight pin                        |        | 1      |           |
| 1.0     |                        | 014   | 0.1 | 5 M 6 X 10                          |        | 1      |           |
| 16      | 900 028 (              | 014   | 01  | Lock ring B 12                      |        | 1      |           |
| 17      | 999 093 (              | 005   | 02  | Hexagon-head bolt                   |        | 1      |           |
|         |                        | 000   | ~~  | M 12 X 1,5 X 22                     |        | _      |           |
| (18)    | 901 103 (              | 011   | 26  | Connecting rod                      |        | 6      |           |
|         |                        |       |     | Weight group:                       |        |        |           |
|         |                        |       |     | 6 = 596 - 605 GR.                   |        |        |           |
| (18)    | 901 103 (              | 011   | 27  | Connecting rod                      |        | 6      |           |
|         |                        |       |     | Weight group:<br>7 = 605 - 614 GR.  |        |        |           |
| (18)    | 901 103 (              | 011   | 29  | Connecting rod                      |        | 6      |           |
| (10)    |                        | 011   | 2,  | Weight group:                       |        | Ŭ      |           |
|         |                        |       |     | 9 = 623 - 632 GR.                   |        |        |           |
| (18)    | 901 103 (              | 011   | 31  | Connecting rod                      |        | 6      |           |
|         |                        |       |     | Weight group:                       |        |        |           |
|         |                        | 0.5.5 | 2.0 | 11 = 641 - 650 GR.                  |        | _      |           |
| (18)    | 901 103 (              | Ull   | 32  | Connecting rod                      |        | 6      |           |
|         |                        |       |     | Weight group:<br>12 = 650 - 659 GR. |        |        |           |
| 19      | 901 103 3              | 131   | 01  | Connecting rod bush                 |        | 6      |           |
| 20      | 901 103                |       |     | Connecting rod bolt                 |        | 12     |           |
| 21      | 901 103                |       |     | Connecting rod nut                  |        | 12     |           |
| 21      | 901 103 3              |       |     | Connecting rod nut                  |        | 12     |           |
| 22      | 901 103                |       |     | Connecting-rod bearing              |        | 12     |           |
| 22      | 901 103 3              | ⊥41   | 81  | Connecting-rod bearing              |        | 12     |           |

| Pos  | Part Number    | Description  | Remark | Qty | Model |
|------|----------------|--|--------|-----|-------|
|      |                | •  | Kemark | _   | Model |
| (22) | 901 103 141 50 | Connecting-rod bearing Undersize 0.25 mm                 |        | X   |       |
| (22) | 901 103 141 82 | Connecting-rod bearing Undersize 0.25 mm                 |        | X   |       |
| (22) | 901 103 141 60 | Connecting-rod bearing Undersize 0.50 mm                 |        | X   |       |
| (22) | 901 103 141 70 | Connecting-rod bearing<br>Undersize                      |        | X   |       |
| (22) | 901 103 141 80 | 0,75 MM<br>Connecting-rod bearing<br>Undersize           |        | Х   |       |
| >>   | 911 101 901 00 | 1,00 MM Set of crankshaft bearings Comprising:           |        | 1   |       |
| 23   | 901 101 131 00 | Bearing shell  |        | 2   |       |
| 24   | 901 101 132 00 | Bearing shell II - VII                                   |        | 12  |       |
| 25   | 901 101 138 03 | Bearing sleeve   |        | 1   |       |
|      |                | Bearing<br>VIII  |        |     |       |
| >>   | 911 101 901 50 | Set of crankshaft bearings<br>Undersize 0.25 mm<br>Inner |        | 1   |       |
| (23) | 901 101 131 50 | Comprising: Bearing shell                                |        | 2   |       |
| (23) | 901 101 131 93 | I<br>Bearing shell<br>I                                  |        | 2   |       |
| (24) | 901 101 132 50 | Bearing shell II - VII                                   |        | 12  |       |
| (25) | 901 101 138 53 | Bearing sleeve for Bearing VIII                          |        | 1   |       |
| >>   | 911 101 901 55 | Set of crankshaft bearings<br>Undersize 0.50 mm<br>Inner |        | 1   |       |
| (23) | 901 101 131 55 | Comprising: Bearing shell                                |        | 2   |       |
| (24) | 901 101 132 55 | Bearing shell II - VII                                   |        | 12  |       |
| (25) | 901 101 138 58 | Bearing sleeve for                                       |        | 1   |       |
| >>   | 911 101 901 65 | Bearing<br>VIII<br>Set of crankshaft bearings            |        | 1   |       |
|      |                | Undersize<br>0,75 MM<br>Inner<br>Comprising:             |        |     |       |
| (23) | 901 101 131 65 | Bearing shell  |        | 2   |       |
| (24) | 901 101 132 65 | Bearing shell II - VII                                   |        | 12  |       |
| (25) | 901 101 138 68 | Bearing sleeve for Bearing                               |        | 1   |       |
| >>   | 911 101 901 69 | VIII<br>Set of crankshaft bearings<br>Undersize          |        | 1   |       |


| woder. | 914 70         | Woder me 1970>>1970        |        |     |       |
|--------|----------------|----------------------------|--------|-----|-------|
| Pos    | Part Number    | Description                | Remark | Qty | Model |
|        |                | 1,00 MM                    |        |     |       |
|        |                | Inner                      |        |     |       |
| (00)   | 001 101 101 60 | Comprising:                |        |     |       |
| (23)   | 901 101 131 69 | Bearing shell              |        | 2   |       |
| (24)   | 901 101 132 69 | Bearing shell              |        | 12  |       |
| (21)   | 701 101 132 07 | II - VII                   |        | 12  |       |
| (25)   | 901 101 138 69 | Bearing sleeve             |        | 1   |       |
|        |                | for                        |        |     |       |
|        |                | Bearing<br>VIII            |        |     |       |
| >>     | 911 101 901 60 | Set of crankshaft bearings |        | 1   |       |
|        | 711 101 701 00 | Oversize 0.25 mm           |        | _   |       |
|        |                | Outer                      |        |     |       |
|        |                | Comprising:                |        |     |       |
| (23)   | 901 101 131 60 | Bearing shell              |        | 2   |       |
| (24)   | 901 101 132 60 | I<br>Bearing shell         |        | 12  |       |
| (24)   | 901 101 132 00 | II - VII                   |        | 12  |       |
| (24)   | 901 101 132 61 | Bearing shell              |        | 12  |       |
|        |                | II - VII                   |        |     |       |
| (25)   | 901 101 138 63 | Bearing sleeve             |        | 1   |       |
|        |                | for                        |        |     |       |
|        |                | Bearing<br>VIII            |        |     |       |
| >>     | 911 101 901 70 | Set of crankshaft bearings |        | 1   |       |
|        |                | Oversize 0.25 mm           |        |     |       |
|        |                | Outer                      |        |     |       |
|        |                | Undersize 0.25 mm          |        |     |       |
|        |                | Inner Comprising:          |        |     |       |
| (23)   | 901 101 131 70 | Bearing shell              |        | 2   |       |
| (23)   |                | I                          |        | _   |       |
| (24)   | 901 101 132 70 | Bearing shell              |        | 12  |       |
| ( )    |                | II - VII                   |        |     |       |
| (25)   | 901 101 138 73 | Bearing sleeve for         |        | 1   |       |
|        |                | Bearing                    |        |     |       |
|        |                | VIII                       |        |     |       |
| >>     | 911 101 901 75 | Set of crankshaft bearings |        | 1   |       |
|        |                | Oversize 0.25 mm           |        |     |       |
|        |                | Outer Undersize 0.50 mm    |        |     |       |
|        |                | Inner                      |        |     |       |
|        |                | Comprising:                |        |     |       |
| (23)   | 901 101 131 75 | Bearing shell              |        | 2   |       |
|        |                | I                          |        |     |       |
| (24)   | 901 101 132 75 | Bearing shell              |        | 12  |       |
| (25)   | 901 101 138 78 | II - VII<br>Bearing sleeve |        | 1   |       |
| (23)   | 701 101 130 70 | for                        |        | _   |       |
|        |                | Bearing                    |        |     |       |
|        |                | VIII                       |        |     |       |
| >>     | 911 101 901 85 | Set of crankshaft bearings |        | 1   |       |
|        |                | Oversize 0.25 mm Outer     |        |     |       |
|        |                | Undersize                  |        |     |       |
|        |                | 0,75 MM                    |        |     |       |
|        |                | Inner                      |        |     |       |
|        | 001 101 101    | Comprising:                |        |     |       |
| (23)   | 901 101 131 85 | Bearing shell              |        | 2   |       |
| (24)   | 901 101 132 85 | Bearing shell              |        | 12  |       |
| (21)   | 1-31-131-33    |                            |        |     |       |

| Model: | el: 914 /0 Model life 19/0>>19/6 |  |        |     |       |  |
|--------|----------------------------------|--|--------|-----|-------|--|
| Pos    | Part Number                      | Description  | Remark | Qty | Model |  |
| (25)   | 901 101 138 88                   | II - VII<br>Bearing sleeve<br>for  |        | 1   |       |  |
| >>     | 911 101 901 89                   | Bearing VIII Set of crankshaft bearings Oversize 0.25 mm Outer Undersize |        | 1   |       |  |
| (23)   | 901 101 131 89                   | 1,00 MM Inner Comprising: Bearing shell                                  |        | 2   |       |  |
| (24)   | 901 101 131 89                   | I Bearing shell  |        | 12  |       |  |
|        | 901 101 132 89                   | II - VII Bearing sleeve  |        | 1   |       |  |
| (25)   | 901 101 138 89                   | for Bearing VIII   |        | 1   |       |  |
| 26     | 900 012 061 00                   | Straight pin 5H 8 X 10 DIN 7   |        | 1   |       |  |
| 27     | 900 174 041 40                   | Sealing ring R 50 X 4 PAB/769  |        | 1   |       |  |
| 27     | 900 174 068 40                   | Sealing ring R 50 X 4 PAB/769  |        | 1   |       |  |
| 28     | 999 113 049 52                   | Radial sealing ring 30 X 50 X 10   |        | 1   |       |  |
| (28)   | 999 113 291 40                   | Sealing ring 29,5 X 50 X 10  |        | 1   |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |
|        |                                  |  |        |     |       |  |



| Model: | 914 70      |       | Model life 1970>>1976            |        |     |       |
|--------|-------------|-------|----------------------------------|--------|-----|-------|
| Pos    | Part Number |       | Description                      | Remark | Qty | Model |
|        |             |       | Cylinder head                    |        |     | 914-6 |
|        |             |       | Cylinder with piston             |        |     | 914-0 |
| 1      | 901 104 036 | 0.2   | Cylinder head                    |        | 6   |       |
|        |             | ~ ~ ~ | Complete                         |        |     |       |
| (1)    | 901 104 006 | 04    | Cylinder head                    |        | 6   |       |
| ` ′    |             |       | with valves                      |        |     |       |
|        |             |       | Ready for installation           |        |     |       |
| 2      | 930 104 321 | . 50  | Valve guide                      |        | Х   |       |
|        |             |       | 1st oversize                     |        |     |       |
| (2)    | 901 104 321 | 61    | Valve guide                      |        | Х   |       |
|        |             |       | 2nd oversize                     |        |     |       |
| 3      | 901 104 313 | 50    | Valve seat ring                  |        | X   |       |
|        |             |       | for                              |        |     |       |
|        |             |       | Intake                           |        |     |       |
|        | 001 104 217 |       | Oversize                         |        |     |       |
| 4      | 901 104 317 | 53    | Valve seat ring for              |        | X   |       |
|        |             |       | Exhaust                          |        |     |       |
|        |             |       | 2nd oversize                     |        |     |       |
|        |             |       | Unleaded                         |        |     |       |
| 6      | 900 061 006 | 01    | Stud                             |        | 24  |       |
|        |             | 01    | BM 8 X 20                        |        |     |       |
| 6/1    | 999 062 008 | 02    | Stud                             |        | 12  |       |
| -, -   |             |       | BM 8 X 25                        |        |     |       |
| 7      | 900 061 012 | 02    | Stud                             |        | 24  |       |
|        |             |       | BM 8 X 50                        |        |     |       |
| 8      | 999 012 006 | 00    | Straight pin                     |        | 12  |       |
| 9      | 901 105 407 | 00    | Intake valve                     |        | 6   |       |
| 10     | 901 105 408 | 50    | Exhaust valve                    |        | 6   |       |
|        |             |       | Unleaded                         |        |     |       |
| 11     | 930 105 461 |       | Washer                           |        | X   |       |
| 12     | 901 105 463 |       | Ring                             |        | 12  |       |
| 14     | 901 105 901 | . 50  | Set of valve springs             |        | 12  |       |
|        |             |       | Outer<br>And                     |        |     |       |
|        |             |       | Inner                            |        |     |       |
| 14     | 901 105 901 | 51    | Set of valve springs             |        | 12  |       |
| 1 11   | 001 103 701 | . 51  | Outer                            |        | 12  |       |
|        |             |       | And                              |        |     |       |
|        |             |       | Inner                            |        |     |       |
| 15     | 901 105 421 | . 03  | Concave washer                   |        | 12  |       |
| 16     | 901 105 417 |       | Collet                           |        | 24  |       |
| 17     | 999 031 083 | 01    | Washer                           |        | 24  |       |
| 17     | 999 031 083 |       | Washer                           |        | 24  |       |
| 18     | 901 104 382 |       | Nut                              |        | 24  |       |
| 18     | 901 104 382 |       | Nut                              |        | 24  |       |
| 19     | 911 104 193 | 03    | Valve stem seal                  |        | 12  |       |
| 1      |             |       | Valve                            |        | _   |       |
| 20-26  | 901 103 903 | 01    | Cylinder with piston             |        | 6   |       |
|        |             |       | Complete                         |        |     |       |
|        |             |       | Group 5 - mahle -                |        |     |       |
| 20 26  | 001 102 002 | 0.2   |                                  |        | 6   |       |
| 20-26  | 901 103 903 | 02    | Cylinder with piston<br>Complete |        | 0   |       |
|        | 1           |       | Group 6                          |        |     |       |
|        | 1           |       | - mahle -                        |        |     |       |
| 20-26  | 901 103 903 | 05    | Cylinder with piston             |        | 6   |       |
|        |             |       | Complete                         |        | ] - |       |
|        | 1           |       | Group 5                          |        |     |       |
|        | 1           |       | - SCHMIDT -                      |        |     |       |
| 20-26  | 901 103 903 | 06    | Cylinder with piston             |        | 6   |       |
|        | 1           |       | Complete                         |        |     |       |
|        |             |       | Group 6                          |        |     |       |
|        | Į           |       | ļ                                |        |     |       |


| Model:   | 914 70                           | Model life 1970>>1976   |        |        |       |
|----------|----------------------------------|---|--------|--------|-------|
| Pos      | Part Number                      | Description   | Remark | Qty    | Model |
| 21-26    |                                  | - SCHMIDT - Piston Complete \$ 80 ; Single parts              |        | Х      |       |
| 22-24    | 901 103 901 02                   | Not available Piston ring - mahle -                           |        | 6      |       |
| 22-24    | 901 103 901 03                   | Piston ring - SCHMIDT -                                       |        | 6      |       |
| 25<br>26 | 901 103 323 00<br>900 178 002 00 | Piston pin<br>Circlip<br>C 22                                 |        | 6<br>6 |       |
| 27<br>28 | 901 104 191 00<br>901 104 391 01 | Cylinder base gasket<br>Cylinder head gasket<br>Cylinder head |        | 6<br>6 |       |
| 21-26    | 901 103 038 50                   | Piston Complete \$ 80,5 1st oversize - mahle -                |        | Х      |       |
| 21-26    | 901 103 038 60                   | Piston Complete \$ 81 2nd oversize - mahle -                  |        | х      |       |
| 21-26    | 901 103 038 51                   | Piston Complete \$ 80,5 1st oversize - SCHMIDT -              |        | Х      |       |
| 21-26    | 901 103 038 61                   | Piston Complete \$ 81 2nd oversize - SCHMIDT -                |        | Х      |       |
| 22-24    | 901 103 901 52                   | Piston ring<br>\$ 80,5<br>- mahle -                           |        | 6      |       |
| 22-24    | 901 103 901 62                   | Piston ring \$ 81 - mahle -                                   |        | 6      |       |
| 22-24    | 901 103 901 53                   | Piston ring<br>\$ 80,5  |        | 6      |       |
| 22-24    | 901 103 901 63                   | - SCHMIDT - Piston ring \$ 81 - SCHMIDT -                     |        | 6      |       |
|          |                                  |   |        |        |       |
|          |                                  |   |        |        |       |
|          |                                  |   |        |        |       |
|          |                                  |   |        |        |       |
|          |                                  |   |        |        |       |



| woder.   | 914 70              | Model life 1970>>1970  |        |     |       |
|----------|---------------------|------------------------|--------|-----|-------|
| Pos      | Part Number         | Description            | Remark | Qty | Model |
|          |                     | Chain case             |        |     | 914-6 |
|          |                     | Camshaft housing       |        |     |       |
| 1        | 930 105 061 02      | Chain case             | /L     | 1   |       |
|          |                     | Complete               |        |     |       |
| 2        | 930 105 062 01      | Chain case             | /R     | 1   |       |
|          |                     | Complete               |        |     |       |
| 3        | 999 062 102 02      | Stud                   |        | 21  |       |
|          | 000 061 010 00      | BM 6 X 22              |        |     |       |
| 4        | 900 061 012 02      | Stud<br>BM 8 X 50      |        | 2   |       |
| 5        | 930 105 193 00      | Gasket                 |        | 2   |       |
|          | 930 103 193 00      | Crankcase              |        |     |       |
|          |                     | And                    |        |     |       |
|          |                     | Chain case             |        |     |       |
| 5        | 930 105 193 05      | Gasket                 |        | 2   |       |
|          |                     | Crankcase              |        |     |       |
|          |                     | And                    |        |     |       |
|          |                     | Chain case             |        |     |       |
| 6        | 930 105 063 01      | Lid                    |        | 1   |       |
|          |                     | for                    |        |     |       |
|          |                     | Chain case<br>Complete |        |     |       |
|          |                     | Left                   |        |     |       |
| 7        | 930 105 064 00      | Lid                    |        | 1   |       |
| <b>'</b> | 750 105 001 00      | for                    |        | -   |       |
|          |                     | Chain case             |        |     |       |
|          |                     | Complete               |        |     |       |
|          |                     | Right                  |        |     |       |
| 8        | 930 105 191 03      | Gasket                 |        | 1   |       |
|          |                     | for                    |        |     |       |
|          |                     | Lid                    |        |     |       |
|          |                     | Chain case<br>Left     |        |     |       |
| 9        | 930 105 192 01      | Gasket                 |        | 1   |       |
|          | 750 105 172 01      | for                    |        | _   |       |
|          |                     | Lid                    |        |     |       |
|          |                     | Chain case             |        |     |       |
|          |                     | Right                  |        |     |       |
| 9        | 930 105 192 03      | Gasket                 |        | 1   |       |
|          |                     | for                    |        |     |       |
|          |                     | Lid                    |        |     |       |
|          |                     | Chain case<br>Right    |        |     |       |
| 9        | 930 105 192 04      | Gasket                 |        | 1   |       |
|          | 750 105 172 04      | for                    |        | _   |       |
|          |                     | Lid                    |        |     |       |
|          |                     | Chain case             |        |     |       |
|          |                     | Right                  |        |     |       |
| 10       | 900 036 008 02      | Lid                    |        | 2   |       |
| 11       | 900 031 011 30      | Washer                 |        | 21  |       |
| 1.0      |                     | 6,4                    |        | 0.1 |       |
| 12       | 900 084 010 02      | Lock nut<br>M 6        |        | 21  |       |
| 13       | 901 105 021 05      | Camshaft housing       |        | 2   |       |
|          | 701 103 021 03      | Complete               |        |     |       |
| _        | 901 105 362 01      | Oil splash tube        |        | 2   |       |
| 14       | 999 062 009 02      | Stud                   |        | 12  |       |
|          |                     | BM 8 X 28              |        |     |       |
| 14       | 900 060 105 01      | Stud                   |        | 12  |       |
| 1.5      | 000 062 010 02      | BM 8 X 28              |        | 22  |       |
| 15       | 999 062 010 02      | Stud<br>BM 8 X 35      |        | 22  |       |
| _        | 901 105 379 00      | Stopper                |        | 4   |       |
|          | 1 2 2 2 2 2 7 3 0 0 | COCEPCE                |        |     |       |


| woder. | 914 70         | Woderlife 1970>>1976    | la i   | I a . |       |
|--------|----------------|-------------------------|--------|-------|-------|
| Pos    | Part Number    | Description             | Remark | Qty   | Model |
| 16     | 901 105 161 01 | Lid                     |        | 2     |       |
| 17     | 901 105 115 03 | Lid                     |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Upper                   |        |       |       |
| 18     | 930 105 194 00 | Gasket                  |        | 2     |       |
|        |                | for<br>Lid              |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Upper                   |        |       |       |
| 18     | 930 105 194 02 | Gasket                  |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Lid                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Upper                   |        |       |       |
| 18     | 930 105 194 04 | Gasket                  |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Lid                     |        |       |       |
|        |                | Camshaft housing Upper  |        |       |       |
| 19     | 930 105 116 00 | Lid                     |        | 2     |       |
|        |                | for                     |        | ~     |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Lower                   |        |       |       |
| 19     | 930 105 116 05 | Lid                     |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
| 20     | 930 105 195 00 | Lower<br>Gasket         |        | 2     |       |
| 20     | 930 103 193 00 | for                     |        |       |       |
|        |                | Lid                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Lower                   |        |       |       |
| 20     | 930 105 195 02 | Gasket                  |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Lid<br>Camshaft housing |        |       |       |
|        |                | Lower                   |        |       |       |
| 20     | 930 105 195 05 | Gasket                  |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Lid                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Lower                   |        |       |       |
| 20     | 930 105 195 06 | Gasket                  |        | 2     |       |
|        |                | for<br>Lid              |        |       |       |
|        |                | Camshaft housing        |        |       |       |
|        |                | Lower                   |        |       |       |
| 20     | 930 105 195 07 | Gasket                  |        | 2     |       |
|        |                | for                     |        |       |       |
|        |                | Lid                     |        |       |       |
|        |                | Camshaft housing        |        |       |       |
| 21     | 900 031 014 30 | Lower<br>Washer         |        | 34    |       |
|        | 900 USI UI4 30 | 8,4                     |        | 34    |       |
| (21)   |                | Washer                  |        | 5     |       |
| \      |                | 8,4                     |        | _     |       |
|        |                | for                     |        |       |       |
|        |                | Chain case              |        |       |       |
| 22     | 900 084 004 03 | Hexagon nut             |        | 6     |       |
|        |                | M 8                     |        |       |       |
|        |                | for<br>Chain case       |        |       |       |
|        |                | Chain Casc              |        |       |       |

| Model: | 914 70         | Model life 1970>>1976     |        |          |       |
|--------|----------------|---------------------------|--------|----------|-------|
| Pos    | Part Number    | Description               | Remark | Qty      | Model |
| 22     | 900 084 004 02 | Hexagon nut               |        | 6        |       |
|        |                | M 8                       |        |          |       |
|        |                | for                       |        |          |       |
|        |                | Chain case                |        |          |       |
| 23     | N 012 241 1    | Spring washer             |        | 36       |       |
|        |                | BM 8 X 15                 |        |          |       |
| (23)   |                | Spring washer             |        | 4        |       |
|        |                | BM 8 X 15                 |        |          |       |
|        |                | for<br>Chain case         |        |          |       |
| 24     | 901 111 271 00 | Nut                       |        | 6        |       |
| 25     | 900 076 025 02 | Hexagon nut               |        | 30       |       |
|        |                | M 8                       |        |          |       |
| 25     | 900 076 064 02 | Hexagon nut               |        | 30       |       |
|        |                | M 8                       |        |          |       |
| (25)   | 900 076 025 02 | Hexagon nut               |        | 4        |       |
|        |                | M 8                       |        |          |       |
|        |                | for                       |        |          |       |
| (25)   | 900 076 064 02 | Chain case<br>Hexagon nut |        | 4        |       |
| (25)   | 900 076 064 02 | M 8                       |        | 4        |       |
|        |                | for                       |        |          |       |
|        |                | Chain case                |        |          |       |
| 27     | 901 105 374 00 | Screw plug                |        | 2        |       |
| 28     | 901 105 361 01 | Intermediate piece        |        | 2        |       |
| 28     | 901 105 361 02 | Intermediate piece        |        | 2        |       |
| 29     | 900 123 005 00 | Sealing ring              |        | 6        |       |
| 30     | 900 134 006 02 | A 12 X 16<br>Banjo bolt   |        | 2        |       |
| 30     | 900 134 006 02 | A 6                       |        | <u> </u> |       |
| 30     | N 021 056 3    | Banjo bolt                |        | 2        |       |
|        |                | A 6                       |        |          |       |
| 30     | 999 134 018 02 | Banjo bolt                |        | 2        |       |
|        |                | A 6                       |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
| 1      |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
|        |                |                           |        |          |       |
| L      |                |                           |        |          |       |



| Valve control  | woder. | 91470           | Model life 1970>>1976 |        | Tai |       |
|--|--------|-----------------|-----------------------|--------|-----|-------|
| Left   | Pos    | Part Number     | Description           | Remark | Qty | Model |
| 1   901 105 222 00   Thining chain   1   2   911 105 222 03   Bolt   6   7   Chain wheel support   7   1   1   1   1   1   1   1   1   1   |        |                 | Valve control         |        |     | 914-6 |
| 2   911 105 222 05   Solde rail   3   3   4   60   7   60   60   7   60   7   60   7   60   7   60   7   60   7   7   7   7   7   7   7   7   7  |        |                 |                       |        |     |       |
| 3   901 105 226 03   Bolt   for Guide reil   | 1      | •               |                       |        | 1   |       |
| For Guide rail   Scaling ring   A   10 x 16   Scaling ring ring ring ring ring ring ring r   |        |                 |                       |        | 1   |       |
| Sealing ring   | 3      | 901 105 226 03  |                       |        | 4   |       |
| 4 900 123 066 30 Scaling ring A 10 X 16  |        |                 |                       |        |     |       |
| N 10 x 16   S 505 02   Chain wheel support   | 1      | 000 102 066 20  |                       |        |     |       |
| Solido   | 4      | 900 123 066 30  |                       |        | 4   |       |
| 6 901 105 055 00 Sprocket Complete Comp | 5      | 901 105 505 02  |                       | /T.    | 1 1 |       |
| Complete   | 1      | I               | ==                    | 7.2    | 1   |       |
| 7 901 105 056 01 Bolt Complete Repair kit Comprising: Picture 12-15,18,20,21,24,26 Repair kit Complete 12-15,18,20,21,24,26 Piston Complete 12-15,18,20,21,24,26 Piston Complete Comple |        |                 |                       |        | -   |       |
| 7   901 105 056 02   Bolt   Complete   Complete   Complete   1   2   3 × 22   10   901 105 050 01   Housing   Housing   Complete   Chain adjuster   Complete   Camplete   Camp   | 7      | 901 105 056 01  |                       |        | 1   |       |
| Complete   1   |        |                 | Complete              |        |     |       |
| 8   900 197 010 00   Tensioning sleeve   3 x 22   2   10   901 105 050 01   Housing Housing   10-26   930 105 049 00   Chain adjuster   1   Comprising: Picture   12-15,18,20,21,24,26     1   1   1   1   1   1   1   1   1   | 7      | 901 105 056 02  | Bolt                  |        | 1   |       |
| 10   901 105 050 01   Housing Housing Housing Complete   Chain adjuster Complete   |        |                 |                       |        |     |       |
| 10    901 105 050 01   | 8      | 900 197 010 00  |                       |        | 1   |       |
| Housing   Complete   Chain adjuster   1  | 1.0    | 001 105 050 01  |                       |        |     |       |
| Complete   Comprising: Picture   12-15,18,20,21,24,26   Comprising: Picture   Comprision spring   Comprisi   | 10     | 901 105 050 01  |                       |        | +   |       |
| 10-26  |        |                 |                       |        |     |       |
| - 911 105 901 00 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Piston for Chain adjuster Intermediate piece 0 1 O-ring 1 R 10 - 1,3 Housing 1 R 10 - 1,3 Housing 1 R 10 - 1,3 Housing 1 SM V Salut 1 S MM V Salve Ball 1 S MM V Spring guide 1 Spring guide 1 Sign Compression spring 1 Compression spring 1 Compression spring 1 Compression spring 1 Sign Sign Sign Sign Sign Sign Sign Sign   | 10-26  | 930 105 049 00  |                       |        | 1   |       |
| - 911 105 901 00 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Piston 1  11 930 105 559 00 Piston 1  12 Oring Ribert Intermediate piece Oring Ribert Intermediate piece Oring Ribert Intermediate Piece Interme | 10 20  | 350 103 013 00  |                       |        | -   |       |
| Comprising:   Picture   12-15,18,20,21,24,26   Repair Kit   Comprising:   Picture   12-15,18,20,21,24,26   | _      | 911 105 901 00  |                       |        | 1   |       |
| Picture   12-15,18,20,21,24,26   |        |                 |                       |        | -   |       |
| - 911 105 901 01 Repair kit Comprising: Picture 12-15,18,20,21,24,26 Picture 12-15,18,20,21,24,26 Piston for Chain adjuster Intermediate piece 0 - 1   |        |                 |                       |        |     |       |
| Comprising: Picture   12-15,18,20,21,24,26   Piston   1  |        |                 | 12-15,18,20,21,24,26  |        |     |       |
| Picture   12-15,18,20,21,24,26   | _      | 911 105 901 01  |                       |        | 1   |       |
| 11 930 105 559 00 Piston for Chain adjuster  12 Intermediate piece 1 O-ring R 10 - 1,3 Housing for Ball Valve Ball S MW V  16 930 105 534 00 Spring guide 17 916 105 534 01 Compression spring for Chain adjuster  18 Circlip 20 O-ring R 10 - 1,3 Housing for Ball Valve Ball S MW V  16 930 105 534 00 Spring guide 17 916 105 534 01 Compression spring for Chain adjuster 17 916 105 534 01 Compression spring for Chain adjuster 18 Circlip R 3,3 - 2,4 O-ring R 1,5 - Ring  |        |                 |                       |        |     |       |
| 11 930 105 559 00 Piston for Chain adjuster  12 13   |        |                 |                       |        |     |       |
| for Chain adjuster  Intermediate piece  1  | 1.1    | 020 105 550 00  |                       |        |     |       |
| Chain adjuster   | 1 11   | 930 105 559 00  |                       |        | 1   |       |
| 12   |        |                 |                       |        |     |       |
| 13   | 12     |                 |                       |        | 1   |       |
| 14   |        |                 |                       |        | 1   |       |
| For   Ball   Valve   Ball     1     5 MM V   16   930 105 523 00   Spring guide   1   1   1   1   1   1   1   1   1  |        |                 | R 10 - 1,3            |        |     |       |
| Ball Valve Ball 5 MM V  16 930 105 523 00 Spring guide 17 916 105 534 00 Compression spring for Chain adjuster  17 916 105 534 01 Compression spring for Chain adjuster  18 Circlip 16  19 901 105 557 01 Piston 20 Piston 0-ring 8,3 - 2,4 0-ring 20,3 - 2,4 21 O-ring 20,3 - 2,4 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer Circlip 28 25 930 105 573 00 Bleeder screw  | 14     |                 | Housing               |        | 1   |       |
| Valve  |        |                 |                       |        |     |       |
| 15   |        |                 |                       |        |     |       |
| 5 MM V   Spring guide   1   1   1   1   1   1   1   1   1  | 1.5    |                 |                       |        |     |       |
| 16 930 105 523 00 Spring guide 17 916 105 534 00 Compression spring for Chain adjuster 18 Circlip 19 901 105 557 01 Piston 0-ring 8,3 - 2,4 0-ring 20,3 - 2,4 21 O-ring 20,3 - 2,4 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw  1 1  | 15     |                 |                       |        | 1 + |       |
| 17 916 105 534 00 Compression spring for Chain adjuster  17 916 105 534 01 Compression spring 1 for Chain adjuster  18 Circlip 1 16 19 901 105 557 01 Piston 1 20 O-ring 8,3 - 2,4 O-ring 20,3 - 2,4 O-ring 20,3 - 2,4 Compression spring 1 23 930 105 535 01 Compression spring 1 24 Circlip 28 25 930 105 573 00 Bleeder screw 1   | 16     | 030 105 523 00  |                       |        | 1 1 |       |
| for Chain adjuster  17 916 105 534 01 Compression spring for Chain adjuster  18 Circlip 16  19 901 105 557 01 Piston 17  20 Piston 17  21 O-ring 18  22 930 105 535 01 Compression spring 17  23 930 105 568 00 Concave washer 18  24 Circlip 18  25 930 105 573 00 Bleeder screw 11   | 1      | I               |                       |        | 1   |       |
| 17 916 105 534 01 Compression spring for Chain adjuster  18 Circlip 16 19 901 105 557 01 Piston 0-ring 20 0-ring 21 0-ring 20,3 - 2,4 21 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |        | ] 10 103 331 00 |                       |        | -   |       |
| 17 916 105 534 01 Compression spring for Chain adjuster  18 Circlip 16 19 901 105 557 01 Piston 0-ring 20 0-ring 21 0-ring 20,3 - 2,4 21 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1  |        |                 | Chain adjuster        |        |     |       |
| Chain adjuster Circlip 16 19 901 105 557 01 Piston 0-ring 8,3 - 2,4 0-ring 20,3 - 2,4 21 O-ring 20,3 - 2,4 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer Circlip 24 Circlip 28 25 930 105 573 00 Bleeder screw 1   | 17     | 916 105 534 01  |                       |        | 1   |       |
| Circlip 16 19 901 105 557 01 Piston 20 0-ring 8,3 - 2,4 21 0-ring 20,3 - 2,4 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw 1   |        |                 | for                   |        |     |       |
| 16 19 901 105 557 01 Piston 0-ring 8,3 - 2,4 0-ring 20,3 - 2,4 21 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw 1  |        |                 |                       |        |     |       |
| 19 901 105 557 01 Piston O-ring 8,3 - 2,4 O-ring 20,3 - 2,4  22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer Circlip 28 25 930 105 573 00 Bleeder screw 1  | 18     |                 |                       |        | 1   |       |
| 20   |        |                 |                       |        |     |       |
| 8,3 - 2,4<br>0-ring<br>20,3 - 2,4<br>22 930 105 535 01 Compression spring<br>23 930 105 568 00 Concave washer<br>24 Circlip<br>28<br>25 930 105 573 00 Bleeder screw   | 1      | 901 105 557 01  |                       |        | 1   |       |
| 21   | 20     |                 |                       |        | 1 + |       |
| 20,3 - 2,4 22 930 105 535 01 Compression spring 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw 1   | 21     |                 |                       |        | 1 1 |       |
| 22       930 105 535 01       Compression spring       1         23       930 105 568 00       Concave washer       1         24       Circlip       1         25       930 105 573 00       Bleeder screw       1   | 41     |                 |                       |        | *   |       |
| 23 930 105 568 00 Concave washer 24 Circlip 28 25 930 105 573 00 Bleeder screw 1   | 22     | 930 105 535 01  |                       |        | l 1 |       |
| 24   Circlip   1   28   25   930 105 573 00   Bleeder screw   1  | 1      | I               |                       |        | 1   |       |
| 28<br>25 930 105 573 00 Bleeder screw 1  | 1      |                 |                       |        | 1   |       |
|  |        |                 |                       |        |     |       |
| 26 Sealing ring  | 1      | 930 105 573 00  |                       |        | 1   |       |
|  | 26     |                 | Sealing ring          |        | 1   |       |


| woder. | 914 70         | Widder life 1970>>1976 |        |     |       |
|--------|----------------|------------------------|--------|-----|-------|
| Pos    | Part Number    | Description            | Remark | Qty | Model |
|        |                | •                      |        |     |       |
|        |                | A 6,5 X 9,5            |        |     |       |
| 27     | N 012 241 1    | Spring washer          |        | 1   |       |
|        |                | B 8 X 15               |        |     |       |
| 28     | 900 076 025 02 | Hexagon nut            |        | 1   |       |
|        |                | M 8                    |        |     |       |
| 28     | 900 076 064 02 | Hexagon nut            |        | 1   |       |
|        |                | м 8                    |        |     |       |
| 29     | 930 105 197 05 | Gasket                 |        | 1   |       |
| 30     | 999 701 124 40 | O-ring                 |        | 1   |       |
|        |                | 67,5 X 75,5 X 4        |        |     |       |
| 31     | 930 105 196 00 | Cover                  |        | 1   |       |
| 32     | 900 028 008 01 | Lock ring              |        | 3   |       |
| 32     | 900 028 008 01 | B 6                    |        | 3   |       |
| 33     | 900 075 017 02 |                        |        | 3   |       |
| 3.3    | 900 075 017 02 | Hexagon-head bolt      |        | 3   |       |
|        |                | M 6 X 25               |        |     |       |
| 33     | 900 075 017 03 | Hexagon-head bolt      |        | 3   |       |
|        |                | M 6 X 25               |        |     |       |
| 34     | 901 105 562 00 | Thrust washer          |        | 1   |       |
| 34     | 901 105 562 02 | Thrust washer          |        | 1   |       |
| 35     | 901 105 561 00 | Shim                   |        | X   |       |
| 36     | 901 105 583 01 | Flange                 |        | 1   |       |
|        |                | Sprocket               |        |     |       |
| 37     | 900 118 005 00 | Woodruff key           |        | 1   |       |
|        |                | 4 X 5                  |        |     |       |
| 38     | 901 105 546 02 | Sprocket               |        | 1   |       |
|        | 701 103 310 01 | II                     |        | _   |       |
| 38     | 901 105 546 04 | Sprocket               |        | 1   |       |
| 30     | 901 103 340 04 | II                     |        | _   |       |
| 2.0    | 000 043 001 00 |                        |        | 1   |       |
| 39     | 900 243 001 00 | Straight pin           |        | 1   |       |
|        |                | A 6 H 8 X 14           |        | _   |       |
| 40     | 900 028 021 02 | Spring washer          |        | 1   |       |
|        |                | В 30                   |        |     |       |
| 41     | 901 105 172 00 | Nut                    |        | 1   |       |
|        |                | for                    |        |     |       |
|        |                | Camshaft               |        |     |       |
| 42     | 901 105 133 00 | Camshaft               | /L     | 1   |       |
| 42     | 901 105 133 01 | Camshaft               | /L     | 1   |       |
| 42     | 901 105 133 02 | Camshaft               | /L     | 1   |       |
| 44     | 900 095 017 01 | Roll pin               |        | 2   | SPM   |
|        |                | 5 X 24                 |        |     |       |
| 45     | 901 105 342 04 | Rocker shaft           |        | 12  |       |
| 46     | 999 067 008 00 | Pan-head screw         |        | 12  |       |
| 47     | 901 105 344 02 | Bush                   |        | 12  |       |
| 47     | 901 105 344 02 | Bush                   |        | 12  |       |
| 48     | 901 105 344 03 | Nut                    |        | 12  |       |
| 48     | 930 105 376 02 | Rocker arm             |        | 12  |       |
| 49     | 230 TO3 043 00 | Complete               |        | 14  |       |
| 4.0    | 020 105 042 00 |                        |        | 1.0 |       |
| 49     | 930 105 043 02 | Rocker arm             |        | 12  |       |
|        |                | Complete               |        |     |       |
| 50     | 901 105 370 02 | Adjusting screw        |        | 12  |       |
|        |                | Complete               |        |     |       |
| 51     | 999 034 005 00 | Nut                    |        | 12  |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |



| Model:   | 914 70         | Model life 1970>>1976             |        |     |       |
|----------|----------------|-----------------------------------|--------|-----|-------|
| Pos      | Part Number    | Description                       | Remark | Qty | Model |
|          |                | Valve control                     |        |     | 914-6 |
|          |                | Right                             |        |     | 914-0 |
| 1        | 901 105 529 00 | Timing chain                      |        | 1   |       |
| 2        | 911 105 222 05 | Guide rail                        |        | 3   |       |
| 3        | 901 105 226 03 | Bolt                              |        | 4   |       |
|          |                | for                               |        |     |       |
|          |                | Guide rail                        |        |     |       |
| 4        | 900 123 066 30 | Sealing ring                      |        | 4   |       |
|          |                | A 10 X 16                         |        |     |       |
| 5        | 901 105 506 02 | Chain wheel support               | /R     | 1   |       |
| 6        | 901 105 055 00 | Sprocket                          |        | 1   |       |
| _        |                | Complete                          |        |     |       |
| 7        | 901 105 056 01 | Bolt                              |        | 1   |       |
|          | 001 105 056 00 | Complete                          |        | 1   |       |
| 7        | 901 105 056 02 | Bolt<br>Complete                  |        | 1   |       |
| 8        | 900 197 010 00 | Tensioning sleeve                 |        | 1   |       |
| 0        | 900 197 010 00 | 3 X 22                            |        | +   |       |
| 9        | N 012 415 1    | Circlip                           |        | 1   |       |
| <b>I</b> |                | 15 X 1                            |        | -   |       |
| 10       | 901 105 050 01 | Housing                           |        | 1   |       |
|          |                | Housing                           |        |     |       |
|          |                | Complete                          |        |     |       |
| 10-26    | 930 105 049 00 | Chain adjuster                    |        | 1   |       |
|          |                | Complete                          |        |     |       |
| -        | 911 105 901 00 | Repair kit                        |        | 1   |       |
|          |                | Comprising:                       |        |     |       |
|          |                | Picture                           |        |     |       |
|          |                | 12-15,18,20,21,24,26              |        |     |       |
| -        | 911 105 901 01 | Repair kit                        |        | 1   |       |
|          |                | Comprising:                       |        |     |       |
|          |                | Picture                           |        |     |       |
| 11       | 930 105 559 00 | 12-15,18,20,21,24,26<br>Piston    |        | 1   |       |
| 1 1      | 930 105 559 00 | for                               |        | -   |       |
|          |                | Chain adjuster                    |        |     |       |
| 12       |                | Intermediate piece                |        | 1   |       |
| 13       |                | O-ring                            |        | 1   |       |
|          |                | R 10 - 1,3                        |        |     |       |
| 14       |                | Housing                           |        | 1   |       |
|          |                | for                               |        |     |       |
|          |                | Ball                              |        |     |       |
|          |                | Valve                             |        |     |       |
| 15       |                | Ball                              |        | 1   |       |
|          |                | 5 MM V                            |        |     |       |
| 16       | 930 105 523 00 | Spring guide                      |        | 1   |       |
| 17       | 916 105 534 00 | Compression spring                |        | 1   |       |
|          |                | for Chain adjuster                |        |     |       |
| 17       | 916 105 534 01 | Chain adjuster Compression spring |        | 1   |       |
| '        | 910 103 334 01 | for                               |        |     |       |
|          |                | Chain adjuster                    |        |     |       |
| 18       |                | Circlip                           |        | 1   |       |
|          |                | 16                                |        |     |       |
| 19       | 901 105 557 01 | Piston                            |        | 1   |       |
| 20       |                | O-ring                            |        | 1   |       |
|          |                | OR 8,3 - 2,4                      |        |     |       |
| 21       |                | 0-ring                            |        | 1   |       |
|          |                | OR 20,3 - 2,4                     |        |     |       |
| 22       | 930 105 535 01 | Compression spring                |        | 1   |       |
| 23       | 930 105 568 00 | Concave washer                    |        | 1   |       |
| 24       |                | Circlip                           |        | 1   |       |
|          |                | 28                                |        |     |       |

| Model:   | 914 70                           | Model life 1970>>1976     |          |        |       |
|----------|----------------------------------|---------------------------|----------|--------|-------|
| Pos      | Part Number                      | Description               | Remark   | Qty    | Model |
| 25       | 930 105 573 00                   | Bleeder screw             |          | 1      |       |
| 26       | 330 103 373 00                   | Sealing ring              |          | 1      |       |
|          |                                  | A 6,5 X 9,5               |          |        |       |
| 27       | N 012 241 1                      | Spring washer             |          | 1      |       |
|          |                                  | B 8 X 15                  |          |        |       |
| 28       | 900 076 025 02                   | Hexagon nut               |          | 1      |       |
| 28       | 900 076 064 02                   | M 8<br>Hexagon nut        |          | 1      |       |
| 20       | 900 070 004 02                   | M 8                       |          |        |       |
| 29       | 930 105 197 05                   | Gasket                    |          | 1      |       |
| 30       | 999 701 124 40                   | O-ring                    |          | 1      |       |
|          |                                  | 67,5 X 75,5 X 4           |          |        |       |
| 31       | 930 105 196 00                   | Cover                     |          | 1      |       |
| 32       | 900 028 008 01                   | Lock ring B 6             |          | 3      |       |
| 33       | 900 075 017 02                   | Hexagon-head bolt         |          | 3      |       |
|          | 700 073 017 02                   | M 6 X 25                  |          | 3      |       |
| 33       | 900 075 017 03                   | Hexagon-head bolt         |          | 3      |       |
|          |                                  | M 6 X 25                  |          |        |       |
| 34       | 901 105 562 00                   | Thrust washer             |          | 1      |       |
| 34       | 901 105 562 02                   | Thrust washer             |          | 1      |       |
| 35       | 901 105 561 00                   | Shim                      |          | X      |       |
| 36       | 901 105 583 01                   | Flange<br>Sprocket        |          | 1      |       |
| 37       | 900 118 005 00                   | Woodruff key              |          | 1      |       |
| 3,       | 700 110 003 00                   | 4 X 5                     |          | -      |       |
| 38       | 901 105 546 02                   | Sprocket                  |          | 1      |       |
|          |                                  | II                        |          |        |       |
| 38       | 901 105 546 04                   | Sprocket                  |          | 1      |       |
| 39       | 900 243 001 00                   | II Characteristic and a   |          | 1      |       |
| 39       | 900 243 001 00                   | Straight pin A 6 H 8 X 14 |          | 1      |       |
| 40       | 900 028 021 02                   | Spring washer             |          | 1      |       |
|          |                                  | В 30                      |          |        |       |
| 41       | 901 105 172 00                   | Nut                       |          | 1      |       |
|          |                                  | for                       |          |        |       |
| 4.0      | 001 105 124 00                   | Camshaft Camshaft         | /P       | 1      |       |
| 42<br>42 | 901 105 134 00<br>901 105 134 03 | Camshaft                  | /R<br>/R | 1<br>1 |       |
| 43       | 930 105 013 01                   | Intermediate shaft        | / 10     | 1      |       |
|          |                                  | with                      |          |        |       |
|          |                                  | Timing gear               |          |        |       |
|          |                                  | Number plate              |          |        |       |
| 4.5      | 020 105 012 04                   | 0                         |          | -      |       |
| 43       | 930 105 013 04                   | Intermediate shaft with   |          | 1      |       |
|          |                                  | Timing gear               |          |        |       |
|          |                                  | Number plate              |          |        |       |
|          |                                  | 0                         |          |        |       |
| (43)     | 930 105 013 11                   | Intermediate shaft        |          | 1      |       |
|          |                                  | with                      |          |        |       |
|          |                                  | Timing gear Number plate  |          |        |       |
|          |                                  | 1                         |          |        |       |
| 44       |                                  | Not available             |          | Х      |       |
| 45       |                                  | Not available             |          | X      |       |
| 46       | 900 041 025 01                   | Circlip                   |          | 2      |       |
|          | 000 041 005 05                   | 36 X 1,75                 |          | _      |       |
| 47       | 900 041 026 01                   | Circlip                   |          | 1      |       |
| 48       | 916 101 137 00                   | 13 X 1 Thrust bearing     |          | 2      |       |
|          | 710 101 137 00                   | for                       |          |        |       |
|          |                                  | Intermediate shaft        |          |        |       |
|          | <u> </u>                         | <u>!</u>                  |          |        |       |


| Pos | Part Number    | Description                   | Remark   | Qty | Model |
|-----|----------------|-------------------------------|----------|-----|-------|
|     |                |                               | I GIII A |     | MOUCI |
| 48  | 993 101 137 00 | Thrust bearing for            |          | 2   |       |
|     |                | Intermediate shaft            |          |     |       |
| 48  | 993 101 137 01 | Thrust bearing                |          | 2   |       |
|     |                | for                           |          |     |       |
| 49  | 901 101 135 00 | Intermediate shaft<br>Bearing |          | 2   |       |
| 50  | 901 101 135 00 | Stopper                       |          | 1   |       |
| 51  | N 012 296 1    | Circlip                       |          | 1   |       |
|     |                | 16 X 1                        |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |
|     |                |                               |          |     |       |



| Pos   Part Number   Description   Remark   | 1 2 4 3 7        | <b>Model</b><br>914-6 |
|--|------------------|-----------------------|
| 1 901 107 002 06 Oil pump 2 999 704 173 50 Sealing ring 3 999 704 172 50 Sealing ring 4 999 039 001 00 Tab washer 5 900 076 025 02 Hexagon nut M 8 5 900 076 064 02 Hexagon nut M 8 6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 2<br>4<br>3<br>7 | 914-6                 |
| 1 901 107 002 06 Oil pump 2 999 704 173 50 Sealing ring 3 999 704 172 50 Sealing ring 4 999 039 001 00 Tab washer 5 900 076 025 02 Hexagon nut M 8 5 900 076 064 02 Hexagon nut M 8 6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 2<br>4<br>3<br>7 | 914-6                 |
| 2 999 704 173 50 Sealing ring 3 999 704 172 50 Sealing ring 4 999 039 001 00 Tab washer 5 900 076 025 02 Hexagon nut M 8 5 900 076 064 02 Hexagon nut M 8 6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 7 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 2<br>4<br>3<br>7 |                       |
| 3 999 704 172 50 Sealing ring 4 999 039 001 00 Tab washer 5 900 076 025 02 Hexagon nut 6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase 0il tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 4<br>3<br>7      |                       |
| 4       999 039 001 00       Tab washer         5       900 076 025 02       Hexagon nut         M       8         5       900 076 064 02       Hexagon nut         M       8         6       901 107 121 00       Connecting shaft         7       901 107 203 09       Oil filter         8       901 107 025 00       Engine bracket         9       999 701 100 50       O-ring         R       72 - 4         10       900 028 003 01       Lock ring         A       6         11       N 014 749 2       Pan-head screw         M       6 X 40         12       901 107 394 01       Connecting hose         800 MM       Crankcase         0il tank         Air cleaner         14       999 512 356 02       Hose clamp         (22-36) X 9         15       901 107 059 01       Oil cooler         15       901 107 059 03       Oil cooler         16       N 012 241 1       Spring washer         B       X 15 | 3<br>7           |                       |
| S   900 076 025 02   | 7                | 1                     |
| M 8  6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 7 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4  10 900 028 003 01 Lock ring A 6  11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  |                  |                       |
| M 8  6 901 107 121 00  |                  |                       |
| S  | I _              |                       |
| M 8  6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 9 901 107 203 10 Oil filter 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4  10 900 028 003 01 Lock ring A 6  11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase 0il tank 13 901 107 394 02 Connecting hose 500 MM 0il tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 7                |                       |
| 6 901 107 121 00 Connecting shaft 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 7 901 107 203 09 Oil filter 7 901 107 203 10 Oil filter 9 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 1                |                       |
| 7 901 107 203 10 Oil filter 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4 10 900 028 003 01 Lock ring A 6 11 N 014 749 2 Pan-head screw M 6 X 40 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | X                |                       |
| 8 901 107 025 00 Engine bracket 9 999 701 100 50 O-ring R 72 - 4  10 900 028 003 01 Lock ring A 6  11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase 0il tank 13 901 107 394 02 Connecting hose 500 MM 0il tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  |                  |                       |
| 9 999 701 100 50 O-ring R 72 - 4  10 900 028 003 01 Lock ring A 6  11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase 0il tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | X                |                       |
| R 72 - 4  Lock ring A 6  N 014 749 2 Pan-head screw M 6 X 40  Connecting hose 800 MM Crankcase 0il tank  R 72 - 4  Lock ring A 6  Pan-head screw M 6 X 40  Connecting hose 800 MM Crankcase 0il tank Air cleaner  Hose clamp (22-36) X 9  Spring washer B 8 X 15   | 1                |                       |
| 10 900 028 003 01 Lock ring A 6  11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank  13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | 1                |                       |
| A 6 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank Connecting hose 500 MM Oil tank Air cleaner Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 11 N 014 749 2 Pan-head screw M 6 X 40  12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank  13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 3                |                       |
| M 6 X 40  Connecting hose 800 MM Crankcase Oil tank  Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  |                  |                       |
| M 6 X 40  Connecting hose 800 MM Crankcase Oil tank  13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 3                |                       |
| 12 901 107 394 01 Connecting hose 800 MM Crankcase Oil tank 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner 14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 800 MM Crankcase Oil tank Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 1                |                       |
| Crankcase Oil tank  13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   | +                |                       |
| Oil tank Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 13 901 107 394 02 Connecting hose 500 MM Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 500 MM Oil tank Air cleaner Hose clamp (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| Oil tank Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 1                |                       |
| Air cleaner  14 999 512 356 02 Hose clamp (22-36) X 9  15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15   |                  |                       |
| 14 999 512 356 02 Hose clamp<br>(22-36) X 9<br>15 901 107 059 01 Oil cooler<br>15 901 107 059 03 Oil cooler<br>16 N 012 241 1 Spring washer<br>B 8 X 15  |                  |                       |
| 14 999 512 356 02 Hose clamp<br>(22-36) X 9<br>15 901 107 059 01 Oil cooler<br>15 901 107 059 03 Oil cooler<br>16 N 012 241 1 Spring washer<br>B 8 X 15  |                  |                       |
| (22-36) X 9 15 901 107 059 01 Oil cooler 15 901 107 059 03 Oil cooler 16 N 012 241 1 Spring washer B 8 X 15  | 4                |                       |
| 15  901 107 059 01  Oil cooler<br>15  901 107 059 03  Oil cooler<br>16  N 012 241 1  Spring washer<br>B 8 X 15   | -                |                       |
| 15 901 107 059 03 Oil cooler<br>16 N 012 241 1 Spring washer<br>B 8 X 15   | 1                |                       |
| 16 N 012 241 1 Spring washer<br>B 8 X 15   | 1 1              |                       |
| B 8 X 15   |                  |                       |
|  | 4                |                       |
|  |                  |                       |
| 18 901 107 820 02 Oil pipe   | 1                |                       |
| Complete   |                  |                       |
| Pressure line  |                  |                       |
| 18/1 901 107 821 00 Hose line  | 1                |                       |
| Pressure line  |                  |                       |
| 18/2 999 702 132 50 Rubber sleeve  | 1                |                       |
| Hose line  | -                |                       |
| 18/3 999 511 076 02 Clamp  | 1                |                       |
| 1  | 1 1              |                       |
|  | -                |                       |
| 18/5 N 011 524 7 Washer  | 1                |                       |
| 6,4  |                  |                       |
| 18/5   N 011 524 27   Washer   | 1                |                       |
| 6,4  |                  |                       |
| 18/6 900 075 010 02 Hexagon nut  | 1                |                       |
| M 6 X 12   |                  |                       |
| 18/6 N 010 212 14 Hexagon-head bolt  | 1 1              |                       |
| M 6 X 12   | -                |                       |
| 18/6 999 072 005 09 Hexagon nut  | 1                |                       |
| M 6 X 12   | +                |                       |
|  |                  |                       |
| 18/6 999 072 005 01 Hexagon nut  | 1                |                       |
| M 6 X 12   |                  |                       |
| 18/7 999 511 076 02 Clamp  | 1                |                       |
| Pressure line  |                  |                       |
| 18/8 900 028 008 01 Lock ring  | 1                |                       |
| В 6  |                  |                       |
| 18/9 900 076 010 02 Nut  | 1                |                       |
| M 6  | 1                |                       |
| 18/9 900 076 010 0B Nut  |                  | 1                     |
|  | 1                | į l                   |
| M 6  | 1                |                       |
| 19 901 107 710 04 Hose line  | 1                |                       |


| woder.   | 914 70                           | Woder life 1970>>1976     |        |     |       |
|----------|----------------------------------|---------------------------|--------|-----|-------|
| Pos      | Part Number                      | Description               | Remark | Qty | Model |
|          |                                  | Totales with              |        |     |       |
| 1.0      |                                  | Intake pipe               |        |     |       |
| 19       | 901 107 710 05                   | Hose line                 |        | 1   |       |
| 10/1     | 001 107 023 03                   | Intake pipe               |        | 1   |       |
| 19/1     | 901 107 823 03                   | Hose line                 |        | 1   |       |
| 10/1     | 001 107 923 05                   | Intake pipe               |        | 1   |       |
| 19/1     | 901 107 823 05                   | Hose line                 |        | 1   |       |
| 10/2     | 999 702 089 50                   | Intake pipe Rubber sleeve |        | 1   |       |
| 19/2     | 999 702 089 50<br>               | for                       |        | 1   |       |
|          |                                  | Mount                     |        |     |       |
|          |                                  | Hose line                 |        |     |       |
| 19/3     | 999 511 077 02                   | Clamp                     |        | 1   |       |
| 15/5     | ]                                | for                       |        | -   |       |
|          |                                  | Intake pipe               |        |     |       |
| 19/4     | 900 075 087 02                   | Hexagon-head bolt         |        | 2   |       |
| , -      |                                  | M 8 X 16                  |        |     |       |
| 19/4     | 900 075 087 03                   | Hexagon-head bolt         |        | 2   |       |
|          |                                  | M 8 X 16                  |        |     |       |
| 19/5     | N 012 241 1                      | Spring washer             |        | 2   |       |
|          |                                  | B 8 X 15                  |        |     |       |
| 20       | 901 107 347 01                   | Oil hose                  |        | 1   |       |
|          |                                  | Complete                  |        |     |       |
|          |                                  | Left                      |        |     |       |
|          |                                  | Crankcase                 |        |     |       |
|          |                                  | Camshaft                  |        |     |       |
| 20       | 901 107 347 02                   | Oil hose                  |        | 1   |       |
|          |                                  | Complete                  |        |     |       |
|          |                                  | Left                      |        |     |       |
|          |                                  | Crankcase                 |        |     |       |
| 21       | 001 107 340 00                   | Camshaft<br>Oil hose      |        | 1   |       |
| 21       | 901 107 348 00                   | Complete                  |        | 1   |       |
|          |                                  | Right                     |        |     |       |
|          |                                  | Crankcase                 |        |     |       |
|          |                                  | Camshaft                  |        |     |       |
| 21       | 901 107 348 02                   | Oil hose                  |        | 1   |       |
|          |                                  | Complete                  |        |     |       |
|          |                                  | Right                     |        |     |       |
|          |                                  | Crankcase                 |        |     |       |
|          |                                  | Camshaft                  |        |     |       |
| 26       | 901 107 005 40                   | Oil tank                  |        | 1   |       |
|          |                                  | Bodyshell                 |        |     |       |
| 26       | 901 107 005 46                   | Oil tank                  |        | 1   |       |
|          |                                  | Bodyshell                 |        |     |       |
| 26       |                                  | Oil tank                  |        | 1   |       |
|          | 001 105 110 15                   | Bodyshell                 |        |     |       |
| 30       | 901 107 640 40                   | Filler neck               |        | 1   |       |
| 31       | 901 201 271 00                   | Fuel tank cap             |        | 1   |       |
| 31       | 901 201 271 01<br>901 201 272 00 | Fuel tank cap             |        | 1   |       |
| 32<br>32 | 930 107 272 01                   | Sealing ring Sealing ring |        | 1   |       |
| 33       | 901 107 691 10                   | Boot                      |        | 1   |       |
|          | 901 107 091 10                   | for                       |        |     |       |
|          |                                  | Filler neck               |        |     |       |
| 41       | 901 107 692 00                   | Washer                    |        | 2   |       |
| 42       | 901 107 693 01                   | Washer                    |        | 2   |       |
| 43       | 900 151 008 02                   | Washer                    |        | 2   |       |
|          |                                  | A 8,4                     |        |     |       |
| 44       | N 021 194 1                      | Lock nut                  |        | 2   |       |
|          |                                  | м 8                       |        |     |       |
| 45       | 901 107 281 00                   | Circlip                   |        | 1   |       |
| 46       | 901 107 291 00                   | Gasket                    |        | 1   |       |
|          |                                  | for                       |        |     |       |
|          | •                                |                           |        | -   | •     |

| woder. | 914 70         | Woderlife 1970>>1976 |        |      |       |
|--------|----------------|----------------------|--------|------|-------|
| Pos    | Part Number    | Description          | Remark | Qty  | Model |
|        |                |                      |        | ···, |       |
|        |                | Oil filter           |        |      |       |
| 47     | 901 107 695 40 | Sealing ring         |        | 1    |       |
|        |                | for                  |        |      |       |
|        |                | Breather adapter     |        |      |       |
| 48     | 901 107 696 40 | Sealing ring         |        | 1    |       |
|        |                | for                  |        |      |       |
|        |                | Filler neck          |        |      |       |
| 76     | 901 107 770 40 | Oil level dipstick   |        | 1    |       |
|        |                | Complete             |        |      |       |
| 77     | 999 512 073 02 | Clip                 |        | 1    |       |
| ''     |                | SP. 54 / 25          |        | -    |       |
| 78     | 901 107 679 10 | Sealing ring         |        | 1    |       |
| 79     | 900 183 006 02 | Hexagon nut          |        | 1    |       |
| '9     | 900 183 000 02 | M 26 X 1,5           |        |      |       |
|        |                | M 20 A 1,5           |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        |                |                      |        |      |       |
|        | _              |                      |        |      |       |




| Model: | del: 914 /U Model life 19/0>>19/6 |     |     |                    |        |     |            |
|--------|-----------------------------------|-----|-----|--------------------|--------|-----|------------|
| Pos    | Part Numb                         | er  |     | Description        | Remark | Qty | Model      |
|        |                                   |     |     | Oil supply         | -71    |     | 914-6:SPM  |
|        |                                   |     |     | for                | , _    |     | 711 0 5111 |
|        |                                   |     |     | Converter          |        |     |            |
| 1      | 905 107                           | 006 | 04  | Oil pump           |        | 1   |            |
|        |                                   |     |     | for                |        |     |            |
|        |                                   |     |     | Converter          |        |     |            |
| 2      | 905 107                           |     |     | Rotor housing      |        | 1   |            |
| 6      | 900 197                           | 017 | 00  | Tensioning sleeve  |        | 1   |            |
|        |                                   |     |     | 4 X 14             |        |     |            |
| 7      | 900 302                           | 001 | 00  | Straight pin       |        | 1   |            |
|        |                                   |     |     | 4 M 6 X 32         |        |     |            |
| 8      | 905 107                           |     |     | Rotor set          |        | 1   |            |
| 9      | 905 107                           |     |     | Gasket             |        | 1   |            |
| 9      | 905 107                           |     |     | Gasket             |        | 1   |            |
| 10     | 905 107                           | 015 | 04  | Lid                |        | 1   |            |
|        |                                   |     | 0.0 | Complete           |        |     |            |
| 11     | 999 062                           | 002 | 02  | Stud               |        | 2   |            |
| 12     | 999 099                           | 011 | 0.0 | BM 6 X 15<br>Union |        | 1   |            |
| 12     | 999 099                           | OII | 02  | AM 10 -11          |        | 1   |            |
| 13     | 900 123                           | 000 | 20  | Sealing ring       |        | 1   |            |
| 13     | 900 123                           | 000 | 30  | A 14 X 20          |        | -   |            |
| 14     | 905 107                           | 1/1 | U 3 | Flat connector     |        | 1   |            |
| 15     | 905 107                           |     |     | Compression spring |        | 1   |            |
| 16     | 905 107                           |     |     | Slide              |        | 1 1 |            |
| 17     | 999 701                           |     |     | 0-ring             |        | 1   |            |
|        |                                   |     |     | R 15 X 2,5         |        | _   |            |
| 18     | 900 028                           | 008 | 01  | Lock ring          |        | 5   |            |
|        |                                   |     |     | В 6                |        |     |            |
| 19     | 900 076                           | 010 | 02  | Nut                |        | 2   |            |
|        |                                   |     |     | м 6                |        |     |            |
| 19     | 900 076                           | 010 | 0B  | Nut                |        | 2   |            |
|        |                                   |     |     | м 6                |        |     |            |
| 20     | 930 105                           |     |     | Gasket             |        | 1   |            |
| 21     | 900 074                           | 111 | 02  | Hexagon-head bolt  |        | 2   |            |
|        |                                   |     |     | M 6 X 50           |        |     |            |
| 22     | 900 074                           | 022 | 02  | Hexagon-head bolt  |        | 1   |            |
|        |                                   |     |     | M 6 X 65           |        |     |            |
| 28     | 905 107                           | 033 | 30  | Intake pipe        |        | 1   |            |
|        |                                   |     |     | I .                |        |     |            |
|        |                                   |     |     | Complete           |        |     |            |
|        |                                   |     |     | Oil tank           |        |     |            |
| 28/1   | 905 107                           | 010 | 2.0 | Oil hose           |        | 2   |            |
| 28/1   | 905 107                           | 019 | 30  | Complete           |        | 4   |            |
|        |                                   |     |     | Intake pipe        |        |     |            |
|        |                                   |     |     | And                |        |     |            |
|        |                                   |     |     | Return line        |        |     |            |
| 28/2   | 905 107                           | 034 | 3.0 | Intake pipe        |        | 1   |            |
| 20/2   | ] 503 107                         | 051 | 50  | II                 |        | -   |            |
|        |                                   |     |     | Complete           |        |     |            |
|        |                                   |     |     | Oil hose           |        |     |            |
|        |                                   |     |     | Oil pump           |        |     |            |
| 28/3   | 905 107                           | 313 | 30  | Hose piece         |        | 1   |            |
|        |                                   |     |     | Mount              |        |     |            |
|        |                                   |     |     | Intake pipe        |        |     |            |
|        |                                   |     |     | I                  |        |     |            |
| 28/4   | 999 702                           |     |     | Rubber sleeve      |        | 5   |            |
| 28/5   | 905 107                           | 718 | 30  | Bracket            |        | 1   |            |
|        |                                   |     |     | Engine cover       |        |     |            |
| 28/6   | 905 107                           | 311 | 30  | Spacer plate       |        | 1   |            |
|        |                                   |     |     | for                |        |     |            |
|        |                                   |     |     | Intake pipe        |        |     |            |


| Pos  | Part Number    | Description    | Remark | Qty | Model |
|------|----------------|----------------|--------|-----|-------|
|      |                |                |        | •   |       |
|      |                | II             |        |     |       |
| 29   | 905 107 038 02 | Pressure line  |        | 1   |       |
|      |                | Complete       |        |     |       |
|      |                | Oil pump       |        |     |       |
|      |                | Switch housing |        |     |       |
| 30   | 905 107 035 31 | Return line    |        | 1   |       |
|      |                | I              |        |     |       |
|      |                | Complete       |        |     |       |
|      |                | Switch housing |        |     |       |
|      |                | Oil hose       |        |     |       |
| 30/1 | 905 107 036 30 | Return line    |        | 1   |       |
| 30/1 | 903 107 030 30 | II             |        | _   |       |
|      |                |                |        |     |       |
|      |                | Complete       |        |     |       |
|      |                | Oil hose       |        |     |       |
|      |                | Oil tank       |        | _   |       |
| 32   | 901 107 005 40 | Oil tank       |        | 1   |       |
|      |                | Bodyshell      |        |     |       |
| 32   | 901 107 005 46 | Oil tank       |        | 1   |       |
|      |                | Bodyshell      |        |     |       |
| 32   |                | Oil tank       |        | 1   |       |
|      |                | Bodyshell      |        |     |       |
| 40   | 999 136 007 02 | Union          |        | 1   |       |
| 41   | 900 123 043 30 | Sealing ring   |        | 1   |       |
|      |                | A 12 X 15,5    |        |     |       |
| 42   | 999 134 012 02 | Banjo bolt     |        | 1   |       |
|      |                | Switch housing |        | _   |       |
| 43   | 901 107 678 45 | Sealing ring   |        | 2   |       |
| 1 13 | 901 107 078 45 | for            |        |     |       |
|      |                |                |        |     |       |
|      |                | Oil tank       |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      |                |                |        |     |       |
|      | Ī              | i              | 1      | I   | I     |



| Model: | dei: 914 /0 Model life 19/0>>19/6 |                                       |        |     |       |
|--------|-----------------------------------|---------------------------------------|--------|-----|-------|
| Pos    | Part Number                       | Description                           | Remark | Qty | Model |
|        |                                   | Air cooling                           |        | 1   | 914-6 |
| 1      | 901 106 011                       |                                       |        | 1   | 714 0 |
|        | 701 100 011                       | Complete                              |        | -   |       |
| 1/1    | 999 062 006                       |                                       |        | 2   |       |
|        |                                   | BM 8 X 20                             |        |     |       |
| 2      | 964 106 251                       |                                       |        | 1   |       |
| 2/2    | N 014 715 3                       | Pan-head screw                        |        | 1   |       |
|        |                                   | M 8 X 45                              |        |     |       |
| 2/2    | 900 067 103                       | )1 Pan-head screw                     |        | 1   |       |
|        |                                   | M 8 X 45                              |        |     |       |
| 3      | 911 603 118                       |                                       |        | 1   |       |
|        |                                   | 770 W                                 |        |     |       |
| 4      | 900 028 008                       |                                       |        | 1   |       |
| _      |                                   | В 6                                   |        |     |       |
| 5      | 900 076 010                       |                                       |        | 6   |       |
| 5      | 000 076 010                       | M 6<br>Nut                            |        | 6   |       |
| 5      | 900 076 010                       | M 6                                   |        | 0   |       |
| 6      | 901 106 010                       |                                       |        | 1   |       |
|        | 701 100 010                       | Complete                              |        | -   |       |
| 7      | 901 105 561                       |                                       |        | X   |       |
| 8      | 901 603 421                       |                                       |        | 1   |       |
| 9      | 901 603 427                       |                                       |        | 1   |       |
|        |                                   | for                                   |        |     |       |
|        |                                   | Generator                             |        |     |       |
|        |                                   | - bosch -                             |        |     |       |
| 9      | 901 603 427                       | )2 Cap                                |        | 1   |       |
|        |                                   | for                                   |        |     |       |
|        |                                   | Generator                             |        |     |       |
|        |                                   | - bosch -                             |        |     |       |
| (9)    | 901 603 428                       |                                       |        | 1   |       |
|        |                                   | for                                   |        |     |       |
|        |                                   | Generator                             |        |     |       |
| (0)    |                                   | - MOTOROLA -                          |        |     |       |
| (9)    | 901 603 428                       |                                       |        | 1   |       |
|        |                                   | for<br>Generator                      |        |     |       |
|        |                                   | - MOTOROLA -                          |        |     |       |
| 10     | 911 106 033                       | • • • • • • • • • • • • • • • • • • • |        | 1   |       |
|        | 711 100 033                       | Complete                              |        | -   |       |
|        |                                   | Black                                 |        |     |       |
| 11     | 900 078 005                       |                                       |        | 1   |       |
|        |                                   | M 14 X 1,5                            |        |     |       |
| 12     | 999 192 176                       |                                       |        | 1   |       |
|        |                                   | 9,5 X 710                             |        |     |       |
| 12     | 999 192 176                       |                                       |        | 1   |       |
|        |                                   | 9,5 X 710                             |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        |     |       |
|        |                                   |                                       |        | 1   | I     |




| Model:   | del: 914 /0 Model life 19/0>>19/6 |                            |                |          |       |  |
|----------|-----------------------------------|----------------------------|----------------|----------|-------|--|
| Pos      | Part Number                       | Description                | Remark         | Qty      | Model |  |
|          |                                   | Air guide                  |                | <u> </u> | 914-6 |  |
| 1        | 911 106 901 00                    | Air guide                  |                | 1        |       |  |
|          |                                   | Upper                      |                | -        |       |  |
|          |                                   | Complete                   |                |          |       |  |
|          |                                   | Black                      |                |          |       |  |
| 2        | 999 507 003 02                    | Speed nut                  |                | 5        |       |  |
|          |                                   | В 6,3                      |                |          |       |  |
| 2        | 999 507 003 01                    | Speed nut                  |                | 5        |       |  |
|          |                                   | В 6,3                      |                |          |       |  |
| (2)      | 999 507 003 02                    | Speed nut                  |                | 1        |       |  |
|          |                                   | В 6,3                      |                |          |       |  |
|          |                                   | for                        |                |          |       |  |
| (0)      |                                   | Hot air socket             |                | _        |       |  |
| (2)      | 999 507 003 01                    | Speed nut                  |                | 1        |       |  |
|          |                                   | B 6,3<br>for               |                |          |       |  |
|          |                                   | Hot air socket             |                |          |       |  |
| 3        | 999 702 007 50                    | Rubber sleeve              |                | X        |       |  |
| 3        | 1999 702 007 30                   | 20 X 8 X 10                |                | ^        |       |  |
| 4        | 911 106 406 00                    | Air guide                  |                | 1        |       |  |
| _        |                                   | for                        |                | -        |       |  |
|          |                                   | Oil cooler                 |                |          |       |  |
| 5        | 901 106 321 02                    | Hot air socket             | /H /L          | 1        |       |  |
| 5        | 930 106 321 01                    | Hot air socket             | /H /L          | 1        |       |  |
| 5        | 930 106 021 50                    | Hot air socket             | /H /L          | 1        |       |  |
| 6        | 911 106 327 00                    | Hot air socket             | /H /R          | 1        |       |  |
| 7        | 900 075 010 02                    | Hexagon nut                |                | 18       |       |  |
|          |                                   | M 6 X 12                   |                |          |       |  |
| 7        | N 010 212 14                      | Hexagon-head bolt          |                | 18       |       |  |
|          |                                   | M 6 X 12                   |                |          |       |  |
| 7        | 999 072 005 09                    | Hexagon nut                |                | 18       |       |  |
|          |                                   | M 6 X 12                   |                |          |       |  |
| 7        | 999 072 005 01                    | Hexagon nut                |                | 18       |       |  |
|          | 000 105 015 00                    | M 6 X 12                   |                | ١.       |       |  |
| 8        | 900 187 015 02                    | Hexagon-head tapping screw |                | 4        |       |  |
|          |                                   | B 6,3 X 16 for             |                |          |       |  |
|          |                                   | Air guide                  |                |          |       |  |
|          |                                   | Upper                      |                |          |       |  |
| 9        | N 011 524 7                       | Washer                     |                | 22       |       |  |
|          | N 011 324 /                       | 6,4                        |                |          |       |  |
| 9        | N 011 524 27                      | Washer                     |                | 22       |       |  |
|          |                                   | 6,4                        |                |          |       |  |
| (9)      | N 011 524 7                       | Washer                     |                | 1        |       |  |
|          |                                   | 6,4                        |                |          |       |  |
|          |                                   | for                        |                |          |       |  |
|          |                                   | Hot air socket             |                |          |       |  |
| (9)      | N 011 524 27                      | Washer                     |                | 1        |       |  |
|          |                                   | 6,4                        |                |          |       |  |
|          |                                   | for                        |                |          |       |  |
|          |                                   | Hot air socket             |                |          |       |  |
| 10       | 999 703 092 40                    | Stopper                    |                | 1        |       |  |
| 11       | 000 703 013 50                    | 9 X 18,5 / 14              |                | ,        |       |  |
| 11       | 999 703 013 50                    | Stopper                    |                | 1        |       |  |
| 12<br>13 | 911 106 331 00<br>911 106 827 00  | Support                    | / <sub>D</sub> | 1<br>1   |       |  |
| 13       | 911 106 827 00                    | Closing plate Cover plate  | /R<br>/H /R    | 1 1      |       |  |
|          | 711 100 030 00                    | Complete                   | /11 /10        |          |       |  |
|          |                                   |                            |                |          |       |  |
|          |                                   |                            |                |          |       |  |
|          |                                   |                            |                |          |       |  |
|          |                                   |                            |                |          |       |  |
|          |                                   |                            |                |          |       |  |
|          |                                   | 1                          |                |          | i e   |  |




| Model: | el: 914 70 Model life 1970>>1976 |                          |        |     |       |  |
|--------|----------------------------------|--------------------------|--------|-----|-------|--|
| Pos    | Part Number                      | Description              | Remark | Qty | Model |  |
|        |                                  | Engine cover             |        |     | 914-6 |  |
|        |                                  | Air guide                |        |     | J11 0 |  |
| 1      | 901 106 076 00                   | Cover plate              |        | 1   |       |  |
| _      | 999 613 017 40                   | Covering                 |        | *   |       |  |
|        |                                  | for                      |        |     |       |  |
|        |                                  | Cable holder             |        |     |       |  |
| 3      | 901 106 075 00                   | Cover plate              |        | 1   |       |  |
| 4      | 901 106 073 00                   | Cover plate<br>Complete  |        | 1   |       |  |
|        |                                  | Cylinder                 |        |     |       |  |
|        |                                  | 1-3                      |        |     |       |  |
| 5      | 901 106 074 00                   | Cover plate              |        | 1   |       |  |
|        |                                  | Complete                 |        |     |       |  |
|        |                                  | Cylinder                 |        |     |       |  |
|        |                                  | 4-6                      |        | _   |       |  |
| 6      | 901 106 817 00                   | Engine cover             |        | 1   |       |  |
| 7      | 901 106 035 01                   | Baffle plate<br>Complete |        | 4   |       |  |
|        |                                  | Centre                   |        |     |       |  |
| 8      | 901 106 041 00                   | Baffle plate             |        | 2   |       |  |
|        | 701 100 011 00                   | Left front, right rear   |        | _   |       |  |
| 9      | 901 106 039 01                   | Baffle plate             |        | 2   |       |  |
|        |                                  | Right front, left rear   |        |     |       |  |
| 10     | 930 106 228 00                   | Leaf spring              |        | 4   |       |  |
| 11     | N 011 524 7                      | Washer                   |        | 25  |       |  |
|        |                                  | 6,4                      |        |     |       |  |
| 11     | N 011 524 27                     | Washer                   |        | 25  |       |  |
| 12     | N 010 208 5                      | 6,4<br>Hexagon-head bolt |        | 1   |       |  |
| 14     | N 010 200 5                      | M 6 X 8                  |        | 7   |       |  |
| 13     | 900 075 010 02                   | Hexagon nut              |        | 22  |       |  |
|        |                                  | M 6 X 12                 |        |     |       |  |
| 13     | N 010 212 14                     | Hexagon-head bolt        |        | 22  |       |  |
|        |                                  | M 6 X 12                 |        |     |       |  |
| 13     | 999 072 005 09                   | Hexagon nut              |        | 22  |       |  |
| 1.0    | 000 000 005 01                   | M 6 X 12                 |        | 0.0 |       |  |
| 13     | 999 072 005 01                   | Hexagon nut              |        | 22  |       |  |
|        |                                  | M 6 X 12                 |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |
|        |                                  |                          |        |     |       |  |

PORSCHE Illustration: 106-00 PORSCHE




| woder. | 914 70         | Woderlife 1970>>1976 |          |     |       |
|--------|----------------|----------------------|----------|-----|-------|
| Pos    | Part Number    | Description          | Remark   | Qty | Model |
|        |                | Air cleaner system   |          |     | 914-6 |
| 1      | 011 100 001 00 |                      |          | 1   | 914-0 |
| 1      | 911 108 001 02 | Air cleaner system   |          | 1   |       |
| 2      | 901 108 214 03 | Gasket               |          | 2   |       |
| 3      | 911 108 014 00 | Connecting piece     |          | 2   |       |
| 4      | 901 108 215 00 | Gasket               |          | 1   |       |
| 4      | 901 108 215 02 | Gasket               |          | 1   |       |
| 5      | 901 108 983 00 | Gasket               |          | 1   |       |
| 6      | 911 108 041 01 | Lid                  |          | 1   |       |
| 7      | 901 108 955 11 | Filter element       |          | 1   |       |
| 8      | 901 107 729 00 | Backfire grid        |          | 1   |       |
| 9      | 911 108 021 00 | Pipe                 |          | 1   |       |
| 10     | 253 260 180    | Water drain valve    |          | 1   |       |
| _      | 999 180 030 50 | Fuel hose            |          | *   |       |
|        |                | C 7 X 12             |          |     |       |
| _      | 999 180 030 5A | Fuel hose            |          | *   |       |
|        |                | C 7 X 12             |          |     |       |
| 11     |                | 285 MM               |          | 1   |       |
| 12     | 999 044 001 02 | Winged nut           |          | 2   |       |
| 1 12   | 999 044 001 02 |                      |          |     |       |
|        | 000 005 000 40 | M 8                  |          | ۱ , |       |
| -      | 900 025 038 40 | Washer               |          | 2   |       |
|        |                | 8,4                  |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        |                |                      |          |     |       |
|        | I              | <u> </u>             | <u> </u> |     |       |



| woder.   | 914 70           | Wiodeline 1970>>1976 |        |     |           |
|----------|------------------|----------------------|--------|-----|-----------|
| Pos      | Part Number      | Description          | Remark | Qty | Model     |
|          |                  | Carburettor          |        |     | 914-6     |
| 1        | 001 100 115 00   | Carburettor          |        | 1   | 914-0     |
| l +      | 901 108 115 00   |                      |        | 1   |           |
|          |                  | 40 IDT P 1 3 C 1     |        |     |           |
|          |                  | Carburettor          |        |     |           |
|          |                  | 4 - 6                |        |     |           |
| 2        | 901 108 126 01   | Carburettor          |        | 1   |           |
|          |                  | 40 IDT P 1 3 C       |        |     |           |
|          |                  | Cylinder             |        |     |           |
|          |                  | 1 - 3                |        |     |           |
| 3        | 901 108 398 01   | Gasket               |        | 6   |           |
| 3        |                  | Gasket               |        | 6   |           |
|          |                  | without asbestos     |        | Ŭ   |           |
|          |                  | for                  |        |     |           |
|          |                  | Carburettor          |        |     |           |
|          | 010 041 1        |                      |        |     |           |
| 4        | N 012 241 1      | Spring washer        |        | 16  |           |
|          |                  | B 8 X 15             |        |     |           |
| 4/1      | 900 031 014 30   | Washer               |        | 12  |           |
|          |                  | 8,4                  |        |     |           |
| 5        | 502 08 310       | Hexagon nut          |        | 12  |           |
| 5/1      | 999 084 601 02   | Lock nut             |        | 12  |           |
|          |                  | M 8 SNM 8            |        |     |           |
| 5/1      | 999 084 601 0C   | Lock nut             |        | 12  |           |
| 3/1      | ]                | M 8 SNM 8            |        | 12  |           |
| 6        | 901 108 039 04   | Intake manifold      | /L     | 1   | 901/36/38 |
| 0        | 901 108 039 04   |                      | / L    | 1   | 901/36/38 |
|          |                  | Complete             |        | _   |           |
| (6)      | 905 108 031 04   | Intake manifold      | /L     | 1   | 901/37/39 |
|          |                  | Complete             |        |     |           |
| 6/1      | 999 703 076 50   | Rubber sleeve        |        | 2   |           |
|          |                  | Intake manifold      |        |     |           |
| 7        | 901 108 040 13   | Intake manifold      | /R     | 1   | 901/36/37 |
|          |                  | Complete             |        |     |           |
| (7)      | 901 108 040 12   | Intake manifold      | /R     | 1   | 901/38/39 |
| . ,      |                  | Complete             | ,      | _   | , ,       |
| 8        | 999 062 007 02   | Stud                 |        | 12  |           |
| ľ        | ] 333 002 007 02 | BM 8 X 22            |        | 12  |           |
| 8        | 000 000 100 01   | Stud                 |        | 12  |           |
| 8        | 900 060 106 01   |                      |        | 12  |           |
|          |                  | BM 8 X 22            |        | _   |           |
| 9        | 900 061 022 01   | Stud                 |        | 4   |           |
|          |                  | M 8 X 12             |        |     |           |
| 10       | 901 108 391 04   | Gasket               |        | 12  |           |
|          |                  | for                  |        |     |           |
|          |                  | Intake manifold      |        |     |           |
| 11       | 901 108 843 00   | Bearing lever        | /L     | 1   |           |
| 12       | 999 167 020 02   | Ball pin             |        | 1   |           |
| 13       | 901 108 844 00   | Bearing lever        | /R     | 1   |           |
| 13       | 901 108 844 01   | Bearing lever        | /R     | 1   |           |
| 14       | 999 167 020 02   | Ball pin             | / IC   | 1   |           |
| 1        |                  |                      |        |     | 001/26/27 |
| 15       | 911 108 071 00   | Control shaft        |        | 1   | 901/36/37 |
|          |                  | Complete             |        |     |           |
| (15)     | 911 108 071 01   | Control shaft        |        | 1   | 901/38/39 |
|          |                  | Complete             |        |     |           |
| 16       | N 012 241 1      | Spring washer        |        | 2   |           |
|          |                  | B 8 X 15             |        |     |           |
| 17       | N 011 118 11     | Hexagon nut          |        | 3   |           |
|          |                  | BM 8                 |        |     |           |
| 17       | 900 034 001 05   | Hexagon nut          |        | 3   |           |
| 1 1      | 900 034 001 05   |                      |        | 3   |           |
| 1.0      |                  | BM 8                 |        |     |           |
| 18       | 502 08 310       | Hexagon nut          |        | 4   |           |
| 19       | 901 108 648 00   | Pull rod             |        | 1   |           |
| 22       | 901 108 710 00   | Reverse lever        |        | 1   | 901/36/38 |
| (22)     | 905 108 070 02   | Reverse lever        |        | 1   | 901/37/39 |
|          | 1                |                      |        |     | SPM       |
| (22)     | 901 108 720 00   | Reverse lever        |        | 1   |           |
| <u> </u> |                  | <u> </u>             |        |     |           |


| Model: | l: 914 70 Model life 1970>>1976 |                     |        |     |       |  |
|--------|---------------------------------|---------------------|--------|-----|-------|--|
| Pos    | Part Number                     | Description         | Remark | Qty | Model |  |
| (22)   | 901 108 720 02                  | Reverse lever       |        | 1   |       |  |
| 23     | 901 423 253 00                  | Bearing sleeve      |        | 2   |       |  |
| _      | 900 089 011 02                  | Washer              |        | 1   | SPM   |  |
|        |                                 | 4                   |        | _   |       |  |
| _      | N 012 224 3                     | Spring washer       |        | 1   | SPM   |  |
|        |                                 | B 4                 |        | _   |       |  |
| _      | 900 067 080 02                  | Pan-head screw      |        | 1   | SPM   |  |
|        |                                 | M 4 X 10            |        | _   |       |  |
| _      | 900 067 080 03                  | Pan-head screw      |        | 1   | SPM   |  |
|        |                                 | M 4 X 10            |        | _   |       |  |
| 24     | 900 031 001 02                  | Washer              |        | 2   |       |  |
|        |                                 | 8,4                 |        | _   |       |  |
| 24     | 900 031 105 01                  | Washer              |        | 2   |       |  |
|        |                                 | 8,4                 |        | _   |       |  |
| 25     | 900 116 009 01                  | Kl-lock             |        | 2   |       |  |
|        |                                 | 6                   |        | _   |       |  |
| 26     | 901 108 089 00                  | Push rod            |        | 2   |       |  |
|        |                                 | Complete            |        | _   |       |  |
| 27     | 900 169 010 02                  | Ball socket         |        | 2   |       |  |
|        |                                 | A 8                 |        |     |       |  |
|        |                                 | Left                |        |     |       |  |
| 28     | N 015 521 3                     | Ball socket         |        | 4   |       |  |
|        |                                 | A 8                 |        | _   |       |  |
| 29     | 900 076 029 02                  | Hexagon nut         |        | 2   |       |  |
|        |                                 | M 5                 |        | _   |       |  |
|        |                                 | Left                |        |     |       |  |
| 30     | 900 076 027 02                  | Nut                 |        | 4   |       |  |
|        |                                 | M 5                 |        | _   |       |  |
| 31     | 901 108 631 00                  | Tension spring      |        | 2   |       |  |
| 32     | N 012 224 3                     | Spring washer       |        | 8   |       |  |
| -      |                                 | B 4                 |        | -   |       |  |
| 33     | 900 014 073 02                  | Pan-head screw      |        | 8   |       |  |
|        |                                 | M 4 X 10            |        | -   |       |  |
| 34     | 901 108 131 00                  | Intermediate flange |        | 6   |       |  |
| 35     | 901 108 218 00                  | Gasket              |        | 2   |       |  |
| 36     | 999 180 030 50                  | Fuel hose           |        | *   |       |  |
|        |                                 | C 7 X 12            |        |     |       |  |
|        |                                 | 60 MM               |        | 2   |       |  |
| 36     | 999 180 030 5A                  | Fuel hose           |        | *   |       |  |
|        |                                 | C 7 X 12            |        |     |       |  |
|        |                                 | 60 MM               |        | 2   |       |  |
| 37     | 901 108 219 00                  | Cap                 |        | 4   |       |  |
| 38     | 911 110 391 00                  | Gasket              |        | 6   |       |  |
| 39     | PCG 108 322 01                  | Intake trumpet      |        | 6   |       |  |
| 40     | N 021 196 1                     | Lock nut            |        | 12  |       |  |
|        |                                 | М 5                 |        |     |       |  |
| 40     | N 021 196 3                     | Hexagon nut         |        | 12  |       |  |
|        |                                 | М 5                 |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |
|        |                                 |                     |        |     |       |  |



| Das      |                                  |                           |        |          |       |
|----------|----------------------------------|---------------------------|--------|----------|-------|
| Pos      | Part Number                      | Description               | Remark | Qty      | Model |
|          |                                  | Carburettor               |        | <u> </u> | 914-6 |
|          |                                  | Repair material           |        |          | 714 0 |
|          |                                  |                           |        |          |       |
|          |                                  | Supplier                  |        |          |       |
| 1        | 001 100 030 01                   | WEBER - 40 IDTP1 3C - 3C1 |        | 1        |       |
| 1        | 901 100 930 01                   | Lid                       |        | 1        |       |
|          |                                  | Carburettor               |        |          |       |
|          |                                  | with                      |        |          |       |
| _        |                                  | Stud                      |        | _        |       |
| 2        | 901 100 932 00                   | Stud                      |        | 6        |       |
| 3        | PCG 108 322 01                   | Intake trumpet            |        | 3        |       |
| 4        | 901 100 814 00                   | Nut                       |        | 16       |       |
| 5        | 901 100 934 00                   | Valve                     |        | 2        |       |
|          |                                  | 1,75                      |        |          |       |
| 6        | PCG 100 914 00                   | Sealing ring              |        | 2        |       |
| 7        | 901 100 801 00                   | Screw plug                |        | 2        |       |
| 8        | 901 100 915 00                   | Sealing ring              |        | 2        |       |
| 8        | 901 100 915 01                   | Sealing ring              |        | 2        |       |
| 9        | 901 100 935 00                   | Connecting piece          |        | 1        |       |
|          |                                  | Fuel strainer             |        |          |       |
| 10       | 901 100 936 00                   | Connecting piece          |        | 1        |       |
|          |                                  | Fuel strainer             |        |          |       |
| 11       | 901 100 937 00                   | Sealing ring              |        | 1        |       |
| 12       | 901 100 808 00                   | Fuel strainer             |        | 2        |       |
| 13       | 901 100 916 00                   | Sealing ring              |        | 2        |       |
| 14       | 901 100 938 00                   | Screw plug                |        | 2        |       |
| 15       | 901 100 807 00                   | Float                     |        | 2        |       |
| 15       | 901 100 807 01                   | Float                     |        | 2        |       |
| 16       | 901 100 813 00                   | Stud                      |        | 9        |       |
| 17       | 901 100 813 00                   | Sealing ring              |        | 2        |       |
| 18       | 901 100 917 00                   | Screw                     |        | 2        |       |
| 10       | 901 100 811 00                   | for                       |        |          |       |
|          |                                  | Float                     |        |          |       |
|          |                                  |                           |        |          |       |
| 1.0      |                                  | Axle                      |        |          |       |
| 19       | 901 100 939 00                   | Spring                    | 1,-    | 1        |       |
| 20       | 901 100 941 01                   | Clutch control shaft      | /L     | 1        |       |
| l        |                                  | 40 IDTP 3 C1              |        |          |       |
| 21       | 901 100 940 01                   | Throttle shaft            |        | 1        |       |
|          |                                  | 40 IDTP 3 C               |        | _        |       |
| 22       | 901 100 942 00                   | Stud                      |        | 2        |       |
| 23       | 901 100 943 01                   | Stud                      |        | 2        |       |
| 24       | 901 100 944 00                   | Spring                    |        | 1        |       |
| 25       | 901 100 945 00                   | Valve                     |        | 1        |       |
|          |                                  | Closed                    |        |          |       |
| 26       | 901 100 946 00                   | Diaphragm                 |        | 1        |       |
| 27       | 901 100 947 00                   | Lower part                |        | 1        |       |
|          |                                  | Pump                      |        |          |       |
| 28       | 901 100 948 00                   | Spring                    |        | 1        |       |
| 29       | 901 100 949 00                   | Diaphragm                 |        | 1        |       |
| 30       | 901 100 951 00                   | Lid                       | /L     | 1        |       |
|          |                                  | Pump                      |        |          |       |
|          |                                  | 40 IDTP 3C                |        |          |       |
| 31       | 901 100 950 00                   | Lid                       | /R     | 1        |       |
|          |                                  | Pump                      |        |          |       |
|          |                                  | 40 IDTP 3C1               |        |          |       |
| 32       | 901 100 952 00                   | Lock ring                 | 1      | 4        |       |
| 33       | 901 100 953 01                   | Nut                       |        | 4        |       |
| 34       | 901 100 912 01                   | Linkage                   | /R     | 1        |       |
| 54       |                                  | 40 IDTP 3C                | /**    | -        |       |
| 35       | 901 100 955 01                   | Connecting piece          |        | 1        |       |
| 36       | 901 100 955 01                   | Screw                     |        | 4        |       |
| 1        |                                  |                           |        | 1        |       |
| 37<br>38 | 901 100 956 02<br>901 100 958 01 | Spacer Throttle shaft     |        | 3        |       |
|          |                                  |                           |        | 1        |       |
| 39       | 616 100 812 00                   | Retaining spring          |        | 1        |       |

| woder. | 914 70             |     |     | Woderlife 1970>>1976 |        |     |       |
|--------|--------------------|-----|-----|----------------------|--------|-----|-------|
| Pos    | Part Num           | ber |     | Description          | Remark | Qty | Model |
| 40     | 901 100            | 060 | 0.1 | Screw                |        | 1   |       |
| 40     | 901 100            | 900 | UΙ  | for                  |        | 1   |       |
|        |                    |     |     | Float                |        |     |       |
|        |                    |     |     | Axle                 |        |     |       |
| 41     | 901 100            | 061 | 0.0 | Lever                |        | 1   |       |
| 42     | 901 100            |     |     | Linkage              | /L     | 1   |       |
| 44     | 901 100            | 911 | OI  | 40 IDTP 3C1          | / [    |     |       |
| 43     | 901 100            | 000 | 0.0 | Sealing ring         |        | 3   |       |
| 44     | 901 100            |     |     | Pin                  |        | 1   |       |
| 45     | 901 100            |     |     | Flap                 |        | 3   |       |
| 46     | 901 100            |     |     | Screw                |        | 6   |       |
| 46     | 901 100            |     |     | Screw                |        | 6   |       |
| 47     | 901 100            |     |     | Nut                  |        | 1   |       |
| 48     | 901 100            |     |     | Spacer               |        | 1   |       |
| 49     | 901 100            |     |     | Lever                | /L     | 1   |       |
| 4.9    | 901 100            | 909 | 02  | 40 IDTP 3C1          | / [    |     |       |
| 50     | 901 100            | 060 | 0.2 | Lever                | /R     | 1   |       |
| 50     | 901 100            | 908 | 02  | 40 IDTP 3C           | / R    | T   |       |
|        | 001 100            | 071 | 0.1 |                      |        | 1   |       |
| 51     | 901 100<br>901 100 |     |     | Spacer               |        | 1   |       |
| 52     |                    |     |     | Spring               |        | 1   |       |
| 53     | 901 100            |     |     | Spring               |        | 4   |       |
| 54     | 901 100            | 804 | 00  | Adjusting screw      |        | 1   |       |
|        |                    |     |     | Flap                 |        | _   |       |
| 55     | 901 100            |     |     | Screw                |        | 3   |       |
| 56     | 901 100            |     |     | Nut                  |        | 3   |       |
| 57     | 901 100            |     |     | Adjusting screw      |        | 3   |       |
| 58     | 901 100            | 976 | 01  | Fastening screw      |        | 1   |       |
|        |                    |     |     | for                  |        |     |       |
|        | l                  |     |     | Funnel               |        | _   |       |
| 59     | 901 100            |     |     | Sealing ring         |        | 3   |       |
| 60     | 901 100            | 978 | 16  | Nozzle               |        | 3   |       |
|        |                    |     |     | 105                  |        |     |       |
| 61     | 901 100            |     |     | Jet carrier          |        | 3   |       |
| 62     | PCG 100            |     |     | Adjusting screw      |        | 3   |       |
| 63     | 901 100            |     |     | Sealing ring         |        | 2   |       |
| 64     | 901 100            |     |     | Drain plug           |        | 2   |       |
| 65     | 901 100            | 981 | 06  | Nozzle               |        | 3   |       |
|        |                    |     |     | 0,45                 |        |     |       |
| 66     | 901 100            |     |     | Jet carrier          |        | 3   |       |
| 67     | 901 100            | 983 | 03  | Air guide            |        | 3   |       |
|        |                    |     |     | 27MM                 |        |     |       |
| 68     | 901 100            | 985 | 00  | Insert               |        | 3   |       |
|        |                    |     |     | 4,50                 |        |     |       |
| 69     | 901 100            |     |     | Sealing ring         |        | 3   |       |
| 70     | 901 100            | 986 | 00  | Nozzle               |        | 3   |       |
|        |                    |     |     | 050                  |        |     |       |
| -      | 901 100            | 986 | 05  | Nozzle               |        | 3   |       |
|        |                    |     |     | 050                  |        |     |       |
|        |                    |     |     | + 2 MM               |        |     |       |
| 71     | 901 100            |     |     | Valve                |        | 3   |       |
| 72     | 901 100            | 810 | 00  | Suction valve        |        | 1   |       |
|        |                    |     |     | Closed               |        |     |       |
| 73     | 901 100            | 988 | 04  | Pipe                 |        | 3   |       |
|        |                    |     |     | F 1                  |        |     |       |
| 74     | 901 100            | 989 | 01  | Nozzle               |        | 3   |       |
|        |                    |     |     | 170                  |        |     |       |
| 75     | 901 100            | 990 | 01  | Sealing ring         |        | 2   |       |
|        |                    |     |     | 1 MM                 |        |     |       |
| (75)   | 901 100            | 995 | 00  | Sealing ring         |        | 2   |       |
|        |                    |     |     | 0,25 MM              |        |     |       |
| (75)   | 901 100            | 996 | 00  | Sealing ring         |        | 2   |       |
|        |                    |     |     | 0,5 MM               |        |     |       |
| 76     | 901 100            | 802 | 00  | Screw plug           |        | 1   |       |
|        | <u> </u>           |     |     |                      |        |     |       |

| Pos | Part Number    | Description   | Remark | Qty | Model |
|-----|----------------|---------------|--------|-----|-------|
| 77  | 901 100 993 00 | Bracket       |        | 1   |       |
| 78  | 901 100 997 00 | Bearing shell |        | 2   |       |
| 79  | 901 100 998 00 | Sealing ring  |        | 3   |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |
|     |                |               |        |     |       |



| Model: | el: 914 70 Model life 1970>>1976 |                   |        |     |           |
|--------|----------------------------------|-------------------|--------|-----|-----------|
| Pos    | Part Number                      | Description       | Remark | Qty | Model     |
|        |                                  | Vacuum system     | -71    |     | 914-6:SPM |
|        |                                  | for               | 7 ±    |     | JII O'BIM |
|        |                                  | Clutch release    |        |     |           |
| 1      | 905 116 725 00                   | Check valve       |        | 2   |           |
| 2      | 900 123 008 30                   | Sealing ring      |        | 2   |           |
|        | ]                                | A 14 X 20         |        | _   |           |
| 3      | 905 108 075 00                   | Breather hose     |        | 1   |           |
| 4      | 905 108 703 00                   | Vacuum hose       |        | 1   |           |
| _      |                                  | 15 X 3,5 X 560 MM |        | _   |           |
| 5      | 999 512 140 02                   | Clamping ring     |        | 5   |           |
|        |                                  | \$ 19,05          |        |     |           |
| 6      | 999 512 141 02                   | Clip              |        | 2   |           |
|        |                                  | \$ 22,23          |        |     |           |
| 7      | 999 702 064 50                   | Grommet           |        | 1   |           |
| (7)    | 999 702 093 50                   | Rubber sleeve     |        | 1   |           |
| 8      | 905 108 043 00                   | Support           |        | 1   |           |
| 9      | 905 108 370 00                   | Valve             |        | 1   |           |
| 10     | 900 075 010 02                   | Hexagon nut       |        | 3   |           |
|        |                                  | M 6 X 12          |        |     |           |
| 10     | N 010 212 14                     | Hexagon-head bolt |        | 3   |           |
|        |                                  | M 6 X 12          |        |     |           |
| 10     | 999 072 005 09                   | Hexagon nut       |        | 3   |           |
|        |                                  | M 6 X 12          |        |     |           |
| 10     | 999 072 005 01                   | Hexagon nut       |        | 3   |           |
|        |                                  | M 6 X 12          |        |     |           |
| 11     | 900 028 008 01                   | Lock ring         |        | 3   |           |
|        |                                  | В 6               |        |     |           |
| 12     | 914 116 033 10                   | Vacuum tank       |        | 1   |           |
| 13     | 901 504 853 20                   | Bearing           |        | 3   |           |
| 14     | 900 076 010 02                   | Nut               |        | 6   |           |
|        |                                  | м 6               |        |     |           |
| 14     | 900 076 010 0B                   | Nut               |        | 6   |           |
|        |                                  | м 6               |        |     |           |
| 15     | N 012 007 2                      | Lock ring         |        | 6   |           |
|        |                                  | A 6               |        |     |           |
| 15     | 900 027 004 03                   | Lock ring         |        | 6   |           |
|        |                                  | A 6               |        |     |           |
| 16     | N 011 524 7                      | Washer            |        | 6   |           |
|        |                                  | 6,4               |        |     |           |
| 17     | 905 108 708 30                   | Vacuum hose       |        | 1   |           |
|        |                                  | 12 X 3,5 X 680 MM |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |
|        |                                  |                   |        |     |           |


|        | CHE    |            | Illustration: 111-00 |  |
|--------|--------|------------|----------------------|--|
|        |        |            |                      |  |
| lodel: | 914 70 | Model life | 1970>>1976           |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |

24.07.2017 - 1 Kat 570

| Dec. | Part Number    | Model life 1970>>1970              | Domosti | 041 | Madal           |
|------|----------------|------------------------------------|---------|-----|-----------------|
| Pos  | Part Number    | Description                        | Remark  | Qty | Model           |
|      |                | Replacement engine                 |         |     | 914             |
|      |                | Replacement engine                 |         |     |                 |
|      |                | Complete with                      |         |     |                 |
|      |                | Generator                          |         |     |                 |
|      |                | Clutch                             |         |     |                 |
|      |                | without                            |         |     |                 |
|      |                | Exhaust silencer<br>Heat exchanger |         |     |                 |
| _    | 022 100 025 B  | Engine                             |         | 1   | 914-4           |
|      |                | 80 PS                              |         | _   |                 |
|      |                | M >> W0 057 460                    |         |     |                 |
| -    | 022 100 027 D  | Engine                             |         | 1   | 914-4           |
|      |                | 80 PS<br>M W0 057 461 >>           |         |     |                 |
|      |                | M >> W0 129 581                    |         |     |                 |
| _    | 022 100 058 DX | Engine                             |         | 1   | 914-4           |
|      |                | Exchange                           |         |     |                 |
|      |                | 59 KW, 80 DIN-PS<br>Use also:      |         |     |                 |
|      |                | F >>47229 21580                    |         |     |                 |
|      |                | 022.129.607.н                      |         |     |                 |
| -    | 022 100 027 T  | Engine                             |         | 1   | 914-4           |
|      |                | 80 PS<br>M W0 129 582 >>           |         |     |                 |
|      |                | M W0 129 582 >><br>M >> W0 170 000 |         |     |                 |
| _    | 022 100 025 н  | Engine                             |         | 1   | 914-4           |
|      |                | 80 PS                              |         |     |                 |
|      |                | M >> W0 129 581                    |         |     |                 |
| _    | 022 100 053 B  | Engine<br>80 PS                    |         | 1   | 914-4           |
|      |                | M >>EA0 057 000                    |         |     |                 |
| -    | 022 100 057    | Engine                             |         | 1   | 914-1,7         |
|      |                | 72 PS                              |         |     |                 |
| _    | 022 100 058 J  | M >>EB0 010 020<br>Engine          |         | 1   | 914-1,7         |
| -    | 022 100 036 0  | 80 PS                              |         |     | 914-1,7         |
|      |                | M EA0 057 001>>                    |         |     |                 |
|      |                | M >>EA0 098 793                    |         |     |                 |
| -    | 022 100 057 R  | Engine<br>76 PS                    |         | 1   | 914-1,8         |
|      |                | M >>EC0 037 551                    |         |     |                 |
| _    | 022 100 061 в  | Engine                             |         | 1   | 914-1,8(CAL)    |
|      |                | 76 PS                              |         |     |                 |
|      | 000 100 061 0  | M >>ECO 037 551                    |         | 1   | 014 1 0         |
| _    | 022 100 061 G  | Engine 76 PS                       |         | 1   | 914-1,8         |
|      |                | M ECO 037 552>>                    |         |     |                 |
| -    | 022 100 061 н  | Engine                             |         | 1   | 914-1,8(CAL)    |
|      |                | 76 PS                              |         |     |                 |
| _    | 039 100 053 A  | M ECO 037 552>><br>Engine          |         | 1   | 914-2,0         |
| -    | 039 100 033 A  | 95 PS                              |         |     | 914-2,0         |
|      |                | M >>GA0 016 000                    |         |     |                 |
| -    | 039 100 053 B  | Engine                             |         | 1   | 914-2,0         |
|      |                | 88 PS                              |         |     |                 |
| _    | 039 100 055    | M GCO 000 001<br>Engine            |         | 1   | 914-2,0(CAL)    |
|      | 100 000        | 88 PS                              |         | _   | ) 1 1 2,0 (CAU) |
|      |                | M GC0 000 001                      |         |     |                 |
| -    | 022 100 173    | Sticker                            |         | 1   | 914-4           |
|      |                | Ignition point 27'                 |         |     |                 |
|      |                | 4'                                 |         |     |                 |

| Model: | 914 /0         | Model life 19/0>>19/6  |        | I a . | 1            |
|--------|----------------|--|--------|-------|--------------|
| Pos    | Part Number    | Description  | Remark | Qty   | Model        |
| -      |                | M >> W0 170 000<br>M >>EA0 057 000<br>Sticker<br>Ignition point<br>27'<br>M EA0 057 001>>                              |        | 1     | 914-4/2,0    |
| -      | 039 100 175    | M >>EA0 098 793<br>M >>EB0 010 020<br>M >>GA0 016 000<br>Sticker<br>Valve clearance                                    |        | 1     | 914-2,0      |
| _      | 022 100 173 B  | M >>GA0 016 000<br>Sticker   |        | 1     | 914-1,8      |
| -      | 022 100 173 C  | Sticker  |        | 1     | 914-1,8(CAL) |
| -      | 022 100 031 PX | Short engine Exchange 59 KW, 80 DIN-PS D-JETRONIC with Cylinder head Oil cooler Flywheel We take back: 022.100.031.P   |        | 1     | 022.W ,EA/US |
| -      | PCG 100 031 X  | 022.100.025.H Short engine Exchange 74 KW, 100 DIN-PS with Cylinder head Oil cooler Flywheel We take back: 039.100.031 |        | 1     | 039.GB       |
|        |                |  |        |       |              |
|        |                |  |        |       |              |
|        |                |  |        |       |              |
|        |                |  |        |       |              |

914 70 Model life 1970>>1976




| Dec  | Dort Number    | Woder life 1970>>1970         | Damanic | 04.      | Model                    |
|------|----------------|-------------------------------|---------|----------|--------------------------|
| Pos  | Part Number    | Description                   | Remark  | Qty      | Model                    |
|      |                | Crankcase                     |         |          | 914                      |
| 1    | 923 101 941 00 | Crankcase                     |         | 1        | 914-4/1,7                |
|      |                | Use also:                     |         |          |                          |
|      |                | N 014 532 3<br>N 014 557 1    |         | 4 2      |                          |
|      |                | N 014 557 1<br>Stud           |         |          |                          |
|      |                | AM 10 A X 92                  |         |          |                          |
| (1)  |                | Crankcase                     |         | 1        | 914-1,8/2,0              |
| 2    | N 014 394 2    | Stud                          |         | 1        |                          |
|      |                | AM 8 A X 65                   |         |          |                          |
| (2)  | N 014 577 1    | Stud                          |         | 1        |                          |
|      |                | CM 10 A/M 8 X 65              |         |          |                          |
| 3    | N 010 373 2    | Oversize Hexagon-head bolt    |         | 1        |                          |
|      | N 010 373 Z    | M 8 X 72                      |         | -        |                          |
| 4    | N 010 387 2    | Hexagon-head bolt             |         | 1        |                          |
|      |                | M 8 X 88                      |         |          |                          |
| 5    | N 010 361 4    | Hexagon-head bolt             |         | 1        |                          |
|      |                | M 8 X 65                      |         |          |                          |
| 5    | N 010 361 13   | Hexagon-head bolt             |         | 1        |                          |
| 6    | NT 010 200 1   | M 8 X 65<br>Hexagon-head bolt |         | 1        | 014 4/1 7                |
| 0    | N 010 390 1    | M 8 X 95                      |         | -        | 914-4/1,7<br>914-1,8/2,0 |
| 7    | 900 074 129 02 | Hexagon-head bolt             |         | 1        | 914-1,0/2,0              |
| ,    |                | M 8 X 42                      |         | -        |                          |
| 8    | N 014 395 3    | Stud                          |         | 1        |                          |
|      |                | AM 8 A X 42                   |         |          |                          |
| (8)  | N 014 560 1    | Stud                          |         | 1        |                          |
|      |                | CM 10 A/M 8 X 42              |         |          |                          |
| 9    | N 014 555 1    | Oversize<br>Stud              |         | 4        |                          |
| 9    | N 014 333 1    | AM 8 A X 44                   |         | -        |                          |
| (9)  | N 014 580 1    | Stud                          |         | 4        |                          |
| , ,  |                | CM 10 A/M 8 X 44              |         |          |                          |
|      |                | Oversize                      |         |          |                          |
| 10   | N 014 428 5    | Stud                          |         | 2        |                          |
| (10) | NT 014 404 F   | AM 8 A X 48                   |         |          |                          |
| (10) | N 014 484 5    | Stud<br>CM 10 A/M 8 X 48      |         | 2        |                          |
|      |                | Oversize                      |         |          |                          |
| 11   | N 014 556 1    | Stud                          |         | 1        |                          |
|      |                | AM 8 A X 121                  |         |          |                          |
| (11) | N 014 486 2    | Stud                          |         | 1        |                          |
|      |                | CM 10 A/M 8 X 125             |         |          |                          |
| 12   | N 014 417 4    | Oversize<br>Stud              |         | 1        |                          |
| 12   | N 014 41/ 4    | AM 8 A X 81                   |         | +        |                          |
| (12) | N 014 589 1    | Stud                          |         | 1        |                          |
|      |                | CM 10 A/M 8 X 78              |         |          |                          |
|      |                | Oversize                      |         |          |                          |
| 13   | N 010 345 5    | Hexagon-head bolt             |         | 1        |                          |
| ]    | 7 010 047 17   | M 8 X 45 X 22                 |         | 1.0      |                          |
| 14   | N 012 241 11   | Spring washer B 8 X 15        |         | 16       |                          |
| 15   | N 011 008 8    | Hexagon nut                   |         | 16       |                          |
| 1    | 11 011 000 0   | M 8                           |         | *        |                          |
| 16   | N 014 532 3    | Stud                          |         | 4        |                          |
|      |                | AM 8 A X 32                   |         |          |                          |
|      |                | for                           |         |          |                          |
|      |                | Oil pump                      |         | <b>.</b> |                          |
| (16) | N 014 562 3    | Stud                          |         | 4        |                          |
|      |                | CM 10 A/M 8 X 12<br>Oversize  |         |          |                          |
|      |                | OVCIBIAC                      |         |          |                          |

| Model: | el: 914 /0 Model life 19/0>>19/6 |                                   |        |     |       |  |  |
|--------|----------------------------------|-----------------------------------|--------|-----|-------|--|--|
| Pos    | Part Number                      | Description                       | Remark | Qty | Model |  |  |
|        |                                  | for                               |        |     |       |  |  |
|        |                                  | Oil pump                          |        |     |       |  |  |
| 17     | N 012 241 11                     | Spring washer                     |        | 4   |       |  |  |
|        |                                  | B 8 X 15                          |        |     |       |  |  |
| 18     | N 011 008 8                      | Hexagon nut                       |        | 4   |       |  |  |
|        |                                  | M 8                               |        |     |       |  |  |
| 19     | N 014 536 1                      | Stud<br>AM 6 A X 105              |        | 2   |       |  |  |
|        |                                  | for                               |        |     |       |  |  |
|        |                                  | Oil cooler                        |        |     |       |  |  |
| (19)   | N 014 585 1                      | Stud                              |        | 2   |       |  |  |
|        |                                  | CM 8 A/M 6 X 105                  |        |     |       |  |  |
|        |                                  | Oversize                          |        |     |       |  |  |
|        |                                  | for<br>Oil cooler                 |        |     |       |  |  |
| 20     | N 014 539 1                      | Stud                              |        | 1   |       |  |  |
| 20     | N 014 337 1                      | AM 6 A X 56                       |        | _   |       |  |  |
|        |                                  | for                               |        |     |       |  |  |
|        |                                  | Oil cooler                        |        |     |       |  |  |
| (20)   | N 014 565 1                      | Stud                              |        | 1   |       |  |  |
|        |                                  | CM 8 A/M 6 X 56                   |        |     |       |  |  |
|        |                                  | Oversize for                      |        |     |       |  |  |
|        |                                  | Oil cooler                        |        |     |       |  |  |
| 21     | N 011 524 7                      | Washer                            |        | 3   |       |  |  |
|        |                                  | A 6,4                             |        |     |       |  |  |
| 21     | N 011 524 27                     | Washer                            |        | 3   |       |  |  |
|        |                                  | A 6,4                             |        |     |       |  |  |
| 22     | N 012 226 5                      | Spring washer B 6                 |        | 3   |       |  |  |
| 23     | 900 076 010 02                   | Nut                               |        | 3   |       |  |  |
|        |                                  | M 6                               |        |     |       |  |  |
| 23     | 900 076 010 0B                   | Nut                               |        | 3   |       |  |  |
| l      |                                  | M 6                               |        |     |       |  |  |
| 24     | N 014 395 3                      | Stud AM 8 A X 42                  |        | 4   |       |  |  |
|        |                                  | for                               |        |     |       |  |  |
|        |                                  | Fan housing                       |        |     |       |  |  |
| (24)   | N 014 584 1                      | Stud                              |        | 4   |       |  |  |
|        |                                  | CM 10 A/M 8 X 43                  |        |     |       |  |  |
|        |                                  | Oversize                          |        |     |       |  |  |
|        |                                  | for Fan housing                   |        |     |       |  |  |
| 25     | N 014 398 3                      | Stud                              |        | 1   |       |  |  |
| 23     | N 011 350 3                      | AM 8 A X 27                       |        | _   |       |  |  |
|        |                                  | F.ignition distributor            |        |     |       |  |  |
| 26     | N 014 400 3                      | Stud                              |        | 2   |       |  |  |
|        |                                  | AM 8 A X 35                       |        |     |       |  |  |
|        |                                  | for<br>Oil filter                 |        |     |       |  |  |
|        |                                  | Intermediate flange               |        |     |       |  |  |
| (26)   | N 014 483 2                      | Stud                              |        | 2   |       |  |  |
|        |                                  | CM 10 A/M 8 X 38                  |        |     |       |  |  |
|        |                                  | Oversize                          |        |     |       |  |  |
|        |                                  | for                               |        |     |       |  |  |
|        |                                  | Oil filter                        |        |     |       |  |  |
| 27     | N 012 241 11                     | Intermediate flange Spring washer |        | 7   |       |  |  |
|        | . 012 211 11                     | B 8 X 15                          |        | ,   |       |  |  |
| 28     | N 011 008 8                      | Hexagon nut                       |        | 7   |       |  |  |
|        |                                  | М 8                               |        |     |       |  |  |
| 29     | N 014 542 1                      | Stud                              |        | 2   |       |  |  |
|        |                                  | AM 6 A X 21                       |        |     |       |  |  |

| woder. | 914 70                       | Modeline 1970>>1976   |        |     |                             |
|--------|------------------------------|---|--------|-----|-----------------------------|
| Pos    | Part Number                  | Description   | Remark | Qty | Model                       |
| (29)   | N 014 478 1                  | for Thermostat Support Stud CM 8 A/M 6 X 21 Oversize for Thermostat           |        | 2   |                             |
| 30     | N 012 226 5                  | Support Spring washer B 6   |        | 2   |                             |
| 31     | 900 076 010 02               | Nut<br>M 6  |        | 2   |                             |
| 31     | 900 076 010 0B               | Nut<br>M 6  |        | 2   |                             |
| 32     | N 014 545 2                  | Stud  |        | 2   |                             |
| (32)   | N 014 591 1                  | AM 6 A X 36<br>Stud<br>CM 8 A/M 6 X 34<br>Oversize                            |        | 2   |                             |
| 33     | N 012 226 5                  | Spring washer B 6   |        | 2   |                             |
| 34     | 900 076 010 02               | Nut<br>M 6  |        | 2   |                             |
| 34     | 900 076 010 0B               | Nut<br>M 6  |        | 2   |                             |
| 35     | 021 101 107                  | Vibration damper  |        | 6   |                             |
| 36     | 021 101 107                  | Cap   |        | 1   |                             |
| (36)   | 021 101 109<br>021 101 109 A | Stopper   |        | 1   | 914-1,8V/1,8                |
| (30)   | 021 101 103 11               | Timing mark sender  |        | -   | J11 1,0V/1,0                |
| 37     | 113 101 111                  | Straight pin 8 X 25   |        | 2   |                             |
| 38     | 111 101 123                  | Straight pin for  |        | 5   |                             |
| 39     | 025 101 147 A                | Crankshaft bearing Stud M 10/M 12 X 1,5 X 172,5 Upper for                     |        | 8   |                             |
| (39)   | N 021 570 1                  | Cylinder head<br>Stud<br>CM 14 X 1,5 A/M 10 X 173<br>Oversize<br>Upper<br>for |        | 8   |                             |
| 40     | 021 101 147 A                | Cylinder head Stud M 10/M 12 X 1,5 X 221,5 Lower for                          |        | 8   |                             |
| (40)   | N 021 574 1                  | Cylinder head Stud CM 14 X 1,5 A/M 10 X 222 Oversize Lower for                |        | 8   |                             |
| 41     | 021 101 149                  | Cylinder head Oil tube with Heat shield                                       |        | 1   | 914-4                       |
| 42     | 021 101 149 A                | M >> W0 057 460<br>Oil tube<br>with   |        | 1   | 914-1,7/1,8V<br>914-1,8/2,0 |

| Model: | 914 70 Model life 1970>>1976 |  |        |     |              |  |
|--------|------------------------------|--|--------|-----|--------------|--|
| Pos    | Part Number                  | Description                            | Remark | Qty | Model        |  |
|        |                              | Heat shield                            |        |     |              |  |
|        |                              | M >>EA0 098 793                        |        |     |              |  |
|        |                              | M >>EB0 010 020                        |        |     |              |  |
| 4.0    | 110 101 155 6                | M >>GA0 016 000                        |        |     |              |  |
| 43     | 113 101 157 C                | Lid                                    |        | 1   |              |  |
|        |                              | Camshaft                               |        |     |              |  |
| 44     | 021 101 173                  | Sealing ring                           |        | 1   |              |  |
|        |                              | for                                    |        |     |              |  |
| 1 4-   | 001 101 105                  | Oil tube                               |        |     |              |  |
| 45     | 021 101 187                  | Hexagon-head bolt<br>M 8 X 113         |        | 1   |              |  |
| 46     | 021 101 189                  | Sealing ring                           |        | 1   |              |  |
|        |                              | 8,2 X 16                               |        |     |              |  |
| 47     | 021 101 195                  | Drain plug                             |        | 1   |              |  |
| 48     | N 013 805 1                  | Sealing ring<br>C 12 X 18              |        | 1   |              |  |
| 49     | 021 101 267                  | Lid                                    |        | 1   | 914-4/1,7    |  |
|        | 021 101 207                  | for oil sump                           |        | _   | 914-1,8V/1,8 |  |
| (49)   | 039 101 267                  | Lid                                    |        | 1   | 914-1,7/1,8V |  |
|        |                              | for                                    |        |     | 914-1,8/2,0  |  |
|        |                              | Remote temperature sensor for oil sump |        |     |              |  |
|        |                              | M >>EAO 098 793                        |        |     |              |  |
|        |                              | M >>EB0 010 020                        |        |     |              |  |
|        |                              | M >>GAO 016 000                        |        |     |              |  |
| 50     | 021 101 269 A                | Sealing ring for                       |        | 1   |              |  |
|        |                              | Lid                                    |        |     |              |  |
| (50)   | 039 101 287                  | Gasket                                 |        | 1   | 914-1,7/1,8V |  |
|        |                              | for                                    |        |     | 914-1,8/2,0  |  |
|        | NT 012 002 2                 | Remote temperature sensor              |        | 2   |              |  |
| 51     | N 013 803 2                  | Sealing ring<br>C 6 X 10               |        | ∠   |              |  |
| 52     | N 010 210 13                 | Hexagon-head bolt                      |        | 2   |              |  |
|        |                              | M 6 X 10 K                             |        |     |              |  |
| -      | 039 101 275                  | Protection cap                         |        | 1   | 914-1,7/1,8V |  |
|        |                              | Remote temperature sensor for          |        |     | 914-1,8/2,0  |  |
|        |                              | Lid                                    |        |     |              |  |
|        |                              | Oil pan                                |        |     |              |  |
|        |                              | M >>EA0 098 793                        |        |     |              |  |
|        |                              | M >>EB0 010 020<br>M >>GA0 016 000     |        |     |              |  |
| _      | 039 101 283                  | Support                                |        | 2   | 914-1,7/1,8V |  |
|        |                              | Remote temperature sensor              |        |     | 914-1,8/2,0  |  |
| 53     | 021 101 145 B                | Hexagon-head bolt                      |        | 6   |              |  |
| 54     | 021 101 129                  | M 10 X 125 X 113<br>Washer             |        | 12  |              |  |
| 34     | 021 101 129                  | 10,2 X 22                              |        | 12  |              |  |
| 55     | 021 101 131 E                | Hexagon nut                            |        | 6   |              |  |
|        | N 014 FFF 1                  | M 10 X 1,25                            |        |     |              |  |
| 56     | N 014 557 1                  | Stud AM 10 A X 92                      |        | 2   |              |  |
|        |                              | for                                    |        |     |              |  |
|        |                              | Engine suspension                      |        |     |              |  |
| (56)   | N 014 588 1                  | Stud                                   |        | 2   | 914-4/1,7    |  |
|        |                              | CM 12 X 1,5 A/M 10 X 92<br>Oversize    |        |     | 914-1,8V/2,0 |  |
|        |                              | for                                    |        |     |              |  |
|        |                              | Engine suspension                      |        |     |              |  |
| 57     | 022 101 553                  | Heat shield                            |        | 1   |              |  |
|        |                              | M W0 057 461 >>                        |        |     |              |  |

| woder. |              |                                    |        |     |       |  |
|--------|--------------|------------------------------------|--------|-----|-------|--|
| Pos    | Part Number  | Description                        | Remark | Qty | Model |  |
| 58     | 022 101 559  | Gasket                             |        | 4   |       |  |
|        |              | for                                |        |     |       |  |
|        |              | Heat shield                        |        |     |       |  |
|        |              | M >>EAO 098 793<br>M >>EBO 010 020 |        |     |       |  |
|        |              | M >>GAO 016 000                    |        |     |       |  |
| 59     | N 012 226 5  | Spring washer                      |        | 1   |       |  |
|        |              | В 6                                |        |     |       |  |
| 60     | N 010 210 13 | Hexagon-head bolt                  |        | 1   |       |  |
|        |              | м 6 х 10 к                         |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |
|        |              |                                    |        |     |       |  |




| woder. | 914 70          | Moder ine 1970>>1976  |        |             |              |
|--------|-----------------|-----------------------|--------|-------------|--------------|
| Pos    | Part Number     | Description           | Remark | Qty         | Model        |
|        |                 | ·                     |        | <del></del> |              |
|        |                 | Crankshaft            |        |             | 914          |
| 1      | 021 105 101     | Crankshaft            |        | 1           | 914-4/1,7    |
|        |                 |                       |        |             | 914-1,8V/1,8 |
| (1)    | 039 105 101 A   | Crankshaft            |        | 1           | 914-2,0      |
| 2      | N 013 309 1     | Tensioning sleeve     |        | 1           |              |
|        | N 013 309 1     |                       |        | _           |              |
|        |                 | 4,5 X 16              |        |             |              |
| 3      | 022 105 159     | Spacer sleeve         |        | 1           |              |
| 4      | 021 105 209 A   | Gear wheel            |        | 1           |              |
| 5      | 111 105 213     | Woodruff key          |        | 1           |              |
|        |                 | for                   |        |             |              |
|        |                 | Gear wheel            |        |             |              |
| 6      | 113 105 219     | Intermediate ring     |        | 1           |              |
| 7      | 901 102 115 00  | Drive wheel           |        | 1           |              |
| 7      | 901 102 115 01  | Drive wheel           |        | 1           |              |
| 8      |                 |                       |        | 1           |              |
| 8      | 111 105 227     | Circlip               |        | +           |              |
|        |                 | for                   |        |             |              |
|        |                 | Distributor           |        |             |              |
|        |                 | Drive wheel           |        |             |              |
| 9      | 021 105 231     | Drive shaft           |        | 1           |              |
|        |                 | Drive shaft           |        |             |              |
| 10     | 111 105 233     | Spring                |        | 1           |              |
| 11     | 021 105 235     | Spacer                |        | 1           |              |
|        | 021 103 233     | 1,3 MM                |        | -           |              |
| 1.0    | 000 105 045 B   | •                     |        | 1           |              |
| 12     | 029 105 245 B   | Sealing ring          |        | 1           |              |
|        |                 | \$ 95 MM              |        |             |              |
| 13     | 021 105 247 A   | Sealing ring          |        | 1           |              |
|        |                 | \$ 62 MM              |        |             |              |
| 14     | N 012 708 2     | Woodruff key          |        | 1           |              |
|        |                 | 4 X 5                 |        |             |              |
| 15     | 022 105 273 A   | Flywheel              |        | 1           |              |
| 16     | 021 105 275     | Washer                |        | 1           |              |
| 17     | N 013 197 1     | Straight pin          |        | 3           |              |
| /      |                 | 6 X 18                |        |             |              |
| 18     | 021 105 279     | O-ring                |        | 1           |              |
|        |                 |                       |        | 1           |              |
| 19     | 021 105 281     | Spacer                |        | 1           |              |
|        |                 | 0,30 MM               |        |             |              |
| (19)   | 021 105 283     | Spacer                |        | 1           |              |
|        |                 | 0,32 MM               |        |             |              |
| (19)   | 021 105 285     | Spacer                |        | 1           |              |
|        |                 | 0,34 MM               |        |             |              |
| (19)   | 021 105 287     | Spacer                |        | 1           |              |
|        |                 | 0,36 MM               |        |             |              |
| (19)   | 021 105 289     | Spacer                |        | 1           |              |
| (1)    |                 | 0,38 MM               |        | -           |              |
| (10)   | 021 105 201     |                       |        | 1           |              |
| (19)   | 021 105 291     | Spacer                |        | +           |              |
|        |                 | 0,24 MM               |        |             |              |
| (19)   | 021 105 292     | Spacer                |        | 1           |              |
|        |                 | 0,24 MM               |        |             |              |
| 20     | N 014 336 1     | Hexagon-head bolt     |        | 5           |              |
|        |                 | M 12 X 1,5 X 25       |        |             |              |
|        |                 | Self-locking          |        |             |              |
| 20     | N 014 336 B     | Hexagon-head bolt     |        | 5           |              |
|        |                 | M 12 X 1,5 X 25       |        |             |              |
|        |                 | Self-locking          |        |             |              |
| 21     | 111 105 211     |                       |        | 1           |              |
| 21     | 111 105 311     | Sealing ring          |        | 1           |              |
| 22     | 111 105 313 A   | Needle-roller bearing |        | 1           |              |
| 23     | 022 105 401     | Connecting rod        |        | 4           | 914-4/1,7    |
|        | 022 105 401 041 | Black                 |        |             |              |
|        | 022 105 401 084 | White                 |        |             |              |
| (23)   | 022 105 401     | Connecting rod        |        | 4           | 914-1,8V/1,8 |
|        | 022 105 401 041 | Black                 |        |             |              |
|        | 022 105 401 084 | White                 |        |             |              |
| (23)   | 039 105 401     | Connecting rod        |        | 4           | 914-2,0      |
|        | 1               | 1                     |        |             |              |


| woder. | 914      |       |       |     | Model life 1970>>1976                        |        |     |       |
|--------|----------|-------|-------|-----|--|--------|-----|-------|
| Pos    | Part N   | Numb  | er    |     | Description                                  | Remark | Qty | Model |
|        | 039      | 105   | 401   | 041 | Black  |        |     |       |
|        | 039 1    |       |       |     | White  |        |     |       |
|        | 039.     | 103   | 401   | 004 | M >>GAO 016 000                              |        |     |       |
|        |          |       |       |     | M GC0 000 001>>                              |        |     |       |
| 24     | 113 3    | 105   | 127   |     | Hexagon nut                                  |        | 8   |       |
| 24     | 056      |       |       |     | Hexagon nut                                  |        | 8   |       |
| 24     | 113      |       |       |     | Hexagon nut                                  |        | 8   |       |
| 24     | 056      |       |       |     | Hexagon nut                                  |        | 8   |       |
| 25     | 021      |       |       | Α   | Connecting rod bush                          |        | 4   |       |
| 26     | 021      |       |       |     | Crankshaft bearing                           |        | 1   |       |
| -      |          |       |       |     | 1  |        | _   |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
| (26)   | 021      | 105   | 507   | В   | Crankshaft bearing                           |        | 1   |       |
|        |          |       |       |     | 1  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
|        |          |       |       |     | Undersize 0.25 mm                            |        |     |       |
| (26)   | 021      | 105   | 513   | В   | Crankshaft bearing                           |        | 1   |       |
|        |          |       |       |     | 1  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
|        |          |       |       |     | Undersize 0.50 mm                            |        |     |       |
| (26)   | 021      | 105   | 519   | A   | Crankshaft bearing                           |        | 1   |       |
|        |          |       |       |     | 1  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
|        |          |       |       |     | Undersize                                    |        |     |       |
|        |          |       |       | _   | 0,75 MM                                      |        |     |       |
| 27     | 021      | T05   | 531   | E   | Bearing shell                                |        | 2   |       |
|        |          |       |       |     | for  |        |     |       |
|        |          |       |       |     | Crankshaft bearing 2                         |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
| (27)   | 021 3    | 105   | 527   | r.  | Bearing shell                                |        | 2   |       |
| (27)   | 021 -    | 103   | 551   | ш   | for  |        | 2   |       |
|        |          |       |       |     | Crankshaft bearing                           |        |     |       |
|        |          |       |       |     | 2  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
|        |          |       |       |     | Undersize 0.25 mm                            |        |     |       |
| (27)   | 021 3    | 105   | 543   | E   | Bearing shell                                |        | 2   |       |
| ` '    |          |       |       |     | for  |        |     |       |
|        |          |       |       |     | Crankshaft bearing                           |        |     |       |
|        |          |       |       |     | 2  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$ 70 MM                                     |        |     |       |
|        |          |       |       |     | Undersize 0.50 mm                            |        |     |       |
| (27)   | 021      | 105   | 549   | E   | Bearing shell                                |        | 2   |       |
|        |          |       |       |     | for  |        |     |       |
|        |          |       |       |     | Crankshaft bearing                           |        |     |       |
|        |          |       |       |     | 2  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
|        |          |       |       |     | \$70 MM                                      |        |     |       |
|        |          |       |       |     | Undersize                                    |        |     |       |
|        |          | 10-   |       | _   | 0,75 MM                                      |        |     |       |
| 28     | 021      | 105   | 561   | A   | Crankshaft bearing                           |        | 1   |       |
|        |          |       |       |     | 3  |        |     |       |
|        |          |       |       |     | Outer  |        |     |       |
| (20)   | 021 3    | 105   | E 6 7 | 7\  | \$ 70 MM                                     |        | 1   |       |
| (28)   | ∪∠⊥ .    | T 0 2 | ) O C | А   | Crankshaft bearing                           |        | т т |       |
|        | <u> </u> |       |       |     | <u>                                     </u> |        |     |       |

| woder. | 914 70                       | Woderlife 1970>>1970   |        |     |                                      |
|--------|------------------------------|--|--------|-----|--------------------------------------|
| Pos    | Part Number                  | Description  | Remark | Qty | Model                                |
| (28)   | 021 105 573 A                | Outer 70 MM Undersize 0.25 mm Crankshaft bearing                   |        | 1   |                                      |
| (20)   | 021 105 575 A                | 3 Outer \$ 70 MM Undersize 0.50 mm                                 |        | 1   |                                      |
| (28)   | 021 105 579 A                | Crankshaft bearing 3 Outer \$ 70 MM Undersize                      |        | 1   |                                      |
| 29     | 021 105 591                  | 0,75 MM<br>Crankshaft bearing<br>4<br>Outer                        |        | 1   |                                      |
| (29)   | 021 105 597                  | \$ 50 MM<br>Crankshaft bearing<br>4<br>Outer<br>\$ 50 MM           |        | 1   |                                      |
| (29)   | 021 105 603                  | Undersize 0.25 mm<br>Crankshaft bearing<br>4<br>Outer<br>\$ 50 MM  |        | 1   |                                      |
| (29)   | 021 105 609                  | Undersize 0.50 mm Crankshaft bearing 4 Outer \$ 50 MM Undersize    |        | 1   |                                      |
| 30     | 021 105 701 A                | 0,75 MM Bearing shell Bearing shell                                |        | 8   | 914-4/1,7<br>914-1,8V/1,8            |
| (30)   | 039 105 701<br>021 105 707 A | Conrod bearing shell Bearing shell Bearing shell Undersize 0.25 mm |        | 8   | 914-2,0<br>914-4/1,7<br>914-1,8V/1,8 |
| (30)   | 039 105 707                  | Conrod bearing shell<br>Undersize 0.25 mm                          |        | 8   | 914-2,0                              |
| (30)   | 021 105 713 A                | Bearing shell Bearing shell Undersize 0.50 mm                      |        | 8   | 914-4/1,7<br>914-1,8V/1,8            |
| (30)   | 039 105 713                  | Conrod bearing shell<br>Undersize 0.50 mm                          |        | 8   | 914-2,0                              |
| (30)   | 021 105 719 A                | Bearing shell Bearing shell Undersize 0,75 MM                      |        | 8   | 914-4/1,7<br>914-1,8V/1,8            |
| (30)   | 039 105 719                  | Conrod bearing shell<br>Undersize<br>0,75 MM                       |        | 8   | 914-2,0                              |
|        |                              |  |        |     |                                      |

PORSCHE Illustration: 112-05




| Model: | 914 70                       | Model life 1970>>1976 |        |     |              |
|--------|------------------------------|-----------------------|--------|-----|--------------|
| Pos    | Part Number                  | Description           | Remark | Qty | Model        |
|        |                              | · .                   |        |     |              |
|        |                              | Cylinder with piston  |        |     | 914          |
| 1      | 022 198 075                  | Cylinder with piston  |        | 4   | 914-4/1,7    |
| 1      | 021 198 075 B                | Cylinder with piston  |        | 4   | 914-1,7;     |
|        |                              |                       |        |     | (CAL)        |
| 1      | 021 198 075 D                | Cylinder with piston  |        | 4   | 914-1,8V     |
| 1      | 022 198 075 A                | Cylinder with piston  |        | 4   | 914-1,8      |
| 1      | 039 198 075                  | Cylinder with piston  |        | 4   | 914-2,0      |
| 1      | 039 198 075 A                | Cylinder with piston  |        | 4   | 914-2,0      |
| 2      | 039 198 075 A<br>021 198 175 |                       |        | 4   |              |
|        | 021 198 175                  | Piston ring           |        | 4   | 914-4/1,7    |
|        |                              | Piston rings          |        |     |              |
|        |                              | Comprising:           |        |     |              |
|        |                              | Piston ring           |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
| 2      | 021 198 175 A                | Piston ring           |        | 4   | 914-1,8/1,8V |
| 1 -    |                              | Piston rings          |        | 1   | 311 17071701 |
|        |                              |                       |        |     |              |
|        |                              | Comprising:           |        |     |              |
|        |                              | Piston ring           |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
| 2      | PCG 198 175                  | Set                   |        | 4   | 914-2,0      |
|        |                              | Piston rings          |        |     |              |
|        |                              | Comprising:           |        |     |              |
|        |                              | Piston ring           |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
|        |                              |                       |        |     |              |
|        |                              | Oil scraper ring      |        |     |              |
| 3      | 021 107 411 A                | Piston pin            |        | 4   | 914-4/1,7    |
| 3      | 022 107 411 A                | Piston pin            |        | 4   | 914-1,8/1,8V |
|        |                              |                       |        |     | 2,0          |
|        |                              | M ECO 000 001>>       |        |     |              |
|        |                              | M GAO 006 766>>       |        |     |              |
|        |                              | M GC0 000 001>>       |        |     |              |
|        |                              | M >>GAO 016 000       |        |     |              |
|        | l                            |                       |        | l . |              |
| 3      | 039 107 411                  | Piston pin            |        | 4   | 914-2,0      |
|        |                              | M >>GA0 006 765       |        |     |              |
| 4      | N 012 301 1                  | Circlip               |        | 8   |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
| 1      | ĺ                            |                       |        |     |              |
|        |                              |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
|        |                              |                       |        |     |              |
|        |                              |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
|        |                              |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
|        |                              |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
|        | 1                            |                       |        |     |              |
| 1      | 1                            |                       |        |     |              |
|        |                              |                       |        |     |              |



| Pos   | Part Number                    | Description                      | Remark   | Qty | Model        |
|-------|--------------------------------|----------------------------------|----------|-----|--------------|
|       |                                | Cylinder head                    |          | .,  | 914          |
| 1     |                                | Cylinder nead<br>Cylinder        |          |     | 914          |
| _     |                                | See group                        |          |     |              |
|       |                                | 1/12/05                          |          |     |              |
| 2     | 021 101 341 A                  | Sealing ring                     |          | 4   |              |
|       |                                | 100 X 109                        |          |     |              |
|       |                                | Crankcase                        |          |     |              |
|       | 001 101 242                    | Cylinder                         |          | 4   | 014 4/1 5    |
| 3     | 021 101 343                    | Sealing ring<br>90 X 99          |          | 4   | 914-4/1,7    |
|       |                                | Cylinder                         |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (3)   | 021 101 343 A                  | Sealing ring                     |          | 4   | 914-1,8V/1,8 |
|       |                                | 93 X 104                         |          |     |              |
|       |                                | Cylinder                         |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (3)   | 021 101 343 B                  | Sealing ring<br>90 X 99 X 1      |          | X   | 914-4/1,7    |
|       |                                | Cylinder                         |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (3)   | 021 101 343 E                  | Sealing ring                     |          | Х   | 914-1,8V/1,8 |
|       |                                | 93 X 104 X 1                     |          |     |              |
|       |                                | Cylinder                         |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (3)   | 021 101 343 G                  | Sealing ring                     |          | X   | 914-1,8V/1,8 |
|       |                                | 93 X 104 X 1,2<br>Cylinder       |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (3)   | 039 101 343 B                  | Sealing ring                     |          | 4   | 914-2,0      |
| ( - / |                                | 94 X 105                         |          |     |              |
|       |                                | Cylinder                         |          |     |              |
|       |                                | Cylinder head                    |          |     |              |
| (4)   | 021 101 353 B                  | Cylinder head                    |          | 2   | 914-4        |
| (4)   | 022 101 353 B                  | M >> W0 057 460<br>Cylinder head |          | 2   | 914-4        |
| (4)   | 022 101 333 B                  | M W0 057 461 >>                  |          |     | 914-4        |
|       |                                | M >> W0 129 581                  |          |     |              |
| (4)   |                                | Cylinder head                    |          | 2   | 914-4/1,7    |
|       |                                | M W0 129 582 >>                  |          |     |              |
|       |                                | M >> W0 250 000                  |          |     |              |
|       |                                | M >>EAO 098 793                  |          |     |              |
| (4)   | 022 107 111 A                  | M >>EB0 010 020<br>Cylinder head |          | 2   | 914-1,8      |
| (4)   | 022 107 111 A<br>022 101 351 C | Cylinder head                    |          | 2   | 914-1,8      |
| (4)   | PCG 101 351 CX                 | Cylinder head                    |          | 2   | 914-1,8      |
| (4)   | 039 101 351 E                  | Cylinder head                    |          | 2   | 914-2,0      |
|       |                                | without                          |          |     |              |
|       |                                | Valves                           |          |     |              |
| (4)   | 039 101 351 G                  | Cylinder head                    |          | 2   | 914-2,0      |
| 5     | N 014 400 3                    | M GC0 000 001>><br>Stud          |          | 8   | 914-4/1,7    |
|       | N 014 400 3                    | AM 8 A X 35                      |          | 0   | 914-1,8V/2,0 |
|       |                                | for                              |          |     | 711 1/01/2/0 |
|       |                                | Intake manifold                  |          |     |              |
| (5)   | N 014 443 4                    | Stud                             |          | 8   | 914-1,8      |
|       |                                | AM 8 A X 38                      |          |     |              |
|       |                                | for                              |          |     |              |
| 6     | N 012 241 11                   | Intake manifold                  |          | 8   |              |
| 6     | N 012 241 11                   | Spring washer B 8 X 15           |          | 0   |              |
| 7     | N 011 008 8                    | Hexagon nut                      |          | 8   |              |
| '     |                                | M 8                              |          | _   |              |
| 8     | N 014 427 7                    | Stud                             |          | 8   | 914-4/1,7    |
|       | I                              |                                  | <u> </u> | L   | 1            |


| Model:   | 914 70                        | Model life 1970>>1976   |        |        |                                      |
|----------|-------------------------------|---|--------|--------|--------------------------------------|
| Pos      | Part Number                   | Description   | Remark | Qty    | Model                                |
| (0)      | N 014 20F 0                   | AM 8 X 53<br>for<br>Heat exchanger  |        |        | 014.0.0                              |
| (8)      | N 014 397 9                   | Stud AM 8 X 56 for Heat exchanger   |        | 8      | 914-2,0                              |
| (8)      | N 014 684 1                   | Stud Stud CM 9 A X M8 X 56 Heat exchanger   |        | X 8    | 914-1,8V/1,8<br>914-4/1,7<br>914-2,0 |
| 9        | 039 256 297                   | Mid-grip nut M 8 Self-locking   |        | 8      |                                      |
| 10       | 021 101 397                   | Stud<br>for<br>Rocker shaft   |        | 8      |                                      |
|          | N 012 234 1                   | Spring washer B 7   |        | 8      |                                      |
| 12       | N 011 007 7<br>900 025 008 02 | Hexagon nut<br>M 7<br>Washer  |        | 8      |                                      |
| 13       | N 011 527 4                   | A 10,5<br>Washer  |        | 16     |                                      |
| 13       | 900 025 008 09                | A 10,5<br>Washer  |        | 16     |                                      |
| 13       | 900 025 008 04                | A 10,5<br>Washer  |        | 16     |                                      |
| 14       | 021 101 457                   | A 10,5<br>Hexagon nut<br>M 10<br>for  |        | 16     |                                      |
| 15       | 021 101 403 A                 | Cylinder head Valve guide Intake 1st oversize M >>EAO 098 793 M >>EBO 010 020 M >>GAO 016 000 M >>GCO 001 320 M ECO 000 001>> |        | 4      |                                      |
| (15)     | 039 101 403                   | Valve guide Intake 1st oversize M GCO 001 321>>   |        | 4      | 914-2,0                              |
| (15)     | 021 101 417 A                 | Valve guide Exhaust 1st oversize  |        | 4      | 914-1,7/1,8V<br>914-1,8              |
|          | 039 101 421                   | Valve guide<br>Exhaust<br>1st oversize  |        | 4      | 914-2,0                              |
| 16       | 021 101 471                   | Cylinder head cover   |        | 2      |                                      |
| 17<br>18 | 021 101 481<br>021 101 487    | Gasket<br>Clamp   |        | 2<br>2 |                                      |
| _        | 311 906 041 A                 | Temperature sensor  |        | 1      | 914-2,0                              |
|          |                               |   |        |        |                                      |



| Pos   | Part Number                    | Description                      | Remark | Qty    | Model                   |
|-------|--------------------------------|----------------------------------|--------|--------|-------------------------|
| -03   | r art Number                   |                                  | Nemark | Qty    |                         |
|       |                                | Camshaft<br>Valves               |        |        | 914                     |
| (1)   | 021 109 015 M                  | Camshaft                         |        | 1      |                         |
| ( 1 ) | 021 109 013 M                  | with                             |        | _      |                         |
|       |                                | Wheel                            |        |        |                         |
|       |                                | - 3                              |        |        |                         |
| (1)   | 021 109 017 M                  | Camshaft                         |        | 1      |                         |
|       |                                | with<br>Wheel                    |        |        |                         |
|       |                                | - 2                              |        |        |                         |
| (1)   | 021 109 019 M                  | Camshaft                         |        | 1      |                         |
|       |                                | with                             |        |        |                         |
|       |                                | Wheel                            |        |        |                         |
| (1)   | 021 109 021 M                  | - 1<br>  Camshaft                |        | 1      |                         |
| ( + / | 021 109 021 11                 | with                             |        | _      |                         |
|       |                                | Wheel                            |        |        |                         |
| (1)   | 021 109 023 M                  | Camshaft                         |        | 1      |                         |
|       |                                | with<br>Wheel                    |        |        |                         |
|       |                                | + 1                              |        |        |                         |
| (1)   | 021 109 025 M                  | Camshaft                         |        | 1      |                         |
|       |                                | with                             |        |        |                         |
|       |                                | Wheel                            |        |        |                         |
| (1)   | 021 109 027 M                  | + 2<br>Camshaft                  |        | 1      |                         |
| (1)   | 021 109 027 M                  | with                             |        | 1      |                         |
|       |                                | Wheel                            |        |        |                         |
|       |                                | + 3                              |        |        |                         |
| 2     | 021 109 301 A                  | Connecting rod                   |        | 8      |                         |
| 3 (4) | 021 109 309 G<br>021 109 335 A | Cam follower                     |        | 8<br>8 | 914-4                   |
| (4)   | 021 109 335 A                  | Steering outer tube for          |        | 0      | 914-4                   |
|       |                                | Valve pushrod                    |        |        |                         |
|       |                                | M >> W0 057 460                  |        |        |                         |
| 4     | 021 109 335 C                  | Protective tube                  |        | 8      | 914-4/1,7               |
|       |                                | for<br>Valve pushrod             |        |        | 914-2,0                 |
|       |                                | M W0 057 461 >>                  |        |        |                         |
|       |                                | M >>EA0 098 793                  |        |        |                         |
|       |                                | M >>EB0 010 020                  |        |        |                         |
| (4)   |                                | M >>GAO 006 765                  |        |        | 014 1 077/1 0           |
| (4)   |                                | Protective tube for              |        | 8      | 914-1,8V/1,8<br>914-2,0 |
|       |                                | Valve pushrod                    |        |        | J14 2,0                 |
|       |                                | M GAO 006 766>>                  |        |        |                         |
|       |                                | M GC0 000 001>>                  |        |        |                         |
|       |                                | M ECO 000 001>>                  |        |        |                         |
| 5     | 021 109 339                    | M >>GA0 016 000<br>Securing clip |        | 2      |                         |
|       | 021 109 339                    | for                              |        |        |                         |
|       |                                | Protective tube                  |        |        |                         |
| 6     | 021 109 345 A                  | 0-ring                           |        | 8      |                         |
|       |                                | \$ 21,3 MM<br>for                |        |        |                         |
|       |                                | Protective tube                  |        |        |                         |
|       |                                | Black                            |        |        |                         |
| (7)   | 021 109 349                    | Sealing ring                     |        | 8      | 914-4                   |
|       |                                | \$ 23,5 MM                       |        |        |                         |
|       |                                | for                              |        |        |                         |
|       |                                | Protective tube Red              |        |        |                         |
|       |                                | M >> W0 057 460                  |        |        |                         |
|       |                                | 1                                |        | l      | <u> </u>                |


| Pos     | Part Number    | Description                        | Remark | Qty | Model                       |
|---------|----------------|------------------------------------|--------|-----|-----------------------------|
| 7       | 021 109 349 B  | 0-ring                             |        | 8   |                             |
|         |                | \$ 25,1 MM                         |        |     |                             |
|         |                | for                                |        |     |                             |
|         |                | Protective tube                    |        |     |                             |
|         |                | Green                              |        |     |                             |
|         |                | M ECO 000 001>>                    |        |     |                             |
|         |                | M W0 057 461 >><br>M GC0 000 001>> |        |     |                             |
|         |                | M >>EAO 098 793                    |        |     |                             |
|         |                | M >>EB0 010 020                    |        |     |                             |
|         |                | M >>GA0 016 000                    |        |     |                             |
| 8       | 021 109 407 A  | Rocker shaft                       |        | 4   |                             |
| 9       | 021 109 415 A  | Spring                             |        | 4   |                             |
|         |                | for Rocker shaft                   |        |     |                             |
| 10      | 021 109 427    | Bearing shell                      |        | 8   |                             |
|         | 021 105 127    | for                                |        | ľ   |                             |
|         |                | Rocker shaft                       |        |     |                             |
| 11      | 021 109 435    | Thrust washer                      |        | X   |                             |
| 12      | 022 109 443    | Rocker arm                         |        | 4   | 914-4/1,7                   |
| (10)    |                | Intake                             |        |     | 914-2,0                     |
| (12)    |                | Rocker arm Intake                  |        | 4   | 914-1,7/1,8V<br>914-1,8/2,0 |
|         |                | M >>EAO 098 793                    |        |     | 914-1,0/2,0                 |
|         |                | M >>EB0 010 020                    |        |     |                             |
|         |                | M >>GA0 016 000                    |        |     |                             |
| 13      | 022 109 463    | Rocker arm                         |        | 4   | 914-4/1,7                   |
|         |                | Exhaust                            |        | ١.  | 914,20                      |
| (13)    |                | Rocker arm Exhaust                 |        | 4   | 914-1,7/1,8V                |
|         |                | M >>EAO 098 793                    |        |     | 914-1,8/2,0                 |
|         |                | M >>EBO 010 020                    |        |     |                             |
|         |                | M >>GA0 016 000                    |        |     |                             |
| 14      | 043 109 451    | Adjusting screw                    |        | 8   | 914-4/1,7                   |
|         |                | Valve                              |        |     |                             |
|         |                | M >>EA0 089 761                    |        |     |                             |
| (14)    | 022 109 451    | M >>EB0 008 773 Adjusting screw    |        | 8   | 914-1,7/1,8V                |
| ( + 1 ) | 022 105 151    | Valve                              |        |     | 914-1,8/2,0                 |
|         |                | M >>EA0 098 793                    |        |     |                             |
|         |                | M >>EB0 010 020                    |        |     |                             |
|         |                | M >>GAO 016 000                    |        |     |                             |
| (14)    | 039 109 451    | Adjusting screw Valve              |        | 8   | 914-2,0                     |
| (15)    | 900 078 011 00 | Hexagon nut                        |        | 8   | 914-4/1,7                   |
| \\      |                | M 8 X 1                            |        |     | 914-2,0                     |
| 15      | 028 109 453    | Hexagon nut                        |        | 8   | 914-1,7/1,8V                |
|         |                | M 10 X 1                           |        |     | 914-1,8/2,0                 |
|         |                | M >>EAO 098 793                    |        |     |                             |
|         |                | M >>EB0 010 020<br>M >>GA0 016 000 |        |     |                             |
| 16      | 021 109 601    | Intake valve                       |        | 4   | 914-4/1,7                   |
|         | 021 105 001    | \$ 39,3 MM                         |        | -   |                             |
| (16)    | 022 109 601    | Intake valve                       |        | 4   | 914-1,8V/1,8                |
|         |                | \$ 41 MM                           |        |     |                             |
| (16)    | 039 109 601 G  | Intake valve                       |        | 4   | 914-2,0                     |
|         |                | \$ 42 MM                           |        |     |                             |
|         |                | M >>GA0 006 049<br>M GA0 006 050>> |        |     |                             |
|         |                | M >>GAO 000 050>>                  |        |     |                             |
|         |                | M GC0 000 001>>                    |        |     |                             |
| 17      | 022 109 612 D  | Exhaust valve                      |        | 4   | 914-4/1,7                   |
|         |                | \$ 33 MM                           |        |     |                             |

| woder. | 914 70        | Woder me 1970>>1976       |        |     |              |
|--------|---------------|---------------------------|--------|-----|--------------|
| Pos    | Part Number   | Description               | Remark | Qty | Model        |
| (17)   | 022 109 612 A | Exhaust valve<br>\$ 34 MM |        | 4   | 914-1,8V/1,8 |
| (17)   | 039 109 611 L | Exhaust valve<br>\$ 36 MM |        | 4   | 914-2,0      |
| 18     | 021 109 623 E | Valve spring              |        | 8   |              |
| 19     | 021 109 641 B | Concave washer            |        | 8   |              |
| 20     | 113 109 651 A | Collet                    |        | 16  |              |
| 21     | 021 198 541   | Camshaft bearing          |        | 1   |              |
|        |               | 1 set                     |        |     |              |
|        |               | Up to engine number       |        |     |              |
|        |               | M >>GA0 005 472           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |
|        |               |                           |        |     |              |




| woder. | 914 70         | Model life 1970>>1976              |        |     |              |
|--------|----------------|------------------------------------|--------|-----|--------------|
| Pos    | Part Number    | Description                        | Remark | Qty | Model        |
|        |                | Engine lubrication                 |        |     | 914          |
|        |                | Oil pump                           |        |     | 714          |
|        |                | Oil filter                         |        |     |              |
|        |                | Oil strainer                       |        |     |              |
| 1      | 021 115 107 A  | Housing                            |        | 1   |              |
| -      | 021 113 107 11 | Oil pump                           |        | _   |              |
| 2      | 025 115 111 A  | Gasket                             |        | 1   |              |
| 3      | 021 115 115 A  | Drive shaft                        |        | 1   |              |
| 4      | 021 115 123    | Oil pump gear                      |        | 1   |              |
| 5      | 021 115 133    | Sealing ring                       |        | 1   |              |
| 6      | 021 115 139 A  | Lid                                |        | 1   |              |
| 7      | N 012 226 5    | Spring washer                      |        | 4   |              |
|        |                | В 6                                |        |     |              |
| 8      | 113 101 175    | Hexagon nut                        |        | 4   |              |
|        |                | м 6                                |        |     |              |
|        |                | Self-locking                       |        |     |              |
| 9      | 021 115 167    | Dowel sleeve                       |        | 1   |              |
| 10     | 021 115 175    | Oil strainer                       |        | 1   |              |
| 11     | 021 115 181    | Lid                                |        | 1   |              |
| 12     | 021 198 031 B  | Gasket set                         |        | 2   |              |
| 13     | N 013 805 1    | Sealing ring                       |        | 1   |              |
|        |                | C 12 X 18                          |        |     |              |
| 14     | 021 115 193 B  | Cap nut                            |        | 1   | 914-4/1,7    |
|        |                | M 8                                |        | _   |              |
| 14     |                | Cap nut                            |        | 1   | 914-1,8V/1,8 |
|        |                | M 8                                |        | _   | 914-2,0      |
| 15     | 021 115 351 A  | Oil filter                         |        | 1   |              |
| 16     | 021 115 353 A  | Intermediate flange                |        | 1   |              |
| 17     | 021 115 359 A  | Gasket                             |        | 1   |              |
| 18     | 311 115 411    | Piston<br>for                      |        | 1   |              |
|        |                | Relief valve                       |        |     |              |
| 19     | 021 115 411    | Piston                             |        | 1   |              |
| 19     | 021 115 411    | for                                |        | 1   |              |
|        |                | Relief valve                       |        |     |              |
|        |                | M >>EAO 098 793                    |        |     |              |
|        |                | M >>EBO 010 020                    |        |     |              |
|        |                | M >>GAO 016 000                    |        |     |              |
|        |                | M >> W0 250 000                    |        |     |              |
| 20     | 021 115 421 B  | Spring                             |        | 1   |              |
|        |                | for                                |        |     |              |
|        |                | Relief valve                       |        |     |              |
| 20     | 021 115 421 C  | Compression spring                 |        | 1   |              |
|        |                | for                                |        |     |              |
|        |                | Relief valve                       |        |     |              |
| 21     | 021 115 421 A  | Spring                             |        | 1   |              |
|        |                | for                                |        |     |              |
|        |                | Relief valve                       |        |     |              |
|        |                | M >>EA0 098 793                    |        |     |              |
|        |                | M >>EB0 010 020                    |        |     |              |
|        |                | M >>GA0 016 000                    |        |     |              |
|        |                | M >> W0 250 000                    |        |     |              |
| 22     | N 013 829 3    | Sealing ring                       |        | 1   |              |
|        | 010 045 0      | C 22 X 29                          |        |     |              |
| 23     | N 013 845 2    | Sealing ring                       |        | 1   |              |
|        |                | C 16 X 22                          |        |     |              |
|        |                | M >>ED0 010 020                    |        |     |              |
|        |                | M >>EB0 010 020                    |        |     |              |
|        |                | M >>GAO 016 000<br>M >> WO 250 000 |        |     |              |
| 24     | 021 115 431    | Screw plug                         |        | 1   |              |
| 4      | 021 113 131    | M 22 X 1,5                         |        |     |              |
| 25     | PCG 115 431 A  | Screw plug                         |        | 1   |              |
|        | 1              | 1 r                                |        | _   |              |

| woder. | 914 70      | Widder life 1970>>1976 |        |         |   |
|--------|-------------|------------------------|--------|---------|---|
| Pos    | Part Number | Description            | Remark | Qty     | Model   |
|        |             |                        | Remark | 1 1 1 1 | 914-1,7/1,8V<br>914-1,8/2,0<br>914-1,8/2,0<br>914-1,7/1,8V<br>914-1,8/2,0<br>914-1,7/1,8V<br>914-1,8/2,0<br>914-1,7/1,8V<br>914-1,8/2,0 |
|        |             |                        |        |         |   |
|        |             |                        |        |         |   |




| woder.    | 914 70         | Woder me 1970>>1976 |        |          |                      |
|-----------|----------------|---------------------|--------|----------|----------------------|
| Pos       | Part Number    | Description         | Remark | Qty      | Model                |
|           |                | Engine lubrication  |        |          | 914                  |
|           |                | Filler neck         |        |          | 714                  |
|           |                | Bleeding            |        |          |                      |
| 1         | 021 115 137    | Sealing ring        |        | 1        |                      |
| 2         | PCG 115 311 00 | Oil filler cover    |        | 1        | 914-4/1,7            |
|           |                |                     |        | _        | 914-1,8V/2,0         |
| 2A        | 022 115 309    | Lid                 |        | 1        | 914-1,8              |
| 2B        | 022 115 315    | Gasket              |        | 1        | 914-1,8              |
|           |                | Lower               |        |          | ,                    |
| 2C        | 022 115 331    | Gasket              |        | 1        | 914-1,8              |
|           |                | Upper               |        |          |                      |
| 2D        | 022 115 317    | Oil inlet           |        | 1        | 914-1,8              |
| 3         | 021 115 317 A  | Connection piece    |        | 1        | 914-4/1,7            |
|           |                |                     |        |          | 914-1,8V/2,0         |
| 4         | 111 605 289 A  | Washer              |        | 2        | 914-4/1,7            |
|           |                |                     |        |          | 914-1,8V/2,0         |
| 5         | N 012 226 5    | Spring washer       |        | 2        |                      |
|           |                | B 6                 |        |          |                      |
| 6         | 900 076 010 02 | Nut<br>M 6          |        | 2        |                      |
| 6         | 900 076 010 0B | M 6<br>Nut          |        | 2        |                      |
| 0         | 900 076 010 08 | M 6                 |        | _ ∠      |                      |
| 7         | 021 115 451 B  | Bleeder             |        | 1        | 914-4/1,8            |
| <b>'</b>  | 021 113 431 B  | M >> W0 129 581     |        | _        | )11 1/1/0            |
|           |                | M ECO 000 001>>     |        |          |                      |
| (7)       | 022 115 451 B  | Bleeder             |        | 1        | 914-4/1,7            |
| ( , ,     |                |                     |        |          | 914-2,0              |
|           |                | M >>EAO 098 793     |        |          | ,                    |
|           |                | M >>EB0 010 020     |        |          |                      |
|           |                | M >>GA0 016 000     |        |          |                      |
|           |                | M >> W0 250 000     |        |          |                      |
| (7)       | 022 115 451 C  | Bleeder             |        | 1        | 914-1,8V/2,0         |
|           |                | M GC0 000 001>>     |        |          |                      |
| (7A)      | 022 115 469    | Vacuum hose         |        | 1        | 914-1,8              |
| 8         | 022 115 475    | Sealing ring        |        | 1        | 914-4/1,7            |
|           |                | 100 500             |        |          | 914-2,0              |
|           | 000 115 406    | M W0 129 582 >>     |        | 1        | 014 4/1 7            |
| 9         | 022 115 486    | Stopper             |        | 1        | 914-4/1,7<br>914-2,0 |
|           |                | M W0 129 582 >>     |        |          | 914-2,0              |
| 10        | 021 115 487    | Gasket              |        | 1        |                      |
|           | 021 113 107    | for                 |        | _        |                      |
|           |                | Oil filter          |        |          |                      |
| 11        | 021 115 489    | Clamp               |        | 1        |                      |
|           |                | for                 |        |          |                      |
|           |                | Bleeding            |        |          |                      |
| 12        | 022 115 542    | Valve               |        | 1        | 914-4/1,7            |
|           |                | Valve               |        |          | 914-2,0              |
|           |                | for                 |        |          |                      |
|           |                | Bleeding            |        |          |                      |
|           |                | M W0 129 582 >>     |        |          |                      |
| 13        | 022 115 544    | Knurled nut         |        | 1        | 914-4/1,7            |
|           |                | M 770 100 500       |        |          | 914-2,0              |
| 1.4       | 000 100 625    | M W0 129 582 >>     |        | _        | 014 4/1 5            |
| 14        | 022 129 637    | Elbow               |        | 1        | 914-4/1,7<br>914-2,0 |
|           |                | M W0 129 582 >>     |        |          | 914-4,U              |
| 15        | 022 115 611    | Oil level dipstick  |        | 1        |                      |
| 1         | 022 113 011    | Yellow              |        |          |                      |
|           |                | Chrome              |        |          |                      |
| (15A)     | N 020 349 1    | Hose                |        | *        |                      |
| ( = 3.1.) |                | 21 X 2,5            |        | 1        | 914-1,8              |
| 16        | N 020 290 1    | Hose                |        | *        |                      |
|           | 1              | 1                   | 1      | <u> </u> |                      |

| woder. | 914 70      | Wiodeline 1970>>1976 |        |        |           |
|--------|-------------|----------------------|--------|--------|-----------|
| Pos    | Part Number | Description          | Remark | Qty    | Model     |
|        |             | 12 X 3,3             |        | Х      | 914-4/1,7 |
|        |             |                      |        |        | 914-2,0   |
| (16)   | N 020 343 1 | Hose                 |        | *      |           |
| 1      | 000 044 1   | 18 X 2,5             |        | Х      | 914-2,0   |
| 17     | N 020 344 1 | Hose<br>20 X 2,5     |        | *<br>X | 914-1,8   |
| _      | 022 129 260 | Clip                 |        | 1      | 914-4/1,7 |
|        |             |                      |        | _      | 914-2,0   |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        |             |                      |        |        |           |
|        | l           |                      |        |        |           |




| Model: | 914 /0                         | Model life 1970>>1976                                     |        |     |         |
|--------|--------------------------------|---|--------|-----|---------|
| Pos    | Part Number                    | Description   | Remark | Qty | Model   |
| 1<br>2 | 021 117 021 B<br>021 117 151 A | Engine lubrication Oil cooler Oil cooler Sealing ring for |        | 1 2 | 914     |
| 2A     | N 011 524 7                    | Oil cooler<br>Washer                                      |        | 3   |         |
| 2A     | N 011 524 27                   | A 6,4<br>Washer   |        | 3   |         |
| 2В     | N 012 226 5                    | A 6,4 Spring washer B 6                                   |        | 3   |         |
| 2C     | 900 076 010 02                 | Nut<br>M 6  |        | 3   |         |
| 2C     | 900 076 010 0B                 | Nut<br>M 6  |        | 3   |         |
| 3      | 021 117 171 A                  | Clip  |        | 1   |         |
| 4      | 021 117 181                    | Oil cooler<br>Bracket<br>for                              |        | 1   |         |
| 5      | 039 117 187                    | Oil cooler Support for Oil cooler                         |        | 1   | 914-2,0 |
| 6      | N 012 229 3                    | Spring washer A 8   |        | 1   | 914-2,0 |
| 7      | N 012 226 5                    | Spring washer B 6   |        | 2   |         |
| 8      | N 010 715 2                    | Pan-head screw AM 6 X 15                                  |        | 2   |         |
| 9      | 900 025 007 02                 | Washer<br>A 8,4   |        | 1   |         |
| 9      | 900 025 007 03                 | Washer<br>A 8,4   |        | 1   |         |
| 10     | N 012 228 3                    | Spring washer B 8   |        | 1   |         |
| 11     | 900 075 085 02                 | Hexagon-head bolt<br>M 8 X 20                             |        | 1   |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |
|        |                                |   |        |     |         |



| Pos  | Part Number    | Description                        | Remark | Qty | Model        |
|------|----------------|------------------------------------|--------|-----|--------------|
|      |                | Air cooling                        |        |     | 914          |
| 1    | 022 119 031    | Impeller                           |        | 1   | 914-4/1,7    |
|      |                | with                               |        |     |              |
|      |                | Pulley                             |        |     |              |
|      |                | And                                |        |     |              |
|      |                | Hub                                |        |     |              |
|      |                | M >> W0 170 000                    |        |     |              |
| (1)  | 021 119 031 AD | M >>EAO 057 000                    |        | 1   |              |
| (1)  | 021 119 031 AD | Impeller with                      |        | 1   |              |
|      |                | Pulley                             |        |     |              |
|      |                | And                                |        |     |              |
|      |                | Hub                                |        |     |              |
|      |                | M ECO 000 001>>                    |        |     |              |
|      |                | M W0 170 001 >>                    |        |     |              |
| 2    | 021 119 119    | Hub                                |        | 1   |              |
| 3    | 021 119 121    | Spacer                             |        | 1   |              |
| 4    | 021 119 125 A  | O-ring                             |        | 1   |              |
| 5    | N 014 326 1    | Hexagon-head bolt M 8 X 30         |        | 1   |              |
|      |                | Self-locking                       |        |     |              |
| (6)  | 021 119 127    | Pan-head screw                     |        | 3   | 914-4/1,7    |
| ( )  |                | M 8 X 39                           |        |     |              |
|      |                | M >> W0 170 000                    |        |     |              |
|      |                | M >>EA0 057 000                    |        |     |              |
| 6    | N 010 246 4    | Hexagon-head bolt                  |        | 3   | 914-1,7/1,8V |
|      |                | M 8 X 45                           |        |     | 914-1,8/2,0  |
|      |                | M >>EAO 098 793                    |        |     |              |
|      |                | M >>EB0 010 020<br>M >>GA0 016 000 |        |     |              |
|      |                | M >> W0 250 000                    |        |     |              |
|      |                | M EA0 057 001>>                    |        |     |              |
| 7    | N 012 241 11   | Spring washer                      |        | 3   |              |
|      |                | B 8 X 15                           |        |     |              |
| 8    | 900 031 001 02 | Washer                             |        | 3   | 914-4/1,7    |
|      |                | 8,4                                |        |     | 914-1,8V/2,0 |
|      |                | M >> W0 170 000                    |        |     |              |
| 8    | 900 031 105 01 | M >>EA0 057 000<br>Washer          |        | 3   | 914-4/1,7    |
|      | 900 031 103 01 | 8,4                                |        |     | 914-1,8V/2,0 |
|      |                | M >> W0 170 000                    |        |     | ]            |
|      |                | M >>EA0 057 000                    |        |     |              |
| 9    | 021 119 131    | Washer                             |        | 1   |              |
| 10   | 021 119 149    | Cap                                |        | 1   | 914-4/1,7    |
| (11) | 022 119 199 A  | Transmission case M >> W0 129 581  |        | 1   | 914-4        |
| 11   | 021 119 199 D  | Fan housing                        |        | 1   | 914-1,7/1,8V |
| 1 11 | 021 119 199 D  | ran nousing                        |        |     | 914-1,8/2,0  |
|      |                | M >>EC0 037 551                    |        |     |              |
| (11) |                | Fan housing                        |        | 1   | 914-1,8V/1,8 |
|      |                |                                    |        |     | 914-2,0      |
|      |                | M ECO 037 552>>                    |        |     |              |
| (11) | 021 119 199 N  | Fan housing                        |        | 1   | 914-2,0      |
| 12   | N 014 532 3    | M GCO 000 001>><br>Stud            |        | 1   |              |
|      | N 014 332 3    | AM 8 A X 32                        |        |     |              |
| 13   | 311 405 381    | Stopper                            |        | 2   |              |
| 14   | N 012 241 11   | Spring washer                      |        | 3   |              |
|      |                | B 8 X 15                           |        |     |              |
| 15   | N 010 244 11   | Hexagon-head bolt                  |        | 3   |              |
|      | N 010 044 6-   | M 8 X 30                           |        |     |              |
| 15   | N 010 244 25   | Hexagon-head bolt                  |        | 3   |              |
|      |                | M 8 X 30                           |        |     |              |


| Pos  | Part Number    | Description               | Remark | Qty      | Model        |
|------|----------------|---------------------------|--------|----------|--------------|
|      |                | <u> </u>                  | Kemark | <u> </u> | Wiodei       |
| 16   | N 012 226 5    | Spring washer B 6         |        | 8        |              |
| 17   | N 010 719 2    | Pan-head screw            |        | 8        |              |
|      | 1. 010 /19 1   | AM 6 X 20                 |        |          |              |
| 18   | 021 119 233 A  | Lid                       |        | 1        |              |
| -    | 021 119 249 E  | Scale                     |        | 1        | 914-2,0      |
|      |                | for                       |        |          |              |
|      |                | Adjustment Ignition point |        |          |              |
|      |                | M GCO 000 001>>           |        |          |              |
| 19   | 021 119 263 A  | Detent                    | /R     | 1        |              |
| 20   | 021 119 264 A  | Detent                    | /L     | 1        |              |
| -    | 021 119 270    | Axle                      |        | X        |              |
| 21   |                | 62,55 MM                  | /R     | 2        |              |
| (21) | 021 119 281 D  | 56 MM<br>Cover plate      | /L     | 2        | 914-4        |
| (22) | 021 119 201 D  | for                       |        | 1 -      | 914-4        |
|      |                | Generator                 |        |          |              |
|      |                | M >> W0 129 581           |        |          |              |
| 22   |                | Cover plate               |        | 1        | 914-1,7/1,8V |
|      |                | for                       |        |          | 914-1,8/2,0  |
|      |                | Generator M W0 129 582 >> |        |          |              |
| (22) | 022 119 281    | Cover plate               |        | 1        | 914-1,8V/1,8 |
| (22) |                | for                       |        | _        | 914-2,0      |
|      |                | Generator                 |        |          |              |
|      |                | M ECO 037 552>>           |        |          |              |
| 23   | 021 119 295    | Lid                       |        | 1        |              |
| 24   | N 012 226 5    | Spring washer B 6         |        | 1        |              |
| 25   | N 010 346 5    | Hexagon-head bolt         |        | 1        |              |
|      |                | BM 6 X 30                 |        |          |              |
| 26   | N 011 652 1    | Washer                    |        | 1        |              |
| 0.7  | 27 014 120 5   | 7                         |        | 1        |              |
| 27   | N 014 139 5    | Oval-head screw AM 6 X 12 |        | 1        |              |
| 28   | 022 119 512    | Cover plate               | /V /L  | 1        |              |
|      |                | for                       |        |          |              |
|      |                | Engine                    |        |          |              |
| 29   | N 011 652 1    | Washer                    |        | 1        |              |
| 30   | 999 072 005 09 | 7<br>Hexagon nut          |        | 1        |              |
| 30   | 999 072 005 09 | M 6 X 12                  |        | 1 -      |              |
| 30   | 999 072 005 01 | Hexagon nut               |        | 1        |              |
|      |                | M 6 X 12                  |        |          |              |
| 31   | 022 119 521 A  | Cover plate               | /V /R  | 1        |              |
|      |                | for                       |        |          |              |
| 32   | N 011 652 1    | Engine<br>Washer          |        | 7        |              |
| 32   | N 011 032 1    | 7                         |        |          |              |
| 33   | N 014 139 5    | Oval-head screw           |        | 7        |              |
|      |                | AM 6 X 12                 |        |          |              |
| 34   | 021 119 543 A  | Gasket                    |        | 2        |              |
|      |                | Front Engine cover        |        |          |              |
|      |                | 650 MM                    |        |          |              |
| 35   | 411 813 215 A  | Protective rubber         |        | 1        |              |
| 36   | 021 119 569 A  | Rubber sleeve             |        | 2        | 914-1,8V/1,8 |
|      |                |                           |        |          | 914-2,0      |
|      |                |                           |        |          |              |
|      |                |                           |        |          |              |
|      |                |                           |        |          |              |
|      | 1              |                           | 1      |          | 1            |




| woder. | 914 70                         | Model life 1970>>1970  |          |     |              |
|--------|--------------------------------|------------------------|----------|-----|--------------|
| Pos    | Part Number                    | Description            | Remark   | Qty | Model        |
|        |                                | Engine cover           |          |     | 914          |
|        |                                | Air guide              |          |     |              |
| 1      | 022 119 299 A                  | Engine cover           | /R       | 1   | 914-4/1,7    |
|        |                                | for                    |          |     | 914-1,8V/1,8 |
|        |                                | Cylinder               |          |     |              |
| (1)    | 039 119 299 A                  | Cover plate            | /R       | 1   | 914-2,0      |
|        |                                | for                    |          |     |              |
|        |                                | Cylinder               |          |     |              |
| -      | 039 119 991                    | Cap                    | /R       | 1   | 914-2,0      |
|        |                                | for                    |          |     |              |
| (2)    | 020 110 200 0                  | Cover plate            | / T      | 1   | 014 4/1 7    |
| (2)    | 039 119 300 C                  | Cover plate for        | /L       | 1   | 914-4/1,7    |
|        |                                | Cylinder               |          |     |              |
|        |                                | M >> W0 129 581        |          |     |              |
|        |                                | M EAO 057 001>>        |          |     |              |
|        |                                | M >>EAO 098 793        |          |     |              |
|        |                                | M >>EB0 010 020        |          |     |              |
| 2      | 022 119 300 D                  | Cover plate            | /L       | 1   | 914-4/1,7    |
|        |                                | for                    |          |     | 914-1,8V     |
|        |                                | Cylinder               |          |     |              |
|        |                                | M WO 129 582 >>        |          |     |              |
|        |                                | M >> W0 170 000        |          |     |              |
|        |                                | M >>EA0 057 000        |          |     |              |
| (2)    | 022 119 300 G                  | Engine cover           | /L       | 1   | 914-1,8      |
|        |                                | for                    |          |     |              |
| (2)    | 039 119 300                    | Cylinder Engine cover  | /L       | 1   | 914-2,0      |
| (2)    | 039 119 300                    | for                    | / Ц      | -   | 914-2,0      |
|        |                                | Cylinder               |          |     |              |
|        |                                | M >>GAO 016 000        |          |     |              |
|        |                                | M GC0 000 001>>        |          |     |              |
|        |                                | Cap                    |          |     |              |
| -      | 021 119 337                    | Grommet                |          | 1   |              |
|        |                                | for                    |          |     |              |
|        |                                | Cover plate            |          |     |              |
| 3      | N 011 652 1                    | Washer                 |          | 8   |              |
|        |                                | 7                      |          |     |              |
| 4      | N 010 710 8                    | Pan-head screw         |          | 8   |              |
| (5)    | 001 110 210 7                  | AM 6 X 10              | /B       | _   |              |
| (5)    | 021 119 319 A<br>021 119 320 A | Baffle plate           | /R<br>/L | 1   |              |
| 5<br>6 | N 011 652 1                    | Baffle plate<br>Washer | / Li     | 4   |              |
| 7      | N 010 710 8                    | Pan-head screw         |          | 4   |              |
| '      | N 010 710 0                    | AM 6 X 10              |          |     |              |
| 8      | 900 025 003 02                 | Washer                 |          | 2   |              |
|        |                                | A 5,3                  |          |     |              |
| 9      | N 010 704 2                    | Pan-head screw         |          | 2   |              |
|        |                                | AM 5 X 10              |          |     |              |
| 10     | 021 119 329                    | Gasket                 |          | 1   |              |
|        |                                | for                    |          |     |              |
|        |                                | Oil cooler             |          |     |              |
| (11)   | 039 119 353                    | Air guide              | /L       | 1   | 914-1,8/2,0  |
|        |                                | Floor                  |          |     |              |
|        |                                | M ECO 037 552>>        |          |     |              |
| 1 1    | 022 110 255                    | M GCO 000 001>>        | /D       | 1   |              |
| 11     | 022 119 355                    | Air guide<br>Floor     | /R       | 1   |              |
|        |                                | M >>EAO 098 793        |          |     |              |
|        |                                | M >>EBO 010 020        |          |     |              |
|        |                                | M >>ECO 037 551        |          |     |              |
|        |                                | M >>GAO 016 000        |          |     |              |
| 12     | 022 119 356 A                  | Air guide              | /L       | 1   | 914-4        |
|        | Į                              |                        |          |     |              |

| woder. | 914 70        | Model life 1970>>1976              | T = .       |            |                           |
|--------|---------------|------------------------------------|-------------|------------|---------------------------|
| Pos    | Part Number   | Description                        | Remark      | Qty        | Model                     |
|        |               | Floor                              |             |            |                           |
|        |               | M >> W0 170 000                    |             |            |                           |
| (10)   | 020 110 254   | M >>EA0 057 000                    | /D          | 1          | 014 1 070 0               |
| (12)   | 039 119 354   | Air guide<br>Floor                 | /R          | 1          | 914-1,8/2,0               |
|        |               | M ECO 037 552>>                    |             |            |                           |
|        |               | M GC0 000 001>>                    |             |            |                           |
| (12)   | 022 119 356 B | Air guide                          | /L          | 1          | 914-1,7/1,8V              |
|        |               | Floor                              |             |            | 914-1,8/2,0               |
|        |               | M EA0 057 001>><br>M >>EA0 098 793 |             |            |                           |
|        |               | M >>EBO 010 020                    |             |            |                           |
|        |               | M >>ECO 037 551                    |             |            |                           |
|        |               | M >>GA0 016 000                    |             |            |                           |
| 13     | N 011 652 1   | Washer                             |             | 8          |                           |
|        | 014 100 5     | 7                                  |             | _          |                           |
| 14     | N 014 139 5   | Oval-head screw AM 6 X 12          |             | 5          |                           |
| 15     | N 010 715 2   | Pan-head screw                     |             | 2          |                           |
| 15     | 1, 010 /13 2  | AM 6 X 15                          |             | -          |                           |
| 16     | N 010 710 8   | Pan-head screw                     |             | 2          |                           |
|        |               | AM 6 X 10                          |             |            |                           |
| 17     | 021 119 358   | Air guide                          | /V /L       | 1          |                           |
| 18     | N 011 652 1   | Washer<br>7                        |             | 3          |                           |
| 19     | N 014 139 5   | Oval-head screw                    |             | 3          |                           |
| 1      | 1, 011 133 3  | AM 6 X 12                          |             |            |                           |
| 20     | 022 119 361   | Air guide                          | /H /R       | 1          |                           |
| 21     | 022 119 362   | Air guide                          | /H /L       | 1          | 914-4/1,7                 |
|        |               | W 700 000 001                      |             |            | 914-1,8                   |
|        |               | M ECO 000 001>><br>M EAO 057 001>> |             |            |                           |
|        |               | M >> W0 129 581                    |             |            |                           |
|        |               | M >>EA0 098 793                    |             |            |                           |
|        |               | M >>EB0 010 020                    |             |            |                           |
| (21)   | 022 119 362 A | Air guide                          | /H /L       | 1          | 914-4/1,7                 |
|        |               | M W0 129 582 >>                    |             |            | 914-1,8V                  |
|        |               | M EA0 000 001>><br>M >> W0 170 000 |             |            |                           |
|        |               | M >>EAO 057 000                    |             |            |                           |
| (21)   | 039 119 362   | Air guide                          | /H /L       | 1          | 914-2,0                   |
| 22     | N 011 652 1   | Washer                             |             | 4          |                           |
|        |               | 7                                  |             | <b>.</b> . |                           |
| 23     | N 014 139 5   | Oval-head screw AM 6 X 12          |             | 4          |                           |
| 24     | 021 119 367   | Air guide                          | /V /R       | 1          |                           |
| 25     | N 011 652 1   | Washer                             | , , , , , , | 4          |                           |
|        |               | 7                                  |             |            |                           |
| 26     | N 014 139 5   | Oval-head screw                    |             | 4          |                           |
| 0.77   | 000 110 517 5 | AM 6 X 12                          | /**         | 1          | 014 4/1 7                 |
| 27     | 022 119 517 R | Engine cover                       | /H          | 1          | 914-4/1,7<br>914-1,8V/2,0 |
|        |               | M EAO 057 001>>                    |             |            | JII I,UV/Z,U              |
|        |               | M >> W0 129 581                    |             |            |                           |
|        |               | M >>EA0 098 793                    |             |            |                           |
|        |               | M >>EBO 010 020                    |             |            |                           |
|        |               | M >>GAO 006 765                    |             |            |                           |
|        |               | Use also:<br>411 813 215 A         |             |            |                           |
| (27)   |               | Engine cover                       | /H          | 1          | 914-4/1,7                 |
| \      |               | M WO 129 582 >>                    | ľ           | -          |                           |
|        |               | M >> W0 170 000                    |             |            |                           |
|        |               | M >>EA0 057 000                    |             |            |                           |


| Pos  | Part Number   | Description                        | Remark | Qty | Model        |
|------|---------------|------------------------------------|--------|-----|--------------|
|      |               | Use also:                          |        |     |              |
|      |               | 411 813 215 A                      |        |     |              |
| (27) |               | Engine cover                       |        | 1   | 914-1,8V/1,8 |
|      |               | M GAO 006 766>>                    |        |     | 914-2,0      |
|      |               | M GC0 000 001>>                    |        |     |              |
|      |               | M ECO 000 001>>                    |        |     |              |
|      |               | M >>GA0 016 000                    |        |     |              |
| 28   | N 011 652 1   | Washer<br>7                        |        | 2   |              |
| 29   | N 014 139 5   | Oval-head screw                    |        | 2   |              |
| 30   | 021 119 553   | AM 6 X 12<br>Grommet               |        | 1   |              |
| 30   | 021 119 555   | for                                |        | 1   |              |
|      |               | Cover plate                        |        |     |              |
|      |               | Cylinder                           |        |     |              |
|      |               | Right                              |        |     |              |
| 31   | 021 119 627 B | Grommet for                        |        | 2   |              |
|      |               | Cover plate                        |        |     |              |
|      |               | Cylinder                           |        |     |              |
|      |               | Left                               |        |     |              |
|      |               | And                                |        |     |              |
| (31) | 022 119 627   | Right<br>Grommet                   |        | 1   | 914-1,8V     |
| (31) | 022 119 627   | for                                |        | 1   | 914-1,00     |
|      |               | Adapter                            |        |     |              |
| 32   | 022 119 629   | Baffle plate                       |        | 1   | 914-4        |
|      |               | M W0 129 582 >>                    |        |     |              |
|      |               | M >> W0 170 000<br>M >>EA0 057 000 |        |     |              |
| 33   | 022 119 639   | Intake manifold                    |        | 1   | 914-4        |
|      |               | M W0 129 582 >>                    |        | _   |              |
|      |               | M >> W0 170 000                    |        |     |              |
| 2.5  | 010 515 0     | M >>EA0 057 000                    |        |     |              |
| 35   | N 010 715 2   | Pan-head screw AM 6 X 15           |        | 4   | 914-4        |
| 35   |               | Pan-head screw                     |        | 2   | 914-1,8      |
|      |               | AM 6 X 15                          |        |     | ,            |
| 36   | N 012 226 5   | Spring washer B 6                  |        | 2   | 914-4/1,8V   |
| 37   | 021 119 957   | Protection cap                     |        | 1   |              |
|      |               | for                                |        |     |              |
|      |               | Oil pressure switch                |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               |                                    |        |     |              |
|      |               | <u> </u>                           |        |     |              |



| Model:   | 914 70                       | Model life 1970>>1976           |        |        |       |
|----------|------------------------------|---------------------------------|--------|--------|-------|
| Pos      | Part Number                  | Description                     | Remark | Qty    | Model |
|          |                              | Cooling air control             |        |        | 914   |
| 1        | 022 119 155                  | Support                         |        | 1      |       |
|          |                              | for                             |        |        |       |
| 2        | 001 110 150 7                | Thermostat Thermostat           |        | 1      |       |
| 2A       | 021 119 159 A<br>N 012 226 5 | Spring washer                   |        | 2      |       |
| 211      | N 012 220 3                  | B 6                             |        |        |       |
| 2B       | 900 076 010 02               | Nut                             |        | 2      |       |
|          |                              | м 6                             |        |        |       |
| 2В       | 900 076 010 0B               | Nut                             |        | 2      |       |
| 3        | 900 075 078 02               | M 6<br>Hexagon-head bolt        |        | 1      |       |
|          | 700 073 070 02               | M 8 X 15                        |        | _      |       |
| 3        | 900 075 078 03               | Hexagon-head bolt               |        | 1      |       |
|          |                              | M 8 X 15                        |        |        |       |
| 4        | N 011 654 2                  | Washer                          |        | 1      |       |
| 5        | 022 119 175                  | 9,5<br>Retaining bracket        |        | 1      |       |
|          | 022 119 173                  | for                             |        | _      |       |
|          |                              | Heating air supply              |        |        |       |
|          |                              | Lower                           |        |        |       |
| 6        | 021 119 187                  | Bearing shell                   | /P     | 2      |       |
| 7        | 021 119 309                  | Heat shield<br>Cooling air duct | /R     | 1      |       |
| 8        | 021 119 711                  | Flap                            | /L     | 1      |       |
| 9        | N 020 022 3                  | Stopper                         | ,      | 1      |       |
|          |                              | A 8 X 1                         |        |        |       |
| 10       | 900 075 116 02               | Hexagon-head bolt               |        | 1      |       |
| 11       | 900 025 002 02               | M 4 X 8<br>Washer               |        | 1      |       |
| 1 11     | 900 023 002 02               | A 4,3                           |        | _      |       |
| 11       | 900 025 002 03               | Washer                          |        | 1      |       |
|          |                              | A 4,3                           |        |        |       |
| 12       | 021 119 725                  | Square nut                      |        | 1      |       |
| 13       | 021 119 729 A                | M 4 Retainer spring             |        | 2      |       |
|          | N 012 226 5                  | Spring washer                   |        | 2      |       |
|          |                              | В 6                             |        |        |       |
| 15       | N 010 710 8                  | Pan-head screw                  |        | 2      |       |
| 1.0      | 001 110 745                  | AM 6 X 10<br>Clip               |        | 1      |       |
| 16<br>17 | 021 119 745<br>021 119 751   | Traction                        |        | 1<br>1 |       |
| 18       | 070 119 765                  | Union nut                       |        | 1      |       |
|          |                              | M 7 X 0,75                      |        |        |       |
| -        | N 011 533 2                  | Washer                          |        | 1      |       |
| 19       | 021 119 769 A                | A 7,4<br>Roller                 |        | 1      |       |
| 20       | 271 821 767                  | Hexagon-head bolt               |        | 1      |       |
|          |                              | м 6                             |        |        |       |
| 21       | 021 119 955                  | Sealing washer                  |        | 1      |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |
|          |                              |                                 |        |        |       |



| Model:   | 914 70         | Model life 1970>>1976 |        |        |          |
|----------|----------------|-----------------------|--------|--------|----------|
| Pos      | Part Number    | Description           | Remark | Qty    | Model    |
|          |                | Air cleaner           |        |        | 914-1,8V |
| 1        | 021 129 545 C  | Engine bracket        |        | 2      | )14 1,0V |
| _        | 021 125 515 0  | for                   |        | _      |          |
|          |                | Air cleaner           |        |        |          |
| _        | N 011 652 1    | Washer                |        | 2      |          |
|          |                | 7                     |        |        |          |
| _        | N 014 139 5    | Oval-head screw       |        | 2      |          |
|          |                | AM 6 X 12             |        |        |          |
| 2        | N 020 022 3    | Stopper               |        | 4      |          |
|          |                | A 8 X 1               |        |        |          |
| 3        | 021 129 607 M  | Air cleaner           |        | 1      |          |
| 4        | 021 129 619 B  | Rubber sleeve         |        | 2      |          |
| (5)      | 021 129 693    | Tensioning spring     |        | 2<br>2 |          |
| 6        | N 012 226 5    | Spring washer B 6     |        | ∠      |          |
| 7        | N 010 713 1    | Pan-head screw        |        | 2      |          |
| <b>'</b> | N 010 /13 1    | AM 6 X 8              |        | ۷      |          |
| 8        | 021 129 620    | Air cleaner cartridge |        | 1      |          |
| 9        | 021 129 623    | Intake manifold       |        | 1      |          |
| 10       | 111 129 635    | Hexagon-head bolt     |        | 1      |          |
| 11       | 900 076 010 02 | Nut                   |        | 1      |          |
|          |                | м 6                   |        |        |          |
| 11       | 900 076 010 0B | Nut                   |        | 1      |          |
|          |                | м 6                   |        |        |          |
| 12       | 021 129 625 B  | Sealing ring          |        | 2      |          |
| 13       | 021 129 631 A  | End piece             |        | 2      |          |
| 14       | 113 129 828 A  | Oil thermostat        |        | 1      |          |
| 15       | 113 129 830    | Tab washer            |        | 1      |          |
| 16       | N 020 361 2    | Hose                  |        | *      |          |
|          |                | 4 X 2,5               |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |
|          |                |                       |        |        |          |




|          | 91470                        | Widderlife 1970>>1970     |        |        |               |
|----------|------------------------------|---------------------------|--------|--------|---------------|
| Pos      | Part Number                  | Description               | Remark | Qty    | Model         |
|          |                              | Air cleaner               |        |        | 914-4/1,7     |
|          |                              |                           |        |        | 914-1,8/2,0   |
| 1        | 022 129 541 A                | Engine bracket            |        | 1      | 914-4/1,7     |
| (1)      | 022 129 541 B                | Engine bracket            |        | 1      | 914-1,8       |
| (1)      | 039 129 541 A                | Engine bracket            |        | 1      | 914-2,0       |
| _        | N 012 226 5                  | Spring washer             |        | 3      | 914-1,8       |
|          |                              | B 6                       |        |        |               |
| _        | N 010 210 13                 | Hexagon-head bolt         |        | 3      | 914-1,8       |
|          | 1. 010 210 13                | M 6 X 10                  |        |        |               |
| 2        | N 010 351 2                  | Hexagon-head bolt         |        | 1      | 914-4/1,7     |
| _        |                              | M 8 X 52                  |        | _      |               |
| (2)      | 900 075 083 02               | Hexagon-head bolt         |        | 1      | 914-2,0       |
| (2)      | ]                            | M 8 X 25                  |        | -      |               |
| 3        | 900 025 007 02               | Washer                    |        | 1      | 914-4/1,7     |
|          |                              | B 8,4                     |        | _      |               |
| 3        | 900 025 007 03               | Washer                    |        | 1      | 914-4/1,7     |
|          |                              | В 8,4                     |        | -      |               |
| (3)      | N 012 228 3                  | Spring washer             |        | 1      | 914-2,0       |
| (3)      |                              | B 8                       |        | _      |               |
| 4        | N 011 118 14                 | Hexagon nut               |        | 1      | 914-4/1,7     |
| 1        |                              | BM 8                      |        | _      |               |
| 4        | 900 034 001 05               | Hexagon nut               |        | 1      | 914-4/1,7     |
| _        | 700 034 001 03               | BM 8                      |        |        |               |
| 5        | N 020 022 3                  | Stopper                   |        | 5      | 914-4/1,7     |
| 5        | N 020 022 3                  | A 8 X 1                   |        | 5      | 914-1,8/2,0   |
| 5        |                              | Stopper                   |        | 4      | 914-1,8/2,0   |
| 5        |                              | A 8 X 1                   |        | 4      | 914-1,0/2,0   |
| (6)      | 022 129 607                  | Air cleaner               |        | 1      | 914-4         |
| (0)      | 022 129 007                  | M >> W0 129 581           |        | 1      | 914-4         |
| (6)      | 022 129 607 C                | Air cleaner               |        | 1      | 914-4         |
| (0)      | 022 129 007 C                | Carbon canister           |        | 1      | 914-4         |
|          |                              | M >> W0 129 581           |        |        |               |
| 6        | 022 129 607 E                | Air cleaner               |        | 1      | 914-4         |
| 0        | 022 129 007 E                | M W0 129 582 >>           |        |        | 914-4         |
|          |                              | M >> W0 170 000           |        |        |               |
|          |                              | M >>EA0 057 000           |        |        |               |
| 7        | 022 129 607 н                | Air cleaner               |        | 1      | 914-1,7       |
| <b>'</b> | 022 129 007 H                | M EA0 057 001>>           |        |        | 914-1,7       |
| 7A       | 022 129 607 K                | Air cleaner               |        | 1      | 914-1,8       |
| / A<br>- | N 016 060 1                  | Hexagon nut               |        | 1      | 914-1,8       |
| _        | N 019 090 1                  | 8 X 20                    |        | 1      | 914-1,6       |
| _        | N 012 229 3                  | Spring washer             |        | 1      | 914-1,8       |
| _        | N 012 229 3                  | A 8                       |        |        | 914-1,6       |
| (7)      | 039 129 607 A                | Air cleaner               |        | 1      | 914-2,0       |
| ( / )    | 039 149 00/ A                | M >>GAO 016 000           |        |        | ) 1 T - Z , U |
| (7A)     | 039 129 607 н                | Air cleaner               |        | 1      | 914-2,0       |
| (/A)     | 037 129 00 / II              | Use also:                 |        |        | ) 1           |
|          |                              | 039 131 594               |        |        |               |
|          |                              | 021 131 599               |        |        |               |
|          |                              | Gasket                    |        |        |               |
|          |                              | M GCO 000 001>>           |        |        |               |
| 7в       | 039 131 594                  | Flange                    |        | 1      | 914-2,0       |
| 7B<br>7C | N 010 216 7                  | Hexagon-head bolt         |        | 1<br>2 | 914-2,0       |
| / C      | N 010 216 /                  | M 6 X 18                  |        | Δ      | 914-2,0       |
| 7D       | N 012 226 5                  | M 6 X 18<br>Spring washer |        | 2      | 914-2,0       |
| עי       | IN OT7 770 2                 | Spring wasner B 6         |        |        | 914-4,U       |
| 777      | 001 121 E00 A                | Gasket                    |        | 1      | 014 2 0       |
| 7E<br>8  | 021 131 599 A<br>022 129 620 |                           |        | 1      | 914-2,0       |
| ۵        | 022 129 020                  | Air cleaner cartridge     |        | 1      | 914-1,7       |
| 0.7      | 020 120 620 7                | M EAO 057 001>>           |        | 1      | 014 1 0/0 0   |
| 8A       | 039 129 620 A                | Air cleaner cartridge     |        | 1      | 914-1,8/2,0   |
|          | 021 129 757 A                | M >>GAO 016 000           |        | 1      | 014 1 7       |
| 9        | 021 129 /5/ A                | Plug                      |        | 1      | 914-1,7       |
|          |                              | M EA0 057 001>>           |        |        |               |


| Model:     | 914 70                     | Model life 1970>>1976               |        |     |                      |
|------------|----------------------------|-------------------------------------|--------|-----|----------------------|
| Pos        | Part Number                | Description                         | Remark | Qty | Model                |
| (10)       | 022 129 623 A              | Intake manifold                     |        | 1   | 914-4                |
|            |                            | M >> W0 129 581                     |        |     |                      |
| 10         | 022 129 623 B              | Intake manifold                     |        | 1   | 914-4/1,7            |
|            |                            | M W0 129 582 >><br>M >>EA0 098 793  |        |     |                      |
| (10)       | 022 129 623 C              | Intake manifold                     |        | 1   | 914-1,8              |
| 11         | 111 129 635                | Hexagon-head bolt                   |        | 1   | 914-4/1,7            |
|            |                            |                                     |        |     | 914-2,0              |
| 12         | 900 076 010 02             | Nut                                 |        | 1   | 914-4/1,7            |
| 12         | 900 076 010 0B             | M 6<br>Nut                          |        | 1   | 914-2,0<br>914-4/1,7 |
|            | 000 070 010 02             | М 6                                 |        | -   | 914-2,0              |
| (11)       | N 010 697 1                | Pan-head screw                      |        | 1   | 914-1,8              |
|            |                            | AM 4 X 10                           |        | _   |                      |
| (12)       | 900 076 010 02             | Nut<br>M 4                          |        | 1   | 914-1,8              |
| (12)       | 900 076 010 0B             | Nut                                 |        | 1   | 914-1,8              |
| (,         |                            | M 4                                 |        |     |                      |
| 13         | 022 129 637                | Elbow                               |        | 2   | 914-4/1,7            |
| 1.4        | 000 100 637 B              | Connecting hose                     |        | 1   | 914-2,0              |
| 14         | 022 129 637 B              | Union Air distributor               |        | 1   | 914-4                |
|            |                            | M W0 129 582 >>                     |        |     |                      |
|            |                            | M EA0 000 001>>                     |        |     |                      |
| 15         | 022 129 647                | Connection piece                    |        | 1   | 914-4                |
|            |                            | Air cleaner<br>M W0 129 582 >>      |        |     |                      |
|            |                            | M EAO 000 001>>                     |        |     |                      |
| 15A        | 022 906 301                | Mass air flow meter                 |        | 1   | 914-1,8              |
|            |                            | M >>EC0 037 551                     |        |     |                      |
| (15A)      | 473 906 301                | Mass air flow meter M ECO 037 552>> |        | 1   | 914-1,8              |
| 15B        | 900 014 004 02             | Pan-head screw                      |        | 5   | 914-1,8              |
| 102        |                            | M 6 X 12                            |        |     |                      |
| 15C        | N 012 226 5                | Spring washer                       |        | 5   | 914-1,8              |
| 150        | 000 100 601                | B 6                                 |        | 1   | 014 1 0              |
| 15D<br>15E | 022 129 681<br>022 129 682 | Desk pad<br>Desk pad                |        | 1 2 | 914-1,8<br>914-1,8   |
|            | 022 129 683                | Gasket                              |        | 1   | 914-1,8              |
| -          | 039 129 681                | Support                             |        | 1   | 914-2,0              |
|            | 020 100 600                | Air cleaner                         |        |     | 014 0 0              |
| _          | 039 129 688<br>039 129 691 | Bush<br>Connecting hose             |        | 1 2 | 914-2,0<br>914-2,0   |
|            | 039 129 091                | 40 MM                               |        |     | J11 2,0              |
| 16         | 022 129 961                | Distributor                         |        | 1   | 914-4/1,7            |
|            |                            |                                     |        |     | 914-2,0              |
|            |                            | M W0 129 582 >><br>M EA0 000 001>>  |        |     |                      |
| 16A        | 022 129 967 T              | Elbow                               |        | 1   | 914-1,8              |
| 17         | 022 133 085                | Connecting tube                     |        | 2   | 914-4                |
|            |                            | M W0 129 582 >>                     |        |     |                      |
| 17         |                            | M >>EAO 098 793<br>Connecting tube  |        | 1   | 914-1,7              |
| 1 1/       |                            | M W0 129 582 >>                     |        |     | 914-1,/              |
|            |                            | M >>EA0 098 793                     |        |     |                      |
| 18         | 411 819 365 A              | Breather hose                       |        | 1   | 914-4                |
|            |                            | Suction hose                        |        |     |                      |
|            |                            | 320 MM<br>M W0 129 582 >>           |        |     |                      |
|            |                            | M >> W0 170 000                     |        |     |                      |
|            |                            | M >>EA0 057 000                     |        |     |                      |
| 19         | 111 501 159 B              | Hose clamp                          |        | 2   | 914-4                |
|            |                            | \$ 44 - 64 MM                       |        |     |                      |

| inouci. | 31470       | Model ne 191921919 |        | 2.  |             |
|---------|-------------|--------------------|--------|-----|-------------|
| Pos     | Part Number | Description        | Remark | Qty | Model       |
|         |             | M WO 129 582 >>    |        |     |             |
|         |             | M >> W0 170 000    |        |     |             |
|         |             | M >>EAO 057 000    |        |     |             |
| 20      | N 020 281 1 | Hose               |        | *   | 914-4/1,7   |
|         |             | 7 X 2,5            |        |     | 914-2,0     |
| 21      | N 020 361 2 | Hose               |        | *   | 914-4/1,7   |
|         |             | 4 X 2,5            |        |     | 914-2,0     |
| 22      | N 020 290 1 | Hose               |        | *   | 914-4/1,7   |
|         |             | 12 X 3,3           |        |     | 914-1,8/2,0 |
| _       | N 020 343 1 | Hose               |        | *   | 914-2,0     |
|         |             | 18 X 2,5           |        |     |             |
|         |             | Pot                |        |     |             |
|         |             | Bleeder            |        |     |             |
|         |             | Air cleaner        |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
|         |             |                    |        |     |             |
| 1       | I           |                    |        |     |             |

PORSCHE Illustration: 117-05



| Model:   | 914 70         | Model life 1970>>1976         |        |     |          |
|----------|----------------|-------------------------------|--------|-----|----------|
| Pos      | Part Number    | Description                   | Remark | Qty | Model    |
|          |                | Intake connection             |        |     | 914-1,8V |
|          |                | Intake pipe                   |        |     | 711 1/01 |
|          |                | Control shaft                 |        |     |          |
| 1        | 021 129 705 T  | Intake connection             | /R     | 1   |          |
| 2        | 021 129 706 T  | Intake connection             | /L     | 1   |          |
| 3        | N 014 396 3    | Stud                          |        | 4   |          |
|          |                | AM 8 X 50                     |        |     |          |
| 4        | 021 129 637 F  | Connecting hose               |        | 2   |          |
| 5        | 021 129 693    | Tensioning spring             |        | 2   |          |
| 6        | N 012 226 5    | Spring washer B 6             |        | 2   |          |
| 7        | N 010 713 1    | Pan-head screw                |        | 2   |          |
| <b>'</b> | N 010 /13 1    | AM 6 X 8                      |        |     |          |
| 8        | 021 129 707 E  | Gasket                        |        | 4   |          |
|          |                | for                           |        | -   |          |
|          |                | Intake connection             |        |     |          |
| 9        | N 012 241 11   | Spring washer                 |        | 4   |          |
|          |                | B 8 X 15                      |        |     |          |
| 10       | N 011 008 8    | Hexagon nut                   |        | 1   |          |
|          |                | M 8                           |        | l . |          |
| 11       | 021 129 721 M  | Connecting tube               |        | 1   |          |
| 11A      | 021 129 727 B  | Support                       |        | 1   |          |
| 11B      | N 011 555 1    | Washer                        |        | 1   |          |
| 11C      | N 011 372 3    | 4,3<br>Pan-head tapping screw |        | 1   |          |
| 110      | N 011 3/2 3    | B 3,9 X 6,5                   |        |     |          |
| 12       | 021 129 753    | Plug                          |        | 1   |          |
| 1 2      | 021 125 733    | \$ 7 MM                       |        | -   |          |
| 13       | 021 129 795 D  | Gasket                        |        | 2   |          |
| 14       | 021 129 842 B  | Pull rod                      |        | 2   |          |
| 15       | 021 129 917 C  | Bearing bracket               | /R     | 1   |          |
| 16       | 021 129 918 B  | Bearing bracket               | /L     | 1   |          |
| 17       | N 012 226 5    | Spring washer                 |        | 4   |          |
|          |                | В 6                           |        | ١.  |          |
| 18       | N 010 215 13   | Hexagon-head bolt             |        | 4   |          |
| 19       | 021 129 933 P  | M 6 X 15<br>Control shaft     |        | 1   |          |
| 20       | 021 129 953 P  | Ball pin                      |        | 1   |          |
| 21       | 021 129 959    | Compression spring            |        | 1   |          |
| 22       | 022 133 139    | Eccentric bolt                |        | 1   |          |
| _        | 411 721 577    | Eccentric bolt                |        | 1   |          |
| _        | 900 906 005 01 | Circlip                       |        | 1   |          |
| _        | N 029 964 1    | Threaded pin                  |        | 1   |          |
|          |                | AM 5 X 6                      |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |
|          |                |                               |        |     |          |




| Pos  | Part Number    | Description                        | Remark | Qty | Model                |
|------|----------------|------------------------------------|--------|-----|----------------------|
|      |                | Injection system                   |        |     | 914-4/1,7            |
|      |                |                                    |        |     | 914-1,8/2,0          |
| 1    | 022 129 707 C  | Gasket                             |        | 2   | 914-4/1,7            |
| 1    | 022 129 707 F  | Gasket without asbestos            |        | 2   | 914-4/1,7            |
| (1)  |                | Gasket                             |        | 2   | 914-1,8              |
|      |                | without asbestos                   |        |     |                      |
| (1)  | 039 129 707    | Gasket                             |        | 2   | 914-2,0              |
| _    | N 012 241 11   | Spring washer<br>B 8 X 15          |        | 6   |                      |
| _    | N 011 008 8    | Hexagon nut                        |        | 6   |                      |
|      |                | м 8                                |        |     |                      |
| -    | 900 025 007 02 | Washer                             |        | 6   | 914-1,8              |
| _    | 900 025 007 03 | A 8,4<br>Washer                    |        | 6   | 914-1,8              |
|      | 000 023 007 03 | A 8,4                              |        | ľ   |                      |
| (2)  | 039 129 881 A  | Spring                             |        | 1   | 914-4/2,0            |
|      |                | 102 MM                             |        |     |                      |
|      |                | M GCO 000 001>><br>M >> WO 129 581 |        |     |                      |
|      |                | M >>GA0 016 000                    |        |     |                      |
| 2    | 022 129 881 F  | Return spring                      |        | 1   | 914-4/1,7            |
|      |                | 100 MM                             |        |     |                      |
|      |                | M W0 129 582 >><br>M >> W0 250 000 |        |     |                      |
|      |                | M >>EA0 098 793                    |        |     |                      |
|      |                | M >>EB0 010 020                    |        |     |                      |
| (2)  |                | Return spring                      |        | 1   | 914-1,8/2,0          |
| 3    | 111 129 921    | Bearing pin                        |        | 1   |                      |
| 4    | N 010 205 6    | Hexagon-head bolt                  |        | 1   | 914-4/1,7            |
|      |                | M 5 X 10                           |        |     | 914-2,0              |
| 4    | 900 075 105 02 | Screw M 5 X 10                     |        | 1   | 914-4/1,7<br>914-2,0 |
| 5    | 022 129 967 P  | Elbow                              |        | 1   | 914-2,0              |
|      |                | for                                |        |     |                      |
|      |                | Air cleaner                        |        |     |                      |
| 5A   | 022 129 967 T  | M >> W0 170 000<br>Elbow           |        | 1   | 914-1,8              |
| 6    | 211 255 463    | Clip                               |        | 1   | 914-4/1,8            |
|      |                | \$ 62 - 87 MM                      |        |     |                      |
| 7    | PCG 133 030 A  | Pressure regulator                 |        | 1   | 914-4/1,7            |
| (7)  | 022 906 035    | Pressure regulator                 |        | 1   | 914-2,0<br>914-1,8   |
| 8    | 022 133 055 G  | Distributor                        |        | 1   | 914-4/1,7            |
| (8)  | 039 133 055 B  | Distributor                        |        | 1   | 914-2,0              |
|      |                | See group 1/17/15                  |        |     |                      |
|      |                | M >>GAO 006 765                    |        |     |                      |
| 9    | N 010 351 2    | Hexagon-head bolt                  |        | 1   | 914-4/1,7            |
|      |                | BM 8 X 52                          |        |     | 914-2,0              |
| 10   | N 012 241 11   | Spring washer<br>B 8 X 15          |        | 1   |                      |
| 11   | 900 025 007 02 | Washer                             |        | 1   |                      |
|      |                | A 8,4                              |        |     |                      |
| 11   | 900 025 007 03 | Washer                             |        | 1   |                      |
| 12   | N 011 008 8    | A 8,4<br>Hexagon nut               |        | 1   |                      |
| 12   | 14 OTT 000 0   | M 8                                |        |     |                      |
| 13   | 022 133 062 D  | Throttle body                      |        | 1   | 914-4/1,7            |
| (13) | 039 133 062 D  | Throttle body                      |        | 1   | 914-2,0              |
|      |                | See group 1/17/15                  |        |     |                      |
|      | 1              | 1,11,13                            |        |     |                      |

| woder.   | 914 70         | Wodeline 1970>>1976 |        |  |             |
|----------|----------------|---------------------|--------|--|-------------|
| Pos      | Part Number    | Description         | Remark | Qty  | Model       |
|          |                | <u> </u>            |        | <del>                                     </del> |             |
|          |                | M >>GA0 006 765     |        |  |             |
| 14       | N 012 226 5    | Spring washer       |        | 2  | 914-4/1,7   |
|          |                | В 6                 |        |  | 914-1,8     |
| (14)     | N 012 228 3    | Spring washer       |        | 2  | 914-2,0     |
|          |                | В 8                 |        |  |             |
| 15       | N 014 145 3    | Oval-head screw     |        | 2  | 914-4/1,7   |
|          |                | BM 6 X 30           |        |  | 914-1,8     |
| (15)     | N 010 241 2    | Hexagon-head bolt   |        | 2  | 914-2,0     |
|          |                | M 8 X 25            |        |  |             |
| 16       | 022 133 073    | Gasket              |        | 1  | 914-4/1,7   |
| (16)     | 022 133 073 A  | Gasket              |        | 1  | 914-1,8     |
| (16)     | 039 133 073    | Gasket              |        | 1  | 914-2,0     |
| 17       | 022 133 075 A  | Gasket              |        | 1  | 914-4/1,7   |
| (17)     |                | Gasket              |        | 1  | 914-1,8     |
| (17)     | 039 133 075 A  | Gasket              |        | 1  | 914-2,0     |
| ( + , ,  |                | 0,5 MM              |        | _  |             |
| (17)     | 039 133 075 B  | Gasket              |        | 1  | 914-2,0     |
|          | 039 133 073 B  | 0,8 MM              |        | -  | J14 2,0     |
| 18       | 039 133 079 A  | Intermediate piece  |        | 1  | 914-2,0     |
| (19)     | 022 133 199    | Intermediate piece  |        | 1  | 914-2,0     |
|          |                |                     |        | 1  |             |
| 19       | 022 133 199 A  | Intermediate piece  |        | 1  | 914-1,7     |
| 19A      | 022 133 199 C  | Intermediate piece  |        | 1  | 914-1,8     |
| 19B      | 022 133 199 D  | Intermediate piece  |        | 1  | 914-1,8     |
| 19C      | 022 129 973    | Hose                |        | 1  | 914-1,8     |
| 20       | 022 133 201 B  | Intake manifold     | /R     | 1  | 914-4/1,7   |
| (20)     | 022 133 201 D  | Intake manifold     | /R     | 1  | 914-1,8     |
| (20)     | 022 133 202 B  | Intake manifold     | /L     | 1  | 914-4/1,7   |
| (20)     | 022 133 202 D  | Intake manifold     | /L     | 1  | 914-1,8     |
| (20)     | 039 133 201 B  | Intake manifold     |        | 2  | 914-2,0     |
| 21       | 022 133 241 B  | Connecting hose     |        | 4  | 914-4/1,7   |
| (21)     | 039 133 241    | Connecting hose     |        | 4  | 914-1,8/2,0 |
| (22)     | 311 133 261    | Valve seat          |        | 4  | 914-4       |
|          |                | Inner               |        |  |             |
|          |                | M >> W0 057 460     |        |  |             |
| 22       | 311 133 261 A  | Valve seat          |        | 4  |             |
|          |                | Inner               |        |  |             |
|          |                | M GC0 000 001>>     |        |  |             |
|          |                | M ECO 000 001>>     |        |  |             |
|          |                | M W0 057 461 >>     |        |  |             |
|          |                | M >>EA0 098 793     |        |  |             |
|          |                | M >>EBO 010 020     |        |  |             |
|          |                | M >>GAO 016 000     |        |  |             |
|          |                | M >> W0 250 000     |        |  |             |
| 23       | 311 133 263    | Valve seat          |        | 4  |             |
|          |                | Outer               |        | 1 -  |             |
| 24       | 022 133 271    | Pressure plate      |        | 4  |             |
| 2 4      | 022 133 271    | for                 |        | 1 -  |             |
|          |                | Valve seat          |        |  |             |
| 25       | N 012 226 5    | Spring washer       |        | 4  |             |
| _ ∠5     | N 012 226 5    | B 6                 |        | 1 4  |             |
| 26       | 900 076 010 02 | Nut                 |        | 4  |             |
| ∠⁰       | 900 076 010 02 |                     |        | 4  |             |
| 0.5      |                | M 6                 |        | l .  |             |
| 26       | 900 076 010 0B | Nut                 |        | 4  |             |
|          |                | М 6                 |        |  |             |
| 27       | 022 133 285 B  | Support             |        | 1  | 914-4/1,7   |
| (27)     |                | Support             |        | 1  | 914-1,8     |
| (27)     | 039 133 285 B  | Support             |        | 1  | 914-2,0     |
| 28       | 311 133 307    | Hexagon nut         |        | 1  | 914-4/1,7   |
|          |                |                     |        |  | 914-2,0     |
| 29       | 311 133 309    | Insulating piece    |        | 1  | 914-4/1,7   |
|          |                |                     |        |  | 914-2,0     |
| 30       | 022 133 315 B  | Fuel line           | /L     | 1  |             |
|          |                | Distributor         |        |  |             |
| <u> </u> | !              | !                   |        |  |             |


| Model: | 914 70                        | Model life 1970>>1976              |        |        |                      |
|--------|-------------------------------|------------------------------------|--------|--------|----------------------|
| Pos    | Part Number                   | Description                        | Remark | Qty    | Model                |
| 31     | N 090 196 1                   | Hexagon-head bolt                  |        | 1      |                      |
| -      |                               | with                               |        | _      |                      |
|        |                               | Sealing ring                       |        |        |                      |
|        |                               | M 4 X 8                            |        |        |                      |
| 32     | 022 133 321 B                 | Fuel line                          | /R     | 1      |                      |
|        |                               | Distributor                        |        |        |                      |
| 33     | 999 512 255 02                | Hose clamp                         |        | 11     |                      |
|        |                               | for                                |        |        |                      |
|        |                               | Fuel hose                          |        |        |                      |
| 2.4    | 000 006 001 7                 | \$ 13 MM                           |        | 1      | 014 4/1 7            |
| 34     | 022 906 031 A                 | Injector valve Use also:           |        | 4      | 914-4/1,7            |
|        |                               | 311.133.261 A                      |        |        |                      |
|        |                               | M >> W0 057 460                    |        |        |                      |
| (34)   | 022 906 031 C                 | Injector valve                     |        | 1      | 914-1,8              |
| (34)   | 039 906 031                   | Injector valve                     |        | 4      | 914-2,0              |
|        |                               | M >>GAO 016 000                    |        |        |                      |
| (34)   | 039 906 031 A                 | Injector valve                     |        | 4      | 914-2,0              |
|        |                               | M GCO 000 001>>                    |        |        |                      |
|        |                               | Connector housing                  |        |        |                      |
|        |                               | Black                              |        |        |                      |
| -      | 037 906 240                   | Connector housing                  |        | 4      |                      |
| -      | 357 972 741 A                 | Grommet                            |        | 8      |                      |
| 35     | 999 652 456 22<br>311 906 033 | Contact spring Guide sleeve        |        | 8<br>4 | 914-4/1,7            |
| 36     | 022 906 041 A                 | Temperature sensor                 |        | 1      | 914-4/1,/            |
| 30     | 022 900 041 A                 | for                                |        |        | 914-2,0              |
|        |                               | Cylinder head                      |        |        |                      |
|        |                               | M >>GAO 006 765                    |        |        |                      |
| 36     | 311 906 041 A                 | Temperature sensor                 |        | 1      |                      |
|        |                               | for                                |        |        |                      |
|        |                               | Cylinder head                      |        |        |                      |
|        |                               | M ECO 000 001>>                    |        |        |                      |
|        |                               | M GC0 000 001>>                    |        |        |                      |
|        |                               | M GAO 006 766>>                    |        |        |                      |
|        |                               | M >>EAO 098 793                    |        |        |                      |
|        |                               | M >>EB0 010 020<br>M >>GA0 016 000 |        |        |                      |
|        |                               | M >> W0 250 000                    |        |        |                      |
| _      | 039 971 762 A                 | Resistor                           |        | 1      | 914-2,0              |
|        |                               | with                               |        | _      | ]                    |
|        |                               | Temperature sensor                 |        |        |                      |
|        |                               | M >>GA0 016 000                    |        |        |                      |
| -      | 914 606 101 00                | Resistor                           |        | 1      | 914-2,0              |
|        |                               | with                               |        |        |                      |
| 1      |                               | Temperature sensor                 |        |        |                      |
| 25     | 000 006 045                   | M >>GAO 016 000                    |        | 1      | 014 4/1 7            |
| 37     | 022 906 045                   | Auxiliary air regulator            |        | 1      | 914-4/1,7<br>914-2,0 |
| 37A    | 944 606 103 00                | Auxiliary air regulator            |        | 1      | 914-2,0              |
| 37A    | 944 606 103 01                | Auxiliary air regulator            |        | 1 1    | 914-1,8              |
|        | 944 606 103 AX                | Auxiliary air regulator            |        | 1      | 914-1,8              |
| 37B    | N 020 377 1                   | Hose                               |        | 1      | 914-1,8              |
| 37C    | 022 129 637                   | Elbow                              |        | 1      | 914-1,8              |
| 37D    |                               | Deleted                            |        | Х      |                      |
| 37E    | 022 129 260                   | Clip                               |        | 1      | 914-1,8              |
| 37F    | 022 133 215                   | Y-piece                            |        | 1      | 914-1,8              |
| 37G    | 022 133 161                   | Support                            |        | 1      | 914-1,8              |
| 38     | 900 028 007 02                | Spring washer B 5                  |        | 2      | 914-4/1,7            |
| 38A    | N 012 226 5                   | Spring washer                      |        | 2      | 914-2,0<br>914-1,8   |
| AOC    | IN OTT 770 3                  | B 6                                |        | _      | ) , o                |
| 39     | N 010 704 2                   | Pan-head screw                     |        | 2      | 914-4/1,7            |
|        | 1 /                           |                                    |        |        | 1 / - / -            |

| Model:     | 914 70                       | Model life 1970>>1976                       |        |     |                      |
|------------|------------------------------|---|--------|-----|----------------------|
| Pos        | Part Number                  | Description                                 | Remark | Qty | Model                |
|            |                              | AM 5 X 10                                   |        |     | 914-2,0              |
| 39A        | N 014 138 7                  | Oval-head screw                             |        | 2   | 914-1,8              |
|            |                              | M 6 X 10                                    |        |     |                      |
| 40         | 311 906 081 A                | Temperature sensor                          |        | 1   | 914-4/1,7            |
|            |                              | for   |        |     | 914-2,0              |
| 4.1        |                              | Distributor housing                         |        |     | 014 4/1 5            |
| 41         | N 013 830 2                  | Sealing ring A 8 X 12                       |        | 1   | 914-4/1,7<br>914-2,0 |
| (42)       | 022 906 111 A                | Throttle-valve switch                       |        | 1   | 914-2,0              |
| (12)       |                              | M >> W0 129 581                             |        |     | 7 - 1, - 1, -        |
| 42         | 022 906 111 B                | Throttle-valve switch                       |        | 1   | 914-4/1,7            |
|            |                              | M >>EAO 098 793                             |        |     |                      |
|            |                              | M W0 129 582 >>                             |        |     |                      |
|            |                              | M >> W0 250 000                             |        |     |                      |
| (42)       | 022 906 111 D                | Throttle-valve switch                       |        | 1   | 914-1,8              |
| (42)<br>43 | 039 906 111 A<br>N 012 121 2 | Throttle-valve switch<br>Shake-proof washer |        | 1 2 | 914-2,0              |
| 43         | N 012 121 2                  | A 4,3                                       |        |     |                      |
| 44         | N 010 703 2                  | Pan-head screw                              |        | 2   |                      |
|            |                              | AM 4 X 8                                    |        |     |                      |
| 45         | 022 906 171 A                | Solenoid valve                              |        | 1   | 914-4/1,7            |
| (45)       | 022 906 171 в                | Solenoid valve                              |        | 1   | 914-1,8              |
| (45)       | PCG 906 171 B                | Valve                                       |        | 1   | 914-2,0              |
| (45)       |                              | Valve                                       |        | 1   | 914-2,0              |
| 46         | N 012 226 5                  | Spring washer A 6                           |        | 2   |                      |
| 47         | N 010 710 8                  | Pan-head screw                              |        | 2   | 914-4/1,7            |
| 1          | 1, 010 /10 0                 | AM 6 X 10                                   |        |     | 914-1,8              |
| (47)       | N 010 727 1                  | Pan-head screw                              |        | 2   | 914-2,0              |
|            |                              | AM 6 X 30                                   |        |     |                      |
| (48)       | 311 906 161 A                | Temperature switch                          |        | 1   | 914-4                |
| 48         | 311 906 161 C                | M >> W0 057 460 Temperature switch          |        | 1   | 914-4/1,7            |
| 10         | 311 900 101 C                | Temperature switch                          |        |     | 914-2,0              |
|            |                              | M W0 057 461 >>                             |        |     | 711 270              |
|            |                              | M >>EAO 098 793                             |        |     |                      |
|            |                              | M >>EB0 010 020                             |        |     |                      |
|            |                              | M >>GA0 016 000                             |        |     |                      |
|            |                              | M >> W0 250 000                             |        |     |                      |
| (48)       | 022 906 163                  | Temperature switch                          |        | 1   | 914-1,8              |
| (48)       | 022 906 163 A                | M >>ECO 037 551 Temperature switch          |        | 1   | 914-2,0              |
| (40)       | 022 900 103 A                | M GC0 000 001>>                             |        |     | 914-2,0              |
| (48)       | 043 906 163                  | Temperature switch                          |        | 1   | 914-1,8              |
|            |                              | M ECO 037 552>>                             |        |     |                      |
| 49         | N 020 353 5                  | Hose  |        | *   |                      |
|            |                              | 3,5 X 2                                     |        |     |                      |
| 49         | PCG 020 353 5                | Hose  |        | 1   |                      |
| 50         | N 020 281 1                  | 3,5 X 2 x 5000<br>Hose                      |        | *   |                      |
|            | N 020 201 1                  | 7 X 2,5                                     |        |     |                      |
| 50B        | N 020 371 1                  | Hose  |        | *   |                      |
|            |                              | 14 X 2,5                                    |        |     |                      |
| 51         | N 020 290 1                  | Hose  |        | *   |                      |
|            |                              | 12 X 3,3                                    |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |
|            |                              |   |        |     |                      |



| Model:     | 914 70        | Model life 1970>>1976                  |        |     |             |
|------------|---------------|--|--------|-----|-------------|
| Pos        | Part Number   | Description                            | Remark | Qty | Model       |
|            |               | Injection system                       |        |     | 914-4/1,7   |
|            |               |  |        |     | 914-1,8/2,0 |
| 1          | 022 129 967 L | Elbow                                  |        | 1   | 914-4       |
|            |               | for                                    |        |     |             |
|            |               | Air cleaner<br>M >>EA0 057 000         |        |     |             |
| (1)        | 022 129 967 Q | Elbow                                  |        | 1   | 914-4/1,7   |
| ( + /      | 022 123 307 Q | for                                    |        | _   |             |
|            |               | Air cleaner                            |        |     |             |
|            |               | M EA0 057 001>>                        |        |     |             |
|            |               | M >> W0 250 000                        |        |     |             |
|            |               | M >>EAO 098 793                        |        |     |             |
| 2          | 022 133 055 K | M >>EB0 010 020<br>Distributor         |        | 1   | 914-4/1,7   |
| (2)        | 022 133 055 K | Distributor housing                    |        | 1   | 914-1,8     |
| ( - /      |               | M >>ECO 037 551                        |        | _   |             |
| (2)        |               | Distributor housing                    |        | 1   | 914-1,8     |
|            |               | M ECO 037 552>>                        |        |     |             |
| (2)        | 039 133 055 D | Distributor housing                    |        | 1   | 914-2,0     |
|            |               | M GAO 006 766>>                        |        |     |             |
| (2)        | 039 133 055 E | M >>GA0 016 000<br>Distributor housing |        | 1   | 914-2,0     |
| (2)        | 039 133 033 E | M GC0 000 001>>                        |        | _   | J14 Z,0     |
| 3          | 022 133 062 E | Throttle body                          |        | 1   | 914-4/1,7   |
|            |               | M >> WO 250 000                        |        |     |             |
|            |               | M >>EAO 098 793                        |        |     |             |
| (2)        | 000 100 000   | M >>EBO 010 020                        |        |     |             |
| (3)        | 022 133 062 н | Throttle body M >>ECO 037 551          |        | 1   | 914-1,8     |
| (3)        | 022 133 062 R | Throttle body                          |        | 1   | 914-1,8     |
|            | 022 133 002 K | M ECO 037 552>>                        |        | _   |             |
| (3)        | 022 133 062 L | Throttle body                          |        | 1   | 914-1,8     |
|            |               |  |        |     | (CAL)       |
|            |               | M >>ECO 037 551                        |        | _   |             |
| (3)        | 022 133 062 S | Throttle body                          |        | 1   | 914-1,8     |
|            |               | M ECO 037 552>>                        |        |     | (CAL)       |
| (3)        | 039 133 062 B | Throttle body                          |        | 1   | 914-2,0     |
| ,          |               | M GAO 006 766>>                        |        |     |             |
|            |               | M >>GAO 016 000                        |        |     |             |
| (3)        | 039 133 062 C | Throttle body                          |        | 1   | 914-2,0     |
|            |               | M GC0 000 001>>                        |        |     | (CAL)       |
| (3)        | 039 133 062 D | Throttle body                          | (J)    | 1   | 914-2,0     |
| (3)        | 039 133 002 D | M GC0 000 001>>                        | (0)    | _   | J14 2,0     |
| -          | N 011 151 2   | Hexagon nut                            |        | 1   | 914-1,8     |
|            |               | м 8                                    |        |     |             |
|            |               | for                                    |        |     |             |
| <b>l</b> . |               | Shaft                                  |        |     |             |
| 4          | 022 133 083   | Elbow<br>for                           |        | 1   | 914-4/1,7   |
|            |               | Auxiliary air regulator                |        |     |             |
|            |               | M >>EAO 098 793                        |        |     |             |
| 5          | 022 133 085   | Connecting tube                        |        | 2   | 914-4       |
| 1          |               | M >>EA0 098 793                        |        |     |             |
|            |               | M W0 129 582 >>                        |        |     |             |
| 5          |               | M >> W0 250 000 Connecting tube        |        | 1   | 914-1,7     |
|            |               | M >>EAO 098 793                        |        | _   | ) L T L , / |
|            |               | M W0 129 582 >>                        |        |     |             |
|            |               | M >> W0 250 000                        |        |     |             |
| 6          | 022 133 199 B | Intermediate piece                     |        | 1   | 914-4/1,7   |
| 7          | 022 133 215   | Y-piece                                |        | 1   | 914-4/1,7   |


| Model: | 914 70         | Model life 1970>>1976   |        |     |                      |
|--------|----------------|-------------------------|--------|-----|----------------------|
| Pos    | Part Number    | Description             | Remark | Qty | Model                |
|        |                |                         |        |     | 914-1,8              |
|        |                | M >>EA0 098 793         |        |     |                      |
|        |                | M >>EB0 010 020         |        |     |                      |
| 8      | 022 133 551    | Valve                   |        | 1   | 914-4/1,7            |
|        |                | M >>EAO 098 793         |        |     | 914-1,8              |
|        |                | M >>EBO 010 020         |        |     |                      |
| (8)    | 039 133 551    | Valve                   |        | 1   | 914-2,0              |
| 9      | N 012 006 4    | Lock ring B 6           |        | 1   | 914-4/1,7            |
| 9      |                | Lock ring               |        | X   | 914-2,0<br>914-1,8   |
|        |                | В6                      |        |     |                      |
| 10     | 999 072 005 09 | Hexagon nut             |        | 1   | 914-4/1,7            |
| 10     | 999 072 005 01 | M 6 X 12<br>Hexagon nut |        | 1   | 914-2,0<br>914-4/1,7 |
|        | 999 072 003 01 | M 6 X 12                |        | 1   | 914-2,0              |
| 10     | 999 072 005 09 | Hexagon nut             |        | Х   | 914-1,8              |
| 1.0    |                | M 6 X 12                |        |     |                      |
| 10     | 999 072 005 01 | Hexagon nut<br>M 6 X 12 |        | X   | 914-1,8              |
| 11     | N 020 353 5    | Hose                    |        | *   |                      |
|        |                | 3,5 X 2                 |        |     |                      |
| 11     | PCG 020 353 5  | Hose                    |        | 1   |                      |
| 12     | N 020 359 2    | 3,5 X 2 x 5000<br>Hose  |        | *   | 914-4/1,7            |
| 12     | N 020 333 2    | 9 X 2,5                 |        |     | 914-1,8              |
| 13     | N 020 371 1    | Hose                    |        | *   | 914-4/1,7            |
| 1 14   | NT 000 000 1   | 14 X 2,5                |        | *   | 914-1,8              |
| 14     | N 020 290 1    | Hose<br>12 X 3,3        |        | *   |                      |
| 15     | N 020 375 1    | Hose                    |        | *   | 914-4/1,7            |
|        |                | 4,5 X 2,5               |        |     | 914-1,8              |
| 16     | N 020 376 1    | Hose                    |        | *   | 914-4/1,7            |
|        |                | 9 X 3                   |        |     | 914-1,8              |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |
|        |                |                         |        |     |                      |



| woder. | 914 70                     | Model life 1970>>1976     |        |          |                       |
|--------|----------------------------|---------------------------|--------|----------|-----------------------|
| Pos    | Part Number                | Description               | Remark | Qty      | Model                 |
|        |                            | Exhaust gas recirculation |        |          | 914-1,8/2,0           |
|        |                            |                           |        |          | 914-1,8/2,0           |
|        |                            | Air injection             |        |          |                       |
|        |                            | From engine no.           |        |          |                       |
|        |                            | M ECO 037 552>>           |        |          |                       |
|        |                            | M GC0 000 001>>           |        |          |                       |
| 1      | 022 129 260                | Clip                      |        | 1        | 914-1,8               |
| 2      | 022 129 637                | Elbow                     |        | 1        | 914-1,8               |
| 3      | N 014 138 7                | Oval-head screw           |        | 2        | 914-1,8               |
| l .    |                            | M 6 X 10                  |        |          |                       |
| 4      | N 012 226 5                | Spring washer             |        | 2        | 914-1,8               |
| _      |                            | В 6                       |        |          |                       |
| 5      | 039 129 688                | Bush                      |        | 1        | 914-1,8/2,0           |
| 6      | 022 129 967 AA             | Connecting piece          |        | 1        | 914-1,8               |
| 7      | 113 131 123                | Filter element            |        | 1        | 914-2,0               |
| 8      | 021 131 285                | Connecting piece          |        | 4        | 914-2,0               |
| 9      | 039 131 501                | Egr valve                 |        | 1        | 914-1,8/2,0           |
|        |                            |                           |        |          | (CAL)                 |
| 10     | 039 131 581 A              | Air distributor           |        | 1        | 914-2,0               |
| 11     | N 013 822 1                | Sealing ring              |        | 1        | 914-2,0               |
|        |                            | 20 X 24                   |        |          |                       |
| 12     | 021 131 599                | Gasket                    |        | X        | 914-1,8/2,0           |
| 13     | 039 131 601                | Air pump                  |        | 1        | 914-2,0               |
| 13A    | 999 512 346 00             | Hose clamp                |        | 2        | 914-2,0               |
| 14     | 058 131 603                | Check valve               |        | 1        | 914-2,0               |
| 15     | 021 131 605                | Bracket                   |        | 1        | 914-2,0               |
| 16     | 900 027 005 01             | Lock ring                 |        | 3        | 914-2,0               |
|        |                            | A 8                       |        |          |                       |
| 17     | N 010 233 6                | Hexagon-head bolt         |        | 1        | 914-2,0               |
|        |                            | M 8 X 28                  |        |          |                       |
| 17     | 900 075 136 03             | Hexagon-head bolt         |        | 1        | 914-2,0               |
|        |                            | M 8 X 28                  |        |          |                       |
| 18     | 900 075 085 02             | Hexagon-head bolt         |        | 1        | 914-2,0               |
|        |                            | M 8 X 20                  |        |          |                       |
| 19     | 900 025 007 02             | Washer                    |        | 1        | 914-2,0               |
|        |                            | В 8,4                     |        |          |                       |
| 19     | 900 025 007 03             | Washer                    |        | 1        | 914-2,0               |
|        |                            | В 8,4                     |        |          |                       |
| 20     | N 011 008 8                | Hexagon nut               |        | 2        | 914-2,0               |
|        |                            | м 8                       |        |          |                       |
| 21     | 021 131 599 A              | Gasket                    |        | X        | 914-1,8/2,0           |
| 22     | N 012 226 5                | Spring washer             |        | 10       | 914-1,8/2,0           |
|        |                            | В 6                       |        |          |                       |
| 23     | N 010 216 7                | Hexagon-head bolt         |        | 6        | 914-1,8/2,0           |
|        |                            | M 6 X 18                  |        |          |                       |
| 24     | 071 131 599 C              | Gasket                    |        | X        | 914-1,8/2,0           |
| 25     | 039 131 615                | V-belt                    |        | 1        | 914-2,0               |
| 26     | 039 131 631                | Pipe                      |        | 1        | 914-1,8/2,0           |
|        |                            |                           |        |          | (CAL)                 |
| 27     | 039 131 635                | Pipe                      |        | 1        | 914-1,8/2,0           |
|        |                            |                           |        |          | (CAL)                 |
| 28     | 039 131 673                | Pipe                      |        | 1        | 914-2,0               |
|        |                            |                           |        | _        | (CAL)                 |
| 29     | 039 131 674 A              | Pipe                      |        | 1        | 914-1,8               |
|        |                            |                           |        | _        | (CAL)                 |
| (29)   | 022 129 973                | Hose                      |        | 1        | 914-1,8               |
| 29A    | 900 076 010 02             | Nut                       |        | 2        | 914-1,8/2,0           |
|        |                            | M6                        |        |          | , 0, 2, 0             |
| 29A    | 900 076 010 0B             | Nut                       |        | 2        | 914-1,8/2,0           |
| 2,5    | 200 070 010 01             | M6                        |        |          | 711 1,0/2,0           |
| 30     | 022 133 215 A              | T-piece                   |        | 1        | 914-1,8               |
| 31     | 999 512 346 00             | Hose clamp                |        | 2        | 914-1,8               |
| 31     | N 020 377 1                | Hose Clamp                |        | 1        | 914-1,8               |
| 32     | N 020 377 1<br>N 020 343 1 | Hose                      |        | <b>*</b> | 914-1,8               |
|        | IN 020 343 T               | IIOSE                     |        |          | эт <del>ч</del> -т, о |

| Model: | 914 70         | Model life 1970>>1976   |        |     |               |
|--------|----------------|-------------------------|--------|-----|---------------|
| Pos    | Part Number    | Description             | Remark | Qty | Model         |
|        |                | 18 X 2,5                |        |     |               |
| 34     | 021 131 681    | Drive shaft             |        | 1   | 914-2,0       |
|        |                | with                    |        | _   | J11 2/0       |
|        |                | Pulley                  |        |     |               |
| 35     | 900 012 110 00 | Straight pin            |        | 2   | 914-2,0       |
|        |                | 4 M 6 X 14              |        |     | ·             |
| 36     | N 014 344 1    | Hexagon-head bolt       |        | 3   | 914-2,0       |
|        |                | M 6 X 18                |        |     | ·             |
| 36A    | 039 131 685    | Support                 |        | 1   | 914-1,8/2,0   |
|        |                | M >>EC0 044 804         |        |     | (CAL)         |
|        |                | M >>GC0 002 905         |        |     |               |
| (36A)  | 039 131 685 A  | Support                 |        | 1   | 914-1,8/2,0   |
|        |                | M ECO 044 805>>         |        |     | (CAL)         |
|        |                | M GC0 002 906>>         |        |     |               |
| 37     | 039 131 687    | Retaining bar           |        | 1   | 914-1,8/2,0   |
|        |                |                         |        |     | (CAL)         |
| 38     | N 011 151 2    | Hexagon nut             |        | 1   | 914-1,8/2,0   |
|        |                | M 8                     |        |     |               |
| 39     | N 012 229 3    | Spring washer           |        | 1   | 914-1,8/2,0   |
|        |                | A 8                     |        |     |               |
| 40     | 021 131 801    | Air cleaner             |        | 1   | 914-2,0       |
|        |                | for                     |        |     |               |
| ]      |                | Air pump                |        |     |               |
| 41     | N 010 354 2    | Hexagon-head bolt       |        | 2   | 914-1,8/2,0   |
| 4.0    |                | M 6 X 95                |        | -   | 014 1 0 / 0 0 |
| 42     | N 010 390 1    | Hexagon-head bolt       |        | 1   | 914-1,8/2,0   |
| 4.2    | N 012 006 4    | BM 8 X 95               |        | 1   | 014 1 0 / 2 0 |
| 43     | N 012 006 4    | Lock ring B 6           |        | 1   | 914-1,8/2,0   |
| 44     | N 012 108 2    | Serrated lock washer    |        | 1   | 914-1,8/2,0   |
| 44     | N 012 108 2    | A 8,4                   |        | 1   | 914-1,0/2,0   |
| 45     | N 020 377 1    | Hose                    |        | 1   | 914-1,8       |
| 46     | 022 906 045    | Auxiliary air regulator |        | 1   | 914-1,8       |
| 47     | 022 300 043    | Support                 |        | 1   | 914-1,8       |
| 48     | 113 201 943 B  | T-piece                 |        | 1   | 914-1,8       |
| 49     | 022 906 035    | Pressure regulator      |        | 1   | 914-1,8       |
| 50     | 022 133 551 B  | Valve                   |        | 1   | 914-1,8       |
| 51     | 039 133 591    | Support                 |        | 1   | 914-1,8       |
| 1      | N 010 210 13   | Hexagon-head bolt       |        | 2   | 914-1,8       |
|        |                | M 6 X 10                |        |     | ,             |
| 53     | N 020 349 1    | Hose                    |        | 1   | 914-1,8       |
|        |                | 21 X 2,5                |        |     |               |
| 54     | N 020 361 2    | Hose                    |        | *   | 914-1,8       |
|        |                | 4 X 2,5                 |        |     |               |
| 55     | N 020 363 1    | Hose                    |        | *   | 914-2,0       |
|        |                | 15 X 2,5                |        |     |               |
| 56     | N 020 290 1    | Hose                    |        | *   | 914-1,8       |
|        |                | 12 X 3,3                |        |     |               |
| 57     | N 020 353 5    | Hose                    |        | *   | 914-1,8/2,0   |
| _      |                | 3,5 X 2                 |        |     |               |
| 57     | PCG 020 353 5  | Hose                    |        | 1   | 914-1,8/2,0   |
|        |                | 3,5 X 2 x 5000          |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |
|        |                |                         |        |     |               |

PORSCHE Illustration: 119-00 PORSCHE



| Model: | 914 70                           | Model life 1970>>1976             |        |          |                             |
|--------|----------------------------------|-----------------------------------|--------|----------|-----------------------------|
| Pos    | Part Number                      | Description                       | Remark | Qty      | Model                       |
|        |                                  | Engine carrier                    |        |          | 914                         |
| (1)    | 039 199 221                      | Supporting plate                  | /L     | 1        | 914-1,7/1,8V                |
|        |                                  |                                   |        |          | 914-1,8/2,0                 |
| 1      | 039 199 222                      | Supporting plate                  | /R     | 1        | 914-1,7/1,8V                |
|        | 020 100 021                      | Busines manufacture               |        |          | 914-1,8/2,0                 |
| 2      | 039 199 231                      | Engine mounting                   |        | 2        | 914-1,7/1,8V<br>914-1,8/2,0 |
| 3      | 022 199 291                      | Engine carrier                    |        | 1        | 914-4                       |
| 4      | N 014 329 1                      | Hexagon-head bolt                 |        | 4        |                             |
|        |                                  | M 8 X 20                          |        |          |                             |
| _      | 011 000 0                        | Self-locking                      |        |          | 014 1 7 /1 077              |
| 5      | N 011 008 8                      | Hexagon nut<br>M 8                |        | 2        | 914-1,7/1,8V<br>914-1,8/2,0 |
| 6      | N 012 228 3                      | Spring washer                     |        | 2        | 914-1,7/1,8V                |
|        |                                  | В 8                               |        |          | 914-1,8/2,0                 |
| 7      | 311 101 463                      | Hexagon nut                       |        | 2        | 914-1,7/1,8V                |
| l .    |                                  | M 8                               |        |          | 914-1,8/2,0                 |
| 8<br>9 | 914 375 173 01<br>914 375 161 05 | Engine carrier Engine carrier     |        | 1 1      | 914-4                       |
| 9      | 914 3/5 161 05                   | Engine carrier                    |        | 1        | 914-1,7/1,8V<br>914-1,8/2,0 |
| 10     | 914 375 035 00                   | Engine mounting                   |        | 2        | 914-4                       |
| 11     | 914 375 181 00                   | Base                              |        | 2        | 914-1,7/1,8V                |
|        |                                  |                                   |        |          | 914-1,8/2,0                 |
| 12     | 900 074 138 01                   | Hexagon-head bolt                 |        | 2        | 914-4                       |
| 13     | 900 027 016 02                   | M 10 X 70<br>Lock ring            |        | 2        | 914-4                       |
| 13     | 900 027 010 02                   | B 10                              |        |          | 914-4                       |
| 13     | 900 027 016 03                   | Lock ring                         |        | 2        | 914-4                       |
|        |                                  | в 10                              |        |          |                             |
| 14     | 914 375 058 00                   | Mounting plate                    |        | 2        | 914-4                       |
| 1.5    | 014 275 041 00                   | Upper                             |        |          | 014 4                       |
| 15     | 914 375 241 00                   | Base<br>Lower                     |        | 2        | 914-4                       |
| 16     | N 014 736 1                      | Hexagon-head bolt                 |        | 2        | 914-4                       |
|        |                                  | M 10 X 90                         |        |          |                             |
| 17     | N 010 472 4                      | Hexagon-head bolt                 |        | 2        | 914-1,7/1,8V                |
| 1.7    | 000 074 275 01                   | M 10 X 85                         |        |          | 914-1,8/2,0                 |
| 17     | 900 074 375 01                   | Hexagon-head bolt<br>M 10 X 85    |        | 2        | 914-1,7/1,8V<br>914-1,8/2,0 |
| 18     | 900 025 008 02                   | Washer                            |        | 2        | 711 1,0/2,0                 |
|        |                                  | 10,5                              |        |          |                             |
| 18     | N 011 527 4                      | Washer                            |        | 2        |                             |
| 1.0    | 000 005 000 00                   | 10,5                              |        |          |                             |
| 18     | 900 025 008 09                   | Washer 10,5                       |        | 2        |                             |
| 18     | 900 025 008 04                   | Washer                            |        | 2        |                             |
|        |                                  | 10,5                              |        |          |                             |
| 19     | N 021 195 1                      | Nut                               |        | 2        |                             |
|        |                                  | M 10                              |        |          |                             |
| 20     | 900 075 085 02                   | Self-locking<br>Hexagon-head bolt |        | 4        |                             |
| 20     | 900 075 085 02                   | M 8 X 20                          |        | 4        |                             |
| 21     | 900 025 007 02                   | Washer                            |        | 4        | 914-4                       |
|        |                                  | 8,4                               |        |          |                             |
| 21     | 900 025 007 03                   | Washer                            |        | 4        | 914-4                       |
| 22     | 914 375 162 00                   | 8,4<br>Washer                     |        | 4        | 914_1 7/1 917               |
|        | 914 3/3 104 UU                   | Masilet                           |        | <b>"</b> | 914-1,7/1,8V<br>914-1,8/2,0 |
| 23     | 900 910 022 02                   | Lock nut                          |        | 4        | ,                           |
|        |                                  |                                   |        |          |                             |
|        |                                  |                                   |        |          |                             |
|        |                                  |                                   |        |          |                             |
|        |                                  |                                   |        |          |                             |

|        | 5CH≡   |            | Illustration: 198-00 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |

24.07.2017 - 1 Kat 570

| Dec. | Dart Number     | Description                          | Domonic | 04.     | Model |
|------|-----------------|--------------------------------------|---------|---------|-------|
| Pos  | Part Number     | Description                          | Remark  | Qty     | Model |
|      |                 | Gasket set                           |         |         |       |
|      |                 | Repair kits                          |         |         |       |
| >>   | 901 100 902 03  | Gasket set                           |         | 1       | 914-6 |
|      |                 | Engine                               |         |         |       |
|      |                 | Gaskets                              |         |         |       |
|      |                 | Comprising:                          |         | _       |       |
| -    | 999 704 172 50  | Sealing ring                         |         | 5       |       |
| -    | 999 701 006 40  | O-ring                               |         | 24      |       |
| _    | 999 113 057 52  | Radial sealing ring 65 X 85 X 10     |         | 1       |       |
| _    | 999 113 049 52  | Radial sealing ring                  |         | 1       |       |
|      | 1999 113 049 32 | 30 X 50 X 10                         |         |         |       |
| _    | 900 174 041 40  | Sealing ring                         |         | 1       |       |
|      |                 | A 50 X 4                             |         | -       |       |
| _    | 900 174 068 40  | Sealing ring                         |         | 1       |       |
|      |                 | A 50 X 4                             |         |         |       |
| _    | 930 101 391 01  | Gasket                               |         | 2       |       |
|      |                 | for                                  |         |         |       |
|      |                 | Oil strainer                         |         |         |       |
| -    | 900 123 011 30  | Sealing ring                         |         | 4       |       |
|      |                 | A 22 X 27                            |         |         |       |
| -    | 901 104 191 00  | Cylinder base gasket                 |         | 6       |       |
| _    | 901 104 391 01  | Cylinder head gasket Valve stem seal |         | 6<br>12 |       |
| _    | 911 104 193 03  | Valve stem sear                      |         | 12      |       |
| _    | 930 105 193 00  | Gasket                               |         | 2       |       |
|      |                 | Crankcase                            |         |         |       |
|      |                 | And                                  |         |         |       |
|      |                 | Chain case                           |         |         |       |
| -    | 930 105 193 05  | Gasket                               |         | 2       |       |
|      |                 | Crankcase                            |         |         |       |
|      |                 | And                                  |         |         |       |
|      |                 | Chain case                           |         |         |       |
| -    | 930 105 197 05  | Gasket                               |         | 2       |       |
| _    | 999 701 124 40  | 0-ring                               |         | 2       |       |
|      | 020 105 101 02  | 67,5 X 75,5 X 4                      | /_      | 1       |       |
| _    | 930 105 191 03  | Gasket<br>for                        | /L      | 1       |       |
|      |                 | Chain case                           |         |         |       |
| _    | 930 105 192 01  | Gasket                               | /R      | 1       |       |
|      |                 | for                                  | / IC    | _       |       |
|      |                 | Chain case                           |         |         |       |
| _    | 930 105 192 03  | Gasket                               | /R      | 1       |       |
|      |                 | for                                  |         |         |       |
|      |                 | Chain case                           |         |         |       |
| -    | 930 105 192 04  | Gasket                               | /R      | 1       |       |
|      |                 | for                                  |         |         |       |
|      | <br>            | Chain case                           |         |         |       |
| -    | 930 105 194 00  | Gasket                               |         | 2       |       |
|      |                 | for Camshaft housing                 |         |         |       |
|      |                 | Upper                                |         |         |       |
| _    | 930 105 194 02  | Gasket                               |         | 2       |       |
|      |                 | for                                  |         |         |       |
|      |                 | Camshaft housing                     |         |         |       |
|      |                 | Upper                                |         |         |       |
| -    | 930 105 194 04  | Gasket                               |         | 2       |       |
|      |                 | for                                  |         |         |       |
|      |                 | Camshaft housing                     |         |         |       |
|      |                 | Upper                                |         |         |       |
| -    | 930 105 195 00  | Gasket                               |         | 2       |       |
|      |                 | for                                  |         |         |       |
|      |                 | Camshaft housing                     |         |         |       |

| Pos | Part Number    | Description               | Remark  | Qty | Model    |
|-----|----------------|---------------------------|---------|-----|----------|
| 103 | r art Number   | <u> </u>                  | Itemark | Qty | Wiodei   |
|     |                | Lower                     |         |     |          |
| -   | 930 105 195 02 | Gasket                    |         | 2   |          |
|     |                | for                       |         |     |          |
|     |                | Camshaft housing          |         |     |          |
|     |                | Lower                     |         |     |          |
| -   | 930 105 195 05 | Gasket                    |         | 2   |          |
|     |                | for                       |         |     |          |
|     |                | Camshaft housing          |         |     |          |
|     |                | Lower                     |         |     |          |
| -   | 930 105 195 06 | Gasket                    |         | 2   |          |
|     |                | for                       |         |     |          |
|     |                | Camshaft housing          |         |     |          |
|     |                | Lower                     |         |     |          |
| -   | 930 105 195 07 | Gasket                    |         | 2   |          |
|     |                | for                       |         |     |          |
|     |                | Camshaft housing          |         |     |          |
|     |                | Lower                     |         |     |          |
| -   | 900 031 014 30 | Washer                    |         | 11  |          |
|     |                | 8,4                       |         |     |          |
|     |                | for                       |         |     |          |
|     |                | Camshaft housing          |         |     |          |
|     |                | Lower                     |         |     |          |
| -   | 930 105 198 01 | Gasket                    |         | 1   |          |
|     |                | for                       |         |     |          |
|     |                | Cover                     |         |     |          |
| -   | 900 123 008 30 | Sealing ring              |         | 1   |          |
|     |                | A 14 X 20                 |         | 1.0 |          |
| -   | 900 123 005 00 | Sealing ring              |         | 12  |          |
|     | 000 100 044 00 | A 12 X 16                 |         |     |          |
| -   | 900 123 044 30 | Sealing ring              |         | 2   |          |
| _   | 000 102 066 20 | A 18 X 22<br>Sealing ring |         | 8   |          |
| -   | 900 123 066 30 | A 10 X 16                 |         | 8   |          |
| _   | 999 701 596 40 | O-ring                    |         | 2   |          |
| -   | 999 /01 596 40 | 8,3 X 2,4                 |         | _ ∠ |          |
| _   | 999 701 598 40 | 0-ring                    |         | 2   |          |
|     | 777 701 370 40 | 20,3 X 2,4                |         |     |          |
| _   | N 013 804 2    | Sealing ring              |         | 2   |          |
|     | N 015 001 Z    | A 6 X 10                  |         |     |          |
| _   | 999 704 173 50 | Sealing ring              |         | 2   |          |
|     | 777 701 173 30 | 26 X 19,5 X 8,5           |         |     |          |
| _   | 999 701 100 50 | 0-ring                    |         | 1   |          |
| _   | 900 123 071 30 | Sealing ring              |         | 2   |          |
|     |                | A 18 X 24                 |         |     |          |
| _   | 999 707 112 40 | Round seal                |         | 8   |          |
| _   | 999 707 112 4A | Round seal                |         | 8   |          |
| -   | 999 701 053 50 | Sealing ring              |         | 1   |          |
|     |                | 39,2 X 3                  |         |     |          |
| -   | 905 107 191 02 | Gasket                    |         | 1   |          |
| -   | 905 107 191 03 | Gasket                    |         | 1   |          |
| -   | 999 701 135 50 | 0-ring                    |         | 1   |          |
|     |                | 15 X 2,5                  |         |     |          |
| -   | 930 107 791 00 | Gasket                    |         | 1   |          |
|     |                | for                       |         |     |          |
|     |                | Bleeder                   |         |     |          |
| -   | 900 123 043 30 | Sealing ring              |         | 3   |          |
|     |                | A 12 X 15,5               |         |     |          |
| -   | 901 108 391 04 | Gasket                    |         | 6   |          |
|     |                | for                       |         |     |          |
|     |                | Intake manifold           |         |     |          |
| -   | 901 108 218 00 | Gasket                    |         | 2   |          |
|     |                | for                       |         |     |          |
|     |                | Connecting piece          |         |     | <u> </u> |

| woder. | 914 70                                  | Woderlife 1970>>1976 |        |     |       |
|--------|---|----------------------|--------|-----|-------|
| Pos    | Part Number                             | Description          | Remark | Qty | Model |
| _      | 901 108 398 01                          | Gasket               |        | 6   |       |
|        | 901 108 398 01                          | without asbestos     |        | 0   |       |
|        |   | for                  |        |     |       |
|        |   | Carburettor          |        |     |       |
|        | 901 111 193 00                          | Gasket               |        | 2   |       |
| _      | 901 111 193 00                          |                      |        | 2   |       |
|        |   | for                  |        |     |       |
|        |   | Exhaust silencer     |        | _   |       |
| -      | 901 111 191 01                          | Gasket               |        | 6   |       |
|        |   | for                  |        |     |       |
|        |   | Heat exchanger       |        |     |       |
| -      | 930 111 191 09                          | Gasket               |        | 6   |       |
|        |   | for                  |        |     |       |
|        |   | Heat exchanger       |        |     |       |
| _      | 911 113 190 01                          | Gasket               |        | 6   |       |
|        |   | for                  |        |     |       |
|        |   | Heat exchanger       |        |     |       |
| -      |   | Gasket               |        | 6   |       |
|        |   | for                  |        |     |       |
|        |   | Heat exchanger       |        |     |       |
| -      | 900 123 008 30                          | Sealing ring         |        | 2   |       |
|        |   | A 14 X 20            |        |     |       |
|        |   | for                  |        |     |       |
|        |   | Screw socket         |        |     |       |
| _      | 999 701 101 50                          | Gasket               |        | 1   |       |
|        |   | for                  |        |     |       |
|        |   | Distributor          |        |     |       |
| _      | 900 123 007 30                          | Sealing ring         |        | 1   |       |
|        |   | A 14 X 18            |        |     |       |
| _      | PCG 100 914 00                          | Sealing ring         |        | 4   |       |
| _      | 901 100 915 00                          | Sealing ring         |        | 4   |       |
| _      | 901 100 915 01                          | Sealing ring         |        | 4   |       |
| _      | 901 100 937 00                          | Sealing ring         |        | 2   |       |
| _      | 901 100 916 00                          | Sealing ring         |        | 4   |       |
| _      | 901 100 917 00                          | Sealing ring         |        | 4   |       |
| _      | 901 100 946 00                          | Diaphragm            |        | 2   |       |
| _      | 901 100 977 00                          | Sealing ring         |        | 6   |       |
| _      | 901 100 918 00                          | Sealing ring         |        | 4   |       |
| _      | 901 100 919 00                          | Sealing ring         |        | 6   |       |
| _      | 901 100 990 00                          | Sealing ring         |        | 4   |       |
| >>     | 911 105 901 01                          | Repair kit           |        | 1   | 914-6 |
|        |   | for                  |        |     |       |
|        |   | Chain adjuster       |        | 1   |       |
|        |   | 901.105.049.02       |        |     |       |
|        |   | Comprising:          |        |     |       |
| _      | 930 105 585 00                          | Intermediate piece   |        | 1   |       |
| _      | 999 701 298 40                          | O-ring               |        | 1   |       |
|        |   | OR 10 - 1            |        |     |       |
| _      | 930 105 511 03                          | Needle cage          |        | 1   |       |
|        |   | for                  |        | _   |       |
|        |   | Ball                 |        |     |       |
|        |   | Valve                |        |     |       |
| _      | N 025 658 1                             | Ball                 |        | 1   |       |
| _      | N 025 658 B                             | Ball                 |        | 1   |       |
| _      | 900 152 005 00                          | Circlip              |        | 1   |       |
|        |   | 16                   |        | _   |       |
| _      | 999 701 596 40                          | O-ring               |        | 1   |       |
|        | 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | CR 8,3 - 2,4         |        |     |       |
| _      | 999 701 598 40                          | 0-ring               |        | 1   |       |
|        | 777 701 370 40                          | CR 20,3 - 2,4        |        | _   |       |
| _      | 900 152 017 00                          | Circlip              |        | 1   |       |
| _      | 700 132 01/ 00                          | 28                   |        |     |       |
| _      | N 013 804 2                             | 20<br>  Sealing ring |        | 1   |       |
|        | 1, 013 001 2                            | A 6 X 10             |        | _   |       |
|        |   | 111 0 11 10          |        |     |       |

| Pos | Part Number   | Description                      | Remark    | Qty | Model     |
|-----|---------------|----------------------------------|-----------|-----|-----------|
| -   |               | -                                | ********* | _   |           |
| >>  | 039 198 009   | Gasket set                       |           | 1   | 914       |
|     |               | Engine<br>Gaskets                |           |     |           |
|     |               | Use also:                        |           |     |           |
|     |               | 021.105.245 C                    |           |     | 914-4/1,7 |
|     |               | 021.105.247 A                    |           |     | 914-4/1,7 |
|     |               | Comprising:                      |           |     | ,         |
| _   | 021 101 173   | Sealing ring                     |           | 1   |           |
|     |               | for                              |           |     |           |
|     |               | Oil tube                         |           |     |           |
| -   | 021 101 189   | Sealing ring                     |           | 1   |           |
|     |               | for                              |           |     |           |
|     | 001 101 060 7 | Hexagon-head bolt                |           | 1   |           |
| -   | 021 101 269 A | Sealing ring for                 |           | 1   |           |
|     |               | Lid                              |           |     |           |
|     |               | Oil pan                          |           |     |           |
| _   | 021 101 341 A | Sealing ring                     |           | 4   |           |
|     |               | 100 x 109                        |           |     |           |
|     |               | for                              |           |     |           |
|     |               | Crankcase                        |           |     |           |
|     |               | And                              |           |     |           |
|     |               | Cylinder                         |           |     |           |
| _   | 021 101 343   | Sealing ring<br>90 X 99          |           | 4   |           |
|     |               | for                              |           |     |           |
|     |               | Cylinder                         |           |     |           |
|     |               | And                              |           |     |           |
|     |               | Cylinder head                    |           |     |           |
| -   | 021 105 275   | Washer                           |           | 1   |           |
| _   | 021 105 279   | 0-ring                           |           | 1   |           |
|     |               | for                              |           |     |           |
|     | 001 100 045 - | Flywheel                         |           |     |           |
| -   | 021 109 345 A | O-ring<br>\$ 21,3 MM             |           | 8   |           |
|     |               | for                              |           |     |           |
|     |               | Protective tube                  |           |     |           |
|     |               | Valve pushrod                    |           |     |           |
|     |               | Black                            |           |     |           |
| -   | 021 109 349   | Sealing ring                     |           | 8   |           |
|     |               | \$ 23,5 MM                       |           |     |           |
|     |               | for                              |           |     |           |
|     |               | Protective tube<br>Valve pushrod |           |     |           |
|     |               | Red                              |           |     |           |
| _   | 021 109 349 B | 0-ring                           |           | 8   |           |
|     |               | \$ 25,1 MM                       |           |     |           |
|     |               | for                              |           |     |           |
|     |               | Protective tube                  |           |     |           |
|     |               | Valve pushrod                    |           |     |           |
|     | 025 115 111 A | Green<br>Gasket                  |           | 1   |           |
| _   | 025 115 111 A | for                              |           |     |           |
|     |               | Housing                          |           |     |           |
|     |               | Oil pump                         |           |     |           |
| -   | 021 115 133   | Sealing ring                     |           | 1   |           |
|     |               | for                              |           |     |           |
|     |               | Lid                              |           |     |           |
|     | 001 100 001 - | Oil pump                         |           |     |           |
| _   | 021 198 031 B | Gasket set for                   |           | 2   |           |
|     |               | Lid                              |           |     |           |
|     |               | Oil strainer                     |           |     |           |
|     |               |                                  |           |     |           |


| woder. | 914 70         | Model life 1970>>1976      |        |     |         |
|--------|----------------|----------------------------|--------|-----|---------|
| Pos    | Part Number    | Description                | Remark | Qty | Model   |
| _      | 021 115 315    | Gasket                     |        | Х   |         |
|        |                | for                        |        |     |         |
|        |                | Connection piece           |        |     |         |
|        |                | Oil inlet                  |        |     |         |
| -      | PCG 115 311 00 | Oil filler cover           |        | 1   |         |
|        |                | for                        |        |     |         |
|        |                | Connection piece           |        |     |         |
|        |                | Oil inlet                  |        | _   |         |
| -      | 021 115 359 A  | Gasket                     |        | 1   |         |
|        |                | for                        |        |     |         |
|        | 001 115 407    | Intermediate flange Gasket |        | 1   |         |
| _      | 021 115 487    | for                        |        | 1   |         |
|        |                | Bleeder                    |        |     |         |
| _      | 021 117 151 A  | Sealing ring               |        | 2   |         |
|        |                | for                        |        | _   |         |
|        |                | Oil cooler                 |        |     |         |
| _      | 021 119 125 A  | 0-ring                     |        | 1   |         |
| _      | 021 127 311 A  | Gasket                     |        | 1   |         |
|        |                | for                        |        |     |         |
|        |                | Intermediate flange        |        |     |         |
| -      | 021 129 707 A  | Gasket                     |        | X   |         |
|        |                | for                        |        |     |         |
|        | 000 100 505 6  | Intake connection          |        |     |         |
| -      | 022 129 707 C  | Gasket                     |        | 2   |         |
|        |                | for Intake manifold        |        |     |         |
| _      | 025 251 261    | Gasket                     |        | 2   |         |
|        | 023 231 201    | for                        |        |     |         |
|        |                | Heat exchanger             |        |     |         |
|        |                | And                        |        |     |         |
|        |                | Exhaust silencer           |        |     |         |
| _      | 021 256 251 A  | Sealing ring               |        | 4   |         |
|        |                | for                        |        |     |         |
|        |                | Heat exchanger             |        |     |         |
| -      | 111 905 261    | Sealing ring               |        | 1   |         |
|        |                | for                        |        |     |         |
|        | 010 000 0      | Distributor                |        |     |         |
| _      | N 013 803 2    | Sealing ring               |        | 2   |         |
|        |                | A 6 X 10<br>for            |        |     |         |
|        |                | Mount                      |        |     |         |
|        |                | Lid                        |        |     |         |
|        |                | Oil pan                    |        |     |         |
| _      | N 013 805 1    | Sealing ring               |        | 2   |         |
|        |                | C 12 X 18                  |        |     |         |
|        |                | for                        |        |     |         |
|        |                | Drain plug                 |        |     |         |
|        |                | And                        |        |     |         |
|        |                | Cap nut                    |        |     |         |
|        | N 012 000 2    | Oil strainer               |        | 1   |         |
| _      | N 013 829 3    | Sealing ring<br>C 22 X 29  |        | 1   |         |
|        |                | for                        |        |     |         |
|        |                | Relief valve               |        |     |         |
| _      | N 013 845 2    | Sealing ring               |        | 1   |         |
|        |                | C 16 X 22                  |        | -   |         |
|        |                | for                        |        |     |         |
|        |                | Relief valve               |        |     |         |
| >>     | 021 198 075 B  | Cylinder with piston       | (CAL)  | 1   | 914-1,7 |
|        |                | \$ 90 MM                   |        |     |         |
|        |                | with                       |        |     |         |
|        |                | Piston                     |        |     |         |
| _      |                |                            |        |     |         |

| Model: | 914 70                                  | Model life 1970>>1976 |        |        |                                       |
|--------|---|-----------------------|--------|--------|---------------------------------------|
| Pos    | Part Number                             | Description           | Remark | Qty    | Model                                 |
|        |   | Ring                  |        |        |                                       |
|        |   | And                   |        |        |                                       |
|        |   | Bolt                  |        |        |                                       |
|        |   | M EBO 000 001>>       |        |        |                                       |
|        |   | Comprising:           |        |        |                                       |
| -      | 021 101 301 A                           | Cylinder              |        | 1      |                                       |
| -      | 021 198 075 B                           | Cylinder with piston  |        | 1      |                                       |
| -      | 021 107 351 B                           | Piston ring           |        | 1      |                                       |
|        |   | Upper                 |        |        |                                       |
| -      | 021 107 361                             | Piston ring           |        | 1      |                                       |
|        |   | Lower                 |        |        |                                       |
|        | 001 105 051                             | Oil scraper ring      |        |        |                                       |
| -      | 021 107 371<br>021 107 411 A            | Oil scraper ring      |        | 1      |                                       |
| _      | N 012 301 1                             | Piston pin<br>Circlip |        | 1<br>2 |                                       |
| _      | N 012 301 1                             | 24                    |        | _ ∠    |                                       |
| >>     | 022 198 075                             | Cylinder with piston  |        | 1      | 914-4/1,7                             |
|        | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | \$ 90 MM              |        | _      | , , , , , , , , , , , , , , , , , , , |
|        |   | with                  |        |        |                                       |
|        |   | Piston                |        |        |                                       |
|        |   | Ring                  |        |        |                                       |
|        |   | And                   |        |        |                                       |
|        |   | Bolt                  |        |        |                                       |
|        |   | Comprising:           |        |        |                                       |
| -      | 021 101 301 A                           | Cylinder              |        | 1      |                                       |
| -      | 022 198 075                             | Cylinder with piston  |        | 1      |                                       |
| -      | 021 107 351 B                           | Piston ring           |        | 1      |                                       |
|        |   | Upper                 |        |        |                                       |
| -      | 021 107 361                             | Piston ring           |        | 1      |                                       |
|        |   | Lower                 |        |        |                                       |
|        | 001 105 251                             | Oil scraper ring      |        | _      |                                       |
| _      | 021 107 371                             | Oil scraper ring      |        | 1      |                                       |
| _      | 021 107 411 A<br>N 012 301 1            | Piston pin<br>Circlip |        | 1 2    |                                       |
| _      | N 012 301 1                             | 24                    |        |        |                                       |
| _      | 022 101 301 A                           | Cylinder              |        | 1      |                                       |
| _      | 021 107 111 M                           | Piston                |        | 1      |                                       |
| _      | 021 107 351 F                           | Piston ring           |        | 1      |                                       |
|        |   | Upper                 |        |        |                                       |
| _      | 021 107 361 A                           | Piston ring           |        | 1      |                                       |
|        |   | Lower                 |        |        |                                       |
|        |   | Oil scraper ring      |        |        |                                       |
| -      | 021 107 371 B                           | Oil scraper ring      |        | 1      |                                       |
| -      | 022 107 411 A                           | Piston pin            |        | 1      |                                       |
| -      | N 012 301 1                             | Circlip               |        | 2      |                                       |
|        | 000 100 055                             | 24                    |        | 1      | 014 0 0                               |
| >>     | 039 198 075                             | Cylinder with piston  |        | 1      | 914-2,0                               |
|        |   | \$ 94 MM<br>with      |        |        |                                       |
|        |   | With<br>Piston        |        |        |                                       |
|        |   | Ring                  |        |        |                                       |
|        |   | And                   |        |        |                                       |
|        |   | Bolt                  |        |        |                                       |
|        |   | for                   |        |        |                                       |
|        |   | TYP 914-2,0           |        |        |                                       |
|        |   | Comprising:           |        |        |                                       |
| -      | 039 101 301 C                           | Cylinder              |        | 1      |                                       |
| -      | 039 107 111                             | Piston                |        | 1      |                                       |
| -      | 039 107 351 C                           | Piston ring           |        | 1      |                                       |
|        |   | Upper                 |        |        |                                       |
| -      | 039 107 361 A                           | Piston ring           |        | 1      |                                       |
|        |   | Lower                 |        |        |                                       |
|        |   | Oil scraper ring      |        |        |                                       |

| Model: | 914 70                       | Model life 1970>>1976             |        |     |              |
|--------|------------------------------|-----------------------------------|--------|-----|--------------|
| Pos    | Part Number                  | Description                       | Remark | Qty | Model        |
| _      | 022 107 371 A                | Oil scraper ring                  |        | 1   |              |
| _      | 022 107 411 A                | Piston pin                        |        | 1   |              |
| _      | N 012 301 1                  | Circlip                           |        | 2   |              |
|        |                              | 24                                |        |     |              |
| >>     | 039 198 075 A                | Cylinder with piston              |        | 1   | 914-2,0      |
|        |                              | \$ 94 MM                          |        |     |              |
|        |                              | with                              |        |     |              |
|        |                              | Ring                              |        |     |              |
|        |                              | And                               |        |     |              |
|        |                              | Bolt                              |        |     |              |
|        |                              | Comprising:                       |        |     |              |
| -      | 039 101 301 C                | Cylinder                          |        | 1   |              |
| -      | 039 107 112                  | Piston                            |        | 1   |              |
| -      | 039 107 351 C                | Piston ring                       |        | 1   |              |
|        |                              | Upper                             |        |     |              |
| -      | 039 107 361 A                | Piston ring                       |        | 1   |              |
|        |                              | Lower                             |        |     |              |
| -      | 022 107 371 A                | Oil scraper ring                  |        | 1   |              |
| -      | 022 107 411 A                | Piston pin                        |        | 1   |              |
| -      | N 012 301 1                  | Circlip                           |        | 2   |              |
|        | 001 100 1                    | 24                                |        |     |              |
| >>     | 021 198 175                  | Piston ring                       |        | 1   | 914-4/1,7    |
|        |                              | \$ 90 MM                          |        |     |              |
|        | 001 105 051 -                | Comprising:                       |        |     |              |
| -      | 021 107 351 B                | Piston ring                       |        | 4   |              |
|        | 001 107 261                  | Upper                             |        | 4   |              |
| -      | 021 107 361                  | Piston ring<br>Lower              |        | 4   |              |
|        |                              | Oil scraper ring                  |        |     |              |
|        | 021 107 371                  | Oil scraper ring Oil scraper ring |        | 4   |              |
| >>     | 021 107 371<br>021 198 175 A | Piston ring                       |        | 1   | 914-1,8/1,8V |
|        | 021 198 173 A                | \$ 93 MM                          |        |     | J14-1,0/1,0V |
|        |                              | Comprising:                       |        |     |              |
| _      | 021 107 351 F                | Piston ring                       |        | 4   |              |
|        |                              | Upper                             |        | -   |              |
| _      | 021 107 361 A                | Piston ring                       |        | 4   |              |
|        |                              | Lower                             |        |     |              |
|        |                              | Oil scraper ring                  |        |     |              |
| _      | 021 107 371 B                | Oil scraper ring                  |        | 4   |              |
| >>     | 021 198 177                  | Piston ring                       |        | 1   | 914-4/1,7    |
|        |                              | \$ 90,5 MM                        |        |     |              |
|        |                              | Oversize                          |        |     |              |
|        |                              | Comprising:                       |        |     |              |
| _      | 021 107 355 B                | Piston ring                       |        | 4   |              |
|        |                              | Upper                             |        |     |              |
| -      | 021 107 365                  | Piston ring                       |        | 4   |              |
|        |                              | Lower                             |        |     |              |
|        |                              | Oil scraper ring                  |        |     |              |
| -      | 021 107 375                  | Oil scraper ring                  |        | 4   |              |
| >>     | 021 198 179                  | Piston ring                       |        | 1   | 914-4/1,7    |
|        |                              | \$ 91 MM                          |        |     |              |
|        |                              | Oversize                          |        |     |              |
|        | 001 107 350 B                | Comprising:                       |        | 4   |              |
| -      | 021 107 359 B                | Piston ring                       |        | 4   |              |
| _      | 021 107 369                  | Upper<br>Piston ring              |        | 4   |              |
| -      | 021 10/ 309                  | Lower                             |        | 4   |              |
|        |                              | with                              |        |     |              |
| _      | 021 107 379                  | Oil scraper ring                  |        | 4   |              |
| >>     | 021 107 379<br>021 198 481 A | Set of crankshaft bearings        |        | 1   | 914-4/1,7    |
|        | 021 170 401 A                | Outer                             |        | _   | 914-1,8/1,8V |
|        |                              | \$ 70 MM                          |        |     | 914-1,8/1,80 |
|        |                              | Comprising:                       |        |     |              |
|        |                              |                                   |        |     |              |

| woder. | 914 70        | Wiodel IIIe 1970>>1970                       |          |     |                           |
|--------|---------------|--|----------|-----|---------------------------|
| Pos    | Part Number   | Description                                  | Remark   | Qty | Model                     |
| -      | 021 105 501 B | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 531 E | Bearing shell                                |          | 2   |                           |
|        |               | for  |          |     |                           |
|        |               | Crankshaft bearing 2                         |          |     |                           |
| -      | 021 105 561 A | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 591   | 3<br>Crankshaft bearing                      |          | 1   |                           |
| >>     | 021 198 483 A | 4 Set of crankshaft bearings                 |          | 1   | 914-4/1,7                 |
|        | 021 198 483 A | Undersize 0.25 mm                            |          | 1   | 914-4/1,7<br>914-1,8/1,8V |
|        |               | Outer<br>\$ 70 MM                            |          |     | 914-2,0                   |
|        |               | Comprising:                                  |          |     |                           |
| -      | 021 105 507 B | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 537 E | 1 Bearing shell                              |          | 2   |                           |
|        |               | for  |          |     |                           |
|        |               | Crankshaft bearing 2                         |          |     |                           |
| -      | 021 105 567 A | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 597   | 3<br>Crankshaft bearing                      |          | 1   |                           |
|        |               | 4  |          |     |                           |
| >>     | 021 198 485 A | Set of crankshaft bearings Undersize 0.50 mm |          | 1   | 914-4/1,7<br>914-1,8/1,8V |
|        |               | Outer  |          |     | 914-2,0                   |
|        |               | \$ 70 MM<br>Comprising:                      |          |     |                           |
| -      | 021 105 513 B | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 543 E | 1 Bearing shell                              |          | 2   |                           |
| _      | 021 105 543 E | for  |          | ∠   |                           |
|        |               | Crankshaft bearing 2                         |          |     |                           |
| -      | 021 105 573 A | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 603   | 3<br>Crankshaft bearing                      |          | 1   |                           |
|        |               | 4  |          | _   |                           |
| >>     | 021 198 487 A | Set of crankshaft bearings Undersize         |          | 1   | 914-4/1,7<br>914-1,8/1,8V |
|        |               | 0,75 MM                                      |          |     | 914-2,0                   |
|        |               | Outer  |          |     |                           |
|        |               | \$ 70 MM<br>Comprising:                      |          |     |                           |
| _      | 021 105 519 A | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 549 E | 1 Bearing shell                              |          | 2   |                           |
|        | 021 103 319 1 | for  |          | 2   |                           |
|        |               | Crankshaft bearing 2                         |          |     |                           |
| _      | 021 105 579 A | Crankshaft bearing                           |          | 1   |                           |
| _      | 021 105 609   | 3<br>Crankshaft bearing                      |          | 1   |                           |
|        |               | 4  |          |     |                           |
| >>     | 021 198 541   | Camshaft bearing 1 set                       |          | 1   | 914-4/1,7<br>914-1,8/1,8V |
|        |               | Outer  |          |     | 914-2,0                   |
|        |               | \$ 27,5 MM                                   |          |     |                           |
| _      |               | Comprising: Bearing shell                    |          | 2   |                           |
|        |               | for  |          |     |                           |
|        | 1             | 1  | <u> </u> |     | <u> </u>                  |


| Pos  | Part Number    | Description           | Remark  | Qty | Model |
|------|----------------|-----------------------|---------|-----|-------|
| - 55 | . a.t Hullingi |                       | Nomai N | · · |       |
|      |                | Camshaft bearing<br>1 |         |     |       |
| -    |                | Bearing shell         |         | 2   |       |
|      |                | for                   |         |     |       |
|      |                | Camshaft bearing<br>2 |         |     |       |
| -    |                | Bearing shell         | /L      | 1   |       |
|      |                | for                   |         |     |       |
|      |                | Camshaft bearing<br>3 |         |     |       |
| _    |                | Bearing shell         | /R      | 1   |       |
|      |                | for                   |         |     |       |
|      |                | Camshaft bearing      |         |     |       |
|      |                | 3                     |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |
|      |                |                       |         |     |       |



| woder.  | 914 70                          | Woder me 1970>>1976          |        |          |       |
|---------|---------------------------------|------------------------------|--------|----------|-------|
| Pos     | Part Number                     | Description                  | Remark | Qty      | Model |
|         |                                 | Fuel tank                    | -73    |          |       |
| 1       | 914 201 010 10                  | Fuel tank                    | 75     | 1        |       |
|         | 714 201 010 10                  | F >>47329 24902              |        | -        |       |
| 2       | 914 201 019 10                  | Filler neck                  |        | 1        |       |
|         |                                 | Complete                     |        | -        |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 3       | N 010 207 6                     | Hexagon-head bolt            |        | 8        |       |
|         |                                 | M 5 X 12                     |        | ľ        |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 3       | N 010 207 17                    | Hexagon-head bolt            |        | 8        |       |
|         |                                 | M 5 X 12                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 4       | 900 025 003 02                  | Washer                       |        | 8        |       |
|         |                                 | 5,3                          |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 5       | 914 201 893 10                  | Gasket                       |        | 1        |       |
|         |                                 | for                          |        |          |       |
|         |                                 | Filler neck                  |        |          |       |
| 6       | 343 201 551                     | Lid                          |        | 1        |       |
|         |                                 | \$ 70 MM                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 7       |                                 | Sender                       |        | Х        |       |
|         |                                 | Electric                     |        |          |       |
|         |                                 | See group                    |        |          |       |
| _       |                                 | 9/03/05                      |        |          |       |
| 8       | 914 201 041 10                  | Pipe                         |        | 1        |       |
|         |                                 | for                          |        |          |       |
|         | 014 001 042 10                  | Return line                  |        | 1        |       |
| 9<br>10 | 914 201 043 10<br>111 209 147 A | Pipe<br>Strainer             |        | 1 1      |       |
| 11      | 914 201 147 A                   | Gasket                       |        | 1 1      |       |
| 12      | 914 201 147 10                  | Union nut                    |        | 1 1      |       |
| 13      | 311 201 235 A                   | Gasket                       |        | 1 1      |       |
| 14      | 311 201 233 A                   | Union nut                    |        | 1 1      |       |
| 15      | 914 201 055 10                  | Expansion tank               |        | 1        |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 16      | 900 075 010 02                  | Hexagon nut                  |        | 2        |       |
|         |                                 | M 6 X 12                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 16      | N 010 212 14                    | Hexagon-head bolt            |        | 2        |       |
|         |                                 | M 6 X 12                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 16      | 999 072 005 09                  | Hexagon nut                  |        | 2        |       |
|         |                                 | M 6 X 12                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 16      | 999 072 005 01                  | Hexagon nut                  |        | 2        |       |
|         |                                 | M 6 X 12                     |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 17      | N 011 524 7                     | Washer                       |        | 2        |       |
|         |                                 | 6,4                          |        |          |       |
| 1.0     | N 011 F04 0F                    | F >>47329 24902              |        |          |       |
| 17      | N 011 524 27                    | Washer                       |        | 2        |       |
|         |                                 | 6,4<br>F >>47329 24902       |        |          |       |
| 18      | 900 027 014 01                  | F >>4/329 24902<br>Lock ring |        | 2        |       |
| 1 18    | 900 02/ 014 UI                  | B 6                          |        | _        |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 18      | 900 027 014 02                  | Lock ring                    |        | 2        |       |
|         |                                 | B 6                          |        | "        |       |
|         |                                 | F >>47329 24902              |        |          |       |
| 18      | N 012 006 4                     | Lock ring                    |        | 2        |       |
|         |                                 | В 6                          |        |          |       |
|         |                                 | F >>47329 24902              |        |          |       |
|         | ]                               | I .                          | l      | <u> </u> | 1     |

| Model: | 914 70           | Model life 19/0>>19/6 |        |     |       |
|--------|------------------|-----------------------|--------|-----|-------|
| Pos    | Part Number      | Description           | Remark | Qty | Model |
| 19     | 914 201 031 10   | Restraining strap     |        | 1   |       |
| _      | 914 201 308 10   | Desk pad              |        | 3   |       |
| 20     | 914 201 305 10   | Bridge                |        | 1   |       |
| 21     | 900 027 014 01   | Lock ring             |        | 2   |       |
|        |                  | В 6                   |        |     |       |
| 21     | 900 027 014 02   | Lock ring             |        | 2   |       |
|        | ] 300 027 011 02 | B 6                   |        |     |       |
| 21     | N 012 006 4      | Lock ring             |        | 2   |       |
|        | 1 012 000 1      | B 6                   |        |     |       |
| 22     | 900 076 010 02   | Nut                   |        | 1   |       |
|        | ] 300 070 010 02 | M 6                   |        | _   |       |
| 22     | 900 076 010 0B   | Nut                   |        | 1   |       |
|        | ] 300 070 010 0B | M 6                   |        | 1   |       |
| 23     | 900 075 010 02   | Hexagon nut           |        | 1   |       |
| 43     | 900 073 010 02   | M 6 X 12              |        | 1   |       |
| 23     | N 010 212 14     | Hexagon-head bolt     |        | 1   |       |
| 23     | N 010 212 14     |                       |        | 1   |       |
|        | 000 070 005 00   | M 6 X 12              |        | 1   |       |
| 23     | 999 072 005 09   | Hexagon nut           |        | 1   |       |
|        | 000 000 005 01   | M 6 X 12              |        | 1   |       |
| 23     | 999 072 005 01   | Hexagon nut           |        | 1   |       |
|        |                  | M 6 X 12              | ,_     |     |       |
| 24     | 914 201 151 10   | Rubber buffer         | /L     | 1   |       |
| 25     | 914 201 152 10   | Rubber buffer         | /R     | 1   |       |
| -      | N 020 361 2      | Hose                  |        | *   |       |
| 1      |                  | 4 X 2,5               |        |     |       |
| 26     |                  | 290 MM                |        | 1   |       |
| 27     |                  | 540 MM                |        | 1   |       |
|        |                  | Not for               |        |     |       |
|        |                  | Tank ventilation      |        |     |       |
| 28     | 914 201 163 10   | Intermediate piece    |        | 1   |       |
|        |                  | Not for               |        |     |       |
|        |                  | Tank ventilation      |        |     |       |
| -      | 999 181 145 40   | Hose                  |        | *   |       |
|        |                  | 15 X 19 PVC 720       |        |     |       |
|        |                  | Not for               |        |     |       |
|        |                  | Tank ventilation      |        |     |       |
| 29     |                  | 140 MM                |        | 1   |       |
| 30     |                  | 560 MM                |        | 1   |       |
| 31-49  |                  | Tank ventilation      |        | X   |       |
|        |                  | with                  |        |     |       |
|        |                  | Carbon canister       |        |     |       |
| 31     | 113 201 801 A    | Carbon canister       |        | 1   |       |
| 32     | 914 201 061 10   | Restraining strap     |        | 1   |       |
|        |                  | for                   |        |     |       |
|        |                  | Carbon canister       |        |     |       |
| 33     | N 010 215 13     | Hexagon-head bolt     |        | 1   |       |
|        |                  | M 6 X 15              |        |     |       |
| 34     | 900 027 014 01   | Lock ring             |        | 1   |       |
|        |                  | В 6                   |        |     |       |
| 34     | 900 027 014 02   | Lock ring             |        | 1   |       |
|        |                  | В 6                   |        |     |       |
| 34     | N 012 006 4      | Lock ring             |        | 1   |       |
|        |                  | В 6                   |        |     |       |
| -      | N 020 361 2      | Hose                  |        | *   |       |
|        |                  | 4 X 2,5               |        |     |       |
| 35     |                  | 280 MM                |        | 1   |       |
| -      | N 020 290 1      | Hose                  |        | *   |       |
|        |                  | 12 X 17               |        |     |       |
| 36     |                  | 200 MM                |        | 3   |       |
| 37     | 914 201 172 10   | Hose                  |        | 1   |       |
|        |                  | 12,5 X 10 X 830       |        |     |       |
|        |                  | Plastic material      |        |     |       |
| 38     | 914 201 173 10   | Hose                  |        | 2   |       |
| L      | <u> </u>         | I                     | l      | L   |       |


| Model:   | 914 70         | Model life 1970>>1976 |        |        |                  |
|----------|----------------|-----------------------|--------|--------|------------------|
| Pos      | Part Number    | Description           | Remark | Qty    | Model            |
|          |                | 12,5 X 10 X 2180      |        |        |                  |
|          |                | Hose                  |        |        |                  |
| -        | 999 180 106 50 | Fuel hose             |        | *      |                  |
|          |                | 12 X 17               |        |        |                  |
| 39       |                | 700 MM                |        | 1      | 914-4/1,7        |
| 39<br>40 |                | 1100 MM<br>1400 MM    |        | 1<br>1 | 914-2,0<br>914-6 |
| 41       | 914 201 175 10 | Hose                  |        | 1      | 914-0            |
|          | 711 201 173 10 | 12,5 X 10 X 530       |        | _      |                  |
|          |                | Hose                  |        |        |                  |
| -        | 999 180 106 50 | Fuel hose             |        | *      |                  |
|          |                | 12 X 17               |        |        |                  |
| 42       |                | 1300 MM               |        | 1      | 914-6            |
| 43       |                | 540 MM                |        | 1      | 914-4/1,7        |
| 43       | 999 181 145 40 | 670 MM<br>Hose        |        | 1<br>* | 914-2,0          |
| _        | 999 101 145 40 | 15 X 19 PVC 720       |        |        |                  |
| 43/1     |                | 880 MM                |        | 1      |                  |
| 44       | 999 702 094 50 | Grommet               |        | 4      |                  |
| 45       | 999 702 095 50 | Grommet               |        | 2      |                  |
| 46       | 999 702 029 50 | Rubber sleeve         |        | 4      |                  |
| 47       | N 020 902 1    | Tie-wrap              |        | 3      |                  |
| 47       | N 020 902 A    | Tie-wrap              |        | 3<br>* |                  |
| -<br>48  | 999 180 106 50 | Fuel hose<br>430 MM   |        | 1      |                  |
| 49       | 999 512 056 02 | Hose clamp            |        | 2      |                  |
| 19       | 999 312 030 02 | liose cramp           |        | ∠      |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |
|          |                |                       |        |        |                  |



| woder.  | 914 70         | Woderlife 1970>>1976    |        |        |                          |
|---------|----------------|-------------------------|--------|--------|--------------------------|
| Pos     | Part Number    | Description             | Remark | Qty    | Model                    |
|         |                | Fuel tank               | 74-    |        |                          |
| 1       | 914 201 010 12 | Fuel tank               |        | 1      | 914-1,8V/1,8             |
|         |                |                         |        |        | 914-2,0                  |
|         |                | F 47329 24903>>         | 73-    |        |                          |
| 2       | 914 201 151 10 | Rubber buffer           | /L     | 1      | 914-1,8V/1,8             |
| 3       | 914 201 152 10 | Rubber buffer           | /R     | 1      | 914,2,0                  |
| 3       | 914 201 152 10 | Rubber buller           | / K    |        | 914-1,8V/1,8<br>914-2,0  |
| 4       | 914 201 031 10 | Restraining strap       |        | 1      | 914-1,8V/1,8             |
|         |                |                         |        |        | 914-2,0                  |
| _       | 914 201 308 10 | Desk pad                |        | 3      | 914-1,8V/1,8             |
|         |                |                         |        |        | 914-2,0                  |
| 5       | 914 201 305 10 | Bridge                  |        | 1      | 914-1,8V/1,8             |
| 6       | 900 027 014 01 | Lock ring               |        | 2      | 914-2,0                  |
| 0       | 900 027 014 01 | B 6                     |        | _ 4    | 914-1,8V/1,8<br>914-2,0  |
| 6       | 900 027 014 02 | Lock ring               |        | 2      | 914-1,8V/1,8             |
|         |                | В 6                     |        |        | 914-2,0                  |
| 6       | N 012 006 4    | Lock ring               |        | 2      | 914-1,8V/1,8             |
|         |                | В 6                     |        |        | 914-2,0                  |
| 7       | 900 076 010 02 | Nut                     |        | 1      | 914-1,8V/1,8             |
| 7       | 900 076 010 0B | M 6<br>Nut              |        | 1      | 914-2,0<br>914-1,8V/1,8  |
| '       | 900 076 010 08 | M 6                     |        | -      | 914-1,00/1,0             |
| 8       | 900 075 010 02 | Hexagon nut             |        | 1      | 914-1,8V/1,8             |
|         |                | M 6 X 12                |        |        | 914-2,0                  |
| 8       | N 010 212 14   | Hexagon-head bolt       |        | 1      | 914-1,8V/1,8             |
|         |                | M 6 X 12                |        |        | 914-2,0                  |
| 8       | 999 072 005 09 | Hexagon nut             |        | 1      | 914-1,8V/1,8             |
| 8       | 999 072 005 01 | M 6 X 12<br>Hexagon nut |        | 1      | 914-2,0<br>914-1,8V/1,8  |
|         | 999 072 003 01 | M 6 X 12                |        | -      | 914-2,0                  |
| 9       | 914 201 041 10 | Pipe                    |        | 1      | 914-6                    |
|         |                | for                     |        |        | 914-4/1,7                |
|         |                | Return line             |        |        | 914-1,8/2,0              |
| 10      | 914 201 043 10 | Pipe                    |        | 1      | 914-6                    |
|         |                |                         |        |        | 914-4/1,7<br>914-1,8/2,0 |
| 11      | 111 209 147 A  | Strainer                | -74    | 1      | 914-1,0/2,0              |
| 11      | 113 209 147    | Strainer                | 75-    | 1      | 914-1,8V/1,8             |
|         |                |                         |        |        | 914-2,0                  |
| 12      | 914 201 147 10 | Gasket                  |        | 1      | 914-6                    |
|         |                |                         |        |        | 914-4/1,7                |
| 1.2     | 014 001 152 10 | The decree where        |        | 1      | 914-1,8/2,0              |
| 13      | 914 201 153 10 | Union nut               |        | 1      | 914-6<br>914-4/1,7       |
|         |                |                         |        |        | 914-1,8/2,0              |
| 14      | 311 201 235 A  | Gasket                  |        | 1      |                          |
| 15      | 311 201 231 A  | Union nut               |        | 1      | 914-6                    |
|         |                |                         |        |        | 914-4/1,7                |
|         |                |                         |        |        | 914-1,8/2,0              |
| -<br>16 | 914 201 213 10 | Washer<br>Sender        | 74-    | 2<br>X | 914-1,8V/2,0             |
| 1 10    |                | Sender                  |        | _ ^    |                          |
|         |                | See group               |        |        |                          |
|         |                | 9/03/05                 |        |        |                          |
| 17      | 914 201 893 10 | Gasket                  |        | 1      |                          |
|         |                | for                     |        |        |                          |
| 1.0     | 014 001 002 10 | Filler neck             |        | ,      | 014 1 0**/1 0            |
| 18      | 914 201 083 10 | Expansion tank          |        | 1      | 914-1,8V/1,8<br>914-2,0  |
|         |                | F 47329 24903>>         | 73-    |        | )14-4,U                  |
| 18      |                | Expansion tank          | 74-    | 1      | 914-1,8/2,0              |
|         | 1              | 1 -                     | 1      | L      | 1                        |

| Model:   | 914 70         | Model life 1970>>1976                |            |     |                              |
|----------|----------------|--------------------------------------|------------|-----|------------------------------|
| Pos      | Part Number    | Description                          | Remark     | Qty | Model                        |
|          |                |                                      |            |     | (CAL)                        |
| (18)     | 914 201 083 11 | Expansion tank                       | 75-        | 1   | 914-1,8/2,0                  |
|          |                |                                      |            |     | (CAL)                        |
| 19       | 914 201 207 10 | Lid                                  |            | 1   | 914-1,8V/1,8<br>914-2,0      |
|          |                | F 47329 24903>>                      | 73-        |     | 914-2,0                      |
| _        | 914 201 319 10 | Ring                                 | 75-        | 1   | 914-1,8V/1,8                 |
|          |                |                                      |            | _   | 914-2,0                      |
| 20       | 914 201 227 10 | Gasket                               |            | 1   | 914-1,8V/1,8<br>914-2,0      |
|          |                | F 47329 24903>>                      | 73-        |     | J14 2,0                      |
| 21       | N 014 741 1    | Hexagon socket head bolt             | -74        | 8   | 914-1,8V/1,8                 |
|          |                | M 5 X 15                             |            |     | 914-2,0                      |
| (21)     | N 010 296 2    | F 47329 24903>><br>Hexagon-head bolt | 73-<br>75- | 8   | 914-1,8V/1,8                 |
| (21)     | N 010 250 2    | M 5 X 18                             | , ,        |     | 914-2,0                      |
| 22       | 900 025 003 02 | Washer                               |            | 8   | 914-1,8V/1,8                 |
|          |                | 5,3                                  |            |     | 914-2,0                      |
| 23       | 900 075 057 02 | F 47329 24903>><br>Hexagon-head bolt | 73-        | 1   | 914-1,8V/1,8                 |
|          | 000 073 037 02 | M 6 X 16                             |            | -   | 914-2,0                      |
|          |                | F 47329 24903>>                      | 73-        |     |                              |
| 23       | 900 075 057 03 | Hexagon-head bolt                    |            | 1   | 914-1,8V/1,8                 |
|          |                | M 6 X 16<br>F 47329 24903>>          | 73-        |     | 914-2,0                      |
| 24       | 900 027 014 01 | Lock ring                            | -74        | 1   | 914-1,8V/1,8                 |
|          |                | В 6                                  |            |     | 914-2,0                      |
| 0.4      | 000 007 014 00 | F 47329 24903>>                      | 73-        | 1   | 014 1 077/1 0                |
| 24       | 900 027 014 02 | Lock ring B 6                        |            | 1   | 914-1,8V/1,8<br>914-2,0      |
|          |                | F 47329 24903>>                      | 73-        |     |                              |
| 24       | N 012 006 4    | Lock ring                            |            | 1   | 914-1,8V/1,8                 |
|          |                | B 6 F 47329 24903>>                  | 73-        |     | 914-2,0                      |
| (24)     | 900 151 029 02 | Washer                               | 75-        | 1   | 914-1,8V/1,8                 |
|          |                | 6,4                                  |            |     | 914-2,0                      |
| -        | N 020 361 2    | Hose                                 |            | *   |                              |
| 25       |                | 4 X 2,5<br>290 MM                    |            | 1   | 914-1,8V/1,8                 |
| 25       |                | 290 MM                               |            |     | 914-1,80/1,8                 |
| 26       |                | 540 MM                               |            | 1   | 914-1,8V/2,0                 |
|          |                | Not for                              |            |     |                              |
| _        | 999 181 145 40 | Tank ventilation Hose                |            | *   |                              |
|          | 999 101 143 40 | 15 X 19 PVC 720                      |            |     |                              |
|          |                | Not for                              |            |     |                              |
| 0.7      |                | Tank ventilation                     |            |     | 014 1 077/0 0                |
| 27<br>28 | 914 201 163 10 | 140 MM<br>Intermediate piece         |            | 1 1 | 914-1,8V/2,0<br>914-1,8V/2,0 |
| 20       | 711 201 103 10 | Not for                              |            | -   | J11 1,0V/2,0                 |
|          |                | Tank ventilation                     |            |     |                              |
| -        | 999 181 145 40 | Hose                                 |            | *   |                              |
|          |                | 15 X 19 PVC 720<br>Not for           |            |     |                              |
|          |                | Tank ventilation                     |            |     |                              |
| 29       |                | 560 MM                               |            | 1   | 914-1,8V/2,0                 |
| -        | 999 181 145 40 | Hose                                 |            | *   |                              |
| 30       |                | 15 X 19 PVC 720<br>880 MM            |            | 1   | 914-1,8/2,0                  |
| 31       | 171 201 801    | Carbon canister                      |            | 1   | 914-1,8/2,0                  |
| 31       | 171 201 801 C  | Carbon canister                      |            | 1   | 914-1,8/2,0                  |
| 31 32    | 1H0 201 801 C  | Carbon canister                      | 74-        | 1 1 | 914-1,8/2,0                  |
| 3∠       | 113 809 169    | Support                              | /4-        |     | 914-1,8/2,0                  |

| Model:   | 914 /0         | Model life 19/0>>19/6  |        |          |             |
|----------|----------------|------------------------|--------|----------|-------------|
| Pos      | Part Number    | Description            | Remark | Qty      | Model       |
|          |                | with                   |        |          |             |
|          |                | Restraining strap      |        |          |             |
| 33       | 900 076 010 02 | Nut                    | 74-    | 1        | 914-1,8/2,0 |
|          |                | М 6                    |        |          | , = , = , = |
| 33       | 900 076 010 0B | Nut                    | 74-    | 1        | 914-1,8/2,0 |
|          |                | М 6                    |        |          |             |
| 34       | N 012 006 4    | Lock ring              | 74-    | 1        | 914-1,8/2,0 |
|          |                | В 6                    |        |          |             |
| -        | N 020 361 2    | Hose                   |        | *        |             |
|          |                | 4 X 2,5                |        |          |             |
| 35       | 000 101 200 40 | 280 MM                 |        | 2 *      | 914-1,8/2,0 |
| -        | 999 181 308 40 | Breather hose 5 X 3,15 | 74-    | <b>^</b> |             |
| 36       |                | 3550 MM                |        | 1        | 914-1,8/2,0 |
| _        | 999 181 317 40 | Breather hose          | 75-    | *        | J14 1,0/2,0 |
|          |                | 5 X 3,15               | '-     |          |             |
| 36/1     |                | 3250 MM                |        | 1        | 914-1,8/2,0 |
| 37       | 311 611 753    | Water drain sleeve     | 74-    | 1        | 914-1,8/2,0 |
| 38       | 823 823 591    | Grommet                | 74-    | 1        | 914-1,8/2,0 |
| 39       | 914 356 543 00 | Rubber sleeve          | 74-    | 1        | 914-1,8/2,0 |
| 40       | 999 591 378 40 | Clip                   | 74-    | 2        | 914-1,8/2,0 |
| 41       | 914 201 095 10 | Restraining strap      | 75-    | 1        | 914-1,8/2,0 |
| -        | 999 180 106 50 | Fuel hose              | 75-    | *        |             |
|          |                | 12 X 2,5               |        |          |             |
| 42<br>43 |                | 430 MM<br>935 MM       |        | 1<br>1   | 914-1,8/2,0 |
| 43       |                | 935 MM                 |        | 1        | 914-1,8/2,0 |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
| 1        |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        |        |          |             |
|          |                |                        | 1      | I        |             |




| Doc    | 914 /U         | Description                | Domark     | Otv.   | Model                  |
|--------|----------------|----------------------------|------------|--------|------------------------|
| Pos    | Part Number    | Description                | Remark     | Qty    | Model                  |
|        |                | Fuel line                  | -74        |        |                        |
| -      | N 020 359 1    | Hose                       |            | *      |                        |
|        |                | C 9 X 15                   |            |        |                        |
| 1      |                | Intake pipe                |            | 1      |                        |
|        |                | 390 MM                     |            |        |                        |
| -      | 999 180 030 50 | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   |            |        |                        |
| -      | 999 180 030 5A | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   |            | 1      |                        |
| 2      |                | Return line                |            | 1      |                        |
|        | 014 256 504 00 | 440 MM                     | 71         | 1      | 0144                   |
| 3      | 914 356 524 02 | Fuel return line<br>Centre | -71        | 1      | 914-4                  |
|        |                | Intake pipe                |            |        |                        |
| 3      | 914 356 062 01 | Fuel line                  | 72-        | 1      | 914-6                  |
| 3      | 914 330 002 01 | Centre                     | 72-        |        | 914-4/1,7              |
|        |                | Intake pipe                |            |        | 914-1,8/2,0            |
| (3)    | 914 356 530 01 | Fuel line                  | -71        | 1      | 914-6                  |
| (3)    | 330 330 01     | Centre                     | , =        | _      | 711 0                  |
|        |                | Intake pipe                |            |        |                        |
| 4      | 914 356 513 00 | Fuel line                  | -71        | 1      | 914-6                  |
|        |                | Centre                     |            |        | 914-4                  |
|        |                | Return line                |            |        |                        |
| 4      | 914 356 063 00 | Fuel line                  | 72-        | 1      | 914-6                  |
|        |                | Centre                     |            |        | 914-4/1,7              |
|        |                | Return line                |            |        | 914-1,8/2,0            |
| 4/1    |                | Fuel line                  |            | 1      | 914-1,8V               |
|        |                | Centre                     |            |        |                        |
|        |                | Intake pipe                |            |        |                        |
| -      | 999 180 030 50 | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   | 72-        |        |                        |
| -      | 999 180 030 5A | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   |            |        |                        |
| 5      |                | 130 MM                     |            | 1      | 914-6                  |
| 6      |                | 65 MM                      | E-1        | 1      | 914-6                  |
| 6      |                | 65 MM                      | -71<br>-70 | 3      | 914-4                  |
| 6<br>6 |                | 65 MM                      | 72-        | 2      | 914-1,7/2,0            |
| Ь      |                | 80 MM                      | 74-        | 1      | 914-1,7/1,8<br>914-2,0 |
| 6/1    |                | 150 MM                     |            | 1      | 914-2,0                |
| 0/1    |                | 150 MM                     |            |        | 914-1,8/2,0            |
|        |                |                            | 72-        |        | 914-1,0/2,0            |
| _      | N 020 359 1    | Hose                       | 7 2        | *      |                        |
|        |                | C 9 X 15                   |            |        |                        |
| 7      |                | 120 MM                     | -71        | 1      | 914-6                  |
| 7      |                | 160 MM                     | 72-        | 1      | 914-6                  |
| 8      | 914 356 525 00 | Fuel line                  |            | 1      | 914-4/1,7              |
|        |                |                            |            |        | 914-1,8/2,0            |
|        |                | Intake pipe                |            |        |                        |
| 9      | 311 133 511 D  | Fuel filter                |            | 1      | 914-4/1,7              |
|        |                |                            |            |        | 914-1,8/2,0            |
| -      | 999 180 030 50 | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   | 72-        |        |                        |
| -      | 999 180 030 5A | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   |            |        |                        |
| 10     |                | 440 MM                     | -71        | 1      | 914-4                  |
| 10     |                | 300 MM                     |            | 1      | 914-4/1,7              |
|        |                |                            |            |        | 914-1,8/2,0            |
| 11     | 901 356 461 00 | Hose connection            | -73        | 1      | 914-4/1,7              |
| ,      |                |                            |            |        | 914-2,0                |
|        | 022 133 525 A  | Branch piece               | 74-        | 1<br>* | 914-1,8/2,0            |
| -      | 999 180 030 50 | Fuel hose                  |            | *      |                        |
|        |                | C 7 X 12                   |            |        |                        |


| Model:   | 914 70                           | Model life 1970>>1976          |                              |                |                          |
|----------|----------------------------------|--------------------------------|------------------------------|----------------|--------------------------|
| Pos      | Part Number                      | Description                    | Remark                       | Qty            | Model                    |
|          |                                  | Return line                    |                              |                |                          |
| -        | 999 180 030 5A                   | Fuel hose                      |                              | *              |                          |
|          |                                  | C 7 X 12                       |                              |                |                          |
| 1.0      |                                  | Return line                    | F.1                          | 1              | 014 4                    |
| 12<br>12 |                                  | 40 MM<br>35 MM                 | -71                          | 1<br>1         | 914-4<br>914-4/1,7       |
|          |                                  | 33 MM                          | 72-                          | Т.             | 914-1,8/2,0              |
| 13       | 911 608 107 00                   | Fuel pump                      | · <del>-</del>               | 1              | 914-6                    |
| 13       | 911 608 107 01                   | Fuel pump                      |                              | 1              | 914-6                    |
| 13       | 911 608 107 03                   | Fuel pump                      |                              | 1              | 914-6                    |
| 13       | 911 608 107 X                    | Fuel pump Electric             |                              | 1              | 914-6                    |
| 13/1     | 311 906 091 D                    | Fuel pump                      |                              | 1              | 914-4/1,7                |
| 1371     | 311 300 031 5                    | Electric                       |                              | _              | 914-1,8/2,0              |
| 14       | 914 356 527 00                   | Fuel line                      | /H                           | 1              | 914-6                    |
|          |                                  | Pressure line                  |                              |                | <b></b>                  |
| 15       | 914 356 526 00                   | Fuel line                      | /H                           | 1              | 914-4                    |
| 15       |                                  | Pressure line Fuel line        | /н 72-                       | 1              | 914-1,7/1,8V             |
|          |                                  | Pressure line                  | / <del></del> / <del>-</del> | _              | 914-1,8/2,0              |
| 16       | 914 356 056 00                   | Fuel line                      |                              | 1              | 914-6                    |
|          |                                  | Engine                         |                              |                |                          |
| 20       | 999 591 335 40                   | Cable holder                   |                              | 3              | 914-6                    |
| 21       | 901 108 219 00<br>999 180 030 50 | Cap<br>Fuel hose               |                              | 2              | 914-6                    |
|          | 1999 100 030 30                  | C 7 X 12                       |                              |                |                          |
|          |                                  | Pressure line                  |                              |                |                          |
| -        | 999 180 030 5A                   | Fuel hose                      |                              | *              |                          |
|          |                                  | C 7 X 12                       |                              |                |                          |
| 22       |                                  | Pressure line<br>210 MM        |                              | 1              | 914-4/1,7                |
|          |                                  | ZIO MM                         |                              | 1              | 914-4/1,7                |
| 23       | 914 356 528 00                   | Fuel line                      | /H -71                       | 1              | 914-4                    |
|          |                                  | Return line                    |                              |                |                          |
| 23       | 914 356 528 01                   | Fuel line                      | /н 72-                       | 1              | 914-4/1,7                |
| _        | 999 180 030 50                   | Return line<br>Fuel hose       |                              | *              | 914-1,8/2,0              |
|          | 999 100 030 30                   | C 7 X 12                       |                              |                |                          |
|          |                                  | Return line                    |                              |                |                          |
| -        | 999 180 030 5A                   | Fuel hose                      |                              | *              |                          |
|          |                                  | C 7 X 12                       |                              |                |                          |
| 24       |                                  | Return line<br>820 MM          |                              | 1              | 914-4/1,7                |
| 4        |                                  | 020 FIFT                       |                              | _              | 914-4/1,7                |
| 25       | 111 957 861                      | Rubber sleeve                  |                              | 1              | 914-6/1,8V               |
| 25       |                                  | Rubber sleeve                  |                              | 2              | 914-4/1,7                |
| 05/1     | 014 256 542 00                   | Dubban alessa                  |                              | 1              | 914-1,8/2,0              |
| 25/1     | 914 356 543 00<br>999 512 055 02 | Rubber sleeve<br>Hose clamp    |                              | 1 3            | 914-6                    |
|          | 777 312 033 02                   | S 12/9 ZY                      |                              | ,              | )<br> <br>               |
| 26       | PCG 512 055 02                   | Hose clamp                     |                              | 3              | 914-6                    |
|          |                                  | S 12/9 ZY                      |                              |                |                          |
| 26       | 999 512 055 02                   | Hose clamp                     |                              | 4              | 914-4/1,7                |
| 26       | PCG 512 055 02                   | S 12/9 ZY<br>Hose clamp        |                              | 4              | 914-1,8/2,0<br>914-4/1,7 |
|          | FCG 317 033 07                   | S 12/9 ZY                      |                              | _ <del>_</del> | 914-4/1,7                |
| 26       | 999 512 055 02                   | Hose clamp                     |                              | 2              | 914-1,8V                 |
|          |                                  | S 12/9 ZY                      |                              |                |                          |
| 26       | PCG 512 055 02                   | Hose clamp                     |                              | 2              | 914-1,8V                 |
| 27       | 014 256 201 00                   | S 12/9 ZY<br>Rubber sleeve     |                              | 1              |                          |
| 27<br>28 | 914 356 201 00<br>914 356 202 00 | Rubber sleeve<br>Rubber sleeve |                              | 1<br>1         |                          |
|          |                                  | Not for                        |                              | _              |                          |
|          | I                                | <u> </u>                       | <u> </u>                     |                |                          |

| Model:   | 914 70                           | Model life 1970>>1976      |        |     |                        |
|----------|----------------------------------|----------------------------|--------|-----|------------------------|
| Pos      | Part Number                      | Description                | Remark | Qty | Model                  |
|          |                                  | TYP 914-1,8V               |        |     |                        |
| 29       | 999 512 184 02                   | Terminal                   |        | 1   |                        |
|          | 000 510 150 00                   | \$ 14,3 - 15,7             |        |     |                        |
| 29       | 999 512 178 02                   | Clip<br>\$ 13              |        | 1   |                        |
| 30       | N 023 569 2                      | Hose clamp                 | 72-    | 2   |                        |
|          |                                  | S 16/9 ZY                  |        |     |                        |
|          |                                  | Not for                    |        |     |                        |
| 30       | PCG 023 569 2                    | TYP 914-1,8V<br>Hose clamp | 72-    | 2   |                        |
| 30       | 1 CG 023 309 2                   | S 16/9 ZY                  | 7 2    |     |                        |
|          |                                  | Not for                    |        |     |                        |
| 2.1      | 014 001 215 10                   | TYP 914-1,8V               |        | 1   |                        |
| 31<br>32 | 914 201 315 10<br>914 356 502 00 | Edge protection Dual clamp | 74-    | 1 2 | 914-1,8V/1,8           |
| 32       | 714 330 302 00                   | Buai Ciamp                 | 7 1    |     | 914-2,0                |
| 33       | 914 356 502 01                   | Pipe clamp                 | 74-    | 2   | 914-1,8V/1,8           |
|          |                                  |                            |        | *   | 914-2,0                |
| -        | 999 180 030 50                   | Fuel hose<br>C 7 x 12      |        | *   |                        |
| _        | 999 180 030 5A                   | Fuel hose                  |        | *   |                        |
|          |                                  | C 7 X 12                   |        |     |                        |
| 34       |                                  | 185 MM                     | 74-    | 1   | 914-1,8V               |
| 35<br>36 | 999 703 215 40<br>914 559 245 10 | Stopper<br>Stopper         | 74-    | 1   | 914-1,8V<br>914-1,8V   |
| 36       | 914 559 245 10                   | Picture                    |        |     | 914-1,00               |
|          |                                  | 37 - 45                    |        |     |                        |
|          |                                  | Not for                    |        |     |                        |
| 2.7      | 014 256 502 00                   | TYP 914-1,8V               |        | 1   | 014 6/4/1 7            |
| 37       | 914 356 503 00                   | Clamp                      |        | 1   | 914-6/4/1,7<br>914-1,8 |
| 37       |                                  | Clamp                      |        | 2   | 914-2,0                |
| 38       | 900 014 096 02                   | Pan-head screw             |        | 1   |                        |
| 2.0      | 000 100 001 00                   | BM 5 X 35                  |        | 1   |                        |
| 39       | 900 198 001 02                   | Square nut M 5             |        | 1   |                        |
| 40       | 901 501 864 00                   | Megulastik pivot bearing   |        | 2   |                        |
| 41       | 900 076 010 02                   | Nut                        |        | 2   |                        |
| 4.1      | 000 076 010 05                   | M 6                        |        |     |                        |
| 41       | 900 076 010 0B                   | Nut<br>M 6                 |        | 2   |                        |
| 42       | 900 027 014 01                   | Lock ring                  |        | 2   |                        |
|          |                                  | В 6                        |        |     |                        |
| 42       | 900 027 014 02                   | Lock ring B 6              |        | 2   |                        |
| 42       | N 012 006 4                      | Lock ring                  |        | 2   |                        |
|          |                                  | В 6                        |        |     |                        |
| 43       | N 011 524 7                      | Washer                     |        | 2   |                        |
| 4.2      | N 011 F24 27                     | 6,4                        |        |     |                        |
| 43       | N 011 524 27                     | Washer 6,4                 |        | 2   |                        |
| 44       | 900 027 014 01                   | Lock ring                  |        | 2   |                        |
|          |                                  | В 6                        |        |     |                        |
| 44       | 900 027 014 02                   | Lock ring B 6              |        | 2   |                        |
| 44       | N 012 006 4                      | Lock ring                  |        | 2   |                        |
|          |                                  | B 6                        |        |     |                        |
| 45       | 900 076 010 02                   | Nut                        |        | 2   |                        |
| 45       | 900 076 010 0B                   | M 6<br>Nut                 |        | 2   |                        |
| 1 45     | 200 0/0 0IO 0B                   | M 6                        |        |     |                        |
|          |                                  |                            |        |     |                        |
|          |                                  |                            |        |     |                        |

PORSCHE Illustration: 201-15




| Model: | 914 70         | Model life 1970>>1976 |        |     |               |
|--------|----------------|-----------------------|--------|-----|---------------|
| Pos    | Part Number    | Description           | Remark | Qty | Model         |
|        |                | Fuel line             | 75-    |     |               |
| 1      | 914 356 063 01 | Fuel return line      | 75-    | 1   |               |
| _      | 999 180 030 50 | Fuel hose             |        | *   |               |
|        | 100 030 30     | C 7 X 12              |        |     |               |
| _      | 999 180 030 5A | Fuel hose             |        | *   |               |
|        |                | C 7 X 12              |        |     |               |
| 2      |                | 440 MM                |        | 1   |               |
| _      | 999 181 152 50 | Fuel hose             |        | *   |               |
|        |                | 7,5 X 13,5            |        |     |               |
| 3      |                | 930 MM                |        | 1   | 914-1,8/2,0   |
| 4      | N 023 577 2    | Hose clamp            |        | 2   | 914-1,8/2,0   |
| 4      | PCG 023 577 2  | Hose clamp            |        | 1   |               |
|        |                | A9 x 14               |        |     |               |
| 5      | 111 957 861    | Rubber sleeve         |        | 1   | 914-1,8V      |
| 5      |                | Rubber sleeve         |        | 2   | 914-1,8/2,0   |
| 6      | 914 356 201 00 | Rubber sleeve         |        | 1   | 914-1,8V      |
| 6      |                | Rubber sleeve         |        | 2   | 914-1,8/2,0   |
| 7      | 914 356 543 01 | Rubber sleeve         |        | 1   |               |
| 8      | N 024 119 1    | Hose clamp            |        | 2   | 914-1,8V      |
| 8      |                | Hose clamp            |        | 4   | 914-1,8/2,0   |
| 9      | 914 356 062 02 | Fuel return line      |        | 1   | 914-1,8/2,0   |
|        |                | Pressure line         |        |     |               |
| -      | 999 180 030 50 | Fuel hose             |        | *   |               |
|        | 000 100 000 5- | C 7 X 12              |        | *   |               |
| -      | 999 180 030 5A | Fuel hose             |        | *   |               |
| 1.0    |                | C 7 X 12              |        | 1   | 014 1 0 / 0 0 |
| 10     | 999 181 152 50 | 700 MM<br>Fuel hose   |        | 1   | 914-1,8/2,0   |
| _      | 999 181 152 50 | 7,5 X 13,5            |        | •   |               |
| 11     |                | 300 MM                |        | 1   | 914-1,8/2,0   |
| 12     | 914 356 502 01 | Pipe clamp            |        | 2   | 914-1,0/2,0   |
| 13     | 043 906 091    | Fuel pump             |        | 1   | 914-1,8/2,0   |
| 14     | 133 133 511    | Fuel filter           |        | 1   | 914-1,8/2,0   |
| _      | 999 180 030 50 | Fuel hose             |        | *   | J11 1/0/2/0   |
|        |                | C 7 X 12              |        |     |               |
| _      | 999 180 030 5A | Fuel hose             |        | *   |               |
|        |                | C 7 X 12              |        |     |               |
| 15     |                | 620 MM                |        | 1   | 914-1,8/2,0   |
| _      | 999 180 029 50 | Fuel hose             |        | *   |               |
|        |                | C 11 X 17,5           |        |     |               |
| 16     |                | 470 MM                |        | 1   | 914-1,8/2,0   |
| 17     | N 024 124 1    | Clip                  |        | 2   | 914-1,8/2,0   |
| 18     | 999 703 215 40 | Stopper               |        | 1   | 914-1,8V      |
| 19     | 914 559 245 10 | Stopper               |        | 1   | 914-1,8V      |
| 20     | 999 513 023 40 | Tie-wrap              |        | 2   | 914-1,8/2,0   |
| 21     | 999 512 229 02 | Clip                  |        | 1   | 914-1,8/2,0   |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |
|        |                |                       |        |     |               |



| Model: | 914 70                           | Model life 1970>>1976   |        |          |       |
|--------|----------------------------------|-------------------------|--------|----------|-------|
| Pos    | Part Number                      | Description             | Remark | Qty      | Model |
|        |                                  | Exhaust system          |        |          | 914-6 |
|        |                                  | Heating air supply      |        |          |       |
|        |                                  | Engine suspension       |        |          |       |
| 1      | 901 111 011 11                   | Exhaust silencer        |        | 1        |       |
| 2      | 901 111 193 00                   | Gasket                  |        | 2        |       |
| 3      | 900 075 148 02                   | Hexagon-head bolt       |        | 2        |       |
| 4      | 999 084 002 02                   | Hexagon nut             |        | 4        |       |
| 5      | 900 074 059 02                   | Hexagon-head bolt       |        | 2        |       |
|        |                                  | M 10 X 40               |        |          |       |
| 5      | 900 074 379 01                   | Hexagon-head bolt       |        | 2        |       |
|        |                                  | M 10 X 40               |        |          |       |
| 6      | 900 025 008 02                   | Washer                  |        | 2        |       |
|        |                                  | 10,5                    |        |          |       |
| 6      | N 011 527 4                      | Washer                  |        | 2        |       |
|        |                                  | 10,5                    |        |          |       |
| 6      | 900 025 008 09                   | Washer                  |        | 2        |       |
|        |                                  | 10,5                    |        | 0        |       |
| 6      | 900 025 008 04                   | Washer 10,5             |        | 2        |       |
| 7      | 901 111 152 00                   | Bracket                 |        | 1        |       |
| '      | 901 111 152 00                   | for                     |        | 1        |       |
|        |                                  | Muffler                 |        |          |       |
| 8      | 901 111 245 01                   | Ornamental exhaust pipe |        | 1        |       |
| 9      | 901 111 249 00                   | Tail pipe               |        | 1        |       |
| 10     | 900 151 030 30                   | Washer                  |        | 2        |       |
| 11     | N 012 241 1                      | Spring washer           |        | 2        |       |
|        |                                  | B 8 X 15                |        | _        |       |
| 12     | 900 076 025 02                   | Hexagon nut             |        | 2        |       |
|        |                                  | M 8                     |        |          |       |
| 12     | 900 076 064 02                   | Hexagon nut             |        | 2        |       |
|        |                                  | м 8                     |        |          |       |
| 13     | 901 115 012 00                   | Engine bracket          |        | 1        |       |
|        |                                  | Complete                |        |          |       |
| 14     | 900 157 002 02                   | Hexagon nut             |        | 4        |       |
|        |                                  | M 10                    |        |          |       |
| 14     | 900 157 002 03                   | Hexagon nut             |        | 4        |       |
| 1.5    | 7 010 040 2                      | M 10                    |        | 4        |       |
| 15     | N 012 242 3                      | Spring washer B 10 X 18 |        | 4        |       |
| 16     | 014 375 040 00                   |                         |        | 1        |       |
| 17     | 914 375 049 00<br>914 375 158 00 | Engine mounting Base    |        | 1        |       |
| 1 1    | 914 373 138 00                   | Lower                   |        |          |       |
| 18     | 900 014 039 02                   | Pan-head screw          |        | 2        |       |
|        | ]                                | AM 6 X 15               |        |          |       |
| 19     | 900 027 014 01                   | Lock ring               |        | 2        |       |
|        |                                  | В 6                     |        | _        |       |
| 19     | 900 027 014 02                   | Lock ring               |        | 2        |       |
|        |                                  | В 6                     |        |          |       |
| 19     | N 012 006 4                      | Lock ring               |        | 2        |       |
|        |                                  | В 6                     |        |          |       |
| 20     | 914 375 057 00                   | Base                    |        | 2        |       |
|        |                                  | Upper                   |        |          |       |
| 21     | 900 082 043 02                   | Hexagon-head bolt       |        | 1        |       |
| 23     | 900 075 041 02                   | Hexagon-head bolt       |        | 2        |       |
|        |                                  | M 10 X 25               |        |          |       |
| 24     | 900 027 016 02                   | Lock ring               |        | 2        |       |
| 2.4    | 000 027 016 02                   | B 10                    |        | 2        |       |
| 24     | 900 027 016 03                   | Lock ring B 10          |        | <u> </u> |       |
| 25     | N 011 010 6                      | Hexagon nut             |        | 2        |       |
| 45     | 11 OTT OTO 0                     | M 10                    |        |          |       |
| 25     | N 101 552 10                     | Hexagon nut             |        | 2        |       |
|        | 332 23                           | M 10                    |        | _        |       |
|        |                                  | I                       |        |          |       |


| Model:   | 914 70                 |        | Model life 1970>>1976                                |        |     |       |
|----------|------------------------|--------|--|--------|-----|-------|
| Pos      | Part Numb              | er     | Description  | Remark | Qty | Model |
| 26       | 901 211 (              | 104 00 | Heat exchanger                                       | /R     | 1   |       |
| 20       | 01 211 0               | 00 100 | Cylinder   | / 10   | -   |       |
|          |                        |        | 1 - 3  |        |     |       |
| 27       | 901 111 1              | 191 01 | Gasket   |        | 6   |       |
| (27)     | 930 111 1              |        | Gasket   |        | 6   |       |
| (27)     | 911 113 1              |        | Gasket   |        | 6   |       |
| 28       | 900 076 (              | 025 02 | Hexagon nut<br>M 8                                   |        | 3   |       |
| 28       | 900 076 0              |        | Hexagon nut M 8                                      |        | 3   |       |
| 29       | 999 085 (              | 001 02 | Socket head nut M 8                                  |        | 9   |       |
| 30       | 900 076 0              | 010 02 | Nut<br>M 6   |        | 1   |       |
| 30       | 900 076 (              | 010 OB | Nut<br>M 6   |        | 1   |       |
| 31       | 900 028 0              | 008 01 | Lock ring  |        | 1   |       |
| 32       | 901 211 1              | 195 00 | B 6<br>Heater hose                                   |        | 1   |       |
| 32       | 901 211 1              |        | Heater hose  |        | 1   |       |
| 32/1     | 901 211 1              |        | Heater hose  |        | 1   |       |
| 32/1     | 901 211 1              |        | Heater hose  |        | 1   |       |
| 34       | 999 512 3              |        | Hose clamp   |        | 4   |       |
|          |                        | ,,, ,, | (51-72) X 9  |        |     |       |
| 34       | 999 512 3              | 349 01 | Hose clamp<br>(51-72) X 9                            |        | 4   |       |
| 34       | 999 512 3              | 349 OB | Hose clamp (51-72) X 9                               |        | 4   |       |
| 35       | 901 211 (              | 003 00 | Heat exchanger<br>Cylinder                           | /L     | 1   |       |
| 37       | 901 211 6              | 520 00 | 4 - 6 Flap control box Heat exchanger Cylinder       | /R     | 1   |       |
| 37/1     | 901 211 6              | 510 00 | 1 - 3 Flap control box Heat exchanger Cylinder 4 - 6 | /L     | 1   |       |
| 38<br>39 | 901 211 6<br>901 211 6 |        | Hexagon-head bolt Square nut                         |        | 2 2 |       |
| 40       | 930 211 6              | 522 01 | M 6<br>Connecting hose                               | /L     | 1   |       |
| 41       |                        |        | 230 MM<br>Connecting hose                            | /R     | 1   |       |
|          |                        |        | 255 MM   |        |     |       |




| Model:   | 914 70         | Model life 1970>>1976              |        |     |              |
|----------|----------------|------------------------------------|--------|-----|--------------|
| Pos      | Part Number    | Description                        | Remark | Qty | Model        |
|          |                | Exhaust system                     |        |     | 914-4/1,7    |
|          |                | Exhaust silencer                   |        |     | 914-1,8V/1,8 |
| 1        | 022 251 067 A  | Bracket                            |        | 1   | 914-4/1,7    |
|          |                |                                    |        |     | 914-1,8V/1,8 |
|          |                | M >>ECO 037 551                    |        |     |              |
|          |                | M >> W0 250 000                    |        |     |              |
| 2        | 039 251 067    | M >>EA0 098 793<br>Bracket         |        | 1   | 914-2,0      |
|          | 039 231 007    | M >>GAO 016 000                    |        | -   | J11 2,0      |
| (2)      | 039 251 067 A  | Bracket                            |        | 1   | 914-1,8/2,0  |
|          |                | M ECO 037 552>>                    |        |     |              |
|          |                | M GCO 000 001>>                    |        |     |              |
| 3        | N 011 670 1    | Washer                             |        | X   |              |
| 4        | 311 101 463    | 8,4<br>Hexagon nut                 |        | x   |              |
| <b>"</b> | 311 101 403    | M 8                                |        | A   |              |
|          |                | Self-locking                       |        |     |              |
| (5)      | 021 251 053 C  | Exhaust silencer                   |        | 1   | 914-4/1,7    |
|          |                |                                    |        |     | 914-1,8V/1,8 |
| (5)      | 021 251 101 E  | Rear muffler                       |        | 1   | 914-4        |
|          |                | M >>EA0 057 000<br>M >> W0 170 000 |        |     |              |
| (5)      | 021 251 101 K  | Rear muffler                       |        | 1   | 914-1,7      |
| (3)      | 021 231 101 K  | M EA0 057 001>>                    |        | -   | )11 1,7      |
|          |                | M W0 170 001 >>                    |        |     |              |
|          |                | M >>EA0 098 793                    |        |     |              |
|          |                | M >>EB0 010 020                    |        |     |              |
|          |                | M >> W0 250 000                    |        |     |              |
| (5)      | PCG 251 051 D  | Muffler Exhaust silencer           |        | 1   | 914-2,0      |
| 1A       | 039 251 053    | M ECO 037 552>>                    |        | 1   | 914-1,8/2,0  |
|          |                | M GC0 000 001>>                    |        |     |              |
| 1в       | 039 251 055 A  | Rear muffler                       |        | 1   | 914-1,8/2,0  |
|          |                | M ECO 037 552>>                    |        |     |              |
|          |                | M GCO 000 001>>                    |        |     |              |
| 1C       | 039 251 058    | Exhaust pipe                       |        | 1   | 914-1,8/2,0  |
|          |                | Centre M EC0 037 552>>             |        |     |              |
|          |                | M GCO 000 001>>                    |        |     |              |
| _        | 000 071 343    | Ornamental exhaust pipe            |        | 1   |              |
| -        | 000 071 347    | Ornamental exhaust pipe            |        | 1   | 914-2,0      |
| 6        | N 014 463 2    | Stud                               |        | 6   |              |
| _        |                | BM 8 B X 31                        |        |     |              |
| 7        | 021 251 171 M  | Tail pipe                          |        | 1   | 914-4        |
|          |                | with Damper                        |        |     |              |
|          |                | for                                |        |     |              |
|          |                | Pot                                |        |     |              |
|          |                | 021.251.101 E                      |        |     |              |
|          |                | M >>EA0 057 000                    |        |     |              |
| (8)      | 001 051 151 27 | M >> W0 170 000                    |        | ,   | 014 1 5      |
| (7)      | 021 251 171 N  | Tail pipe with                     |        | 1   | 914-1,7      |
|          |                | Damper                             |        |     |              |
|          |                | for                                |        |     |              |
|          |                | Pot                                |        |     |              |
|          |                | 021.251.101 K                      |        |     |              |
|          |                | M EA0 057 001>>                    |        |     |              |
|          |                | M W0 170 001 >><br>M >>EA0 098 793 |        |     |              |
|          |                | M >>EBO 010 020                    |        |     |              |
|          |                | M >> W0 250 000                    |        |     |              |
| (7)      | 021 251 185 C  | Tail pipe                          |        | 1   | 914-1,7/1,8V |

| Pos  | Part Number    | Description                         | Remark | Qty | Model        |
|------|----------------|-------------------------------------|--------|-----|--------------|
|      |                | for                                 |        |     | 914-1,8      |
|      |                | Pot                                 |        |     |              |
|      |                | 021.251.053 C                       |        |     |              |
|      |                | M EAO 057 001>><br>M WO 170 001 >>  |        |     |              |
|      |                | M >>ECO 037 551                     |        |     |              |
|      |                | M >>EAO 098 793                     |        |     |              |
|      |                | M >>EB0 010 020                     |        |     |              |
|      |                | M >> W0 250 000                     |        |     |              |
| (7)  | 022 251 185    | Tail pipe for                       |        | 1   | 914-4        |
|      |                | Pot                                 |        |     |              |
|      |                | 021.251.053 C                       |        |     |              |
|      |                | M >>EA0 057 000                     |        |     |              |
|      |                | M >> W0 170 000                     |        |     |              |
| 8    | 021 251 231 B  | Sealing ring                        |        | 1   | 914-4/1,7    |
| (8)  | 025 251 235    | \$ 43 MM<br>Gasket                  |        | 1   | 914-4/1,7    |
| (0)  |                | for                                 |        | -   | 914-1,8V/1,8 |
|      |                | Pot                                 |        |     |              |
|      |                | 021.251.053 C                       |        |     |              |
| 9    | 021 251 233 A  | M >>EC0 037 551                     |        | 1   | 014 4/1 7    |
| 9    | 021 251 233 A  | Sealing bellows<br>\$ 43,5 MM       |        |     | 914-4/1,7    |
| 10   | 900 075 079 02 | Hexagon-head bolt                   |        | 1   | 914-4/1,7    |
|      |                | M 8 X 22                            |        |     |              |
| 11   | 900 027 015 02 | Lock ring                           |        | 1   | 914-4/1,7    |
| 11   | 000 007 015 00 | B 8                                 |        | 1   | 014 4/1 7    |
| 11   | 900 027 015 03 | Lock ring B 8                       |        | 1   | 914-4/1,7    |
| 12   | 900 075 085 02 | Hexagon-head bolt                   |        | 1   | 914-4/1,7    |
|      |                | M 8 X 20                            |        |     |              |
| 13   | 900 027 015 02 | Lock ring                           |        | 1   | 914-4/1,7    |
| 13   | 900 027 015 03 | B 8<br>Lock ring                    |        | 1   | 914-4/1,7    |
| 13   | 900 027 013 03 | B 8                                 |        |     | )11-1/1,/    |
| 14   | 900 025 007 02 | Washer                              |        | 1   | 914-4/1,7    |
|      |                | A 8,4                               |        |     |              |
| 14   | 900 025 007 03 | Washer                              |        | 1   | 914-4/1,7    |
| 15   | 025 251 261    | A 8,4<br>Gasket                     |        | 2   | 914-4/1,7    |
| 13   |                | Cubited                             |        | -   | 914-1,8V/1,8 |
|      |                | M >>EC0 037 551                     |        |     |              |
|      |                | M >>EAO 098 793                     |        |     |              |
|      |                | M >> EBO 010 020<br>M >> WO 250 000 |        |     |              |
| (15) | 039 251 261    | Gasket                              |        | 2   | 914-2,0      |
|      |                | M >>GA0 016 000                     |        |     |              |
| 16   | 443 253 115 B  | Gasket                              |        | 4   | 914-1,8/2,0  |
|      |                | M ECO 037 552>><br>M GCO 000 001>>  |        |     |              |
| 17   | N 010 233 6    | Hexagon-head bolt                   |        | 12  | 914-1,8/2,0  |
|      | N 010 233 0    | M 8 X 28                            |        |     | ]            |
| 17   | 900 075 136 03 | Hexagon-head bolt                   |        | 12  | 914-1,8/2,0  |
|      |                | M 8 X 28                            |        |     |              |
| 18   | N 010 247 8    | Hexagon-head bolt<br>M 8 X 35       |        | 4   | 914-1,8/2,0  |
| 19   | 039 131 594    | Flange                              |        | 1   | 914-1,8/2,0  |
|      |                | M ECO 037 552>>                     |        | _   |              |
|      |                | M GC0 000 001>>                     |        |     |              |
| 20   | 900 075 014 02 | Hexagon-head bolt                   |        | 3   | 914-1,8/2,0  |
| 20   | 900 075 014 03 | M 6 X 18<br>Hexagon-head bolt       |        | 3   | 914-1,8/2,0  |
|      | 200 073 014 03 | IICAAYUII-IICAU DUIT                |        |     | )11-1,0/2,U  |

| woder. | 914 70         | Woderine 1970>>1976                |          |     |             |
|--------|----------------|------------------------------------|----------|-----|-------------|
| Pos    | Part Number    | Description                        | Remark   | Qty | Model       |
|        |                | M 6 X 18                           |          |     |             |
| 21     | N 012 226 5    | Spring washer                      |          | 3   | 914-1,8/2,0 |
|        |                | В 6                                |          |     |             |
| 22     | 021 131 599 A  | Gasket                             |          | 1   | 914-1,8/2,0 |
|        |                | M ECO 037 552>>                    |          |     |             |
|        |                | M GC0 000 001>>                    |          |     |             |
| 23     | 055 131 701    | Catalytic converter                |          | 1   | 914-1,8/2,0 |
|        |                | M 700 037 FF0.                     |          |     | (CAL)       |
|        |                | M EC0 037 552>><br>M GC0 000 001>> |          |     |             |
| 23     | 055 131 701 PV | Catalytic converter                |          | 1   | 914-1,8/2,0 |
| 23     | 033 131 701 11 | catalytic converter                |          | -   | (CAL)       |
|        |                | M ECO 037 552>>                    |          |     | (6112)      |
|        |                | M GCO 000 001>>                    |          |     |             |
| 24     | 4A0 131 737 A  | Cap nut                            |          | 1   | 914-1,8/2,0 |
|        |                | M ECO 037 552>>                    |          |     |             |
|        |                | M GC0 000 001>>                    |          |     |             |
| 25     | N 013 830 2    | Sealing ring                       |          | 1   | 914-1,8/2,0 |
|        |                | A 8 X 12                           |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        |                |                                    |          |     |             |
|        | I.             | 1                                  | <u> </u> | 1   |             |



| Model: | 914 70          | Model life 1970>>1976 |        |     |           |
|--------|-----------------|-----------------------|--------|-----|-----------|
| Pos    | Part Number     | Description           | Remark | Qty | Model     |
|        |                 | Emission control      |        |     | 914-6     |
|        |                 |                       |        |     | 901/38/39 |
| 1      | 901 113 225 01  | Support               |        | 1   |           |
| 2      | 901 113 309 00  | Vacuum unit           |        | 1   |           |
| 3      | 900 028 014 01  | Lock ring B 12        |        | 1   |           |
| 4      | 999 078 009 02  | Hexagon nut           |        | 1   |           |
| 5      | 901 113 038 00  | Push rod              |        | 1 1 |           |
|        | ] 01 113 030 00 | Complete              |        | -   |           |
| 6      | 900 076 027 02  | Nut                   |        | 1   |           |
|        |                 | м 5                   |        |     |           |
| 7      | 900 076 029 02  | Hexagon nut           | /L     | 1   |           |
|        |                 | M 5                   |        |     |           |
| 8      | 900 169 010 02  | Ball socket           | /L     | 1   |           |
| 9      | 901 113 054 00  | A 8<br>Lever          |        | 1   |           |
|        | 901 113 054 00  | Complete              |        | 1   |           |
| 10     | 999 167 022 02  | Ball pin              |        | 1   |           |
| 11     | N 012 225 2     | Spring washer         |        | 1   |           |
|        |                 | B 5                   |        | _   |           |
| 12     | 900 076 027 02  | Nut                   |        | 1   |           |
|        |                 | м 5                   |        |     |           |
| 13     | 900 116 009 01  | Kl-lock               |        | 1   |           |
|        |                 | 6                     |        |     |           |
| 14     | 901 113 408 00  | Screw socket          |        | 2   |           |
| 15     | 900 123 008 30  | Sealing ring          |        | 2   |           |
| _      | 999 181 167 50  | C 14 X 20<br>Hose     |        | *   |           |
| _      | 1999 101 107 30 | C 4,5 X 9,5           |        |     |           |
| 16     |                 | 135 MM                |        | 2   |           |
| _      | 999 180 093 50  | Hose                  |        | *   |           |
|        |                 | C 3 X 6,5             |        |     |           |
| _      | 999 180 093 5A  | Hose                  |        | *   |           |
|        |                 | C 3 X 6,5             |        |     |           |
| 17     |                 | 530 MM                |        | 1   |           |
| 18     | 901 113 406 00  | Hose connection       |        | 1   |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |
|        |                 |                       |        |     |           |



| wiodei. | 91470                          | Model life 1970>>1976              | <u> </u> |            | I            |
|---------|--------------------------------|------------------------------------|----------|------------|--------------|
| Pos     | Part Number                    | Description                        | Remark   | Qty        | Model        |
|         |                                | Exhaust system                     |          |            | 914          |
|         |                                | Heat exchanger                     |          |            |              |
| 1A      | 039 256 281 A                  | Exhaust pipe                       | /L       | 1          | 914-1,8/2,0  |
|         |                                | M ECO 037 552>>                    |          |            |              |
|         |                                | M >>ECO 041 259                    |          |            |              |
| (1-)    |                                | M >>GC0 001 320                    |          |            |              |
| (1A)    |                                | Exhaust pipe                       | /L       | 1          | 914-1,8/2,0  |
|         |                                | M ECO 041 260>><br>M GCO 001 321>> |          |            |              |
| (1A)    | 039 256 282 A                  | Exhaust pipe                       | /R       | 1          | 914-1,8/2,0  |
| ( 111 ) | 039 230 202 11                 | M ECO 037 552>>                    | / 10     | -          | J11 1,0/2,0  |
|         |                                | M >>EC0 041 259                    |          |            |              |
|         |                                | M >>GC0 001 320                    |          |            |              |
| (1A)    |                                | Exhaust pipe                       | /R       | 1          | 914-1,8/2,0  |
|         |                                | M EC0 041 260>>                    |          |            |              |
|         |                                | M GC0 001 321>>                    |          |            |              |
| 1       | 022 256 091 F                  | Heat exchanger                     | /L       | 1          | 914-4/1,7    |
| 1       |                                | Heat exchanger                     | /L       | 1          | 914-1,8V/1,8 |
| (1)     | 039 256 091                    | M >>ECO 037 551<br>Heat exchanger  | / T      | 1          | 014 2 0      |
| (1)     | 039 730 031                    | M >>GAO 016 000                    | /L       | _          | 914-2,0      |
| 1B      | 039 256 091 A                  | Heat exchanger                     | /L       | 1          | 914-1,8/2,0  |
|         |                                | M ECO 037 552>>                    | , –      | _          | 711 1707 170 |
|         |                                | M GC0 000 001>>                    |          |            |              |
| _       | 022 256 092 F                  | Heat exchanger                     |          | 1          | 914-4/1,7    |
|         |                                |                                    |          |            | 914-1,8V/1,8 |
|         |                                | M >>EC0 037 551                    |          |            |              |
|         |                                | M >>EA0 098 793                    |          |            |              |
| (0)     | 020 056 000                    | M >>EB0 010 020                    | /5       | 1          | 014 0 0      |
| (2)     | 039 256 092                    | Heat exchanger M >>GAO 016 000     | /R       | 1          | 914-2,0      |
| (1B)    | 039 256 092 A                  | Heat exchanger                     | /R       | 1          | 914-1,8/2,0  |
| (12)    |                                | M ECO 037 552>>                    | / 10     | -          | J11 1/0/2/0  |
|         |                                | M GC0 000 001>>                    |          |            |              |
| _       | N 010 247 8                    | Hexagon-head bolt                  |          | 6          | 914-2,0      |
|         |                                | M 8 X 35                           |          |            |              |
| -       | 900 025 007 02                 | Washer                             |          | 6          | 914-2,0      |
|         |                                | A 8,4                              |          | l <u>.</u> |              |
| _       | 900 025 007 03                 | Washer                             |          | 6          | 914-2,0      |
| 3       | 311 101 463                    | A 8,4                              |          | X          |              |
| 3       | 311 101 403                    | Hexagon nut<br>M 8                 |          | ^          |              |
| 4       | 022 256 121                    | Cover                              |          | 2          |              |
| 5       | N 011 652 1                    | Washer                             |          | 4          |              |
|         |                                | 7                                  |          |            |              |
| 6       | N 012 226 5                    | Spring washer                      |          | 4          |              |
|         |                                | В 6                                |          |            |              |
| 7       | N 010 210 13                   | Hexagon-head bolt                  |          | 4          |              |
|         | 000 056 005 -                  | M 6 X 10 K                         | /=       |            |              |
| 8<br>9  | 022 256 205 B<br>022 256 206 B | Heat control box Heat control box  | /L<br>/R | 1 1        |              |
| 10      | 111 255 309 B                  | Intermediate piece                 | / 1/     | 2          |              |
| 11      | 111 255 309 B                  | Eccentric bolt                     |          | 2          | 914-4/1,7    |
|         |                                |                                    |          | -          | 914-2,0      |
| _       | N 013 670 1                    | Rivet                              |          | 2          | ,            |
| 12      | 900 116 003 02                 | Lock washer                        |          | 2          | 914-4/1,7    |
|         |                                | 4                                  |          |            | 914-2,0      |
| 12      | 900 116 003 09                 | Lock washer                        |          | 2          | 914-4/1,7    |
|         | 000 000 000                    | 4                                  |          |            | 914-2,0      |
| 13      | 900 076 010 02                 | Nut                                |          | 2          |              |
| 13      | 900 076 010 0B                 | M6<br>Nut                          |          | 2          |              |
| 1 13    | 700 070 010 05                 | M6                                 |          |            |              |
| <u></u> | l                              | ļ                                  |          |            | <u> </u>     |

| Pos      | Part Number     | Description   | Remark   | Qty | Model                     |
|----------|-----------------|---|----------|-----|---------------------------|
|          |                 | •   | Nemai K  | -   | MOUGI                     |
| 14       | N 011 652 1     | Washer<br>7   |          | 2   |                           |
| 15       | 111 129 635     | Hexagon-head bolt   |          | 2   |                           |
| 16       | 021 256 251 A   | Sealing ring for  |          | 4   | 914-4/1,7                 |
| (16)     | 039 256 251     | Heat exchanger Sealing ring for   |          | 4   | 914-1,8/1,8V<br>914-2,0   |
| -        | 900 025 007 02  | Heat exchanger<br>Washer  |          | 8   | 914-2,0                   |
| -        | 900 025 007 03  | B 8,4<br>Washer   |          | 8   | 914-2,0                   |
| _        | 021 256 303 B   | B 8,4<br>Support<br>for   |          | 1   | 914-1,8/1,8V              |
| -        | N 010 239 11    | Heat exchanger Hexagon-head bolt M 8 X 18   |          | 2   | 914-1,8/1,8V              |
| -        | N 010 239 30    | Hexagon-head bolt   |          | 2   | 914-1,8/1,8V              |
| -        | 900 025 007 02  | Washer<br>A 8,4   |          | 2   | 914-1,8/1,8V              |
| -        | 900 025 007 03  | Washer A 8,4  |          | 2   | 914-1,8/1,8V              |
| 17       | 021 256 321 D   | Lid<br>for  | /R       | 1   | 914-4/1,7<br>914-1,8/2,0  |
| (17)     |                 | Heating air supply M >>EAO 098 793 M >>EBO 010 020 M >>GAO 012 220 Lid for Heating air supply | /R       | 1   | 914-1,8/1,8V<br>914-2,0   |
| 18       | 021 256 322 B   | M >>GA0 016 000<br>Lid<br>for<br>Heating air supply<br>M >>EA0 098 793<br>M >>EB0 010 020     | /L       | 1   | 914-4/1,7<br>914-1,8V/2,0 |
| (18)     |                 | M >>GA0 012 220 Lid for Heating air supply M >>GA0 016 000                                    | /L       | 1   | 914-1,8/1,8V<br>914-2,0   |
| -        | 021 256 325 A   | Gasket<br>for<br>Lid  | /R       | 1   | 914-1,8/1,8V<br>914-2,0   |
| -        | 021 256 326 A   | Gasket for Lid  | /L       | 1   | 914-1,8/1,8V<br>914-2,0   |
| 19       | N 014 139 5     | Oval-head screw AM 6 X 12   |          | 4   |                           |
| 20       | 022 256 331     | Connecting pipe   | /L       | 1   |                           |
| 20<br>20 | PCG 256 331     | Hot-air manifold Hot-air manifold   | /L<br>/L | 1   |                           |
| 20       | PCG 256 331 GRV | Prime coated  | / L      |     |                           |
| 20A      | 039 256 331     | Connecting pipe M EC0 037 552>> M GC0 000 001>>   | /L       | 1   | 914-1,8/2,0               |
| 21       | 914 572 153 10  | Heater hose   | /L       | 1   |                           |
| 22       | 022 256 332     | 260 MM<br>Connecting pipe   | /R       | 1   |                           |


| Part Number  | Model: | 914 /0         | Model life 19/0>>19/6 |        |              |               |
|--|--------|----------------|-----------------------|--------|--------------|---------------|
| PCG 256 332  | Pos    | Part Number    | Description           | Remark | Qty          | Model         |
| 22   |        |                | ·                     | _      |              | 1             |
| PCG 256 332 GRV  |        | PCG 256 332    |                       | i '    | ı            |               |
| (20A)   039   256   332  | 22     |                |                       | /R     | 1            |               |
| M ECO 037 552>>   M GCO 000 001>>  |        |                |                       |        |              |               |
| N GCO 000 001>>  | (20A)  | 039 256 332    | Connecting pipe       | /R     | 1            | 914-1,8/2,0   |
| 23   |        |                | M ECO 037 552>>       |        |              |               |
| 23A   443 253 115 B   Casket   Casket   M   SCO 037 552> M   M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 001>>   C   Standard   M   SCO 037 552> M   CGO 000 001>>   C   Standard   M   SCO 037 552> M    |        |                | M GCO 000 001>>       |        |              |               |
| 23A   443   253   115   B  | 23     | 930 211 622 01 | Connecting hose       | /R     | 1            |               |
| M RC0 037 552>   M RC0 030 001>  |        |                | 290 MM                |        |              |               |
| M ECC 037 552>   M ECC 007 058 02   Hexagon-head bolt   M S V 25   | 23A    | 443 253 115 B  | Gasket                |        | 2            | 914-1,8/2,0   |
| M CCC 000 001>>   Hexagon nut  |        |                | M ECO 037 552>>       |        |              |               |
| N 8 X 25   |        |                |                       |        |              |               |
| N 8 X 25   | 23B    | 900 075 083 02 | Hexagon-head bolt     |        | 6            | 914-1,8/2,0   |
| 25   |        |                | _                     |        |              |               |
| 25   | 24     | 022 256 501 A  | Air guide             | /L     | 1            |               |
| 26   | 25     |                |                       | i '    | 1            |               |
| 27  N 011 652 1  |        |                |                       | / 22   | <b>I</b>     |               |
| The color of the |        |                |                       |        | ı            |               |
| 28    N 010 710 8  |        | 1, 011 032 1   |                       |        | 1 - 0        |               |
| Am 6 x 10   Slower   1   914-4   1   914-4   31   900 025 007 02   Nasher   3   914-4   31   900 025 007 03   Nasher   3   914-4   31 | 28     | N 010 710 8    |                       |        | 16           |               |
| 29   | 20     | N 010 710 8    |                       |        | 1 10         |               |
| 30   | 20     | 472 261 102    | 1                     |        | 1            | 014 4         |
| 31   900 025 007 02   Washer   | 1      |                |                       |        | l l          |               |
| A 8, 4   A | 1      |                | -                     |        | <b>I</b>     |               |
| 31   900 025 007 03   Washer   | 31     | 900 025 007 02 |                       |        | 3            | 914-4         |
| A 8,4   No   | 0.1    |                |                       |        |              |               |
| 32  N 011 524 7  | 31     | 900 025 007 03 |                       |        | 3            | 914-4         |
| A 6,4   Washer   |        |                |                       |        |              |               |
| 32 N 011 524 27 Washer A 6,4  33 113 251 273 Hexagon nut M 6 Self-locking  34 PCG 261 233 Heater hose S 61 X 420 MM  35 461 261 235 A Heater hose S 60,2 X 960 MM  36 111 501 159 B Hose clamp S 44 - 64 MM  37 473 261 267 Support 1 1 914-4  38 461 261 269 Clip 1 1 914-4  39 N 012 006 4 Lock ring A 6 X 18  40 N 014 141 2 Tapping screw AM 6 X 18  41 N 014 140 5 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate 1 914-4  43 31 963 011 Brush 2 914-4  44 311 955 853 Spring 2 914-4  45 41 1963 013 Water drain sleeve Bonded rubber mounting 4 914-4  46 411 963 015 Bonded rubber mounting 4 914-4  47 411 963 017 Armature 1 914-4  48 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 273 10 Rubber base 1 914-1,7/2,0 - 999 512 207 02 Clip 1 914-1,7/2,0 - PCG 261 235 A Air hose 1 914-1,7/2,0 - Air hose 1 914-1,7/2,0 - PCG 261 235 A Air hose 1 914-1,7/2,0 - PCG 261 235 A Air hose 1 914-1,7/2,0 - PCG 261 235 A Air hose 1 914-1,7/2,0 - P14-1,7/2,0 - Air hose 1 914-1,7/2,0  | 32     | N 011 524 7    |                       |        | 3            | 914-4         |
| A 6, 4   Hexagon nut   B 6   Self-locking   B 1   914-4  |        |                | · ·                   |        |              |               |
| 33   113   251   273   Hexagon nut   M   6   Self-locking     34   PCG   261   233   Heater hose   Self-locking   Heater hose   Self-locking   Self-locking     35   461   261   235   A   Heater hose   Self-locking   Heater hose   Self-locking   Self-locking   Heater hose   Self-locking    | 32     | N 011 524 27   |                       |        | 3            | 914-4         |
| M 6   Self-locking   Heater hose   Self-locking   Self-locking   Heater hose   Self-locking   Self-locking   Self-locking   Heater hose   Self-locking   S |        |                |                       |        |              |               |
| Self-locking   | 33     | 113 251 273    |                       |        | 3            | 914-4         |
| 34   PCG 261 233   Heater hose   S 61 X 420 MM     35   461 261 235 A  |        |                |                       |        |              |               |
| \$ 61 X 420 MM  461 261 235 A Heater hose \$ 60,2 X 960 MM  36   |        |                | Self-locking          |        |              |               |
| 35    461 261 235 A  | 34     | PCG 261 233    | Heater hose           | /L     | 1            | 914-4         |
| \$ 60,2 X 960 MM Hose clamp \$ 44 - 64 MM  37 473 261 267 Support 38 461 261 269 Clip 39 N 012 006 4 Lock ring A6  40 N 014 141 2 Tapping screw AM 6 X 18  41 N 014 140 5 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate A5 His 963 011 Brush A5 Spring A5 His 963 013 Water drain sleeve A6 His 963 015 Bonded rubber mounting A7 411 963 015 Bonded rubber mounting A8 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 Additional blower - 914 572 273 10 Rubber base - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose 5 55 X 460 Air hose  1 914-1,7/2,0 1 914-1,7/2,0 2 914-1,7/2,0 3 914-4 4 914-4 5 1 914-1,7/2,0 5 55 X 460 Air hose 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 2 914-1,7/2,0 3 914-1,7/2,0 3 914-1,7/2,0 4 914-1,7/2,0   |        |                | \$ 61 X 420 MM        |        |              |               |
| 36   | 35     | 461 261 235 A  | Heater hose           | /R     | 1            | 914-4         |
| \$ 44 - 64 MM  37  |        |                | \$ 60,2 X 960 MM      |        |              |               |
| 37 473 261 267 Support 38 461 261 269 Clip 39 N 012 006 4 Lock ring A6 40 N 014 141 2 Tapping screw AM 6 X 18 41 N 014 140 5 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate A3 411 963 011 Brush A4 41 1963 013 Water drain sleeve A6 411 963 015 Bonded rubber mounting A6 411 963 017 Armature A7 411 963 017 Armature B N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 Additional blower - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose S 55 X 460 Air hose  1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-4 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0  | 36     | 111 501 159 B  | Hose clamp            |        | 4            | 914-4         |
| 38   |        |                | \$ 44 - 64 MM         |        |              |               |
| 39 N 012 006 4 Lock ring A6 40 N 014 141 2 Tapping screw AM 6 X 18 41 N 014 140 5 Oval-head screw AM 6 X 15 42 411 963 009 Retainer plate Brush 43 411 963 011 Brush 44 311 955 853 Spring 45 411 963 015 Bonded rubber mounting 46 411 963 015 Bonded rubber mounting 47 411 963 017 Armature 48 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 Additional blower - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose  1 914-1,7/2,0 Air hose 1 914-1,7/2,0 Air hose 1 914-1,7/2,0 Air hose 1 914-1,7/2,0 Air hose 1 914-1,7/2,0 Air hose  | 37     | 473 261 267    | Support               |        | 1            | 914-4         |
| A6  40 N 014 141 2 Tapping screw AM 6 X 18  41 N 014 140 5 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate A3 411 963 011 Brush A5 411 963 013 Water drain sleeve A6 411 963 015 Bonded rubber mounting A7 411 963 017 Armature A8 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 Additional blower B 3,5 X 6,5  - 914 572 129 10 Distributing piece DCG 261 235 A Air hose  1 914-4  914-1,7/2,0 P14-1,7/2,0   | 38     | 461 261 269    | Clip                  |        | 1            | 914-4         |
| A6  40 N 014 141 2 Tapping screw AM 6 X 18  41 N 014 140 5 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate Brush 43 411 963 011 Brush 44 311 955 853 Spring 45 411 963 013 Water drain sleeve 46 411 963 015 Bonded rubber mounting 47 411 963 017 Armature 48 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 Additional blower - 914 572 273 10 Rubber base - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose  1 914-1,7/2,0 P14-1,7/2,0  | 39     | N 012 006 4    | Lock ring             |        | 3            | 914-4         |
| AM 6 X 18 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate Brush 2 914-4 43 311 955 853 45 411 963 013 Water drain sleeve 46 411 963 015 Bonded rubber mounting 47 411 963 017 Armature 1 914-4  48 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 - 914 572 273 10 - 999 512 207 02 - 914 572 129 10 - PCG 261 235 A Air hose  AM 6 X 18 Oval-head screw B 1 914-4  914-4  914-4  914-4  914-4  914-1,7/2,0  |        |                | A6                    |        |              |               |
| AM 6 X 18 Oval-head screw AM 6 X 15  42 411 963 009 Retainer plate Brush 2 914-4 43 311 955 853 45 411 963 013 Water drain sleeve 46 411 963 015 Bonded rubber mounting 47 411 963 017 Armature 1 914-4  48 N 013 956 2 Oval-head sheetmetal screw B 3,5 X 6,5  - 914 572 011 10 - 914 572 273 10 - 999 512 207 02 - 914 572 129 10 - PCG 261 235 A Air hose  AM 6 X 18 Oval-head screw B 1 914-4  914-4  914-4  914-4  914-4  914-1,7/2,0  | 40     | N 014 141 2    | Tapping screw         |        | 1            | 914-4         |
| 41       N 014 140 5       Oval-head screw         AM 6 X 15       1       914-4         42       411 963 009       Retainer plate       1       914-4         43       411 963 011       Brush       2       914-4         44       311 955 853       Spring       2       914-4         45       411 963 013       Water drain sleeve       1       914-4         46       411 963 015       Bonded rubber mounting       4       914-4         47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       -       914 572 011 10       Additional blower       1       914-1,7/2,0         -       999 512 207 02       Clip       1       914-1,7/2,0         -       914 572 129 10       Distributing piece       1       914-1,7/2,0         -       PCG 261 235 A       Air hose       1       914-1,7/2,0         -       \$55 X 460       Air hose       1       914-1,7/2,0  |        |                |                       |        |              |               |
| AM 6 X 15  42  411 963 009   | 41     | N 014 140 5    |                       |        | 1            | 914-4         |
| 42       411 963 009       Retainer plate       1       914-4         43       411 963 011       Brush       2       914-4         44       311 955 853       Spring       2       914-4         45       411 963 013       Water drain sleeve       1       914-4         46       411 963 015       Bonded rubber mounting       4       914-4         47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       Additional blower       1       914-1,7/2,0         - 914 572 273 10       Rubber base       1       914-1,7/2,0         - 999 512 207 02       Clip       1       914-1,7/2,0         - 914 572 129 10       Distributing piece       1       914-1,7/2,0         - PCG 261 235 A       Air hose       1       914-1,7/2,0         \$ 55 X 460       Air hose       1       914-1,7/2,0  |        |                |                       |        | -            | 1             |
| 43       411 963 011       Brush       2       914-4         44       311 955 853       Spring       2       914-4         45       411 963 013       Water drain sleeve       1       914-4         46       411 963 015       Bonded rubber mounting       4       914-4         47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       Additional blower       1       914-1,7/2,0         - 914 572 273 10       Rubber base       1       914-1,7/2,0         - 914 572 129 10       Distributing piece       1       914-1,7/2,0         - PCG 261 235 A       Air hose       1       914-1,7/2,0         - \$55 X 460       Air hose       1       914-1,7/2,0   | 4.2    | 411 963 009    |                       |        | 1            | 914-4         |
| 44       311 955 853       Spring       2       914-4         45       411 963 013       Water drain sleeve       1       914-4         46       411 963 015       Bonded rubber mounting       4       914-4         47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       Additional blower       1       914-1,7/2,0         - 914 572 273 10       Rubber base       1       914-1,7/2,0         - 999 512 207 02       Clip       1       914-1,7/2,0         - 914 572 129 10       Distributing piece       1       914-1,7/2,0         - PCG 261 235 A       Air hose       1       914-1,7/2,0         - \$55 X 460       Air hose       1       914-1,7/2,0  | 1      |                | -                     |        | I            |               |
| ## 45   411 963 013   Water drain sleeve   1   914-4   411 963 015   Bonded rubber mounting   4   914-4   411 963 017   Armature   1   914-4   48   N 013 956 2   Oval-head sheetmetal screw   6   914-4   8   3,5   X 6,5   - 914 572 011 10   Additional blower   1   914-1,7/2,0   1  |        |                |                       |        | <b>I</b>     |               |
| 46       411 963 015       Bonded rubber mounting       4       914-4         47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       B 3,5 X 6,5       1       914-1,7/2,0         - 914 572 273 10       Rubber base       1       914-1,7/2,0         - 999 512 207 02       Clip       1       914-1,7/2,0         - 914 572 129 10       Distributing piece       1       914-1,7/2,0         - PCG 261 235 A       Air hose       1       914-1,7/2,0         - \$55 X 460       Air hose       1       914-1,7/2,0  |        |                |                       |        | ı            |               |
| 47       411 963 017       Armature       1       914-4         48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         B 3,5 X 6,5       B 3,5 X 6,5       1       914-1,7/2,0         - 914 572 273 10       Rubber base       1       914-1,7/2,0         - 999 512 207 02       Clip       1       914-1,7/2,0         - 914 572 129 10       Distributing piece       1       914-1,7/2,0         - PCG 261 235 A       Air hose       1       914-1,7/2,0         \$ 55 X 460       Air hose       1       914-1,7/2,0   | 1      |                |                       |        | I            |               |
| 48       N 013 956 2       Oval-head sheetmetal screw       6       914-4         -       914 572 011 10       Additional blower       1       914-1,7/2,0         -       914 572 273 10       Rubber base       1       914-1,7/2,0         -       999 512 207 02       Clip       1       914-1,7/2,0         -       914 572 129 10       Distributing piece       1       914-1,7/2,0         -       PCG 261 235 A       Air hose       1       914-1,7/2,0         -       \$ 55 X 460       Air hose       1       914-1,7/2,0  |        |                |                       |        | l l          |               |
| B 3,5 X 6,5  - 914 572 011 10 Additional blower  - 914 572 273 10 Rubber base - 999 512 207 02 Clip - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose  - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose - No PCG 261 235 A Air hose  | 1      |                |                       |        | <b>I</b>     |               |
| - 914 572 011 10 Additional blower - 914 572 273 10 Rubber base - 999 512 207 02 Clip - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose - S 55 X 460 Air hose - 1 914-1,7/2,0 - 914-1,7/2,0 - 1 914-1,7/2,0 - 914-1,7/2,0 - 914-1,7/2,0   | 48     | 7 025 CIO NI   |                       |        | ٥            | <b>7</b> 14-4 |
| - 914 572 273 10 Rubber base - 999 512 207 02 Clip - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose - Rubber base 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0 1 914-1,7/2,0  |        | 014 570 011 10 |                       |        | 1            | 014 1 7/0 0   |
| - 999 512 207 02 Clip - 914 572 129 10 Distributing piece - PCG 261 235 A Air hose - S 55 X 460 Air hose 1 914-1,7/2,0 914-1,7/2,0 914-1,7/2,0   |        |                |                       |        | I            |               |
| - 914 572 129 10 Distributing piece 1 914-1,7/2,0 - PCG 261 235 A Air hose 55 X 460 - Air hose 1 914-1,7/2,0   |        |                |                       |        | l l          |               |
| - PCG 261 235 A Air hose \$ 1 914-1,7/2,0 \$ 55 X 460 Air hose 1 914-1,7/2,0   | -      |                | =                     |        | I            |               |
| \$ 55 X 460<br>Air hose 1 914-1,7/2,0  | -      |                |                       |        | I -          |               |
| - Air hose 1 914-1,7/2,0   | -      | PCG 261 235 A  |                       |        |              | 914-1,7/2,0   |
|  |        |                | ·                     |        |              | 014 1 5 / 0 0 |
| \$ 55 X 46U  | -      |                |                       |        | <sup>1</sup> | 914-1,7/2,0   |
|  |        |                | \$ 35 X 40U           |        |              |               |

| Pos | Part Number    | Description | Remark | Qty | Model       |
|-----|----------------|-------------|--------|-----|-------------|
| -   | 111 501 159 B  | Hose clamp  |        | 1   | 914-1,7/2,0 |
| _   | 999 591 372 00 | Terminal    |        | 2   | 914-1,7/2,0 |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     | 1           |
|     |                |             |        |     |             |
|     |                |             |        |     | 1           |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     |             |
|     |                |             |        |     | 1           |
|     |                |             |        |     | 1           |
|     |                |             |        |     | 1           |
|     |                |             |        |     | 1           |
|     |                |             |        |     |             |


| POR=   | SCHE   |            | Illustration: 298-00 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |

24.07.2017 - 1 Kat 570

| Model: | 914 70          | Model life 19/0>>19/6          |        |        |       |
|--------|-----------------|--------------------------------|--------|--------|-------|
| Pos    | Part Number     | Description                    | Remark | Qty    | Model |
|        |                 | Gasket set                     |        |        |       |
| >>     | 901 108 948 01  | Gasket set                     |        | Х      |       |
| ''     | ] 01 100 710 01 | for                            |        | **     |       |
|        |                 | Mixture control unit           |        |        |       |
|        |                 | - WEBER -                      |        |        |       |
|        |                 | Complete                       |        |        |       |
|        |                 | Comprising:                    |        |        |       |
| -      | 901 108 398 01  | Gasket                         |        | 6      |       |
| -      |                 | Gasket                         |        | 6      |       |
|        |                 | without asbestos               |        |        |       |
|        |                 | for                            |        |        |       |
|        | 901 108 218 00  | Mixture control unit Gasket    |        | 2      |       |
| -      | 901 108 218 00  | for                            |        | 4      |       |
|        |                 | Connecting piece               |        |        |       |
| _      | N 013 818 4     | Sealing ring                   |        | 4      |       |
|        |                 | A 12 X 16                      |        | •      |       |
| _      | PCG 100 914 00  | Sealing ring                   |        | 4      |       |
| _      | 901 100 915 00  | Sealing ring                   |        | 4      |       |
| -      | 901 100 915 01  | Sealing ring                   |        | 4      |       |
| _      | 901 100 937 00  | Sealing ring                   |        | 2      |       |
| -      | 901 100 916 00  | Sealing ring                   |        | 2      |       |
| -      | 901 100 917 00  | Sealing ring                   |        | 4      |       |
| -      | 901 100 946 00  | Diaphragm                      |        | 2      |       |
| -      | 901 100 998 00  | Sealing ring                   |        | 3      |       |
| _      | 901 100 977 00  | Sealing ring                   |        | 6      |       |
| -      | 901 100 918 00  | Sealing ring                   |        | 2      |       |
| -      | 901 100 919 00  | Sealing ring                   |        | 6<br>4 |       |
| _      | 901 100 990 01  | Sealing ring<br>10 X 14 X 1 MM |        | 4      |       |
| _      | 901 100 995 00  | Sealing ring                   |        | 4      |       |
|        | 701 100 773 00  | 10 X 14 X 0,25 MM              |        | ] -    |       |
| _      | 901 100 996 00  | Sealing ring                   |        | 4      |       |
|        |                 | 10 X 14 X 0,5 MM               |        | -      |       |
| -      | 901 100 998 00  | Sealing ring                   |        | 6      |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        |                 |                                |        |        |       |
|        | 1               |                                |        |        |       |




| woder. | 914 70         | Woderlife 1970>>1976 |        |         |       |
|--------|----------------|----------------------|--------|---------|-------|
| Pos    | Part Number    | Description          | Remark | Qty     | Model |
|        |                |                      |        |         |       |
|        |                | Clutch               | 1      | 1       | 914-6 |
| 1      | 901 116 001 01 | Pressure plate       | 1      | 1       |       |
| 2      | PCG 116 011 05 | Clutch plate         | 1      | 1       |       |
| 3      | 900 027 015 02 | Lock ring            |        | 1<br>6  |       |
|        | 300 027 013 02 | B 8                  |        | ~       |       |
|        | 000 007 015 03 |                      |        |         |       |
| 3      | 900 027 015 03 | Lock ring            |        | 6       |       |
|        |                | В 8                  |        |         |       |
| 4      | 900 075 104 01 | Hexagon-head bolt    |        | 6       |       |
|        |                | B 8 X 15             |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      | 1      | 1       |       |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         | 1     |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        |         |       |
|        |                |                      |        | <u></u> |       |
|        | _              |                      |        |         |       |




24.07.2017 - 1 Kat 570

| woder. | 914 70         | Modeline 1970>>1976 |        |     |  |
|--------|----------------|---------------------|--------|-----|--|
| Pos    | Part Number    | Description         | Remark | Qty | Model  |
|        |                |                     |        |     |  |
|        | 001 116 001 01 | Clutch              |        | 1   | 914  |
| 1      | 901 116 001 01 | Pressure plate      |        | 1   |  |
| 2      | PCG 116 011 05 | Clutch plate        |        | 1   |  |
|        | 000 005 015 00 | 215                 |        |     |  |
| 3      | 900 027 015 02 | Lock ring           |        | 6   |  |
| _      | 000 005 015 00 | B 8                 |        |     |  |
| 3      | 900 027 015 03 | Lock ring           |        | 6   |  |
|        |                | B 8                 |        | _   |  |
| 4      | 900 075 078 02 | Hexagon-head bolt   |        | 6   | 914-4/1,7                                      |
|        |                | M 8 X 15            |        |     | 914-1,8V/1,8                                   |
| 4      | 900 075 078 03 | Hexagon-head bolt   |        | 6   | 914-4/1,7                                      |
|        |                | M 8 X 15            |        |     | 914-1,8V/1,8                                   |
| (4)    | N 010 239 11   | Hexagon-head bolt   |        | 6   | 914-2,0  |
|        |                | M 8X 18             |        |     |  |
| (4)    | N 010 239 30   | Hexagon-head bolt   |        | 6   | 914-2,0  |
|        |                | M 8X 18             |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
| 1      |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
|        |                |                     |        |     |  |
| 1      |                |                     |        |     |  |
| 1      |                |                     |        |     |  |
|        |                |                     |        |     | <u>                                       </u> |
|        | •              |                     |        |     | •———   |

PORSCHE Illustration: 301-10 PORSCHE




| Wiodei. | J1470          | Model inc 1970>>1970   |        |     |       |
|---------|----------------|------------------------|--------|-----|-------|
| Pos     | Part Number    | Description            | Remark | Qty | Model |
|         |                | Clutch release         |        |     |       |
|         | 001 116 005 11 |                        |        |     |       |
| 1       | 901 116 087 11 | Guide tube             |        | 1   |       |
| 2       | 900 076 010 02 | Nut                    |        | 2   |       |
|         |                | м 6                    |        |     |       |
| 2       | 900 076 010 0B | Nut                    |        | 2   |       |
|         |                | м 6                    |        |     |       |
| 3       | 900 027 014 01 | Lock ring              |        | 3   |       |
| 3       | 900 027 014 01 |                        |        | 3   |       |
|         |                | В 6                    |        | _   |       |
| 3       | 900 027 014 02 | Lock ring              |        | 3   |       |
|         |                | В 6                    |        |     |       |
| 3       | N 012 006 4    | Lock ring              |        | 3   |       |
|         |                | В 6                    |        |     |       |
| 4       | 901 116 712 00 | Clutch release lever   |        | 1   |       |
|         |                | Bush                   |        |     |       |
| 5       | 901 116 741 01 |                        |        | 1   |       |
| 6       | 901 116 077 01 | Retaining bracket      |        | 1   |       |
| 7       | 900 067 009 02 | Pan-head screw         |        | 1   |       |
|         |                | M 6 X 15               |        |     |       |
| 7       | 900 067 429 01 | Pan-head screw         |        | 1   |       |
|         |                | M 6 X 15               |        |     |       |
| 0       | 001 116 001 11 | Clutch release bearing |        | 1 1 |       |
| 8       | 901 116 081 11 |                        |        | 1   |       |
| 9       | 901 116 825 11 | Guide piece            |        | 2   |       |
|         |                | for                    |        |     |       |
|         |                | Clutch release bearing |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |




| woder. | 914 70                           | Woder ine 1970>>1976             |        |     |                             |
|--------|----------------------------------|----------------------------------|--------|-----|-----------------------------|
| Pos    | Part Number                      | Description                      | Remark | Qty | Model                       |
|        |                                  | Replacement transmission         |        |     |                             |
|        |                                  | Transmission case                |        |     |                             |
| -      | 914 300 012 03                   | Manual transmission              |        | 1   | 914-6                       |
| -      | 914 300 012 13                   | Manual transmission              |        | 1   | 914-4                       |
| -      | 914 300 012 X                    | Manual transmission              |        | 1   | 914-4                       |
|        |                                  | Exchange                         |        |     |                             |
|        |                                  | Complete 914.300/11              |        |     |                             |
|        |                                  | 1st gear                         |        |     |                             |
|        |                                  | 11:34                            |        |     |                             |
|        |                                  | 2nd gear                         |        |     |                             |
|        |                                  | 18:34                            |        |     |                             |
|        |                                  | 3rd gear                         |        |     |                             |
|        |                                  | 23:29<br>4th speed               |        |     |                             |
|        |                                  | 27:25                            |        |     |                             |
|        |                                  | 5th gear                         |        |     |                             |
|        |                                  | 31:22                            |        |     |                             |
| -      | 914 300 012 15                   | Manual transmission              |        | 1   | 914-1,7/1,8V                |
|        | 014 000 010 05                   |                                  |        |     | 914-1,8/2,0                 |
| _      | 914 300 010 05                   | Transmission Manual transmission |        | 1 1 | SPM                         |
| _      | 914 300 010 EX                   | Exchange                         |        | 1   |                             |
|        |                                  | with                             |        |     |                             |
|        |                                  | Converter                        |        |     |                             |
|        |                                  | Ready for installation           |        |     |                             |
|        |                                  | 914.300/05                       |        |     |                             |
|        |                                  | 1st gear                         |        |     |                             |
|        |                                  | 15:36<br>2nd gear                |        |     |                             |
|        |                                  | 20:31                            |        |     |                             |
|        |                                  | 3rd gear                         |        |     |                             |
|        |                                  | 24:27                            |        |     |                             |
|        |                                  | 4th speed                        |        |     |                             |
|        | 014 201 010 01                   | 28:24                            |        | 1   |                             |
| 1 2    | 914 301 010 01<br>999 504 040 02 | Transmission case Bush           |        | 1 1 |                             |
|        | 999 304 040 02                   | M 8 X 9                          |        | _   |                             |
| 3      | 900 025 007 02                   | Washer                           |        | 1   |                             |
|        |                                  | 8,4                              |        |     |                             |
| 3      | 900 025 007 03                   | Washer                           |        | 1   |                             |
|        | 001 116 551 01                   | 8,4                              |        |     |                             |
| 4<br>5 | 901 116 771 01<br>900 061 014 02 | Ball pin<br>Stud                 |        | 1 1 |                             |
|        | 900 001 014 02                   | BM 10 X 22                       |        | 1   |                             |
| 6      | 999 062 046 02                   | Stud                             |        | 7   |                             |
|        |                                  | BM 8 X 65                        |        |     |                             |
| 7      | 999 062 044 02                   | Stud                             |        | 10  |                             |
|        |                                  | BM 8 X 32                        |        | _   |                             |
| 8      | 900 061 057 02                   | Stud<br>BM 8 X 15                |        | 2   | 914-6/4                     |
| 8      | 999 062 057 02                   | Stud                             |        | 2   | 914-6/4                     |
|        |                                  | BM 8 X 15                        |        | ~   | J11 0/ 1                    |
| 8      | 999 062 073 02                   | Stud                             |        | 2   | 914-6/4                     |
|        |                                  | BM 8 X 15                        |        |     |                             |
| 8      | 999 062 007 02                   | Stud                             |        | 2   | 914-1,7/1,8V                |
|        | 000 000 100 01                   | BM 8 X 22                        |        |     | 914-1,8/2,0                 |
| 8      | 900 060 106 01                   | Stud<br>BM 8 X 22                |        | 2   | 914-1,7/1,8V<br>914-1,8/2,0 |
| 9      | 999 062 001 02                   | Stud                             |        | 2   | 9±4−±,0/Δ,U                 |
| ´      | 001 02                           | BM 6 X 10                        |        | ~   |                             |
| 10     | 900 061 163 02                   | Stud                             |        | 2   |                             |
|        |                                  | BM 8 X 60                        |        |     |                             |
|        | •                                |                                  | -      | -   | -                           |

| Model:   | 914 70         | Model life 1970>>1976      |        |        |       |
|----------|----------------|----------------------------|--------|--------|-------|
| Pos      | Part Number    | Description                | Remark | Qty    | Model |
| 11       | 113 311 113 B  | Sealing ring               |        | 1      |       |
| 12       | 999 113 183 40 | Radial shaft seal          |        | 2      |       |
|          | 777 113 103 40 | 45 X 68 X 10               |        |        |       |
| 13       | 904 301 071 00 | Bleeder                    |        | 1      |       |
| 14       | 901 301 191 21 | Gasket                     |        | 1      |       |
| 1 1      | 701 301 171 21 | for                        |        | _      |       |
|          |                | Transmission case          |        |        |       |
|          |                | 0,1 MM                     |        |        |       |
| (14)     | 901 301 191 22 | Gasket                     |        | x      |       |
| ( + 1 )  |                | for                        |        |        |       |
|          |                | Transmission case          |        |        |       |
|          |                | 0,15 MM                    |        |        |       |
| (14)     | 901 301 191 23 | Gasket                     |        | x      |       |
| ( /      |                | for                        |        |        |       |
|          |                | Transmission case          |        |        |       |
|          |                | 0,2 MM                     |        |        |       |
| 15       | 999 042 301 01 | Circlip                    |        | 2      |       |
|          |                | SB 52                      |        |        |       |
| 16       | 999 041 305 01 | Circlip                    |        | 1      |       |
|          |                | SB 79                      |        |        |       |
| 17       | 999 064 007 02 | Screw plug                 |        | 1      |       |
|          |                | without                    |        |        |       |
|          |                | Magnet                     |        |        |       |
|          |                | Yellow                     |        |        |       |
|          |                | Anodised                   |        |        |       |
| 18       | 999 064 008 02 | Screw plug                 |        | 1      |       |
|          |                | with magnet                |        |        |       |
|          |                | Yellow                     |        |        |       |
|          |                | Anodised                   |        |        |       |
| 19       | 901 303 017 01 | Cam follower               |        | 1      |       |
| 19       | 901 303 017 02 | Cam follower               |        | 1      |       |
| 20       | N 012 432 1    | Lock washer                |        | 1      |       |
|          |                | 2,3                        |        |        |       |
| 21       | 914 613 541 02 | Back-up light switch       |        | 1      |       |
| 22       | 914 613 491 00 | Protection cap             |        | 1      |       |
| 23       | 911 301 221 00 | Intermediate plate         |        | 1      |       |
| 24       | 900 012 028 00 | Straight pin               |        | 2      |       |
|          |                | 10 M 6 X 50                |        |        |       |
| 25       | 999 052 016 00 | Four-point bearing         |        | 1      |       |
| 25       | 999 052 016 0A | Four-point bearing         |        | 1      |       |
| 26       | 999 053 025 00 | Angular-contact bearing    |        | 1      |       |
| 0.7      | 901 301 255 13 | Two-row Plate              |        | 1      |       |
| 27       | 901 301 255 13 |                            |        | 1      |       |
| 28<br>29 | 999 504 049 00 | Tensioning plate Heli-coil |        | 1<br>6 |       |
| 49       | 227 304 047 00 | M 8                        |        |        |       |
| 30       | 900 025 007 02 | Washer                     |        | 6      |       |
| 30       | 900 023 007 02 | 8,4                        |        | 0      |       |
| 30       | 900 025 007 03 | Washer                     |        | 6      |       |
|          | 000 023 007 03 | 8,4                        |        | ľ      |       |
| 31       | 999 509 010 00 | Pan-head screw             |        | 6      |       |
| 32       | 901 303 241 01 | Bush                       |        | 1      |       |
| -        |                | for                        |        |        |       |
|          |                | Gear lock detent           |        |        |       |
| 33       | 901 303 242 01 | Bush                       |        | 1      |       |
| -        |                | for                        |        |        |       |
|          |                | Gear lock detent           |        |        |       |
| 34       | 901 303 243 01 | Bush                       |        | 1      |       |
|          |                | for                        |        |        |       |
|          |                | Gear lock detent           |        |        |       |
| 35       | 900 031 001 02 | Washer                     |        | 1      |       |
|          |                | 8,4                        |        |        |       |
| 35       | 900 031 105 01 | Washer                     |        | 1      |       |
| <u> </u> | l              | 1                          | L      | L      | l     |

| Model: | 914 70           | Model life 1970>>1976          |        |     |                           |
|--------|------------------|--------------------------------|--------|-----|---------------------------|
| Pos    | Part Number      | Description                    | Remark | Qty | Model                     |
|        |                  | 8,4                            |        |     |                           |
| 36     | 914 301 307 00   | Bolt                           |        | 1   | 914-6                     |
|        | ]                | for                            |        | _   | J11 0                     |
|        |                  | Reverse lever                  |        |     |                           |
| 37     | N 010 235 3      | Hexagon-head bolt              |        | 1   | 914-4/1,7                 |
|        |                  | M 8 X 10                       |        |     | 9141,8/1,8V               |
|        |                  |                                |        |     | 914-2,0                   |
| 38     | 914 301 311 01   | Transmission cover             |        | 1   |                           |
|        |                  | Lateral                        |        |     |                           |
| 39     | 113 301 185 A    | 0-ring                         |        | 1   |                           |
|        |                  | for                            |        |     |                           |
|        |                  | Transmission cover             |        |     |                           |
| 40     | 900 031 001 02   | Lateral<br>Washer              |        | 8   |                           |
| 40     | 900 031 001 02   | 8,4                            |        | 0   |                           |
| 40     | 900 031 105 01   | Washer                         |        | 8   |                           |
|        |                  | 8,4                            |        | J   |                           |
| 41     | 999 090 101 02   | Mid-grip nut                   |        | 10  |                           |
|        |                  | Self-locking                   |        |     |                           |
|        |                  | Mount                          |        |     |                           |
|        |                  | Engine                         |        |     |                           |
|        |                  | Transmission                   |        |     |                           |
| 42     | 900 155 023 02   | Hexagon-head bolt              |        | 1   | 914-6                     |
| 4.0    | 000 155 006 00   | M 10 X 72                      |        | 1   | 014/4/1 7                 |
| 42     | 900 155 026 02   | Hexagon-head bolt<br>M 10 X 85 |        | 1   | 914/4/1,7<br>914-1,8/1,8V |
|        |                  | M 10 X 65                      |        |     | 914-1,8/1,80              |
| 43     | 900 067 074 02   | Pan-head screw                 |        | 1   | 914-6                     |
|        | ] 500 007 071 02 | M 10 X 110                     |        | _   | J11 0                     |
| 43     | N 010 500 3      | Hexagon-head bolt              |        | 1   | 914-4/1,7                 |
|        |                  | M 10 X 115                     |        |     | 914-1,8/1,8V              |
|        |                  |                                |        |     | 912-2,0                   |
| 44     | N 012 242 1      | Spring washer                  |        | 2   |                           |
|        |                  | B 10 X 18                      |        |     |                           |
| 45     | N 011 133 1      | Hexagon nut                    |        | 2   | 914-4/1,7                 |
|        |                  | М 10                           |        |     | 914-1,8/1,8V              |
| 46     | 000 031 005 03   | Mark along                     |        | 2   | 914-2,0<br>914-6          |
| 40     | 900 031 005 02   | Washer 10,5                    |        | ∠   | 914-0                     |
| 46     | 900 031 005 03   | Washer                         |        | 2   | 914-6                     |
|        | 700 031 003 03   | 10,5                           |        | _   | 711 0                     |
| 46     | 900 031 005 02   | Washer                         |        | 3   | 914-4/1,7                 |
|        |                  | 10,5                           |        |     | 914-1,8/1,8V              |
|        |                  |                                |        |     | 914-2,0                   |
| 46     | 900 031 005 03   | Washer                         |        | 3   | 914-4/1,7                 |
|        |                  | 10,5                           |        |     | 914-1,8/1,8V              |
| 1 47   | NT 01F 27F 1     | Tagle washan                   |        | 2   | 914-2,0                   |
| 47     | N 015 375 1      | Lock washer<br>M 10            |        | 2   |                           |
| 48     | 900 157 002 02   | Hexagon nut                    |        | 2   | 914-6                     |
| 1 40   | J00 137 002 02   | M 10                           |        | 2   | 714 0                     |
| 48     | 900 157 002 03   | Hexagon nut                    |        | 2   | 914-6                     |
|        |                  | M 10                           |        |     |                           |
| 48     | N 011 010 6      | Hexagon nut                    |        | 3   | 914-4/1,7                 |
|        |                  | м 10                           |        |     | 914-1,8/1,8V              |
|        |                  |                                |        |     | 914-2,0                   |
| 48     | N 101 552 10     | Hexagon nut                    |        | 3   | 914-4/1,7                 |
|        |                  | М 10                           |        |     | 914-1,8/1,8V              |
|        |                  |                                |        |     | 914-2,0                   |
|        |                  |                                |        |     |                           |
|        |                  |                                |        |     |                           |
|        |                  |                                |        |     |                           |
|        | <u>I</u>         | I                              |        |     |                           |







| woder. | 914 70         |       | Woder life 1970>>1970   |          |          |              |
|--------|----------------|-------|-------------------------|----------|----------|--------------|
| Pos    | Part Numbe     | er    | Description             | Remark   | Qty      | Model        |
|        |                |       | Transmission cover      |          |          |              |
|        |                |       | Transmission suspension |          |          |              |
| 1      | 914 301 0:     | 31 02 | Transmission cover      |          | 1        | 914-6        |
|        | JIT 301 0.     | 31 02 | Rear                    |          |          | 914-0        |
| (1)    | 914 301 0:     | 31 N3 | Transmission cover      |          | 1        | 914-4        |
| ( 1 )  | 914 301 U.     | 31 03 | Rear                    |          | 1        | 914-4        |
| 2      | 914 301 0:     | 22 00 | Transmission cover      |          | 1        | 914-1,7/1,8V |
|        | 914 301 0.     | 32 00 | Rear                    |          | 1        | 914-1,7/1,80 |
| 3      | 901 318 2      | 44 01 | Bearing sleeve          |          | 1        | 914-1,8/2,0  |
| 4      | 901 316 2      |       | Eccentric bolt          |          | 1        |              |
| 4      | 901 302 2:     | 33 01 | for                     |          | 1        |              |
|        |                |       |                         |          |          |              |
| _      | 001 200 0      | 06 01 | Reverse idler gear      |          | _        |              |
| 5      | 901 302 29     | 96 01 | Thrust washer           |          | 1        |              |
|        |                |       | for                     |          |          |              |
|        |                | 10 01 | Reverse idler gear      |          |          |              |
| 6      | 900 095 0      | 19 01 | Tensioning sleeve       |          | 1        |              |
|        |                |       | 5 X 30                  |          |          |              |
| 7      | 901 318 2'     |       | Bolt                    |          | 1        |              |
| 8      | 914 303 1:     |       | Bush                    |          | 1        | 914-6/4      |
| 9      | 999 062 0      | 55 02 | Stud                    |          | 4        | 914-6/4      |
|        |                |       | BM 6 X 12               |          |          |              |
| 10     | 900 061 0      | 04 02 | Stud                    |          | 2        | 914-4        |
|        |                |       | BM 8 X 12               |          |          |              |
| 11     | 900 061 0      | 73 02 | Stud                    |          | 2        |              |
|        |                |       | BM 8 X 16               |          |          |              |
| 12     | 999 504 0      | 70 00 | Threaded insert         |          | 1        |              |
|        |                |       | M 8 X 1,0               |          |          |              |
| 13     | 901 302 20     | 66 01 | Thrust washer           |          | 1        |              |
| 14     | 900 112 0      |       | Radial sealing ring     |          | 1        | 914-6/4      |
|        | 0.             | 25 50 | A 14 X 24 X 7           |          | -        | J11 0/1      |
| 15     | 914 303 03     | 11 02 | Bellcrank               |          | 1        | 914-6        |
|        |                |       |                         |          | 1        |              |
| 16     | 914 303 30     |       | Clutch control shaft    |          | -        | 914-4        |
| 17     | 914 303 03     |       | Distributing piece      |          | 1        | 914-6/4      |
| 18     | 900 309 0      | 03 00 | Roll pin                |          | 1        | 914-6/4      |
|        |                |       | 5 X 24                  |          |          |              |
| 19     | 914 301 3      | 13 00 | Lid                     |          | 1        | 914-6/4      |
|        |                |       | for                     |          |          |              |
|        |                |       | Transmission cover      |          |          |              |
|        |                |       | Rear                    |          |          |              |
| 20     | 914 301 3      |       | Gasket                  |          | 1        | 914-6/4      |
| 20     | 914 301 39     | 91 01 | Gasket                  |          | 1        | 914-6/4      |
| 21     | 999 025 10     | 08 02 | Washer                  |          | 4        | 914-6/4      |
|        |                |       | 6,4 X 14                |          |          |              |
| 22     | 999 084 03     | 18 02 | Lock nut                |          | 4        | 914-6/4      |
|        |                |       | U 105.6                 |          |          |              |
| 23     | 901 318 2      | 43 12 | Guide bush              |          | 1        |              |
| 24     | 914 318 2      |       | Sealing washer          |          | 1        |              |
| 25     | 999 113 0      |       | Radial sealing ring     |          | 1        |              |
| 45     | J J J L L S U. | JU 30 | BA 10 X 18 X 6          |          |          |              |
| 26     | 000 701 0      | 04 50 |                         |          | 1        |              |
| 26     | 999 701 0      | 84 50 | 0-ring                  |          | 1        |              |
| 0.5    |                | 22 21 | 25,3 - 2,4              |          |          |              |
| 27     | 901 318 3      | 33 01 | Shaft                   |          | 1        | 914-6        |
|        |                |       | for                     |          |          |              |
|        |                |       | Speedometer drive       |          |          |              |
| 27     | 914 318 3      | 33 10 | Shaft                   |          | 1        | 914-4/1,7    |
|        |                |       | for                     |          |          | 914-1,8/1,8V |
|        |                |       | Speedometer drive       |          |          | 914-2,0      |
| 28     | 914 318 0      | 29 01 | Angled pipe             |          | 1        |              |
| 29     | 900 031 0      |       | Washer                  |          | 9        |              |
|        |                |       | 8,4                     |          |          |              |
| 29     | 900 031 10     | 05 01 | Washer                  |          | 9        |              |
|        |                | -     | 8,4                     |          |          |              |
| 30     | 901 318 2      | 72 03 | Hexagon-head bolt       |          | 1        |              |
|        |                |       | 1 3                     | <u> </u> | <u> </u> | <u> </u>     |

| Model: | 914 70         | Model life 1970>>1976                       |        |              |       |
|--------|----------------|---|--------|--------------|-------|
| Pos    | Part Number    | Description                                 | Remark | Qty          | Model |
| 31     | 901 301 392 12 | Gasket                                      |        | 1            |       |
| ""     |                | for   |        | -            |       |
|        |                | Transmission cover                          |        |              |       |
| 32     | 999 090 101 02 | Mid-grip nut                                |        | 9            |       |
| 33     | 999 611 919 20 | Ground strap                                |        | 1            |       |
| 34     | 999 151 022 02 | Washer                                      |        | 2            |       |
|        |                | 20 X 8,4 X 2                                |        |              |       |
| 35     | 914 375 058 01 | Base  |        | 2            |       |
| 36     | 914 375 026 00 | Upper<br>Transmission mounting              |        | _            | 914-6 |
| 36     | 914 375 026 00 | Transmission mounting Transmission mounting |        | 2 2          | 914-6 |
| 37     | 914 375 023 00 | Washer                                      |        | 2            |       |
|        | 311 373 237 00 | Lower                                       |        | -            |       |
| 38     | 900 082 044 02 | Hexagon-head bolt                           |        | 2            |       |
|        |                | M 12 X 1,5 X 125                            |        |              |       |
| 38     | 900 082 118 01 | Hexagon-head bolt                           |        | 2            |       |
|        |                | M 12 X 1,5 X 125                            |        |              |       |
| 39     | 914 375 239 00 | Washer                                      |        | 2            |       |
| 40     | N 021 191 5    | Lock nut                                    |        | 2            |       |
| 41     | 900 075 085 02 | M 12 X 1,5<br>Hexagon-head bolt             |        | 4            |       |
| 41     | 900 075 065 02 | M 8 X 20                                    |        | <sup>±</sup> |       |
| 42     | 900 025 007 02 | Washer                                      |        | 4            |       |
|        |                | 8,4   |        |              |       |
| 42     | 900 025 007 03 | Washer                                      |        | 4            |       |
|        |                | 8,4   |        |              |       |
| 43     | 900 910 022 02 | Lock nut                                    |        | 4            |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |
|        |                |   |        |              |       |

PORSCHE Illustration: 303-00 PORSCHE




| Pos | Part Number    | Description                         | Remark | Qty      | Model      |
|-----|----------------|-------------------------------------|--------|----------|------------|
|     |                | Gear wheel sets                     |        |          | 914.300/01 |
|     |                | for                                 |        |          | 914.300/11 |
|     |                | 5-speed                             |        |          | 914.300/12 |
|     |                | Transmission                        |        |          |            |
| 1   | 911 302 903 00 | Gear set                            |        | 1        |            |
|     |                | 1st gear                            |        |          |            |
|     |                | Z = 11:34 (A)                       |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 2   | 911 302 907 00 | Reverse idler gear Drive shaft      |        | 1        | 914-6      |
|     | 911 302 907 00 | And                                 |        |          | 914-0      |
|     |                | Gear wheel                          |        |          |            |
|     |                | II                                  |        |          |            |
|     |                | 2nd gear                            |        |          |            |
|     |                | Z = 18:32 (GA)                      |        |          |            |
|     |                | Drive shaft                         |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 2   | 016 311 103    | Drive shaft                         |        | 1        |            |
|     |                | And                                 |        |          |            |
|     |                | Gear wheel                          |        |          |            |
|     |                | II                                  |        |          |            |
|     |                | 2nd gear<br>Z = 18:34               |        |          |            |
|     |                | Drive shaft                         |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 3   | 904 302 916 10 | Gear set                            |        | 1        | 914-6      |
|     |                | 3rd gear                            |        | -        |            |
|     |                | Z = 23:28 (0/3)                     |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 3   |                | Gear set                            |        | 1        |            |
|     |                | 3rd gear                            |        |          |            |
|     |                | Z = 23:28                           |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
| 4   | 904 302 930 10 | Loose gear wheel<br>Gear wheel pair |        | 1        |            |
| 4   | 904 302 930 10 | 4th speed                           |        |          |            |
|     |                | Z = 27.25  (V)                      |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 5   | 911 302 906 00 | Gear set                            |        | 1        | 914-6      |
|     |                | 5th gear                            |        |          |            |
|     |                | Z = 29:22 (ZA)                      |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
| _   | 016 011 050    | Loose gear wheel                    |        |          |            |
| 5   | 016 311 359    | Gear set                            |        | 1        |            |
|     |                | 5th gear<br>Z = 31:22               |        |          |            |
|     |                | Fixed gear wheel                    |        |          |            |
|     |                | Loose gear wheel                    |        |          |            |
| 6   | 901 302 901 02 | Ring gear and pinion shaft          |        | 1        |            |
|     |                | 7:31                                |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     |                |                                     |        |          |            |
|     | <u> </u>       | 1                                   |        | <u> </u> |            |




| Pos      | Part Number    | Description   | Remark | Qty    | Model  |
|----------|----------------|---|--------|--------|--------|
|          | i ait Number   | ·   | Nemark | Qty    | Wiodei |
|          |                | Gears and shafts                                      |        |        |        |
|          |                | Gear wheel sets                                       |        |        |        |
|          |                | See group 3/03/00                                     |        |        |        |
| 1        |                | Drive shaft   |        | 1      |        |
| 2        |                | Fixed gear wheel                                      |        | 1      |        |
|          |                | 3rd gear  |        |        |        |
| 3        | 901 302 294 01 | Thrust washer   |        | 2      |        |
| 4        | 901 302 261 01 | Bush  |        | 4      |        |
|          |                | for   |        |        |        |
|          |                | Needle-roller bearing                                 |        |        |        |
|          |                | 2   |        |        |        |
| _        |                | 5th gear  |        | _      |        |
| 5        | 999 201 470 00 | Needle cage   |        | 5      |        |
|          |                | 1   |        |        |        |
| 6        |                | 5th gear<br>Loose gear wheel                          |        | 1      |        |
|          |                | 4th speed   |        |        |        |
| 7        | 911 302 315 00 | Detent  |        | 4      |        |
|          |                | 2   |        |        |        |
|          |                | 5th gear  |        |        |        |
| 8        | 911 302 316 00 | Spring  |        | 9      |        |
|          |                | 1   |        |        |        |
|          |                | 5th gear  |        | _      |        |
| 9        | 911 302 317 01 | Stop<br>1   |        | 5      |        |
|          |                | 5th gear  |        |        |        |
| 10       | 911 302 301 06 | Synchroniser ring                                     |        | 5      |        |
|          |                | 1   |        |        |        |
|          |                | 5th gear  |        |        |        |
| 10       | 911 302 301 13 | Synchroniser ring                                     |        | 5      |        |
|          |                | 1   |        |        |        |
|          | 011 000 011 01 | 5th gear  |        | _      |        |
| 11       | 911 302 311 01 | Circlip 1   |        | 5      |        |
|          |                | 5th gear  |        |        |        |
| 12       | 901 302 402 02 | Sleeve  |        | 2      |        |
|          |                | 2   |        |        |        |
|          |                | 5th gear  |        |        |        |
| 13       | 911 302 411 10 | Shift sleeve  |        | 2      |        |
|          |                | 2   |        |        |        |
| 1 1 1    |                | 5th gear  |        | 1      |        |
| 14       |                | Loose gear wheel<br>5th gear                          |        | 1      |        |
| 15       | 901 302 268 01 | Spacer  |        | 1      |        |
|          |                | 5,8 mm  |        |        |        |
| 16       | 999 110 008 00 | Cylindrical-roller bearing                            |        | 1      |        |
| 17       | 999 038 001 00 | Tab washer  |        | 1      |        |
| 18       | 999 183 001 00 | Hexagon nut   |        | 1      |        |
| 19       |                | Fixed gear wheel                                      |        | 1      |        |
| 20       | 999 031 066 00 | 1st gear  |        | 1      |        |
| 20       | 999 031 066 00 | Washer<br>Castle nut                                  |        | 1      |        |
| 22       | 900 309 004 00 | Roll pin  |        | 1      |        |
|          |                | 3 X 18  |        | _      |        |
| 23       |                | Reverse idler gear                                    |        | 1      |        |
| 24       | 999 201 012 00 | Needle cage   |        | 2      |        |
| 25       | 901 302 263 01 | Guide sleeve  |        | 1      |        |
| 26       | 999 202 001 00 | Needle cage   |        | 1      |        |
| 27<br>28 | 999 110 007 00 | Drive shaft Cylindrical-roller bearing                |        | 1<br>1 |        |
| 28       | 999 110 007 00 | Cylindrical-roller bearing Cylindrical-roller bearing |        | 1      |        |
| 28       | 999 110 013 00 | Cylindrical-roller bearing                            |        | 1      |        |
|          |                |   |        |        |        |

| Model: | 914 70                                       |       | Model life 1970>>1976      |        |     |              |
|--------|--|-------|----------------------------|--------|-----|--------------|
| Pos    | Part Numbe                                   | er    | Description                | Remark | Qty | Model        |
| 28     | 999 110 0                                    | 12 01 | Cylindrical-roller bearing |        | 1   |              |
| 29     | 900 111 0                                    |       | Circlip                    |        | 1   |              |
|        |  |       | SP 72                      |        | _   |              |
| 30     | 901 302 2                                    | 97 01 | Adjusting shim             |        | X   |              |
|        |  |       | 0,25 MM                    |        |     |              |
| 30     | 901 302 2                                    | 97 11 | Adjusting shim             |        | X   |              |
|        |  |       | 0,30 MM                    |        |     |              |
| 30     | 901 302 2                                    | 97 21 | Adjusting shim             |        | X   |              |
|        |  |       | 0,40 MM                    |        |     |              |
| 31     | 901 302 2                                    | 98 01 | Spacer                     |        | 1   |              |
| 32     |  |       | Fixed gear wheel           |        | 1   |              |
|        |  |       | 5th gear                   |        |     |              |
| 33     | 901 302 2                                    | 65 01 | Spacer sleeve              |        | 1   |              |
| 34     |  |       | Fixed gear wheel           |        | 1   |              |
|        |  |       | 4th speed                  |        |     |              |
| 35     |  |       | Loose gear wheel           |        | 1   |              |
|        |  |       | 3rd gear                   |        |     |              |
| 36     |  |       | Loose gear wheel           |        | 1   |              |
|        |  |       | 2nd gear                   |        | _   |              |
| 37     | 901 302 2                                    |       | Thrust washer              |        | 1   |              |
| 38     | 901 302 2                                    | 91 01 | Thrust washer              |        | 1   |              |
| 39     |  |       | Loose gear wheel           |        | 1   |              |
| 10     | 001 202 2                                    | 60.01 | 1st gear<br>Bush           |        | 1   |              |
| 40     | 901 302 2                                    | 62 01 | for                        |        | 1   |              |
|        |  |       | Needle-roller bearing      |        |     |              |
|        |  |       | 1st gear                   |        |     |              |
| 41     | 901 302 3                                    | 18 02 | Detent                     |        | 1   |              |
| 1 1    | 001 302 3                                    | 10 02 | 1st gear                   |        | _   |              |
| 42     | 901 302 4                                    | 01 02 | Sleeve                     |        | 1   |              |
|        |  | 01 01 | 1st gear                   |        | _   |              |
| 43     | 911 302 2                                    | 26 00 | Shifting gear              |        | 1   |              |
|        |  |       | for                        |        |     |              |
|        |  |       | 1st gear                   |        |     |              |
|        |  |       | And                        |        |     |              |
|        |  |       | Reverse gear               |        |     |              |
| 43     | 911 302 2                                    | 26 02 | Shifting gear              |        | 1   |              |
|        |  |       | for                        |        |     |              |
|        |  |       | 1st gear                   |        |     |              |
|        |  |       | And                        |        |     |              |
|        |  |       | Reverse gear               |        |     |              |
| 44     | 901 302 2                                    |       | Elastic bolt               |        | 1   |              |
| 45     | 901 318 3                                    |       | Clutch control shaft       |        | 1   | 914-6        |
| 45     | 914 318 3                                    | 31 10 | Shaft                      |        | 1   | 914-4/1,7    |
|        |  |       |                            |        |     | 914-1,8/1,8V |
|        | 000 10-                                      | 00.00 |                            |        | _   | 914-2,0      |
| 46     | 900 197 0                                    | 02 00 | Tensioning sleeve          |        | 1   |              |
|        |  |       | 4 X 28                     |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        | 1  |       |                            |        |     |              |
|        |  |       |                            |        |     |              |
|        | <u>.                                    </u> |       | ļ                          |        |     |              |




| Model:     | 914 70                           | Model life 1970>>1976      |        |        |            |
|------------|----------------------------------|----------------------------|--------|--------|------------|
| Pos        | Part Number                      | Description                | Remark | Qty    | Model      |
|            |                                  | Shift rods                 | -72    |        | 914.300/01 |
|            |                                  | shift forks                | , 2    |        | 914.300/11 |
|            |                                  | for                        |        |        | ·          |
|            |                                  | 5-speed                    |        |        |            |
|            |                                  | Transmission               |        |        |            |
| 1          | 901 303 101 01                   | Gear shift rod             |        | 1      |            |
|            |                                  | 2                          |        |        |            |
|            | 014 202 141 00                   | 3rd gear                   |        | -      |            |
| 2          | 914 303 141 00                   | Gear shift rod             |        | 1      |            |
|            |                                  | 1st gear<br>And            |        |        |            |
|            |                                  | Reverse gear               |        |        |            |
| 3          | 901 303 103 01                   | Gear shift rod             |        | 1      |            |
|            |                                  | 4                          |        |        |            |
|            |                                  | 5th gear                   |        |        |            |
| 4          | 901 303 161 01                   | Shift finger               |        | 1      |            |
| 5          | 900 309 003 00                   | Roll pin                   |        | 1      |            |
| _          |                                  | 5 X 24                     |        | _      |            |
| 6          | 901 303 111 01                   | Shift fork                 |        | 2      |            |
|            |                                  | 2                          |        |        |            |
| 7          | 901 303 151 01                   | 5th gear<br>Shift fork     |        | 1      |            |
| '          | 701 303 131 01                   | 1st gear                   |        | _      |            |
|            |                                  | And                        |        |        |            |
|            |                                  | Reverse gear               |        |        |            |
| 8          | N 012 241 1                      | Spring washer              |        | 3      |            |
|            |                                  | B 8 X 15                   |        |        |            |
| 9          | 900 075 083 02                   | Hexagon-head bolt          |        | 3      |            |
| 10         | 914 303 131 01                   | B 8 X 25<br>Gear shift rod |        | 1      |            |
| 11         | 901 303 133 01                   | Gearshift lever            |        | 1      |            |
| 12         | 901 303 171 01                   | Bolt                       |        | 1      |            |
| 13         | N 012 512 1                      | Cotter pin                 |        | 1      |            |
|            |                                  | 2 X 12                     |        |        |            |
| 14         | 911 303 129 00                   | Fork                       |        | 1      |            |
| 15         | 999 701 359 40                   | 0-ring                     |        | 1      |            |
| (15)<br>16 | 901 303 191 01<br>900 027 015 02 | Gasket                     |        | 1<br>2 |            |
| 10         | 900 027 015 02                   | Lock ring B 8              |        | Δ      |            |
| 16         | 900 027 015 03                   | Lock ring                  |        | 2      |            |
|            |                                  | В 8                        |        |        |            |
| 17         | 900 076 025 02                   | Hexagon nut                |        | 2      |            |
|            |                                  | M 8                        |        |        |            |
| 17         | 900 076 064 02                   | Hexagon nut                |        | 2      |            |
| 18         | 901 303 231 01                   | M 8<br>Spring              |        | 1      |            |
| 10         | 901 303 231 01                   | Reversing gear lock        |        | 1      |            |
| 19         | 901 303 232 01                   | Compression spring         |        | 1      |            |
|            |                                  | for                        |        |        |            |
|            |                                  | Gear lock detent           |        |        |            |
|            |                                  | 2                          |        |        |            |
|            |                                  | 5th gear                   |        |        |            |
| 20         | 901 303 211 01                   | Detent                     |        | 1      |            |
| 21<br>22   | 901 303 271 01<br>N 025 667 2    | Pin<br>Ball                |        | 1<br>3 |            |
| 44         | IN 023 00/ 2                     | 9 MM                       |        | ٥      |            |
| 23         | 999 065 004 02                   | Screw plug                 |        | 1      |            |
|            |                                  |                            |        |        |            |
|            |                                  |                            |        |        |            |
|            |                                  |                            |        |        |            |
|            |                                  |                            |        |        |            |
|            |                                  |                            |        |        |            |
|            |                                  |                            |        |        |            |



| Pos      | Part Number                      | Description               | Remark | Qty    | Model      |
|----------|----------------------------------|---------------------------|--------|--------|------------|
| F        |                                  |                           |        |        |            |
|          |                                  | Shift rods                | 73-    |        | 914.300/12 |
|          |                                  | shift forks<br>for        |        |        |            |
|          |                                  | for<br>  5-speed          |        |        |            |
|          |                                  | Transmission              |        |        |            |
| 1        | 914 303 103 00                   | Gear shift rod            |        | 1      |            |
| -        |                                  | 2                         |        | _      |            |
|          |                                  | 3rd gear                  |        |        |            |
| 2        | 914 303 141 02                   | Gear shift rod            |        | 1      |            |
|          |                                  | 1st gear                  |        |        |            |
|          |                                  | And                       |        |        |            |
|          |                                  | Reverse gear              |        |        |            |
| 3        | 901 303 103 01                   | Gear shift rod            |        | 1      |            |
|          |                                  | 4                         |        |        |            |
|          |                                  | 5th gear                  |        |        |            |
| 4        | 914 303 161 00                   | Shift finger              |        | 1      |            |
| 5        | 900 309 003 00                   | Roll pin                  |        | 1      |            |
| 6        | 001 202 111 01                   | 5 X 24<br>Shift fork      |        | 2      |            |
| 0        | 901 303 111 01                   | 2                         |        | ∠      |            |
|          |                                  | 2<br>  5th gear           |        |        |            |
| 7        | 901 303 151 01                   | Shift fork                |        | 1      |            |
| '        | ] 01 303 131 01                  | 1st gear                  |        | _      |            |
|          |                                  | And                       |        |        |            |
|          |                                  | Reverse gear              |        |        |            |
| 8        | N 012 241 1                      | Spring washer             |        | 3      |            |
|          |                                  | B 8 X 15                  |        |        |            |
| 9        | 900 075 083 02                   | Hexagon-head bolt         |        | 3      |            |
|          |                                  | M 8 X 25                  |        |        |            |
| 10       | 914 303 127 01                   | Bearing bracket           |        | 1      |            |
| 11       | 914 303 273 00                   | Bush                      |        | 1      |            |
| 12       | 900 112 001 50                   | Radial sealing ring       |        | 1      |            |
| 1.0      | 014 202 115 01                   | B 15 X 24 X 7             |        | -      |            |
| 13<br>14 | 914 303 115 01<br>914 303 117 00 | Shift rod<br>Shift finger |        | 1<br>1 |            |
| 15       | 914 303 117 00                   | Washer                    |        | 1      |            |
|          | 1 214 303 171 00                 | Upper                     |        | _      |            |
| 16       | 900 309 008 00                   | Roll pin                  |        | 1      |            |
|          |                                  | 6 X 24                    |        | _      |            |
| 17       | 914 303 129 00                   | Ball pin                  |        | 1      |            |
| 18       | 914 303 173 00                   | Washer                    |        | 1      |            |
|          |                                  | Lower                     |        |        |            |
| 19       | 900 309 001 00                   | Roll pin                  |        | 1      |            |
|          |                                  | 6 X 32                    |        |        |            |
| 20       | 999 701 359 40                   | O-ring                    |        | 1      |            |
|          |                                  | OR 40 X 1,5               |        |        |            |
| 21       | 900 031 001 02                   | Washer                    |        | 2      |            |
| 21       | 900 031 105 01                   | 8,4<br>Washer             |        | 2      |            |
| 21       | 900 031 105 01                   | 8,4                       |        | ∠      |            |
| 22       | 999 090 101 02                   | Mid-grip nut              |        | 2      |            |
| 23       | 901 303 231 01                   | Spring                    |        | 1      |            |
|          |                                  | Reversing gear lock       |        | _      |            |
| 24       | 901 303 232 01                   | Compression spring        |        | 1      |            |
|          |                                  | for                       |        |        |            |
|          |                                  | Gear lock detent          |        |        |            |
|          |                                  | 2                         |        |        |            |
|          |                                  | 5th gear                  |        |        |            |
| 25       | 901 303 211 01                   | Detent                    |        | 1      |            |
|          |                                  | for                       |        |        |            |
| _        |                                  | Gear lock detent          |        |        |            |
| 26       | 901 303 271 01                   | Pin                       |        | 1      |            |
|          |                                  | for                       |        |        |            |


| Pos      | Part Number                      | Description                      | Remark | Qty    | Model |
|----------|----------------------------------|----------------------------------|--------|--------|-------|
| 27       | N 025 667 2                      | Gear lock detent<br>Ball<br>9 MM |        | 3      |       |
| 28<br>29 | 999 065 004 02<br>914 424 224 02 | Screw plug Friction ring         |        | 1<br>1 |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |
|          |                                  |                                  |        |        |       |

PORSCHE Illustration: 305-00 PORSCHE




| Model: | 914 70                           | Model life 1970>>1976                                       |        |     |                                      |
|--------|----------------------------------|---|--------|-----|--------------------------------------|
| Pos    | Part Number                      | Description   | Remark | Qty | Model                                |
|        |                                  | Differential Manual transmission Differential SPM See group |        |     |                                      |
| 1      | 911 332 212 00                   | 3/10/00 Differential pinions                                |        | 1   | 914-6                                |
| 1      | 914 332 212 00                   | Differential housing  |        | 1   | J11 0                                |
| 2      | 911 332 902 00                   | Differential pinions 1 set                                  |        | 1   | 914-6                                |
| 2      |                                  | Differential pinions  |        | 1   |                                      |
| 2      | 016 598 081                      | Set Differential pinions                                    |        | 1   | 914-4/1,7<br>914-1,8/1,8V<br>914-2,0 |
| 3      | 911 332 206 01                   | Nut   |        | 2   |                                      |
| 4      | 999 152 014 00                   | Circlip<br>SW 32  |        | 2   | 914-6                                |
| 5      | N 023 632 1<br>911 332 207 00    | Circlip A 32 X 1,5 Differential bolt                        |        | 2   |                                      |
| 6      | 915 332 265 00                   | Adjusting ring  |        | X   |                                      |
|        | 713 332 203 00                   | 2,4 MM  |        | 21  |                                      |
| 6      | 915 332 265 01                   | Adjusting ring 2,5 MM                                       |        | Х   |                                      |
| 6      | 915 332 265 02                   | Adjusting ring 2,6 MM                                       |        | Х   |                                      |
| 6      | 915 332 265 03                   | Adjusting ring 2,7 MM                                       |        | Х   |                                      |
| 6      | 915 332 265 04                   | Adjusting ring 2,8 MM                                       |        | X   |                                      |
| 6      | 915 332 265 05<br>915 332 265 06 | Adjusting ring 2,9 MM Adjusting ring                        |        | X   |                                      |
| 6      | 915 332 265 07                   | 3,0 MM Adjusting ring                                       |        | X   |                                      |
|        |                                  | 3,1 MM  |        |     |                                      |
| 6      | 915 332 265 08                   | Adjusting ring 3,2 MM                                       |        | Х   |                                      |
| 6      | 915 332 265 09                   | Adjusting ring 3,3 MM                                       |        | Х   |                                      |
| 6      | 915 332 265 10                   | Adjusting ring 3,4 MM                                       |        | X   |                                      |
| 6      | 915 332 265 11                   | Adjusting ring 3,5 MM                                       |        | X   |                                      |
| 6      | 915 332 265 12<br>915 332 265 13 | Adjusting ring 3,6 MM Adjusting ring                        |        | X   |                                      |
| 7      | 915 332 263 00                   | 3,7 MM Adjusting ring                                       |        | 2   |                                      |
| 8      | 999 059 027 00                   | Taper roller bearing  |        | 2   |                                      |
| 8      | 999 059 027 02                   | Taper roller bearing  |        | 2   |                                      |
| 9      | 901 302 901 02                   | Ring gear and pinion shaft Drive shaft And Seat 7: 31       |        | 1   |                                      |
| 10     | 901 332 276 00                   | Hexagon-head bolt<br>M 12 X 1,5                             |        | 12  |                                      |
| (10)   | 915 332 276 00                   | Hexagon-head bolt M 12 X 1,25                               |        | 12  |                                      |
| (10)   | 901 332 276 11                   | Hexagon-head bolt<br>M 12 X 1,5<br>Only together with       |        | 12  |                                      |


| woder. | 914 70         | Woder life 1970>>1976     |        |     |       |
|--------|----------------|---------------------------|--------|-----|-------|
| Pos    | Part Number    | Description               | Remark | Qty | Model |
|        |                |                           |        | ,   |       |
| 1      |                | Limited-slip differential |        |     |       |
| (10)   | 928 332 276 03 | Hexagon-head bolt         |        | 12  |       |
| (10)   | 720 332 270 03 |                           |        | 12  |       |
|        |                | M 12 X 1,25               |        |     |       |
|        |                | Only together with        |        |     |       |
|        |                | Limited-slip differential |        |     |       |
| 11     | 901 332 285 01 | Tab washer                |        | 6   |       |
| 1.0    | 901 332 203 01 |                           |        | 0   |       |
|        | 914 332 209 01 | Joint flange              |        | 2   |       |
| 13     | 901 332 261 11 | Washer                    |        | 2   | 914-6 |
| 13     | 914 332 261 00 | Washer                    |        | 2   |       |
| 14     | 901 332 275 12 | Elastic bolt              |        | 2   |       |
| 14     | 901 332 275 12 |                           |        |     |       |
|        | 911 332 208 00 | Armature                  |        | 1   |       |
| 16     | 900 308 005 00 | Roll pin                  |        | 1   | 914-6 |
|        |                | 6 X 28                    |        |     |       |
| 16     | N 022 055 1    |                           |        | 1   |       |
| 10     | N 022 055 1    | Roll pin                  |        | 1   |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
|        | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
|        | 1              | 1                         |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
| 1      | 1              | 1                         |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |



| Model:   | 914 70                           | Model life 19/0>>19/6      |        |        |       |
|----------|----------------------------------|----------------------------|--------|--------|-------|
| Pos      | Part Number                      | Description                | Remark | Qty    | Model |
|          |                                  | Limited-slip differential  |        |        |       |
| 1        | 901 332 053 13                   | Limited-slip differential  |        | 1      |       |
| 2        | 901 332 055 13                   | Housing                    |        | 1 1    |       |
| 3        | 901 332 506 11                   | Housing cover              |        | 1 1    |       |
| 4        | 901 332 500 11                   | Thrust ring                |        | 2      |       |
| 5        | 915 332 531 02                   | Bevel pinion               |        | 4      |       |
| 6        | 915 332 531 02                   | Differential shaft         |        | 2      |       |
| 7        | 901 332 541 02                   | Shaft bevel gear           |        | 2      |       |
| 8        | 901 332 335 11                   | Threaded piece             |        | 2      |       |
| 9        | 999 152 014 00                   | Circlip                    |        | 2      |       |
| 9        | 999 152 014 00                   | SW 32                      |        |        |       |
| 10       | 901 332 561 11                   | Thrust washer              |        | _      |       |
| 10<br>11 | 928 332 551 00                   | Inner disc                 |        | 2<br>4 |       |
| 1 11     | 928 332 551 00                   | 2,0 MM                     |        | 4      |       |
| 10       | 001 222 552 11                   |                            |        |        |       |
| 12<br>13 | 901 332 552 11<br>928 332 555 00 | Disc with external splines |        | 6<br>2 |       |
| 1        | 1                                | Cup spring                 |        |        |       |
| 14       | 900 119 002 00                   | Pan-head screw             |        | 2      |       |
| 1 -      | 015 000 000 00                   | M 6 X 10                   |        |        |       |
| 15       | 915 332 263 00                   | Adjusting ring             |        | 2      |       |
|          |                                  | 0,25 MM                    |        |        |       |
| 16       | 915 332 265 00                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,4 MM                     |        |        |       |
| (16)     | 915 332 265 01                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,5 MM                     |        |        |       |
| (16)     | 915 332 265 02                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,6 MM                     |        |        |       |
| (16)     | 915 332 265 03                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,7 MM                     |        |        |       |
| (16)     | 915 332 265 04                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,8 MM                     |        |        |       |
| (16)     | 915 332 265 05                   | Adjusting ring             |        | X      |       |
|          |                                  | 2,9 MM                     |        |        |       |
| (16)     | 915 332 265 06                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,0 MM                     |        |        |       |
| (16)     | 915 332 265 07                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,1 MM                     |        |        |       |
| (16)     | 915 332 265 08                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,2 MM                     |        |        |       |
| (16)     | 915 332 265 09                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,3 MM                     |        |        |       |
| (16)     | 915 332 265 10                   | Adjusting ring             |        | Х      |       |
|          |                                  | 3,4 MM                     |        |        |       |
| (16)     | 915 332 265 11                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,5 MM                     |        |        |       |
| (16)     | 915 332 265 12                   | Adjusting ring             |        | Х      |       |
|          |                                  | 3,6 MM                     |        |        |       |
| (16)     | 915 332 265 13                   | Adjusting ring             |        | X      |       |
|          |                                  | 3,7 MM                     |        |        |       |
| 17       | 999 059 027 00                   | Taper roller bearing       |        | 2      |       |
| 17       | 999 059 027 02                   | Taper roller bearing       |        | 2      |       |
| 18       | 914 332 209 00                   | Joint flange               |        | 2      |       |
| 19       | 914 332 261 00                   | Washer                     |        | 2      |       |
| 20       | 901 332 275 12                   | Elastic bolt               |        | 2      |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          |                                  |                            |        |        |       |
|          | 1                                |                            | I      | I      | 1     |



| Model:   | 914 70                           | Model life 1970>>1976    |        |        |           |
|----------|----------------------------------|--------------------------|--------|--------|-----------|
| Pos      | Part Number                      | Description              | Remark | Qty    | Model     |
|          |                                  | Clutch release           |        |        | 914-6:SPM |
| 1        | 905 116 711 01                   | Clutch release lever     |        | 1      | DIT O.DEN |
| 2        | 905 116 711 01                   | Clutch lever shaft       |        | 1      |           |
| 3        | 905 116 709 00                   |                          |        | 2      |           |
| 4        | 900 095 013 00                   | Spacer ring              |        | 1      |           |
| 4        | 900 095 013 00                   | Roll pin<br>4 X 20       |        | T      |           |
| -        | 905 116 713 00                   |                          |        | 2      |           |
| 5        | 905 116 713 00                   | Cap                      |        | 1      |           |
| 6<br>7   | 905 116 714 00                   | Spring<br>Washer         |        | 1      |           |
| 8        | 999 701 169 40                   | O-ring                   |        | 1      |           |
| 9        | 905 116 071 00                   | Intermediate shift lever |        | 1      |           |
|          | 905 116 071 00                   | Bush                     |        | 1      |           |
| 10       |                                  |                          |        |        |           |
| 11<br>12 | 905 116 719 01<br>999 704 019 50 | Spacer<br>Sleeve         |        | 1<br>1 |           |
| 1        | 900 234 006 02                   |                          |        |        |           |
| 13       | 900 234 006 02                   | Shim                     |        | 1      |           |
| 1 1 4    | 7 010 415 1                      | 15 X 22 X 1              |        | -      |           |
| 14       | N 012 415 1                      | Circlip                  |        | 1      |           |
| 1        | 005 116 501 01                   | 15 X 1                   |        | -      |           |
| 15       | 905 116 721 01                   | Servo-motor              |        | 1      |           |
|          |                                  | 135 X 60                 |        | _      |           |
| 16       | 905 116 715 10                   | Servo-motor support      |        | 1      |           |
| 17       | 900 076 025 02                   | Hexagon nut              |        | 6      |           |
|          |                                  | м 8                      |        | _      |           |
| 17       | 900 076 064 02                   | Hexagon nut              |        | 6      |           |
|          |                                  | M 8                      |        | _      |           |
| 18       | 900 027 015 02                   | Lock ring                |        | 6      |           |
|          |                                  | В 6                      |        |        |           |
| 18       | 900 027 015 03                   | Lock ring                |        | 6      |           |
|          |                                  | В 6                      |        |        |           |
| 19       | 905 116 716 00                   | Pull rod                 |        | 1      |           |
| 20       | 900 166 002 02                   | Clevis                   |        | 1      |           |
|          |                                  | G 6 X 24                 |        |        |           |
| 20       | 900 166 002 01                   | Clevis                   |        | 1      |           |
|          |                                  | G 6 X 24                 |        |        |           |
| 21       | 900 076 010 02                   | Nut                      |        | 1      |           |
|          |                                  | М 6                      |        |        |           |
| 21       | 900 076 010 0B                   | Nut                      |        | 1      |           |
|          |                                  | М 6                      |        |        |           |
| 22       | 905 116 717 00                   | Bolt                     |        | 1      |           |
| 23       | 900 089 005 02                   | Washer                   |        | 1      |           |
|          |                                  | 6                        |        |        |           |
| 24       | 900 021 002 00                   | Cotter pin               |        | 1      |           |
|          |                                  | 1,5 X 10                 |        |        |           |
| 25       | 905 116 751 00                   | Push rod                 |        | 1      |           |
| 26       | 900 025 007 02                   | Washer                   |        | 2      |           |
|          |                                  | 8,4                      |        |        |           |
| 26       | 900 025 007 03                   | Washer                   |        | 2      |           |
|          |                                  | 8,4                      |        |        |           |
| 27       | 900 021 008 00                   | Cotter pin               |        | 2      |           |
|          |                                  | 2 X 15                   |        |        |           |
| 27       | 900 021 008 0A                   | Cotter pin               |        | 2      |           |
|          |                                  | 2 X 15                   |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          |                                  |                          |        |        |           |
|          | 1                                |                          |        | I      | 1         |



| woder. | 914 70         | Widderlife 1970>>1976  |        |     |           |
|--------|----------------|------------------------|--------|-----|-----------|
| Pos    | Part Number    | Description            | Remark | Qty | Model     |
|        |                | Converter              |        |     | 914-6:SPM |
|        |                | Converter housing      |        |     | 914-0.SPM |
| 1      | 905 301 007 01 | Converter housing      |        | 1   |           |
|        | 905 301 007 01 | with                   |        | 1   |           |
|        |                | Stud                   |        |     |           |
|        | 000 061 014 02 |                        |        | 1   |           |
| 2      | 900 061 014 02 | Stud<br>BM 10 X 22     |        | 1   |           |
| (2)    | 000 063 000 03 | Stud                   |        | 1   |           |
| (3)    | 999 062 009 02 | BM 8 X 28              |        | 1   |           |
| (3)    | 900 060 105 01 | Stud                   |        | 1   |           |
| (3)    | 900 060 105 01 | BM 8 X 28              |        | 1   |           |
| 3      | 999 062 007 02 | Stud                   |        | 3   |           |
| 3      | 999 062 007 02 | BM 8 X 22              |        | 3   |           |
| 3      | 900 060 106 01 | Stud                   |        | 3   |           |
| 3      | 900 000 100 01 | BM 8 X 22              |        | 3   |           |
| 4      | 999 062 002 02 | Stud                   |        | 2   |           |
| 4      | 999 062 002 02 | BM 6 X 15              |        | ∠   |           |
| 5      | 905 116 002 20 |                        |        | 1   |           |
| 5      | 905 116 002 20 | Torque converter with  |        | 1   |           |
|        |                | Starter ring           |        |     |           |
| 6      | 905 116 024 12 | Drive plate            |        | 1   |           |
| 7      | 999 067 009 01 | Pan-head screw         |        | 6   |           |
| 8      | 001 301 095 A  | Hexagon-head bolt      |        | 4   |           |
| 9      | PCG 113 071 50 | Radial shaft seal      |        | 1   |           |
| 10     | 900 052 027 00 | Ball bearing           |        | 1   |           |
| 11     | 905 116 027 10 | Turbine shaft          |        | 1   |           |
| 12     | 999 012 018 00 | Straight pin           |        | 3   |           |
| 13     | 999 201 021 00 | Needle sleeve          |        | 1   |           |
| 14     | PCG 201 301 00 | Shaft sealing ring     |        | 1   |           |
| 1 4    | PCG 201 301 00 | G 12 X 18 X 3          |        |     |           |
| 15     | N 012 420 1    | Circlip                |        | 1   |           |
|        | N 012 420 1    | 20 X 1,2               |        |     |           |
| 16     | 905 116 020 01 | Free wheel lock        |        | 1   |           |
|        | 903 110 020 01 | Bracket                |        |     |           |
| 17     | 999 186 002 01 | Pan-head screw         |        | 8   |           |
| 18     | N 013 804 2    | Sealing ring           |        | 8   |           |
|        | N 013 004 2    | A 6 X 10               |        | 0   |           |
| 19     | 999 113 189 40 | Radial sealing ring    |        | 1   |           |
| 20     | 905 116 254 20 | Clutch plate           |        | 1   |           |
| 21     | 905 116 255 10 | Pressure plate         |        | 1   |           |
| 22     | 925 116 081 00 | Clutch release bearing |        | 1   |           |
| 23     | 999 067 010 01 | Pan-head screw         |        | 6   |           |
| 24     | N 012 026 3    | Lock ring              |        | 6   |           |
|        | 1, 012 020 3   | 6                      |        |     |           |
| 25     | N 011 010 6    | Hexagon nut            |        | 2   |           |
|        | 1, 011 010 0   | M 10                   |        | _   |           |
| 25     | N 101 552 10   | Hexagon nut            |        | 2   |           |
|        |                | M 10                   |        | _   |           |
| 26     | N 012 242 3    | Spring washer          |        | 2   |           |
| 20     |                | B 10 X 18              |        | _   |           |
| 27     | 905 301 125 11 | Switch housing         |        | 1   |           |
| 28     | 900 129 009 02 | Union                  |        | 1   |           |
| 29     | N 013 848 1    | Sealing ring           |        | 1   |           |
| "      |                | A 16 X 22              |        | _   |           |
| 30     | 905 613 102 04 | Temperature switch     |        | 1   |           |
| 31     | 900 123 007 30 | Sealing ring           |        | 2   |           |
| "      |                | A 14 X 18              |        |     |           |
| 32     | 905 301 013 10 | Pressure pipe          |        | 1   |           |
| 33     | 905 301 013 10 | Return pipe            |        | 1   |           |
| 34     | 900 028 008 01 | Lock ring              |        | 2   |           |
| ] ] ]  | 700 020 000 01 | B 6                    |        | ے ا |           |
| 35     | 900 076 010 02 | Nut                    |        | 2   |           |
|        |                | M 6                    |        | _   |           |
|        | <u>l</u>       | <u> </u>               |        |     |           |

| Pos | Part Number    | Description                     | Remark   | Qty | Model |
|-----|----------------|---------------------------------|----------|-----|-------|
|     |                |                                 | I GIII A |     | MOUCI |
| 35  | 900 076 010 0B | Nut<br>M 6                      |          | 2   |       |
| 36  | 901 641 632 00 | Remote temperature sensor       |          | 1   |       |
| 37  | 900 067 078 02 | Pan-head screw                  |          | 1   |       |
| 38  | 900 155 018 02 | M 10 X 150<br>Hexagon-head bolt |          | 1   |       |
|     | 700 133 010 02 | M 10 X 110                      |          | _   |       |
| 39  | N 012 242 3    | Spring washer                   |          | 4   |       |
| 40  | 900 157 002 02 | B 10 X 18<br>Hexagon nut        |          | 2   |       |
| 10  | 700 137 002 02 | м 10                            |          | 2   |       |
| 40  | 900 157 002 03 | Hexagon nut                     |          | 2   |       |
|     |                | M 10                            |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |
|     |                |                                 |          |     |       |

Model life 1970>>1976


| Post   Part Number   Description   Remark   City   Model   | Model: | 914 70                                  | Model life 1970>>1976 |        |     |            |
|--|--------|---|-----------------------|--------|-----|------------|
| 1 914 301 010 05 Transmission case 2 990 061 118 02 Stud   | Pos    | Part Number                             | Description           | Remark | Qty | Model      |
| 1 914 301 101 0.5  |        |   | Transmission case     |        |     | 914-6:SPM  |
| 2   900 061 118 02   Stud   BN 10 X 28   Stud   1   BN 10 X 28   Stud   6   BN 10 X 28   Stud   2   BN 10 X 22   Stud   BN 10 X 28   Stud   BN 10 X 22   Stud   Stu   | 1      | 914 301 010 05                          |                       |        | 1   | J11 0 D111 |
| March   Marc   |        |   |                       |        |     |            |
| 3   999 062 138 02   Stud   1   8M 8 X 52   1   8M 8 X 52   1   8M 8 X 52   1   1   8M 8 X 50   1   1   1   1   1   1   1   1   1  |        |   |                       |        | _   |            |
| Max   S   Stud   Max   S   S   S   S   S   S   S   S   S  | 3      | 999 062 138 02                          |                       |        | 1   |            |
| 3   900 000 102 01   Stud  |        |   |                       |        |     |            |
| Mark   Stude   | 3      | 900 060 102 01                          |                       |        | 1   |            |
| BM 8 X SO   Stud BM 8 X X 45   Stud BM 8 X X 45   Stud BM 8 X X 45   Stud BM 8 X X 25   Stud BM 8 X X 22   Stud BM 8 X X 15     |        |   |                       |        |     |            |
| BM 8 X SO   Stud BM 8 X X 45   Stud BM 8 X X 45   Stud BM 8 X X 45   Stud BM 8 X X 25   Stud BM 8 X X 22   Stud BM 8 X X 15     | 4      | 900 061 012 02                          |                       |        | 6   |            |
| BM 8 X 45   Stud BM 8 X 25   Stud BM 8 X 25   Stud BM 8 X 22   Stud BM 8 X 15   Stud BM 8 X 12   Stud BM 8   |        |   | BM 8 X 50             |        |     |            |
| 6   999 062 008 02   Stud   MM 8 x 25     7   999 062 007 02   Stud   MM 8 x 25     7   900 060 106 01   Stud   MM 8 x 22     8   990 061 057 02   Stud   MM 8 x 15     8   999 062 057 02   Stud   MM 8 x 15     8   999 062 057 02   Stud   MM 8 x 15     8   999 062 057 02   Stud   MM 8 x 15     8   999 062 073 02   Stud   MM 8 x 15     9   900 061 004 02   Stud   MM 8 x 15     9   900 061 004 02   Stud   MM 8 x 15     9   900 061 004 02   Stud   MM 8 x 15     10   905 302 291 00   Thrust ring   1     11   905 116 727 00   Bearing pin   1     12   905 116 727 00   Bearing pin   1     13   999 095 102 00   Roll pin   1     15   999 113 285 40   Shaft sealing ring   1     16   904 301 071 00   Bleeder   1     17   999 042 301 01   Circlip   2     18   999 043 305 01   Circlip   2     19   999 113 058 50   Radial sealing ring   BA - FG 45 x 65 x 10     20   905 301 191 00   Gasket   1     60   7   Transmission case   0,15 MM   0     (20) 905 301 191 02   Gasket   1     60   7   Transmission case   0,20 MM   0     (20) 905 303 245 02   Cam follower   1     8   8   8   8   12   1     10   905 613 051 02   Sackey plug   1     11   12   13     12   14   303 246 10   Cam follower   1     15   999 064 007 02   Screw plug   vithout   Magnet   MM   Magnet   1     10   10   10   10   10   10     10   10  | 5      | 900 061 011 01                          | Stud                  |        | 2   |            |
| Mar    |        |   | BM 8 X 45             |        |     |            |
| 7 999 062 007 02 Stud  | 6      | 999 062 008 02                          | Stud                  |        | 2   |            |
| BM 8 X 22  |        |   | BM 8 X 25             |        |     |            |
| 7   900 060 106 01   Stud  | 7      | 999 062 007 02                          | Stud                  |        | 7   |            |
| BM 8 X 22   Stud   |        |   | BM 8 X 22             |        |     |            |
| 8 990 061 057 02 Stud BM 8 X 15 8 999 062 073 02 Stud BM 8 X 15 9 900 061 004 02 Stud BM 8 X 15 9 900 061 004 02 Stud BM 8 X 15 9 900 061 004 02 Stud BM 8 X 15 10 905 302 291 00 Thrust ring 11 905 116 727 00 Bush 2 2 Bush 12 905 116 707 01 Bearing pin 13 999 095 102 00 Roll pin 15 999 113 286 40 Shaft sealing ring 16 904 301 071 00 Bleeder 17 999 042 301 01 Circlip SB 52 18 999 041 305 01 Circlip SB 52 18 999 041 305 01 Circlip SB 79 19 999 113 058 50 Radial sealing ring BA - FG 45 X 65 X 10 Gasket for Transmission case 0,10 MM 0(20) 905 301 191 01 Gasket for Transmission case 0,15 MM 0(20) 905 301 291 02 Cam follower Back-up light switch 2 905 613 051 02 Back-up light switch 2 999 064 007 02 Screw plug without Magnet  | 7      | 900 060 106 01                          | Stud                  |        | 7   |            |
| Mar   S   X   Lis  |        |   | BM 8 X 22             |        |     |            |
| 8 999 062 057 02 Stud BM 8 X 15 8 999 062 073 02 Stud BM 8 X 15 9 900 061 004 02 Stud BM 8 X 15 10 905 302 291 00 Thrustring BM 8 X 12 11 905 116 727 00 Bush 12 905 116 707 01 Bearing pin 13 999 095 102 00 Roll pin S 5 X 12 14 905 116 813 01 Guide tube 15 999 113 286 40 Shaft sealing ring 16 904 301 071 00 Bleeder 17 999 042 301 01 Circlip SB 52 18 999 041 305 01 Circlip SB 52 18 999 130 058 50 Radial sealing ring BA - FG 45 X 65 X 10 Gasket for Transmission case 0.10 MM Casket for Transmission case 0.15 MM Casket for Transmission case 0.15 MM Casket for Transmission case 0.20 MM Casket 10 Gasket Casket  | 8      | 900 061 057 02                          | Stud                  |        | 2   |            |
| BM 8 X 15   Stud   |        |   | BM 8 X 15             |        |     |            |
| 8 999 062 073 02 Stud MM X 15 9 900 061 004 02 Stud MM X 15 9 900 061 004 02 Stud MM X 12 10 905 302 291 00 Thrust ring MM X 12 11 905 116 727 00 Bush 2 12 905 116 707 01 Bearing pin 1 13 999 095 102 00 Roll pin 1 15 999 113 286 40 Shaft sealing ring 1 16 904 301 071 00 Bleeder 1 17 999 042 301 01 Circlip 2 18 999 041 305 01 Circlip SB 79 19 999 113 058 50 Radial sealing ring 2 20 905 301 191 00 Gasket 1 for Transmission case 0.10 MM C(20) 905 301 191 01 Gasket X for Transmission case 0.20 MM C 21 905 303 245 02 Cam follower Back-up light switch 1 22 905 613 051 02 Back-up light switch 1 23 999 064 007 02 Screw plug without Magnet 1   | 8      | 999 062 057 02                          | Stud                  |        | 2   |            |
| BM 8 X 15   Stud   |        |   | BM 8 X 15             |        |     |            |
| 9 900 061 004 02 Stud BM 8 X 12  10 905 302 291 00 Thrust ring 11 905 116 727 00 Bush 22 Bush 13 999 095 102 00 Roll pin 13 999 095 102 00 Roll pin 15 999 113 286 40 Shaft sealing ring 16 904 301 071 00 Bleeder 17 999 042 301 01 Circlip SE 52  18 999 041 305 01 Circlip SE 79  19 999 113 058 50 Radial sealing ring BA - FG 45 X 65 X 10  20 905 301 191 00 Gasket for Transmission case 0,10 MM (20) 905 301 191 02 Gasket for Transmission case 0,20 MM  (20) 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 24 905 613 101 02 Bridging switch Bridging swit | 8      | 999 062 073 02                          | Stud                  |        | 2   |            |
| RM 8 X 12  |        |   | BM 8 X 15             |        |     |            |
| 10   | 9      | 900 061 004 02                          | Stud                  |        | 3   |            |
| 11   |        |   |                       |        |     |            |
| 12   905 116 707 01   Bearing pin   1   1   1   1   1   1   1   1   1  |        |   |                       |        |     |            |
| 13   999 095 102 00   Roll pin   S 5 X 12     14   905 116 813 01   Guide tube   1     15   999 113 286 40   Shaft sealing ring   1     16   904 301 071 00   Bleeder   1     17   999 042 301 01   Circlip   2     SB 52   S 79   1     19   999 113 058 50   Radial sealing ring   2     BA - FG 45 X 65 X 10   Gasket   1     20   905 301 191 00   Gasket   1     607   Transmission case   0,10 MM   0     (20)   905 301 191 01   Gasket   X     (20)   905 301 191 02   Gasket   X     (20)   905 303 245 02   Cam follower   1     22   905 613 051 02   Back-up light switch   Back-up light switch   1     24   905 613 101 02   Bridging switch   1     25   999 064 007 02   Screw plug   without   Magnet   1   |        |   |                       |        | 2   |            |
| S 5 X 12   Guide tube  |        |   |                       |        |     |            |
| 14   905 116 813 01   Guide tube   1   1   1   1   1   1   1   1   1   | 13     | 999 095 102 00                          |                       |        | 1   |            |
| 15   |        |   |                       |        |     |            |
| 16   |        |   |                       |        |     |            |
| 17 999 042 301 01 Circlip SB 52  18 999 041 305 01 Circlip SB 79  19 999 113 058 50 Radial sealing ring BA - FG 45 X 65 X 10  20 905 301 191 00 Gasket for Transmission case 0,10 MM  (20) 905 301 191 01 Gasket X  for Transmission case 0,15 MM  (20) 905 301 191 02 Gasket X  for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   |        |   |                       |        |     |            |
| SB 52   Circlip   SB 79   SB 76   SB   |        |   |                       |        |     |            |
| 18 999 041 305 01 Circlip SB 79 19 999 113 058 50 Radial sealing ring BA - FG 45 X 65 X 10 20 905 301 191 00 Gasket for Transmission case 0,10 MM (20) 905 301 191 01 Gasket for Transmission case 0,15 MM (20) 905 301 191 02 Gasket for Transmission case 0,20 MM 21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  | 1.7    | 999 042 301 01                          |                       |        | 2   |            |
| SB 79  | 1.0    | 000 041 005 01                          |                       |        | -   |            |
| 19   999 113 058 50   Radial sealing ring   BA - FG 45 X 65 X 10   Gasket   1  | 18     | 999 041 305 01                          |                       |        | 1   |            |
| BA - FG 45 X 65 X 10  Gasket for Transmission case 0,10 MM  (20) 905 301 191 01 Gasket for Transmission case 0,15 MM  (20) 905 301 191 02 Gasket for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch Bridging switch  24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   | 1.0    | 000 113 050 50                          |                       |        | 2   |            |
| 20    905 301 191 00   | 19     | 999 113 058 50                          |                       |        | ∠   |            |
| for Transmission case 0,10 MM  (20) 905 301 191 01 Gasket for Transmission case 0,15 MM  (20) 905 301 191 02 Gasket for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   | 20     | 005 201 101 00                          |                       |        | 1   |            |
| Transmission case 0,10 MM  (20) 905 301 191 01 Gasket for Transmission case 0,15 MM  (20) 905 301 191 02 Gasket for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch  22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  Transmission case 0,10 MM  X  1  1  24 905 301 191 01 Gasket 1  25 999 064 007 02 Screw plug without Magnet   | _ ∠∪   | ) J J J J J J J J J J J J J J J J J J J |                       |        | _   |            |
| (20) 905 301 191 01 Gasket for Transmission case 0,15 MM (20) 905 301 191 02 Gasket for Transmission case 0,20 MM (21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch Bridging switch 999 064 007 02 Screw plug without Magnet  |        |   |                       |        |     |            |
| (20) 905 301 191 01 Gasket for Transmission case 0,15 MM (20) 905 301 191 02 Gasket for Transmission case 0,20 MM (21) 905 303 245 02 Cam follower Back-up light switch (22) 905 613 051 02 Back-up light switch (23) 914 303 246 10 Cam follower Bridging switch (24) 905 613 101 02 Bridging switch (25) 999 064 007 02 Screw plug without Magnet (20) 10 MM (20) 11 Mm (20) 12 Mm (20) 12 Mm (20) 13 Mm (20) 14 Mm (20) 15 Mm (20) 15 Mm (20) 16 Mm (20) 16 Mm (20) 17 Mm (20) 17 Mm (20) 18 Mm ( |        |   |                       |        |     |            |
| for Transmission case 0,15 MM (20) 905 301 191 02 Gasket for Transmission case 0,20 MM 21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   | (20)   | 905 301 191 01                          |                       |        | y   |            |
| Transmission case 0,15 MM  (20) 905 301 191 02 Gasket for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  Transmission case 0,15 MM  X  X  1  1  1  1  1  1  1  1  1  1  1   | (20)   | 000 001 101 01                          |                       |        | Λ   |            |
| 0,15 MM Gasket for Transmission case 0,20 MM 21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  Can follower Bridging switch 1 1 25 999 064 007 02 Screw plug without Magnet   |        |   |                       |        |     |            |
| (20)       905 301 191 02       Gasket for Transmission case 0,20 MM       X         21       905 303 245 02       Cam follower Back-up light switch       1         22       905 613 051 02       Back-up light switch       1         23       914 303 246 10       Cam follower Bridging switch       1         24       905 613 101 02       Bridging switch       1         25       999 064 007 02       Screw plug without Magnet       1   |        |   |                       |        |     |            |
| for Transmission case 0,20 MM  21 905 303 245 02 Cam follower Back-up light switch Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  | (20)   | 905 301 191 02                          |                       |        | х   |            |
| Transmission case 0,20 MM 21 905 303 245 02 Cam follower Back-up light switch Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   | (20)   |   |                       |        |     |            |
| 0,20 MM Cam follower Back-up light switch Back-up light switch 22 905 613 051 02 Back-up light switch Cam follower Back-up light switch Cam follower 1 Cam follower Bridging switch Bridging switch Bridging switch Screw plug without Magnet  |        |   |                       |        |     |            |
| 21 905 303 245 02 Cam follower Back-up light switch 22 905 613 051 02 Back-up light switch 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  |        |   |                       |        |     |            |
| Back-up light switch  22 905 613 051 02 Back-up light switch  23 914 303 246 10 Cam follower  Bridging switch  24 905 613 101 02 Bridging switch  25 999 064 007 02 Screw plug without  Magnet   | 21     | 905 303 245 02                          |                       |        | 1   |            |
| 22       905 613 051 02       Back-up light switch       1         23       914 303 246 10       Cam follower       1         24       905 613 101 02       Bridging switch       1         25       999 064 007 02       Screw plug without       1         Magnet       Magnet       1   |        |   |                       |        |     |            |
| 23 914 303 246 10 Cam follower Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet   | 22     | 905 613 051 02                          |                       |        | 1   |            |
| Bridging switch 24 905 613 101 02 Bridging switch 25 999 064 007 02 Screw plug without Magnet  |        |   |                       |        |     |            |
| 24 905 613 101 02 Bridging switch 1 1 Screw plug 1 1 Magnet  |        |   |                       |        |     |            |
| 25   999 064 007 02   Screw plug   1   without   Magnet   1  | 24     | 905 613 101 02                          |                       |        | 1   |            |
| without Magnet   |        |   |                       |        |     |            |
| Magnet   |        |   |                       |        |     |            |
|  |        |   |                       |        |     |            |
|  |        |   | Yellow                |        |     |            |
| Anodised   |        |   | Anodised              |        |     |            |

| Model:   | 914 70                           | Model life 1970>>1976             |        |        |       |
|----------|----------------------------------|-----------------------------------|--------|--------|-------|
| Pos      | Part Number                      | Description                       | Remark | Qty    | Model |
| 26       | 999 064 008 02                   | Screw plug                        |        | 1      |       |
| 20       | 000 02                           | with magnet                       |        | _      |       |
|          |                                  | Yellow                            |        |        |       |
|          |                                  | Anodised                          |        |        |       |
| 27       | 900 076 025 02                   | Hexagon nut                       |        | 13     |       |
|          |                                  | м 8                               |        |        |       |
| 27       | 900 076 064 02                   | Hexagon nut                       |        | 13     |       |
|          |                                  | м 8                               |        |        |       |
| 28       | N 012 241 1                      | Spring washer                     |        | 13     |       |
|          |                                  | B 8 X 15                          |        |        |       |
| 29       | 905 301 221 01                   | Intermediate plate                |        | 1      |       |
| 30       | 900 012 027 00                   | Straight pin 10 M 6 X 45          |        | 2      |       |
| 31       | 999 052 016 00                   | Four-point bearing                |        | 1      |       |
| 31       | 999 052 016 0A                   | Four-point bearing                |        | 1      |       |
| 32       | 999 053 025 00                   | Angular-contact bearing           |        | 1      |       |
| 33       | 901 301 251 01                   | Tensioning plate                  |        | 1      |       |
| 34       | 999 039 001 00                   | Tab washer                        |        | 4      |       |
| 35       | N 010 239 11                     | Hexagon-head bolt                 |        | 4      |       |
|          |                                  | M 8 X 18                          |        |        |       |
| 35       | N 010 239 30                     | Hexagon-head bolt                 |        | 4      |       |
|          |                                  | M 8 X 18                          |        |        |       |
| 36       | 901 303 241 01                   | Bush                              |        | 1      |       |
|          |                                  | for                               |        |        |       |
| 37       | 905 303 242 00                   | Gear lock detent                  |        | 1      |       |
| 3 /      | 905 303 242 00                   | Bush for                          |        | 1      |       |
|          |                                  | Gear lock detent                  |        |        |       |
| 38       | 905 303 243 00                   | Bush                              |        | 1      |       |
|          | ] 00 00 210 00                   | for                               |        | -      |       |
|          |                                  | Gear lock detent                  |        |        |       |
| 39       | 914 301 307 00                   | Bolt                              |        | 1      |       |
|          |                                  | for                               |        |        |       |
|          |                                  | Reverse lever                     |        |        |       |
| 40       | N 012 241 1                      | Spring washer                     |        | 1      |       |
| 4.1      | 005 202 126 00                   | B 8 X 15                          |        | _      |       |
| 41<br>42 | 905 303 136 00<br>914 301 031 12 | Eccentric bolt Transmission cover |        | 1      |       |
| 42       | 914 301 031 12                   | Rear                              |        | -      |       |
| 43       | 901 318 244 01                   | Bearing sleeve                    |        | 1      |       |
| 44       | 905 302 255 00                   | Bolt                              |        | 1      |       |
|          |                                  | for                               |        |        |       |
|          |                                  | Reverse gear                      |        |        |       |
| 45       | 905 302 292 00                   | Thrust washer                     |        | 1      |       |
| 46       | 900 095 019 01                   | Tensioning sleeve                 |        | 1      |       |
| l        |                                  | 5 X 30                            |        |        |       |
| 47       | 901 318 273 01                   | Bolt                              |        | 1      |       |
| 48<br>49 | 905 303 236 00<br>999 062 055 02 | Washer<br>Stud                    |        | 1<br>4 |       |
| 49       | 999 002 055 02                   | BM 6 X 12                         |        | 4      |       |
| 50       | 999 504 070 00                   | Threaded insert                   |        | 1      |       |
|          |                                  | M 8 X 1                           |        |        |       |
| 51       | 914 303 121 01                   | Bush                              |        | 1      |       |
|          |                                  | for                               |        |        |       |
|          |                                  | Shift rod                         |        |        |       |
| 52       | 900 061 073 02                   | Stud                              |        | 2      |       |
| _        |                                  | BM 8 X 16                         |        |        |       |
| 53       | 900 112 029 50                   | Radial sealing ring               |        | 1      |       |
|          | 014 202 011 02                   | A 14 X 24 X 7                     |        | 1      |       |
| 54<br>55 | 914 303 011 02<br>914 303 013 01 | Bellcrank Distributing piece      |        | 1      |       |
| 56       | 900 309 003 00                   | Roll pin                          |        | 1      |       |
|          |                                  | 5 X 24                            |        | -      |       |
|          | <u> </u>                         |                                   |        | L      |       |


| woder. | 914 70           | Woder life 1970>>1970 |        |     |       |
|--------|------------------|-----------------------|--------|-----|-------|
| Pos    | Part Number      | Description           | Remark | Qty | Model |
|        |                  | -                     |        | _   |       |
| 57     | 914 301 313 00   | Lid                   |        | 1   |       |
| 58     | 914 301 391 00   | Gasket                |        | 1   |       |
| 58     | 914 301 391 01   | Gasket                |        | 1   |       |
| 59     | 999 025 108 02   | Washer                |        | 4   |       |
|        |                  | 6,4 X 14              |        |     |       |
| 60     | 999 084 018 02   | Lock nut              |        | 4   |       |
| 61     | 901 318 243 12   | Guide bush            |        | 1   |       |
| 62     | 914 318 261 01   | Sealing washer        |        | 1   |       |
| 63     | 999 113 036 50   | Radial sealing ring   |        | 1   |       |
|        |                  | BA - FG 10 X 18 X 6   |        |     |       |
| 64     | 999 701 084 50   | 0-ring                |        | 1   |       |
| 65     | 905 318 333 10   | Shaft                 |        | 1   |       |
|        |                  | for                   |        |     |       |
|        |                  | Speedometer drive     |        |     |       |
| 66     | 914 318 029 01   | Angled pipe           |        | 1   |       |
| 67     | 900 031 001 02   | Washer                |        | 1   |       |
|        |                  | 8,4                   |        |     |       |
| 67     | 900 031 105 01   | Washer                |        | 1   |       |
|        |                  | 8,4                   |        | _   |       |
| 68     | 901 318 272 03   | Hexagon-head bolt     |        | 1   |       |
| 69     | 905 301 392 02   | Gasket                |        | 1   |       |
| 0,5    | 000 001 002 02   | for                   |        |     |       |
|        |                  | Transmission cover    |        |     |       |
| 70     | 900 108 010 00   | Ball                  |        | 1   |       |
| 70     | 900 108 010 00   | 7 MM                  |        |     |       |
|        |                  | for                   |        |     |       |
|        |                  |                       |        |     |       |
| 71     | N 025 667 2      | Parking lock Ball     |        | 1   |       |
| / 1    | N U25 66/ 2      |                       |        | 1   |       |
|        |                  | 9 MM<br>for           |        |     |       |
|        |                  | Parking lock          |        |     |       |
| 72     | 905 303 237 00   | Spring Spring         |        | 1   |       |
| 12     | 903 303 237 00   | for                   |        | -   |       |
|        |                  | Parking lock          |        |     |       |
| 73     | 900 031 001 02   | Washer                |        | 1   |       |
| , ,    | ] 000 031 001 02 | 8,4                   |        | -   |       |
| 73     | 900 031 105 01   | Washer                |        | 1   |       |
|        |                  | 8,4                   |        |     |       |
| 74     | 905 303 238 00   | Screw plug            |        | 1   |       |
| 75     | 900 031 001 02   | Washer                |        | 8   |       |
|        |                  | 8,4                   |        |     |       |
| 75     | 900 031 105 01   | Washer                |        | 8   |       |
|        |                  | 8,4                   |        |     |       |
| 76     | 999 611 919 20   | Ground strap          |        | 1   |       |
| 77     | 999 151 022 02   | Washer                |        | 2   |       |
|        |                  | 20 X 8,4 X 2          |        |     |       |
| 78     | 999 090 101 02   | Mid-grip nut          |        | 9   |       |
| 79     | 905 301 311 11   | Transmission cover    |        | 1   |       |
|        |                  | Lateral               |        |     |       |
| 80     | 999 701 286 40   | 0-ring                |        | 1   |       |
|        |                  | 160 X 3               |        |     |       |
| (80)   | 905 301 391 00   | Gasket                |        | 1   |       |
| 81     | 914 375 058 01   | Base                  |        | 2   |       |
| 82     | 914 375 026 00   | Transmission mounting |        | 2   |       |
| 83     | 914 375 237 00   | Washer                |        | 2   |       |
| 84     | 900 082 044 02   | Hexagon-head bolt     |        | 2   |       |
|        |                  | M 12 X 1,5 X 125      |        |     |       |
| 84     | 900 082 118 01   | Hexagon-head bolt     |        | 2   |       |
|        |                  | M 12 X 1,5 X 125      |        |     |       |
| 85     | 914 375 239 00   | Washer                |        | 2   |       |
| 86     | N 021 191 5      | Lock nut              |        | 2   |       |
|        |                  | M 12 X 1,5            |        |     |       |
| 87     | 900 075 085 02   | Hexagon-head bolt     |        | 4   |       |
|        | ·                |                       |        |     |       |

| woder. | 914 70         | Woder life 1970>>1976 |        |     |       |
|--------|----------------|-----------------------|--------|-----|-------|
| Pos    | Part Number    | Description           | Remark | Qty | Model |
|        |                | M 8 X 20              |        |     |       |
| 88     | 900 025 007 02 | Washer                |        | 4   |       |
|        |                | 8,4                   |        |     |       |
| 88     | 900 025 007 03 | Washer                |        | 4   |       |
|        |                | 8,4                   |        |     |       |
| 89     | 900 910 022 02 | Lock nut              |        | 4   |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |

PORSCHE Illustration: 309-00 PORSCHE




| Pos | Part Number    | Description                         | Remark | Qty | Model     |
|-----|----------------|-------------------------------------|--------|-----|-----------|
|     |                | Gear wheel sets                     |        |     | 914-6:SPM |
| 1   | 905 302 906 10 | Gear set                            |        | 1   |           |
|     |                | 1st gear                            |        |     |           |
|     |                | Z = 15:36 (C)<br>Gear wheel         |        |     |           |
|     |                | II                                  |        |     |           |
|     |                | for                                 |        |     |           |
|     |                | Reverse gear                        |        |     |           |
|     |                | Fixed gear wheel                    |        |     |           |
| 2   | 901 302 908 10 | Loose gear wheel<br>Gear wheel pair |        | 1   |           |
|     | 901 302 900 10 | 2nd gear                            |        | Т.  |           |
|     |                | Z = 20:31 (I)                       |        |     |           |
|     |                | Fixed gear wheel                    |        |     |           |
|     | 904 302 920 10 | Loose gear wheel                    |        | 1   |           |
| 3   | 904 302 920 10 | Gear wheel pair<br>3rd gear         |        | 1   |           |
|     |                | Z = 24:27 (Q4)                      |        |     |           |
|     |                | Fixed gear wheel                    |        |     |           |
|     | 004 000 004 10 | Loose gear wheel                    |        |     |           |
| 4   | 904 302 924 10 | Gear set<br>4th speed               |        | 1   |           |
|     |                | Z = 28:24 (X)                       |        |     |           |
|     |                | Fixed gear wheel                    |        |     |           |
| -   | 005 200 001 01 | Loose gear wheel                    |        | 1   |           |
| 5   | 905 302 901 01 | Gear set<br>7:27                    |        | 1   |           |
|     |                | 7.27                                |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |
|     |                |                                     |        |     |           |



| Pos      | Part Numb              | er    |     | Description   | Remark | Qty    | Model     |
|----------|------------------------|-------|-----|---|--------|--------|-----------|
|          |                        |       |     | Gears and shafts                                      |        | ,      | 916-6:SPM |
|          |                        |       |     | Gear wheel sets                                       |        |        | 910-0.2PM |
|          |                        |       |     | See group   |        |        |           |
|          |                        |       |     | 3/09/00   |        |        |           |
| 1        | 905 302 3              | 101   | 00  | Clutch control shaft                                  |        | 1      |           |
| 2        |                        |       |     | Fixed gear wheel                                      |        | 1      |           |
|          |                        |       |     | 2nd gear  |        |        |           |
| 3        | 901 302 2              |       |     | Thrust washer   |        | 2      |           |
| 4        | 901 302 2              |       |     | Bush  |        | 4      |           |
| 5        | 999 201 4              | 470   | 00  | Needle cage   |        | 4      |           |
| 6        |                        |       |     | Loose gear wheel 3rd gear                             |        | 1      |           |
| 7        | 911 302 3              | 217   | 0.1 | Stop  |        | 4      |           |
| <b>'</b> | 911 302 .              | 3 I / | 01  | 1   |        | 4      |           |
|          |                        |       |     | 4th speed   |        |        |           |
| 8        | 911 302 3              | 315   | 00  | Detent  |        | 3      |           |
|          |                        |       |     | 2   |        |        |           |
|          |                        |       |     | 4th speed   |        |        |           |
| 9        | 911 302 3              |       |     | Spring  |        | 7      |           |
| 10       | 925 302 3              |       |     | Synchroniser ring                                     |        | 4      |           |
| 11       | 911 302 3              |       |     | Circlip   |        | 4      |           |
| 12       | 901 302 4              |       |     | Sleeve  |        | 2      |           |
| 13       | 911 302 4              | 411   | 10  | Shift sleeve  |        | 2      |           |
| 14       |                        |       |     | Loose gear wheel<br>4th speed                         |        | 1      |           |
| 15       | 901 302 2              | 260   | 0.1 | _   |        | 1      |           |
| 15       | 901 302 .              | 200   | 01  | Spacer 5,8 mm   |        | 1      |           |
| 16       | 999 110 (              | 008   | 0.0 | Cylindrical-roller bearing                            |        | 1      |           |
| 17       | 999 038 (              |       |     | Tab washer  |        | 1      |           |
| 18       | 999 183                |       |     | Hexagon nut   |        | 1      |           |
| 19       |                        |       |     | Fixed gear wheel                                      |        | 1      |           |
|          |                        |       |     | 1st gear  |        |        |           |
| 20       | 999 031 (              | 067   | 00  | Washer  |        | 1      |           |
| 21       | 999 079 (              | 011   | 02  | Castle nut  |        | 1      |           |
| 22       | 900 309 (              | 004   | 00  | Roll pin  |        | 1      |           |
|          |                        |       |     | 3 X 18  |        |        |           |
| 23       |                        |       |     | Gear wheel  |        | 1      |           |
|          |                        |       |     | II  |        |        |           |
|          |                        |       |     | for<br>Reverse gear                                   |        |        |           |
| 24       | 999 041 :              | 300   | 0.1 | Circlip   |        | 1      |           |
| 2 1      | 091 .                  | 307   | 01  | SB 27   |        |        |           |
| 25       | 905 302 2              | 223   | 00  | Gear wheel  |        | 1      |           |
|          |                        |       |     | III   |        |        |           |
|          |                        |       |     | for   |        |        |           |
|          |                        |       |     | Reverse gear  |        |        |           |
| 26       | 999 202 (              |       |     | Needle-roller bearing                                 |        | 1      |           |
| 27       | 905 302 2              |       |     | Spacer sleeve   |        | 1      |           |
| 28       | 999 201 3              | 106   | 00  | Needle cage   |        | 2      |           |
| 29       | 000 110                | 000   | 0.0 | Drive shaft   |        | 1      |           |
| 30       | 999 110 (              |       |     | Cylindrical-roller bearing                            |        | 1<br>1 |           |
| 30<br>30 | 999 110 (<br>999 110 ( |       |     | Cylindrical-roller bearing Cylindrical-roller bearing |        | 1      |           |
| 30       | 999 110 (              |       |     | Cylindrical-roller bearing Cylindrical-roller bearing |        | 1      |           |
| 31       | 900 111 (              |       |     | Circlip   |        | 1      |           |
|          | 000 111 \              | 002   | 00  | SP 72   |        |        |           |
| 32       | 901 302 2              | 297   | 01  | Adjusting shim  |        | Х      |           |
|          |                        |       |     | 0,25 MM   |        |        |           |
| 32       | 901 302 2              | 297   | 11  | Adjusting shim  |        | X      |           |
|          |                        |       |     | 0,30 MM   |        |        |           |
| 32       | 901 302 2              | 297   | 21  | Adjusting shim  |        | X      |           |
|          |                        |       |     | 0,40 MM   |        |        |           |
| 33       | 901 302 2              | 298   | 01  | Spacer  |        | 1      |           |

| Model.   | Dest Nessel es | Modeline 1970>>1970       | D      | 0.0 | I Mandal |
|----------|----------------|---------------------------|--------|-----|----------|
| Pos      | Part Number    | Description               | Remark | Qty | Model    |
| 34       |                | Fixed gear wheel          |        | 1   |          |
|          |                | 4th speed                 |        |     |          |
| 35<br>36 | 901 302 265 01 | Spacer sleeve             |        | 1   |          |
| 36       |                | Fixed gear wheel 3rd gear |        | 1   |          |
| 37       |                | Loose gear wheel          |        | 1   |          |
|          |                | 2nd gear                  |        |     |          |
| 38       | 901 302 318 02 | Detent                    |        | 1   |          |
|          |                | for                       |        |     |          |
|          |                | 1st gear                  |        |     |          |
| 39       |                | Loose gear wheel          |        | 1   |          |
| 40       | 901 302 269 01 | 1st gear<br>Thrust washer |        | 1   |          |
| 41       | 905 302 257 00 | Spline shaft sleeve       |        | 1   |          |
| 42       | 905 302 224 02 | Sliding gear              |        | 1   |          |
|          |                | for                       |        |     |          |
|          |                | Reverse gear              |        |     |          |
|          | 901 302 271 01 | Elastic bolt              |        | 1   |          |
| 44<br>45 | 905 318 331 10 | Shaft                     |        | 1   |          |
| 45       | 900 197 002 00 | Tensioning sleeve 4 X 28  |        | 1   |          |
|          |                | 4 A 20                    |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |
|          |                |                           |        |     |          |



| woder. | 914 70         | Model life 1970>>1976 |        |     |            |
|--------|----------------|-----------------------|--------|-----|------------|
| Pos    | Part Number    | Description           | Remark | Qty | Model      |
|        |                | Shift rods            |        |     | 914-6:SPM  |
|        |                | shift forks           |        |     | 311 0 BIII |
|        |                | Differential          |        |     |            |
| 1      | 901 303 101 01 | Gear shift rod        |        | 1   |            |
| _      |                | 1st / 2nd gear        |        | _   |            |
| 2      | 901 303 103 01 | Gear shift rod        |        | 1   |            |
|        |                | 3rd/4th gear          |        | _   |            |
| 3      | 901 303 161 01 | Shift finger          |        | 1   |            |
| 4      | 900 309 003 00 | Roll pin              |        | 1   |            |
|        |                | 5 X 24                |        |     |            |
| 5      | 914 303 141 10 | Gear shift rod        |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Reverse gear          |        |     |            |
| 6      | 901 303 232 01 | Compression spring    |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Gear lock detent      |        |     |            |
|        |                | 2                     |        |     |            |
|        |                | 4th speed             |        |     |            |
| 7      | 905 303 232 01 | Compression spring    |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Gear lock detent      |        |     |            |
| 8      | 905 303 211 00 | Detent                |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Gear lock detent      |        | _   |            |
| 9      | 901 303 271 01 | Pin                   |        | 1   |            |
|        |                | for                   |        |     |            |
| 1.0    | N 025 667 2    | Gear lock detent Ball |        | 3   |            |
| 10     | N 025 667 2    | 9 MM                  |        | 3   |            |
| 11     | 999 065 001 02 | Screw plug            |        | 1   |            |
| 12     | 901 303 111 01 | Shift fork            |        | 2   |            |
|        | 01 303 111 01  | for                   |        |     |            |
|        |                | Forward speed         |        |     |            |
| 13     | N 012 241 1    | Spring washer         |        | 2   |            |
|        |                | B 8 X 15              |        |     |            |
| 14     | 900 075 083 02 | Hexagon-head bolt     |        | 2   |            |
|        |                | M 8 X 25              |        |     |            |
| 15     | 914 303 131 05 | Gear shift rod        |        | 1   |            |
| 16     | 901 303 133 01 | Gearshift lever       |        | 1   |            |
| 17     | 901 303 171 01 | Bolt                  |        | 1   |            |
| 18     | N 012 512 1    | Cotter pin            |        | 1   |            |
|        |                | 2 X 12                |        |     |            |
| 19     | 911 303 129 00 | Fork                  |        | 1   |            |
| 20     | 999 701 359 40 | 0-ring                |        | 1   |            |
| (20)   | 901 303 191 01 | Gasket                |        | 1   |            |
| 21     | 900 027 015 02 | Lock ring             |        | 2   |            |
| 0.1    | 000 007 015 03 | B 8<br>Lock ring      |        | 2   |            |
| 21     | 900 027 015 03 | B 8                   |        | _ ∠ |            |
| 22     | 900 076 025 02 | Hexagon nut           |        | 2   |            |
| 22     | 900 076 025 02 | M 8                   |        | 4   |            |
| 22     | 900 076 064 02 | Hexagon nut           |        | 2   |            |
|        | ]              | M 8                   |        |     |            |
| 23     | 905 303 013 00 | Stop                  |        | 1   |            |
|        |                | for                   |        | _   |            |
|        |                | Parking lock          |        |     |            |
| 24     | 905 303 015 00 | Lever                 |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Parking lock          |        |     |            |
| 25     | 905 303 235 00 | Tension spring        |        | 2   |            |
| 26     | 914 303 151 10 | Shift fork            |        | 1   |            |
|        |                | for                   |        |     |            |
|        |                | Reverse gear          |        |     |            |
|        | I              | I                     |        |     | l .        |


| Model: | 914 70                     |     | Model life 1970>>1976       |        |        |       |
|--------|----------------------------|-----|-----------------------------|--------|--------|-------|
| Pos    | Part Number                |     | Description                 | Remark | Qty    | Model |
| 27     | 999 041 301                | 01  | Circlip                     |        | 1      |       |
|        |                            |     | SW 18                       |        |        |       |
| 28     | 905 303 149                |     | Eccentric bolt              |        | 1      |       |
| -      | 905 332 212                |     | Differential housing        |        | 1      |       |
| -      | 901 332 902                | 00  | Differential pinions        |        | 1      |       |
|        |                            |     | Differential pinions        |        |        |       |
| -      | 901 332 206                |     | Threaded piece              |        | 2      |       |
| -      | 901 332 207<br>901 332 265 |     | Differential bolt           |        | 1<br>X |       |
| _      | 901 332 205                | UI  | Spacer ring<br>2,5 MM       |        | A      |       |
| _      | 901 332 265                | 0.2 | Spacer ring                 |        | X      |       |
|        |                            | 02  | 2,6 MM                      |        | 1      |       |
| _      | 901 332 265                | 03  | Spacer ring                 |        | Х      |       |
|        |                            |     | 2,7 MM                      |        |        |       |
| _      | 901 332 265                | 04  | Spacer ring                 |        | X      |       |
|        |                            |     | 2,8 MM                      |        |        |       |
| -      | 901 332 265                | 05  | Spacer ring                 |        | X      |       |
|        |                            |     | 2,9 MM                      |        |        |       |
| -      | 901 332 265                | 06  | Spacer ring                 |        | X      |       |
| _      | 901 332 265                | 0.7 | 3,0 MM<br>Spacer ring       |        | Х      |       |
| _      | JUL 334 405                | 0 / | 3,1 MM                      |        | Λ.     |       |
| _      | 901 332 265                | 08  | Spacer ring                 |        | X      |       |
|        |                            |     | 3,2 MM                      |        |        |       |
| -      | 901 332 265                | 09  | Spacer ring                 |        | Х      |       |
|        |                            |     | 3,3 MM                      |        |        |       |
| _      | 901 332 265                | 10  | Spacer ring                 |        | Х      |       |
|        |                            |     | 3,4 MM                      |        |        |       |
| -      | 901 332 265                | 11  | Spacer ring                 |        | X      |       |
| _      | 901 332 265                | 1.0 | 3,5 MM<br>Spacer ring       |        | Х      |       |
| _      | 901 332 203                | 12  | 3,6 MM                      |        | Λ      |       |
| _      | 901 332 265                | 13  | Spacer ring                 |        | Х      |       |
|        |                            |     | 3,7 MM                      |        |        |       |
| -      | 901 332 263                | 01  | Washer                      |        | 2      |       |
| -      | 999 059 008                | 00  | Taper roller bearing        |        | 2      |       |
| -      | 905 302 901                | 01  | Gear set                    |        | 1      |       |
|        |                            |     | And                         |        |        |       |
|        |                            |     | Seat                        |        |        |       |
| _      | 901 332 276                | 0.0 | 7 : 27<br>Hexagon-head bolt |        | 12     |       |
| _      | 901 332 276                | 00  | M 12 X 1,5                  |        | 12     |       |
| _      | 915 332 276                | 0.0 | Hexagon-head bolt           |        | 12     |       |
|        |                            |     | M 12 X 1,25                 |        |        |       |
| _      | 905 332 285                | 00  | Tab washer                  |        | 6      |       |
| -      | 901 332 275                |     | Elastic bolt                |        | 2      |       |
| -      | 911 332 208                | 00  | Armature                    |        | 1      |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        |                            |     |                             |        |        |       |
|        | <u> </u>                   |     |                             |        |        | Ī     |

|        | 5⊂H≡   |            | Illustration: 398-00 |  |
|--------|--------|------------|----------------------|--|
|        |        |            |                      |  |
| Model: | 914 70 | Model life | 1970>>1976           |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |
|        |        |            |                      |  |

24.07.2017 - 1 Kat 570


| woder. | 914 70         | Wioder ine 1970>>1976 |        |     |       |
|--------|----------------|-----------------------|--------|-----|-------|
| Pos    | Part Number    | Description           | Remark | Qty | Model |
|        |                |                       |        |     |       |
|        |                | Gasket set            |        |     |       |
| >>     | 914 300 901 00 | Gasket set            |        | 1   |       |
|        |                | Transmission          |        |     |       |
|        |                | Comprising:           |        |     |       |
| -      | 901 303 191 01 | Gasket                |        | 1   |       |
| -      | 113 311 113 B  | Sealing ring          |        | 1   |       |
| _      | 999 113 183 40 | Radial shaft seal     |        | 2   |       |
|        |                | 45 X 68 X 10          |        |     |       |
| _      | 900 112 029 50 | Radial sealing ring   |        | 1   |       |
|        |                | 14 X 24 X 7           |        |     |       |
| -      | 901 301 191 21 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission case     |        |     |       |
|        |                | 0,1 MM                |        |     |       |
| _      | 901 301 191 22 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission case     |        |     |       |
|        |                | 0,15 MM               |        |     |       |
| -      | 901 301 191 23 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission case     |        |     |       |
|        |                | 0,2 MM                |        |     |       |
| _      | 999 701 084 50 | 0-ring                |        | 1   |       |
|        |                | 25,3 - 2,4            |        |     |       |
| _      | 901 301 392 12 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission cover    |        |     |       |
|        |                | Front                 |        |     |       |
| _      | 914 301 391 00 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission cover    |        |     |       |
| -      | 914 301 391 01 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission cover    |        |     |       |
| _      | 113 301 185 A  | 0-ring                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission cover    |        |     |       |
|        |                | Lateral               |        |     |       |
| _      | 999 701 359 40 | 0-ring                |        | 1   |       |
|        |                | OR 40 X 1,5           |        |     |       |
| -      | 900 112 001 50 | Radial sealing ring   |        | 1   |       |
|        |                | B 15 X 24 X 7         |        |     |       |
| -      | 999 113 036 50 | Radial sealing ring   |        | 1   |       |
|        |                | 10 X 18 X 6           |        |     |       |
| >>     | 914 300 901 05 | Gasket set            |        | 1   | SPM   |
|        |                | Transmission          |        |     |       |
|        |                | Comprising:           |        |     |       |
| -      | PCG 113 071 50 | Radial shaft seal     |        | 1   |       |
| -      | PCG 201 301 00 | Shaft sealing ring    |        | 1   |       |
|        |                | 12 X 18 X 3           |        |     |       |
| -      | 999 113 286 40 | Shaft sealing ring    |        | 1   |       |
| -      | 999 113 189 40 | Radial sealing ring   |        | 1   |       |
| -      | 900 123 007 30 | Sealing ring          |        | 1   |       |
|        |                | 14 X 18               |        |     |       |
| -      | 999 113 058 50 | Radial sealing ring   |        | 2   |       |
|        |                | 45 X 65 X 10          |        |     |       |
| -      | N 013 804 2    | Sealing ring          |        | 8   |       |
|        |                | A 6 X 10              |        |     |       |
| -      | N 013 848 1    | Sealing ring          |        | 1   |       |
|        |                | A 16 X 22             |        |     |       |
| -      | 905 301 191 00 | Gasket                |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Transmission case     |        |     |       |
|        | •              |                       |        |     |       |

| Model: | 914 /0         | Model life 19/0>>19/6              | T=     |     |       |
|--------|----------------|------------------------------------|--------|-----|-------|
| Pos    | Part Number    | Description                        | Remark | Qty | Model |
|        |                | 0,1 MM                             |        |     |       |
| _      | 905 301 191 01 | Gasket                             |        | 1   |       |
|        |                | for<br>Transmission case           |        |     |       |
|        |                | 0,15 MM                            |        |     |       |
| -      | 905 301 191 02 | Gasket                             |        | 1   |       |
|        |                | for                                |        |     |       |
|        |                | Transmission case 0,2 MM           |        |     |       |
| _      | 900 112 029 50 | Radial sealing ring                |        | 1   |       |
|        |                | 14 X 24 X 7                        |        |     |       |
| _      | 914 301 391 00 | Gasket                             |        | 1   |       |
|        |                | for<br>Lid                         |        |     |       |
| _      | 914 301 391 01 | Gasket                             |        | 1   |       |
|        |                | for                                |        |     |       |
|        |                | Lid                                |        |     |       |
| -      | 999 113 036 50 | Radial sealing ring<br>10 X 18 X 6 |        | 1   |       |
| _      | 999 701 084 50 | 10 x 18 x 6<br>O-ring              |        | 1   |       |
|        |                | 25,3 X 24,4                        |        |     |       |
| -      | 905 301 392 02 | Gasket                             |        | 1   |       |
|        |                | for<br>Transmission cover          |        |     |       |
|        |                | Front                              |        |     |       |
| _      | 905 301 391 00 | Gasket                             |        | 1   |       |
|        |                | for                                |        |     |       |
|        |                | Transmission cover                 |        |     |       |
| _      | 999 701 286 40 | Lateral<br>O-ring                  |        | 1   |       |
|        | 799 701 200 10 | 160 X 3                            |        | -   |       |
| _      | 901 303 191 01 | Gasket                             |        | 1   |       |
| -      | 999 701 359 40 | 0-ring                             |        | 1   |       |
|        |                | OR 40 X 1,5                        |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                |                                    |        |     |       |
|        |                | 1                                  | ĺ      | I   | 1     |



| woder. | 914 70         | Widderlife 1970>>1976 |        |     |       |
|--------|----------------|-----------------------|--------|-----|-------|
| Pos    | Part Number    | Description           | Remark | Qty | Model |
|        |                | Front axle            |        |     |       |
|        |                | Stabiliser            |        |     |       |
| 1      | 901 341 013 03 | Auxiliary support     |        | 1   | 914-6 |
| (1)    | 914 341 013 03 | Auxiliary support     |        | 1   | 311 0 |
| 2      | 900 082 020 02 | Hexagon-head bolt     |        | 2   |       |
| -      |                | M 12 X 1,5 X 80       |        | _   |       |
| 3      | 900 027 017 02 | Lock ring             |        | 2   |       |
|        |                | B 12                  |        | _   |       |
| 4      | 914 341 161 00 | Protective plate      |        | 1   |       |
| 5      | 901 341 168 00 | Tread                 |        | 1   |       |
|        |                | Rubber                |        |     |       |
| 5/1    | 901 341 169 00 | Tread                 |        | 1   |       |
|        |                | Rubber                |        |     |       |
| 6      | 900 075 040 02 | Hexagon-head bolt     |        | 2   |       |
|        |                | M 10 X 20             |        |     |       |
| 6      | 900 075 517 01 | Hexagon-head bolt     |        | 2   |       |
|        |                | M 10 X 20             |        |     |       |
| 7      | 900 027 016 02 | Lock ring             |        | 2   |       |
|        |                | В 10                  |        |     |       |
| 7      | 900 027 016 03 | Lock ring             |        | 2   |       |
|        |                | В 10                  |        |     |       |
| 8      | 900 025 008 02 | Washer                |        | 2   |       |
| l _    |                | 10,5                  |        | _   |       |
| 8      | N 011 527 4    | Washer                |        | 2   |       |
|        |                | 10,5                  |        | 0   |       |
| 8      | 900 025 008 09 | Washer 10,5           |        | 2   |       |
| 8      | 900 025 008 04 | Washer                |        | 2   |       |
| 0      | 900 025 008 04 | 10,5                  |        | 4   |       |
| 9      | N 010 231 1    | Hexagon-head bolt     |        | 2   |       |
|        | 1, 010 231 1   | M 8 X 8               |        | _   |       |
| 10     | N 012 241 11   | Spring washer         |        | 2   |       |
|        |                | B 8 X 15              |        |     |       |
| 11     | 911 341 901 00 | Wishbone              | /L     | 1   | 914-6 |
|        |                | without               |        |     |       |
|        |                | Ball joint            |        |     |       |
| (11)   | 911 341 902 00 | Wishbone              | /R     | 1   | 914-6 |
|        |                | without               |        |     |       |
|        |                | Ball joint            |        |     |       |
| (11)   | 914 341 901 00 | Wishbone              | /L     | 1   | 914-4 |
|        |                | without               |        |     |       |
|        |                | Ball joint            | -      | _   |       |
| (11)   | 914 341 902 00 | Wishbone              | /R     | 1   | 914-4 |
|        |                | without               |        |     |       |
| 12     | 900 040 008 01 | Ball joint<br>Lid     |        | 2   |       |
| 13     | 914 341 159 00 | Protective bracket    |        |     |       |
| 13     | 900 067 063 02 | Pan-head screw        |        | 2   |       |
| 1 1    | 300 007 003 02 | M 10 X 20             |        |     |       |
| 15     | N 012 028 1    | Lock ring             |        | 2   |       |
| 16     | 900 075 042 02 | Hexagon-head bolt     |        | 4   |       |
|        |                | M 10 X 30             |        | _   |       |
| 17     | 900 027 016 02 | Lock ring             |        | 4   |       |
| -      |                | В 10                  |        | _   |       |
| 17     | 900 027 016 03 | Lock ring             |        | 4   |       |
|        |                | В 10                  |        |     |       |
| 18     | 900 025 008 09 | Washer                |        | 4   |       |
|        |                | 10,5                  |        |     |       |
| 18     | 900 025 008 04 | Washer                |        | 4   |       |
|        |                | 10,5                  |        |     |       |
| 19     | 914 343 101 00 | Torsion bar           | /L     | 1   | 914-6 |
| /10)   | 014 242 100 00 | 17,9 MM               | /D     | 1   | 014 6 |
| (19)   | 914 343 102 00 | Torsion bar           | /R     | 1   | 914-6 |


| Model:   | 914 70                           | Model life 1970>>1976  |        |     |       |
|----------|----------------------------------|------------------------|--------|-----|-------|
| Pos      | Part Number                      | Description            | Remark | Qty | Model |
|          |                                  | 17,9 MM                |        | _   |       |
| 19       | 914 343 107 00                   | Torsion bar            | /L     | 1   |       |
|          | 1                                | 17,9 MM                | / 🎞    | -   |       |
| (19)     | 914 343 108 00                   | Torsion bar            | /R     | 1   |       |
| ( /      |                                  | 17,9 MM                | ,      |     |       |
| 20       | 901 341 033 00                   | Reverse lever          |        | 2   | 914-6 |
| 20       | 914 341 033 00                   | Change lever           |        | 2   |       |
| 21       | 911 341 115 00                   | Adjusting screw        |        | 2   |       |
| 22       | 901 341 475 00                   | Gasket                 |        | 2   |       |
|          |                                  | Stabiliser             | 73-    |     |       |
| 23       | 901 343 703 03                   | Stabiliser             |        | 1   |       |
|          |                                  | 15 MM                  |        |     |       |
| 24       | 901 343 792 02                   | Stabiliser mounting    |        | 2   |       |
| 25       | 901 343 754 01                   | Stabiliser mounting    |        | 2   |       |
| 26       | 900 075 083 02                   | Hexagon-head bolt      |        | 6   |       |
| 0.7      | 000 000 015 00                   | M 8 X 25               |        | 1 4 |       |
| 27       | 900 027 015 02                   | Lock ring              |        | 14  |       |
| 27       | 900 027 015 03                   | B 8<br>Lock ring       |        | 14  |       |
| /        | 700 027 019 03                   | B 8                    |        | 1   |       |
| 28       | 901 343 713 01                   | Lever                  |        | 2   |       |
|          |                                  | Stabiliser             |        | -   |       |
| 29       | N 010 377 1                      | Hexagon-head bolt      |        | 4   |       |
|          |                                  | M 8 X 62               |        |     |       |
| 29       | N 010 377 6                      | Hexagon-head bolt      |        | 4   |       |
|          |                                  | M 8 X 62               |        |     |       |
| 29       | 900 074 135 02                   | Hexagon-head bolt      |        | 4   |       |
|          |                                  | M 8 X 62               |        |     |       |
| 30       | 901 343 763 00                   | Guide plate            |        | 4   |       |
| 31       | 900 076 025 02                   | Hexagon nut            |        | 8   |       |
|          |                                  | м 8                    |        |     |       |
| 31       | 900 076 064 02                   | Hexagon nut            |        | 8   |       |
| 2.0      |                                  | M 8                    |        |     |       |
| 32<br>33 | 914 343 075 00<br>901 343 737 00 | Suspension Spacer tube |        | 2 4 |       |
| 34       | 901 343 737 00                   | Rubber mounting        |        | 4   |       |
| 35       | N 010 340 6                      | Hexagon-head bolt      |        | 4   |       |
|          | N 010 540 0                      | M 8 X 40               |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |
|          |                                  |                        |        |     |       |



| wiodei. | 914 70         | Model life 1970>>1976             | 1=      | Г-  | 1            |
|---------|----------------|-----------------------------------|---------|-----|--------------|
| Pos     | Part Number    | Description                       | Remark  | Qty | Model        |
|         |                | Shock absorber strut              |         |     |              |
|         |                | Lubricants                        |         |     |              |
| -       | PCG 043 110 00 | Grease                            |         | 1   |              |
|         |                | Bearing                           |         |     |              |
|         |                | 200 GR.                           |         | _   |              |
| 2       | 914 341 081 02 | Outer part                        | /L -72  | 1   | 914-4        |
| (0)     | 914 341 082 02 | F >>47229 19032<br>Shock absorber | /D 70   | 1   | 014 4        |
| (2)     | 914 341 082 02 | F >>47229 19032                   | /R -72  | 1   | 914-4        |
| 2       | 914 341 081 05 | Shock absorber                    | /L 72-  | 1   | 914-1,7/1,8  |
|         |                | F 47229 19033>>                   | / 1 / 2 | -   | 914-1,8V/2,0 |
| (2)     | 914 341 082 05 | Shock absorber                    | /R 72-  | 1   | 914-1,7/1,8  |
|         |                | F 47229 19033                     |         |     | 914-1,8V/2,0 |
| 3       | 914 341 804 00 | Hexagon-head bolt                 |         | 2   | 914-4/1,7    |
|         |                |                                   |         |     | 914-1,8/1,8V |
|         |                |                                   |         |     | 914-2,0      |
| 4       | 914 341 903 00 | Shock absorber                    |         | 2   |              |
|         |                | Insert                            |         |     |              |
| 4       | PCG 341 903 50 | - boge -<br>Vibration damper      |         | 2   |              |
| 4       | PCG 341 903 50 | Insert                            |         | _ 4 |              |
|         |                | - koni -                          |         |     |              |
|         |                | Only together with                |         |     |              |
|         |                | Shock absorber                    |         |     |              |
|         |                | Rear                              |         |     |              |
|         |                | PCG.333.051.50                    |         |     |              |
| 5       | 901 343 301 00 | Rubber stop                       |         | 2   |              |
|         |                | - boge -                          |         |     |              |
| 6       | 914 341 086 00 | Steering outer tube               |         | 2   | 914-4/1,7    |
|         |                |                                   |         |     | 914-1,8/1,8V |
| 7       | 911 341 018 00 | G                                 |         | 2   | 914-2,0      |
| /       | 911 341 018 00 | Supporting mount with             |         |     |              |
|         |                | Lever                             |         |     |              |
| 8       | 901 341 629 00 | Support washer                    |         | 2   |              |
| 9       | 900 038 002 01 | Tab washer                        |         | 2   |              |
|         |                | 14                                |         |     |              |
| 10      | N 011 021 3    | Hexagon nut                       |         | 2   |              |
|         |                | M 14 X 1,5                        |         |     |              |
| 11      | 911 501 933 00 | Double-bore pressure plate        |         | 2   |              |
| 12      | 911 501 934 00 | One-bore pressure plate           |         | 2   |              |
| 13      | 900 067 063 02 | Pan-head screw M 10 X 20          |         | 6   |              |
| 14      | N 015 375 1    | Lock washer                       |         | 6   |              |
| 15      | 911 341 049 01 | Ball joint                        | 72-     | 2   | 914-4/1,7    |
|         |                | Larr joine                        | , 2     | ~   | 914-1,8/1,8V |
|         |                |                                   |         |     | 914-2,0      |
|         |                | F 47229 19033                     |         |     |              |
| 15      | 911 341 049 05 | Ball joint                        | 72-     | 2   | 914-4/1,7    |
|         |                |                                   |         |     | 914-1,8/1,8V |
|         |                |                                   |         |     | 914-2,0      |
| 1       | 001 241 040 00 | F 47229 19033                     |         |     | 014 6/4      |
| 15      | 901 341 049 00 | Ball joint                        |         | 2   | 914-6/4      |
| 15      | 901 341 049 04 | F >>47229 19032<br>Ball joint     |         | 2   | 914-6/4      |
| 13      | 901 341 049 04 | F >>47229 19032                   |         |     | 914-0/4      |
| 16      | 901 341 049 00 | Ball joint                        |         | 2   | 914-6/4      |
| -       |                | F >>47229 19032                   |         |     | · · ·        |
| 16      | 901 341 049 04 | Ball joint                        |         | 2   | 914-6/4      |
|         |                | F >>47229 19032                   |         |     |              |
| 17      | 901 341 425 00 | Grooved nut                       |         | 2   |              |
| 17      | 901 341 425 01 | Grooved nut                       |         | 2   |              |
| 18      | 901 341 426 00 | Tab washer                        |         | 2   |              |

| Model:   | 914 70                           | Model life 19/0>>19/6           |        |         |                           |
|----------|----------------------------------|---------------------------------|--------|---------|---------------------------|
| Pos      | Part Number                      | Description                     | Remark | Qty     | Model                     |
| 19       | N 012 521 1                      | Cotter pin                      |        | 2       |                           |
| 17       | 1 012 521 1                      | 2 X 20                          |        |         |                           |
| 20       | 900 075 111 01                   | Hexagon-head bolt               |        | 2       | 914-6/4                   |
|          |                                  | M 10 X 30                       |        |         |                           |
|          |                                  | F >>47229 19032                 |        |         |                           |
| 21       | 999 523 103 01                   | Schnorr retainng washer         |        | 2       | 914-6/4                   |
|          |                                  | F >>47229 19032                 |        |         |                           |
| 22       | 901 341 659 00                   | Desk pad                        |        | 2       | 914-6/4                   |
|          |                                  | F >>47229 19032                 |        |         |                           |
| 23       | 911 341 119 06                   | Threaded pin                    | 72-    | 2       | 914-4/1,7                 |
|          |                                  |                                 |        |         | 914-1,8/1,8V              |
|          |                                  | F 47229 19033                   |        |         | 914-2,0                   |
| 23       | 911 341 119 07                   | Threaded pin                    | 72-    | 2       | 914-4/1,7                 |
| 23       | J11 J41 11J 07                   | Initeaded pin                   | 12     |         | 914-1,8/1,8V              |
|          |                                  |                                 |        |         | 914-2,0                   |
|          |                                  | F 47229 19033                   |        |         |                           |
| 24       | 900 089 006 02                   | Washer                          | 72-    | 2       | 914-4/1,7                 |
|          |                                  | 8                               |        |         | 914-1,8/1,8V              |
|          |                                  |                                 |        |         | 914-2,0                   |
|          |                                  | F 47229 19033                   |        |         |                           |
| 24       | 900 089 006 01                   | Washer                          | 72-    | 2       | 914-4/1,7                 |
|          |                                  | 8                               |        |         | 914-1,8/1,8V              |
|          |                                  | T 47000 10000                   |        |         | 914-2,0                   |
| 25       | 900 910 022 09                   | F 47229 19033<br>Lock nut       | 72-    | 2       | 914-4/1,7                 |
| ∠5       | 900 910 022 09                   | M 8                             | 12-    | 2       | 914-4/1,7<br>914-1,8/1,8V |
|          |                                  | In 6                            |        |         | 914-2,0                   |
|          |                                  | F 47229 19033                   |        |         | 711 2,0                   |
| 25       | 900 910 022 03                   | Lock nut                        | 72-    | 2       | 914-4/1,7                 |
|          |                                  | м 8                             |        |         | 914-1,8/1,8V              |
|          |                                  |                                 |        |         | 914-2,0                   |
|          |                                  | F 47229 19033                   |        |         |                           |
| 26       | 999 701 084 50                   | 0-ring                          |        | 2       | 914-6                     |
|          |                                  | OR 25,3 - 2,4                   |        |         |                           |
| 27       | 901 341 623 00                   | Spacer ring                     |        | 2       | 914-6                     |
| 28       | 901 341 065 04                   | Front wheel hub Front wheel hub |        | 2       | 914-6                     |
| 28<br>29 | 901 341 065 10<br>904 341 671 00 | Wheel bolt                      |        | 2<br>10 | 914-6<br>914-6            |
| 49       | 904 341 671 00                   | Knurling                        |        | 110     | 914-6                     |
|          |                                  | 14,8 MM                         |        |         |                           |
| 29       | 993 331 671 02                   | Wheel bolt                      |        | 10      | 914-6                     |
|          |                                  | Knurling                        |        |         |                           |
|          |                                  | 14,8 MM                         |        |         |                           |
| (29)     | 901 341 671 05                   | Wheel bolt                      |        | X       | 914-6                     |
|          |                                  | Knurling                        |        |         |                           |
|          |                                  | 15 MM                           |        |         |                           |
|          |                                  | Oversize                        |        |         |                           |
| 30       |                                  | Brake disc                      |        | 2       | 914-4/1,7                 |
|          |                                  | See group 6/02/00               |        |         | 914-1,8/1,8V<br>914-2,0   |
| _        | PCG 059 065 00                   | Bearing set                     |        | 1       | 717 2,0                   |
|          |                                  | Wheel hub                       |        | -       |                           |
|          |                                  | Front axle                      |        |         |                           |
|          |                                  | Comprising:                     |        |         |                           |
| -        | 999 059 065 00                   | Taper roller bearing            |        | 2       |                           |
| -        | 999 059 098 00                   | Taper roller bearing            |        | 2       |                           |
| -        | 900 075 079 02                   | Hexagon-head bolt               |        | 10      |                           |
| -        | 900 076 064 02                   | Hexagon nut                     |        | 10      |                           |
| -        | 901 341 623 00                   | Spacer ring                     |        | 2       |                           |
| _        | 477 405 641<br>999 701 084 50    | Radial sealing ring O-ring      |        | 2 2     |                           |
|          | N 012 241 8                      | Spring washer                   |        | 10      |                           |
|          |                                  | PATITIE MODITOR                 | ]      | 1 - 0   |                           |


| Model: | 914 70                 |        | Model life 1970>>1976     |        |        |                             |
|--------|------------------------|--------|---------------------------|--------|--------|-----------------------------|
| Pos    | Part Numb              | er     | Description               | Remark | Qty    | Model                       |
| _      | PCG 043 1              | 110 00 | Grease                    |        | 1      |                             |
| I -    | 1                      | LIO 00 | Bearing                   |        |        |                             |
|        | 1                      |        | 200 GR.                   |        |        |                             |
| 31     | 999 059 0              | 098 00 | Taper roller bearing      |        | 2      | 914-6                       |
|        |                        |        | Inner                     |        |        |                             |
| 31     | 311 405 6              | 525 D  | Taper roller bearing      |        | 2      |                             |
|        |                        |        | Inner                     |        |        |                             |
| 32     | 999 059 0              | 065 00 | Taper roller bearing      |        | 2      | 914-6                       |
|        |                        |        | Outer                     |        |        |                             |
| 32     | 311 405 6              | 545    | Taper roller bearing      |        | 2      |                             |
|        |                        |        | Outer                     |        |        |                             |
| 33     | 477 405 6              |        | Radial sealing ring       |        | 2      | 914-6                       |
| 33     | 311 405 6              |        | Sealing ring              |        | 2      | 0146                        |
| 34     | 901 341 6              |        | Thrust washer             |        | 2      | 914-6                       |
| 34     | 311 405 6              |        | Thrust washer             |        | 2      | 014 6                       |
| 35     | 914 341 6<br>131 405 6 |        | Clamping nut Clamping nut | /L     | 2<br>1 | 914-6                       |
| (35)   | 1 2 405 6              | צטע    | with                      | / 1    |        |                             |
|        | 1                      |        | Pan-head screw            |        |        |                             |
| (35)   | 131 405 6              | 570    | Clamping nut              | /R     | 1      |                             |
|        | 105 (                  |        | with                      | /      | -      |                             |
|        | 1                      |        | Pan-head screw            |        |        |                             |
| 36     | 999 119 0              | 001 01 | Pan-head screw            |        | 2      | 914-6                       |
| 36     | 999 119 0              |        | Pan-head screw            |        | 2      | 914-6                       |
| 37     | 421 839 4              |        | Gasket                    |        | 2      | 914-4/1,7                   |
|        |                        |        |                           |        |        | 914-1,8/1,8V                |
|        |                        |        |                           |        |        | 914-2,0                     |
| (38)   | 111 405 6              | 591 В  | Cap                       |        | 2      | 914-4                       |
|        |                        |        | for                       |        |        |                             |
|        |                        |        | Hub                       |        |        |                             |
|        |                        |        | Use also:                 |        |        |                             |
|        |                        |        | 311.405.381               |        | l _    |                             |
| -      | 311 405 3              |        | Stopper                   |        | 2      | 914-4                       |
| 38     | 914 341 6              |        | Cap                       | 73-    | 2 2    | 914-6                       |
| (38)   | 111 405 6              | 991 B  | Cap<br>F 47329 02511>>    | /3-    | 4      | 914-1,7/1,8V<br>914-1,8/2,0 |
|        |                        |        | F 4/329 02511>>           |        |        | 914-1,0/2,0                 |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        | 1                      |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        |                        |        |                           |        |        |                             |
|        | <u> </u>               |        |                           | 1      |        |                             |



| Pos   | Part Number                      | Description            | Remark     | Qty | Model           |
|-------|----------------------------------|------------------------|------------|-----|-----------------|
| -03   | r art Number                     | ·                      | I Ciliai k | Qty | Wiodei          |
|       |                                  | Steering gear          |            |     |                 |
|       | 014 045 010 06                   | Steering linkage       |            | _   |                 |
| 1     | 914 347 010 06<br>900 027 016 02 | Steering gear          |            | 1   |                 |
| 2     | 900 027 016 02                   | Lock ring              |            | 2   |                 |
|       | 000 027 016 03                   | B 10                   |            | 2   |                 |
| 2     | 900 027 016 03                   | Lock ring B 10         |            | ∠   |                 |
| 3     | N 010 253 7                      | Hexagon-head bolt      |            | 2   | 914-6/4         |
| 3     | N 010 253 /                      | M 10 X 22              |            | ∠   | 914-0/4         |
| 3     | N 010 275 4                      | Hexagon-head bolt      |            | 2   |                 |
|       |                                  | M 10 X 35              |            |     |                 |
| 4     | 901 347 056 02                   | Bellow support         |            | 2   |                 |
| (4)   | 911 347 056 00                   | Bellow support         |            | 2   |                 |
| \ - / |                                  | Together with          |            | _   |                 |
|       |                                  | with                   |            |     |                 |
|       |                                  | Wheels                 |            |     |                 |
|       |                                  | 195/65 HR 15           |            |     |                 |
| 5     | 914 347 057 00                   | Articulated bush       |            | 2   |                 |
| 6     | 901 347 191 02                   | Bellows                |            | 2   |                 |
| 7     | 901 347 308 00                   | Retainer spring        |            | 2   |                 |
| 8     | 901 347 309 00                   | Retainer spring        |            | 2   |                 |
| 9     | 911 347 031 00                   | Tie rod                |            | 2   |                 |
| 9     | 911 347 031 01                   | Tie rod                |            | 2   |                 |
| 10    | 111 415 841 A                    | Clip                   |            | 4   | 914-6/4/1,7     |
| 11    | 900 075 099 02                   | Hexagon-head bolt      |            | 4   | 914-6/4/1,7     |
|       |                                  | M 8 X 30               |            |     |                 |
| 11    | 900 075 099 03                   | Hexagon-head bolt      |            | 4   | 914-6/4/1,7     |
|       |                                  | M 8 X 30               |            |     |                 |
| 12    | 900 027 015 02                   | Lock ring              |            | 4   | 914-6/4/1,7     |
|       |                                  | В 8                    |            |     |                 |
| 12    | 900 027 015 03                   | Lock ring              |            | 4   | 914-6/4/1,7     |
|       |                                  | В 8                    |            |     |                 |
| 13    | 900 076 025 02                   | Hexagon nut            |            | 4   | 914-6/4/1,7     |
| 1.2   | 000 076 064 00                   | M 8                    |            | 4   | 014 6 / 4 / 1 7 |
| 13    | 900 076 064 02                   | Hexagon nut            |            | 4   | 914-6/4/1,7     |
| 14    | 911 347 322 04                   | M 8<br>Ball joint      |            | 2   |                 |
| 15    | N 011 210 1                      | Castle nut             |            | 2   |                 |
| 15    | N 011 210 1                      | M 10 X 1               |            | ∠   |                 |
| 16    | 900 021 013 00                   | Cotter pin             |            | 2   |                 |
|       | 013 00                           | 2 X 25                 |            |     |                 |
| 17    | 901 347 315 01                   | Joint fork             |            | 2   |                 |
| 17    | 901 347 315 03                   | Joint fork             |            | 2   |                 |
| 18    | 911 347 327 00                   | Hexagon-head bolt      |            | 2   |                 |
| 19    | N 015 375 1                      | Lock washer            |            | 2   |                 |
|       |                                  | м 10                   |            |     |                 |
| 20    | N 012 515 1                      | Cotter pin             |            | 2   |                 |
|       |                                  | 2 X 15                 |            |     |                 |
| 21    | 914 347 210 00                   | Steering shaft         |            | 1   |                 |
| 22    | 901 347 201 02                   | Steering coupling      |            | 1   |                 |
| 23    | 901 347 215 00                   | Stop bush              |            | 4   |                 |
| 24    | 901 347 248 00                   | Tab washer             |            | 2   |                 |
| 25    | 900 074 129 02                   | Hexagon-head bolt      |            | 4   |                 |
|       |                                  | M 8 X 42               |            |     |                 |
| 26    | 901 347 241 01                   | Steering shaft bearing |            | 1   |                 |
| 26    | 911 347 041 00                   | Steering shaft bearing |            | 1   |                 |
| 26    | 911 347 029 01                   | Steering shaft bearing |            | 1   |                 |
|       |                                  | Complete               |            |     |                 |
| 27    | 901 347 221 00                   | Housing                |            | 1   |                 |
| 27    | 901 347 221 01                   | Housing                |            | 1   |                 |
| 28    | 900 119 052 02                   | Pan-head screw         |            | 2   |                 |
|       | 010 005 1                        | M 8 X 16               |            |     |                 |
| 29    | N 012 027 1                      | Lock ring              |            | 2   |                 |

| Model:   | el: 914 /0 Model life 19/0>>19/6 |                          |           |          |              |
|----------|----------------------------------|--------------------------|-----------|----------|--------------|
| Pos      | Part Number                      | Description              | Remark    | Qty      | Model        |
|          |                                  | В 8                      |           | <u> </u> |              |
| 30       | 901 347 223 03                   | Rubber mounting          |           | 1        |              |
|          | 914 347 393 00                   | Sealing bellows          |           |          |              |
| 31<br>32 | 914 347 393 00                   | Gasket                   |           | 1        |              |
| 33       | 914 347 706 01                   |                          |           | 1        | 914-6        |
|          |                                  | Intermed. steering shaft | 7.1       |          | 914-6        |
| 33       | 914 347 214 01                   | Steering shaft           | -71<br>70 | 1        |              |
| 33       | 914 347 214 02                   | Intermed. steering shaft | 72-       | 1        | 914-4/1,7    |
|          |                                  |                          |           |          | 914-1,8/1,8V |
| l        |                                  | I                        |           |          | 914-2,0      |
| 34       | 930 347 025 00                   | Universal joint          | -71       | 2        | 914-6        |
| 34       | 930 347 025 01                   | Universal joint          |           | 2        | 914-6        |
| 34       | 930 347 025 02                   | Universal joint          |           | 2        | 914-6        |
| 34       | 930 347 025 00                   | Universal joint          | -71       | 1        | 914-4        |
| 34       | 930 347 025 01                   | Universal joint          |           | 1        | 914-4        |
| 34       | 930 347 025 02                   | Universal joint          |           | 1        | 914-4        |
| 34       | 930 347 025 00                   | Universal joint          | 72-       | 2        |              |
| 34       | 930 347 025 01                   | Universal joint          | 72-       | 2        |              |
| 34       | 930 347 025 02                   | Universal joint          | 72-       | 2        |              |
| 35       | N 010 335 5                      | Hexagon-head bolt        |           | 4        | 914-6        |
|          |                                  | M 8 X 35                 |           |          |              |
| 35       | 900 075 032 03                   | Hexagon-head bolt        |           | 4        | 914-6        |
|          |                                  | M 8 X 35                 |           | -        |              |
| 35       | N 010 335 5                      | Hexagon-head bolt        |           | 3        | 914-4        |
|          | 1, 010 333 3                     | M 8 X 35                 |           | '        | 717 7        |
| 35       | 900 075 032 03                   | Hexagon-head bolt        |           | 3        | 914-4        |
| 35       | 900 075 032 03                   | M 8 X 35                 |           | 3        | 914-4        |
| 2.5      |                                  |                          |           |          |              |
| 35       | N 010 335 5                      | Hexagon-head bolt        | 72-       | 4        |              |
|          |                                  | M 8 X 35                 |           | ١.       |              |
| 35       | 900 075 032 03                   | Hexagon-head bolt        | 72-       | 4        |              |
|          |                                  | M 8 X 35                 |           |          |              |
| 36       | 113 415 431 A                    | Hexagon nut              | -71       | 4        | 914-6        |
| 36       |                                  | Hexagon nut              | -71       | 3        | 914-4        |
| 36       |                                  | Hexagon nut              | 72-       | 4        |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
| 1        |                                  |                          |           | 1        |              |
| 1        |                                  |                          |           | 1        |              |
| 1        |                                  |                          |           | 1        |              |
|          |                                  |                          |           | 1        |              |
| 1        |                                  |                          |           | 1        |              |
| 1        |                                  |                          |           | 1        |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          | 1            |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           |          |              |
| 1        |                                  |                          |           | 1        |              |
| 1        |                                  |                          |           | 1        |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           | 1        |              |
|          |                                  |                          |           |          |              |
|          |                                  |                          |           | 1        |              |
|          |                                  |                          |           | 1        |              |
|          |                                  |                          |           | 1        |              |
|          | 1                                |                          | I         | I        | 1            |


## bis Mod. 71




| woder. | 914 70         | Model life 1970>>1976           |        |     |       |
|--------|----------------|---------------------------------|--------|-----|-------|
| Pos    | Part Number    | Description                     | Remark | Qty | Model |
|        |                | Steering shaft                  | -71    |     | 914-6 |
|        |                | Steering wheel                  | 7 1    |     | 714 0 |
|        |                | Steering column switch          |        |     |       |
| 1      | 901 347 061 01 | Steering shaft                  |        | 1   |       |
| 2      | 900 052 031 00 | Deep-groove ball bearing        |        | 1   |       |
| 3      | 900 041 008 00 | Circlip                         |        | 1   |       |
|        |                | 17 X 1                          |        |     |       |
| 4      | 900 042 008 00 | Circlip                         |        | 2   |       |
|        |                | 35 X 1,5                        |        |     |       |
| 5      | 914 347 072 00 | Steering outer tube             |        | 1   |       |
| 6      | 914 347 711 00 | Steering shaft bearing          |        | 1   |       |
| 7      | 914 347 713 00 | Compression spring              |        | 1   |       |
| 8      | 900 146 044 02 | Oval-head screw                 |        | 1   |       |
|        |                | AM 6 X 10                       |        |     |       |
| 10     | 900 031 001 02 | Washer                          |        | 4   |       |
| 1.0    | 000 001 105 01 | 8,4                             |        |     |       |
| 10     | 900 031 105 01 | Washer                          |        | 4   |       |
| 11     | 900 027 005 01 | 8,4<br>Lock ring                |        | 4   |       |
| 1 11   | 900 027 003 01 | A 8                             |        | 4   |       |
| 12     | 900 067 057 02 | Pan-head screw                  |        | 4   |       |
|        | 00 007 037 02  | M 8 X 20                        |        | _   |       |
| 12     | 900 067 057 03 | Pan-head screw                  |        | 4   |       |
|        |                | M 8 X 20                        |        |     |       |
| 13     |                | Direction indicator switch      |        | 1   |       |
|        |                | See group                       |        |     |       |
|        |                | 9/03/10                         |        |     |       |
| 14     |                | Wiper switch                    |        | 1   |       |
|        |                | See group                       |        |     |       |
|        |                | 9/03/10                         |        |     |       |
| 15     | 900 014 069 02 | Pan-head screw                  |        | 4   |       |
| 1.0    | 000 115 007 01 | AM 3 X 8                        |        | _   |       |
| 16     | 900 115 007 01 | Serrated lock washer A 3,2      |        | 4   |       |
| 17     | 901 559 330 00 | Cap with symbol                 |        | 1   |       |
| '      | 901 339 330 00 | 1 set                           |        |     |       |
|        |                | for light                       |        |     |       |
|        |                | And                             |        |     |       |
|        |                | Windscreen washer system        |        |     |       |
| (17)   | 901 559 330 01 | Logo                            |        | 1   |       |
|        |                | Cap with symbol                 |        |     |       |
|        |                | 1 set                           |        |     |       |
|        |                | for light                       |        |     |       |
|        |                | And                             |        |     |       |
| 1.0    | 001 610 015 00 | Windscreen washer system        |        |     |       |
| 18     | 901 613 915 00 | Contact plate                   |        | 1   |       |
|        |                | for<br>Horn                     |        |     |       |
| 19     | N 012 116 1    | Serrated lock washer            |        | 2   |       |
| 19     | N 012 110 1    | A 4,3                           |        |     |       |
| 20     | 900 014 013 02 | Pan-head screw                  |        | 2   |       |
| -      |                | M 4 X 10                        |        |     |       |
| 21     | 999 652 315 02 | Flat plug                       |        | 1   |       |
| 22     | 914 613 311 00 | Lining                          |        | 2   |       |
| 23     | 900 014 079 02 | Pan-head screw                  |        | 2   |       |
|        |                | M 3 X 10                        |        |     |       |
| 24     | 900 014 013 02 | Pan-head screw                  |        | 4   |       |
|        |                | M 4 X 10                        |        |     |       |
| 25     | N 012 116 1    | Serrated lock washer            |        | 4   |       |
|        | 014 245 000 10 | A 4,3                           |        | ,   |       |
| 26     | 914 347 803 10 | Steering wheel                  |        | 1   |       |
| (26)   | 914 347 806 10 | Hard-rubber ring Steering wheel |        | 1   |       |
| (20)   | )TT 000 TU     | pecering wheer                  |        |     |       |


| inouci. |                | Model inc 1970>>1970   |        |     |       |
|---------|----------------|------------------------|--------|-----|-------|
| Pos     | Part Number    | Description            | Remark | Qty | Model |
|         |                | Leather                |        |     |       |
| 0.5     | 001 610 005 05 |                        |        | -   |       |
| 27      | 901 613 325 05 | Cancelling ring        |        | 1   | l l   |
| -       | 900 269 006 07 | Countersunk-head screw |        | 2   |       |
| 28      | 914 347 831 00 | Contact pin            |        | 1   |       |
| 29      | N 012 239 1    | Spring washer          |        | 1   |       |
|         |                | B 18                   |        |     |       |
| 30      | 900 078 007 02 | Hexagon nut            |        | 1   |       |
|         | 300 070 007 02 | M 18 X 1,5             |        | _   |       |
| 2.1     | 014 613 005 10 | M 10 A 1,5             |        | 1   |       |
| 31      | 914 613 805 12 | Horn button            |        | 1   |       |
|         |                | Porsche                |        |     |       |
| 32      | 901 347 823 01 | Rubber cap             |        | 1   |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     | l l   |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         |                |                        |        |     |       |
|         |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
| 1       |                |                        |        |     |       |
|         | ı              |                        |        |     |       |






| Model: | 914 /0                           | Model life 19/0>>19/6  |        |     |       |
|--------|----------------------------------|------------------------|--------|-----|-------|
| Pos    | Part Number                      | Description            | Remark | Qty | Model |
|        |                                  | Steering shaft         | -71    |     | 914-4 |
|        |                                  | Steering wheel         | , -    |     |       |
|        |                                  | Steering column switch |        |     |       |
| 1      | 914 347 059 01                   | Steering shaft         |        | 1   |       |
| 2      |                                  | Steering column switch |        | 1   |       |
|        |                                  | See group              |        |     |       |
|        |                                  | 9/03/15                |        |     |       |
| 3      |                                  | Lock cylinder          |        | 1   |       |
|        |                                  | with keys              |        |     |       |
|        |                                  | See group              |        |     |       |
|        |                                  | 9/03/15                |        |     |       |
| 4      | 914 347 102 10                   | Desk pad               |        | 1   |       |
|        |                                  | Rubber                 |        |     |       |
|        |                                  | Black                  |        |     |       |
| 5      | 900 031 001 02                   | Washer                 |        | 4   |       |
|        |                                  | 8,4                    |        |     |       |
| 5      | 900 031 105 01                   | Washer                 |        | 4   |       |
| _      | 000 000 005 01                   | 8,4                    |        | ,   |       |
| 6      | 900 027 005 01                   | Lock ring              |        | 4   |       |
|        | N 014 717 0                      | A 8<br>Pan-head screw  |        |     |       |
| 7      | N 014 717 2                      |                        |        | 4   |       |
|        | 014 247 174 00                   | M 8 X 40<br>Bush       |        | 1   |       |
| 8 9    | 914 347 174 00<br>914 347 803 10 | Steering wheel         |        | 1 1 |       |
| 9      | 914 34/ 803 10                   | Hard-rubber ring       |        | 1   |       |
| 9      | 914 347 805 10                   | Steering wheel         |        | 1   |       |
|        | 714 347 003 10                   | Leather                |        | -   |       |
| _      | 914 347 175 00                   | Sleeve                 |        | 1   |       |
| 10     | 914 347 835 00                   | Cancelling ring        |        | 1   |       |
| _      | 900 269 006 07                   | Countersunk-head screw |        | 2   |       |
| 11     | 914 347 832 00                   | Contact pin            |        | 1   |       |
| 11     | 914 347 832 01                   | Contact pin            |        | 1   |       |
| 12     | N 012 239 1                      | Spring washer          |        | 1   |       |
|        |                                  | В 18                   |        |     |       |
| 13     | 900 078 007 02                   | Hexagon nut            |        | 1   |       |
|        |                                  | M 18 X 1,5             |        |     |       |
| 14     | 914 613 805 12                   | Horn button            |        | 1   |       |
|        |                                  | -VW-                   |        |     |       |
| 14     |                                  | Horn button            |        | 1   |       |
|        |                                  | -PORSCHE-              |        |     |       |
| 15     | 901 347 823 01                   | Rubber cap             |        | 1   |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |
|        |                                  |                        |        |     |       |









| Model: | 914 70         | Model life 1970>>1976    |        |     |        |
|--------|----------------|--------------------------|--------|-----|--------|
| Pos    | Part Number    | Description              | Remark | Qty | Model  |
|        |                | Steering shaft           | 72-    |     |        |
|        |                | Steering wheel           | -=     |     |        |
|        |                | Steering column switch   |        |     |        |
| 1      | 914 347 061 18 | Steering shaft           |        | 1   |        |
| 2      | 111 953 535 D  | Guide bush               | 72-74  | 1   |        |
| 3      | 113 415 531    | Circlip                  |        | 1   |        |
| 4      | 914 347 099 00 | Slip ring                |        | 1   |        |
| -      | 900 269 006 07 | Countersunk-head screw   |        | 2   |        |
| 5      | 914 347 804 11 | Steering wheel           |        | 1   |        |
|        |                | Hard-rubber ring         |        |     |        |
| 5      | 914 347 805 11 | Steering wheel           |        | 1   | 914-6  |
|        |                | Leather                  |        |     |        |
| 5      |                | Steering wheel           |        | 1   | M914-4 |
|        |                | Leather                  |        |     |        |
| (5)    | 914 347 809 00 | Steering wheel           |        | 1   |        |
|        |                | Foam part                |        |     |        |
| 6      | N 012 239 1    | Spring washer            |        | 1   |        |
| 7      | 900 078 007 02 | Hexagon nut              |        | 1   |        |
|        | 001 245 000 01 | M 18 X 1,5               |        |     |        |
| 8      | 901 347 823 01 | Rubber cap               |        | 1   |        |
| 9      | 914 613 805 12 | Horn button              |        | 1   |        |
|        |                |                          |        | 1   |        |
| 9      |                | Horn button Porsche      |        | 1   |        |
| 10     | 900 042 008 00 | Porsche Circlip          |        | 2   |        |
| 10     | JUU 042 000 00 | 35 X 1,5                 |        | _   |        |
| 11     | 900 052 031 00 | Deep-groove ball bearing |        | 1   |        |
| 12     | 900 032 031 00 | Lock ring                |        | 4   |        |
| ""     | 700 027 003 01 | A 8                      |        | *   |        |
| 13     | 900 067 057 02 | Pan-head screw           |        | 4   |        |
| 13     | 900 067 057 02 | Pan-head screw           |        | 4   |        |
|        |                | M 8 X 20                 |        |     |        |
| 14     | 914 347 013 02 | Steering outer tube      | 72-73  | 1   |        |
| 14     | 914 347 013 03 | Steering outer tube      | 74-    | 1   |        |
| 15     |                | Steering column switch   |        | 1   |        |
|        |                | See group                |        |     |        |
|        |                | 9/03/20                  | -74    |     |        |
|        |                | 9/03/25                  | 75-    |     |        |
| 16     |                | Lock cylinder            |        | 1   |        |
|        |                | See group                |        |     |        |
|        |                | 9/03/20                  | -74    |     |        |
|        |                | 9/03/25                  | 75-    |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        |     |        |
|        |                |                          |        | I   |        |

PORSCHE Illustration: 403-15




| Model: | 914 /0         | Model life 1970>>1976    |        |     |       |
|--------|----------------|--------------------------|--------|-----|-------|
| Pos    | Part Number    | Description              | Remark | Qty | Model |
|        |                | Steering gear            |        |     |       |
|        |                | Repair material          |        |     |       |
|        |                | for                      |        |     |       |
|        |                | Steering gear            |        |     |       |
|        |                | 914.347.010.00           |        |     |       |
|        |                | 914.347.010.03           |        |     |       |
|        |                | Not for                  |        |     |       |
|        |                | 914-6                    |        |     |       |
| 1      | N 010 239 11   | Hexagon-head bolt        |        | 2   |       |
|        |                | M 8 X 18                 |        |     |       |
| 1      | N 010 239 30   | Hexagon-head bolt        |        | 2   |       |
|        |                | M 8 X 18                 |        |     |       |
| 2      | N 012 241 1    | Spring washer            |        | 2   |       |
|        |                | B 8 X 15                 |        |     |       |
| 3      | 914 347 131 01 | Housing cover            |        | 1   |       |
| 4      | 914 347 167 00 | Gasket                   |        | 1   |       |
| 5      | 914 347 166 00 | Adjusting shim           |        | Х   |       |
|        |                | 0,1 MM                   |        |     |       |
| (5)    | 914 347 166 01 | Adjusting shim           |        | х   |       |
|        |                | 0,15 MM                  |        |     |       |
| (5)    | 914 347 166 02 | Adjusting shim           |        | Х   |       |
|        |                | 0,2 MM                   |        |     |       |
| (5)    | 914 347 166 03 | Adjusting shim           |        | X   |       |
| ' '    |                | 0,5 MM                   |        |     |       |
| (5)    | 914 347 166 04 | Adjusting shim           |        | 1   |       |
|        |                | 1,8 MM                   |        |     |       |
| 6      | 901 347 930 02 | Compression spring       |        | 1   |       |
| 7      | 914 347 018 00 | Thrust ring              |        | 1   |       |
| 8      | N 021 195 1    | Nut                      |        | 1   |       |
|        |                | м 10                     |        |     |       |
| 9      | 914 347 201 00 | Flange                   |        | 1   |       |
| 10     | 900 112 019 40 | Radial shaft seal        |        | 1   |       |
| 11     | 900 042 007 00 | Circlip                  |        | 1   |       |
|        |                | 32 X 1,2                 |        |     |       |
| 12     | 914 347 163 00 | Shim                     |        | X   |       |
|        |                | 0,1 MM                   |        |     |       |
| (12)   | 914 347 163 01 | Shim                     |        | X   |       |
|        |                | 0,15 MM                  |        |     |       |
| (12)   | 914 347 163 02 | Shim                     |        | X   |       |
|        |                | 0,3 MM                   |        |     |       |
| (12)   | 914 347 163 03 | Shim                     |        | X   |       |
|        |                | 1,8 MM                   |        |     |       |
| 13     | 914 347 117 00 | Drive pinion             |        | 1   |       |
| 14     | 999 701 352 40 | 0-ring                   |        | 1   |       |
|        |                | R 12 - 1,7               |        |     |       |
| 15     | 900 052 007 00 | Deep-groove ball bearing |        | 1   |       |
| 16     | 914 347 111 00 | Splined shaft            |        | 1   |       |
| 17     | 900 152 013 00 | Circlip                  |        | 2   |       |
| 18     | 914 347 162 00 | Support washer           |        | 2   |       |
| 19     | 914 347 017 01 | Bearing sleeve           |        | 2   |       |
| 20     | 900 052 007 00 | Deep-groove ball bearing |        | 1   |       |
| 21     | N 010 231 1    | Hexagon-head bolt        |        | 1   |       |
|        |                | M 8 X 8                  |        |     |       |
| 22     | 914 347 014 00 | Housing                  |        | 1   |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |
|        |                |                          |        |     |       |



| woder. | 914 70           | Widderlife 1970>>1976 |        |     |              |
|--------|------------------|-----------------------|--------|-----|--------------|
| Pos    | Part Number      | Description           | Remark | Qty | Model        |
|        |                  | ·                     |        | -   |              |
|        |                  | Rear axle             |        |     |              |
| 1      | 914 331 057 03   | Wishbone              | /L     | 1   |              |
|        |                  | with                  |        |     |              |
|        |                  | Bearing               |        |     |              |
| (1)    | 914 331 058 03   | Wishbone              | /R     | 1   |              |
| ( 1 )  | 914 331 036 03   |                       | / K    | +   |              |
|        |                  | with                  |        |     |              |
|        |                  | Bearing               |        |     |              |
| 2      | 900 074 192 01   | Hexagon-head bolt     |        | 6   |              |
|        |                  | M 10 X 55             |        |     |              |
| 3      | N 015 375 1      | Lock washer           |        | 6   |              |
|        |                  | м 10                  |        |     |              |
| 4      | PCG 331 520 00   | Stopper               |        | 6   |              |
| 1      |                  |                       | /-     |     |              |
| 5      | 914 331 051 01   | Link bearing          | /L     | 1   |              |
| (5)    | 914 331 052 01   | Link bearing          | /R     | 1   |              |
| 6      | 914 331 515 01   | Plate                 | /L     | 1   |              |
| (6)    | 914 331 516 01   | Plate                 | /R     | 1   |              |
| 7      | 999 084 029 02   | Hexagon nut           |        | 4   |              |
|        |                  | M 14 X 1,5            |        | -   |              |
| 8      | N 011 534 4      | Washer                |        | 2   |              |
| 0      | N 011 534 4      |                       |        | 4   |              |
| _      |                  | 15                    |        |     |              |
| 9      | 914 331 533 03   | Intermediate layer    |        | X   |              |
|        |                  | 2 MM                  |        |     |              |
| (9)    | 914 331 533 04   | Intermediate layer    |        | Х   |              |
| . , ,  |                  | 3 MM                  |        |     |              |
| (9)    | 914 331 533 05   | Intermediate piece    |        | X   |              |
|        | 1 214 231 333 03 | 4 MM                  |        | 21  |              |
|        |                  |                       |        | _   |              |
| 10     | 999 053 035 00   | Ball bearing          |        | 2   |              |
|        |                  | Two-row               |        |     |              |
| 10     | 999 053 034 00   | Ball bearing          |        | 2   |              |
|        |                  | Two-row               |        |     |              |
| 11     | 914 331 213 00   | Housing               |        | 2   |              |
| 12     | 900 075 078 02   | Hexagon-head bolt     |        | 8   |              |
| 1 12   | 300 073 078 02   |                       |        | 0   |              |
|        |                  | M 8 X 15              |        |     |              |
| 12     | 900 075 078 03   | Hexagon-head bolt     |        | 8   |              |
|        |                  | M 8 X 15              |        |     |              |
| 13     | 900 027 015 02   | Lock ring             |        | 8   |              |
|        |                  | В 8                   |        |     |              |
| 13     | 900 027 015 03   | Lock ring             |        | 8   |              |
|        | 013 03           | B 8                   |        | ľ   |              |
| 1 ,    | 001 001 005 00   |                       |        |     | 014 6        |
| 14     | 901 331 065 09   | Rear-wheel hub        |        | 2   | 914-6        |
| 15     | 904 341 671 00   | Wheel bolt            |        | 10  | 914-6        |
| 15     | 993 331 671 02   | Wheel bolt            |        | 10  | 914-6        |
|        |                  | for                   |        |     |              |
|        |                  | 5 LOCH-NABE           |        |     |              |
| 16     | 914 331 605 07   | Rear-wheel hub        |        | 2   | 914-4/1,7    |
|        |                  | near wheer has        |        | -   | 914-1,8/2,0  |
| 1 7    | 001 332 006 00   | Castle nut            |        | l , | J14 1,0/2,0  |
| 17     | 901 332 806 00   |                       |        | 2   |              |
| 17     | 901 332 806 01   | Castle nut            |        | 2   |              |
| 18     | 999 025 046 01   | Washer                |        | 2   |              |
| 19     | N 012 538 1      | Cotter pin            |        | 2   |              |
|        |                  | 4 X 40                |        |     |              |
| 20     | 914 332 009 03   | Drive shaft           |        | 2   |              |
|        |                  | Complete              |        | -   |              |
| (00)   |                  |                       |        | l , | 014 6        |
| (20)   |                  | Drive shaft           |        | 2   | 914-6        |
|        |                  | Complete              |        |     |              |
| (21)   | 999 041 016 01   | Circlip               |        | 4   | 914-6        |
| 21     | 113 517 279      | Circlip               |        | 4   | 914-4/1,7    |
| 1      | 1                |                       |        | 1   | 914-1,8/1,8V |
| 1      | 1                |                       |        | 1   | 914-2,0      |
| 22     | 113 501 327      | Cup spring            |        | 4   | 914-4/1,7    |
| 44     | 113 301 32/      | Cab Shiill            | 1      | "   |              |
| 1      | 1                |                       | 1      | 1   | 914-1,8/1,8V |
| 1      | 1                |                       | 1      | 1   | 914-2,0      |
| 23     | 914 332 029 03   | Universal joint       | 1      | 4   | 914-4/1,7    |
|        | !                | !                     |        |     | <u> </u>     |


| Model: | 914 70         | Model life 1970>>1976 |        |     |              |
|--------|----------------|-----------------------|--------|-----|--------------|
| Pos    | Part Number    | Description           | Remark | Qty | Model        |
|        |                |                       |        |     | 914-1,8/1,8V |
|        |                |                       |        |     | 914-2,0      |
| 24     | 914 332 035 00 | Gasket                |        | 4   | 914-4/1,7    |
|        |                | dubited               |        | _   | 914-1,8/1,8V |
|        |                |                       |        |     | 914-2,0      |
| 25     | 914 332 228 01 | Protection cap        |        | 4   | 914-6        |
| 26     | 901 332 293 10 | Dust bellows          |        | 4   | 914-6        |
| 26     | 901 332 293 11 | Dust bellows          |        | 4   | 914-6        |
| 27     | 914 332 335 00 | Terminal              |        | 4   | 914-6        |
| 28     | 999 095 019 00 | Clamping pin          |        | 8   |              |
|        |                | S 10 X 20             |        |     |              |
| 29     | 914 332 237 01 | Gasket                |        | 4   |              |
| 30     | PCG 332 223 00 | Drive flange          |        | 2   | 914-6        |
| (30)   | 914 332 223 01 | Drive shaft           |        | 2   | 914-4/1,7    |
|        |                |                       |        |     | 914-1,8/2,0  |
| 31     | 893 407 237    | Pan-head screw        |        | 16  |              |
|        |                | M 8 X 45              |        |     |              |
| 31     | N 911 082 01   | Multiple-tooth screw  |        | 16  |              |
|        |                | M 8 X 45              |        |     |              |
| 32     | 999 523 102 02 | Washer                |        | 16  | 914-6        |
| _      |                | M 8                   |        |     |              |
| 32     | 999 523 102 0B | Washer                |        | 16  | 914-6        |
|        |                | M 8                   |        |     |              |
| 33     | 901 332 191 00 | Plate                 |        | 8   |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        | L   |              |

PORSCHE Illustration: 502-00 PORSCHE




| Model:     | 914 /   | <u> </u>       |         | Model life 1970>>1976           |        |          |                           |
|------------|---------|----------------|---------|---------------------------------|--------|----------|---------------------------|
| Pos        | Part No | umber          |         | Description                     | Remark | Qty      | Model                     |
|            |         |                |         | Vibration damper                |        |          |                           |
|            |         |                |         | Stabiliser                      |        |          |                           |
| 1          | 914 3   | 33 051         | L 01    | Shock absorber                  |        | 2        | 914-6                     |
|            |         |                |         | - boge -                        |        |          |                           |
| 1          | PCG 3   | 33 051         | L 50    | Vibration damper                |        | 2        | 914-4                     |
|            |         |                |         | - koni -                        |        |          | 914-6                     |
|            |         |                |         | Only together with              |        |          |                           |
|            |         |                |         | Shock absorber                  |        |          |                           |
|            |         |                |         | Insert                          |        |          |                           |
|            |         |                |         | Front                           |        |          |                           |
| 1          | 914 3   | 22 NE          | . 02    | PCG.341.903.50 Vibration damper |        | 2        | 914-4/1,7                 |
| 1          | 914 3   | 33 05.         | L UZ    | - boge -                        |        | 4        | 914-4/1,/<br>914-1,8/1,8V |
|            |         |                |         | - boge -                        |        |          | 914-2,0                   |
| 1          | PCG 3   | 33 051         | L 50    | Vibration damper                |        | 2        | 914-4/1,7                 |
|            |         |                |         | - koni -                        |        | -        | 914-1,8/1,8V              |
|            |         |                |         | Only together with              |        |          | 914-2,0                   |
|            |         |                |         | Shock absorber                  |        |          |                           |
|            |         |                |         | Insert                          |        |          |                           |
|            |         |                |         | Front                           |        |          |                           |
|            |         |                |         | PCG.341.903.50                  |        |          |                           |
| 3          | 914 3   | 33 523         | L 01    | Concave washer                  |        | 2        |                           |
|            |         |                |         | - boge -                        |        |          |                           |
| (3)        | 914 3   | 22 52          | 0.4     | Lower<br>Concave washer         |        | 2        | 914-4/1,7                 |
| (3)        | 914 3   | 33 34.         | 1 04    | - bilstein -                    |        |          | 914-1,8/1,8V              |
|            |         |                |         | Lower                           |        |          | 914-2,0                   |
| _          | 914 3   | 33 533         | 3 01    | Support ring                    |        | 2        | 914-4/1,7                 |
|            |         |                |         | - bilstein -                    |        |          | 914-1,8/1,8V              |
|            |         |                |         |                                 |        |          | 914-2,0                   |
| 4          | 914 3   | 33 503         | 3 00    | Cap                             |        | 2        |                           |
|            |         |                |         | - boge -                        |        |          |                           |
| 5          | 901 3   |                |         | Stop washer                     |        | 2        |                           |
| 6          | 914 3   |                |         | Additional spring               |        | 2        |                           |
| 7          | 914 3   |                |         | Coil spring                     |        | 1        | 914-6                     |
|            | 914 3   | 33 53.         | L 05 10 | 4   Set   2 ST.                 |        |          |                           |
| 7          | 914 3   | 33 901         |         | Coil spring                     |        | 1        | 914-4/1,7                 |
| <b>1</b> ' | 111 3   | JJ 70.         | . 00    | Set                             |        | -        | 914-1,8/1,8V              |
|            |         |                |         | 2 ST.                           |        |          | 914-2,0                   |
| 8          | 914 3   | 33 522         | 2 01    | Concave washer                  |        | 2        | ·                         |
|            |         |                |         | Upper                           |        |          |                           |
| 9          | 914 3   |                |         | Washer                          |        | 2        |                           |
| 10         | 914 3   |                |         | Threaded bush                   |        | 2        |                           |
| 11         | 914 3   |                |         | Articulated ring                |        | 2        |                           |
| 12         | 914 3   | 33 514         | ± U1    | Articulated ring                |        | 2        |                           |
| 13         | 914 3   | 33 E11         | 5 00    | Upper<br>Washer                 |        | 2        |                           |
| 13         | 900 9   |                |         | Nut                             |        | 2        | 914-6                     |
| (14)       |         | 10 042         | 02      | Nut                             |        | 2        | 914-4/1,7                 |
| (11)       |         |                |         |                                 |        | ~        | 914-1,8/1,8V              |
|            |         |                |         |                                 |        |          | 914-2,0                   |
| 15         | 914 5   | 59 282         | L 10    | Cap                             |        | 2        |                           |
| 16         | 914 3   |                |         | Bearing pin                     |        | 2        |                           |
| 17         | 914 3   |                |         | Washer                          |        | 2        |                           |
| 18         | 900 0   | 27 018         | 3 01    | Lock ring                       |        | 2        |                           |
|            |         | <b>5</b> 0 5 5 |         | B 18                            |        |          |                           |
| 19         | 900 0   | /8 00          | / 02    | Hexagon nut                     |        | 2        |                           |
| 20         | 014 2   | סט מרי         | . 06    | M 18 X 1,5<br>Stabiliser        |        | 1 1      |                           |
| 20         | 914 3   | 33 U5:         | 0 06    | Stabiliser<br>16 MM             |        | 1        |                           |
| 21         | 914 3   | 33 በፍና         | 7 00    | Fastening clip                  |        | 2        |                           |
| 21         |         |                |         | Fastening Clip                  |        | 2        |                           |
|            |         |                |         | 1 3 3                           |        | <u> </u> | l .                       |

| woder. | 914  | ••  |     |     |     | Widderlife 1970>>1976 |        |     |  |
|--------|------|-----|-----|-----|-----|-----------------------|--------|-----|--|
| Pos    | Part | Num | ber |     |     | Description           | Remark | Qty | Model  |
|        | _    |     |     |     |     |                       |        |     |  |
| 1 _    |      |     |     |     | GRV |                       |        |     |  |
| 22     | 901  |     |     |     |     | Articulated bush      |        | 4   |  |
| 23     | 914  |     |     |     |     | Bearing pin           |        | 2   |  |
| 24     | 901  |     |     |     |     | Rubber mounting       |        | 2   |  |
| 24     | 901  |     |     |     |     | Rubber mounting       |        | 2   |  |
| 25     | 901  | 333 | 753 | 01  |     | Supporting bow        |        | 2   |  |
| 26     | 900  | 075 | 087 | 02  |     | Hexagon-head bolt     |        | 4   |  |
|        |      |     |     |     |     | M 8 X 16              |        |     |  |
| 26     | 900  | 075 | 087 | 03  |     | Hexagon-head bolt     |        | 4   |  |
|        |      |     |     |     |     | M 8 X 16              |        |     |  |
| 27     | 900  | 027 | 015 | 02  |     | Lock ring             |        | 4   |  |
|        |      |     |     |     |     | В 8                   |        |     |  |
| 27     | 900  | 027 | 015 | 03  |     | Lock ring             |        | 4   |  |
|        |      | 02, | 013 | 0.5 |     | B 8                   |        | -   |  |
| 28     | 914  | 501 | 250 | 1.0 |     | Mounting plate        | -74    | 2   |  |
| 28     | 914  |     |     |     |     | Mounting plate        | 75-    | 2   | 914-1,8/2,0                                  |
|        |      |     |     |     |     |                       | -74    | 2   | 914-1,0/2,0                                  |
| 29     | 914  | 20I | 532 | / 1 |     | Reinforcement         | - / 4  | 2   |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        |      |     |     |     |     |                       |        |     |  |
|        | ь    |     |     |     |     |                       |        |     | <u>.                                    </u> |




| Pos   |                | Description                     | Remark  | Qty | Model |
|-------|----------------|---------------------------------|---------|-----|-------|
| - 55  | Part Number    | -                               | Troman. | ٠., |       |
|       | 000 005 056 70 | Wheels                          |         | _   | 914-6 |
| -     | 999 985 056 X0 | Tyre<br>- PNEUMANT -            |         | 5   |       |
|       |                | 165 R15 86V                     |         |     |       |
| _     | 911 361 056 X0 | Hose                            |         | 5   |       |
| 1     | 911 361 022 00 | Perforated disc wheel           |         | 5   |       |
|       |                | 5 1/2 J X 15 H2 ET 42           |         |     |       |
|       |                | Prime coated                    |         |     |       |
| (1)   | 911 361 022 20 | Perforated disc wheel           |         | 5   |       |
|       |                | 5 1/2 J X 15 H2 ET 42<br>Chrome |         |     |       |
| _     | 901 361 121 00 | Retainer spring                 |         | 5   |       |
|       |                | for                             |         |     |       |
|       |                | Valve                           |         |     |       |
| 2     | N 020 112 1    | Ball seat nut                   |         | 20  |       |
| 3     | 901 361 301 04 | Hub cap                         |         | 4   |       |
|       |                | with<br>Bores                   |         |     |       |
|       |                | for                             |         |     |       |
|       |                | Badge                           |         |     |       |
| 4     | 999 591 423 03 | Tapping nut                     |         | 12  |       |
| 5     | 901 559 801 01 | Badge                           |         | 4   |       |
|       |                | Chrome                          |         | _   |       |
| (5)   | 644 559 801 00 | Badge<br>Crest                  |         | 4   |       |
|       |                | Coloured                        |         |     |       |
|       |                | Embossed                        |         |     |       |
| (5)   | PCG 559 801 00 | Badge                           |         | 4   |       |
|       |                | Crest                           |         |     |       |
|       |                | Coloured                        |         |     |       |
| _     |                | Embossed                        |         | Х   |       |
| _     |                | Balance weight for              |         | Λ   |       |
|       |                | Steel wheel                     |         |     |       |
|       |                | And                             |         |     |       |
|       |                | Aluminium                       |         |     |       |
|       |                | 911.361.016.00                  |         |     |       |
| 7     | 020 261 410 00 | Inner                           |         | 37  |       |
| /     | 928 361 410 00 | Balance weight 10 GR.           |         | X   |       |
| (7)   | 928 361 411 00 | Balance weight                  |         | X   |       |
|       |                | 20 GR.                          |         |     |       |
| (7)   | 928 361 412 00 | Balance weight                  |         | X   |       |
| (7)   | 000 261 412 00 | 30 GR.                          |         | 37  |       |
| (7)   | 928 361 413 00 | Balance weight 40 GR.           |         | X   |       |
| (7)   | 928 361 414 00 | Balance weight                  |         | Х   |       |
| ` ´   |                | 50 GR.                          |         |     |       |
| (7)   | 928 361 415 00 | Balance weight                  |         | Х   |       |
|       |                | 60 GR.                          |         |     |       |
| (7)   | 928 361 416 00 | Balance weight                  |         | X   |       |
| (7)   | 928 361 417 00 | 70 GR.<br>Balance weight        |         | X   |       |
| ( , , | 720 301 417 00 | 80 GR.                          |         | 20  |       |
| 8     | 914 361 441 00 | Retainer spring                 |         | Х   |       |
|       |                | for                             |         |     |       |
|       |                | Weight                          |         | _   |       |
| 9     | 911 361 016 90 | Perforated disc wheel           |         | 5   |       |
|       |                | Aluminium<br>Forged             |         |     |       |
|       |                | Unvarnished                     |         |     |       |
|       |                | 5 1/2 J X 14 H2 ET 41           |         |     |       |
| 9     | 901 361 012 04 | Perforated disc wheel           |         | 5   |       |

| Model: | 914 70         | Model life 1970>>1976  |        |     |       |
|--------|----------------|--|--------|-----|-------|
| Pos    | Part Number    | Description  | Remark | Qty | Model |
|        |                | Aluminium Forged 5 1/2 J X 15 ET 42 Polished Anodised And Black          |        |     |       |
| 10     | 901 361 017 00 | Lacquered Perforated disc wheel Aluminium Die casting 5 1/2 J X 15 ET 42 |        | 5   |       |
| 11     | 999 182 003 36 | Lacquered Wheel nut  |        | 20  |       |
| 12     | 901 361 032 00 | Hub cap<br>Silver<br>Lacquered   |        | 4   |       |
| 12     | 901 361 032 01 | Hub cap<br>Silver<br>Anodised  |        | 4   |       |
| (12)   | SOW 911 038 11 | Hub cap Black Crest  |        | 4   |       |
| -      |                | Coloured Balance stick-on weight for Disc wheel Aluminium                |        | х   |       |
| 13     | 901 361 410 00 | Balance stick-on weight 10 GR.   |        | х   |       |
| (13)   | 901 361 411 00 | Balance stick-on weight 20 GR.   |        | X   |       |
| (13)   | 901 361 412 00 | Balance stick-on weight 30 GR.   |        | X   |       |
| (13)   | 901 361 413 00 | Balance stick-on weight 40 GR.   |        | X   |       |
| (13)   | 901 361 414 00 | Balance stick-on weight 50 GR.   |        | X   |       |
|        | 901 361 415 00 | Balance stick-on weight 60 GR.   |        | X   |       |
| (13)   | 901 361 417 00 | Balance stick-on weight 80 GR.   |        | Х   |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |
|        |                |  |        |     |       |



| Pos      | Part Number    | Description                | Remark   | Qty | Model                   |
|----------|----------------|----------------------------|----------|-----|-------------------------|
| <u> </u> |                | Wheels                     |          | ,   | 914                     |
| _        | 999 985 056 X0 | wheels<br>Tyre             |          | 5   | 914                     |
|          |                | - PNEUMANT -               |          |     |                         |
|          |                | 165 R15 86V                |          |     |                         |
| _        | 911 361 056 X0 | Hose                       | E 2      | 5   | 014 4/1 5               |
| 1        | 311 601 025 J  | Steel wheel 4 1/2 J X 15   | -73      | 5   | 914-4/1,7<br>914-2,0    |
|          |                | Lacquered                  |          |     | J14 2,0                 |
| (1)      | 914 361 012 02 | Steel wheel                | -73      | 5   | 914-4/1,7               |
|          |                | 5 1/2 J X 15 H2 ET 40      |          |     | 914-2,0                 |
| 2        | 183 601 139 A  | Lacquered<br>Wheel bolt    |          | 16  |                         |
| 3        | 311 601 151 D  | Hub cap                    | -73      | 4   | 914-4                   |
|          |                | with                       |          |     |                         |
| 1 .      |                | - VW-SYMBOL-               |          |     |                         |
| 4        | 473 601 151    | Hub cap                    | -73      | 4   | 914-4/1,7               |
|          |                | without - VW-SYMBOL        |          |     | 914-2,0                 |
| 5        | 900 265 001 50 | Rubber valve               |          | 5   |                         |
|          |                | for                        |          |     |                         |
|          |                | Tyre                       |          |     |                         |
|          |                | without<br>Hose            |          |     |                         |
| 5        | 900 265 001 51 | Rubber valve               |          | 5   |                         |
|          |                | for                        |          |     |                         |
|          |                | Tyre                       |          |     |                         |
|          |                | without<br>Hose            |          |     |                         |
| 6        | 914 361 016 00 | Steel wheel                | 74-      | 5   | 914-1,8V/1,8            |
|          |                | 5 1/2 J X 15 H2 ET 40      |          |     | 914-2,0                 |
| 7        | 914 361 305 00 | Hub cap                    | 74-      | 4   | 914-1,8V/1,8            |
| 8        | 111 (01 172    | l a                        | /0.0.74  | 1.0 | 914-2,0                 |
| 8        | 111 601 173    | Cap                        | /2,0 74- | 16  | 914-1,8V/1,8<br>914-2,0 |
|          |                | Wheel bolt                 |          |     |                         |
|          |                | Balance weight             |          |     |                         |
|          |                | for                        |          |     |                         |
| (9)      | 928 361 411 00 | Steel wheel Balance weight |          | Х   |                         |
|          | 920 301 411 00 | 20 GR.                     |          | A   |                         |
| (9)      | 928 361 412 00 | Balance weight             |          | Х   |                         |
| (0)      |                | 30 GR.                     |          |     |                         |
| (9)      | 928 361 413 00 | Balance weight 40 GR.      |          | Х   |                         |
| (9)      | 928 361 415 00 | Balance weight             |          | Х   |                         |
|          |                | 60 GR.                     |          |     |                         |
| (9)      | 928 361 417 00 | Balance weight             |          | X   |                         |
| (9)      | 311 601 189 A  | 80 GR.<br>Weight           |          | X   |                         |
|          | 311 001 105 11 | 100 GR.                    |          |     |                         |
| 10       | 141 601 180    | Spring                     |          | X   |                         |
|          |                | for                        |          |     |                         |
| 11       | 914 361 013 01 | Balance weight Alloy wheel |          | 5   | 914-4/1,7               |
| 1        | 711 301 013 01 | Light alloy                |          |     | J11 1/1/                |
|          |                | - PEDRINI -                |          |     |                         |
|          | 014 065 055 55 | 5 1/2 J X 15 H2 ET 40      |          | _   |                         |
| 12       | 914 361 011 01 | Alloy wheel<br>Light alloy |          | 5   |                         |
|          |                | Light alloy<br> - FUCHS -  |          |     |                         |
|          |                | 5 1/2 J X 15 H2 ET 40      |          |     |                         |
| 13       | 914 361 015 00 | Alloy wheel                |          | 5   |                         |
|          |                | Light alloy                |          |     |                         |


| Model: 914 /0 Model life 19/0>>19/6 |                |                                     |        |  |       |
|-------------------------------------|----------------|-------------------------------------|--------|--|-------|
| Pos                                 | Part Number    | Description                         | Remark | Qty  | Model |
|                                     |                |                                     |        | <del>-                                    </del> |       |
|                                     |                | - mahle -                           |        |  |       |
| 14                                  | 914 361 315 01 | 5 1/2 J X 15 H2 ET 40<br>Wheel bolt |        | 16   |       |
| 14                                  | 914 361 315 01 | Wheel bolt                          |        | 16   |       |
| 15                                  | 914 361 303 03 | Hub cap                             |        | 4  |       |
| 15                                  | 914 361 303 07 | Hub cap                             |        | 4  |       |
|                                     | ]              | Polished                            |        | -  |       |
| _                                   | PCG 361 303 07 | Set                                 |        | 1  |       |
|                                     |                | Hub cap                             |        |  |       |
|                                     |                | Polished                            |        |  |       |
|                                     |                | Balance stick-on weight             |        |  |       |
|                                     |                | for                                 |        |  |       |
|                                     |                | Alloy wheels                        |        |  |       |
| (16)                                | 901 361 410 00 | Balance stick-on weight             |        | Х  |       |
| /15                                 | 001 261 411 00 | 10 GR.                              |        |  |       |
| (16)                                | 901 361 411 00 | Balance stick-on weight 20 GR.      |        | Х  |       |
| (16)                                | 901 361 412 00 | Balance stick-on weight             |        | X  |       |
| (10)                                | )OT 20T #T7 00 | 30 GR.                              |        | _ ^  |       |
| (16)                                | 901 361 413 00 | Balance stick-on weight             |        | Х  |       |
|                                     |                | 40 GR.                              |        |  |       |
| (16)                                | 901 361 414 00 | Balance stick-on weight             |        | Х  |       |
| ' '                                 |                | 50 GR.                              |        |  |       |
| (16)                                | 901 361 415 00 | Balance stick-on weight             |        | Х  |       |
|                                     |                | 60 GR.                              |        |  |       |
| (16)                                | 901 361 417 00 | Balance stick-on weight             |        | Х  |       |
|                                     |                | 80 GR.                              |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        |  |       |
|                                     |                |                                     |        | l  |       |



| woder.   | 914 70           | Widderlife 1970>>1976         |        |     |                         |
|----------|------------------|-------------------------------|--------|-----|-------------------------|
| Pos      | Part Number      | Description                   | Remark | Qty | Model                   |
|          |                  | Disc brake                    |        |     |                         |
|          |                  | Front                         |        |     |                         |
| 1        | 477 405 083 A    | Brake disc                    |        | 2   | 914-6                   |
| 1 1      | 477 405 083 D    | Brake disc                    |        | 2   | 914-6                   |
| 1 -      | 477 403 003 D    | FAECHERINTERPRETATION         |        |     | 914-0                   |
|          |                  | 2 X 477.405.083.A             |        |     |                         |
| 2        | 900 075 079 02   | Hexagon-head bolt             |        | 10  | 914-6                   |
|          | ] 500 073 075 02 | M 8 X 22                      |        | 1   | 714 0                   |
| 3        | N 012 241 1      | Spring washer                 |        | 10  | 914-6                   |
|          |                  | B 8 X 15                      |        | - 0 |                         |
| 4        | 900 076 025 02   | Hexagon nut                   |        | 10  | 914-6                   |
|          |                  | M 8                           |        |     |                         |
| 4        | 900 076 064 02   | Hexagon nut                   |        | 10  | 914-6                   |
|          |                  | м 8                           |        |     |                         |
| 5        | 901 351 801 17   | Protective plate              |        | 2   | 914-6                   |
| 6        | 411 407 075      | Brake disc                    |        | 2   | 914-4                   |
|          |                  | F >>47229 19032               | -72    |     |                         |
| 6        | 411 407 075 B    | Brake disc                    |        | 2   | 914-4/1,7               |
|          |                  |                               |        |     | 914-1,8/2,0             |
|          |                  | F 47229 19033>>               | 72-    |     |                         |
| (7)      | 411 407 163 B    | Cover plate                   | -70    | 2   | 914-4                   |
| 7        | 411 407 165 C    | Cover plate                   |        | 2   | 914-4                   |
|          |                  | F >>47229 19032               | -72    |     |                         |
| 7        | 914 351 801 02   | Cover plate                   |        | 2   | 914-4/1,7               |
|          |                  |                               |        |     | 914-1,8/1,8V            |
|          |                  |                               |        |     | 914-2,0                 |
|          |                  | F 47229 19033>>               | 72-    |     |                         |
| 8        | N 010 237 6      | Hexagon-head bolt             |        | 6   | 914-6/4                 |
|          |                  | M 8 X 12                      |        |     |                         |
| l .      |                  | F >>47229 19032               | -72    | l _ |                         |
| 8        | N 010 237 14     | Hexagon-head bolt             |        | 6   | 914-6/4                 |
|          |                  | M 8 X 12                      | 50     |     |                         |
| 8        |                  | F >>47229 19032               | -72    |     | 014 4/1 5               |
| 8        | N 010 235 3      | Hexagon-head bolt<br>M 8 X 10 |        | 6   | 914-4/1,7               |
|          |                  | M 8 X 10                      |        |     | 914-1,8/1,8V<br>914-2,0 |
|          |                  | F 47229 19033>>               | 72-    |     | 914-2,0                 |
| 9        | N 012 241 1      | Spring washer                 | / 2-   | 6   | 914-6                   |
|          | N 012 241 1      | B 8 X 15                      |        | "   | 914-0                   |
| (9)      | 900 027 015 02   | Lock ring                     |        | 6   |                         |
|          | ] 500 027 013 02 | B 8                           |        | ~   |                         |
| (9)      | 900 027 015 03   | Lock ring                     |        | 6   |                         |
| ( ,      |                  | В 8                           |        |     |                         |
| 10       | 911 351 907 00   | Fixed calliper                | /L     | 1   | 914-6                   |
|          |                  | without pad                   |        |     |                         |
| (10)     | 911 351 908 00   | Fixed calliper                | /R     | 1   | 914-6                   |
|          |                  | without pad                   |        |     |                         |
| 10       | 311 615 107 B    | Fixed calliper                | /L     | 1   | 914-4                   |
|          |                  | without pad                   |        |     |                         |
|          |                  | F >>47229 19032               | -72    |     |                         |
| (10)     | 311 615 108 B    | Fixed calliper                | /R     | 1   | 914-4                   |
|          |                  | without pad                   |        |     |                         |
|          |                  | F >>47229 19032               | -72    |     |                         |
| 10       | 914 351 425 00   | Fixed calliper                | /L     | 1   | 914-4/1,7               |
|          |                  | without pad                   |        |     | 914-1,8/1,8V            |
|          |                  |                               |        |     | 914-2,0                 |
| 1 ,      |                  | F 47229 19033>>               | 72-    | _   |                         |
| (10)     | 914 351 426 00   | Fixed calliper                | /R     | 1   | 914-4/1,7               |
|          |                  | without pad                   |        |     | 914-1,8/1,8V            |
|          |                  | T 45000 10000                 | F.0    |     | 914-2,0                 |
| 1 1 1    | 001 251 045 10   | F 47229 19033>>               | 72-    |     | 914-6                   |
| 11<br>11 | 901 351 945 10   | Pan-head screw Pan-head screw |        | 4   | 914-6                   |
|          | 411 615 141      | ran-nead screw                |        | 4   | <b>フ</b> ユゼーゼ           |


| woder.   | 914 70         | Modeline 1970>>1976             |        |                |                             |
|----------|----------------|---------------------------------|--------|----------------|-----------------------------|
| Pos      | Part Number    | Description                     | Remark | Qty            | Model                       |
|          |                | M 7 X 50                        |        |                |                             |
|          |                | F >>47229 19032                 | -72    |                |                             |
| (11)     | 411 615 141 A  | Hexagon-head bolt               |        | 4              | 914-4/1,7                   |
|          |                |                                 |        |                | 914-1,8/1,8V                |
|          |                |                                 |        |                | 914-2,0                     |
|          |                | F 47229 19033>>                 | 72-    |                |                             |
| 12       | 901 351 946 10 | Pan-head screw                  |        | 4              | 914-6                       |
| 12       | 411 615 143    | Pan-head screw                  |        | 4              | 914-4                       |
|          |                | M 7 X 55                        |        |                |                             |
|          |                | F >>47229 19032                 | -72    |                |                             |
| (12)     | 411 615 143 A  | Hexagon-head bolt               |        | 4              | 914-4/1,7                   |
|          |                |                                 |        |                | 914-1,8/1,8V                |
|          |                | F 47229 19033>>                 | 72-    |                | 914-2,0                     |
| 13       | N 011 008 8    | Hexagon nut                     | / 2-   | 8              | 914-6                       |
| 13       | N OII OOO O    | M 8                             |        | 0              | 914-0                       |
| 13       | 311 615 147    | Hexagon nut                     |        | 8              | 914-4                       |
|          | 311 013 147    | F >>47229 19032                 | -72    |                | 711 1                       |
| 14       | 901 351 097 10 | Piston                          | , 2    | 4              | 914-6                       |
| 14       | 311 615 151    | Piston                          |        | 4              | 914-4                       |
|          |                | F >>47229 19032                 | -72    |                |                             |
| 14       | 914 351 918 00 | Piston                          |        | 4              | 914-4/1,7                   |
|          |                |                                 |        |                | 914-1,8/1,8V                |
|          |                |                                 |        |                | 914-2,0                     |
|          |                | F 47229 19033>>                 | 72-    |                |                             |
| 15       | 901 351 913 16 | Retaining pin                   |        | 4              | 914-6                       |
| 15       | 411 615 261    | Retaining pin                   |        | 4              | 914-4                       |
|          |                | F >>47229 19032                 | -72    |                |                             |
| 15       | 411 615 261 A  | Retaining pin                   |        | 4              | 914-4/1,7                   |
|          |                |                                 |        |                | 914-1,8/1,8V                |
|          |                |                                 |        |                | 914-2,0                     |
| 1        | 001 050 055 10 | F 47229 19033>>                 | 72-    |                | 0146                        |
| 16       | 901 352 977 10 | Bleeder valve Ventilation valve |        | 2              | 914-6                       |
| 16<br>16 | 311 615 273    | Ventilation valve               |        | 2 4            | 914-4<br>914-1,7/1,8        |
| 10       |                | ventifation valve               |        | 4              | 914-1,7/1,8<br>914-1,8V/2,0 |
| 17       | 211 611 483    | Dust boot                       |        | 2              | 914-6/4                     |
| 17       |                | Dust boot                       |        | 4              | 914-1,7/1,8                 |
|          |                |                                 |        | -              | 914-1,8V/2,0                |
| 18       | 901 351 928 10 | Sealing ring                    |        | 8              | 914-6                       |
| 18       | 311 615 277    | Sealing ring                    |        | 4              |                             |
| 19       | 914 355 531 00 | Ring fitting                    |        | 2              | 914-6                       |
| 20       | 901 355 531 00 | Banjo bolt                      |        | 2              | 914-6                       |
| 21       | 904 355 902 00 | Gasket                          |        | 2              | 914-6                       |
|          |                | Outer                           |        |                |                             |
| 22       | 904 355 904 00 | Gasket                          |        | 2              | 914-6                       |
|          |                | Inner                           |        |                |                             |
| 23       | 901 351 916 14 | Expanding spring                |        | 2              | 914-6                       |
| 23       | 901 351 916 16 | Expanding spring                |        | 2              | 914-4                       |
|          |                | F >>47229 19032                 | -72    | l _            |                             |
| 23       | 411 615 269 A  | Expanding spring                |        | 2              | 914-4/1,7                   |
|          |                |                                 |        |                | 914-1,8/1,8V                |
|          |                | _ 45000 10000                   |        |                | 914-2,0                     |
| 24       | 900 028 014 01 | F 47229 19033>>                 | 72-    | 1              | 914-6                       |
| 24<br>25 | 411 615 291    | Lock ring Tab washer            |        | 4 2            | 914-6                       |
| 45       | 411 012 7AT    | Tan Mastier                     |        | _              | 914-4/1,/<br>914-1,8/1,8V   |
|          |                |                                 |        |                | 914-1,8/1,80                |
| 26       | N 010 127 4    | Hexagon-head bolt               |        | 4              | ) 1                         |
|          | 1. 010 12/ 4   | M 12 X 1,5 X 30                 |        | *              |                             |
| 27       | 911 352 950 04 | Brake pad repair set            |        | l <sub>1</sub> | 914-6                       |
| ] -      |                | without asbestos                |        | <sup>-</sup>   |                             |
|          |                | without                         |        |                |                             |
| L        | I.             |                                 | Į.     |                | 1                           |

| Model:  | 914 70         | Model life 1970>>1976   |                          |     |       |
|---------|----------------|---|--------------------------|-----|-------|
| Pos     | Part Number    | Description   | Remark                   | Qty | Model |
| 27      | 911 352 950 06 | Installation parts Brake pad repair set without asbestos without                    |                          | 1   | 914-6 |
| (27)    | 911 352 950 04 | Installation parts Brake pad repair set without asbestos without Installation parts | -72                      | 1   | 914-4 |
| (27)    | 911 352 950 06 | F >>47229 19032 Brake pad repair set without asbestos without Installation parts    | -72                      | 1   | 914-4 |
| (27)    | 914 351 905 01 | F >>47229 19032<br>Brake pad repair set<br>F 47229 19033>>                          | -72<br>73-<br>72-        | 1   | 914-4 |
| (27)    | 911 352 950 06 | Brake pad repair set without asbestos without Installation parts F 47229 19033>>    | 73-                      | 1   | 914-4 |
| (28)    | 901 351 964 11 | Gasket set  | / 2 -                    | 2   | 914-6 |
| 28      | 411 698 471    | Gasket set  | -72                      | 2   | 914-4 |
|         |                | F >>47229 19032   |                          |     |       |
| 28 (28) | 411 698 471 A  |   | -72<br>-72<br>73-<br>72- | 2 2 | 914-4 |
|         |                |   |                          |     |       |




| woder. | 914 70         | Model life 1970>>1976  |        |          |              |
|--------|----------------|------------------------|--------|----------|--------------|
| Pos    | Part Number    | Description            | Remark | Qty      | Model        |
|        |                | Disc brake             |        |          | SB           |
|        |                | Rear                   |        |          | SB           |
| 1      | 901 352 401 18 | Brake disc             |        | 2        | 914-6        |
| (1)    | 901 352 401 18 | Brake disc             |        | 2        | 914-6        |
| ( 1 )  | 901 332 041 12 | Vented                 |        | 4        | 910          |
| /1\    | 014 353 401 10 | Brake disc             |        | _        |              |
| (1)    | 914 352 401 10 |                        |        | 2<br>4   |              |
| 2      | 900 013 037 02 | Countersunk-head screw |        | 4        |              |
|        | 001 250 001 01 | 6 X 12                 |        |          | 014 6        |
| 3      | 901 352 801 21 | Protective plate       |        | 2        | 914-6        |
| (3)    | 914 352 801 00 | Protective plate       |        | 2        |              |
| 4      | 914 352 085 00 | Retaining bar          |        | 2        | 914-6        |
| (4)    |                | Retaining bar          |        | 2        |              |
| 5      | N 010 235 3    | Hexagon-head bolt      |        | 6        |              |
|        |                | M 8 X 10               |        |          |              |
| 6      | N 012 241 11   | Spring washer          |        | 6        |              |
|        |                | B 8 X 15               |        |          |              |
| 7      | N 010 127 4    | Hexagon-head bolt      |        | 4        |              |
|        |                | M 12 X 1,5 X 30        |        |          |              |
| 8      | 900 028 014 01 | Lock ring              |        | 4        |              |
|        |                | B 12                   |        |          |              |
| 9      | 914 352 901 00 | Fixed calliper         | /L     | 1        | 914-6        |
|        |                | without                |        |          |              |
|        |                | Brake pad              |        |          |              |
| (9)    | 914 352 902 00 | Fixed calliper         | /R     | 1        | 914-6        |
|        |                | without                |        |          |              |
|        |                | Brake pad              |        |          |              |
| 9      | 914 352 423 00 | Fixed calliper         | /L     | 1        |              |
|        |                | without                |        |          |              |
|        |                | Brake pad              |        |          |              |
| (9)    | 914 352 424 00 | Fixed calliper         | /R     | 1        |              |
| ( - ,  |                | without                | ·      |          |              |
|        |                | Brake pad              |        |          |              |
| 10     | 914 352 922 00 | Retaining pin          |        | 2        | 914-6        |
| (10)   | 914 352 921 00 | Retaining pin          |        | 2        | 914-6        |
| 10     | 901 351 913 14 | Retaining pin          |        | 2        |              |
| (10)   | 914 352 925 00 | Retaining pin          |        | 2        |              |
| 11     | 914 352 906 00 | Cap                    |        | 4        | 914-6        |
| 11     | 901 352 937 10 | Protection cap         |        | 4        | 714 0        |
| 12     | 901 352 988 00 | Outer ring             |        | 4        | 914-6        |
| 12     | 914 352 926 00 | Retaining ring         |        | 4        | 914-0        |
| 13     | 901 352 977 10 | Bleeder valve          |        | 2        | 914-6/4      |
| 13     | 901 352 977 10 | Bleeder valve          |        | 4        |              |
| 13     |                | Bleeder valve          |        | 4        | 914-1,7/1,8V |
| 1 1    | 011 611 402    |                        |        |          | 914-1,8/2,0  |
| 14     | 211 611 483    | Dust boot              |        | 2        | 914-6/4      |
| 14     |                | Dust boot              |        | 4        | 914-1,7/1,8V |
| 1      | 001 251 016 16 |                        |        |          | 914-1,8/2,0  |
| 15     | 901 351 916 16 | Expanding spring       |        | 2        | 914-6        |
| 15     | 311 615 269    | Expanding spring       |        | 2        |              |
| 16     | 914 352 903 01 | Brake pad repair set   |        | 1        | 914-6        |
|        |                | without asbestos       |        |          |              |
|        |                | without                |        |          |              |
|        |                | Installation parts     |        |          |              |
| -      | 901 351 916 16 | Expanding spring       |        | 2        |              |
| -      | 914 352 921 00 | Retaining pin          |        | 2        |              |
| -      | 914 352 922 00 | Retaining pin          |        | 2        |              |
| -      | 901 351 955 10 | Safety clip            |        | 4        |              |
| 16     | 914 352 923 01 | Brake pad repair set   |        | 1        |              |
|        |                | without asbestos       |        |          |              |
|        |                | without                |        |          |              |
|        |                | Installation parts     |        |          |              |
| -      | 311 615 269    | Expanding spring       |        | 2        |              |
| -      | 901 351 913 14 | Retaining pin          |        | 2        |              |
| _      | 914 352 925 00 | Retaining pin          |        | 2        |              |
|        | I              | <u>I</u>               | l      | <u> </u> | ı            |

| iviouci. | 15             | Model IIIC 1370>>1370 |        |     |       |
|----------|----------------|-----------------------|--------|-----|-------|
| Pos      | Part Number    | Description           | Remark | Qty | Model |
| _        | 901 351 955 10 | Safety clip           |        | 4   |       |
| 17       | 914 352 900 00 | Repair kit            |        | 1   |       |
| '        | 914 332 900 00 | Stopper               |        |     |       |
|          |                | Comprising:           |        |     |       |
|          | 014 250 010 00 | Comprising.           |        |     |       |
| -        | 914 352 918 00 | Screw plug            |        | 2   |       |
| _        | 901 351 955 10 | Safety clip           |        | 4   |       |
| -        | 914 352 919 00 | Screw-on cap          |        | 2   |       |
| -        | 900 123 003 20 | Sealing ring          |        | 2   |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |
| 1        |                |                       |        |     |       |
|          |                |                       |        |     |       |
|          |                |                       |        |     |       |



| woder. | 914 70         | Modernie 1970>>1976        |        |          |              |
|--------|----------------|----------------------------|--------|----------|--------------|
| Pos    | Part Number    | Description                | Remark | Qty      | Model        |
|        |                | •                          |        | <u> </u> |              |
|        |                | Brake fluid reservoir      |        |          |              |
|        |                | Brake master cylinder      |        |          |              |
| 1      | 911 355 013 13 | Brake fluid reservoir      |        | 1        | <            |
|        |                |                            |        |          | 914-1,8/1,8V |
|        |                |                            |        |          | 914-2,0      |
| 2      | 477 611 361    | Lid                        |        | 1        |              |
| 3      | 901 355 908 00 | Gasket                     |        | 1        |              |
| 4      | 211 611 381 B  | Strainer                   |        | 1        |              |
| 5      | 901 355 927 02 | Hose piece                 |        | 2        |              |
|        |                | 50 MM                      |        | ~        |              |
| 6      | 914 355 907 00 | Retaining strap            |        | 1        |              |
| 7      | •              |                            |        | 2        |              |
| '      | N 015 429 2    | Speed nut                  |        |          |              |
| _      | 015 400 6      | B 4,2                      |        |          |              |
| 7      | N 015 429 6    | Speed nut                  |        | 2        |              |
|        |                | B 4,2                      |        |          |              |
| 8      | 900 151 028 02 | Washer                     |        | 2        |              |
|        |                | A 4,3                      |        |          |              |
| 8      | 900 151 028 01 | Washer                     |        | 2        |              |
|        |                | A 4,3                      |        |          |              |
| 9      | 900 143 007 02 | Oval-head sheetmetal screw |        | 2        |              |
|        |                | B 4,2 X 13                 |        |          |              |
| 9      | 900 073 507 01 | Oval-head sheetmetal screw |        | 2        |              |
|        |                | B 4,2 X 13                 |        | -        |              |
| 10     | 914 355 653 00 | Overflow hose              |        | Х        | 914-6/4      |
|        | 914 333 033 00 | 6 X 4 X 1000 MM            |        | ^        | 914-0/4      |
| 10/1   | 000 651 152 02 |                            |        | 37       | 914-6/4      |
|        | 999 651 152 02 | Cable clamp                |        | X        | •            |
|        | 999 651 152 01 | Cable clamp                |        | X        | 914-6/4      |
| 11     | PCG 355 061 10 | Connecting line            |        | 1        |              |
| 11     | PCG 355 061 00 | Connecting line            |        | 1        |              |
| 12     | PCG 355 063 10 | Connecting line            |        | 1        |              |
| 12     | 914 355 063 00 | Connecting line            |        | 1        |              |
| 12     | PCG 355 063 10 | Connecting line            |        | 1        |              |
| 13     | 999 512 055 02 | Hose clamp                 |        | 2        |              |
| 13     | PCG 512 055 02 | Hose clamp                 |        | 2        |              |
| 14     | 311 971 911    | Grommet                    |        | Х        | 914-6/4      |
| 15     | 111 957 861    | Rubber sleeve              |        | 2        |              |
| 16     | 901 355 012 00 | Brake master cylinder      |        | 1        | 914-6        |
|        |                | \$ 19,05                   |        | -        | 311 0        |
| (16)   | 914 355 011 00 | Brake master cylinder      |        | 1        | 914-4/1,7    |
| (10)   | 914 333 011 00 | -                          |        | _        |              |
|        |                | \$ 17,46                   |        |          | 914-1,8/1,8V |
| 1      |                | L                          |        |          | 914-2,0      |
| 17     | 901 355 924 00 | Protection cap             |        | 1        |              |
| 18     | 901 355 936 00 | Washer                     |        | 2        |              |
| 19     | 901 355 929 00 | Stopper                    |        | 2        |              |
| 20     | 900 027 015 02 | Lock ring                  |        | 2        |              |
|        |                | В 8                        |        |          |              |
| 20     | 900 027 015 03 | Lock ring                  |        | 2        |              |
|        |                | B 8                        |        |          |              |
| 21     | 900 076 025 02 | Hexagon nut                |        | 2        |              |
|        |                | M 8                        |        |          |              |
| 21     | 900 076 064 02 | Hexagon nut                |        | 2        |              |
| 1      |                | M 8                        |        | ~        |              |
| 22     | 911 355 012 02 | Brake master cylinder      |        | 1        | 914-6        |
|        | 911 355 012 02 |                            |        | +        | 914-0        |
|        |                | \$ 19,05                   |        |          |              |
|        |                | with                       |        |          |              |
|        |                | Warning contact            |        |          |              |
| (22)   | 914 355 012 00 | Brake master cylinder      |        | 1        | 914-4/1,7    |
|        |                | \$ 17,46                   |        |          | 914-1,8/1,8V |
| 1      |                | with                       |        |          | 914-2,0      |
| 1      |                | Warning contact            |        |          |              |
| 23     | 901 613 115 00 | Warning contact            | -73    | 1        | 914-6/4/1,7  |
|        |                | 2-pole                     |        |          | 914-2,0      |
| (23)   | 914 613 116 00 | Warning contact            | 74-    | 1        | 914-1,8V/1,8 |
| L      | <u> </u>       | <u> </u>                   |        | <u> </u> |              |

| woder. | 914 70         | Woder life 1970>>1970 |        |     |         |
|--------|----------------|-----------------------|--------|-----|---------|
| Pos    | Part Number    | Description           | Remark | Qty | Model   |
|        |                | Single pole           |        |     | 914-2,0 |
| 24     | 999 701 343 40 | 0-ring                |        | 1   |         |
|        |                | 12,42 - 1,78          |        |     |         |
| 25     | 914 613 491 00 | Protection cap        |        | 1   |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |
|        |                |                       |        |     |         |



| Pos         Part Number         Description         Remark           1         914 355 531 00         Brake lines         -71           1         Ring fitting         -71           1         Ring fitting         -72 | 3 914-6/4    |
|---|--------------|
| 1 914 355 531 00 Ring fitting -71 Ring fitting -72  | 3 914-6/4    |
| 1 914 355 531 00 Ring fitting -71 Ring fitting -72  | 3 914-6/4    |
| 1 Ring fitting -72  |              |
|   | 3 914-6      |
| 1 Ring fitting 72-  | 1            |
| 2 695 351 534 00 Banjo bolt   | 1            |
| 3 904 355 904 00 Gasket -71   | 4 914-6/4    |
| Metal   |              |
| \$ 10 MM  |              |
| Gasket 72-  | 4 914-6      |
| Metal   |              |
| \$ 10 MM  |              |
| 3   Gasket   72-  | 2            |
| Metal   | 2            |
| \$ 10 MM  |              |
| 4 904 355 902 00 Gasket -71   | 4 914-6/4    |
|   | 4 914-6/4    |
| Metal   |              |
| \$ 12 MM  |              |
| 4   Gasket 72-  | 4 914-6      |
| Metal   |              |
| \$ 12 MM  |              |
| 4   Gasket   72-  | 2            |
| Metal   |              |
| \$ 12 MM  |              |
| 5 901 355 531 00 Banjo bolt   | 2 914-6      |
| 5 Banjo bolt -71  | 2 914-4      |
| 6 914 355 617 00 Brake line /V /L   | 1            |
| 7 914 355 618 00 Brake line /V /R   | 1            |
| 8 901 355 632 01 Brake hose /V  | 2 914-6      |
| 8 901 355 632 02 Brake hose /V  | 2 914-6      |
| 8 901 355 632 01 Brake hose /V -71  | l l          |
| 8 901 355 632 02 Brake hose /V  | 2 914-4      |
| 8/1 211 611 775 A Brake hose /V 72-   |              |
| brane nobe  | 914-1,8/2,0  |
| 8/1 281 611 775 B Brake hose /V 72-   |              |
| 0/1   201 011 7/3 B   Blake nose   / V / Z=   | 914-1,8/2,0  |
| 8/1 951 355 079 31 Brake hose /V 72-  |              |
| 8/1 951 355 079 31 Brake hose /V 72-  |              |
|   | 914-1,8/2,0  |
| 9 914 355 665 00 Brake hose bracket   | 4 914-6      |
| 9 914 355 665 01 Brake hose bracket   | 4 914-6      |
| 9 914 355 665 00 Brake hose bracket   | 8            |
| 9 914 355 665 01 Brake hose bracket   | 8            |
| 10 803 611 715 Retainer spring -71  | 4 914-6/4    |
| 11 914 355 603 00 Brake line /V/L/V   |              |
| 11 914 355 603 03 Brake line /V/L/V   |              |
| 11 914 355 603 00 Brake line -71  | 2 914-4      |
| /V/L/V  | · I I        |
| 11 914 355 603 03 Brake line  | 2 914-4      |
| /V/L/V  | r/R          |
| (12) 914 355 603 02 Brake line /V /L  | 1 914-4      |
| F >>47229 19032   |              |
| Brake line /V /L  | 1 914-4/1,7  |
|   | 914-1,8/1,8V |
|   | 914-2,0      |
| F 47229 19033>>   |              |
| 12 914 355 604 02 Brake line /V /R  | 1 914-4      |
| F >>47229 19032   |              |
| 12   Brake line   /V /R   | 1 914-4/1,7  |
| blake line  | I I ' ' '    |
|   | 914-1,8/1,8V |
| 7 47000 10000   | 914-2,0      |
| F 47229 19033>>   |              |
| 13 914 355 691 00 Protective tube   | 10           |
| 14 914 355 611 00 Brake line  | 1            |
| Centre  |              |

| Model: 914 70 Model life 1970>>1976 | Model: | 914 70 | Model life | 1970>>1976 |
|-------------------------------------|--------|--------|------------|------------|
|-------------------------------------|--------|--------|------------|------------|

| woder. | 914 70         | Modernie 1970>>1970      |        |     |               |
|--------|----------------|--------------------------|--------|-----|---------------|
| Pos    | Part Number    | Description              | Remark | Qty | Model         |
| 1.5    | 001 255 615 00 |                          |        | 0   | 014 6 /4 /1 5 |
| 15     | 901 355 615 00 | Angled pipe              |        | 2   | 914-6/4/1,7   |
| 15     | 901 355 615 01 | Angled pipe              |        | 2   | 914-6/4/1,7   |
| 15     | 901 355 615 00 | Angled pipe              |        | 1   | 914-1,8V/1,8  |
| 1      | 001 055 615 01 |                          |        |     | 914-2,0       |
| 15     | 901 355 615 01 | Angled pipe              |        | 1   | 914-1,8V/1,8  |
|        |                |                          |        | _   | 914-2,0       |
| 16     | 914 355 613 00 | Brake line               |        | 1   |               |
|        |                | Centre                   |        |     |               |
|        |                | Tunnel                   |        | _   |               |
| 17     | 914 355 661 00 | Intermediate piece       |        | 1   |               |
| 18     | 914 355 614 01 | Brake line               |        | 1   | 914-6/4/1,7   |
|        |                | Tunnel                   |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        | _   |               |
| 19     | 914 355 612 00 | Brake line               | /H     | 1   | 914-6/4/1,7   |
|        |                | Centre                   |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        | _   |               |
| 19/1   | 914 355 614 01 | Brake line               | /H     | 1   | 914-1,8V/1,8  |
|        |                | Centre                   |        |     | 914-2,0       |
|        |                | F 47429 15752>>          |        | _   |               |
| 20     | 914 355 651 00 | Rubber sleeve            |        | 2   |               |
| 21     | 914 355 652 00 | Clamp                    |        | 2   |               |
| 22     | 914 355 067 00 | Brake pressure regulator |        | 1   | 914-6         |
| 22     | 914 355 065 00 | Brake pressure regulator |        | 1   | 914-4/1,7     |
|        |                |                          |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 22/1   | 914 355 065 01 | Brake pressure regulator |        | 1   | 914-1,8V/1,8  |
|        |                |                          |        |     | 914-2,0       |
|        |                | F 47429 15752>>          |        |     |               |
| 23     | 900 025 007 02 | Washer                   |        | 2   | 914-6/4/1,7   |
|        |                | 8,4                      |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 23     | 900 025 007 03 | Washer                   |        | 2   | 914-6/4/1,7   |
|        |                | 8,4                      |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 24     | 900 027 015 02 | Lock ring                |        | 2   |               |
|        |                | A 8                      |        |     |               |
| 24     | 900 027 015 03 | Lock ring                |        | 2   |               |
|        |                | A 8                      |        |     |               |
| 25     | 900 075 078 02 | Hexagon-head bolt        |        | 2   | 914-6/4/1,7   |
|        |                | M 8 X 15                 |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 25     | 900 075 078 03 | Hexagon-head bolt        |        | 2   | 914-6/4/1,7   |
|        |                | M 8 X 15                 |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 26     | 900 076 025 02 | Hexagon nut              | /2,0   | 2   | 914-1,8V/1,8  |
|        |                | м 8                      |        |     |               |
|        |                | F 47429 15752>>          |        |     |               |
| 26     | 900 076 064 02 | Hexagon nut              | /2,0   | 2   | 914-1,8V/1,8  |
|        |                | М 8                      |        |     |               |
|        |                | F 47429 15752>>          |        |     |               |
| 27     | 914 355 669 00 | Ring piece               |        | 1   | 914-6/4/1,7   |
|        |                |                          |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 28     | 914 355 668 00 | Banjo bolt               |        | 1   | 914-6/4/1,7   |
|        |                |                          |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 29     | 914 355 635 01 | Brake line               | /H /L  | 1   | 914-6/4/1,7   |
|        |                |                          |        |     | 914-2,0       |
|        |                | F >>47429 15751          |        |     |               |
| 29/1   | 914 355 635 02 | Brake line               | /H /L  | 1   | 914-1,8V/1,8  |
|        |                |                          |        |     | 914-2,0       |
|        |                | F 47429 15752>>          |        |     |               |
| 30     | 914 355 636 01 | Brake line               | /H /R  | 1   | 914-6/4/1,7   |
|        | •              | •                        | -      |     | •             |


| Dec.     | Dort Number                      | Description                   | Domork                                  | 041    | Model                   |
|----------|----------------------------------|-------------------------------|---|--------|-------------------------|
| Pos      | Part Number                      | Description                   | Remark                                  | Qty    | Model                   |
| 30/1     | 914 355 636 03                   | F >>47429 15751<br>Brake line | /H /R                                   | 1      | 914-2,0<br>914-1,8V/1,8 |
|          |                                  | F 47429 15752>>               | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |        | 914-2,0                 |
| 31       | 999 507 235 40                   | Pipe clip<br>F 47429 15752>>  |   | 2      | 914-1,8V/1,8<br>914-2,0 |
| 32<br>32 | 901 355 631 01<br>901 355 631 02 | Brake hose<br>Brake hose      | -71                                     | 2<br>2 | 914-6/4<br>914-6/4      |
|          | 211 611 775 B                    | Brake hose                    | 72-                                     | 2      |                         |
| 33       | 914 355 621 01                   | Brake line                    | /H /L                                   | 1      |                         |
| (33)     | 914 355 622 01                   | Brake line                    | /H /R                                   | 1      |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |
|          |                                  |                               |   |        |                         |

| <b>-</b> | СНЕ    |            | Illustration: 698-00 |  |
|----------|--------|------------|----------------------|--|
|          |        |            |                      |  |
| odel:    | 914 70 | Model life | 1970>>1976           |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |
|          |        |            |                      |  |

24.07.2017 - 1 Kat 570


| woder. | 914 70          | Widder life 1970>>1970    | T-        |     | 1                        |
|--------|-----------------|---------------------------|-----------|-----|--------------------------|
| Pos    | Part Number     | Description               | Remark    | Qty | Model                    |
|        |                 | Repair kits               |           |     |                          |
| >>     | 901 351 963 25  | Brake pad repair set      | /V        | 1   | 914-6                    |
|        |                 | without                   |           |     |                          |
|        |                 | Mounting parts            |           |     |                          |
| >>     | 901 351 964 11  | Gasket set                | /V        | 2   | 914-6                    |
|        |                 | 1 set                     |           |     |                          |
|        |                 | Comprising:               |           | _   |                          |
|        |                 | Gasket                    |           | 2   |                          |
|        |                 | Protection caps Ring      |           | 2 2 |                          |
| _      | 901 351 955 10  | Safety clip               |           | 1 1 |                          |
| _      | 901 331 933 10  | Safety clip               |           | 1   |                          |
| >>     | 914 351 903 00  | Brake pad repair set      | /V -72    | 1   | 914-4                    |
| ''     | ] 11 331 303 00 | F >>47229 19032           | , , , , , | -   |                          |
|        |                 | without                   |           |     |                          |
|        |                 | Mounting parts            |           |     |                          |
| >>     | 411 698 471     | Gasket set                | /V -72    | 2   | 914-4                    |
|        |                 | F >>47229 19032           |           |     |                          |
|        |                 | 1 set                     |           |     |                          |
|        |                 | Comprising:               |           |     |                          |
|        |                 | Gasket                    |           | 2   |                          |
|        |                 | Protection caps           |           | 2   |                          |
|        |                 | Ring Torsion protection   |           | 2   |                          |
|        |                 | for                       |           | 1   |                          |
|        |                 | Piston                    |           |     |                          |
|        |                 | Torsion protection        |           | 1   |                          |
|        |                 | for                       |           | -   |                          |
|        |                 | Piston                    |           |     |                          |
| _      | N 010 127 4     | Hexagon-head bolt         |           | 2   |                          |
| -      | 411 615 291     | Tab washer                |           | 1   |                          |
| >>     | 914 351 905 00  | Brake pad repair set      | /V 72-    | 1   | 914-4/1,7                |
|        |                 | F 47229 19033>>           |           |     | 914-1,8/1,8V             |
|        |                 | without                   |           |     | 914-2,0                  |
|        | 411 698 471 A   | Mounting parts Gasket set | /V 72-    | 2   | 014 4/1 7                |
| >>     | 411 698 471 A   | F 47229 19033>>           | / V / Z = | 4   | 914-4/1,7<br>914-1,8/2,0 |
|        |                 | 1 set                     |           |     | 914-1,0/2,0              |
|        |                 | Comprising:               |           |     |                          |
|        |                 | Gasket                    |           | 2   |                          |
|        |                 | Protection caps           |           | 2   |                          |
|        |                 | Torsion protection        |           | 1   |                          |
|        |                 | for                       |           |     |                          |
|        |                 | Piston                    |           |     |                          |
|        |                 | Torsion protection        |           | 1   |                          |
|        |                 | for Piston                |           |     |                          |
| _      | N 010 127 4     | Hexagon-head bolt         |           | 2   |                          |
| _      | 411 615 291     | Tab washer                |           | 1 1 |                          |
|        | 111 010 271     | without                   |           | -   |                          |
|        |                 | Mounting parts            |           | 2   |                          |
| >>     | 914 352 923 00  | Brake pad repair set      | /H        | 1   | 914-4/1,7                |
|        |                 | without                   |           |     | 914-1,8/1,8V             |
|        |                 | Mounting parts            |           |     | 914-2,0                  |
| >>     | 901 355 930 00  | Repair kit                |           | 1   | 914-6                    |
|        |                 | for                       |           |     |                          |
|        |                 | Brake master cylinder     |           |     |                          |
|        |                 | with And                  |           |     |                          |
|        |                 | without                   |           |     |                          |
|        |                 | Warning contact           |           |     |                          |
|        |                 | \$ 19,05                  |           |     |                          |
| >>     | 914 355 908 00  | Repair kit                |           | 1   | 914-4/1,7                |
|        | 1               | 1                         | 1         |     |                          |

| Pos | Part Number    | Description                  | Remark | Qty | Model                   |
|-----|----------------|------------------------------|--------|-----|-------------------------|
|     |                | for<br>Brake master cylinder |        | -   | 914-1,8/1,8V<br>914-2,0 |
|     |                | \$ 17,46                     |        |     | 914-2,0                 |
| -   | 901 355 924 00 | Protection cap               |        | 1   |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |
|     |                |                              |        |     |                         |




| 1 901 424 015 02   Transmission control   -72     1 914-6/4     2 901 424 017 00   Stop plate   1 914-6/4   3 901 424 133 00   Compression spring   2 914-6/4   901 424 115 00   Din   2 914-6/4   901 424 115 00   Din   2 914-6/4   901 424 115 00   Garshift lever   4 914-6/6   901 424 135 00   Garshift lever   1 914-6/6   901 424 135 00   Garshift lever   1 914-6/6   901 424 132 00   Garshift lever   1 914-6/6   1 91   |         | 914 70                                  | Model life 1970>>1976 | _      |                |   |
|--|---------|---|-----------------------|--------|----------------|---|
| 1   901 424 015 02   Coarshift bracket   1   914-6/4     2   901 424 017 00   Stop plate   1   914-6/4     3   901 424 013 00   Compression spring   2   914-6/4     4   901 424 015 01   Coarshift lever   1   914-6/4     6   901 424 015 01   Gaide ring   1   914-6/4     7   914 424 016 00   Gearshift lever   1   914-6/4     8   914 424 016 00   Gearshift lever   1   914-6/4     8   914 424 016 00   Gearshift lever   1   914-6/4     9   901 424 132 00   Gaide ring   1   914-6/4     10   914 424 131 00   Coarshift lever   1   914-6/4     10   914 424 131 00   Coarshift lever   1   914-6/4     11   911 424 132 00   Gaide   1   914-6/4     12   914 424 016 00   Gaide ring   1   914-6/4     13   914 524 014 014 00   Gaide ring ring   1   914-6/4     14   910 424 014 014 00   Gaide ring ring   1   914-6/4     15   914 614 014 00   Gaide ring ring ring   1   914-6/4     16   916 916 916 916 916 916 916 916 916 916  | s P     | Part Number                             | Description           | Remark | Qty            | Model                                   |
| 2   901 424 017 00   Stop Plate   1   914-6/4   3   901 424 135 00   Compression spring   2   914-6/4   901 424 135 00   Cutde ring   1   914-6/4   914-6/4   914 424 135 00   Cutde ring   1   914-6/4   914-6/4   914 424 135 00   Cutde ring   1   914-6/4   914-6/4   914 424 131 00   Cutde ring   1   914-6/4   914 424 131 00   Cearshift knob   1   914-6/4   914 424 013 01   Participal ring ring ring   1   914-6/4   914 424 013 01   Participal ring ring ring   1   914-6/4   914 424 013 01   Participal ring ring ring ring ring ring ring ring  |         |   | Transmission control  | -72    |                |   |
| 3   901 424 133 00   Compression spring   2   914-6/4     4   901 424 135 00   Din   2   914-6/4     5   N 012 435 1   Look washer   4   914-6/6     6   901 424 135 00   Guide ring   1   914-6/4     8   914 424 901 00   Sleeve   1   914-6/4     9   91 424 132 00   Guide   1   914-6/4     1   914 424 131 00   Compression spring   1   914-6/4     1   914 424 131 00   Ball socket   1   914-6/4     1   911 424 133 00   Ball socket   1   914-6/4     1   911 424 130 00   Ball socket   1   914-6/4     1   911 424 130 01   Ball socket   1   914-6/4     1   911 424 130 01   Ball socket   1   914-6/4     1   901 424 014 00   Gearshift knob   1   914-6/4     1   901 424 014 00   Spacer   1   914-6/4     1   930 424 031 00   Bearing bracket   1   914-6/4     1   930 424 031 00   Bearing bracket   1   914-6/4     1   900 028 008 01   Lock ring   B 6     17   900 027 015 02   Lock ring   B 8     18   900 075 078 02   Hexagon-head bolt   M 6 x 10     19   900 025 007 02   M 8 x 15     19   900 031 001 02   N 8 x 15     19   900 031 001 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07     | 1 9     | 901 424 015 02                          | Gearshift bracket     |        | 1              | 914-6/4                                 |
| 3   901 424 133 00   Compression spring   2   914-6/4     4   901 424 135 00   Din   2   914-6/4     5   N 012 435 1   Look washer   4   914-6/6     6   901 424 135 00   Guide ring   1   914-6/4     8   914 424 901 00   Sleeve   1   914-6/4     9   91 424 132 00   Guide   1   914-6/4     1   914 424 131 00   Compression spring   1   914-6/4     1   914 424 131 00   Ball socket   1   914-6/4     1   911 424 133 00   Ball socket   1   914-6/4     1   911 424 130 00   Ball socket   1   914-6/4     1   911 424 130 01   Ball socket   1   914-6/4     1   911 424 130 01   Ball socket   1   914-6/4     1   901 424 014 00   Gearshift knob   1   914-6/4     1   901 424 014 00   Spacer   1   914-6/4     1   930 424 031 00   Bearing bracket   1   914-6/4     1   930 424 031 00   Bearing bracket   1   914-6/4     1   900 028 008 01   Lock ring   B 6     17   900 027 015 02   Lock ring   B 8     18   900 075 078 02   Hexagon-head bolt   M 6 x 10     19   900 025 007 02   M 8 x 15     19   900 031 001 02   N 8 x 15     19   900 031 001 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 02   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 03   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07   N 8 x 15     19   900 031 005 07 07 07     | 2 90    | 901 424 017 00                          | Stop plate            |        | 1              | 914-6/4                                 |
| 4   901 424 115 00   pin   |         |   |                       |        | 2              | 914-6/4                                 |
| 5  |         |   |                       |        | 2              | 914-6/4                                 |
| 6   901 424 135 00   Gaurahift lewer   1   914-6/4   7   914 424 016 03   Gearshift lewer   1   914-6/4   7   914 424 016 03   Gearshift lewer   1   914-6/4   8   914 424 910 00   Sleeve   1   914-6/4   9   901 424 132 00   Guide   1   914-6/4   1   911 424 139 00   Ball socket   1   914-6/4   1   911 424 139 00   Ball socket   1   914-6/4   1   911 424 139 00   Gearshift knob   1   914-6/4   1   911 424 139 00   Gearshift knob   1   914-6/4   1   911 424 139 00   Gearshift knob   1   914-6/4   1   999 532 001 00   Spacer   1   914-6/4   1   999 532 001 00   Spacer   1   914-6/4   1   900 024 031 00   Bearing bracket   1   914-6/4   1   930 424 031 00   Bearing bracket   1   914-6/4   1   900 028 008 01   Lock ring   B   6   |         |   | Lock washer           |        | 4              | 914-6/4                                 |
| 7 914 424 016 00 Gearshift lever 7 914 424 016 00 Gearshift lever 8 914 424 901 00 Sleeve 9 901 424 132 00 Guide 1 914-6/4 10 914 424 131 00 Compression spring 11 914-6/4 11 911 424 139 00 Ball socket 11 914-6/4 12 901 424 014 00 Gearshift knob 12 901 424 011 00 Spacer 14 930 424 031 00 Searthift knob 15 903 424 031 00 Searthift knob 16 900 028 008 01 Lock ring 17 900 027 015 02 Lock ring 18 900 075 078 02 Hexagon-head bolt 18 900 075 078 03 Hexagon-head bolt 19 900 025 007 02 Washer 19 900 031 105 01 Washer 19 900 031 105 01 Washer 19 900 031 105 01 Washer 19 914 424 235 00 Speed nut 19 914 624 29 914 424 224 00 Friction ring 29 914 424 021 00 Gear shift rod 27 914 424 021 00 Gear shift rod 28 914 424 021 00 Gear shift rod 29 99 523 102 02 Washer 29 99 523 102 02 Washer 29 99 523 102 08 Washer 20 999 523 102 08 Washer 30 999 523 102 08 Washer 31 914 66/4 30 999 523 102 08 Washer 31 914 66/6 31 990 076 025 02 Hexagon-head bolt 30 999 523 102 08 Washer 31 914 66/6 31 990 076 025 02 Hexagon-head bolt 31 914 66/6 32 999 523 102 08 Washer 32 999 523 102 08 Washer 33 999 523 102 08 Washer 34 900 076 025 02 Hexagon nut   |         |   |                       |        | l              | · ·                                     |
| 7  |         |   | _                     |        | l              | 914-6/4                                 |
| 8 914 424 901 00 Sleeve  |         |   |                       |        |                | - '                                     |
| 9 901 424 132 00 Guide 10 914 424 131 00 Compression spring 11 911 424 139 00 Ball socket 11 911 424 139 00 Ball socket 12 901 424 014 00 Gearshift knob 13 999 532 001 00 Spacer 14 930 424 031 00 Bearing bracket 15 N 010 210 13 Hexagon-head bolt 16 900 028 008 01 Lock ring 17 900 027 015 02 Lock ring 18 8 18 900 075 078 02 Hexagon-head bolt 18 900 075 078 03 Hexagon-head bolt 19 900 025 007 02 Washer 19 900 031 105 01 Washer 19 900 031 105 01 Washer 19 900 031 050 1 Washer 19 914 66:8 19 900 031 050 1 Washer 19 914 424 235 00 Space 1 Sp |         |   |                       |        | l              | · ·                                     |
| 10   | I .     |   |                       |        | l              |   |
| 11   911 424 139 00   Ball socket   1   914-6/4   12   901 424 014 00   Gearshift knob   1   914-6/4   13   999 532 001 00   Spacer   1   914-6/4   14   930 424 031 01   Bearing bracket   1   914-6/4   15   N 010 210 13   Hexagon-head bolt   1   914-6/4   16   900 028 008 01   Lock ring   B 6   Lock ring   B 8   17   900 027 015 02   Lock ring   B 8   18   900 075 078 02   Hexagon-head bolt   M 8 x 15   18   900 075 078 03   Hexagon-head bolt   M 8 x 15   19   900 025 007 02   Washer   1   914-6/4   19   900 031 105 01   Washer   1   914-6/8   19   900 031 105 01   Washer   1   914-6/8   19   900 031 105 01   Washer   1   914-6/8   1      |         |   |                       |        | l              |   |
| 11   911 424 139 01   Ball socket   1   914-6/4   12   901 424 014 00   Spacer   1   914-6/4   13   999 532 001 00   Spacer   1   914-6/4   14   930 424 031 01   Bearing bracket   1   914-6/4   15   N 010 210 13   Hexagon-head bolt   2   914-6/4   16   900 028 008 01   Lock ring   3   914-6/4   17   900 027 015 02   Lock ring   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   18   900 075 078 03   Hexagon-head bolt   3   914-6/4   18   900 025 007 02   Washer   1   914-6/4   19   900 031 001 02   Washer   1   914-6   19   900 031 105 01   Washer   1   914-6   19   900 031 105 01   Washer   1   914-6   19   900 031 105 01   Washer   1   914-6   19   914 424 235 00   Speed nut   B   3,5   x 9,5   5   22   914 424 021 00   Gear shift rod   1   914-6   1      |         |   |                       |        | l              | · ·                                     |
| 12   901 424 014 00   Spacer   1   914-6/4   13   999 532 001 00   Spacer   1   914-6/4   14   930 424 031 01   Bearing bracket   1   914-6/4   15   N 010 210 13   Hexagon-head bolt   2   914-6/4   16   900 028 008 01   Lock ring   B 8   8   17   900 027 015 02   Lock ring   B 8   8   8   17   900 027 015 03   Lock ring   B 8   8   8   18   19   900 025 007 02   Hexagon-head bolt   M 8 X 15   19   900 025 007 02   Washer   1   914-6/8   8   19   900 025 007 03   Washer   1   914-6:5   8   8   19   900 031 105 01   Washer   1   914-6:5   8   8   19   900 031 105 01   Washer   1   914-6:5   914 424 224 00   Friction ring   2   914 424 027 00   Connecting tube   1   914-6:4   1      |         |   |                       |        |                |   |
| 13   999 532 001 00   Spacer   1   914-6/4   14   930 424 031 01   Bearing bracket   1   914-6/4   15   N 010 210 13   Hexagon-head bolt   2   914-6/4   16   900 028 008 01   Lock ring   3   914-6/4   17   900 027 015 02   Lock ring   3   914-6/4   18   17   900 027 015 02   Lock ring   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   19   900 025 007 02   Washer   1   914-6:8   19   900 025 007 02   Washer   1   914-6:8   19   900 031 001 02   Washer   1   914-6:8   19   900 031 105 01   Washer   8,4   1   914-6:8   8,4   1   914-6:8   8,4   1   914-6:8   8,4   1   914-6:8   8,4   1   914-6:8   8,4   1   914-6:8   8,4   1   914-6:8   1   914-   |         |   |                       |        | l              |   |
| 14   930 424 031 00   Bearing bracket   1   914-6/4   910 024 031 01   Bearing bracket   1   914-6/4   910 028 008 01   Lock ring   B 6  |         |   |                       |        |                |   |
| 14   930 424 031 01   Bearing bracket   1   914-6/4   15   N 010 210 13   Bearing bracket   1   914-6/4   2   914-6/4   16   900 028 008 01   Lock ring   2   914-6/4   17   900 027 015 02   Lock ring   3   914-6/4   17   900 027 015 02   Lock ring   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   18   900 075 078 02   Hexagon-head bolt   3   914-6/4   18   900 075 078 03   Hexagon-head bolt   3   914-6/4   19   900 025 007 02   Washer   3   914-6/4   19   900 025 007 03   Washer   3   914-6/5   19   900 031 001 02   Washer   3   8   4   1   914-6   19   900 031 105 01   Washer   3   8   4   1   914-6   19   914   10     |         |   |                       |        | l              | · ·                                     |
| 15   |         |   |                       |        | l              | · ·                                     |
| M 6 X 10   Lock ring   B 6   |         |   |                       |        |                | l ·                                     |
| 16   900 028 008 01   Lock ring   86   3   914-6/4     17   900 027 015 02   Lock ring   8   8     17   900 027 015 03   Lock ring   8   8     18   900 075 078 02   Hexagon-head bolt   M 8 X 15     18   900 075 078 03   Hexagon-head bolt   M 8 X 15     19   900 025 007 02   Washer   1   914-6:8     19   900 025 007 03   Washer   1   914-6:8     19   900 031 001 02   Washer   1   914-6:8     19   900 031 105 01   Washer   1   914-6:8     19   900 031 105 01   Washer   1   914-6:8     20   N 013 957 5   Oval-head sheetmetal screw   B 3,5 X 9,5     21   914 424 235 00   Friction ring   3   914-6/4     22   914 424 224 00   Friction ring   3   914-6/4     24   930 424 241 00   Head shift rod   1   914-6/4     25   901 424 027 00   Connecting tube   1   914-6/4     26   914 424 033 00   Connecting tube   1   914-6/4     29   N 040 222   Washer   1   914-6/4     30   999 523 102 02   Washer   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     11   914-6/4   1   914-6/4     11   914-6/4   1   914-6/4     11   914-6/4   1   914-6/4     12   914-6/4   1   914-6/4     13   900 076 025 02   Hexagon nut   1   914-6/4     10   914-6/4   1   914-6/4     10   914-6/4   1   914-6/4     11   914-6/4   1   914-6/4     11   914-6/4   1   914-6/4     12   914-6/4   1   914-6/4     13   900 076 025 02   Hexagon nut   1   914-6/4     14   914-6/4   1   914-6/4     15   914-6/4   914-6/4   914-6/4     16   914-6/4   914-6/4   914-6/4   914-6/4     17   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4   914-6/4      | 15 N    | ง 010 210 13                            |                       |        | 2              | 914-6/4                                 |
| 17   900 027 015 02   B 6   Lock ring   B 8  |         |   |                       |        |                |   |
| 17   900 027 015 02   Lock ring   B 8   3   914-6/4     18   900 075 078 02   Hexagon-head bolt   3   914-6/4     18   900 075 078 03   Hexagon-head bolt   3   914-6/4     19   900 025 007 02   Washer   1   914-6:8     19   900 025 007 03   Washer   1   914-6:8     19   900 031 001 02   Washer   1   914-6:8     19   900 031 105 01   Washer   1   914-6:8     19   900 031 105 01   Washer   1   914-6:8     20   N 013 957 5   Oval-head sheetmetal screw   B 3,5 X 9,5     21   914 424 235 00   Gear shift rod   1   914-6:4     23   914 424 231 00   Gear shift rod   2   914 424 239 00   Conical screw   1   914-6:4     26   914 424 227 00   Conical screw   1   914-6:4     26   914 424 237 00   Connecting tube   1   914-6:4     27   914 424 214 00   Clamp   1   914-6:4     29   N 040 222 2   Washer   1   914-6:4     29   N 040 222 2   Washer   1   914-6:4     30   999 523 102 0B   Washer   1   914-6:4     31   900 076 025 02   Hexagon nut   1   914-6:4     31   900 076 025 02   Hexagon nut   1   914-6:4     32   914-6:4   914-6:4     33   914-6:4   914-6:4     34   914-6:4   914-6:4     35   914   914   914-6:4     36   914   914   914-6:4     37   919 523 102 0B   Washer   1   914-6:4     38   919 523 102 02   Washer   1   914-6:4     31   900 076 025 02   Hexagon nut   1   914-6:4     32   914   914   914-6:4     33   914-6:4   914-6:4     34   914-6:4   914-6:4     35   914-6:4   914-6:4     36   914-6:4   914-6:4     37   910 076 025 02   Hexagon nut   1   914-6:4     38   914-6:4   914-6:4     39   914-6:4   914-6:4     30   914-6:4   914-6:4     31   900 076 025 02   Hexagon nut   1   914-6:4     31   914-6:4   914-6:4     32   914-6:4   914-6:4     33   914-6:4   914-6:4     34   914-6:4   914-6:4     35   914-6:4   914-6:4     36   914-6:4   914-6:4     37   914-6:4   914-6:4     38   914-6:4   914-6:4     914-6:5   914-6:4   914-6:4     914-6:5   914-6:4   914-6:4     914-6:5   914-6:4   914-6:5     914-6:5   914-6:4   914-6:5     914-6:5   914-6:5   914-6:5     914-6:5   914-6:5   914-6:5     914-6:5   914-6:   | 16 9    | 900 028 008 01                          | _                     |        | 2              | 914-6/4                                 |
| B 8  |         |   | В 6                   |        |                |   |
| 17   900 027 015 03   Lock ring   8   8   8   900 075 078 02   Hexagon-head bolt   M 8 X 15   18   900 075 078 03   Hexagon-head bolt   M 8 X 15   19   900 025 007 02   Washer   1   914-6:8   19   900 025 007 03   Washer   1   914-6:8   19   900 031 001 02   Washer   1   914-6:8   19   900 031 001 02   Washer   1   914-6:8   19   900 031 105 01   Washer   1   914-6   19   914-6   | 17 9    | 900 027 015 02                          | Lock ring             |        | 3              | 914-6/4                                 |
| B 8  |         |   | В 8                   |        |                |   |
| 18       900 075 078 02       Hexagon-head bolt M 8 X 15       3       914-6/4         18       900 075 078 03       Hexagon-head bolt M 8 X 15       3       914-6/4         19       900 025 007 02       Washer 8,4       1       914-6:8         19       900 031 001 02       Washer 8,4       1       914-6:8         19       900 031 105 01       Washer 8,4       1       914-6         20       N 013 957 5       Oval-head sheetmetal screw B 3,5 X 9,5       1       914-6         21       914 424 235 00       Speed nut B 3,5       1       914-6         22       914 424 224 00       Friction ring Gear shift rod Gear s  | 17 90   | 900 027 015 03                          | Lock ring             |        | 3              | 914-6/4                                 |
| M 8 X 15  19 900 075 078 03  |         |   | В 8                   |        |                |   |
| M 8 X 15  19 900 075 078 03  | 18 90   | 900 075 078 02                          | Hexagon-head bolt     |        | 3              | 914-6/4                                 |
| M 8 X 15 Washer  1 914-6:8  19 900 025 007 02 Washer  8,4  19 900 031 001 02 Washer  8,4  19 900 031 105 01 Washer  8,4  20 N 013 957 5 Oval-head sheetmetal screw  B 3,5 X 9,5  21 914 424 235 00 Speed nut  B 3,5  22 914 424 021 00 Gear shift rod  23 914 424 021 00 Gear shift rod  24 930 424 241 00 Head shift rod  25 901 424 229 00 Conical screw  26 914 424 027 00 Connecting tube  27 914 424 033 00 Connecting tube  28 914 424 014 00 Clamp  29 N 040 222 Chexagon-head bolt  M 8 X 32  30 999 523 102 02 Washer  M 8  31 900 076 025 02 Hexagon nut  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4   |         |   |                       |        |                |   |
| M 8 X 15  Masher  1 914-6:8  8,4  19 900 025 007 03 Washer  8,4  19 900 031 001 02 Washer  8,4  19 900 031 105 01 Washer  8,4  20 N 013 957 5 Oval-head sheetmetal screw  B 3,5 X 9,5  21 914 424 235 00 Speed nut  B 3,5  22 914 424 021 00 Gear shift rod  23 914 424 021 00 Gear shift rod  24 930 424 241 00 Head shift rod  25 901 424 229 00 Conical screw  26 914 424 027 00 Connecting tube  27 914 424 033 00 Connecting tube  28 914 424 033 00 Connecting tube  29 N 040 222 Chexagon-head bolt  M 8 X 32  30 999 523 102 02 Washer  M 8  31 900 076 025 02 Hexagon nut  1 914-6/4  914-6/4  914-6/4  914-6/4  914-6/4  914-6/4   | 18 9    | 900 075 078 03                          | Hexagon-head bolt     |        | 3              | 914-6/4                                 |
| 19 900 025 007 02 Washer 8,4  19 900 025 007 03 Washer 8,4  19 900 031 001 02 Washer 8,4  19 900 031 105 01 Washer 8,4  20 N 013 957 5 Oval-head sheetmetal screw B 3,5 X 9,5  21 914 424 235 00 Speed nut 914-6  22 914 424 224 00 Friction ring 3 914-6/4  23 914 424 021 00 Gear shift rod 1 914-6/4  24 930 424 241 00 Head shift rod 1 914-6/4  25 901 424 229 00 Connecting tube 1 914-6/4  27 914 424 033 00 Connecting tube 1 914-6/4  28 914 424 010 Clamp 1 914-6/4  29 N 040 222 Washer 1 914-6/4  M 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut 1 914-6/4  31 900 076 025 02 Hexagon nut 1 914-6/4  31 910 076 025 02 Hexagon nut 1 914-6/4  |         |   | _                     |        | -              | 1                                       |
| 19   900 025 007 03   8,4   1   914-6:8     19   900 031 001 02   Washer   1   914-6:8     19   900 031 105 01   Washer   1   914-6     20   N 013 957 5   Oval-head sheetmetal screw   1   914-6     21   914 424 235 00   Speed nut   1   914-6     22   914 424 224 00   Friction ring   3   914-6/4     23   914 424 021 00   Gear shift rod   7V   1   914-6/4     24   930 424 241 00   Head shift rod   1   914-6/4     25   901 424 229 00   Conical screw   1   914-6/4     26   914 424 027 00   Connecting tube   1   914-6/4     27   914 424 033 00   Connecting tube   1   914-6/4     28   914 424 214 00   Clamp   1   914-6/4     29   N 040 222 2   Hexagon-head bolt   N 8 X 32     30   999 523 102 02   Washer   1   914-6/4     30   999 523 102 08   Washer   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     32   914-6/4   1   914-6/4     33   94   94   95   95   95   95   95   95   | 19 9    | 900 025 007 02                          |                       |        | 1              | 914-6:SPM                               |
| 19 900 025 007 03 Washer 8,4 19 900 031 001 02 Washer 8,4 19 900 031 105 01 Washer 8,4 20 N 013 957 5 Oval-head sheetmetal screw B 3,5 X 9,5 21 914 424 235 00 Speed nut B 3,5 22 914 424 00 Friction ring 3 914-6/4 24 930 424 241 00 Head shift rod 7 1 914-6/4 25 901 424 229 00 Conical screw 1 914-6/4 26 914 424 027 00 Connecting tube 1 914-6/4 27 914 424 033 00 Connecting tube 1 914-6/4 28 914 424 214 00 Hexagon-head bolt M 8 X 32 30 999 523 102 02 Washer M 8 31 900 076 025 02 Hexagon nut 1 914-6/4 M 8  |         | 200 023 007 02                          |                       |        | -              |   |
| 19   900 031 001 02   Washer   1   914-6   | 10 0    | 900 025 007 03                          |                       |        | 1 1            | 914_6 · CDM                             |
| 19 900 031 001 02 Washer 8,4  19 900 031 105 01 Washer 8,4  20 N 013 957 5 Oval-head sheetmetal screw B 3,5 X 9,5  21 914 424 235 00 Speed nut B 3,5  22 914 424 021 00 Gear shift rod 1 914-6/4  23 914 424 021 00 Gear shift rod 1 914-6/4  25 901 424 229 00 Conical screw 1 914-6/4  26 914 424 033 00 Connecting tube 1 914-6/4  27 914 424 033 00 Connecting tube 1 914-6/4  28 914 424 100 Clamp 1 914-6/4  29 N 040 222 2 Hexagon-head bolt M 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut 1 914-6/4  | 17   7  | 700 023 007 03                          |                       |        |                | JIT O'SEM                               |
| 8,4  20 N 013 957 5  | 10 0    | 900 031 001 02                          |                       |        | 1              | 914_6                                   |
| 19 900 031 105 01 Washer 8,4  20 N 013 957 5 Oval-head sheetmetal screw B 3,5 X 9,5  21 914 424 235 00 Speed nut B 3,5  22 914 424 021 00 Gear shift rod 7 1 914-6/4  23 914 424 021 00 Head shift rod 1 914-6/4  25 901 424 229 00 Conical screw 1 914-6/4  26 914 424 027 00 Connecting tube 1 914-6  27 914 424 033 00 Connecting tube 1 914-6/4  28 914 424 214 00 Clamp 1 914-6/4  29 N 040 222 2 Hexagon-head bolt M 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut 1 914-6/4   | 19   91 | 900 031 001 02                          |                       |        | -              | 914-0                                   |
| 8,4  20 N 013 957 5  0val-head sheetmetal screw B 3,5 X 9,5  21 914 424 224 00   | 10      | 000 031 105 01                          |                       |        | 1              | 014 6                                   |
| 20 N 013 957 5   | 19 9    | 900 031 105 01                          |                       |        | 1              | 914-6                                   |
| B 3,5 X 9,5 Speed nut B 3,5  22 914 424 224 00 Friction ring 3 914-6/4 23 914 424 021 00 Gear shift rod 4 930 424 241 00 Head shift rod 5 901 424 229 00 Conical screw 6 914 424 027 00 Connecting tube 7 914 424 033 00 Connecting tube 7 914 424 214 00 Clamp 8 1 914-6/4 8 914 424 214 00 Clamp 9 N 040 222 2 Hexagon-head bolt M 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut  B 3,5 X 9,5 Speed nut B 914-6/4  7 914 424 224 00  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4  1 914-6/4  |         | - 010 055 5                             | <b>1</b> '            |        |                |   |
| 21 914 424 235 00 Speed nut B 3,5  22 914 424 224 00 Friction ring 3 914-6/4  23 914 424 021 00 Gear shift rod 4 930 424 241 00 Head shift rod 5 901 424 229 00 Conical screw 6 914 424 027 00 Connecting tube 7 914 424 033 00 Connecting tube 7 914 424 033 00 Connecting tube 8 914 424 214 00 Clamp 9 N 040 222 2 Hexagon-head bolt M 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut  1 914-6/4   | 20 N    | 1 013 957 5                             |                       |        | 1              | 914-6                                   |
| B 3,5 Friction ring 3 914-6/4 23 914 424 021 00 Gear shift rod 4 930 424 241 00 Head shift rod 5 901 424 229 00 Conical screw 6 914 424 027 00 Connecting tube 7 914 424 033 00 Connecting tube 7 914 424 033 00 Connecting tube 8 914 424 214 00 Clamp 9 N 040 222 2 Hexagon-head bolt 9 8 X 32  30 999 523 102 02 Washer M 8  31 900 076 025 02 Hexagon nut  B 3,5 Friction ring 3 914-6/4  /V 1 914-6/4   |         |   |                       |        |                |   |
| 22   914 424 224 00   Friction ring   3   914-6/4     23   914 424 021 00   Gear shift rod   7V   1   914-6/4     24   930 424 241 00   Head shift rod   1   914-6/4     25   901 424 229 00   Conical screw   1   914-6/4     26   914 424 027 00   Connecting tube   1   914-6/4     27   914 424 033 00   Connecting tube   1   914-6/4     28   914 424 214 00   Clamp   1   914-6/4     29   N 040 222 2   Hexagon-head bolt   1   914-6/4     30   999 523 102 02   Washer   M 8   8     30   999 523 102 0B   Washer   M 8     31   900 076 025 02   Hexagon nut   1   914-6/4     31   900 076 025 02   Hexagon nut   1   914-6/4     32   914-6/4   914-6/4     33   914-6/4   914-6/4     42   914-6/4   914-6/4     43   914-6/4   914-6/4     44   914-6/4   914-6/4     54   914-6/4   914-6/4     55   914-6/4   914-6/4     56   914-6/4   914-6/4     57   914-6/4   914-6/4     58   914-6/4   914-6/4     58   914-6/4   914-6/4     59   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     50   914-6/4   914-6/4     60   914-6/4   914-6/4     70   914-6/4   914   | 21 9    | 914 424 235 00                          | -                     |        | 1              | 914-6                                   |
| 23 914 424 021 00 Gear shift rod /V 1 914-6/4 24 930 424 241 00 Head shift rod 1 914-6/4 25 901 424 229 00 Conical screw 1 914-6/4 26 914 424 027 00 Connecting tube 1 914-6 27 914 424 033 00 Connecting tube 1 914-6/4 28 914 424 214 00 Clamp 1 914-6/4 29 N 040 222 2 Hexagon-head bolt M 8 X 32 30 999 523 102 02 Washer M 8 30 999 523 102 0B Washer M 8 31 900 076 025 02 Hexagon nut 1 914-6/4   |         |   |                       |        |                |   |
| 24 930 424 241 00 Head shift rod 25 901 424 229 00 Conical screw 26 914 424 027 00 Connecting tube 27 914 424 033 00 Connecting tube 28 914 424 214 00 Clamp 29 N 040 222 2 Hexagon-head bolt 30 999 523 102 02 Washer M 8 31 900 076 025 02 Hexagon nut  1 914-6/4 2 914-6/4 3 914-6/4 3 930 424 241 00 3 999 523 102 08 Washer M 8 3 999 523 102 08 Washer M 8 3 999 523 102 08 Washer M 8   |         |   | _                     |        | l              |   |
| 25  901 424 229 00   |         |   |                       | /V     | l              | 914-6/4                                 |
| 26  914 424 027 00   |         |   |                       |        | l              | 914-6/4                                 |
| 27 914 424 033 00 Connecting tube 28 914 424 214 00 Clamp 29 N 040 222 2 Hexagon-head bolt 30 999 523 102 02 Washer M 8 31 900 076 025 02 Hexagon nut  1 914-4 1 914-6/4 1 914-6/4 1 914-6/4 1 914-6/4   | I .     |   |                       |        | 1              | 914-6/4                                 |
| 28  914 424 214 00   | 26 9:   | 914 424 027 00                          | Connecting tube       |        | 1              | 914-6                                   |
| 29 N 040 222 2 Hexagon-head bolt M 8 X 32  30 999 523 102 02 Washer M 8  30 999 523 102 0B Washer M 8  31 900 076 025 02 Hexagon nut  1 914-6/4  | 27 93   | 914 424 033 00                          | Connecting tube       |        | 1              | 914-4                                   |
| M 8 X 32 Washer M 8 Masher M 8 Masher M 8 Masher M 1 Masher M 2 Masher M 31 Masher M 32 Masher M 31 Masher M 31 Masher M 32 Masher M 32 Masher M 31 Masher M 32 Masher M 32 Masher M 32 Masher M 33 Masher M 31 Masher M 32 Masher M 32 Masher M 33 Masher M 33 Masher M 34 Mashe | 28 9:   | 914 424 214 00                          | Clamp                 |        | 1              | 914-6/4                                 |
| M 8 X 32 Washer M 8 Masher M 8 Masher M 8 Masher M 1 Masher M 2 Masher M 31 Masher M 32 Masher M 31 Masher M 31 Masher M 32 Masher M 32 Masher M 31 Masher M 32 Masher M 32 Masher M 32 Masher M 33 Masher M 31 Masher M 32 Masher M 32 Masher M 33 Masher M 33 Masher M 34 Mashe | 29 N    | N 040 222 2                             | Hexagon-head bolt     |        | 1              | 914-6/4                                 |
| M 8 Washer M 8  30 999 523 102 0B Washer M 8  31 900 076 025 02 Hexagon nut  1 914-6/4   |         |   |                       |        |                |   |
| M 8 Washer M 8  30 999 523 102 0B Washer M 8  31 900 076 025 02 Hexagon nut  1 914-6/4   | 30 99   | 999 523 102 02                          | Washer                |        | 1              | 914-6/4                                 |
| 30 999 523 102 0B Washer M 8 31 900 076 025 02 Hexagon nut 1 914-6/4   |         |   | M 8                   |        |                |   |
| M 8<br>31 900 076 025 02 Hexagon nut 1 914-6/4   | 30 9    | 999 523 102 OB                          | Washer                |        | 1 1            | 914-6/4                                 |
| 31 900 076 025 02 Hexagon nut 1 914-6/4  |         |   |                       |        | l <sup>-</sup> | , -                                     |
|  | 31   0  | 900 076 025 02                          |                       |        | 1              | 914-6/4                                 |
| 122 ()   | 21   31 | , o o o i o o o o o o o o o o o o o o o |                       |        |                | ) I I I I I I I I I I I I I I I I I I I |
| 1 1 1 1  | 21 0    | 000 076 064 02                          |                       |        | 1 1            | 914-6/4                                 |
|  | 21   31 | /UU U/U UU4 UZ                          |                       |        |                | ) 1 I I I I I I I I I I I I I I I I I I |
| M 8  | ,,  ,   | 014 404 010 00                          |                       |        | 1              | 014 6                                   |
| 32 914 424 212 00 Intermediate piece 1 914-6   |         |   |                       |        | l              |   |
| 33 914 424 223 00 Bush 2 914-6   |         |   |                       |        |                |   |
| 34 900 074 151 02 Hexagon-head bolt 2 914-6  | 34   90 | JUU U/4 151 U2                          |                       |        | 2              | 914-6                                   |
| M 6 X 38   |         |   | М 6 Х 38              |        |                |   |

| Model: | 914 70         | Model life 1970>>1976    |        |     |           |
|--------|----------------|--------------------------|--------|-----|-----------|
| Pos    | Part Number    | Description              | Remark | Qty | Model     |
| 35     | 999 084 028 02 | Howagon nut              |        | 2   | 914-6     |
| 35     | 999 004 020 02 | Hexagon nut M 6 UNI-STOP |        |     | 914-0     |
| 36     | 914 424 022 00 | Gear shift rod           | /H     | 1   | 914-6     |
| (36)   | 914 424 022 10 | Gear shift rod           | /H     | 1   | 914-6:SPM |
| 37     | 914 424 012 00 | Support                  | / 11   | 1   | 914-6     |
| 38     | 914 424 241 00 | Head shift rod           | /H     | 1   | 914-6     |
| 39     | 999 095 021 00 | Roll pin                 | /      | 1   | 914-6     |
| 40     | 914 424 512 00 | Ball                     |        | 2   | 914-4     |
| 41     | 914 424 511 00 | Eccentric bolt           |        | 1   | 914-4     |
| 42     | 999 523 109 02 | Lock washer              |        | 1   | 914-4     |
|        |                | M 12                     |        |     |           |
| 43     | 914 424 032 03 | Gear shift rod           | /H     | 1   | 914-4     |
| 44     | 914 424 014 00 | Support                  |        | 1   | 914-4     |
| 45     | 900 076 025 02 | Hexagon nut              |        | 2   | 914-4     |
|        |                | м 8                      |        |     |           |
| 45     | 900 076 064 02 | Hexagon nut              |        | 2   | 914-4     |
|        |                | м 8                      |        |     |           |
| 46     | 900 027 015 02 | Lock ring                |        | 2   | 914-4     |
|        |                | B 8                      |        |     |           |
| 46     | 900 027 015 03 | Lock ring                |        | 2   | 914-4     |
|        |                | В 8                      |        |     |           |
| 47     | PCG 424 501 00 | Cover                    |        | 1   | 914-6/4   |
| 48     | 914 424 502 00 | Rubber strap             |        | 1   | 914-6/4   |
| 49     | 914 424 297 00 | Sleeve                   |        | 1   | 914-6/4   |
| 49     | 914 424 297 02 | Sealing sleeve           |        | 1   | 914-6/4   |
| 50     | 901 741 291 00 | Sleeve                   |        | 1   | 914-6/4   |
| 51     | 914 424 206 00 | Protection cap           |        | 1   | 914-6     |
| (51)   | 914 424 229 00 | Cap                      |        | 1   | 914-4     |
| 52     | 999 512 348 02 | Hose clamp               |        | 1   | 914-6/4   |
|        |                | 44 - 64 X 9              |        |     |           |
| 53     | 914 424 208 00 | Rubber ring              |        | 1   | 914-6/4   |
| 54     | 905 424 026 00 | Gearshift lever          |        | 1   | 914-6:SPM |
| 55     | 905 424 024 02 | Lower part               |        | 1   | 914-6:SPM |
| 56     | 905 424 111 02 | Compression spring       |        | 1   | 914-6:SPM |
| 57     | 900 108 012 00 | Ball                     |        | 1   | 914-6:SPM |
|        |                | 10 MM                    |        |     |           |
| 58     | 905 424 234 02 | Stop ring                |        | 1   | 914-6:SPM |
| 59     | 905 424 107 02 | Straight pin             |        | 1   | 914-6:SPM |
| 60     | 905 613 039 00 | Contacts                 |        | 1   | 914-6:SPM |
| 60     | 905 613 039 01 | Contacts                 |        | 1   | 914-6:SPM |
| 61     | 911 424 077 01 | Gearshift knob           |        | 1   | 914-6:SPM |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |
|        |                |                          |        |     |           |



| woder. | 914 70         | Woder me 1970>>1976  |        |  |       |
|--------|----------------|----------------------|--------|--|-------|
| Pos    | Part Number    | Description          | Remark | Qty  | Model |
|        |                |                      |        | <del>                                     </del> |       |
|        |                | Transmission control | 73-    |  |       |
| 1      | 914 424 019 02 | Gearshift bracket    |        | 1  |       |
| 2      | 901 424 017 00 | Stop plate           |        | 1  |       |
| 3      | 911 424 133 04 | Compression spring   |        | 2  |       |
| 4      | 901 424 115 00 | Pin                  |        | 2  |       |
| 5      | N 012 435 1    | Lock washer          |        | 5  |       |
|        |                | 5                    |        |  |       |
| 6      | 914 424 343 02 | Guide piece          |        | X  |       |
|        |                | 1,2 MM               |        |  |       |
| 6      |                | Guide piece          |        | X  |       |
| ľ      |                | 2,3 MM               |        | 1 21   |       |
| 6      |                | Guide piece          |        | X  |       |
| · ·    |                |                      |        | ^  |       |
| 7      | 014 424 121 00 | 3,4 MM               |        | 1  |       |
| 7      | 914 424 131 00 | Compression spring   |        | 1  |       |
| 8      | 901 424 132 00 | Guide                |        | 1  |       |
| 9      | 914 424 016 02 | Gearshift lever      |        | 1  |       |
| 10     | 914 424 169 01 | Spacer sleeve        |        | 1  |       |
| 11     | 914 424 171 01 | Lever                |        | 1  |       |
| 12     | N 010 335 5    | Hexagon-head bolt    |        | 1  |       |
|        |                | M 8 X 35             |        |  |       |
| 12     | 900 075 032 03 | Hexagon-head bolt    |        | 1  |       |
|        |                | M 8 X 35             |        |  |       |
| 13     | 900 027 015 02 | Lock ring            |        | 1  |       |
|        |                | в 8                  |        |  |       |
| 13     | 900 027 015 03 | Lock ring            |        | 1  |       |
|        |                | В 8                  |        |  |       |
| 14     | 900 076 025 02 | Hexagon nut          |        | 1  |       |
| 1      | 300 070 023 02 | M 8                  |        | -  |       |
| 14     | 900 076 064 02 | Hexagon nut          |        | 1  |       |
| 14     | 900 070 004 02 | M 8                  |        | +  |       |
| 15     | 900 075 079 02 | Hexagon-head bolt    |        | 1  |       |
| 13     | 900 073 079 02 | M 8 X 22             |        | +  |       |
| 1.0    | 000 500 100 00 |                      |        |  |       |
| 16     | 999 523 102 02 | Washer               |        | 1  |       |
| 16     | 999 523 102 0B | Washer               |        | 1  |       |
| 17     | 914 424 901 00 | Sleeve               |        | 1  |       |
| (17)   | 914 559 444 10 | Boot                 |        | 1  |       |
|        |                | Leather              |        |  |       |
| 18     | 901 424 014 00 | Gearshift knob       |        | 1  |       |
| 19     | 999 532 001 00 | Spacer               |        | 1  |       |
| 20     | 900 075 078 02 | Hexagon-head bolt    |        | 3  |       |
|        |                | M 8 X 15             |        |  |       |
| 20     | 900 075 078 03 | Hexagon-head bolt    |        | 3  |       |
|        |                | M 8 X 15             |        |  |       |
| 21     | 900 027 015 02 | Lock ring            |        | 3  |       |
|        |                | в 8                  |        |  |       |
| 21     | 900 027 015 03 | Lock ring            |        | 3  |       |
|        |                | В 8                  |        |  |       |
| 22     | 900 025 007 02 | Washer               |        | 2  |       |
|        |                | 8,4                  |        | -  |       |
| 22     | 900 025 007 03 | Washer               |        | 2  |       |
| 22     | 300 023 007 03 | 8,4                  |        |  |       |
| 23     | 914 424 065 00 | Gear shift rod       | /V     | 1  |       |
| 23     | 1              |                      | / V    | 1 1  |       |
| 1      | 911 424 221 00 | Shift rod coupling   |        |  |       |
| 25     | 911 424 223 03 | Bush                 |        | 2  |       |
| 25     | 964 424 223 00 | Bush                 |        | 2  |       |
| 26     | 900 092 002 01 | Dowel pin            |        | 1  |       |
|        | 1              | 12 X 45              | I .    | l .  |       |
| 27     | 914 424 063 00 | Inner shift rod      | /H     | 1  |       |
| 28     | 914 424 241 02 | Gear shift rod       |        | 1  |       |
| 29     | 901 424 229 00 | Conical screw        |        | 2  |       |
| 30     | 911 424 139 00 | Ball socket          |        | 1  |       |
| 30     | 911 424 139 01 | Ball socket          |        | 1  |       |
| 31     | 914 424 224 03 | Friction ring        |        | 1  |       |
| L      | L              | _ t                  | 1      | <u> </u>   |       |


|          | Part Number<br>914 424 169 02 | Description    | Remark | Qty | Model |
|----------|-------------------------------|----------------|--------|-----|-------|
| 32<br>33 |                               |                |        |     |       |
| 33       | 914 424 169 02                |                |        |     |       |
|          |                               | Sealing sleeve |        | 1   |       |
| 2.4      | 914 424 239 02                | Sealing sleeve |        | 1   |       |
| 34       | PCG 424 501 01                | Cover          |        | 1   |       |
| 34       | PCG 424 501 02                | Cover          |        | 1   |       |
| 34       |                               | Cover          |        | 1   |       |
| 35       | 914 424 503 01                | Hose clip      |        | 1   |       |
|          | N 014 059 1                   | Lock           |        | 1   |       |
|          | 999 513 002 40                | Tie-wrap       |        | 2   |       |
| 36       | N 020 910 4                   | Tie-wrap       |        | 2   |       |
| 36       | 999 513 003 40                | Tie-wrap       |        | 2   |       |
|          |                               | lie widp       |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |
|          |                               |                |        |     |       |



| Model: | 914 70         | Model life 1970>>1976             |        |        |              |
|--------|----------------|-----------------------------------|--------|--------|--------------|
| Pos    | Part Number    | Description                       | Remark | Qty    | Model        |
|        |                | Handbrake                         |        |        |              |
|        |                | Manual throttle                   |        |        |              |
|        |                | Heating                           |        |        |              |
|        |                | Actuator                          |        |        |              |
| 1      | 914 424 053 00 | Parking-brake lever               | -72    | 1      | 914-6/4      |
|        |                | Complete                          |        |        |              |
| 1/1    | 914 424 053 01 | Parking-brake lever               | 73-    | 1      | 914-1,7/1,8V |
|        |                | Complete                          |        |        | 914-1,8/2,0  |
| 2      | 914 424 056 00 | Parking-brake lever               | -72    | 1      | 914-6/4      |
| 2/1    | 914 424 056 02 | Parking-brake lever               | 73-    | 1      | 914-1,7/1,8V |
|        |                |                                   |        |        | 914-1,8/2,0  |
| 3      | 914 424 055 00 | Push rod                          | -72    | 1      | 914-6/4      |
| 3/1    | 914 424 255 02 | Push rod                          | 73-    | 1      | 914-1,7/1,8V |
|        |                |                                   |        |        | 914-1,8/2,0  |
| 4      | 914 424 054 00 | Locking device                    | -72    | 1      | 914-6/4      |
| 5      | 901 424 508 00 | Pawl                              |        | 1      |              |
| 6      | 901 424 511 00 | Bolt                              |        | 1      |              |
|        |                | for Pawl                          |        |        |              |
| 7      | 900 224 013 00 |                                   | -72    | 1      | 914-6/4      |
| /      | 900 224 013 00 | Clinch pin<br>A 4H 11 X 16        | - / 2  | 1      | 914-6/4      |
| 8      | 900 121 026 00 | Buttonhead rivet                  | -72    | 1      | 914-6/4      |
| "      | 200 TZT 070 00 | B 8 X 1 X 20                      | -14    |        | ) 14-0/4     |
| 9      | 914 424 247 00 | Bush                              |        | 1      |              |
| 10     | 900 089 001 02 | Washer                            |        | 1      |              |
| 11     | 901 424 543 00 | Compression spring                |        | 1      |              |
| 12     | 901 424 593 01 | Ring                              |        | 1      |              |
| 13     | 901 424 523 01 | Push button                       |        | 1      |              |
| 14     | 901 424 521 01 | Handle                            |        | 1      |              |
| 15     | 914 424 057 00 | Sleeve                            | -72    | 1      | 914-6/4      |
| 16     | 914 424 541 00 | Locking segment                   |        | 1      |              |
| 17     | 900 027 015 02 | Lock ring                         |        | 1      |              |
|        |                | В 8                               |        |        |              |
| 17     | 900 027 015 03 | Lock ring                         |        | 1      |              |
|        |                | В 8                               |        |        |              |
| 18     | 900 075 085 02 | Hexagon-head bolt                 |        | 1      |              |
|        |                | M 8 X 20                          |        |        |              |
| 19     | 914 424 543 00 | Hose                              | -72    | 1      | 914-6/4      |
|        |                | for                               |        |        |              |
|        |                | Stop                              |        |        |              |
|        | 112 045 561 5  | Handbrake                         |        | _      |              |
| 20     | 113 947 561 D  | Contact switch                    | 70     | 1      | 014 674      |
| 21     | 914 424 542 00 | Washer Oval-head sheetmetal screw | -72    | X<br>3 | 914-6/4      |
| 22     | N 013 958 7    | B 3,5 X 13                        |        | 3      |              |
| 23     | 914 424 256 00 | Bowden control                    |        | 1      |              |
| 23     | 914 424 256 01 | Parking-brake cable               |        | 1      |              |
| 24     | 914 424 571 01 | Eccentric bolt                    |        | 1      |              |
| 25     | 914 424 568 00 | Turnbuckle                        |        | 1      |              |
| 26     | 914 424 571 00 | Eccentric bolt                    |        | 1      |              |
| 27     | N 012 645 2    | Lock washer                       |        | 4      |              |
| 28     | 914 424 567 00 | Fastening clip                    |        | 1      |              |
| 29     | 914 424 545 00 | Return spring                     |        | 1      |              |
| 30     | 914 424 551 01 | Parking-brake cable               | /L     | 1      |              |
| 31     | 914 424 552 01 | Parking-brake cable               | /R     | 1      |              |
| 32     | 999 166 055 02 | Bolt                              |        | 2      |              |
|        |                | A 6 X 15 X 12                     |        |        |              |
| 33     | 914 424 591 00 | Sleeve                            | /H     | 2      |              |
| 34     | 914 424 592 00 | Sleeve                            | /V     | 2      |              |
| 35     | 999 166 017 02 | Kl-lock                           |        | 2      |              |
| 35     | 999 166 017 01 | Kl-lock                           |        | 2      |              |
| 36     | 999 511 072 02 | Pipe clamp                        |        | 2      |              |
|        |                | with                              |        |        |              |

| woder. | 914 70         | Woder life 1970>>1976      |        |     |              |
|--------|----------------|----------------------------|--------|-----|--------------|
| Pos    | Part Number    | Description                | Remark | Qty | Model        |
|        |                | m                          |        |     |              |
| 2.5    |                | Tread                      |        |     |              |
| 37     | 999 591 349 02 | Speed nut                  |        | 2   |              |
| 2.0    | 000 506 005 00 | В 3,5                      |        | 1   |              |
| 38     | 999 706 005 80 | Suspension strap           |        | 1   | 914-6        |
| 38     | 911 424 341 02 | Suspension strap           |        | 1   | 914-6        |
| 38     | 911 424 341 04 | Suspension strap           |        | 1   | 914-6        |
| 39     | 900 028 008 01 | Lock ring                  |        | 1   | 914-6        |
| 4.0    |                | B 6                        |        |     |              |
| 40     | 900 187 023 02 | Hexagon-head tapping screw |        | 1   | 914-6        |
|        |                | B 5,5 X 16                 |        |     |              |
| 41     | 914 424 071 00 | Accelerator control        |        | 1   | 914-6        |
|        |                | Actuator                   |        |     |              |
| 42     | 914 424 792 01 | Handle                     |        | 1   | 914-6        |
| 43     | 914 424 035 00 | Push rod                   |        | 1   | 914-6        |
| 44     | 900 076 027 02 | Nut                        |        | 1   | 914-6        |
|        |                | M 5                        |        |     |              |
| 45     | N 015 521 3    | Ball socket                |        | 1   | 914-6        |
|        |                | A 8                        |        |     |              |
| 46     | 914 424 225 00 | Sleeve                     |        | 1   | 914-6        |
| 47     | 914 424 024 00 | Support                    |        | 1   | 914-6        |
| 48     | 914 424 219 00 | Friction ring              |        | 1   | 914-6        |
| 49     | 900 075 010 02 | Hexagon nut                |        | 1   | 914-6        |
|        |                | M 6 X 12                   |        |     |              |
| 49     | N 010 212 14   | Hexagon-head bolt          |        | 1   | 914-6        |
|        |                | M 6 X 12                   |        |     |              |
| 49     | 999 072 005 09 | Hexagon nut                |        | 1   | 914-6        |
|        |                | M 6 X 12                   |        |     |              |
| 49     | 999 072 005 01 | Hexagon nut                |        | 1   | 914-6        |
|        |                | M 6 X 12                   |        |     |              |
| 50     | N 011 524 7    | Washer                     |        | 1   | 914-6        |
|        |                | 6,4                        |        |     |              |
| 50     | N 011 524 27   | Washer                     |        | 1   | 914-6        |
|        |                | 6,4                        |        |     |              |
| 51     | 900 027 014 01 | Lock ring                  |        | 1   | 914-6        |
| -      |                | В 6                        |        | _   |              |
| 51     | 900 027 014 02 | Lock ring                  |        | 1   | 914-6        |
|        |                | В 6                        |        |     |              |
| 51     | N 012 006 4    | Lock ring                  |        | 1   | 914-6        |
|        |                | В 6                        |        | _   |              |
| (52)   | 914 424 073 00 | Actuator                   |        | 1   | 914-6        |
| (32)   |                | Heating                    |        | _   |              |
|        |                | with                       |        |     |              |
|        |                | Picture                    |        |     |              |
|        |                | 53                         |        |     |              |
| (52)   | 914 424 073 01 | Actuator                   | -72    | 1   | 914-4        |
| (32)   | ]              | Heating                    | 7.2    | _   |              |
| (52)   | 914 424 073 04 | Actuator                   | -72    | 1   | 914-4        |
| (32)   | 714 424 075 04 | Heating                    | 7 2    |     | 711 1        |
| 52     | 914 424 073 02 | Actuator                   |        | 1   | 914-4/1,7    |
| 52     | 914 424 073 02 | Heating                    |        |     | 914-1,8/1,8V |
|        |                | Heating                    |        |     | 914-1,8/1,80 |
| (52)   |                | 7.5                        | 73-    | 1   |              |
| (52)   |                | Actuator                   | /3-    | 1   | 914-1,7/1,8V |
|        |                | Heating                    |        |     | 914-1,8/2,0  |
|        |                | for                        |        |     |              |
|        |                | Centre console             |        |     |              |
| 53     | 914 424 792 01 | Handle                     |        | 1   |              |
| 54     | 911 424 792 01 | Handle                     | -72    | 1   | 914-4        |
| 55     | 900 075 078 02 | Hexagon-head bolt          |        | 1   |              |
|        |                | M 8 X 15                   |        |     |              |
| 55     | 900 075 078 03 | Hexagon-head bolt          |        | 1   |              |
|        |                | M 8 X 15                   |        |     |              |
| 56     | 900 027 015 02 | Lock ring                  |        | 1   |              |
|        |                | В 8                        |        |     |              |
|        | _              |                            |        |     |              |

| Model:   | 914 70                     | Model life 1970>>1976            |        |     |                         |
|----------|----------------------------|----------------------------------|--------|-----|-------------------------|
| Pos      | Part Number                | Description                      | Remark | Qty | Model                   |
| 56       | 900 027 015 03             | Lock ring                        |        | 1   |                         |
| l        |                            | В 8                              |        |     |                         |
| 57       | 900 075 010 02             | Hexagon nut<br>M 6 X 12          |        | 1   |                         |
| 57       | N 010 212 14               | Hexagon-head bolt                |        | 1   |                         |
|          |                            | M 6 X 12                         |        |     |                         |
| 57       | 999 072 005 09             | Hexagon nut<br>M 6 X 12          |        | 1   |                         |
| 57       | 999 072 005 01             | Hexagon nut                      |        | 1   |                         |
|          |                            | M 6 X 12                         |        |     |                         |
| 58       | 900 027 014 01             | Lock ring B 6                    |        | 1   |                         |
| 58       | 900 027 014 02             | Lock ring                        |        | 1   |                         |
| F 0      | N 010 006 4                | B 6                              |        | 1   |                         |
| 58       | N 012 006 4                | Lock ring B 6                    |        | 1   |                         |
| 59       | 914 424 075 00             | Wire pull                        |        | 1   | 914-6                   |
|          |                            | for Flap                         |        |     |                         |
|          |                            | Heating                          |        |     |                         |
| 59       | PCG 424 075 01             | Wire pull                        | -74    | 1   | 914-4/1,7               |
|          |                            | for Flap                         |        |     | 914-1,8/1,8V<br>914-2,0 |
|          |                            | Heating                          |        |     | 914-2,0                 |
| 59       | 914 424 075 03             | Wire pull                        | 75-    | 1   | 914-1,8/2,0             |
|          |                            | for<br>Flap                      |        |     |                         |
|          |                            | Heating                          |        |     |                         |
| 60       | 113 711 691                | Grommet                          |        | 2   |                         |
| 61<br>62 | 311 129 777<br>N 010 205 6 | Bearing pin<br>Hexagon-head bolt |        | 2 2 |                         |
|          |                            | M 5 X 10                         |        |     |                         |
| 62       | 900 075 105 02             | Screw                            |        | 2   |                         |
|          |                            | M 5 X 10                         |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |
|          |                            |                                  |        |     |                         |




| Part Number   Description   Remark   Qty   Model   | Model: | 914 70           | Model life 1970>>1976 |        |     |           |
|--|--------|------------------|-----------------------|--------|-----|-----------|
| 1 901 423 010 00   | Pos    | Part Number      | Description           | Remark | Qty | Model     |
| 1   901 423 010 00   |        |                  | Pedals                |        |     |           |
| Natural transmission   |        |                  |                       |        |     |           |
| 1   901 423 010 00   Accelerator pedal   1   1   1   1   1   2   301 01   1   1   1   1   1   1   1   1  |        |                  |                       |        |     |           |
| 1   901 423 010 01   Accelerator pedal   1   Bush   Pedals   1   Bush   Pedals   1   1   1   1   1   1   1   1   1   | 1      | 901 423 010 00   |                       |        | 1   |           |
| -  | 1      |                  |                       |        |     |           |
| Bush   |        |                  |                       |        |     |           |
| Pedale   Comprising:   Compr   | _      | PCG 911 423 00   |                       |        |     |           |
| - 900 021 008 00 Cotter pin  |        |                  |                       |        |     |           |
| - 900 021 008 00 Cotter pin  |        |                  |                       |        |     |           |
| - 900 021 008 0A Cotter pin  | _      | 900 021 008 00   |                       |        | 1   |           |
| - 999 166 001 02   |        |                  |                       |        |     |           |
| - 900 309 002 00 Roll pin Rubber stop 1 1  | _      |                  |                       |        |     |           |
| - 914 423 193 00 Rubber stop - 914 423 210 00 Rubber pad - 914 423 210 00 Baush - 911 423 341 00 Bush - 911 423 342 00 Bush - 911 423 342 00 Rubber stop - 911 423 542 00 Rubber stop - 911 423 542 00 Rubber stop - 912 423 342 00 Rubber stop - 914 423 542 00 Rubber stop - 914 423 542 00 Rubber stop - 914 423 542 00 Rubber stop - 915 57 03 Hexagon-head bolt - M 6 X 16 - 2 900 075 057 02 Hexagon-head bolt - M 6 X 16 - 2 900 075 057 03 Hexagon-head bolt - M 6 X 16 - 3 900 151 006 09 Raber - B 6,4 - 4 914 423 227 00 Fush rod - Fush rod - 5 900 076 027 02 Nut - M 5 - Nut - M 6 X 16 - N 015 521 3 Ball socket - Accelerator cable - 1 914 423 067 00 Accelerator cable - 1 914 423 066 00 Accelerator cable - 1 914 423 067 02 Rub - N 011 524 27 Rub - Rub - N 011 524 27 Rub - Rub - N 011 524 27 Rub - Ru |        |                  |                       |        |     |           |
| - 914 423 210 00 Rubber pad Bearing sleeve 2 2 8 8 8 8 8 8 8 8 8 9 8 9 1 1 2 9 9 1 1 423 341 01 8 8 9 9 9 1 1 1 2 1 2 1 2 8 9 9 1 1 2 2 8 9 9 1 1 2 2 8 9 9 1 1 2 2 8 9 9 1 1 2 2 8 9 9 1 1 2 2 8 9 9 1 2 2 8 9 9 1 2 2 8 9 9 1 2 2 8 9 9 1 2 2 8 9 9 1 2 2 8 9 9 1 2 2 9 9 9 1 2 2 9 9 9 1 2 2 9 9 9 1 2 2 9 9 9 1 2 2 9 9 9 1 2 2 9 9 9 9  |        |                  |                       |        |     |           |
| - 901 423 253 00 Bearing sleeve     - 911 423 343 00 Bush     - 911 423 343 00 Bush     - 911 423 342 00 Bush     2 900 075 057 02 Bush     8 X 16     2 900 075 057 02 Hexagon-head bolt     M 6 X 16     2 900 075 057 02 Hexagon-head bolt     M 6 X 16     2 900 075 057 02 Hexagon-head bolt     M 6 X 16     3 900 151 006 09 Washer     3 900 151 006 09 Washer     3 900 151 006 09 Washer     5 900 076 027 02 Nut     7 914 423 027 00 Push rod     7 914 423 067 00 Recelerator cable     7 914 423 067 00 Recelerator cable     8 N 015 521 3 Ball socket     8 N 011 524 7 Washer     8 N 011 524 7 Washer     8 N 015 524 7 Washer     9 900 076 010 02 Nut     9 900 076 010 08  | _      |                  |                       |        |     |           |
| - 911 423 341 01   | _      |                  |                       |        |     |           |
| - 901 423 343 00 Bush 2 2 1 2 3 343 00 Bush 2 2 1 2 3 342 00   | _      |                  |                       |        |     |           |
| - 901 423 331 00   |        |                  |                       |        |     |           |
| -   911 423 542 00   Bush  |        |                  |                       |        |     |           |
| 2   900 075 057 02   | _      |                  |                       |        |     |           |
| M 6 X 16   | 2      |                  |                       |        |     |           |
| 2   900 075 057 03   |        | 000 073 037 02   |                       |        |     |           |
| M 6 X 16   | 2      | 900 075 057 03   |                       |        | 2   |           |
| 2 900 075 057 02 Hexagon-head bolt M 6 X 16 2 900 075 057 03 Hexagon-head bolt M 6 X 16 3 900 151 006 09 Washer B 6,4 4 914 423 227 00 Push rod 4 914 423 227 01 Push rod 5 900 076 027 02 Nut M 5 Nut M 6 Nut   |        | ] 500 073 037 03 |                       |        |     |           |
| M 6 X 16   | 2      | 900 075 057 02   |                       |        | 3   | 914-6/2 0 |
| 2   900 075 057 03   Hexagon-head bolt   3   914-6/2,0     3   900 151 006 09   Washer   B 6,4     4   914 423 227 00   Push rod   1     5   900 076 027 02   Nut   4     6   N 015 521 3   Ball socket   5     6   N 015 521 3   Ball socket   4   914-6     7   914 423 067 00   Accelerator cable   1   914-4/1,7     7   914 423 067 00   Accelerator cable   1   914-4/1,7     7   914 423 066 00   Accelerator cable   1   914-6     8   N 011 524 7   Washer   6,4     8   N 011 524 27   Washer   6,4     9   900 076 010 0B   Nut   M 6     9   900 076 010 0B   Nut   M 6     10   914 423 025 01   Reverse lever   1   914-6     11   914 423 025 01   Reverse lever   1   914-6     12   914 423 025 00   Washer   1   914-6     14   N 011 527 4   Washer   1   10,5     14   N 011 527 4   Washer   1   10,5     14   N 011 527 4   Washer   1   10,5     15   16   Nut   1   10,5     16   Nut   Nut   1   10,5     17   910 025 008 09   Washer   1   10,5     18   900 025 008 09   Washer   1   10,5     19   10,5   1   1   10,5     10   10   10   10   10   10,5     10   10   10   10   10,5     11   10   10   10   10,5     12   10   10   10,5     13   10   10   10,5     14   N 011 527 4   Washer   1   10,5     15   16   17   10   10,5     16   17   10   10,5     17   17   10   10,5     18   10   10   10,5     19   14   15   10,5     10   15   10   10,5     10   15   10   10,5     10   15   10   10,5     11   10   10   10   10,5     12   10   10   10   10,5     13   10   10   10   10,5     14   17   10   10,5     17   10   10   10   10,5     18   10   10   10   10     10   10   10  |        | 000 073 037 02   |                       |        | 3   | J14 0/2,0 |
| M 6 X 16   Washer   2  | 2      | 900 075 057 03   |                       |        | 3   | 914-6/2 0 |
| 3 900 151 006 09 Washer B 6.4  |        | 900 073 037 03   |                       |        | J   | 914-0/2,0 |
| ## 1   | 2      | 900 151 006 09   |                       |        | 2   |           |
| 4       914 423 227 00 Push rod       1         5       900 076 027 02 Nut M5       2         6       N 015 521 3 Ball socket Ball socket       2         6       N 015 521 3 Ball socket       4         7       914 423 067 00 Accelerator cable       1         7       914 423 067 02 Accelerator cable       1         7/1       914 423 066 00 Accelerator cable       1         8       N 011 524 7 Washer       2         6,4       Washer       2         8       N 011 524 27 Washer       2         6,4       Wut       3         9       900 076 010 02 M6       Nut       3         9       900 076 010 08 Nut       3         11       914 423 287 00 Hexagon nut       1         11       914 423 025 01 Reverse lever       1         12       914 423 025 01 Reverse lever       1         13       914 423 025 00 Ros 02       Washer         14       N 011 527 4 Washer       2         14       N 011 527 4 Washer       1         14       900 025 008 09 Washer       1         14       900 025 008 09 Washer       1  |        | 300 131 000 03   |                       |        |     |           |
| 4   914 423 227 01   Push rod   1   2  | 4      | 914 423 227 00   |                       |        | 1   |           |
| S   900 076 027 02   Nut   M 5   Nut   M 5   Nut   M 5   Nut   M 5   Sall socket   4   914-6   Sall socket   4   914-2   Sall socket   4   914-2   Sall socket   4   914-2   Sall socket   4   914-2   Sall socket   4   914-4   Sall socket   4   914-6   Sall socket   914-6   Sall    | 1      |                  |                       |        |     |           |
| M 5  |        |                  |                       |        |     |           |
| Nut  |        | 300 070 027 02   |                       |        |     |           |
| 6 N 015 521 3 Ball socket     Accelerator cable     To 914 423 067 02 Accelerator cable     To 914 423 066 00 Accelerator cable     To 914 423 066 00 Accelerator cable     N 011 524 7 Washer     Sum 011 524 7 Washer     G,4     Sum 011 524 27 Washer     G,4     Sum 011 527 4 Washer     G,4     G,4  | 5      |                  |                       |        | 4   | 914-6     |
| 6       N 015 521 3       Ball socket       2         6       914 423 067 00       Accelerator cable       1       914-4/1,7         7       914 423 067 02       Accelerator cable       1       914-4/1,7         7/1       914 423 066 00       Accelerator cable       1       914-3/2,0         7/1       914 423 066 02       Accelerator cable       1       914-6         8       N 011 524 7       Washer       2         6,4       2       6,4         9       900 076 010 02       Nut       3         M 6       3       3         9       900 076 010 0B       Nut       3         M 6       3       3         10       914 423 287 00       Hexagon nut       3         11       914 423 593 00       Sealing sleeve       1         12       914 423 211 00       Bearing sleeve       2         14       N 011 527 4       Washer       1         10,5       Washer       1         14       900 025 008 09       Washer       1         10,5       Washer       1         10,5       Washer       1         10,5       1   |        |                  |                       |        | -   |           |
| Ball socket Accelerator cable  7 914 423 067 02 Accelerator cable  7 914 423 066 00 Accelerator cable  8 N 011 524 7 Washer 6,4 9 900 076 010 02 Nut M 6 10 914 423 287 00 Hexagon nut 11 914 423 593 00 Sealing sleeve 12 914 423 025 01 Reverse lever 13 914 423 025 008 02 Washer 14 N 011 527 4 Washer 15 900 025 008 09 Washer 16 17 900 025 008 09 Washer 17 9014-6 18 N 011 527 4 Washer 18 18 18 18 18 18 18 18 18 18 18 18 18 1   | 6      | N 015 521 3      |                       |        | 2   |           |
| (7) 914 423 067 00 Accelerator cable  7 914 423 067 02 Accelerator cable  1 914-4/1,7 914-2,0 7/1 914 423 066 00 Accelerator cable  8 N 011 524 7 Washer  6,4  9 900 076 010 02 Nut  M 6  9 900 076 010 0B Nut  M 6  10 914 423 287 00 Hexagon nut  11 914-6  12 914-6  13 914-6  14 900 025 008 09 Washer  10,5  11 914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-4/1,7  914-6  1 914-6   |        |                  |                       |        |     | 914-6     |
| 7 914 423 067 02 Accelerator cable  7 914 423 066 00 Accelerator cable  7 1 914 423 066 00 Accelerator cable  8 N 011 524 7 Washer 6, 4  9 900 076 010 02 Nut M 6  9 900 076 010 0B Nut M 6  10 914 423 287 00 Hexagon nut 11 914 6  11 914 6  12 914 6  13 914 6  14 914 900 025 008 09 Washer 10, 5  14 900 025 008 09 Washer 10, 5  |        | 914 423 067 00   |                       |        |     |           |
| 7 914 423 067 02 Accelerator cable  7/1 914 423 066 00 Accelerator cable  7/1 914 423 066 02 Accelerator cable  8 N 011 524 7 Washer 6,4  9 900 076 010 02 Nut M 6  10 914 423 287 00 Hexagon nut 11 914 6  12 914 6  13 914-6  14 900 025 008 09 Washer 10,5  14 900 025 008 09 Washer 10 914 423 066 02 Accelerator cable 1 914-6 1  | ( , ,  |                  | 1100010141001 04210   |        | _   | · ·       |
| 7/1 914 423 066 00 Accelerator cable Accelerator cable B N 011 524 7 Washer 6,4  8 N 011 524 27 Washer 6,4  9 900 076 010 02 Nut 3   | 7      | 914 423 067 02   | Accelerator cable     |        | 1   |           |
| 7/1 914 423 066 00 Accelerator cable 7/1 914 423 066 02 Accelerator cable 8 N 011 524 7 Washer 6,4 9 900 076 010 02 Nut M 6 10 914 423 287 00 Hexagon nut 11 914-6 12 914 423 593 00 Sealing sleeve 11 914-6 12 914 423 211 00 Bearing sleeve 13 914 423 211 00 Bearing sleeve 14 900 025 008 09 Washer 10,5   |        |                  |                       |        |     |           |
| 7/1 914 423 066 02 Accelerator cable 8 N 011 524 7 Washer 6,4 8 N 011 524 27 Washer 6,4 9 900 076 010 02 Nut M 6 9 900 076 010 0B Nut M 6 10 914 423 287 00 Hexagon nut 11 914-6 12 914 423 593 00 Sealing sleeve 12 914 423 025 01 Reverse lever 13 914 423 211 00 Bearing sleeve 14 900 025 008 02 Washer 10,5 14 900 025 008 09 Washer 10,5   | 7/1    | 914 423 066 00   | Accelerator cable     |        | 1   |           |
| 8       N 011 524 7       Washer 6,4         8       N 011 524 27       Washer 6,4         9       900 076 010 02       Nut       3         9       900 076 010 0B       Nut       3         10       914 423 287 00       Hexagon nut       1       914-6         11       914 423 593 00       Sealing sleeve       1       914-6         12       914 423 025 01       Reverse lever       1       914-6         13       914 423 211 00       Bearing sleeve       2       914-6         14       900 025 008 02       Washer       1       1         14       N 011 527 4       Washer       1       1         14       900 025 008 09       Washer       1       1         10,5       10,5       1       1   | 7/1    |                  | Accelerator cable     |        | 1   | 914-6     |
| 8 N 011 524 27 Washer 6,4 9 900 076 010 02 Nut 8 M 6 9 900 076 010 0B Nut 9 900 076 010 0B Nut 10 914 423 287 00 Hexagon nut 11 914 423 593 00 Sealing sleeve 12 914 423 025 01 Reverse lever 13 914 423 211 00 Bearing sleeve 14 900 025 008 02 Washer 10,5 14 N 011 527 4 Washer 10,5 14 900 025 008 09 Washer 10,5  |        |                  | Washer                |        | 2   |           |
| 8       N 011 524 27       Washer 6,4       2         9       900 076 010 02       Nut       3         M 6       Nut       3         10       914 423 287 00       Hexagon nut       1         11       914 423 593 00       Sealing sleeve       1         12       914 423 025 01       Reverse lever       1         13       914 423 211 00       Bearing sleeve       2         14       900 025 008 02       Washer       1         10,5   |        |                  | 6,4                   |        |     |           |
| 9 900 076 010 02 Nut M 6 Sut M | 8      | N 011 524 27     |                       |        | 2   |           |
| 9 900 076 010 02 Nut M 6 Sut M |        |                  | 6,4                   |        |     |           |
| 9       900 076 010 0B       M 6         10       914 423 287 00       Hexagon nut         11       914 423 593 00       Sealing sleeve         12       914 423 025 01       Reverse lever         13       914 423 211 00       Bearing sleeve         14       900 025 008 02       Washer         10,5       Washer         14       900 025 008 09       Washer         10,5       1  | 9      | 900 076 010 02   |                       |        | 3   |           |
| M 6  10 914 423 287 00 Hexagon nut  11 914 423 593 00 Sealing sleeve  12 914 423 025 01 Reverse lever  13 914 423 211 00 Bearing sleeve  14 900 025 008 02 Washer  10,5  14 900 025 008 09 Washer  10,5  14 900 025 008 09 Washer  10,5  |        |                  | м 6                   |        |     |           |
| M 6  10 914 423 287 00 Hexagon nut  11 914 423 593 00 Sealing sleeve  12 914 423 025 01 Reverse lever  13 914 423 211 00 Bearing sleeve  14 900 025 008 02 Washer  10,5  14 900 025 008 09 Washer  10,5  14 900 025 008 09 Washer  10,5  | 9      | 900 076 010 0B   | Nut                   |        | 3   |           |
| 11 914 423 593 00 Sealing sleeve 12 914 423 025 01 Reverse lever 13 914 423 211 00 Bearing sleeve 14 900 025 008 02 Washer 10,5 14 900 025 008 09 Washer 10,5 14 900 025 008 09 Washer 10,5  |        |                  | М б                   |        |     |           |
| 11 914 423 593 00 Sealing sleeve 12 914 423 025 01 Reverse lever 13 914 423 211 00 Bearing sleeve 14 900 025 008 02 Washer 10,5 14 900 025 008 09 Washer 10,5 14 900 025 008 09 Washer 10,5  | 10     | 914 423 287 00   |                       |        | 1   | 914-6     |
| 12 914 423 025 01 Reverse lever 13 914 423 211 00 Bearing sleeve 14 900 025 008 02 Washer 10,5 14 N 011 527 4 Washer 10,5 14 900 025 008 09 Washer 10,5  |        |                  |                       |        | 1   |           |
| 13  914 423 211 00  Bearing sleeve   |        |                  |                       |        | 1   |           |
| 14 900 025 008 02 Washer 10,5  14 N 011 527 4 Washer 10,5  14 900 025 008 09 Washer 10,5   | 13     |                  | Bearing sleeve        |        | 2   |           |
| 10,5<br>Washer<br>10,5<br>Washer<br>10,5<br>Washer<br>10,5   |        |                  | _                     |        |     |           |
| 14 N 011 527 4 Washer 10,5 14 900 025 008 09 Washer 10,5   |        |                  | 10,5                  |        |     |           |
| 14 900 025 008 09  | 14     | N 011 527 4      |                       |        | 1   |           |
| 14 900 025 008 09 Washer 1 1 0,5   |        |                  | 10,5                  |        |     |           |
| 10,5   | 14     | 900 025 008 09   |                       |        | 1   |           |
|  |        |                  | 10,5                  |        |     |           |
|  | 14     | 900 025 008 04   | Washer                |        | 1   |           |

| Model:   | 914 70                           | Model life 1970>>1976   |        |     |                           |
|----------|----------------------------------|-------------------------|--------|-----|---------------------------|
| Pos      | Part Number                      | Description             | Remark | Qty | Model                     |
|          |                                  | 10,5                    |        |     |                           |
| 14       | 900 025 008 02                   | Washer                  |        | 2   | 914-6                     |
|          | 300 023 000 02                   | 10,5                    |        | -   | 711 0                     |
| 14       | N 011 527 4                      | Washer                  |        | 2   | 914-6                     |
|          |                                  | 10,5                    |        | -   |                           |
| 14       | 900 025 008 09                   | Washer                  |        | 2   | 914-6                     |
|          |                                  | 10,5                    |        |     |                           |
| 14       | 900 025 008 04                   | Washer                  |        | 2   | 914-6                     |
|          |                                  | 10,5                    |        |     |                           |
| 15       | N 012 530 1                      | Cotter pin              |        | 1   | 914-6                     |
|          |                                  | 3 X 15                  |        |     |                           |
| 16       | 914 423 285 01                   | Support                 |        | 1   | 914-6                     |
|          |                                  | for accelerator cable   |        |     |                           |
| 17       | 901 423 026 03                   | Pull rod                |        | 1   | 914-6                     |
| 18       | N 010 205 6                      | Hexagon-head bolt       |        | 1   | 914-4/1,7                 |
|          |                                  | M 5 X 10                |        |     | 914-1,8/2,0               |
| 18       | 900 075 105 02                   | Screw                   |        | 1   | 914-4/1,7                 |
| 1.0      | 111 100 001                      | M 5 X 10                |        | 1   | 914-1,8/2,0               |
| 19       | 111 129 921                      | Bearing pin             |        | 1   | 914-4/1,7                 |
| 20       | 111 971 911 A                    | Crammat                 |        | 1   | 914-1,8/2,0               |
| 20       | TIII 9/I 9II A                   | Grommet                 |        | 1   | 914-4/1,7<br>914-1,8/1,8V |
|          |                                  |                         |        |     | 914-1,8/1,80              |
| 21       | 911 423 065 02                   | Bearing bracket         |        | 1   | 914-2,0                   |
| 22       | 901 423 193 00                   | Rubber stop             |        | 1 1 |                           |
| 23       | 911 613 411 00                   | Brake light switch      |        | 1   |                           |
| 23       | 911 613 411 01                   | Brake light switch      |        | 1   |                           |
| 24       | 900 114 014 01                   | Shake-proof washer      |        | 2   |                           |
|          |                                  | A 4,3                   |        | -   |                           |
| 25       | 900 146 011 02                   | Oval-head screw         |        | 2   |                           |
|          |                                  | AM 4 X 10               |        |     |                           |
| 26       | 901 423 253 00                   | Bearing sleeve          |        | 2   |                           |
| 27       | 901 423 250 02                   | Reverse lever           |        | 1   |                           |
|          |                                  | Front                   |        |     |                           |
| 27/1     | 914 423 260 00                   | Reverse lever           |        | 1   | 914-6                     |
|          |                                  | Front                   |        |     |                           |
| 28       | 900 031 001 02                   | Washer                  |        | 1   |                           |
|          |                                  | 8,4                     |        |     |                           |
| 28       | 900 031 105 01                   | Washer                  |        | 1   |                           |
|          |                                  | 8,4                     |        |     |                           |
| 29       | 900 021 008 00                   | Cotter pin              |        | 1   |                           |
|          | 000 001 000 07                   | 2 X 15                  |        | 1   |                           |
| 29       | 900 021 008 0A                   | Cotter pin 2 x 15       |        | 1   |                           |
| 2.0      | 001 402 025 00                   | Bearing tube            |        | 1   |                           |
| 30<br>31 | 901 423 035 00<br>901 423 391 00 | Rubber stop             |        | 1 1 |                           |
| 32       | 900 027 015 02                   | Lock ring               |        | 3   |                           |
| 32       | 900 027 013 02                   | B 8                     |        | ]   |                           |
| 32       | 900 027 015 03                   | Lock ring               |        | 3   |                           |
| 32       | 013 03                           | B 8                     |        |     |                           |
| 33       | N 011 151 3                      | Hexagon nut             |        | 1   |                           |
|          |                                  | M 8                     |        | _   |                           |
| 34       | 911 423 341 01                   | Bush                    |        | 2   |                           |
| 35       | 901 423 320 01                   | Clutch pedal shaft      |        | 2   |                           |
| 36       | 901 423 343 00                   | Bush                    |        | 1   |                           |
| 37       | 901 423 312 00                   | Clutch pedal            |        | 1   |                           |
|          |                                  | Lower part              |        |     |                           |
| 38       | 901 423 317 00                   | Steering knuckle spring |        | 1   |                           |
| 39       | 900 309 002 00                   | Roll pin                |        | 1   |                           |
|          |                                  | S 6 X 28                |        |     |                           |
| 40       | 914 423 034 00                   | Clutch pedal            |        | 1   |                           |
|          |                                  | Upper part              |        |     |                           |
| 41       | 900 183 002 02                   | Hexagon nut             |        | 1   |                           |

| Pos      | Part Number    | Description        | Remark | Qty | Model   |
|----------|----------------|--------------------|--------|-----|---------|
| $\vdash$ |                | ·                  |        |     |         |
|          |                | M 14 X 1,5         |        |     |         |
|          | 914 423 210 00 | Rubber pad         |        | 2   |         |
|          | 901 423 053 02 | Brake pedal        |        | 1   |         |
|          | 911 423 542 00 | Bush               |        | 2   |         |
|          | 901 423 531 00 | Return spring      |        | 1   |         |
| 46       | 901 423 057 04 | Piston rod         |        | 1   |         |
| 47       | 900 158 003 02 | Hexagon nut        |        | 1   |         |
|          |                | M 10               |        |     |         |
| 48       | 901 423 157 00 | Stop washer        |        | 1   |         |
| 49       | 901 423 507 02 | Intermediate piece |        | 1   |         |
| 50       | N 011 564 2    | Washer             |        | 1   |         |
|          | N 011 564 4    | Washer             |        | 1   |         |
|          | 900 021 015 00 | Cotter pin         |        | 1   |         |
| -        |                | 3 X 20             |        | _   |         |
| (52)     | 914 423 401 05 | Clutch cable       |        | 1   |         |
|          | 914 423 401 02 | Clutch cable       |        | 1   | 914-6   |
|          | 914 423 401 08 | Clutch cable       |        | 1   | 914-6   |
|          | 914 423 283 00 | Tab washer         |        | 1   | 714 0   |
|          | 914 423 922 02 | Sealing sleeve     |        | 1   |         |
|          | 900 166 002 02 | Clevis             |        | 1   |         |
| ] 55     | 900 100 002 02 | G 6 X 24           |        | 1   |         |
|          | 000 166 000 01 |                    |        | -   |         |
| 55       | 900 166 002 01 | Clevis             |        | 1   |         |
|          |                | G 6 X 24           |        | _   |         |
|          | 999 166 001 02 | Bolt               |        | 1   |         |
|          | 914 423 030 02 | Bearing bracket    |        | 1   |         |
|          | 914 423 273 00 | Spacer sleeve      |        | 1   |         |
| 1        | 914 423 255 02 | Deflection roller  |        | 1   |         |
| 60       | 999 084 027 02 | Hexagon nut        |        | 1   |         |
|          |                | UNI-STOP U 18.10   |        |     |         |
|          | 911 423 205 03 | Lever              |        | 1   |         |
| 62       | N 021 193 1    | Hexagon nut        |        | 1   |         |
|          |                | M 7                |        |     |         |
| 63       | 914 551 067 00 | Stop               |        | 1   |         |
|          |                | for                |        |     |         |
|          |                | Clutch pedal       |        |     |         |
| 64       | 901 551 065 20 | Stop               |        | 1   |         |
|          |                | for                |        |     |         |
|          |                | Accelerator pedal  |        |     |         |
| 65       | 901 551 671 20 | Hexagon-head bolt  |        | 1   |         |
| 66       | 900 121 017 20 | Tubular rivet      |        | 4   |         |
|          |                | B 5 X 0,75 X 10    |        |     |         |
| 67       | 900 025 007 02 | Washer             |        | 2   |         |
|          |                | 8,4                |        |     |         |
| 67       | 900 025 007 03 | Washer             |        | 2   |         |
|          |                | 8,4                |        |     |         |
| 68       | 900 076 025 02 | Hexagon nut        |        | 2   |         |
|          |                | M 8                |        |     |         |
| 68       | 900 076 064 02 | Hexagon nut        |        | 2   |         |
| "        | 300 070 001 02 | M 8                |        | _   |         |
| 69       | 999 511 076 02 | Clamp              |        | 1   | 914-6   |
| 70       | 900 028 008 01 | Lock ring          |        | 1   | 914-6   |
| '        | 700 020 000 01 | B 6                |        | _   |         |
| 71       | 999 706 005 80 | Suspension strap   |        | 1   | 914-2,0 |
|          | 911 424 341 02 | Suspension strap   |        | 1   | 914-6   |
|          | 911 424 341 02 | Suspension strap   |        | 1   | 914-6   |
|          |                |                    |        |     |         |
|          | N 020 902 1    | Tie-wrap           |        | 2   | 914-6   |
| 1        | N 020 902 A    | Tie-wrap           |        | 2   | 914-6   |
| -        | 999 513 002 40 | Tie-wrap           |        | 1   | 914-6   |
|          | NT 000 010 4   | 186 MM             |        | -   | 014 6   |
| -        | N 020 910 4    | Tie-wrap           |        | 1   | 914-6   |
|          | 000 510 000 10 | 186 MM             |        |     | 014.6   |
| -        | 999 513 003 40 | Tie-wrap           |        | 1   | 914-6   |
|          |                | 186 MM             |        |     |         |

PORSCHE Illustration: 702-00 PORSCHE

| Pos | Part Number    | Description | Remark | Qty | Model |
|-----|----------------|-------------|--------|-----|-------|
| -   | 999 513 008 40 | Tie-wrap    |        | 2   |       |
|     |                | 100 MM      |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |
|     |                |             |        |     |       |




| woder.   | 914 70           | Woder life 1970>>1976 |          |          |           |
|----------|------------------|-----------------------|----------|----------|-----------|
| Pos      | Part Number      | Description           | Remark   | Qty      | Model     |
|          |                  |                       |          | _        | 014 6.60% |
|          |                  | Pedals                |          | _        | 914-6:SPM |
| 1        | 901 423 010 00   | Accelerator pedal     |          | 1        |           |
| 1        | 901 423 010 01   | Accelerator pedal     |          | 1        |           |
| 2        | 900 075 057 02   | Hexagon-head bolt     |          | 2        |           |
|          |                  | M 6 X 16              |          |          |           |
| 2        | 900 075 057 03   | Hexagon-head bolt     |          | 2        |           |
|          |                  | M 6 X 16              |          |          |           |
| 3        | 900 151 006 09   | Washer                |          | 2        |           |
|          |                  | В 6,4                 |          |          |           |
| 4        | 914 423 227 00   | Push rod              |          | 1        |           |
| 4        | 914 423 227 01   | Push rod              |          | 1        |           |
| 5        | 900 076 027 02   | Nut                   |          | 1        |           |
| 5        | 900 070 027 02   | M 5                   |          | +        |           |
|          | N 015 501 3      |                       |          | 1        |           |
| 6        | N 015 521 3      | Ball socket           |          | 1        |           |
| _        |                  | A 8                   |          | _        |           |
| 7        | 914 423 066 00   | Accelerator cable     |          | 1        |           |
| 7        | 914 423 066 02   | Accelerator cable     |          | 1        |           |
| 8        | N 011 524 7      | Washer                |          | 2        |           |
|          |                  | В 6,4                 |          |          |           |
| 8        | N 011 524 27     | Washer                |          | 2        |           |
|          |                  | В 6,4                 |          |          |           |
| 9        | 900 076 010 02   | Nut                   |          | 1        |           |
|          |                  | м 6                   |          |          |           |
| 9        | 900 076 010 0B   | Nut                   |          | 1        |           |
|          | ] 300 070 010 05 | M 6                   |          | -        |           |
| 10       | 914 423 287 00   | Hexagon nut           |          | 1        |           |
| 1        | 914 423 287 00   |                       |          | 1        |           |
| 11       |                  | Sealing sleeve        |          |          |           |
| 12       | 900 076 027 02   | Nut                   |          | 2        |           |
|          |                  | M 5                   |          | _        |           |
| 13       | N 015 521 3      | Ball socket           |          | 2        |           |
|          |                  | A 8                   |          |          |           |
| 14       | 914 423 025 01   | Reverse lever         |          | 1        |           |
| 15       | 914 423 211 00   | Bearing sleeve        |          | 2        |           |
| 16       | 900 025 008 02   | Washer                |          | 1        |           |
|          |                  | 10,5                  |          |          |           |
| 16       | N 011 527 4      | Washer                |          | 1        |           |
|          |                  | 10,5                  |          |          |           |
| 16       | 900 025 008 09   | Washer                |          | 1        |           |
| 1        |                  | 10,5                  |          | -        |           |
| 16       | 900 025 008 04   | Washer                |          | 1        |           |
| 1 10     | 300 023 008 04   | 10,5                  |          | _        |           |
| 1 7      | N 012 530 1      |                       |          | 1        |           |
| 17       | N 012 530 1      | Cotter pin            |          | +        |           |
|          | l                | 3 X 15                |          | _        |           |
| 18       | 914 423 288 00   | Support               |          | 1        |           |
|          |                  | for accelerator cable |          |          |           |
| 19       | 905 423 026 02   | Pull rod              |          | 1        |           |
| 20       | 900 076 027 02   | Nut                   |          | 1        |           |
|          |                  | М 5                   |          |          |           |
| 21       | N 015 521 3      | Ball socket           |          | 1        |           |
|          |                  | A 8                   |          |          |           |
| 22       | 911 423 065 02   | Bearing bracket       |          | 1        |           |
| 25       | 901 423 193 00   | Rubber stop           |          | 1        |           |
| 26       | 911 613 411 00   | Brake light switch    |          | 1        |           |
| 26       | 911 613 411 01   | Brake light switch    |          | 1        |           |
| 27       | 900 114 014 01   | Shake-proof washer    |          | 2        |           |
| 4        | 900 114 014 01   |                       |          |          |           |
| 2.0      | 000 146 011 00   | A 4,3                 |          |          |           |
| 28       | 900 146 011 02   | Oval-head screw       |          | 2        |           |
|          |                  | AM 4 X 10             |          | _        |           |
| 29       | 901 423 253 00   | Bearing sleeve        |          | 2        |           |
| 30       | 914 423 260 00   | Reverse lever         |          | 1        |           |
|          |                  | Front                 |          |          |           |
| 31       | 900 031 001 02   | Washer                |          | 1        |           |
|          |                  | 8,4                   |          |          |           |
| <u> </u> | 1                | Ţ.                    | <u> </u> | <u> </u> | <u> </u>  |

| Model:   | 914 70 Model life 1970>>1976     |                                    |        |        |       |
|----------|----------------------------------|------------------------------------|--------|--------|-------|
| Pos      | Part Number                      | Description                        | Remark | Qty    | Model |
| 31       | 900 031 105 01                   | Washer                             |        | 1      |       |
| 31       | 900 031 103 01                   | 8 , 4                              |        |        |       |
| 32       | 900 021 008 00                   | Cotter pin                         |        | 1      |       |
| ""       |                                  | 2 X 15                             |        | _      |       |
| 32       | 900 021 008 0A                   | Cotter pin                         |        | 1      |       |
|          |                                  | 2 X 15                             |        |        |       |
| 33       | 905 423 035 00                   | Bearing tube                       |        | 1      |       |
| 34       | 905 423 391 00                   | Protective strip                   |        | 1      |       |
| 35       | 900 027 015 02                   | Lock ring                          |        | 01     |       |
|          |                                  | В 8                                |        |        |       |
| 35       | 900 027 015 03                   | Lock ring                          |        | 01     |       |
|          |                                  | B 8                                |        | _      |       |
| 36       | N 011 151 3                      | Hexagon nut                        |        | 1      |       |
| 37       | 905 423 053 00                   | M 8<br>Brake pedal                 |        | 1      |       |
| 38       | 911 423 542 00                   | Bush                               |        | 2      |       |
| 39       | 905 423 511 00                   | Rubber pad                         |        | 1      |       |
| 40       | 905 423 531 00                   | Return spring                      |        | 1      |       |
| 41       | 901 423 057 04                   | Piston rod                         |        | 1      |       |
| 42       | 900 158 003 02                   | Hexagon nut                        |        | 1      |       |
|          |                                  | M 10                               |        |        |       |
| 43       | 901 423 157 00                   | Stop washer                        |        | 1      |       |
| 44       | 901 423 507 02                   | Intermediate piece                 |        | 1      |       |
| 45       | N 011 564 2                      | Washer                             |        | 1      |       |
|          |                                  | 13                                 |        |        |       |
| 45       | N 011 564 4                      | Washer                             |        | 1      |       |
|          |                                  | 13                                 |        |        |       |
| 46       | 900 021 015 00                   | Cotter pin                         |        | 1      |       |
| 4.5      |                                  | 3 X 20                             |        |        |       |
| 47       | 900 025 007 02                   | Washer                             |        | 2      |       |
| 47       | 900 025 007 03                   | 8,4<br>Washer                      |        | 2      |       |
| 4 /      | 900 025 007 03                   | 8,4                                |        | ∠      |       |
| 48       | 900 027 015 02                   | Lock ring                          |        | 2      |       |
|          |                                  | B 8                                |        | _      |       |
| 48       | 900 027 015 03                   | Lock ring                          |        | 2      |       |
|          |                                  | В 8                                |        |        |       |
| 49       | 900 076 025 02                   | Hexagon nut                        |        | 2      |       |
|          |                                  | м 8                                |        |        |       |
| 49       | 900 076 064 02                   | Hexagon nut                        |        | 2      |       |
|          |                                  | M 8                                |        |        |       |
| 50       | 901 551 065 20                   | Stop                               |        | 1      |       |
|          |                                  | for                                |        |        |       |
|          | 001 551 671 00                   | Accelerator pedal                  |        | 1      |       |
| 51<br>52 | 901 551 671 20<br>900 121 017 20 | Hexagon-head bolt<br>Tubular rivet |        | 1<br>1 |       |
| 54       | 900 121 017 20                   | B 5 X 0,75 X 10 CU                 |        | 1      |       |
| 53       | 999 703 058 40                   | Stopper                            |        | 1      |       |
|          | 777 703 030 10                   | БСОРРСІ                            |        | _      |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |
|          |                                  |                                    |        |        |       |

| PORSCHE       |              | Illustration: 801-00 | PORSCHE |
|---------------|--------------|----------------------|---------|
|               |              |                      |         |
| Model: 914 70 | ) Model life | 1970>>1976           |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |
|               |              |                      |         |


24.07.2017 - 1 Kat 570

| Pos  | Part Number                      | Description  | Remark           | Qty    | Model        |
|------|----------------------------------|--|------------------|--------|--------------|
| F U3 | i ait ivuilibei                  |  | I CIII A         | wiy .  | IVIOUCI      |
|      | 914 501 003 11<br>914 501 004 12 | Body in white<br>Body in white<br>Body in white<br>Not for | 75-              | 1<br>1 | 914-6        |
| -    | 914 501 779 13                   | (USA), (J)<br>Body in white                                | 75-<br>(J) (USA) | 1      | 914-1,8V/2,0 |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |
|      |                                  |  |                  |        |              |




| Pos  | Part Number    | Description        | Remark | Qty | Model       |
|------|----------------|--------------------|--------|-----|-------------|
|      |                | Frame              |        |     |             |
|      |                | Front              |        |     |             |
| 1    | 914 501 937 11 | Floorpan           |        | 1   |             |
| 2    | 914 501 938 11 | Floorpan           |        | 1 1 |             |
|      | ]              | Front part         |        | -   |             |
| 3    | 914 501 059 00 | Mounting           |        | 2   |             |
|      |                | for                |        |     |             |
|      |                | Cross tube         |        |     |             |
|      |                | Front axle         |        |     |             |
| 4    | 914 501 057 00 | Reinforcement      | /V     | 2   |             |
|      |                | for                |        |     |             |
|      |                | Axle mounting      |        |     |             |
| 5    | 914 501 531 10 | Towing lug         | /V     | 1   |             |
| 6    | 914 501 062 13 | Tunnel             |        | 1   |             |
| 7    | 914 501 643 10 | Connecting piece   |        | 1   |             |
| 8    | 914 501 109 10 | Cross member       |        | 1   |             |
|      |                | Seat               |        |     |             |
| 9    | 914 507 041 10 | Corner plate       | /L     | 1   |             |
| (9)  | 914 507 042 10 | Corner plate       | /R     | 1   |             |
| (10) | 914 501 115 10 | Separator          | /L     | 1   |             |
|      |                | for                |        |     |             |
|      |                | Wheel housing      |        |     |             |
|      |                | Cross panel        |        |     |             |
| 10/1 |                | Front              | /      |     |             |
| 10/1 | 914 507 011 10 | Separator          | /L 75- | 1   | 914-1,8/2,0 |
|      |                | for                |        |     |             |
|      |                | Wheel housing      |        |     |             |
|      |                | Cross panel        |        |     |             |
| 10   | 914 501 116 10 | Front              | /R     | 1   |             |
| 10   | 914 301 110 10 | Separator for      | / K    | 1   |             |
|      |                | Wheel housing      |        |     |             |
|      |                | Cross panel        |        |     |             |
|      |                | Front              |        |     |             |
| 10/1 | 914 507 012 10 | Separator          | /R 75- | 1   | 914-1,8/2,0 |
| 1071 |                | for                | 710 70 | -   | 721 2/0/2/0 |
|      |                | Wheel housing      |        |     |             |
|      |                | Cross panel        |        |     |             |
|      |                | Front              |        |     |             |
| 11   | 914 501 164 10 | Mounting           | /H /L  | 1   |             |
|      |                | for                |        |     |             |
|      |                | Axle mounting      |        |     |             |
| (11) |                | Mounting           | /H /R  | 1   |             |
|      |                | for                |        |     |             |
|      |                | Axle mounting      |        |     |             |
| 12   | 914 559 247 10 | Lid                |        | 1   |             |
| 13   | 914 559 243 10 | Stopper            | -73    | 1   | 914-4/1,7   |
|      |                | for                |        |     | 914-2,0     |
|      |                | Oil hose           |        |     |             |
|      |                | And                |        |     |             |
|      |                | Water drain sleeve |        |     |             |
| 13   |                | Stopper            | -73    | 2   | 914-6       |
|      |                | for                |        |     |             |
|      |                | Oil hose           |        |     |             |
|      |                | And                |        |     |             |
| 14   | 914 559 245 10 | Water drain sleeve |        | 1   | 914-6       |
| 14   | 714 229 245 10 | Stopper for        |        | 1   | 914-0       |
|      |                | Fuel line          |        |     |             |
| 15   | 914 559 241 10 | Lid                |        | 8   |             |
| 17   | 914 559 241 10 | Lid                | /H     | 1 8 |             |
| ''   | 717 304 312 10 | for                | / 11   |     |             |
|      |                | Tunnel             |        |     |             |
|      |                | 1 444464           |        |     |             |

| Model: | 914 70         | Model life 1970>>1976              |        |     |                             |
|--------|----------------|------------------------------------|--------|-----|-----------------------------|
| Pos    | Part Number    | Description                        | Remark | Qty | Model                       |
| 18     | 914 504 025 10 | Lid                                | /V     | 1   |                             |
|        |                | for                                |        |     |                             |
|        |                | Tunnel                             |        |     |                             |
| 19     | 999 507 009 02 | Speed nut                          |        | 2   |                             |
| 20     | 900 138 003 01 | Pan-head tapping screw B 3,5 X 9,5 |        | 2   |                             |
| 21     | 914 501 408 10 | Bracket                            | -74    | 1   |                             |
|        | 711 301 100 10 | for                                | , -    | _   |                             |
|        |                | Towing lug                         |        |     |                             |
| 22     | 914 559 163 10 | Protection cover                   |        | 2   | 914-1,7/1,8V                |
| 22     | 900 025 003 02 | Washer                             |        | 6   | 914-1,8/2,0                 |
| 23     | 900 025 003 02 | Washer B 5,3                       |        | 6   | 914-1,7/1,8V<br>914-1,8/2,0 |
| 24     | N 012 005 3    | Lock ring                          |        | 6   | 914-1,7/1,8V                |
|        |                | В 5                                |        |     | 914-1,8/2,0                 |
| 25     | N 010 207 6    | Hexagon-head bolt                  |        | 6   | 914-1,7/1,8V                |
| 2.5    | N 010 007 17   | M 5 X 12                           |        | _   | 914-1,8/2,0                 |
| 25     | N 010 207 17   | Hexagon-head bolt<br>M 5 X 12      |        | 6   | 914-1,7/1,8V<br>914-1,8/2,0 |
| 26     | 914 502 109 10 | Reinforcement                      | /L -74 | 1   | 914-1,7/1,8                 |
|        |                | for                                |        |     | 914-2,0                     |
|        |                | Cross panel                        |        |     |                             |
| (26)   | 014 500 110 10 | Lock                               | /D 74  | 1   | 014 1 7/1 0                 |
| (26)   | 914 502 110 10 | Reinforcement for                  | /R -74 | 1   | 914-1,7/1,8<br>914-2,0      |
|        |                | Cross panel                        |        |     | J14 2,0                     |
|        |                | Lock                               |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |
|        |                |                                    |        |     |                             |



| Pos    | Part Number                      | Description         | Remark    | Qty  | Model                     |
|--------|----------------------------------|---------------------|-----------|--|---------------------------|
|        |                                  | <u> </u>            |           | <del>                                     </del> |                           |
|        |                                  | Frame<br>Rear       |           |  |                           |
| (1)    | 914 501 435 10                   | Inner panel         | /L        | 1  |                           |
| ( 1 )  | 914 501 455 10                   | for                 | / Li      | -  |                           |
|        |                                  | Side member         |           |  |                           |
|        |                                  | with                |           |  |                           |
|        |                                  | Picture             |           |  |                           |
|        |                                  | 3                   |           |  |                           |
|        |                                  | FUER TYP 914-6      |           |  |                           |
|        |                                  | POS.3 ENTFERNEN     |           |  |                           |
| 1      | 914 501 436 12                   | Inner panel         | /R        | 1  |                           |
|        |                                  | for                 |           |  |                           |
|        |                                  | Side member         |           |  |                           |
|        |                                  | with                |           |  |                           |
|        |                                  | Picture             |           |  |                           |
|        |                                  | 3<br>FUER TYP 914-6 |           |  |                           |
|        |                                  | POS. 3 ENTFERNEN    |           |  |                           |
| 2      | 914 501 044 11                   | Bracket             | /R        | 1  |                           |
|        | 714 301 044 11                   | for                 | / IC      | -  |                           |
|        |                                  | Mounting            |           |  |                           |
|        |                                  | Rear axle           |           |  |                           |
| (2)    | 914 501 017 10                   | Engine bracket      | /L        | 1  |                           |
|        |                                  | for                 |           |  |                           |
|        |                                  | Mounting            |           |  |                           |
|        |                                  | Rear axle           |           |  |                           |
| (3)    | 914 501 183 10                   | Engine mounting     | /L        | 1  | 914-4/1,7                 |
|        |                                  |                     |           |  | 914-1,8/1,8V              |
|        | 014 501 104 10                   | Parada a manada a   | /D        | 1  | 914-2,0                   |
| 3      | 914 501 184 10                   | Engine mounting     | /R        | 1  | 914-4/1,7<br>914-1,8/1,8V |
|        |                                  |                     |           |  | 914-1,8/1,80              |
| 4      | 911 572 025 02                   | Muffler             | -74       | 2  | 914-2,0                   |
| (4)    | 711 372 023 02                   | Muffler             | 75-       | 2  | 914-1,8V/1,8              |
| , ,    |                                  | Not                 |           |  | , , , , , ,               |
|        |                                  | Closed              |           |  |                           |
|        |                                  |                     |           |  | 914-2,0                   |
| (5)    | 914 501 027 10                   | Hot air duct        | /V /L     | 1  |                           |
| 5      | 914 501 028 10                   | Hot air duct        | /V /R     | 1  |                           |
| (6)    | 914 501 031 10                   | Hot air duct        | /H /L     | 1  |                           |
| 6      | 914 501 032 10                   | Hot air duct        | /H /R     | 1  |                           |
| 7<br>8 | 914 501 825 10<br>914 504 117 10 | Profile strip Seal  | /V        | 2  |                           |
| 9      | 914 504 117 10                   | Stop                | / V<br>/L | 1  | 914-6/4                   |
|        | 1 914 301 323 10                 | for                 | 7 11      |  | 914-0/4                   |
|        |                                  | Handbrake           |           |  |                           |
| 10     | 914 501 083 10                   | Floorpan            | -74       | 1  | 914-6/4/1,7               |
|        |                                  | _                   |           |  | 914-1,8V/2,0              |
| (10)   | 914 507 015 10                   | Floorpan            | -74       | 1  | 914-1,8/2,0               |
|        |                                  |                     | (J) (USA) |  |                           |
|        | 914 501 083 14                   | Floorpan            | 75-       | 1  | 914-1,8/2,0               |
| (11)   | 914 504 157 10                   | Seal                | /L        | 1  |                           |
| 1.1    | 014 504 150 10                   | Lateral             |           | ,  |                           |
| 11     | 914 504 158 10                   | Seal                | /R        | 1  |                           |
| 12     | 914 504 155 10                   | Lateral<br>Seal     | /H        | 1  |                           |
| 13     | 914 504 155 10                   | Profile strip       | /H<br>/H  | 1  |                           |
| 14     | 914 501 827 10                   | Support             | ,         | 1  |                           |
|        | 1 201 0/3 10                     | for                 |           | -  |                           |
|        |                                  | Handbrake           |           |  |                           |
| 15     | 914 501 077 10                   | Reinforcement plate | /H /L     | 1  |                           |
|        |                                  | for                 |           |  |                           |
|        |                                  | Shock absorber      |           |  |                           |
|        | 1                                | <u> </u>            | 1         |  | 1                         |

| woder. | 914 70         | Woderlife 1970>>1976  |        |     |              |
|--------|----------------|-----------------------|--------|-----|--------------|
| Pos    | Part Number    | Description           | Remark | Qty | Model        |
| (15)   | 914 501 078 10 | Reinforcement plate   | /H /R  | 1   |              |
|        |                | for                   |        |     |              |
|        |                | Shock absorber        |        |     |              |
| 16     | 914 501 851 12 | Engine bracket        | -74    | 2   |              |
|        |                | for                   |        |     |              |
|        |                | Mount                 |        |     |              |
|        |                | Bumper                |        |     |              |
| (16)   |                | Engine bracket        | 75-    | 2   | 914-1,8V/1,8 |
|        |                | for Mount             |        |     | 914-2,0      |
|        |                | Bumper                |        |     |              |
| 17     | 914 501 594 11 | Heat protection plate |        | 1   |              |
| 18     | 914 501 596 10 | Retaining bracket     |        | 6   |              |
|        |                | for                   |        |     |              |
|        |                | Heat protection plate |        |     |              |
|        | 914 501 141 10 | Filler plate          | /L     | 1   |              |
| 19     | 914 501 142 10 | Filler plate          | /R     | 1   |              |
|        | 914 501 143 10 | Reinforcement         | /L     | 1   |              |
| 20     | 914 501 144 10 | Reinforcement         | /R     | 1   |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        |                |                       |        |     |              |
|        | <u> </u>       |                       |        |     |              |




| woder. | 914 70         | Woderlife 1970>>1976      |           |     |              |
|--------|----------------|---------------------------|-----------|-----|--------------|
| Pos    | Part Number    | Description               | Remark    | Qty | Model        |
|        |                | T                         |           |     |              |
|        |                | Interior panelling        |           | _   |              |
| 1      | 914 501 901 10 | Body front section        | /V -71    | 1   | 914-6/4      |
| 1      | 914 501 901 11 | Body front section        | /V 72-74  | 1   |              |
| 1      | 914 501 901 13 | Body front section        | 75-       | 1   | 914-1,8/2,0  |
| 2      | 914 501 033 10 | Wheel housing             | /L /V     | 1   |              |
| (2)    | 914 501 034 10 | Wheel housing             | /R /V     | 1   |              |
| (3)    | 914 502 031 12 | Cross panel               | /V -74    | 1   |              |
| (3)    | 914 502 031 13 | Cross panel               | /V 75-    | 1   | 914-1,8/2,0  |
|        |                | POS. 3                    |           |     |              |
|        |                | See technical information |           |     |              |
|        |                | NR 13. GR 8               |           |     |              |
| 3/1    | 914 502 919 10 | Spacer                    |           | 2   | 914-1,7/1,8  |
|        |                | for                       |           |     | 914-2,0      |
|        |                | Cross panel               |           |     |              |
|        |                | 914.502.031.12            |           |     |              |
| 4      | 914 501 051 10 | Cross panel               | -74       | 1   |              |
|        |                | for                       |           |     |              |
|        |                | Shock absorber            |           |     |              |
|        |                | Front                     |           |     |              |
| (4)    | 914 501 051 11 | Cross panel               | 75-       | 1   | 914-1,8V/1,8 |
| ( - /  |                | for                       | '         | -   | 914-2,0      |
|        |                | Shock absorber            |           |     |              |
|        |                | Front                     |           |     |              |
| (5)    | 914 502 041 11 | Headlamp casing           | /L        | 1   |              |
| (3)    | 714 302 041 11 | for                       | / =       | -   |              |
|        |                | Pop-up headlight          |           |     |              |
| (5)    | 914 502 042 11 | Cover plate               | /R        | 1   |              |
| (3)    |                | for                       | / 10      | -   |              |
|        |                | Pop-up headlight          |           |     |              |
| 6      | 914 502 429 10 | Water drain tube          |           | 2   |              |
|        |                | for                       |           | -   |              |
|        |                | Pop-up headlight          |           |     |              |
| 6      | 914 502 429 11 | Water drain tube          |           | 2   |              |
|        |                | for                       |           | -   |              |
|        |                | Water drain tube          |           |     |              |
| 7      | 914 501 903 10 | Hinge pillar              | /L        | 1   |              |
| (7)    | 914 501 904 10 | Hinge pillar              | /R        | 1   |              |
| 8      | 914 502 425 10 | Connecting piece          | /<br>/V   | 2   |              |
|        |                | Corner piece              |           |     |              |
| 9      | 914 501 162 10 | Reinforcement             |           | 2   | 914-1,7/1,8V |
|        |                | for                       |           |     | 914-1,8/2,0  |
|        |                | Stabiliser mounting       |           |     |              |
| 10     | 914 502 011 10 | Rear wall                 | -71       | 1   | 914-6/4      |
|        |                | Upper part                |           |     |              |
| 10     | 914 502 011 11 | Rear wall                 | 72-       | 1   |              |
|        |                | Upper part                |           |     |              |
| 11     | 914 501 823 10 | Clamping piece            | /V        | 1   |              |
| 12     | 914 501 007 10 | Rear wall                 |           | 1   | 914-6        |
| (12)   | 914 501 119 10 | Rear wall                 | -71       | 1   | 914-4        |
|        |                | Lower part                |           |     |              |
| (12)   | 914 501 119 11 | Rear wall                 | 72-       | 1   | 914-4        |
|        |                | Lower part                |           |     |              |
| (12)   | 914 501 119 14 | Rear wall                 | -74       | 1   | 914-1,7/1,8V |
|        |                | Lower part                |           |     | 914-1,8/2,0  |
| (12)   |                | Rear wall                 | 75-       | 1   | 914-1,8V/1,8 |
|        |                | Lower part                |           |     | 914-2,0      |
| 13     | 914 501 941 10 | Wheel housing panel       | /L /H     | 1   | 914-4/1,7    |
|        |                | Inner panel               |           |     | 914-1,8/1,8V |
|        |                |                           |           |     | 914-2,0      |
| 13     | 914 501 941 11 | Wheel housing panel       | /L /H 73- | 1   | 914-1,7/1,8V |
|        |                | Inner panel               |           |     | 914-2,0      |
|        |                | F 47329 10937>>           |           |     |              |
|        |                | for                       |           |     |              |
|        |                |                           |           |     |              |

| woder.   | 914 70        |       | Wioderine 1970>>1976          |           |     |              |
|----------|---------------|-------|-------------------------------|-----------|-----|--------------|
| Pos      | Part Number   |       | Description                   | Remark    | Qty | Model        |
|          |               |       | USA                           |           |     |              |
|          |               |       | with                          |           |     |              |
|          |               |       | Baffle plate                  |           |     |              |
| (13)     | 914 501 943 1 | 0     | Wheel housing panel           | /L /H     | 1   | 914-6        |
|          |               |       | Inner panel                   |           |     |              |
| (13)     | 914 501 944 1 | 0     | Wheel housing panel           | /R /H     | 1   |              |
|          |               |       | Inner panel                   |           |     |              |
| (13)     | 914 501 944 1 | 1     | Wheel housing panel           | /R /H 73- | 1   | 914-1,7/1,8V |
|          |               |       | Inner panel                   |           |     | 914-2,0      |
|          |               |       | F 47329 10937>>               |           |     |              |
|          |               |       | for                           |           |     |              |
|          |               |       | USA<br>with                   |           |     |              |
|          |               |       | Baffle plate                  |           |     |              |
| 14       | 914 502 035 1 | Ω     | Reinforcement                 | /L        | 1   |              |
|          | 033 1         | O     | for                           | / =       | _   |              |
|          |               |       | Roll bar                      |           |     |              |
| (14)     | 914 502 036 1 | 0     | Reinforcement                 | /R        | 1   |              |
|          |               |       | for                           |           |     |              |
|          |               |       | Roll bar                      |           |     |              |
| 15       | 914 502 033 1 | 0     | Filler plate                  |           | 1   |              |
|          |               |       | Inner panel                   |           |     |              |
|          |               |       | for                           |           |     |              |
| 1.0      | 014 500 040 1 | •     | Roll bar                      | /- /      |     |              |
| 16       | 914 502 243 1 | 0     | Connecting piece              | /L /H     | 1   |              |
| (16)     | 014 500 044 1 | 0     | Corner piece                  | /D /II    | 1   |              |
| (16)     | 914 502 244 1 | U     | Connecting piece Corner piece | /R /H     | 1   |              |
| 17       | 914 501 030 1 | Λ     | Bracket                       |           | 2   |              |
| /        | 714 301 030 1 | O     | for                           |           |     |              |
|          |               |       | Hinge pillar                  |           |     |              |
| 17       |               |       | Bracket                       |           | 2   |              |
|          | 914 501 030 1 | 0 GRV | Prime coated                  |           |     |              |
|          |               |       | for                           |           |     |              |
|          |               |       | Hinge pillar                  |           |     |              |
| 18       | 914 501 013 1 | 0     | Door sill                     | /L        | 1   |              |
| (10)     | 014 501 014 1 | 0     | Outer                         | /B        | _   |              |
| (18)     | 914 501 014 1 | U     | Door sill<br>Outer            | /R        | 1   |              |
| 19       | 914 501 089 1 | Ω     | Door sill                     | /L        | 1   |              |
| 19       | 914 301 069 1 | U     | for                           | / Ш       |     |              |
|          |               |       | Side member                   |           |     |              |
| (19)     | 914 501 090 1 | 0     | Door sill                     | /R        | 1   |              |
|          |               |       | for                           |           |     |              |
|          |               |       | Side member                   |           |     |              |
| 20       | 914 502 237 1 | 0     | Guide tube                    |           | 1   |              |
|          |               |       | for                           |           |     |              |
|          |               |       | Lid-release cable             |           |     |              |
| 21       | 914 511 231 1 | 0     | Engine compartment Guide tube |           | 1   |              |
| 21       | 914 511 231 1 | U     | for                           |           | 1   |              |
|          |               |       | Lid-release cable             |           |     |              |
|          |               |       | Front                         |           |     |              |
| 22       | 914 501 587 1 | 0     | Carrier plate for battery     |           | 1   |              |
| 23       | 914 501 073 1 |       | Supporting plate              |           | 1   |              |
| 23       |               |       | Supporting plate              |           | 1   |              |
|          |               |       | for                           |           |     |              |
|          |               |       | Battery                       |           |     |              |
|          |               | _     | Bracket                       |           |     |              |
|          | 914 501 073 1 |       |                               |           |     |              |
| 24<br>25 | 914 559 252 1 |       | Stopper                       |           | 9   |              |
| 25       | 914 501 151 1 | U     | Separator<br>Separator        |           | 2 2 |              |
| ∠5       |               |       | poparacor                     |           |     |              |


| woder. | 91470            | Modeline 1970>>1970 | T= -   |     | 1     |
|--------|------------------|---------------------|--------|-----|-------|
| Pos    | Part Number      | Description         | Remark | Qty | Model |
|        | 914 501 151 10 G | RV Prime coated     |        |     |       |
| 26     | 914 501 153 10   | Connecting piece    |        | 2   |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
|        |                  |                     |        |     |       |
| -      | •                | -                   | •      | -   | •     |

PORSCHE Illustration: 801-20



| woder. | 914  |          |      |     |      | Woderlife 1970>>1970                    |                | 10. | Ta          |
|--------|------|----------|------|-----|------|---|----------------|-----|-------------|
| Pos    | Part | Num      | ber  |     |      | Description                             | Remark         | Qty | Model       |
| 1      | 914  | 503      | 901  | 10  |      | Exterior panelling Firewall with        | -71            | 1   | 914-6/4     |
| 1      | 914  | 501      | 195  | 10  |      | Windscreen frame Firewall with          | 72-            | 1   |             |
| 2      | 914  | 503      | 057  | 10  |      | Windscreen frame<br>Cowl                |                | 1   |             |
| 3      | 914  | 503      | 065  | 11  |      | Cross panel                             | /H -74         | 1   |             |
| 3      |      |          |      |     |      | Cross panel                             | /H             | 1   |             |
|        |      |          |      |     | GRV  |   |                |     |             |
| 3      |      | 503      |      |     |      | Cross panel                             | /H             | 1   |             |
| ,      |      |          |      |     | GRV  | Prime coated                            | /11 75         | 1   | 014 1 0/2 0 |
| 3      | 914  | 503      | 065  | 12  |      | Cross panel<br>Terminal piece           | /н 75-         | 1   | 914-1,8/2,0 |
| 4      | 914  | 503      | 903  | 11  |      | Side section                            | /L /H          | 1   |             |
| 1      |      | 505      | 703  |     |      | Side section                            | / 11 / 11      | -   |             |
|        |      |          |      |     |      | with                                    |                |     |             |
|        |      |          |      |     |      | Lock pillar                             |                |     |             |
| (4)    | 914  | 503      | 904  | 11  |      | Side section                            | /R /H          | 1   |             |
|        |      |          |      |     |      | Side section                            |                |     |             |
|        |      |          |      |     |      | with                                    |                |     |             |
|        |      | <b>.</b> | 000  | 0.0 |      | Lock pillar                             | /- /           |     |             |
| _      | 914  | 503      | 907  | 00  |      | Flared wheel arches Flared wheel arches | /L /H<br>/L /H | 1 1 |             |
| _      | 914  | 503      | 907  | 00  | CPV  | Prime coated                            | /              | -   |             |
| _      |      | 503      |      |     | GICV | Flared wheel arches                     | /R /H          | 1   |             |
| _      |      | 303      | ,,,, | 00  |      | Flared wheel arches                     | /R /H          | 1   |             |
|        | 914  | 503      | 908  | 00  | GRV  | Prime coated                            | , ,            |     |             |
| 5      | 914  | 503      | 603  | 10  |      | Roll bar                                |                | 1   |             |
|        |      |          |      |     |      | Exterior panelling                      |                |     |             |
|        |      |          |      |     |      | Upper                                   |                |     |             |
| (6)    | 914  | 503      | 061  | 11  |      | Wing                                    | /L /V          | 1   | 914-6/4/1,7 |
|        |      |          |      |     |      | with                                    |                |     |             |
|        |      |          |      |     |      | Bore                                    |                |     |             |
|        |      |          |      |     |      | for Direction indicator light           |                |     |             |
|        |      |          |      |     |      | Lateral for                             |                |     |             |
|        | ١    |          |      |     |      | (USA) (I) (DK)                          |                |     |             |
| (6)    | 914  | 503      | 062  | 11  |      | Wing<br>with                            | /R /V          | 1   | 914-6/4/1,7 |
|        |      |          |      |     |      | Bore                                    |                |     |             |
|        |      |          |      |     |      | for                                     |                |     |             |
|        |      |          |      |     |      | Direction indicator light               |                |     |             |
|        |      |          |      |     |      | Lateral                                 |                |     |             |
|        |      |          |      |     |      | for                                     |                |     |             |
|        | 1    |          |      |     |      | (USA) (I) (DK)                          |                |     |             |
| -      | 914  | 503      | 905  | 00  |      | Flared wheel arches                     | /L /V          | 1   |             |
| -      |      | F 6 2    | 005  | 0.0 | a=   | Flared wheel arches                     | /L /V          | 1   |             |
|        |      | 503      |      |     | GRV  | Prime coated<br>Flared wheel arches     | /D /T/         | 1   |             |
|        | "4   | 503      | ソリり  | υÜ  |      | Flared wheel arches                     | /R /V<br>/R /V | 1 1 |             |
| [      | 914  | 503      | 906  | 0.0 | GRV  | Prime coated                            | / IX / V       | 1   |             |
| 7      | l    | 501      |      |     | OICV | Bracket                                 |                | 1   |             |
|        |      |          |      | - 0 |      | Front                                   |                |     |             |
|        |      |          |      |     |      | for                                     |                |     |             |
|        | 1    |          |      |     |      | Wing                                    |                |     |             |
|        | 1    |          |      |     |      | Rear                                    |                |     |             |
|        | 1    |          |      |     |      | Left                                    |                |     |             |
| (7)    | 914  | 501      | 372  | 10  |      | Bracket                                 |                | 1   |             |
|        | 1    |          |      |     |      | Front                                   |                |     |             |
|        |      |          |      |     |      | for                                     |                |     |             |

| Pos      | Part Number                   | Description                  | Remark | Otv    | Model        |
|----------|-------------------------------|------------------------------|--------|--------|--------------|
| rus      | rart Number                   | Description                  | Remark | Qty    | iviodei      |
|          |                               | Wing                         |        |        |              |
|          |                               | Rear                         |        |        |              |
|          |                               | Right                        |        |        |              |
| 8        | 914 501 375 10                | Bracket                      |        | 1      |              |
|          |                               | Rear                         |        |        |              |
|          |                               | for                          |        |        |              |
|          |                               | Wing<br>Rear                 |        |        |              |
|          |                               | Left                         |        |        |              |
| (8)      | 914 501 376 10                | Bracket                      |        | 1      |              |
| ( - /    |                               | Rear                         |        |        |              |
|          |                               | for                          |        |        |              |
|          |                               | Wing                         |        |        |              |
|          |                               | Rear                         |        |        |              |
|          |                               | Right                        |        |        |              |
| 9        | 914 503 307 10                | Cover                        | /L     | 1      |              |
|          |                               | for                          |        |        |              |
|          |                               | Pop-up headlight             |        | _      |              |
| (9)      | 914 503 308 10                | Cover                        | /R     | 1      |              |
|          |                               | for Pop-up headlight         |        |        |              |
| _        | 914 750 197 10                | Stopper                      |        | 6      |              |
| 10       | 914 730 197 10                | Door sill                    | /L     | 1      |              |
|          | 914 503 126 10                | Door sill                    | /R     | 1      |              |
|          | 914 559 267 10                | Stopper                      | / 10   | 2      |              |
| 11       | 999 591 550 40                | Expansion rivet              |        | 12     |              |
| 12       | 900 187 017 02                | Hexagon-head tapping screw   |        | 4      |              |
|          |                               | BZ 4,2 X 19                  |        |        |              |
| 13       | 914 559 127 10                | Spacer                       |        | 4      |              |
| 14       | 900 025 002 02                | Washer                       |        | 4      |              |
|          |                               | A 4,3                        |        |        |              |
| 14       | 900 025 002 03                | Washer                       |        | 4      |              |
| 1.5      |                               | A 4,3                        |        | ١.     |              |
| 15<br>16 | 999 507 229 00<br>N 014 139 5 | Speed nut<br>Oval-head screw |        | 4<br>6 |              |
| 10       | N 014 139 5                   | M 6 X12                      |        | 0      |              |
| 17       | N 011 524 7                   | Washer                       |        | 6      |              |
|          |                               | 6,4                          |        | ľ      |              |
| 17       | N 011 524 27                  | Washer                       |        | 6      |              |
|          |                               | 6,4                          |        |        |              |
| 18       | 900 114 002 02                | Shake-proof washer           |        | 6      |              |
|          |                               | J 6,4                        |        |        |              |
| 19       | 914 559 155 10                | Piping                       |        | 2      |              |
| 20       | 914 555 043 10                | Cover                        | 72-    | 2      | 914-4/1,7    |
|          |                               |                              |        |        | 914-1,8/1,8V |
| 2.1      | 014 502 044 32                | TYP 914-6                    | /B     | 1      | 914-2,0      |
| 21       | 914 503 044 10                | Cover                        | /R     | 1      |              |
|          |                               | for Engine compartment       |        |        |              |
| (21)     | 914 503 043 10                | Engine compartment Cover     | /L     | 1      |              |
| (21)     | 914 303 043 10                | for                          | / L    |        |              |
|          |                               | Engine compartment           |        |        |              |
| _        | 914 503 905 00                | Flared wheel arches          | /V /L  | 1      |              |
|          | 914 503 905 00 GRV            |                              |        |        |              |
| _        | 914 503 906 00                | Flared wheel arches          | /V /R  | 1      |              |
|          | 914 503 906 00 GRV            |                              |        |        |              |
| -        | 914 503 907 00                | Flared wheel arches          | /H /L  | 1      |              |
|          | 914 503 907 00 GRV            |                              |        |        |              |
| -        | 914 503 908 00                | Flared wheel arches          | /H /R  | 1      |              |
|          | 914 503 908 00 GRV            | Prime coated                 |        |        |              |
|          |                               |                              |        |        |              |
|          |                               |                              |        |        |              |
|          | l                             |                              |        |        |              |




| Pos | Part Number    | Description                | Remark  | Qty   | Model        |
|-----|----------------|----------------------------|---------|---|--------------|
|     |                | Bumper                     | -74     | <del>-                                     </del> |              |
|     |                | Front and rear             | - / 4   |   |              |
| 1   | 914 503 023 10 | Protective moulding        | /V      | 1   |              |
| 1 1 | 914 503 023 10 | Protective moulding        | /V 74-  | 1   | 914-1,8V/1,8 |
| _   | 714 303 023 11 | for cars with              | / V / 4 | 1   | 914-2,0      |
|     |                | Headlight washer system    |         |   | 711 2,0      |
|     |                | (S)                        |         |   |              |
| 2   | 914 559 116 10 | Rubber base                |         | 5   |              |
| 3   | 900 151 006 09 | Washer                     |         | 5   |              |
|     |                | A 6,4                      |         |   |              |
| 4   | 900 076 010 02 | Nut                        |         | 5   |              |
|     |                | м 6                        |         |   |              |
| 4   | 900 076 010 0B | Nut                        |         | 5   |              |
|     |                | м 6                        |         |   |              |
| 5   | 914 503 027 10 | Protective moulding        | /H      | 1   |              |
| 6   | 914 559 116 10 | Rubber base                |         | 5   |              |
| 7   | 900 151 006 09 | Washer                     |         | 5   |              |
|     |                | A 6,4                      |         |   |              |
| 8   | 900 076 010 02 | Nut                        |         | 5   |              |
|     |                | м 6                        |         |   |              |
| 8   | 900 076 010 0B | Nut                        |         | 5   |              |
|     |                | м 6                        |         |   |              |
| 9   | 914 503 121 10 | Front apron                |         | 1   |              |
| (9) | 914 503 235 10 | Front spoiler              |         | 1   | 914-4/1,7    |
|     |                |                            |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| _   | 914 503 237 10 | Support panel              | /L M    | 1   | 914-4/1,7    |
|     |                | for                        |         |   | 914-1,8/1,8V |
|     |                | Front spoiler              |         |   | 914-2,0      |
| -   | 914 503 238 10 | Support panel              | /R      | 1   | 914-4/1,7    |
|     |                | for                        |         |   | 914-1,8/1,8V |
|     |                | Front spoiler              |         |   | 914-2,0      |
| -   | N 010 264 4    | Hexagon-head bolt          |         | 2   | 914-4/1,7    |
|     |                | M 5 X 22                   |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| -   | 914 503 239 10 | Screw                      |         | 2   | 914-4/1,7    |
|     |                | for                        |         |   | 914-1,8/1,8V |
|     |                | Front spoiler              |         |   | 914-2,0      |
|     |                | Mount                      |         |   |              |
| -   | N 012 006 4    | Lock ring                  |         | 2   | 914-4/1,7    |
|     |                | 6                          |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| -   | 900 076 010 02 | Nut                        |         | 2   | 914-4/1,7    |
|     |                | М 6                        |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| -   | 900 076 010 0B | Nut                        |         | 2   | 914-4/1,7    |
|     |                | М б                        |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| -   | 999 507 024 02 | Speed nut                  |         | 4   | 914-4/1,7    |
|     |                | 4,8                        |         |   | 914-1,8/1,8V |
|     |                |                            |         |   | 914-2,0      |
| 10  | 900 187 018 02 | Hexagon-head tapping screw |         | 4   |              |
|     |                | B 4,8 X 16                 |         |   |              |
| 11  | 900 187 024 02 | Hexagon-head tapping screw | -71     | 1   | 914-6        |
|     |                | BZ 4,8X 19                 |         |   |              |
| 11  |                | Hexagon-head tapping screw | -71     | 2   | 914-4        |
|     | L.,            | BZ 4,8 X 19                |         | 1.  |              |
| 12  | 914 559 127 10 | Spacer                     | -71<br> | 2   | 914-6/4      |
| 13  | 900 151 027 02 | Washer                     | -71     | 6   | 914-6/4      |
|     |                | B 5,3                      |         |   |              |
| 13  | 900 151 027 03 | Washer                     |         | 6   | 914-6/4      |
| 1 . |                | B 5,3                      |         |   |              |
| 14  | 999 507 015 02 | Speed nut                  |         | 6   |              |

| woder. | 914 70             | Wioder ine 1970>>1976            |         |     |                        |
|--------|--------------------|----------------------------------|---------|-----|------------------------|
| Pos    | Part Number        | Description                      | Remark  | Qty | Model                  |
| 15     | 914 505 009 10     | Bumper                           | /V      | 1   |                        |
|        |                    | Chrome                           |         |     |                        |
| 15     | 914 505 010 10     | Bumper                           | /V      | 1   |                        |
|        |                    | Prime coated                     |         |     |                        |
| 15     | 914 505 084 10     | Bumper                           | /V 73-  | 1   |                        |
|        |                    | Chrome                           |         |     |                        |
| 15     | 914 505 083 10     | Bumper                           | /V 73-  | 1   |                        |
| (15)   | 014 505 000 11     | Prime coated                     | /57 7 4 | 1   |                        |
| (15)   | 914 505 009 11     | Bumper<br>Chrome                 | /V 74-  | 1   |                        |
|        |                    | for cars with                    |         |     |                        |
|        |                    | Headlight washer system          |         |     |                        |
|        |                    | (S)                              |         |     |                        |
| (15)   | 914 505 010 12     | Bumper                           | /V 74-  | 1   |                        |
|        |                    | Prime coated                     |         |     |                        |
|        |                    | for cars with                    |         |     |                        |
|        |                    | Headlight washer system          |         |     |                        |
|        |                    | (S)                              |         | _   |                        |
| 16     | 914 505 027 10     | Desk pad                         |         | 2   |                        |
| 17     | N 010 340 4        | Hexagon-head bolt<br>M 8 X 40    |         | 4   |                        |
| 18     | 900 114 021 01     | M 8 X 40<br>  Shake-proof washer |         | 4   |                        |
| 10     | 900 114 021 01     | J 8,2                            |         | 4   |                        |
| 19     | 900 151 008 02     | Washer                           |         | 4   |                        |
| 17     | 700 131 000 02     | В 8,4                            |         | -   |                        |
| 20     | 999 151 027 50     | Sealing washer                   | 72-     | 2   |                        |
| 21     | 999 151 026 02     | Washer                           | 72-     | 2   |                        |
| 22     | N 010 264 4        | Hexagon-head bolt                | 72-     | 2   |                        |
|        |                    | M 5 X 20                         |         |     |                        |
| 23     | 914 559 127 11     | Spacer                           | 72-     | 2   |                        |
| 24     | N 012 005 3        | Lock ring                        | 72-     | 2   |                        |
| 25     | 000 076 007 00     | B 5<br>Nut                       | 72-     | 2   |                        |
| ∠5     | 900 076 027 02     | M 5                              | 12-     | ∠   |                        |
| 26     | 914 559 253 10     | Buffer                           | 72-     | 2   |                        |
| (27)   | 914 505 063 10     | Bumper horn                      | /L /V   | 1   | 914-1,7/1,8            |
| ` '    |                    | _                                |         |     | 914-2,0                |
| 27     | 914 505 064 10     | Bumper horn                      | /R /V   | 1   | 914-1,7/1,8            |
|        |                    |                                  |         |     | 914-2,0                |
| 28     | 914 505 107 10     | Desk pad                         |         | 2   | 914-1,7/1,8            |
| 29     | 900 025 007 02     | Washer                           |         | 4   | 914-1,7/1,8            |
| 0.0    | 000 005 005 00     | A 8,4                            |         | 4   | 914-2,0                |
| 29     | 900 025 007 03     | Washer A 8,4                     |         | 4   | 914-1,7/1,8<br>914-2,0 |
| 30     | 900 076 025 02     | Hexagon nut                      |         | 4   | 914-2,0                |
|        | 700 070 023 02     | M 8                              |         | 1   | 914-2,0                |
| 30     | 900 076 064 02     | Hexagon nut                      |         | 4   | 914-1,7/1,8            |
|        |                    | м 8                              |         |     | 914-2,0                |
| 31     | 914 503 009 10     | Rear apron                       |         | 1   |                        |
|        | 914 503 009 10 GRV |                                  |         |     |                        |
| 32     | N 010 264 4        | Hexagon-head bolt                |         | 2   |                        |
|        |                    | M 5 X 20                         |         | _   |                        |
| 33     | 900 151 027 02     | Washer                           |         | 6   |                        |
| 33     | 000 151 027 02     | 5,3<br>Washer                    |         | 6   |                        |
| 33     | 900 151 027 03     | wasner<br>  5,3                  |         | Ö   |                        |
| 34     | 914 559 127 11     | Spacer                           |         | 2   |                        |
| 35     | 900 076 027 02     | Nut                              |         | 2   |                        |
|        |                    | M 5                              |         |     |                        |
| 36     | N 013 884 5        | Hexagon-head tapping screw       |         | 4   |                        |
|        |                    | B 4,2 X 13                       |         |     |                        |
| 37     | 999 507 015 02     | Speed nut                        |         | 4   |                        |
| 38     | 914 505 019 10     | Bumper                           | /H      | 1   |                        |
|        |                    | •                                |         |     |                        |


| Model: | 914 70         | Model life 1970>>1976  |           |     |               |
|--------|----------------|------------------------|-----------|-----|---------------|
| Pos    | Part Number    | Description            | Remark    | Qty | Model         |
|        |                | Chrome                 |           |     |               |
| 38     | 914 505 020 10 | Bumper                 | /H        | 1   |               |
|        |                | Prime coated           |           |     |               |
| 38     | 914 505 092 10 | Bumper                 | /н 74-    | 1   |               |
| 20     | 914 505 091 10 | Chrome                 | /н 74-    | 1   |               |
| 38     | 914 505 091 10 | Bumper<br>Prime coated | /H /4-    |     |               |
| 39     | 914 505 027 10 | Desk pad               |           | 2   |               |
| 40     | N 010 340 4    | Hexagon-head bolt      |           | 4   |               |
|        |                | M 8 X 40               |           |     |               |
| 41     | 900 114 021 01 | Shake-proof washer     |           | 4   |               |
| 42     | 900 151 008 02 | J 8,2<br>Washer        |           | 4   |               |
| 42     | 900 151 006 02 | B 8,4                  |           | T T |               |
| 43     | PCG 722 107 10 | Stopper                |           | 1   | 914-4/1,7     |
|        |                | Black                  |           |     | 914-1,8/1,8V  |
|        |                | for                    |           |     | 914-2,0       |
| 4.2    | 014 700 100 10 | Towing lug             | /**       |     | 014 6         |
| 43     | 914 722 109 10 | Stopper<br>Chrome      | /H        | 1   | 914-6         |
|        |                | for                    |           |     |               |
|        |                | Towing lug             |           |     |               |
| 43     |                | Stopper                | /H M      | 1   |               |
|        |                | Chrome                 |           |     |               |
|        |                | for                    |           |     |               |
| (44)   | 914 505 085 10 | Towing lug Buffer      | /L /H 74- | 1   | 914-1,8/2,0   |
| 44     | 914 505 086 10 | Buffer                 | /B /H 74- | 1   | 914-1,8/2,0   |
| 45     | 900 025 007 02 | Washer                 | 74-       | 4   | 914-1,8/2,0   |
|        |                | A 8,4                  |           |     |               |
| 45     | 900 025 007 03 | Washer                 | 74-       | 4   | 914-1,8/2,0   |
| 1      | 000 076 005 00 | A 8,4                  | 7.4       |     | 014 1 0 / 0 0 |
| 46     | 900 076 025 02 | Hexagon nut<br>M 8     | 74-       | 4   | 914-1,8/2,0   |
| 46     | 900 076 064 02 | Hexagon nut            | 74-       | 4   | 914-1,8/2,0   |
|        |                | м 8                    |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |
|        |                |                        |           |     |               |

PORSCHE Illustration: 802-05



| Model: | 914 70                     | Model life 19/0>>19/6            |                |     |                            |
|--------|----------------------------|----------------------------------|----------------|-----|----------------------------|
| Pos    | Part Number                | Description                      | Remark         | Qty | Model                      |
|        |                            | Bumper                           | 75-            |     |                            |
|        |                            | Front                            |                |     |                            |
| 1      | 914 505 096 10             | Bracket                          |                | 1   | 914-1,8V/2,0               |
|        |                            | for                              | /V             |     |                            |
| ( - )  |                            | Bumper                           |                | _   |                            |
| (1)    | 914 505 033 11             | Bracket                          | /V             | 1   | 914-1,8/2,0                |
|        |                            | for<br>Bumper                    |                |     |                            |
| 2      | 914 505 027 10             | Desk pad                         |                | 2   | 914-1,8V/2,0               |
| 3      | N 010 340 6                | Hexagon-head bolt                |                | 4   | 914-1,8V/2,0               |
|        |                            | M 8 X 40                         |                |     |                            |
| 4      | 900 115 013 01             | Spring washer                    |                | 4   | 914-1,8V/2,0               |
|        |                            | 8                                |                |     |                            |
| 5      | 900 151 008 02             | Washer                           |                | 4   | 914-1,8V/2,0               |
|        |                            | 8                                |                |     |                            |
| (6)    | 914 505 115 11             | Impact absorber                  | /L             | 1   | 914-1,8/2,0                |
| 6      | 914 505 116 11             | Impact absorber                  | /R             | 1   | 914-1,8/2,0                |
| 7<br>8 | 133 807 173<br>N 010 154 4 | Spacer tube<br>Hexagon-head bolt |                | 2   | 914-1,8/2,0<br>914-1,8/2,0 |
| 0      | N 010 134 4                | M 12 X 1,5 X 55                  |                | 4   | 914-1,0/2,0                |
| 9      | 900 027 017 02             | Lock ring                        |                | 2   | 914-1,8/2,0                |
|        |                            | B 12                             |                | _   |                            |
| 10     | 914 505 281 10             | Rubber mounting                  |                | 2   | 914-1,8/2,0                |
| 11     | 914 505 283 10             | Support                          |                | 2   | 914-1,8/2,0                |
|        |                            | for                              |                |     |                            |
|        |                            | Rubber mounting                  |                |     |                            |
| 12     | 900 075 078 02             | Hexagon-head bolt                |                | 4   | 914-1,8/2,0                |
| 12     | 900 075 078 03             | M 8 X 15<br>Hexagon-head bolt    |                | 4   | 914-1,8/2,0                |
| 12     | 900 075 078 03             | M 8 X 15                         |                | 4   | 914-1,8/2,0                |
| 13     | 900 027 015 02             | Lock ring                        |                | 4   | 914-1,8/2,0                |
|        |                            | В 8                              |                |     |                            |
| 13     | 900 027 015 03             | Lock ring                        |                | 4   | 914-1,8/2,0                |
|        |                            | В 8                              |                |     |                            |
| 14     | N 010 251 2                | Hexagon-head bolt                |                | 6   | 914-1,8/2,0                |
|        |                            | 10 X 18                          |                | _   |                            |
| 15     | 900 027 016 02             | Lock ring                        |                | 6   | 914-1,8/2,0                |
| 15     | 900 027 016 03             | B 10<br>Lock ring                |                | 6   | 914-1,8/2,0                |
| 13     | 900 027 010 03             | B 10                             |                | 0   | 914-1,0/2,0                |
| 16     | 900 025 008 02             | Washer                           |                | 6   | 914-1,8/2,0                |
|        |                            | 10                               |                | -   | , , , , ,                  |
| 16     | N 011 527 4                | Washer                           |                | 6   | 914-1,8/2,0                |
|        |                            | 10                               |                |     |                            |
| 16     | 900 025 008 09             | Washer                           |                | 6   | 914-1,8/2,0                |
| 1.6    | 000 005 000 04             | 10                               |                | _   | 014 1 0 / 0 0              |
| 16     | 900 025 008 04             | Washer                           |                | 6   | 914-1,8/2,0                |
| 17     | 914 503 231 12             | Base                             |                | 1   | 914-1,8V/1,8               |
|        | 711 303 231 12             |                                  |                | _   | 914-2,0                    |
| 18     | N 013 888 2                | Tapping screw                    |                | 4   | 914-1,8V/1,8               |
|        |                            | with                             |                |     | 914-2,0                    |
|        |                            | Washer                           |                |     |                            |
| 19     | 999 703 124 40             | Stopper                          |                | 2   | 914-1,8V/1,8<br>914-2,0    |
| 20     | 914 505 189 10             | Bumper horn                      | /L             | 1   | 914-2,0                    |
|        | 721 303 107 10             | (CALIFORNIA+MARYLAND)            | , <del>-</del> | _   | )                          |
| (20)   | 914 505 190 10             | Bumper horn                      | /R             | 1   | 914-1,8/2,0                |
|        |                            | (CALIFORNIA+MARYLAND)            |                |     |                            |
| 21     | 900 910 022 09             | Lock nut                         |                | 4   | 914-1,8/2,0                |
|        |                            | м 8                              |                |     |                            |
| 21     | 900 910 022 03             | Lock nut                         |                | 4   | 914-1,8/2,0                |
|        |                            | M 8                              |                |     |                            |


| Model: | 914 70         | Model life 1970>>1976      |        |     |                         |
|--------|----------------|----------------------------|--------|-----|-------------------------|
| Pos    | Part Number    | Description                | Remark | Qty | Model                   |
| 22     | 914 503 121 10 | Front apron                |        | 1   | 914-1,8V/1,8            |
| 23     | 999 507 015 02 | Speed nut                  |        | 4   | 914-2,0<br>914-1,8V/1,8 |
| 24     | 999 151 027 50 | Sealing washer             |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 25     | 999 151 026 02 | Washer                     |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 26     | 900 187 018 02 | Hexagon-head tapping screw |        | 4   | 914-2,0<br>914-1,8V/1,8 |
| 27     | 900 151 027 02 | B 4,8 X 16<br>Washer       |        | 6   | 914-2,0<br>914-1,8V/1,8 |
| 27     | 900 151 027 03 | B 5,3<br>Washer            |        | 6   | 914-2,0<br>914-1,8V/1,8 |
| 28     | N 010 264 4    | B 5,3<br>Hexagon-head bolt |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 29     | 914 559 127 11 | M 5 X 20<br>Spacer         |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 30     | N 012 005 3    | Lock ring                  |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 31     | 900 076 027 02 | B 5<br>Nut                 |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 32     | 914 559 253 10 | M 5<br>Buffer              |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 33     | 914 503 235 10 | Front spoiler              |        | 1   | 914-2,0<br>914-1,8V/1,8 |
| 34     | 914 503 237 10 | Support panel              | /L M   | 1   | 914-2,0<br>914-1,8V/1,8 |
| (34)   | 914 503 238 10 | Support panel              | /R M   | 1   | 914-2,0<br>914-1,8V/1,8 |
| 35     | N 010 264 4    | Hexagon-head bolt          |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 36     | 914 503 239 10 | M 5 X 22<br>Screw          |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 37     | N 012 006 4    | Lock ring                  |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 38     | 900 076 010 02 | B 6<br>Nut                 |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| 38     | 900 076 010 0B | M6<br>Nut                  |        | 2   | 914-2,0<br>914-1,8V/1,8 |
|        |                | M6                         |        |     | 914-2,0                 |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |
|        |                |                            |        |     |                         |



| woder. | 914 70                               | Wiodeline 1970>>1976       |        |          |                         |
|--------|--------------------------------------|----------------------------|--------|----------|-------------------------|
| Pos    | Part Number                          | Description                | Remark | Qty      | Model                   |
|        |                                      | D.,,,,,,                   | 75-    |          |                         |
|        |                                      | Bumper<br>Rear             | /5-    |          |                         |
| 1      | 914 505 093 10                       | Bracket                    | /H     | 1        | 014 1 077/2 0           |
| 1 -    | 914 505 093 10                       | for                        | /п     | -        | 914-1,8V/2,0            |
|        |                                      | Bumper                     |        |          |                         |
| 2      | 914 505 099 10                       | Bracket                    | /н     | 1        | 914-1,8/2,0             |
|        | 914 303 099 10                       | for                        | / n    | 1        | 914-1,0/2,0             |
|        |                                      | Bumper                     |        |          |                         |
| 3      | 914 503 233 10                       | Base                       | /H     | 1        | 914-1,8V/1,8            |
|        |                                      |                            | , 11   | -        | 914-2,0                 |
| 4      | 914 505 027 10                       | Desk pad                   |        | 2        | 914-1,8V/2,0            |
| 5      | 900 151 008 02                       | Washer                     |        | 4        | 914-1,8V/2,0            |
|        |                                      | 8                          |        | _        |                         |
| 6      | 900 115 013 01                       | Spring washer              |        | 4        | 914-1,8V/2,0            |
|        |                                      | 8                          |        |          | , , ,                   |
| 7      | N 010 340 6                          | Hexagon-head bolt          |        | 4        | 914-1,8V/2,0            |
|        |                                      | M 8 X 40                   |        |          |                         |
| 8      | 914 505 116 11                       | Impact absorber            | /R     | 1        | 914-1,8/2,0             |
| (8)    | 914 505 115 11                       | Impact absorber            | /L     | 1        | 914-1,8/2,0             |
| 9      | 133 807 173                          | Spacer tube                |        | 2        | 914-1,8/2,0             |
| 10     | N 010 154 4                          | Hexagon-head bolt          |        | 2        | 914-1,8/2,0             |
|        |                                      | M 12 X 1,5 X 55            |        |          |                         |
| 11     | 900 027 017 02                       | Lock ring                  |        | 2        | 914-1,8/2,0             |
|        |                                      | В 12                       |        |          |                         |
| 12     | N 010 251 2                          | Hexagon-head bolt          |        | 6        | 914-1,8/2,0             |
|        |                                      | M 10 X 18                  |        |          |                         |
| 13     | 900 027 016 02                       | Lock ring                  |        | 6        | 914-1,8/2,0             |
|        |                                      | В 10                       |        |          |                         |
| 13     | 900 027 016 03                       | Lock ring                  |        | 6        | 914-1,8/2,0             |
| l      |                                      | В 10                       |        | _        |                         |
| 14     | 900 025 008 02                       | Washer                     |        | 6        | 914-1,8/2,0             |
|        |                                      | 10                         |        |          | 014 1 0 / 0 0           |
| 14     | N 011 527 4                          | Washer                     |        | 6        | 914-1,8/2,0             |
| 14     | 900 025 008 09                       | 10<br>Washer               |        | 6        | 014 1 0/2 0             |
| 14     | 900 025 008 09                       | 10                         |        | 0        | 914-1,8/2,0             |
| 14     | 900 025 008 04                       | Washer                     |        | 6        | 914-1,8/2,0             |
| 1 1    | 300 023 008 04                       | 10                         |        | ľ        | 914-1,0/2,0             |
| 15     | 914 505 191 10                       | Bumper horn                | /L     | 1        | 914-1,8/2,0             |
|        |                                      | (CALIFORNIA+MARYLAND)      | / 1    | -        | J11 1,0/2,0             |
| (15)   | 914 505 192 10                       | Bumper horn                | /R     | 1        | 914-1,8/2,0             |
| ( /    |                                      | (CALIFORNIA+MARYLAND)      | ,      | _        |                         |
| 16     | 900 910 022 09                       | Lock nut                   |        | 4        | 914-1,8/2,0             |
|        |                                      | M 8                        |        |          | , , ,                   |
| 16     | 900 910 022 03                       | Lock nut                   |        | 4        | 914-1,8/2,0             |
|        |                                      | м 8                        |        |          |                         |
| 17     | 999 591 554 40                       | Plastic rivet              |        | 7        | 914-1,8V/1,8            |
|        |                                      |                            |        |          | 914-2,0                 |
| 18     | 914 722 107 11                       | Stopper                    |        | 1        | 914-1,8V/1,8            |
|        |                                      | for                        |        |          | 914-2,0                 |
|        |                                      | Towing lug                 |        |          |                         |
| 19     | 999 507 015 02                       | Speed nut                  |        | 4        | 914-1,8V/1,8            |
|        |                                      |                            |        |          | 914-2,0                 |
| 20     | 900 151 027 02                       | Washer                     |        | 8        | 914-1,8V/1,8            |
|        |                                      | 5,3                        |        |          | 914-2,0                 |
| 20     | 900 151 027 03                       | Washer                     |        | 8        | 914-1,8V/1,8            |
|        |                                      | 5,3                        |        | Ι.       | 914-2,0                 |
| 21     | N 013 884 5                          | Hexagon-head tapping screw |        | 4        | 914-1,8V/1,8            |
|        | 014 502 000 10                       | B 4,2 X 13                 |        | 1        | 914-2,0                 |
| 22     | 914 503 009 10                       | Rear apron                 |        | 1        | 914-1,8V/1,8            |
| 23     | 914 503 009 10 GRV<br>900 076 027 02 | Prime coated               |        | 2        | 914-2,0<br>914-1,8V/1,8 |
| 43     | JUU 070 UZ7 UZ                       | M 5                        |        | _        | 914-1,80/1,8            |
|        | l                                    | I •                        |        | <u> </u> |                         |


| Pos      | Part Number                   | Description                   | Remark     | Otv | Model                   |
|----------|-------------------------------|-------------------------------|------------|-----|-------------------------|
|          |                               | Description                   | INGIIIAI N | Qty |                         |
| 24<br>25 | 914 559 127 11<br>N 010 264 4 | Spacer                        |            | 2   | 914-1,8V/1,8<br>914-2,0 |
| 25       | N 010 264 4                   | Hexagon-head bolt<br>M 5 X 20 |            | 2   | 914-1,8V/1,8<br>914-2,0 |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |
|          |                               |                               |            |     |                         |

PORSCHE Illustration: 803-00 PORSCHE




| woder.   | 914 70                           | Modeline 1970>>1976        |             |     |                         |
|----------|----------------------------------|----------------------------|-------------|-----|-------------------------|
| Pos      | Part Number                      | Description                | Remark      | Qty | Model                   |
|          |                                  | T 4 3                      | +           |     |                         |
|          |                                  | Lid                        |             |     |                         |
| _        | 014 511 001 10                   | Front                      | /77         |     |                         |
| 1 2      | 914 511 001 10<br>914 511 035 10 | Lid                        | /V<br>/V /L | 1 1 |                         |
| 1        | 914 511 035 10                   | Hinge                      |             | 1   |                         |
| (2)      |                                  | Hinge                      | /V /R       | 1   |                         |
| 3        | 914 511 037 10                   | Hinge                      | /V /L       | 1   |                         |
| (3)      | 914 511 038 10                   | Hinge<br>Fit bolt          | /V /R       | 2   |                         |
| 4 5      | 914 512 191 10<br>914 511 163 10 | Tension spring             | /V          | 2   |                         |
| 6        | 914 511 163 10                   | Sealing frame              | / V         | 1   |                         |
| 0        | 914 511 901 10                   | for                        |             | -   |                         |
|          |                                  | Luggage compartment cover  |             |     |                         |
|          |                                  | Front                      |             |     |                         |
| 7        | 914 511 902 10                   | Sealing frame              |             | 1   |                         |
| <b>'</b> | 914 311 902 10                   | for                        |             | +   |                         |
|          |                                  | Centre part                |             |     |                         |
| 7        | 914 511 902 12                   | Sealing frame              |             | 1   |                         |
| <b>'</b> | 914 511 902 12                   | for                        |             | +   |                         |
|          |                                  | Centre part                |             |     |                         |
| 8        | 914 511 051 10                   | Lid lock                   |             | 1   |                         |
| 0        | 914 911 031 10                   | Upper part                 |             | +   |                         |
| 9        | N 010 215 13                     | Hexagon-head bolt          |             | 2   |                         |
| ]        | N 010 215 13                     | M 6 X 15                   |             |     |                         |
| 9        | 900 075 057 02                   | Hexagon-head bolt          | 75-         | 2   | 914-1,8V/1,8            |
| ]        | 900 073 037 02                   | M 6 X 16                   | /5-         |     | 914-2,0                 |
| 9        | 900 075 057 03                   | Hexagon-head bolt          | 75-         | 2   | 914-2,0<br>914-1,8V/1,8 |
| ]        | 900 075 057 05                   | M 6 X 16                   | /5-         |     | 914-1,80/1,8            |
| 10       | 900 027 014 01                   | Lock ring                  |             | 2   | 914-2,0                 |
| 10       | 900 027 014 01                   | B 6                        |             |     |                         |
| 10       | 900 027 014 02                   | Lock ring                  |             | 2   |                         |
| 10       | 300 027 014 02                   | B 6                        |             | 4   |                         |
| 10       | N 012 006 4                      | Lock ring                  |             | 2   |                         |
| 10       | N 012 000 4                      | B 6                        |             | 4   |                         |
| 11       | 900 151 006 09                   | Washer                     |             | 2   |                         |
| 1 11     | 300 131 000 09                   | B 6,4                      |             | 4   |                         |
| 12       | 914 511 052 10                   | Lid lock                   |             | 1   |                         |
| 12       | 1                                | Lower part                 |             | +   |                         |
| 13       | N 014 761 2                      | Pan-head screw             |             | 3   |                         |
| 1 13     | N OIT /OI Z                      | M 6 X 12                   |             |     |                         |
| 13       | 900 119 129 01                   | Pan-head screw             |             | 3   |                         |
| 1 13     |                                  | M 6 X 12                   |             |     |                         |
| 14       | N 012 007 2                      | Lock ring                  |             | 3   |                         |
|          |                                  | A 6                        |             | "   |                         |
| 14       | 900 027 004 03                   | Lock ring                  |             | 3   |                         |
|          |                                  | A 6                        |             | "   |                         |
| 15       | N 011 524 7                      | Washer                     |             | 3   |                         |
|          |                                  | 6,4                        |             | `   |                         |
| 15       | N 011 524 27                     | Washer                     |             | 3   |                         |
|          |                                  | 6,4                        |             | `   |                         |
| 16       | 911 511 903 00                   | Lock                       |             | 1   |                         |
|          |                                  | with lock cylinder         |             |     |                         |
|          |                                  | And                        |             |     |                         |
|          |                                  | with 2 secondary keys      |             |     |                         |
|          |                                  | W/o stipulated lock number |             |     |                         |
| 16       | 911 511 904 00                   | Lock                       |             | 1   |                         |
|          |                                  | with lock cylinder         |             |     |                         |
|          |                                  | And                        |             |     |                         |
|          |                                  | with 2 secondary keys      |             |     |                         |
|          |                                  | State lock number          |             |     |                         |
| _        | 999 703 036 50                   | Rubber stop                |             | 2   |                         |
| _        | 914 531 903 11                   | Blank key                  |             | 2   |                         |
|          |                                  | for                        |             |     |                         |
|          |                                  | Secondary key              |             |     |                         |
| L        | 1                                | <u> </u>                   | Į.          |     | 1                       |

| woder. | 914 70         | Woder life 1970>>1970  |        |     |       |
|--------|----------------|------------------------|--------|-----|-------|
| Pos    | Part Number    | Description            | Remark | Qty | Model |
| 17     | 900 067 051 02 | Pan-head screw         |        | 2   |       |
| 18     | 900 027 003 01 | M 5 X 10<br>Lock ring  |        | 2   |       |
| 19     | 900 025 003 02 | A 5<br>Washer          |        | 2   |       |
| 20     | 914 511 091 10 | 5,3<br>Wire pull       |        | 1   |       |
| 21     | 914 511 231 10 | Guide tube             |        | 1   |       |
| 22     | 311 823 567    | Clip                   | /V     | 1   |       |
|        |                | for                    |        |     |       |
|        |                | Guide tube<br>Lid lock |        |     |       |
| 23     | N 013 968 7    | Tapping screw          |        | 1   |       |
|        |                | BZ 4,8 X 13            |        |     |       |
| 23     | 900 143 097 01 | Tapping screw          |        | 1   |       |
|        |                | BZ 4,8 X 13            |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |
|        |                |                        |        |     |       |



| Pos  | Part Number    | Description        | Remark | Qty   | Model                  |
|------|----------------|--------------------|--------|-------|------------------------|
| - 03 | rait Number    |                    | Kemark | - Qty | Wiodei                 |
|      |                | Lid                |        |       |                        |
|      | 014 510 000 10 | Engine compartment |        |       |                        |
| 1    | 914 512 022 10 | Bonnet             | 72     | 1     | 014 6/4/1 7            |
| 2    | 914 512 195 10 | Rubber             | -73    | 1     | 914-6/4/1,7            |
| 3    | 914 512 325 10 | <br> Bracket       | -73    | 1     | 914-2,0<br>914-6/4/1,7 |
| 3    | 914 512 325 10 | Bracket            | -73    | 1     | 914-0/4/1,/            |
| 4    | 914 504 013 10 | Grille             |        | 1     | 914-2,0                |
| 1 -  | 914 304 013 10 | Centre             |        | †     |                        |
| 5    | 914 504 111 10 | Edge protection    |        | 1     |                        |
|      | ]              | Centre             |        | -     |                        |
| 6    | 914 504 105 10 | Piping             |        | 1     |                        |
| 7    | 999 025 060 40 | Washer             |        | 7     |                        |
| 8    | 999 507 220 40 | Tapping nut        |        | 12    |                        |
|      |                | Black              |        |       |                        |
| (9)  | 914 504 011 10 | Grille             | /L     | 1     |                        |
| ( )  |                | Lateral            | , =    |       |                        |
| 9    | 914 504 012 10 | Grille             | /R     | 1     |                        |
|      |                | Lateral            | / 22   |       |                        |
| (10) | 914 504 107 10 | Piping             | /L     | 1     |                        |
| 10   | 914 504 108 10 | Piping             | /R     | 1     |                        |
| 11   | 999 025 060 40 | Washer             | / 22   | 4     |                        |
| 12   | 999 507 220 40 | Tapping nut        |        | 6     |                        |
|      |                | Black              |        |       |                        |
| 13   | 999 703 036 50 | Rubber stop        |        | 2     |                        |
| 14   | 914 559 253 10 | Buffer             |        | 2     |                        |
| 15   | 914 512 319 10 | Seal               |        | 1 1   |                        |
|      |                | for                |        |       |                        |
|      |                | Bonnet             |        |       |                        |
|      |                | And                |        |       |                        |
|      |                | Rear window        |        |       |                        |
| 16   | 901 552 813 20 | Handle             |        | 1     |                        |
| 17   | 914 511 091 10 | Wire pull          |        | 1     |                        |
| 18   | 914 512 177 10 | Bush               |        | 1     |                        |
| 19   | 914 512 029 10 | Lid lock           |        | 1     |                        |
| 20   | 914 512 159 10 | Retainer plate     |        | 1     |                        |
| 21   | 900 074 015 02 | Hexagon-head bolt  |        | 2     |                        |
|      |                | M 6 X 30           |        |       |                        |
| 21   | 900 074 015 03 | Hexagon-head bolt  |        | 2     |                        |
|      |                | M 6 X 30           |        |       |                        |
| 22   | 900 151 006 09 | Washer             |        | 2     |                        |
|      |                | A 6,4              |        |       |                        |
| 23   | 900 028 003 01 | Lock ring          |        | 2     |                        |
|      |                | A 6                |        |       |                        |
| 24   | 914 512 155 10 | Hook               |        | 1     |                        |
| 25   | N 012 241 1    | Spring washer      |        | 1     |                        |
|      |                | B 8 X 15           |        |       |                        |
| 26   | 900 025 007 02 | Washer             |        | 1     |                        |
|      |                | 8,4                |        |       |                        |
| 26   | 900 025 007 03 | Washer             |        | 1     |                        |
|      |                | 8,4                |        |       |                        |
| 27   | 900 076 025 02 | Hexagon nut        |        | 1     |                        |
|      |                | м 8                |        |       |                        |
| 27   | 900 076 064 02 | Hexagon nut        |        | 1     |                        |
|      |                | м 8                |        |       |                        |
| 28   | 914 512 139 10 | Hinge              | /L     | 1     |                        |
|      |                | for                |        |       |                        |
|      |                | Bonnet             |        |       |                        |
| (28) | 914 512 140 10 | Hinge              | /R     | 1     |                        |
| ' '  |                | for                |        |       |                        |
|      |                | Bonnet             |        |       |                        |
| 29   | 914 512 321 10 | Torsion bar        | /L     | 1     | 914-4/1,7              |
|      |                |                    |        |       | 914-1,8/1,8V           |
|      | 1              | 1                  | 1      |       | Į.                     |


| Model: | 914 70                           | Model life 1970>>1976                   |          |     |                                      |
|--------|----------------------------------|---|----------|-----|--------------------------------------|
| Pos    | Part Number                      | Description                             | Remark   | Qty | Model                                |
|        | 914 512 322 10                   | Torsion bar                             | /R       | 1   | 914,2,0<br>914-4/1,7<br>914-1,8/1,8V |
| (29)   | 914 512 323 10                   | Torsion bar                             | /L       | 1   | 914-2,0<br>914-6                     |
| (29)   | 914 512 323 10                   | Torsion bar                             | /L<br>/R | 1   | 914-6                                |
| 30     | 914 512 324 10                   | Bearing                                 | / 10     | 2   |                                      |
| -      | 900 076 010 02                   | Nut                                     |          | 2   |                                      |
|        |                                  | м 6                                     |          |     |                                      |
| -      | 900 076 010 0B                   | Nut                                     |          | 2   |                                      |
| 31     | 900 145 016 01                   | M 6 Rais. counters. h. tap. s.          |          | 1   |                                      |
| 32     | 900 224 009 00                   | B 4,2 X 19<br>Clinch pin<br>A 6H 9 X 48 |          | 2   |                                      |
| 33     | 914 504 319 00                   | Grommet                                 |          | 1   |                                      |
| 34     | 914 512 189 10                   | Cup                                     |          | 1 1 |                                      |
|        |                                  | Picture<br>34 - 42<br>Not for<br>914-6  |          | 1   |                                      |
| 35     | 914 512 182 10                   | Bush                                    |          | 2   |                                      |
| 36     | N 014 142 3                      | Oval-head screw                         |          | 2   |                                      |
|        |                                  | AM 6 X 20                               |          | _   |                                      |
| 37     | 914 559 231 10                   | Funnel                                  |          | 2   |                                      |
| 38     | 900 027 014 01                   | Lock ring B 6,4                         |          | 2   |                                      |
| 38     | 900 027 014 02                   | Lock ring B 6,4                         |          | 2   |                                      |
| 38     | N 012 006 4                      | Lock ring B 6,4                         |          | 2   |                                      |
| 39     | 900 075 057 02                   | Hexagon-head bolt<br>M 6 X 16           |          | 2   |                                      |
| 39     | 900 075 057 03                   | Hexagon-head bolt                       |          | 2   |                                      |
| 40     | PCG 571 900 00                   | Water drain hose                        |          | *   |                                      |
| 41 42  | 999 512 165 02<br>999 702 091 50 | Hose clamp<br>Rubber sleeve             |          | 2 2 |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   |          |     |                                      |
|        |                                  |   | 1        | 1   |                                      |



| Model: | 914 70         | Model life 1970>>1976         |        |     |       |
|--------|----------------|-------------------------------|--------|-----|-------|
| Pos    | Part Number    | Description                   | Remark | Qty | Model |
|        |                | Lid                           |        |     |       |
|        |                | Rear                          |        |     |       |
| 1      | 914 512 001 10 | Luggage compartment cover     |        | 1   |       |
|        |                | Rear                          |        |     |       |
| 2      | 914 512 059 10 | Hinge                         | /L     | 1   |       |
| (2)    | 914 512 060 10 | Hinge                         | /R     | 1   |       |
| 3      | 914 512 191 10 | Fit bolt                      |        | 2   |       |
| 4      | 914 512 041 10 | Lid lock                      |        | 1   |       |
|        |                | Upper part                    |        |     |       |
| 4      | 914 512 041 11 | Lid lock                      |        | 1   |       |
| -      | N 010 015 10   | Upper part                    |        |     |       |
| 5      | N 010 215 13   | Hexagon-head bolt<br>M 6 X 15 |        | 2   |       |
| 5      | 900 075 057 02 | Hexagon-head bolt             | 75-    | 2   |       |
|        | 900 073 037 02 | M 6 X 16                      | 75-    |     |       |
| 5      | 900 075 057 03 | Hexagon-head bolt             | 75-    | 2   |       |
|        |                | M 6 X 16                      |        |     |       |
| 6      | N 012 007 2    | Lock ring                     |        | 2   |       |
|        |                | A 6                           |        |     |       |
| 6      | 900 027 004 03 | Lock ring                     |        | 2   |       |
|        |                | A 6                           |        |     |       |
| 7      | N 011 524 7    | Washer                        |        | 2   |       |
|        |                | 6,4                           |        |     |       |
| 7      | N 011 524 27   | Washer                        |        | 2   |       |
|        |                | 6,4                           |        |     |       |
| 8      | 914 512 042 10 | Lid lock                      |        | 1   |       |
| 9      | N 010 215 13   | Lower part                    |        | 2   |       |
| 9      | N 010 215 13   | Hexagon-head bolt<br>M 6 X 15 |        | _ ∠ |       |
| 9      | 900 075 057 02 | Hexagon-head bolt             | 75-    | 2   |       |
|        | 000 075 057 02 | M 6 X 16                      | 13     |     |       |
| 9      | 900 075 057 03 | Hexagon-head bolt             | 75-    | 2   |       |
|        |                | M 6 X 16                      |        |     |       |
| 10     | N 012 007 2    | Lock ring                     |        | 2   |       |
|        |                | A 6                           |        |     |       |
| 10     | 900 027 004 03 | Lock ring                     |        | 2   |       |
|        |                | A 6                           |        |     |       |
| 11     | N 011 524 7    | Washer                        |        | 2   |       |
|        |                | 6,4                           |        |     |       |
| 11     | N 011 524 27   | Washer                        |        | 2   |       |
| 12     | 914 512 913 00 | 6,4 Push-button lock          |        | 1   |       |
| 12     | 914 312 913 00 | with lock cylinder            |        |     |       |
|        |                | And                           |        |     |       |
|        |                | 2                             |        |     |       |
|        |                | Main key                      |        |     |       |
|        |                | W/o stipulated lock number    |        |     |       |
| 12     | 914 512 914 00 | Push-button lock              |        | 1   |       |
|        |                | with lock cylinder            |        |     |       |
|        |                | And                           |        |     |       |
|        |                | 2                             |        |     |       |
|        |                | Main key                      |        |     |       |
|        | 014 521 627 10 | State lock number             |        | ,   |       |
| _      | 914 531 637 10 | Main key State lock number    |        | 2   |       |
| _      | 914 531 903 10 | Blank key                     |        | 2   |       |
|        |                | for                           |        | ~   |       |
|        |                | Main key                      |        |     |       |
| 13     | 914 512 193 10 | Desk pad                      |        | 1   |       |
| 14     | 914 512 317 10 | Seal                          | /H     | 1   |       |
| 14     | 914 512 317 11 | Seal                          | /H     | 1   |       |
|        |                | for                           |        |     |       |
|        |                | Engine compartment            |        |     |       |

| Model:   | 914 70                           | Model life 1970>>1976      |           |     |                         |
|----------|----------------------------------|----------------------------|-----------|-----|-------------------------|
| Pos      | Part Number                      | Description                | Remark    | Qty | Model                   |
| 15       | 914 512 315 10                   | Seal                       |           | 1   |                         |
|          |                                  | for                        |           |     |                         |
|          |                                  | Luggage compartment cover  |           |     |                         |
|          |                                  | And                        |           |     |                         |
| 15       | 914 512 315 11                   | Engine compartment Seal    |           | 1   |                         |
| 13       | 914 312 313 11                   | for                        |           | _   |                         |
|          |                                  | Luggage compartment cover  |           |     |                         |
|          |                                  | And                        |           |     |                         |
|          |                                  | Engine compartment         |           |     |                         |
| 16<br>17 | 999 703 036 50<br>914 559 015 10 | Rubber stop<br>Support     | /L        | 2   |                         |
| 1 /      | 914 559 015 10                   | for                        | / L       | 1   |                         |
|          |                                  | Roof                       |           |     |                         |
| (17)     | 914 559 016 10                   | Support                    | /R        | 1   |                         |
|          |                                  | for                        |           |     |                         |
| 1.0      | 010 045 5                        | Roof                       |           |     |                         |
| 18       | N 010 347 5                      | Hexagon-head bolt M 6 X 35 |           | 2   |                         |
| 19       | N 011 524 7                      | Washer                     |           | 4   |                         |
|          | 1, 011 321 ,                     | A 6,4                      |           | 1   |                         |
| 19       | N 011 524 27                     | Washer                     |           | 4   |                         |
|          |                                  | A 6,4                      |           |     |                         |
| 20       | 900 084 010 02                   | Lock nut                   |           | 3   |                         |
| 21       | 914 559 227 10                   | M 6<br>Cap                 |           | 2   |                         |
| 22       | 914 559 227 10                   | Bearing bracket            |           | 2   |                         |
| 23       | 900 075 010 02                   | Hexagon nut                |           | 4   |                         |
|          |                                  | M 6 X 12                   |           |     |                         |
| 23       | N 010 212 14                     | Hexagon-head bolt          |           | 4   |                         |
| 0.2      | 000 000 005 00                   | M 6 X 12                   |           |     |                         |
| 23       | 999 072 005 09                   | Hexagon nut M 6 X 12       |           | 4   |                         |
| 23       | 999 072 005 01                   | Hexagon nut                |           | 4   |                         |
|          |                                  | M 6 X 12                   |           |     |                         |
| 24       | 900 151 006 09                   | Washer                     |           | 4   |                         |
|          |                                  | A 6,4                      |           |     |                         |
| 25<br>25 | 914 512 263 11                   | Roller                     | -74<br>75 | 2   | 014 1 077/1 0           |
| 25       |                                  | Roller                     | 75-       | ∠   | 914-1,8V/1,8<br>914-2,0 |
| 26       | N 010 239 11                     | Hexagon-head bolt          |           | 4   | J11 2,0                 |
|          |                                  | M 8 X 18                   |           |     |                         |
| 26       | N 010 239 30                     | Hexagon-head bolt          |           | 4   |                         |
| 0.7      |                                  | M 8 X 18                   |           | ,   |                         |
| 27       | 900 027 015 02                   | Lock ring B 8              |           | 4   |                         |
| 27       | 900 027 015 03                   | Lock ring                  |           | 4   |                         |
|          |                                  | В 8                        |           |     |                         |
| 28       | 900 025 007 02                   | Washer                     |           | 4   |                         |
|          |                                  | 8,4                        |           |     |                         |
| 28       | 900 025 007 03                   | Washer<br>8,4              |           | 4   |                         |
| 29       | 914 512 219 10                   | 8,4<br>Clip                |           | 4   |                         |
| 30       | 900 076 010 02                   | Nut                        |           | 8   |                         |
|          |                                  | м 6                        |           |     |                         |
| 30       | 900 076 010 0B                   | Nut                        |           | 8   |                         |
| 2.1      | 000 007 014 01                   | M 6                        |           |     |                         |
| 31       | 900 027 014 01                   | Lock ring B 6              |           | 8   |                         |
| 31       | 900 027 014 02                   | Lock ring                  |           | 8   |                         |
|          |                                  | B 6                        |           | _   |                         |
| 31       | N 012 006 4                      | Lock ring                  |           | 8   |                         |
|          |                                  | В 6                        |           |     |                         |

| woder. | 914 70         | Woder life 1970>>1976 |        |     |       |
|--------|----------------|-----------------------|--------|-----|-------|
| Pos    | Part Number    | Description           | Remark | Qty | Model |
|        |                |                       |        |     |       |
| 32     | 914 512 215 10 | Joint                 |        | 2   |       |
| 33     | 900 151 008 02 | Washer                |        | 4   |       |
|        |                | В 8,4                 |        |     |       |
| 34     | 900 076 025 02 | Hexagon nut           |        | 4   |       |
|        |                | м 8                   |        |     |       |
| 34     | 900 076 064 02 | Hexagon nut           |        | 4   |       |
| "      |                | M 8                   |        | -   |       |
| 35     | 900 027 015 02 | Lock ring             |        | 4   |       |
| 35     | 900 027 015 02 |                       |        | 4   |       |
|        |                | В 8                   |        | _   |       |
| 35     | 900 027 015 03 | Lock ring             |        | 4   |       |
|        |                | В 8                   |        |     |       |
| 36     | 900 028 004 01 | Spring washer         |        | 2   |       |
|        |                | A8                    |        |     |       |
| 37     | 914 512 227 10 | Rotary slide          | /L     | 1   |       |
| (37)   | 914 512 228 10 | Rotary slide          | /R     | 1   |       |
| 38     | 914 501 569 10 | Bearing               | /L     | 1   |       |
|        | 914 501 570 10 | Bearing               | /R     | 1   |       |
| (30)   | 311 301 370 10 | Bearing               | / 10   | _   |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        |                |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        |                |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        |                |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        | 1              |                       |        |     |       |
|        | 1              |                       |        |     |       |
|        |                |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
| 1      | 1              |                       |        |     |       |
|        |                |                       |        |     |       |
|        |                |                       |        |     |       |




| Model:     | 914 70 Model life 1970>>1976  |                                       |          |     |              |
|------------|-------------------------------|---------------------------------------|----------|-----|--------------|
| Pos        | Part Number                   | Description                           | Remark   | Qty | Model        |
|            |                               | Door                                  |          |     |              |
|            |                               | with installation parts               |          |     |              |
|            |                               | Differing parts                       | 73-      |     |              |
|            |                               | See group                             |          |     |              |
|            |                               | 8/04/05                               |          |     |              |
| (1)        | 914 531 167 10                | Bare door shell                       | /L       | 1   | 914-1,7/1,8V |
|            |                               |                                       |          |     | 914-1,8/2,0  |
| 1          | 914 531 168 10                | Bare door shell                       | /R       | 1   | 914-1,7/1,8V |
|            |                               |                                       |          |     | 914-1,8/2,0  |
| 2          | 914 531 303 10                | Hinge                                 |          | 4   |              |
| _          | 001 521 205 00                | Door                                  |          |     |              |
| 3 4        | 901 531 305 20<br>311 831 443 | Hinge bolt                            |          | 4   |              |
| 5          | 914 531 037 10                | Spring washer Door support            |          | 2   |              |
| 6          | 900 075 010 02                | Hexagon nut                           |          | 4   |              |
|            | 700 075 010 02                | M 6 X 12                              |          | _   |              |
| 6          | N 010 212 14                  | Hexagon-head bolt                     |          | 4   |              |
|            |                               | M 6 X 12                              |          |     |              |
| 6          | 999 072 005 09                | Hexagon nut                           |          | 4   |              |
|            |                               | M 6 X 12                              |          |     |              |
| 6          | 999 072 005 01                | Hexagon nut                           |          | 4   |              |
|            |                               | M 6 X 12                              |          |     |              |
| 7          | N 011 524 7                   | Washer                                |          | 4   |              |
|            |                               | 6,4                                   |          |     |              |
| 7          | N 011 524 27                  | Washer                                |          | 4   |              |
|            |                               | 6,4                                   |          |     |              |
| 8          | 900 027 014 01                | Lock ring                             |          | 4   |              |
|            | 000 007 014 00                | B 6                                   |          | _   |              |
| 8          | 900 027 014 02                | Lock ring B 6                         |          | 4   |              |
| 8          | N 012 006 4                   | Lock ring                             |          | 4   |              |
|            | N 012 000 4                   | B 6                                   |          |     |              |
| 9          | 900 088 014 02                | Eccentric bolt                        |          | 2   |              |
|            |                               | 6 H 11 X 16 X 12                      |          |     |              |
| 10         | 900 021 002 02                | Cotter pin                            |          | 2   |              |
|            |                               | 1,5 X 10                              |          |     |              |
| 12         | 914 531 053 11                | Door lock                             | /L -71   | 1   | 914-6/4      |
| (12)       |                               | Door lock                             | /L 72-   | 1   |              |
|            | 914 531 054 11                | Door lock                             | /R -71   | 1   | 914-6/4      |
| (12)       |                               | Door lock                             | /R 72-   | 1   |              |
| 13         | 914 531 523 10                | Rais. counters. h. tap. s.            |          | 8   |              |
| 1          | 411 000 001                   | Self-locking                          | /-       |     |              |
| 14         | 411 837 071                   | Inner door release Inner door release | /L       | 1   |              |
| (14)<br>15 | 411 837 072<br>914 531 515 10 | Inner door release Operating rod      | /R<br>/L | 1   |              |
| (15)       | 914 531 515 10                | Operating rod Operating rod           | /L<br>/R | 1   |              |
| 16         | 911 531 565 00                | Rubber mounting                       | / 10     | 2   |              |
| 17         | 113 837 199                   | Spring                                |          | 4   |              |
|            |                               | 37,5 MM                               |          | _   |              |
| 18         | 900 075 010 02                | Hexagon nut                           |          | 4   |              |
|            |                               | M 6 X 15                              |          |     |              |
| 18         | N 010 212 14                  | Hexagon-head bolt                     |          | 4   |              |
|            |                               | M 6 X 15                              |          |     |              |
| 18         | 999 072 005 09                | Hexagon nut                           |          | 4   |              |
|            |                               | M 6 X 15                              |          |     |              |
| 18         | 999 072 005 01                | Hexagon nut                           |          | 4   |              |
|            | 411 005 655                   | M 6 X 15                              |          |     |              |
| 19         | 411 837 097                   | Rosette                               |          | 2   | 914-6/4      |
| 20         | 900 147 004 02                | Countersunk-head screw                |          | 2   | 914-6/4      |
|            | 411 027 005                   | AM 5 X 12                             |          | _   | 014 674      |
| 21<br>22   | 411 837 095<br>914 531 909 00 | Finger plate Outer door handle        | /т       | 2   | 914-6/4      |
| ~~         | 914 331 ANA NO                | with lock cylinder                    | /L       |     |              |
|            |                               | MICH TOCK CATTHRET                    |          |     |              |

| woder. | 914 70         | Woder life 1970>>1976      |        |     |              |
|--------|----------------|----------------------------|--------|-----|--------------|
| Pos    | Part Number    | Description                | Remark | Qty | Model        |
|        |                | ·                          |        |     |              |
|        |                | And                        |        |     |              |
|        |                | with 2 secondary keys      |        |     |              |
|        |                | State lock number          |        |     |              |
| (22)   | 914 531 910 00 | Outer door handle          | /R     | 1   |              |
|        |                | with lock cylinder         |        |     |              |
|        |                | And                        |        |     |              |
|        |                | with 2 secondary keys      |        |     |              |
|        |                | State lock number          |        |     |              |
| 22     | 914 531 905 00 | Outer door handle          | /L     | 1   |              |
|        |                | with lock cylinder         | , –    | _   |              |
|        |                | And                        |        |     |              |
|        |                | with 2 secondary keys      |        |     |              |
|        |                | W/o stipulated lock number |        |     |              |
| (22)   | 914 531 906 00 | Outer door handle          | /R     | 1   |              |
| (22)   | 914 531 900 00 |                            | / K    |     |              |
|        |                | with lock cylinder         |        |     |              |
|        |                | And                        |        |     |              |
|        |                | with 2 secondary keys      |        |     |              |
|        |                | W/o stipulated lock number |        | _   |              |
| 23     | 914 531 637 10 | Main key                   |        | 2   |              |
|        |                | State lock number          |        |     |              |
| (23)   | 914 531 903 10 | Blank key                  |        | 2   |              |
|        |                | for                        |        |     |              |
|        |                | Main key                   |        |     |              |
| 24     | 914 531 601 10 | Desk pad                   | /V     | 2   |              |
| 25     | 914 531 639 10 | Blank key                  |        | 2   |              |
|        |                | State lock number          |        |     |              |
| (25)   | 914 531 903 11 | Blank key                  |        | 2   |              |
|        |                | for                        |        |     |              |
|        |                | Secondary key              |        |     |              |
| 26     | 914 531 603 10 | Desk pad                   | /H     | 2   |              |
| 27     | 900 084 024 02 | Hexagon nut                | ,      | 2   |              |
|        |                | M 6                        |        | _   |              |
| 28     | 900 027 014 01 | Lock ring                  |        | 2   |              |
|        | 300 027 011 01 | B 6                        |        | -   |              |
| 28     | 900 027 014 02 | Lock ring                  |        | 2   |              |
| 20     | 900 027 014 02 | B 6                        |        |     |              |
| 28     | N 012 006 4    |                            |        | 2   |              |
| 40     | N 012 006 4    | Lock ring B 6              |        |     |              |
| 0.0    | N 014 FF0 2    |                            |        |     |              |
| 29     | N 014 750 3    | Pan-head screw             |        | 2   |              |
|        |                | M 6 X 10                   |        | _   |              |
| 29     | N 014 750 13   | Pan-head screw             |        | 2   |              |
|        |                | M 6 X 10                   |        |     |              |
| 30     | N 011 524 7    | Washer                     |        | 2   |              |
|        |                | 6,4                        |        |     |              |
| 30     | N 011 524 27   | Washer                     |        | 2   |              |
|        |                | 6,4                        |        |     |              |
| 31     | 151 837 035 C  | Closing element            |        | 1   | ALLE         |
| 31     | 111 837 035 D  | Closing element            | /L -71 | 1   | 914-6/4      |
| 31/1   | 111 837 035 E  | Closing element            | /L 72- | 1   | 914-6/4/1,7  |
|        |                |                            | -73    |     | 914-2,0      |
|        | 151 837 036 C  | Door lock striker          |        | 1   | ALLE         |
| (31)   | 111 837 036 D  | Closing element            | /R -71 | 1   | 914-6/4      |
| 31/1   | 111 837 036 E  | Closing element            | /R 72- | 1   | 914-6/4/1,7  |
|        |                |                            | -73    |     | 914-2,0      |
| 31/1   | 151 837 036 C  | Door lock striker          | /R 74- | 1   | 914-1,8V/1,8 |
|        |                |                            |        |     | 914-2,0      |
| 32     | 914 531 523 10 | Rais. counters. h. tap. s. |        | 2   |              |
|        | 1              | Self-locking               |        |     |              |
| 33     | 914 531 813 10 | Sealing frame              | /L     | 1   |              |
|        |                | Outer                      | · -    | -   |              |
| 33     | 914 531 813 11 | Sealing frame              | /L     | 1   |              |
|        | 721 931 013 11 | Outer                      | , -    | ] - |              |
| (33)   | 914 531 814 10 | Sealing frame              | /R     | 1   |              |
| (33)   |                |                            |        |     | <u> </u>     |

| Model: | 914 70         | Model life 1970>>1976      |              |       |              |
|--------|----------------|----------------------------|--------------|-------|--------------|
| Pos    | Part Number    | Description                | Remark       | Qty   | Model        |
|        |                | Outer                      |              |       |              |
| (22)   | 014 521 014 11 |                            | /R           | 1     |              |
| (33)   | 914 531 814 11 | Sealing frame Outer        | / K          | 1     |              |
| 34     | 914 531 821 10 | Door seal                  | /T           | 1     |              |
| 34     | 914 531 821 10 |                            | /L           | 1     |              |
| (24)   | 014 531 000 10 | Inner                      | ,5           | _     |              |
| (34)   | 914 531 822 10 | Door seal                  | /R           | 1     |              |
| 2.5    | 014 531 005 10 | Inner                      |              | _     |              |
| 35     | 914 531 827 10 | Clamping piece             | /L           | 1     |              |
|        |                | for                        |              |       |              |
| (25)   |                | Roll bar                   |              |       |              |
| (35)   | 914 531 828 10 | Clamping piece             | /R           | 1     |              |
|        |                | for                        |              |       |              |
|        |                | Roll bar                   | / /- <b></b> |       |              |
| 36     | 914 531 143 10 | Gasket                     | /V /L -73    | 1     | 914-6/4/1,7  |
|        |                | for                        |              |       | 914-2,0      |
|        |                | Roll bar                   |              |       |              |
| (36)   |                | Gasket                     | /V /L 74-    | 1     | 914-1,8V/1,8 |
|        |                | for                        |              |       | 914-2,0      |
|        |                | Roll bar                   |              |       |              |
| (36)   | 914 531 144 10 | Gasket                     | /V /R -73    | 1     | 914-6/4/1,7  |
|        |                | for                        |              |       | 914-2,0      |
|        |                | Roll bar                   |              |       |              |
| (36)   |                | Gasket                     | /V /R 74-    | 1     | 914-1,8V/1,8 |
|        |                | for                        |              |       | 914-2,0      |
|        |                | Roll bar                   |              |       |              |
| 37     | 900 144 009 00 | Counters. head tapp. screw |              | 18    |              |
|        |                | 2,9 X 13                   |              |       |              |
| 38     | 914 531 951 10 | Retaining strip            |              | 2     | 914-6/4      |
| 39     | 914 531 957 10 | Profile                    |              | 2     |              |
| 40     | 914 531 873 10 | Gasket                     | /L           | 1     |              |
| (40)   | 914 531 874 10 | Gasket                     | /R           | 1     |              |
| 40/1   | 914 531 937 10 | Sealing for door slot      |              | 2     | 914-6/4      |
| (41)   | 914 542 041 10 | Power windows              | /L           | 1     | 914-6/4      |
| 41     | 914 542 042 10 | Power windows              | /R           | 1     | 914-6/4      |
| 42     | 900 025 028 02 | Washer                     | , 22         | 12    | 914-6/4      |
|        |                | 6,4                        |              |       |              |
| 43     | 900 027 014 01 | Lock ring                  |              | 12    | 914-6/4      |
|        | 027 011 01     | B 6                        |              | 1 2   | 311 0/1      |
| 43     | 900 027 014 02 | Lock ring                  |              | 12    | 914-6/4      |
| 1 3    | 900 027 014 02 | B 6                        |              | 12    | 914-0/4      |
| 43     | N 012 006 4    | Lock ring                  |              | 12    | 914-6/4      |
| 43     | N 012 000 4    | B 6                        |              | 12    | 914-0/4      |
| 44     | 900 143 024 02 | Oval-head sheetmetal screw |              | 12    | 914-6/4      |
| 44     | 700 143 UZ4 UZ |                            |              | 1 4 4 | J14-0/4      |
|        | 000 146 044 00 | B 5,5 X 16                 |              | 1     | 014 674      |
| 45     | 900 146 044 02 | Oval-head screw            |              | 4     | 914-6/4      |
| 4 -    | 000 007 014 01 | AM 6 X 10                  |              |       | 014 674      |
| 46     | 900 027 014 01 | Lock ring                  |              | 4     | 914-6/4      |
|        |                | B 6                        |              |       |              |
| 46     | 900 027 014 02 | Lock ring                  |              | 4     | 914-6/4      |
|        |                | В 6                        |              |       |              |
| 46     | N 012 006 4    | Lock ring                  |              | 4     | 914-6/4      |
|        |                | В 6                        |              |       |              |
| 47     | 113 837 581 D  | Window crank               |              | 2     | 914-6/4      |
| 48     | 900 115 011 01 | Spring washer              |              | 2     | 914-6/4      |
|        |                | V 5,3                      |              |       |              |
| 49     | N 014 263 3    | Countersunk-head screw     |              | 2     | 914-6/4      |
|        |                | AM 5 X 8                   |              |       |              |
| 50     | 111 837 595    | Desk pad                   |              | 2     | 914-6/4      |
| 51     | 914 542 401 10 | Guide rail                 |              | 2     | 914-6/4      |
| 52     | 914 531 033 10 | Sealing for door slot      | /L           | 1     |              |
| (52)   | 914 531 034 10 | Sealing for door slot      | /R           | 1     |              |
| 53     | 999 702 054 50 | Rubber sleeve              |              | 2     | 914-6/4      |
| 54     | 111 899 145    | Hexagon-head bolt          |              | 6     |              |
|        |                | 1                          |              |       | 1            |


| Wodel. | 914 70         | Woderine 1970>>1976 |        |          |       |
|--------|----------------|---------------------|--------|----------|-------|
| Pos    | Part Number    | Description         | Remark | Qty      | Model |
|        |                | м 8                 |        |          |       |
| 55     | 900 027 015 02 | Lock ring           |        | 6        |       |
| 33     | 900 027 015 02 | B 8                 |        | 0        |       |
| 55     | 900 027 015 03 | Lock ring           |        | 6        |       |
|        | 900 027 013 03 | B 8                 |        | 0        |       |
| 56     | 900 025 034 02 | Washer              |        | 6        |       |
| ] 30   | 900 023 034 02 | A 8,4               |        | 0        |       |
|        |                | A 0,1               |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        |                |                     |        |          |       |
|        | 1              | 1                   | 1      | <u> </u> |       |

PORSCHE Illustration: 804-05




| Post  | Model: | 914 70         | Model life 1970>>1976 |        |          |       |
|---|--------|----------------|-----------------------|--------|----------|-------|
| with installation parts       Differing parts         See group       8/04/00         (2) 914 542 043 10       Power windows       /L       1         2 914 542 044 10       Power windows       /R       1         (3) 914 542 185 10       Guide rail       /L       1         3 914 542 186 10       Guide rail       /R       1         4 N 014 339 1       Hexagon-head bolt       16         M 6 X 8       N       8         5 914 531 957 10       Profile       2         (6) 914 531 958 10       Retaining strip       /L       1         6 914 531 959 10       Retaining strip       /R       1         7 914 531 939 10       Sealing for door slot       2         8 211 837 097       Rosette       2         9 N 014 127 4       Oval-head screw       2         AM 5 X 6       Window crank       2         10 321 837 581 01C       Black       2         11 N 014 216 1       Countersunk-head screw       2         AM 5 X 10       AM 5 X 10 | Pos    | Part Number    | Description           | Remark | Qty      | Model |
| with installation parts       Differing parts         See group       8/04/00         (2) 914 542 043 10       Power windows       /L       1         2 914 542 044 10       Power windows       /R       1         (3) 914 542 185 10       Guide rail       /L       1         3 914 542 186 10       Guide rail       /R       1         4 N 014 339 1       Hexagon-head bolt       16         M 6 X 8       N       8         5 914 531 957 10       Profile       2         (6) 914 531 958 10       Retaining strip       /L       1         6 914 531 959 10       Retaining strip       /R       1         7 914 531 939 10       Sealing for door slot       2         8 211 837 097       Rosette       2         9 N 014 127 4       Oval-head screw       2         AM 5 X 6       Window crank       2         10 321 837 581 01C       Black       2         11 N 014 216 1       Countersunk-head screw       2         AM 5 X 10       AM 5 X 10 |        |                | Door                  | 73-    |          |       |
| Differing parts See group 8/04/00  (2) 914 542 043 10 Power windows /L 1 2 914 542 044 10 Power windows /R 1 (3) 914 542 185 10 Guide rail /L 1 3 914 542 186 10 Guide rail /R 1 4 N 014 339 1 Hexagon-head bolt M 6 X 8 5 914 531 957 10 Profile 2 (6) 914 531 958 10 Retaining strip /L 1 6 914 531 959 10 Retaining strip /R 1 7 914 531 939 10 Sealing for door slot 2 8 211 837 097 Rosette 2 9 N 014 127 4 Oval-head screw AM 5 X 6 10 321 837 581 Olc Black 10 Countersunk-head screw AM 5 X 10  |        |                |                       | 75     |          |       |
| See group 8/04/00   |        |                |                       |        |          |       |
| 8/04/00   Power windows   |        |                |                       |        |          |       |
| (2)     914 542 043 10     Power windows     /L     1       2     914 542 044 10     Power windows     /R     1       (3)     914 542 185 10     Guide rail     /L     1       3     914 542 186 10     Guide rail     /R     1       4     N 014 339 1     Hexagon-head bolt     16       5     914 531 957 10     Profile     2       (6)     914 531 958 10     Retaining strip     /L     1       6     914 531 959 10     Retaining strip     /R     1       7     914 531 939 10     Sealing for door slot     2       8     211 837 097     Rosette     2       9     N 014 127 4     Oval-head screw     2       AM 5 X 6     Window crank     2       321 837 581 01C     Black     2       11     N 014 216 1     Countersunk-head screw     2       AM 5 X 10     AM 5 X 10  |        |                |                       |        |          |       |
| 2 914 542 044 10 Power windows /R 1 (3) 914 542 185 10 Guide rail /L 1 3 914 542 186 10 Guide rail /R 1 4 N 014 339 1 Hexagon-head bolt   | (2)    | 914 542 043 10 |                       | /L     | 1        |       |
| (3) 914 542 185 10 Guide rail /L 1 3 914 542 186 10 Guide rail /R 1 4 N 014 339 1 Hexagon-head bolt M 6 X 8 5 914 531 957 10 Profile 2 (6) 914 531 958 10 Retaining strip /L 1 6 914 531 959 10 Retaining strip /R 1 7 914 531 939 10 Sealing for door slot 2 8 211 837 097 Rosette 2 9 N 014 127 4 Oval-head screw AM 5 X 6 10 321 837 581 Window crank 321 837 581 01C Black 10 N 014 216 1 Countersunk-head screw AM 5 X 10  |        |                |                       |        |          |       |
| 3 914 542 186 10 Guide rail 4 N 014 339 1 Hexagon-head bolt M 6 X 8  5 914 531 957 10 Profile (6) 914 531 958 10 Retaining strip 6 914 531 959 10 Retaining strip 7 914 531 939 10 Sealing for door slot 8 211 837 097 Rosette 9 N 014 127 4 Oval-head screw AM 5 X 6  10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10  |        |                |                       |        |          |       |
| M 6 X 8  5 914 531 957 10 Profile  (6) 914 531 958 10 Retaining strip 6 914 531 959 10 Retaining strip 7 914 531 939 10 Sealing for door slot 8 211 837 097 Rosette 9 N 014 127 4 Oval-head screw AM 5 X 6  10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   | 3      | 914 542 186 10 | Guide rail            | /R     |          |       |
| 5       914 531 957 10       Profile       2         (6)       914 531 958 10       Retaining strip       /L       1         6       914 531 959 10       Retaining strip       /R       1         7       914 531 939 10       Sealing for door slot       2         8       211 837 097       Rosette       2         9       N 014 127 4       Oval-head screw       2         AM 5 X 6       Window crank       2         321 837 581 01C       Black       2         11       N 014 216 1       Countersunk-head screw       2         AM 5 X 10       2   | 4      | N 014 339 1    |                       |        | 16       |       |
| (6) 914 531 958 10 Retaining strip /L 1 6 914 531 959 10 Retaining strip /R 1 7 914 531 939 10 Sealing for door slot 2 8 211 837 097 Rosette 2 9 N 014 127 4 Oval-head screw AM 5 X 6 10 321 837 581 Window crank 2 11 N 014 216 1 Countersunk-head screw AM 5 X 10   |        |                |                       |        |          |       |
| 6 914 531 959 10 Retaining strip /R 1 7 914 531 939 10 Sealing for door slot 8 211 837 097 Rosette 9 N 014 127 4 Oval-head screw AM 5 X 6 10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   |        |                |                       |        |          |       |
| 7 914 531 939 10 Sealing for door slot 8 211 837 097 Rosette 9 N 014 127 4 Oval-head screw AM 5 X 6 10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   |        |                |                       |        |          |       |
| 8       211 837 097       Rosette       2         9       N 014 127 4       Oval-head screw       2         10       321 837 581       Window crank       2         321 837 581 01C       Black       2         11       N 014 216 1       Countersunk-head screw       2         AM 5 X 10       AM 5 X 10   |        |                |                       | /R     |          |       |
| 9 N 014 127 4 Oval-head screw AM 5 X 6  10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   |        |                |                       |        |          |       |
| AM 5 X 6  10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   |        |                |                       |        |          |       |
| 10 321 837 581 Window crank 321 837 581 01C Black 11 N 014 216 1 Countersunk-head screw AM 5 X 10   | 9      | N 014 127 4    |                       |        | 2        |       |
| 321 837 581 01C Black N 014 216 1 Countersunk-head screw AM 5 X 10  |        |                |                       |        |          |       |
| 11 N 014 216 1 Countersunk-head screw AM 5 X 10   | 10     |                |                       |        | 2        |       |
| AM 5 X 10   |        |                |                       |        |          |       |
|   | 11     | N 014 216 1    |                       |        | 2        |       |
| 12 111 037 939 Pesk pau 2   | 1.0    | 111 027 505    |                       |        | _        |       |
|   | 12     | 111 837 595    | Desk pad              |        | <u> </u> |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |
|   |        |                |                       |        |          |       |

PORSCHE Illustration: 804-10 PORSCHE




| woder. | 914 70                           | Widderlife 1970>>1976      |        |     |                    |
|--------|----------------------------------|----------------------------|--------|-----|--------------------|
| Pos    | Part Number                      | Description                | Remark | Qty | Model              |
|        |                                  | Dan alas fuene             |        |     |                    |
| (1)    |                                  | Door glass frame           | /-     |     | 014 674            |
| (1)    | 914 542 013 10<br>914 542 014 10 | Guide                      | /L     | 1   | 914-6/4<br>914-6/4 |
| 1 2    |                                  | Guide                      | /R     | 1 6 | 914-6/4            |
| ∠      | 900 075 010 02                   | Hexagon nut                |        | 6   |                    |
|        | 7 010 010 14                     | M 6 X 12                   |        |     |                    |
| 2      | N 010 212 14                     | Hexagon-head bolt          |        | 6   |                    |
|        |                                  | M 6 X 12                   |        | _   |                    |
| 2      | 999 072 005 09                   | Hexagon nut                |        | 6   |                    |
| _      |                                  | M 6 X 12                   |        | _   |                    |
| 2      | 999 072 005 01                   | Hexagon nut                |        | 6   |                    |
|        |                                  | M 6 X 12                   |        |     |                    |
| 3      | 900 025 028 02                   | Washer                     |        | 6   |                    |
|        |                                  | 6,4                        |        |     |                    |
| 4      | 900 027 014 01                   | Lock ring                  |        | 6   |                    |
|        |                                  | В 6                        |        |     |                    |
| 4      | 900 027 014 02                   | Lock ring                  |        | 6   |                    |
|        |                                  | В 6                        |        |     |                    |
| 4      | N 012 006 4                      | Lock ring                  |        | 6   |                    |
|        |                                  | В 6                        |        |     |                    |
| 5      | 914 542 109 10                   | Shouldered bolt            |        | 2   |                    |
| 6      | 900 025 007 02                   | Washer                     |        | 2   |                    |
|        |                                  | A 8,4                      |        |     |                    |
| 6      | 900 025 007 03                   | Washer                     |        | 2   |                    |
|        |                                  | A 8,4                      |        |     |                    |
| 7      | 900 075 078 02                   | Hexagon-head bolt          |        | 2   |                    |
|        |                                  | M 8                        |        |     |                    |
| 7      | 900 075 078 03                   | Hexagon-head bolt          |        | 2   |                    |
|        |                                  | M 8                        |        |     |                    |
| (8)    | 914 542 027 10                   | Guide rail                 | /H /L  | 1   | 914-6/4            |
| 8      | 914 542 028 10                   | Guide rail                 | /H /R  | 1   | 914-6/4            |
| (9)    | 914 542 111 10                   | Guide piece                | /L     | 1   | 914-6/4            |
| 9      | 914 542 112 10                   | Guide piece                | / R    | 1   | 914-6/4            |
| 10     | 999 507 001 02                   | Speed nut                  | ,      | 2   | 914-6/4            |
| 11     | 900 144 014 02                   | Counters. head tapp. screw |        | 2   | 914-6/4            |
|        |                                  | 4,2 X 13                   |        |     |                    |
| 12     | 900 146 044 02                   | Oval-head screw            |        | 2   | 914-6/4            |
|        |                                  | AM 6 X 10                  |        |     |                    |
| 13     | N 011 524 7                      | Washer                     |        | 2   | 914-6/4            |
|        | N OII 324 /                      | A 6,4                      |        |     | 714 0/4            |
| 13     | N 011 524 27                     | Washer                     |        | 2   | 914-6/4            |
|        | N UII JZ4 Z/                     | A 6,4                      |        |     | 914-0/4            |
| 14     | N 012 007 2                      | Lock ring                  |        | 2   | 914-6/4            |
| 1 1    | N 012 007 2                      | A 6                        |        |     | 914-0/4            |
| 14     | 900 027 004 03                   | Lock ring                  |        | 2   | 914-6/4            |
| 1.4    | 900 027 004 03                   | A 6                        |        | 4   | 914-0/4            |
| (15)   | 914 542 013 11                   | Guide                      | /L     | 1   | 914-1,7/1,8V       |
| (15)   | 914 542 013 11                   | Guide                      | / [    | +   |                    |
| 1 1 -  | 014 540 014 11                   | God J.                     | (P)    | -   | 914-1,8/2,0        |
| 15     | 914 542 014 11                   | Guide                      | /R     | 1   | 914-1,7/1,8V       |
| (1.5)  |                                  |                            |        | _   | 914-1,8/2,0        |
| (16)   | 914 542 029 12                   | Guide rail                 | /L     | 1   | 914-1,7/1,8V       |
|        | l                                |                            |        |     | 914-1,8/2,0        |
| 16     | 914 542 030 12                   | Guide rail                 | /R     | 1   | 914-1,7/1,8V       |
| l      |                                  |                            |        | l _ | 914-1,8/2,0        |
| 17     | 914 542 161 12                   | Window guide               |        | 2   | 914-1,7/1,8V       |
|        |                                  |                            |        |     | 914-1,8/2,0        |
| 18     | 914 542 171 14                   | Window guide               |        | 2   | 914-1,7/1,8V       |
|        |                                  |                            |        |     | 914-1,8/2,0        |
| 19     | 900 146 044 02                   | Oval-head screw            |        | 4   | 914-1,7/1,8V       |
|        |                                  | AM 6 X 10                  |        |     | 914-1,8/2,0        |
| (20)   | 914 542 173 10                   | End piece                  | /L     | 1   | 914-1,7/1,8V       |
|        |                                  |                            |        |     | 914-1,8/2,0        |
| 20     | 914 542 174 10                   | Reinforcement              | /R     | 1   | 914-1,7/1,8V       |
|        |                                  |                            |        |     | 914-1,8/2,0        |
|        | I                                | !                          | I      |     | 1                  |

|        | 914 70                     |   | T      |       |                                |
|--------|----------------------------|---|--------|-------|--------------------------------|
| Pos    | Part Number                | Description   | Remark | Qty   | Model                          |
| Pos 21 | Part Number 900 140 032 02 | Description  Rais. counters. h. tap. s. B 2,9 X 6,5 | Remark | Qty 2 | Model 914-1,7/1,8V 914-1,8/2,0 |
|        |                            |   |        |       |                                |



| Model: | 914 70                        | Model life 1970>>1976                 |        |          |                    |
|--------|-------------------------------|---------------------------------------|--------|----------|--------------------|
| Pos    | Part Number                   | Description                           | Remark | Qty      | Model              |
|        |                               | window glazing                        |        | <u> </u> |                    |
| 1      | 914 542 023 10                | Side window                           | /L     | 1        |                    |
|        | 711 312 023 10                | Clear                                 | , =    |          |                    |
| 1      | 914 542 025 10                | Side window                           | /L M   | 1        |                    |
|        |                               | Heat protection                       |        |          |                    |
|        |                               | Glass                                 |        |          |                    |
| (1)    | 914 542 024 10                | Side window                           | /R     | 1        |                    |
|        |                               | Clear                                 |        |          |                    |
| (1)    | 914 542 026 10                | Side window                           | /R M   | 1        |                    |
|        |                               | Heat protection                       |        |          |                    |
|        | DGG 540 017 10                | Glass                                 |        |          |                    |
| 2 3    | PCG 542 017 10<br>N 033 165 1 | Protection cap Countersunk-head screw |        | 2<br>4   |                    |
| 3      | N 022 T02 T                   | AM 4 X 8                              |        | 4        |                    |
| 5      | 914 542 905 10                | Door window glass                     | /L     | 1        | 914-6/4            |
|        |                               | Clear                                 | , _    | _        | 711 0, 1           |
| 5      | 914 542 911 10                | Door window glass                     | /L M   | 1        | 914-6/4            |
|        |                               | Heat protection                       |        |          |                    |
|        |                               | Glass                                 |        |          |                    |
| (5)    | 914 542 906 10                | Door window glass                     | /R     | 1        | 914-6/4            |
|        | l                             | Clear                                 |        | l .      |                    |
| (5)    | 914 542 912 10                | Door window glass                     | /R M   | 1        | 914-6/4            |
|        |                               | Heat protection                       |        |          |                    |
|        | 914 542 307 10                | Glass<br>Roller                       |        |          | 014 674            |
| 6<br>7 | 914 542 307 10                | Spring washer                         |        | 8<br>8   | 914-6/4<br>914-6/4 |
| 8      | 914 542 217 10                | Windscreen                            |        | 1        | 914-6/2,0          |
|        |                               | Clear                                 |        | _        | ]                  |
|        |                               | Laminated glass                       |        |          |                    |
| 8      |                               | Windscreen                            |        | 1        | 914-4/1,7          |
|        |                               | Clear                                 |        |          | 914-1,8V/1,8       |
|        |                               | Laminated glass                       |        |          |                    |
| (8)    | 914 541 102 10                | Windscreen                            |        | 1        |                    |
|        |                               | Heat protection                       |        |          |                    |
| 8      | 914 541 101 10                | Glass<br>Windscreen                   |        | 1        | 914-4/1,7          |
| 0      | 914 941 101 10                | Clear                                 |        | -        | 914-1,8V/1,8       |
|        |                               | Tempered plate glass                  |        |          | J11 1,0V/1,0       |
|        |                               | Not for                               |        |          |                    |
|        |                               | (USA) (CDN) (S)                       |        |          |                    |
| 9      | 914 541 213 10                | Moulding                              | /L     | 1        |                    |
|        |                               | Upper                                 |        |          |                    |
| 9      | 914 541 213 11                | Moulding                              | /L     | 1        |                    |
|        |                               | Upper                                 | /5     |          |                    |
| 9      | 914 541 214 10                | Moulding                              | /R     | 1        |                    |
| 9      | 914 541 214 11                | Upper<br>Moulding                     | /R     | 1        |                    |
| "      | 714 74 11                     | Upper                                 | / 10   |          |                    |
| 10     | 914 541 215 10                | Moulding                              |        | 1        |                    |
|        |                               | Lower                                 |        |          |                    |
| 11     | 914 541 217 10                | Connecting piece                      |        | 2        |                    |
|        |                               | for                                   |        |          |                    |
|        |                               | Trim frame                            |        |          |                    |
| 11     | 914 541 217 11                | Connecting piece                      |        | 2        |                    |
|        |                               | for Trim frame                        |        |          |                    |
| 12     | 914 541 219 10                | Trim frame Connecting piece           |        | 1        |                    |
| 12     | 914 541 219 10                | Connecting piece                      |        | 1 1      |                    |
| _      | 477 898 011 A                 | Sealing set                           |        | 1        |                    |
|        |                               | for                                   |        | -        |                    |
|        |                               | Windscreen                            |        |          |                    |
| -      |                               | Sealing set                           |        | 1        |                    |
|        |                               | Repair kit                            |        |          |                    |

| Model: | 914 70         | Model life 1970>>1976 |         |     |              |
|--------|----------------|-----------------------|---------|-----|--------------|
| Pos    | Part Number    | Description           | Remark  | Qty | Model        |
|        |                | for                   |         |     |              |
|        |                | Rear window           |         |     |              |
| 13     | 914 541 907 10 |                       |         | 2   |              |
| 13     | 914 541 907 10 | Spacer                |         | ∠   |              |
|        |                | for                   |         |     |              |
| 1.4    | 014 545 102 10 | Windscreen            |         | 1   |              |
| 14     | 914 545 103 10 | Rear window           |         | 1   |              |
|        |                | Clear                 |         |     |              |
| (14)   | 914 545 101 10 | Rear window           |         | 1   |              |
|        |                | Clear                 |         |     |              |
|        |                | Heated                |         |     |              |
| 15     | 914 541 907 10 | Spacer                |         | 2   |              |
|        |                | for                   |         |     |              |
|        |                | Rear window           |         |     |              |
| 16     | 914 541 921 11 | Moulding clip         |         | 19  |              |
| 17     | 914 542 325 10 | Sealing frame         | /L      | 1   |              |
| (17)   | 914 542 326 10 | Sealing frame         | /R      | 1   |              |
| 18     | 914 542 039 12 | Door window glass     | /L      | 1   | 914-1,7/1,8V |
|        |                | Clear                 |         |     | 914-1,8/2,0  |
| 18     | 914 542 035 12 | Door window glass     | /L M    | 1   | 914-1,7/1,8V |
| -      |                | Heat protection       | · = ··  | -   | 914-1,8/2,0  |
|        |                | Glass                 |         |     | 711 1,0/2,0  |
| (10)   | 914 542 036 12 | Door window glass     | /R M    | 1   | 01/1 7/1 077 |
| (TR)   | 914 542 036 12 |                       | / K IVI | 1   | 914-1,7/1,8V |
|        |                | Heat protection       |         |     | 914-1,8/2,0  |
|        | <b></b>        | Glass                 |         |     |              |
| (18)   | 914 542 040 12 | Door window glass     | /R      | 1   | 914-1,7/1,8V |
|        |                | Clear                 |         |     | 914-1,8/2,0  |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
|        |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
|        |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
| 1      |                |                       |         |     |              |
|        |                |                       |         |     |              |
|        | <u> </u>       |                       |         | I   |              |




| Pos | Part Number                          | Description  | Remark        | Qty | Model |
|-----|--------------------------------------|--|---------------|-----|-------|
| Pos | Part Number                          | •  | Remark        | Qty | Model |
|     |                                      | Interior equipment<br>Front<br>Loop pile                                       |               |     |       |
| 1   | 914 551 023 10                       | Not available<br>Carpet<br>Needled felt  | /V /L -71     | 1   |       |
| 1   | 914 551 023 12                       | Please state the colour<br>Carpet<br>Needled felt                              | /V /L 72-     | 1   |       |
| 2   | 914 551 024 10                       | Please state the colour<br>Carpet<br>Needled felt                              | /V /R -71     | 1   |       |
| 2   | 914 551 024 10 700<br>914 551 094 10 |  | /V /R 72-     | 1   |       |
| 3   | 914 551 094 10 700<br>914 551 021 10 | Anthracite<br>Carpet<br>Needled felt   | /H /L         | 1   |       |
| 4   | 914 551 022 10                       | Please state the colour<br>Carpet<br>Needled felt                              | /H /R 72-     | 1   |       |
| 4   |                                      | Please state the colour<br>Carpet<br>Needled felt                              | /H /R 72-     | 1   |       |
| 5   | 914 551 022 10 700<br>914 551 425 10 | Lining<br>for  | /L            | 1   |       |
| 6   | 914 551 426 10                       | Firewall Needled felt Please state the colour Lining for Firewall Needled felt | /R -71        | 1   |       |
| (6) | 914 551 428 10                       | Please state the colour<br>Lining<br>for<br>Firewall                           | /R 72-        | 1   |       |
| 7   | 914 551 149 10                       | Needled felt Please state the colour Lining for Firewall                       | /L            | 1   |       |
| 8   | 914 551 171 10                       | Needled felt Please state the colour Lining for Cross member Seat              | /L -71        | 1   |       |
| 8   | 914 551 171 11                       | Leatherette Please state the colour Lining for Cross member Seat               | /L 72-<br>-74 | 1   |       |
| 9   | 914 551 172 10                       | Leatherette Lining for Cross member Seat                                       | /R -71        | 1   |       |
| 9   | 914 551 172 11                       | Leatherette<br>Please state the colour<br>Lining                               | /R 72-        | 1   |       |

| wiodei. | 914 70         | Model life 1970>>1976                |        |     |                           |
|---------|----------------|--------------------------------------|--------|-----|---------------------------|
| Pos     | Part Number    | Description                          | Remark | Qty | Model                     |
|         |                | for<br>Cross member                  | -74    |     |                           |
|         |                | Seat                                 |        |     |                           |
|         |                | Leatherette                          |        |     |                           |
| 10      | 914 551 177 10 | Lining                               | /L -71 | 1   |                           |
|         |                | for                                  |        |     |                           |
|         |                | Side member                          |        |     |                           |
|         |                | Needled felt Please state the colour |        |     |                           |
| 10      | 914 551 177 11 | Lining                               | /L 72- | 1   |                           |
|         |                | for                                  | ,      |     |                           |
|         |                | Side member                          |        |     |                           |
|         |                | Needled felt                         |        |     |                           |
| (10)    | 914 551 178 10 | Please state the colour<br>Lining    | /R -71 | 1   |                           |
| (10)    | 914 551 1/6 10 | for                                  | /R -/1 |     |                           |
|         |                | Side member                          |        |     |                           |
|         |                | Needled felt                         |        |     |                           |
|         |                | Please state the colour              |        |     |                           |
| (10)    | 914 551 178 11 | Lining                               | /R 72- | 1   |                           |
|         |                | for<br>Side member                   |        |     |                           |
|         |                | Needled felt                         |        |     |                           |
|         |                | Please state the colour              |        |     |                           |
| 11      | 914 551 179 10 | Lining                               |        | 1   | 914-4                     |
|         |                | for                                  |        |     |                           |
|         |                | Tunnel Please state the colour       |        |     |                           |
| 11      | 914 551 180 10 | Lining                               | -70    | 1   | 914-6                     |
|         | 711 331 100 10 | for                                  | 7.0    |     | J11 0                     |
|         |                | Tunnel                               |        |     |                           |
|         |                | Needled felt                         |        |     |                           |
| 1.1     | 014 551 150 11 | Please state the colour              |        |     | 014 4/1 5                 |
| 11      | 914 551 179 11 | Lining for                           |        | 1   | 914-4/1,7<br>914-1,8/1,8V |
|         |                | Tunnel                               |        |     | 914-2,0                   |
|         |                | Needled felt                         |        |     | ,                         |
|         |                | for                                  |        |     |                           |
|         |                | Sealing sleeve                       |        |     |                           |
|         |                | Rubber Please state the colour       |        |     |                           |
| 11      | 914 551 165 10 | Lining                               | /R     | 1   | 914-1,7/1,8V              |
|         |                | for                                  | ,      |     | 914-1,8/2,0               |
|         |                | Tunnel                               |        |     |                           |
|         |                | Needled felt                         |        |     |                           |
|         |                | for<br>Leather sleeve                |        |     |                           |
|         |                | Please state the colour              |        |     |                           |
| 11      | 914 551 166 10 | Lining                               |        | 1   | 914-4/1,7                 |
|         |                | for                                  |        |     | 914-1,8/1,8V              |
|         |                | Tunnel                               |        |     | 914-2,0                   |
|         |                | Centre console<br>Needled felt       |        |     |                           |
|         |                | Please state the colour              |        |     |                           |
| 11      | 914 551 167 10 | Lining                               |        | 1   | 914-1,7/1,8               |
|         |                | for                                  |        |     | 914-2,0                   |
|         |                | Tunnel                               |        |     |                           |
|         |                | Needled felt for                     |        |     |                           |
|         |                | Leather sleeve                       |        |     |                           |
|         |                | Please state the colour              |        |     |                           |
| (12)    | 914 551 505 10 | Cover                                | /L     | 1   |                           |
|         |                | for                                  |        |     |                           |

| Model:  | 914 70           | Model life 1970>>1976      |        |     |               |
|---------|------------------|----------------------------|--------|-----|---------------|
| Pos     | Part Number      | Description                | Remark | Qty | Model         |
|         |                  | Loudspeaker                |        |     |               |
| 12      | 914 551 506 10   | Cover                      | /R     | 1   |               |
| 12      | 1 214 221 200 10 | for                        | 710    | 1 - |               |
|         |                  | Loudspeaker                |        |     |               |
| 13      | 900 145 053 07   | Tapping screw              |        | 6   |               |
| 1.3     | 900 145 055 07   | B 4,8 X 22                 |        | ľ   |               |
| 14      | 900 145 030 02   | Rais. counters. h. tap. s. |        | 2   |               |
| 14      | 900 145 030 02   | B 4,8 X 16                 |        | 4   |               |
| 1 1 -   | 000 507 002 02   | Speed nut                  |        | 2   |               |
| 15      | 999 507 002 02   | _                          |        | 2   |               |
| 15      | 999 507 002 0B   | Speed nut                  | /-     |     |               |
| 16      | 914 551 061 10   | Pedal floor board          | /L     | 1   |               |
| 17      | 914 551 067 00   | Stop                       |        | 1   |               |
|         |                  | for                        |        |     |               |
|         |                  | Clutch pedal               |        | 1 - |               |
| 18      | 914 551 655 10   | Rubber moulding            |        | 1   |               |
|         |                  | 40 MM                      |        |     |               |
| 19      | 901 501 390 00   | Tab                        |        | 1   |               |
| 20      | 914 551 651 10   | Desk pad                   |        | 1   |               |
| 21      | 900 067 009 02   | Pan-head screw             |        | 2   |               |
|         |                  | M 6 X 15                   |        |     |               |
| 21      | 900 067 429 01   | Pan-head screw             |        | 2   |               |
|         |                  | M 6 X 15                   |        |     |               |
| 22      | N 042 121 3      | Shake-proof washer         |        | 2   |               |
|         |                  | A 6,4                      |        |     |               |
| 23      | 914 551 187 10   | Lining                     | -71    | 1   | 914-6/4       |
|         |                  | for                        |        |     |               |
|         |                  | Cross panel                |        |     |               |
|         |                  | Needled felt               |        |     |               |
| (23)    | 914 551 187 11   | Lining                     | 72-    | 1   |               |
|         |                  | for                        |        |     |               |
|         |                  | Cross panel                |        |     |               |
|         |                  | Needled felt               |        |     |               |
| (23)    | 914 551 107 10   | Lining                     | 75-    | 1   | 914-1,8V/1,8  |
|         |                  | for                        |        |     | 914-2,0       |
|         |                  | Cross panel                |        |     | ,             |
|         |                  | Needled felt               |        |     |               |
| (24)    | 914 551 029 12   | Luggage compartment cover  |        | 1   |               |
| 1 ' '   |                  | for                        |        |     |               |
|         |                  | Emergency wheel            |        |     |               |
| 25      | 914 551 015 10   | Foot support               | -71    | 1   | 914-4         |
|         |                  | Needled felt               | '-     | -   |               |
|         |                  | Please state the colour    |        |     |               |
| 26      | 914 551 429 10   | Insert.                    | -74    | 1   | 914-1,7/1,8V  |
|         |                  | for                        | , -    | -   | 914-1,8/2,0   |
|         |                  | Foot support               |        |     | 311 1,0,2,0   |
| (26)    | 914 551 429 12   | Insert                     | 75-    | 1   | 914-1,8V/1,8  |
| (20)    |                  | for                        | , ,    | -   | 914-2,0       |
|         |                  | Foot support               |        |     | 311 2,0       |
| _       | 914 551 430 10   | Lid                        | 75-    | 1   | 914-1,8V/1,8  |
|         | 714 331 430 10   |                            | 7.5    | 1 - | 914-2,0       |
| 27      | 914 551 419 11   | Cover strip                |        | 2   | 714 2,0       |
|         |                  | Inner                      |        |     |               |
|         |                  | Aluminium                  |        |     |               |
|         |                  | F >>47329 18918            |        |     |               |
| 27      |                  | Cover strip                |        | 2   | 914-1,7/1,8V  |
| /       |                  | Inner                      |        | 4   |               |
|         |                  | Inner Plastic material     |        |     | 914-1,8/2,0   |
|         |                  |                            |        |     |               |
| 2.0     | 000 145 041 00   | F 47329 18919>>            |        | 10  |               |
| 28      | 900 145 041 00   | Rais. counters. h. tap. s. |        | 10  |               |
|         |                  | B 3,5 X 16                 |        |     |               |
|         | N 014 007 5      | F >>47329 18918            |        | 10  | 014 1 7/1 077 |
| 28      | N 014 087 5      | Oval-head sheetmetal screw |        | 10  | 914-1,7/1,8V  |
| <u></u> |                  | B 3,5 X 16                 |        |     | 914-1,8/2,0   |

| Model:   | 914 70             | Model life 19/0>>19/6   |        |        |                             |
|----------|--------------------|---|--------|--------|-----------------------------|
| Pos      | Part Number        | Description   | Remark | Qty    | Model                       |
| 28       | 900 145 104 01     | Black<br>F 47329 18919>><br>Rais. counters. h. tap. s.<br>B 3,5 X 16<br>Black         |        | 10     | 914-1,7/1,8V<br>914-1,8/2,0 |
| 29       | 914 551 137 11     | F 47329 18919>><br>Scuff plate<br>Aluminium<br>Not available<br>914.551.137.11<br>Use |        | 2      |                             |
| 29       |                    | F >>47329 18918<br>Scuff plate<br>Plastic material<br>F 47329 18919>>                 |        | 2      | 914-1,7/1,8V<br>914-1,8/2,0 |
| 30       | 999 591 550 40     | Expansion rivet   |        | 24     |                             |
| 32       | 914 555 047 10     | Padding   |        | 1      | 914-6/4                     |
| 32       | 914 555 047 12     | Upper<br>Padding  |        | 1      | 914-1,7/1,8V                |
|          |                    | Upper   |        |        | 914-1,8/2,0                 |
| 33       | 914 555 013 10     | Padding<br>Lateral  | /L     | 1      | 914-6/4                     |
| 33       | 914 555 013 12     | Padding   | /L     | 1      | 914-1,7/1,8V                |
| (33)     | 914 555 014 12     | Lateral Padding   | /R     | 1      | 914-1,8/2,0<br>914-6/4      |
| (33)     |                    | Lateral Padding   | /R     | 1      | 914-1,7/1,8V                |
| 34       | N 013 957 5        | Lateral Oval-head sheetmetal screw B 3,5 X 9,5  |        | 8      | 914-1,8/2,0                 |
| 35<br>35 | 914 552 233 10     | Filler piece<br>Filler piece  |        | 8<br>8 |                             |
|          | 914 552 233 10 01C | Black   |        |        |                             |
|          |                    |   |        |        |                             |




| woder. | 914 70             | Woderlife 1970>>1976                     |           |     |                         |
|--------|--------------------|--|-----------|-----|-------------------------|
| Pos    | Part Number        | Description                              | Remark    | Qty | Model                   |
|        |                    | Interior equipment                       |           |     |                         |
|        |                    | Rear                                     |           |     |                         |
| (1)    | 914 555 017 09     | Door trim panel                          | /L -70    | 1   | 914-6/4                 |
|        |                    | Please state the colour                  |           |     |                         |
| (1)    | 914 555 017 10     | Door trim panel                          | /L 71     | 1   | 914-6/4                 |
|        |                    | Please state the colour                  |           |     |                         |
| (1)    | 914 555 017 11     | Door trim panel                          | /L 72-    | 1   | 914-6/4                 |
|        | 914 555 017 11 702 |  |           |     |                         |
|        |                    | F >>91424 30039<br>F >>47229 09016       |           |     |                         |
| (1)    | 914 555 257 10     | Door panel                               | /L 72-    | 1   | 914-6/4                 |
| ( 1 )  | 914 555 257 10     | Please state the colour                  | /ш /2-    |     | 914-0/4                 |
|        |                    | F 91424 30040>>                          |           |     |                         |
|        |                    | F 47229 09017>>                          |           |     |                         |
| (1)    | 914 555 283 10     | Door trim panel                          | -74       | 1   | 914-1,7/1,8V            |
|        |                    | Please state the colour                  |           |     | 914-1,8/2,0             |
| (1)    | 914 555 283 11     | Door trim panel                          | /L 75-    | 1   | 914-1,8V/1,8            |
|        |                    | Please state the colour                  |           |     | 914-2,0                 |
| 1      | 914 555 018 09     | Door trim panel                          | /R -70    | 1   | 914-6/4                 |
|        |                    | Please state the colour                  |           |     |                         |
| 1      | 914 555 018 10     | Door trim panel                          | /R 71     | 1   | 914-6/4                 |
| 1      | 014 555 010 11     | Please state the colour                  | /D 70     | 1   | 014 6/4                 |
| 1      | 914 555 018 11     | Door trim panel Please state the colour  | /R 72-    | 1   | 914-6/4                 |
|        |                    | F >>91424 30039                          |           |     |                         |
|        |                    | F >>47229 09016                          |           |     |                         |
| 1      | 914 555 258 10     | Door panel                               | /R 72-    | 1   | 914-6/4                 |
|        | 711 000 200 10     | Please state the colour                  | , 10 , 12 |     |                         |
|        |                    | F 91424 30040>>                          |           |     |                         |
|        |                    | F 47229 09017>>                          |           |     |                         |
| 1      | 914 555 284 10     | Door trim panel                          | /R -74    | 1   | 914-1,7/1,8V            |
|        |                    | Please state the colour                  |           |     | 914-1,8/2,0             |
| 1      | 914 555 284 11     | Door trim panel                          | /R 75-    | 1   | 914-1,8V/1,8            |
|        | 000 501 010 40     | Please state the colour                  |           | 1.0 | 914-2,0                 |
| 2      | 999 591 310 40     | Fixing clip                              | -73       | 18  | 914-6/4/1,7             |
| 2      | 823 867 299        | Clip                                     | 74-       | 18  | 914-2,0<br>914-1,8V/1,8 |
|        | 023 007 299        | CIIP                                     | 74-       | 10  | 914-2,0                 |
| 3      | 999 591 311 40     | Bush                                     | -73       | 18  | 914-6/4/1,7             |
|        | 333 331 311 10     |  | , 5       |     | 914-2,0                 |
| 4      | 914 555 021 09     | Cover                                    | /L -70    | 1   | 914-6/4                 |
|        |                    | for                                      |           |     |                         |
|        |                    | Door                                     |           |     |                         |
|        |                    | Bag                                      |           |     |                         |
|        |                    | Please state the colour                  |           |     |                         |
| 4      | 914 555 021 10     | Cover                                    | /L 71     | 1   | 914-6/4                 |
|        |                    | for                                      |           |     |                         |
|        |                    | Door                                     |           |     |                         |
|        |                    | Bag Please state the colour              |           |     |                         |
| 4      | 914 555 021 11     | Cover                                    | /L 72-    | 1   |                         |
| 1      | 711 333 021 11     | for                                      | 7 2 7 2   | -   |                         |
|        |                    | Door                                     |           |     |                         |
|        |                    | Bag                                      |           |     |                         |
|        |                    | Please state the colour                  |           |     |                         |
| 5      | 914 555 025 10     | Frame                                    | /L        | 1   |                         |
|        |                    | for                                      |           |     |                         |
|        |                    | Door                                     |           |     |                         |
|        | 000 145 006 00     | Bag                                      |           |     |                         |
| 6      | 900 145 006 02     | Rais. counters. h. tap. s.<br>B 3,5 X 19 |           | 6   |                         |
| 7      | 999 591 102 12     | Washer                                   |           | 6   |                         |
| 8      | 914 555 027 10     | Lid                                      | /L        | 1   |                         |
|        | 1-1-333 327 10     | <u> </u>                                 | <u> </u>  |     |                         |

|      |             |      | Woder me 1970>>1976        |            |     |              |
|------|-------------|------|----------------------------|------------|-----|--------------|
| Pos  | Part Number |      | Description                | Remark     | Qty | Model        |
|      | 000 507 315 |      | 27-4-1                     |            | 2   |              |
| 9    | 999 507 317 |      | Nut lock clip              |            |     |              |
| 10   | 999 507 001 |      | Speed nut                  |            | 1   |              |
| 11   | 900 067 111 | . 02 | Pan-head screw             |            | 1   |              |
|      |             |      | M 5 X 18                   |            |     |              |
| 11   | 900 067 111 | . 01 | Pan-head screw             |            | 1   |              |
|      |             |      | M 5 X 18                   |            |     |              |
| 12   | 900 025 003 |      | Washer                     |            | 1   |              |
| 13   | 914 555 129 | 10   | Stopper                    |            | 2   |              |
| 14   | 999 507 317 |      | Nut lock clip              |            | 2   |              |
| 15   | 914 555 044 | . 09 | Cover                      | /R -70     | 1   | 914-6/4      |
|      |             |      | for                        |            |     |              |
|      |             |      | Door                       |            |     |              |
|      |             |      | Armrest                    |            |     |              |
|      |             |      | Please state the colour    |            |     |              |
| (15) | 914 555 044 | 10   | Cover                      | /R 71      | 1   | 914-6/4      |
|      |             |      | for                        |            |     |              |
|      |             |      | Door                       |            |     |              |
|      |             |      | Armrest                    |            |     |              |
|      |             |      | Please state the colour    |            |     |              |
| (15) | 914 555 138 | 1.0  | Cover                      | /R 72-     | 1   |              |
| (13) | 914 333 130 | , 10 | for                        | / K / Z -  | -   |              |
|      |             |      |                            |            |     |              |
|      |             |      | Door                       |            |     |              |
| 1    | 014 555 005 |      | Armrest                    |            | _   |              |
| 16   | 914 555 087 |      | Armrest                    | /R         | 1   |              |
| 17   | 914 555 589 |      | Clamping bush              |            | 6   |              |
| 18   | 999 507 318 |      | Nut lock clip              |            | 3   |              |
| 19   | 900 067 111 | . 02 | Pan-head screw             |            | 3   |              |
|      |             |      | M 5 X 18                   |            |     |              |
| 19   | 900 067 111 | . 01 | Pan-head screw             |            | 3   |              |
|      |             |      | M 5 X 18                   |            |     |              |
| 20   | 900 025 003 | 02   | Washer                     |            | 3   |              |
|      |             |      | 5,3                        |            |     |              |
| 21   | 900 145 006 | 02   | Rais. counters. h. tap. s. |            | 3   |              |
|      |             |      | B 3,5 X 19                 |            |     |              |
| 22   | 999 591 102 | 12   | Washer                     |            | 3   |              |
| 23   | 914 551 173 | 10   | Lining                     | /H /L -71  | 1   | 914-6/4      |
|      |             |      | for                        |            |     |              |
|      |             |      | Tunnel                     |            |     |              |
|      |             |      | Leatherette                |            |     |              |
|      |             |      | Please state the colour    |            |     |              |
| 23   | 914 551 173 | 3 11 | Lining                     | /H /L 72-  | 1   |              |
|      |             |      | for                        |            |     |              |
|      |             |      | Tunnel                     |            |     |              |
|      |             |      | Leatherette                |            |     |              |
| 23   | 914 551 174 | . 11 | Lining                     | /H /R -71  | 1   | 914-6/4      |
|      |             |      | for                        | /11 /10 /1 | -   |              |
|      |             |      | Tunnel                     |            |     |              |
|      |             |      | Leatherette                |            |     |              |
|      |             |      | Please state the colour    |            |     |              |
| 23   |             |      | Lining                     | /H /R 72-  | 1   |              |
| 23   |             |      | for                        | /H /K /Z-  | +   |              |
|      |             |      | Tunnel                     |            |     |              |
|      |             |      | Leatherette                |            |     |              |
| 24   | 014 550 005 | . 10 |                            |            | -   | 014 6/4      |
| 24   | 914 552 097 | 10   | Padding                    |            | 1   | 914-6/4      |
|      |             |      | Upper                      |            |     |              |
|      |             |      | for                        |            |     |              |
|      |             |      | Roll bar                   |            | _   |              |
| 24   | 914 552 097 | 12   | Padding                    |            | 1   | 914-1,7/1,8V |
|      |             |      | Upper                      |            |     | 914-1,8/2,0  |
|      |             |      | for                        |            |     |              |
|      |             |      | Roll bar                   |            | _   |              |
| 25   | 914 552 033 | 3 10 | Padding                    | /L         | 1   | 914-6/4      |
|      |             |      | Lateral                    |            |     |              |

| woder. | 914 70                                |       |            | Widder life 1970>>1976     |        |     |                            |
|--------|---------------------------------------|-------|------------|----------------------------|--------|-----|----------------------------|
| Pos    | Part Number                           | er    |            | Description                | Remark | Qty | Model                      |
|        |                                       |       |            |                            |        | + - |                            |
|        |                                       |       |            | for                        |        |     |                            |
|        |                                       |       |            | Roll bar                   |        |     |                            |
| 25     | 914 552 0                             | 33    | 12         | Padding                    | /L     | 1   | 914-1,7/1,8V               |
|        |                                       |       |            | Lateral                    |        |     | 914-1,8/2,0                |
|        |                                       |       |            | for                        |        |     |                            |
|        |                                       |       |            | Roll bar                   |        |     |                            |
| (25)   | 914 552 0                             | 34    | 10         | Padding                    | /R     | 1   | 914-6/4                    |
|        |                                       |       |            | Lateral                    |        |     |                            |
|        |                                       |       |            | for                        |        |     |                            |
|        |                                       |       |            | Roll bar                   |        |     |                            |
| (25)   | 914 552 0                             | 34    | 12         | Padding                    | /R     | 1   | 914-1,7/1,8V               |
|        |                                       |       |            | Lateral                    |        |     | 914-1,8/2,0                |
|        |                                       |       |            | for                        |        |     |                            |
|        |                                       |       |            | Roll bar                   |        |     |                            |
| 26     | 914 552 4                             | 147   | 10         | Cover                      | /L -73 | 1   | 914-6/4/1,7                |
|        |                                       |       |            | F >>47329 18796            |        |     | 914/2,0                    |
| 26     | 914 552 4                             | 167   | 10         | Cover                      | /L 73- | 1   | 914-1,7/1,8V               |
|        |                                       |       |            | F 47329 18797>>            |        |     | 914-1,8/2,0                |
| (26)   | 914 552 4                             | 148   | 10         | Cover                      | /R -73 | 1   | 914-6/4/1,7                |
|        |                                       |       |            | F >>47329 18796            |        |     | 914-2,0                    |
| (26)   | 914 552 4                             | 168   | 10         | Cover                      | /R 73- | 1   | 914-1,7/1,8V               |
|        |                                       |       |            | F 47329 18797>>            | 1      |     | 914-2,0                    |
| 27     | 900 143 0                             | 72    | 02         | Oval-head sheetmetal screw |        | 15  |                            |
| -      |                                       |       |            | 3,5 X 19                   |        | 1-3 |                            |
| 28     | 901 803 1                             | 13    | 20         | Cover disc                 |        | 8   | 914-6/4/1,7                |
| 28     |                                       |       |            | Cover disc                 |        | 2   | 914-1,8V/1,8               |
|        |                                       |       |            | 00.01 01.00                |        | -   | 914-2,0                    |
| 29     | 901 803 1                             | 15    | 20         | Stopper                    |        | 8   | 914-6/4/1,7                |
| 29     | " " " " " " " " " " " " " " " " " " " |       | 20         | Stopper                    |        | 2   | 914-1,8V/1,8               |
|        |                                       |       |            | Beopper                    |        | 1   | 914-2,0                    |
| 29     | 211 857 7                             | 785   |            | Plug                       | 74-    | 4   | 914-1,8V/1,8               |
|        |                                       | 03    |            |                            | , 1    | -   | 914-2,0                    |
| 30     | 914 552 2                             | 22    | 10         | Filler piece               |        | 14  | 311 270                    |
| 30     |                                       |       |            | Filler piece               |        | 14  |                            |
|        | 914 552 2                             | 233   | 10 01      |                            |        |     |                            |
| 31     | 901 552 8                             |       |            | Coat hook                  |        | 1   |                            |
| 32     | N 013 975                             |       | 10         | Oval-head sheetmetal screw |        | 1 1 |                            |
|        |                                       | , 1   |            | B 4,8 X 19                 |        | -   |                            |
| 33     | 914 555 0                             | 161   | nα         | Rear wall                  | -70    | 1   | 914-6/4                    |
|        | 1 214 222 0                           | 701   | 0,5        | Leatherette                | 7.5    | +   | 714 0/4                    |
|        |                                       |       |            | Please state the colour    |        |     |                            |
| 33     | 914 555 0                             | 161   | 10         | Rear wall                  | 71     | 1   | 914-6/4                    |
|        | 1 214 222 0                           | 701   | 10         | Leatherette                | ' -    | +   | 714 0/4                    |
|        |                                       |       |            | Please state the colour    |        |     |                            |
| 33     | 914 555 0                             | 175   | <b>Λ Q</b> | Rear wall                  | -70    | 1   | 914-6/4                    |
|        | 1 214 222 0                           | , , , | 09         | Leatherette/               | - 70   | +   | 914-0/4                    |
|        |                                       |       |            | Cloth                      |        |     |                            |
|        |                                       |       |            | Please state the colour    |        |     |                            |
| 33     | 914 555 0                             | 75    | 1.0        | Rear wall                  | 71     | 1   | 914-6/4                    |
| ] 33   | 914 555 0                             | 175   | 10         | Leatherette/               | 7 1    | +   | 914-0/4                    |
|        |                                       |       |            | Cloth                      |        |     |                            |
|        |                                       |       |            | Please state the colour    |        |     |                            |
| 34     | 914 555 0                             | 161   | 11         | Rear wall                  | 72-    | 1   | 914-6/4                    |
| 34     | 914 555 0                             | ют    | 11         | Leatherette                | 72-    | +   | 914-6/4                    |
|        |                                       |       |            | Please state the colour    |        |     |                            |
| 34     | 014 FFF 0                             | 161   | 10         |                            | 7.4    | 1   | 014 1 7/1 057              |
| 34     | 914 555 0<br>914 555 0                |       |            | Rear wall 2 Black          | -74    | 1   | 914-1,7/1,8V<br>9141,8/2,0 |
|        | ) CCC                                 | , О Т | 12 /U      | Please state the colour    |        |     | ) T T T , U / Z , U        |
| 34     | 914 555 0                             | 161   | 12         | Rear wall                  | 75-    | 1   | 01/1_1 07//1 0             |
| 34     | ) TA 333 U                            | ΙОΤ   | τ 2        | Leatherette                | /5-    | _   | 914-1,8V/1,8<br>914-2,0    |
|        |                                       |       |            | Please state the colour    |        |     | <i>3</i> 14-Δ, U           |
| 35     | 914 551 0                             | 140   | 10         | Damping mat                | -71    | 1   | 914-6/4                    |
| 35     | 914 551 0                             |       |            | Lining                     | 72-    | 1   | 914-6/4                    |
|        | 1 - 1 - 1 - 0                         | . 10  |            | 1                          | 1 '-   |     | / -                        |


PORSCHE Illustration: 807-05

| Pos | Part Number    | Description | Remark | Qty | Model        |
|-----|----------------|-------------|--------|-----|--------------|
| 35  | 914 551 044 10 | Lining      |        | 1   | 914-1,7/1,8V |
|     |                |             |        |     | 914-1,8/2,0  |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |
|     |                |             |        |     |              |



| Pos  | Part Numb |       |     | Description                          | Remark    | Otv. | Model        |
|------|-----------|-------|-----|--------------------------------------|-----------|------|--------------|
| Pos  | Part Numb | oer   |     | Description                          | Remark    | Qty  | Model        |
|      |           |       |     | Sound absorber                       |           |      |              |
| 1    | 914 556   | 113   | 10  | Insulation                           | /V /L     | 1    |              |
| 2    | 914 556   | 114   | 10  | Insulation                           | /V /R     | 1    |              |
| 3    | 914 556   | 115   | 10  | Insulation                           | /H /L     | 1    |              |
| 4    | 914 556   | 116   | 10  | Insulation                           | /H /R -71 | 1    | 914-6/4      |
| (4)  | 914 556   | 116   | 11  | Insulation                           | /H /R 72- | 1    |              |
| (4)  | PCG 556   | 902   | 00  | Damping mat                          | 72-       | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 5    | 914 556   | 117   | 10  | Insulation                           | /L        | 1    |              |
| 5    | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| (5)  | 914 556   |       |     | Insulation                           | /R        | 1    |              |
| (5)  | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 6    | 914 556   |       |     | Insulation                           | /V        | 1    |              |
| 6    | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 7    | 914 556   | 121   | 10  | Insulation                           | /L        | 1    |              |
|      |           |       |     | Wheel housing                        |           |      |              |
| 7    | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| (7)  | 914 556   | 122   | 10  | Insulation                           | /R        | 1    |              |
|      |           |       |     | Wheel housing                        |           | _    |              |
| (7)  | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      | 014 556   | 105   | 1.0 | It is necessary to rework            |           |      |              |
| 8    | 914 556   | 125   | 10  | Insulation                           |           | 3    |              |
|      | _ ~ ~     |       | 0.0 | Cross panel                          |           |      |              |
| 8    | PCG 556   | 902   | 00  | Damping mat                          |           | 3    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
| 9    | 914 556   | 120   | 1.0 | It is necessary to rework Insulation | -71       | 1    | 914-6/4      |
| (9)  | 914 556   |       |     | Insulation                           | 72-       | 1    | 914-0/4      |
| (9)  | PCG 556   |       |     | Damping mat                          | 72-       | 1    |              |
|      | PCG 550   | 902   | 00  | 1000X500X2,6                         | / 2 -     |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 10   | 914 556   | 1 / 0 | 1.0 | Insulation                           |           | 4    | 914-4/1,7    |
|      | 714 330   | 107   | 10  | insulacion                           |           |      | 914-1,8/1,8V |
|      |           |       |     |                                      |           |      | 914-2,0      |
| 10   | PCG 556   | 902   | 0.0 | Damping mat                          |           | 4    | 2,0          |
|      | 100 330   | 702   | 00  | 1000x500x2,6                         |           | -    |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 11   | 914 556   | 265   | 10  | Insulation                           | /H        | 1    | 914-6/4      |
| 11/1 | 914 556   | 003   | 10  | Damping mat                          | /H        | 1    | ·            |
|      |           |       |     | Heat insulation                      |           |      |              |
| 11/1 | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 12   | 914 556   | 128   | 10  | Insulation                           | /н -71    | 1    | 914-6/4      |
|      |           |       |     | Tunnel                               |           |      |              |
| (12) | 914 556   | 128   | 11  | Insulation                           | /н 72-    | 1    |              |
| 1    |           |       |     | Tunnel                               |           |      |              |
| (12) | PCG 556   | 902   | 00  | Damping mat                          | 72-       | 1    |              |
|      |           |       |     | 1000X500X2,6                         |           |      |              |
|      |           |       |     | It is necessary to rework            |           |      |              |
| 13   | 914 556   | 135   | 10  | Insulation                           |           | 1    | 914-1,7/1,8V |
|      |           |       |     |                                      |           |      | 914-1,8/2,0  |
| 13   | PCG 556   | 902   | 00  | Damping mat                          |           | 1    |              |

| Pos  | Part Number    | Description               | Remark | Qty | Model                       |
|------|----------------|---------------------------|--------|-----|-----------------------------|
| . 55 | . are realison |                           |        | ۳٠, |                             |
|      |                | 1000x500x2,6              |        |     |                             |
| 14   | 014 550 377 10 | It is necessary to rework |        | 4   | 014 1 7/1 057               |
| 14   | 914 559 377 10 | Stopper                   |        | 4   | 914-1,7/1,8V<br>914-1,8/2,0 |
|      |                |                           |        |     | 914-1,0/2,0                 |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
|      |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
| 1    |                |                           |        |     |                             |
|      |                |                           |        |     |                             |



| wiodei. | 91470       |          | Modeline 1970>>1970        | Ta .   |     |               |
|---------|-------------|----------|----------------------------|--------|-----|---------------|
| Pos     | Part Number | <u> </u> | Description                | Remark | Qty | Model         |
|         |             |          | Seat                       |        |     |               |
| 1       | 914 521 25  | 1 10     | Cup                        |        | 1   |               |
| 2       | 900 145 02  | 3 02     | Rais. counters. h. tap. s. |        | 4   |               |
|         |             |          | B 3,9 X 13                 |        |     |               |
|         | 999 591 01  |          | Washer                     |        | 4   |               |
| 4-5     | 914 521 01  | 0 09     | Comfort seat               | -70    | 1   | 914-6/4       |
|         |             |          | Driver's side              |        |     |               |
|         |             |          | Leatherette                |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| 4-5     | 914 521 01  | 0 10     | Front seat                 | 71     | 1   | 914-6/4       |
|         |             |          | Driver's side              |        |     |               |
|         |             |          | Leatherette                |        |     |               |
|         |             | 0 10     | Please state the colour    |        | _   |               |
| 4-5     | 914 521 01  | 0 12     | Comfort seat               | -74    | 1   |               |
|         |             |          | Driver's side              |        |     |               |
|         |             |          | Leatherette                |        |     |               |
| 1       | 014 501 01  | 0 15     | Please state the colour    | 7.5    | 1   | 014 1 077/0 0 |
| 4       | 914 521 01  |          | Front seat Driver's side   | 75-    | 1   | 914-1,8V/2,0  |
|         | 914 521 01  | 0 15 513 | Leatherette                |        |     |               |
|         |             |          | Beige                      |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| 4-5     | 914 521 38  | 2 10     | Comfort seat               | 74     | 1   | 914-1,8/2,0   |
| 1 1-3   | 914 321 30  | 2 10     | Driver's side              | (USA)  | 1   | 914-1,0/2,0   |
|         |             |          | Leatherette                | (ODA)  |     |               |
|         |             |          | for                        |        |     |               |
|         |             |          | Seat belt                  |        |     |               |
|         |             |          | Warning contact            |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| (4)     | 914 521 38  | 2 12     | Comfort seat               | 75-    | 1   | 914-1,8/2,0   |
| . ,     |             |          | Driver's side              | (USA)  |     | , , , , ,     |
|         |             |          | Leatherette                |        |     |               |
|         |             |          | for                        |        |     |               |
|         |             |          | Seat belt                  |        |     |               |
|         |             |          | Warning contact            |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| (4)     | 914 521 09  | 1 09     | Comfort seat               | -70    | 1   | 914-6/4       |
|         |             |          | Driver's side              |        |     |               |
|         |             |          | Leatherette/               |        |     |               |
|         |             |          | Cloth                      |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| (4)     | 914 521 09  | 1 10     | Comfort seat               | 71     | 1   | 914-6/4       |
|         |             |          | Driver's side              |        |     |               |
|         |             |          | Leatherette/               |        |     |               |
|         |             |          | Cloth                      |        |     |               |
| (4)     | 014 501 00  | 1 10     | Please state the colour    | 7.4    | 1   |               |
| (4)     | 914 521 09  |          | Front seat Driver's side   | 74     | 1   |               |
|         | 914 521 09  | 1 12 503 | Leatherette/               |        |     |               |
|         |             |          | Cloth                      |        |     |               |
|         |             |          | Beige                      |        |     |               |
| (4)     | 914 521 09  | 1 12     | Front seat                 | 74     | 1   |               |
| ( 1 )   | 914 521 09  |          |                            | 7 4    |     |               |
|         | ] 11 321 07 | 1 12 105 | Leatherette                |        |     |               |
|         |             |          | Cloth                      |        |     |               |
|         |             |          | Brown                      |        |     |               |
| (4)     | 914 521 09  | 1 15     | Comfort seat               | 75-    | 1   | 914-1,8V/2,0  |
| `-'     |             | -        | Driver's side              |        |     |               |
|         |             |          | Leatherette/               |        |     |               |
|         |             |          | Cloth                      |        |     |               |
|         |             |          | Please state the colour    |        |     |               |
| (4)     | 914 521 38  | 4 10     | Comfort seat               | 74     | 1   | 914-1,8/2,0   |
|         |             |          | Driver's side              | (USA)  |     |               |
|         | <u> </u>    |          | I.                         |        |     | I             |

| woder. | 91470                                | Model life 1970>>1970   |              |     | las i i                              |
|--------|--------------------------------------|---|--------------|-----|--------------------------------------|
| Pos    | Part Number                          | Description   | Remark       | Qty | Model                                |
|        |                                      | Leatherette/ Cloth for Seat belt Warning contact Please state the colour                            |              |     |                                      |
| (4)    | 914 521 384 12                       | Comfort seat Driver's side Leatherette/ Cloth for Seat belt Warning contact Please state the colour | 75-<br>(USA) | 1   | 914-1,8/2,0                          |
| (4)    | 914 521 061 12                       | Comfort seat Passenger's side Leatherette Beige Please state the colour                             | 72-74        | 1   |                                      |
| (4)    | 914 521 061 12 502                   | Leatherette Braided texture Beige   | 72-74        | 1   |                                      |
| (4)    | 914 521 061 14                       | Comfort seat Passenger's side Leatherette Please state the colour                                   | 75-          | 1   | 914-1,8V/2,0                         |
| (4)    | 914 521 061 14 713                   | Comfort seat Passenger's side Leatherette Black Braided texture                                     | 75-          | 1   | 914-1,8V/2,0                         |
| (4)    | 914 521 381 12<br>914 521 381 12 402 | Front seat Passenger's side Leatherette Braided texture for Seat belt Warning contact Brown         | (USA)<br>-74 | 1   | 914-4/1,7<br>914-1,8/1,8V<br>914-2,0 |
| (4)    | 914 521 381 14                       | Comfort seat Passenger's side Leatherette for Seat belt Warning contact Please state the colour     | 75-<br>(USA) | 1   | 914-1,8/2,0                          |
| (4)    | 914 521 099 12<br>914 521 099 12 403 | Front seat Passenger's side Leatherette/ Cloth Brown  | 72-74        | 1   |                                      |
| (4)    | 914 521 099 14                       | Comfort seat Passenger's side Leatherette/ Cloth Please state the colour                            | 75-          | 1   | 914-1,8V/2,0                         |
| (4)    | 914 521 383 11                       | Comfort seat Passenger's side Leatherette/ Cloth for  | (USA) 72-    | 1   | 914-4                                |


| woder. | 914 70         | Woderlife 1970>>1976   |                |     |                          |
|--------|----------------|--|----------------|-----|--------------------------|
| Pos    | Part Number    | Description  | Remark         | Qty | Model                    |
| (4)    | 914 521 383 12 | Seat belt Warning contact Please state the colour Comfort seat Passenger's side Leatherette/ Cloth   | 72-74<br>(USA) | 1   | 914-4/1,7<br>914-1,8/2,0 |
| (4)    | 914 521 383 14 | for Seat belt Warning contact Please state the colour Comfort seat Passenger's side Leatherette/ Cloth for   | 75-<br>(USA)   | 1   | 914-1,8/2,0              |
| 5      | 914 521 035 09 | Seat belt Warning contact Please state the colour Seat cushion Driver's side Leatherette Please state the colour   | -70            | 1   | 914-6/4                  |
| 5      | 914 521 035 10 | Seat cushion Driver's side Leatherette   | 71             | 1   | 914-6/4                  |
| 5      | 914 521 035 12 | Please state the colour Seat cushion Driver's side And   | 72-74          | 2   |                          |
| 5      | 914 521 035 14 | Passenger's side Leatherette Please state the colour Back seat cushion Driver's side And Passenger's side  | 75-            | 2   | 914-1,8V/2,0             |
| 5      | 914 521 333 11 | Leatherette Please state the colour Back seat cushion Passenger's side Leatherette for   | (USA) 72-      | 1   | 914-4                    |
| 5      | 914 521 333 12 | Seat belt Warning contact Please state the colour Seat cushion Driver's side And Passenger's side Leatherette  | (USA)<br>72-74 | 2   | 914-4/1,7<br>914-1,8/2,0 |
| 5      | 914 521 333 14 | Leatherette for Seat belt Warning contact Please state the colour Back seat cushion Driver's side And Passenger's side Leatherette for Seat belt Warning contact | 75-<br>(USA)   | 2   | 914-1,8/2,0              |

| Doc         | 914 /U   | Model life 1970>>1970   | Damark         | 104:        | Model                    |
|-------------|--|---|----------------|-------------|--------------------------|
| Pos         | Part Number  | Description   | Remark         | Qty         | Model                    |
| (5)         | 914 521 093 09                                     | Please state the colour<br>Seat cushion<br>Driver's side<br>Leatherette/  | -70            | 1           | 914-6/4                  |
| (5)         | 914 521 093 10                                     | Cloth Please state the colour Seat cushion Driver's side Leatherette/ Cloth   | 71             | 1           | 914-6/4                  |
| (5)         | 914 521 093 11                                     | Please state the colour Seat cushion Driver's side And Passenger's side   | 72-            | 2           | 914-6/4                  |
| (5)         | 914 521 093 12                                     | Leatherette/ Cloth Please state the colour Seat cushion Driver's side And Passenger's side Leatherette/                                 | 72-74          | 2           |                          |
| (5)         | 914 521 093 14                                     | Cloth Please state the colour Back seat cushion Driver's side And Passenger's side  | 75-            | 2           | 914-1,8V/2,0             |
| (5)         | 914 521 335 11                                     | Leatherette/ Cloth Please state the colour Back seat cushion Passenger's side Leatherette/ Cloth  | (USA) 72-      | 1           | 914-4                    |
| (5)         | 914 521 335 12                                     | for Seat belt Warning contact Please state the colour Seat cushion Driver's side And Passenger's side Leatherette/                      | 72-74<br>(USA) | 2           | 914-4/1,7<br>914-1,8/2,0 |
| (5)         | 914 521 335 14                                     | Cloth for Seat belt Warning contact Please state the colour Back seat cushion Driver's side And Passenger's side Leatherette/ Cloth for | 75-<br>(USA)   | 2           | 914-1,8/2,0              |
| 6<br>7<br>- | 914 521 030 10<br>914 521 029 10<br>914 521 146 10 | Seat belt Warning contact Please state the colour Seat rail Seat rail Rivet   | /L<br>/R       | 2<br>2<br>2 |                          |

| woder. | 914 70         | Woderlife 1970>>1970  |        | T _ |                         |
|--------|----------------|---|--------|-----|-------------------------|
| Pos    | Part Number    | Description   | Remark | Qty | Model                   |
| 8      | 900 119 091 02 | Pan-head screw M 6 X 15   |        | 16  |                         |
| 9      | N 042 121 3    | Shake-proof washer A 6,4  |        | 16  |                         |
| 10     | N 011 524 7    | Washer B 6,4  |        | 16  |                         |
| 10     | N 011 524 27   | Washer B 6,4  |        | 16  |                         |
| 11     | 914 521 031 10 | Seat frame Front seat Driver's side with  | -73    | 1   | 914-6/4/1,7<br>914-2,0  |
| 11     | 914 521 031 11 | Height adjustment Seat frame Front seat Driver's side with                          | 74-    | 1   | 914-1,8V/1,8<br>914-2,0 |
| 11     | 914 521 074 10 | Height adjustment Seat frame Front seat Passenger's side with                       | 72-73  | 1   | 914-6/4/1,7<br>914-2,0  |
| 11     | 914 521 074 11 | Height adjustment Seat frame Front seat Passenger's side with                       | 74-    | 1   | 914-1,8V/1,8<br>914-2,0 |
| 12     | 900 075 193 08 | Height adjustment Hexagon-head bolt M 6 X 15  | -74    | 8   |                         |
| 12     |                | Hexagon-head bolt M 6 X 16  | 75-    | 8   | 914-1,8V/1,8<br>914-2,0 |
| 13     | N 042 121 3    | Shake-proof washer A 6,4  |        | 8   | 914-2,0                 |
| 14     | 914 521 217 10 | Locking device  |        | 2   |                         |
| 15     | 914 521 075 09 | Bucket seat Passenger's side Leatherette Please state the colour                    | -70    | 1   | 914-6/4                 |
| (15)   | 914 521 075 10 | Bucket seat<br>Passenger's side<br>Leatherette                                      | 71     | 1   | 914-6/4                 |
| 16     | 914 521 047 09 | Please state the colour Back seat cushion Passenger's side Leatherette              | -70    | 1   | 914-6/4                 |
| (16)   | 914 521 047 10 | Please state the colour Back seat cushion Passenger's side Leatherette              | 71     | 1   | 914-6/4                 |
| (16)   | 914 521 056 09 | Please state the colour Back seat cushion Passenger's side Leatherette/             | -70    | 1   | 914-6/4                 |
| (16)   | 914 521 056 10 | Cloth Please state the colour Back seat cushion Passenger's side Leatherette/ Cloth | 71     | 1   | 914-6/4                 |
| 17     | 914 521 053 09 | Please state the colour<br>Back seat cushion<br>Leatherette                         | -70    | 1   | 914-6/4                 |


| woder.  | 914 70         | Model life 1970>>1976    |        |     |              |
|---------|----------------|--------------------------|--------|-----|--------------|
| Pos     | Part Number    | Description              | Remark | Qty | Model        |
|         |                | Please state the colour  |        |     |              |
| (17)    | 914 521 053 10 | Back seat cushion        | 71     | 1   | 914-6/4      |
| ( + / / |                | Leatherette              | , 1    | -   | 311 0/1      |
|         |                | Please state the colour  |        |     |              |
| (17)    | 914 521 053 11 | Back seat cushion        | 72-74  | 1   |              |
| ( 1 / ) | 714 321 033 11 | Leatherette              | /2 / 1 | -   |              |
|         |                | Please state the colour  |        |     |              |
| (17)    | 914 521 053 14 | Back seat cushion        | 75-    | 1   | 914-1,8V/1,8 |
| (=,,    |                | Leatherette              | , 5    | -   | 914-2,0      |
|         |                | Please state the colour  |        |     |              |
| 18      | 914 555 081 09 | Backrest                 | -70    | 1   | 914-6/4      |
|         |                | Passenger's side         |        |     |              |
|         |                | Leatherette              |        |     |              |
|         |                | Please state the colour  |        |     |              |
| (18)    | 914 555 081 10 | Backrest                 | 71     | 1   | 914-6/4      |
|         |                | Passenger's side         |        |     |              |
|         |                | Leatherette              |        |     |              |
|         |                | Please state the colour  |        |     |              |
| (18)    | 914 555 079 09 | Backrest                 | -70    | 1   | 914-6/4      |
|         |                | Passenger's side         |        |     |              |
|         |                | Leatherette/             |        |     |              |
|         |                | Cloth                    |        |     |              |
|         |                | Please state the colour  |        |     |              |
| (18)    | 914 555 079 10 | Backrest                 | 71     | 1   | 914-6/4      |
|         |                | Passenger's side         |        |     |              |
|         |                | Leatherette/             |        |     |              |
|         |                | Cloth                    |        |     |              |
| 1.0     | 014 550 037 10 | Please state the colour  |        | 1   | 014 674      |
| 19      | 914 559 037 10 | Package box Needled felt |        | 1   | 914-6/4      |
|         |                | Please state the colour  |        |     |              |
| 19      | 914 559 038 10 | Package box              |        | 1   | 914-6/4      |
| 1       |                | Loop pile                |        | -   |              |
|         |                | Please state the colour  |        |     |              |
| 19      | 914 559 038 12 | Package box              | -74    | 1   | 914-1,7/2,0  |
|         |                | Loop pile                |        |     |              |
|         |                | Please state the colour  |        |     |              |
| 19      | 914 559 038 13 | Package box              | 75-    | 1   | 914-1,8V/1,8 |
|         |                | Loop pile                |        |     | 914-2,0      |
|         |                | Please state the colour  |        |     |              |
| 20      | 914 521 041 10 | Seat frame               | -73    | 1   | 914-6/4/1,7  |
|         |                | Front seat               |        |     | 914,2,0      |
|         |                | Driver's side            |        |     |              |
|         |                | without                  |        |     |              |
| 0.1     | 014 501 005 10 | Actuating lever          |        |     |              |
| 21      | 914 521 287 10 | Clutch control shaft     |        | 1   |              |
|         |                | Front seat               |        |     |              |
|         |                | Driver's side with       |        |     |              |
|         |                | Actuating lever          |        |     |              |
| (21)    | 914 521 206 10 | Shaft                    | 72-    | 1   |              |
| (21)    | 714 321 200 10 | Front seat               | 7 2    | -   |              |
|         |                | Passenger's side         |        |     |              |
|         |                | with                     |        |     |              |
|         |                | Actuating lever          |        |     |              |
| 22      | 914 521 249 10 | Handle                   |        | 2   |              |
| 23      | 914 521 219 10 | Stop                     |        | 1   |              |
|         |                | Seat adjuster            |        |     |              |
|         |                | Front seat               |        |     |              |
|         |                | Driver's side            |        |     |              |
| (23)    | 914 521 220 10 | Stop                     | 72-    | 1   |              |
|         |                | Seat adjuster            |        |     |              |
|         |                | Front seat               |        |     |              |
|         |                | !                        |        |     |              |

| Model:   | 914 70                           | Model life 1970>>1976                  |        |     |                             |
|----------|----------------------------------|--|--------|-----|-----------------------------|
| Pos      | Part Number                      | Description                            | Remark | Qty | Model                       |
|          |                                  | Passenger's side                       |        |     |                             |
| 24       | 914 521 203 10                   | Bush                                   |        | 2   |                             |
|          |                                  | for                                    |        |     |                             |
| 0.5      | 014 501 000 10                   | Bellcrank                              |        |     |                             |
| 25       | 914 521 283 10                   | Spring for                             |        | 1   |                             |
|          |                                  | Bellcrank                              |        |     |                             |
|          |                                  | Front seat                             |        |     |                             |
|          |                                  | Driver's side                          |        |     |                             |
| (25)     | 914 521 284 10                   | Spring                                 | 72-    | 1   |                             |
|          |                                  | for Bellcrank                          |        |     |                             |
|          |                                  | Front seat                             |        |     |                             |
|          |                                  | Passenger's side                       |        |     |                             |
| 26       | 900 095 010 01                   | Tensioning sleeve                      |        | 2   |                             |
| 27       | 914 521 205 10                   | 3,5 X 24<br>Bush                       |        | 2   |                             |
| 28       | 914 521 205 10                   | Support                                |        | 1   |                             |
|          |                                  | for                                    |        |     |                             |
|          |                                  | Package box                            |        |     |                             |
| 29       | N 014 140 5                      | Oval-head screw AM 6 X 15              |        | 2   |                             |
| 30       | 900 151 006 09                   | Washer                                 |        | 2   |                             |
|          |                                  | 6,4                                    |        | -   |                             |
| 31       | 900 143 029 02                   | Oval-head sheetmetal screw             |        | 2   |                             |
| 2.0      |                                  | BZ 4,2 X 16                            |        |     |                             |
| 32       | 900 151 028 02                   | Washer 4,3                             |        | 2   |                             |
| 32       | 900 151 028 01                   | Washer                                 |        | 2   |                             |
|          |                                  | 4,3                                    |        |     |                             |
| 33       | 999 507 401 40                   | Special nut                            |        | 2   |                             |
| 34       | 900 145 062 02                   | Rais. counters. h. tap. s. B 3,5 X 25  |        | 1   |                             |
| 35<br>36 | 999 591 102 12<br>914 521 556 10 | Washer                                 |        | 1   | 914-1,7/1,8V                |
| 30       | 914 521 556 10                   | Cup<br>with                            |        |     | 914-1,7/1,80                |
|          |                                  | Back seat                              |        |     | 711 1/0/2/0                 |
| 36       | 914 521 556 12                   | Package box                            |        | 1   | 914-1,7/1,8V                |
|          |                                  | with                                   |        |     | 914-1,8/2,0                 |
| 37       | 999 591 011 12                   | Back seat<br>Washer                    |        | 1   | 914-1,7/1,8V                |
|          |                                  |  |        | ] - | 914-1,8/2,0                 |
| 38       | 900 145 022 02                   | Rais. counters. h. tap. s.             |        | 4   | 914-1,7/1,8V                |
|          | 014 550 400 50                   | B 3,9 X 19                             |        |     | 914-1,8/2,0                 |
| 39       | 914 559 402 10                   | Centre console                         |        | 1   | 914-1,7/1,8V<br>914-1,8/2,0 |
| 40       | 999 507 401 40                   | Special nut                            |        | 2   | 914-1,8/2,0<br>914-1,7/1,8V |
|          |                                  |  |        |     | 914-1,8/2,0                 |
| 41       | 900 151 028 02                   | Washer B 4,3                           |        | 2   | 914-1,7/1,8V<br>914-1,8/2,0 |
| 41       | 900 151 028 01                   | Washer                                 |        | 2   | 914-1,8/2,0<br>914-1,7/1,8V |
|          |                                  | в 4,3                                  |        |     | 914-1,8/2,0                 |
| 42       | 900 143 073 02                   | Oval-head sheetmetal screw             |        | 2   | 914-1,7/1,8V                |
| 43       |                                  | BZ 4,2 X 19 Oval-head sheetmetal screw |        | 2   | 914-1,8/2,0<br>914-1,7/1,8V |
|          |                                  | BZ 4,2 X 19                            |        | [ ~ | 914-1,8/2,0                 |
|          |                                  |  |        |     |                             |
|          |                                  |  |        |     |                             |
|          |                                  |  |        |     |                             |
|          |                                  |  |        |     |                             |
|          |                                  |  |        |     |                             |
|          |                                  |  |        |     |                             |




| woder.   | 914 70                           | Modeline 1970>>1976          |            |     |                           |
|----------|----------------------------------|------------------------------|------------|-----|---------------------------|
| Pos      | Part Number                      | Description                  | Remark     | Qty | Model                     |
|          |                                  | Dashboard                    |            |     |                           |
|          |                                  | Door mirror                  |            |     |                           |
| 1        | 914 552 063 10                   | Cover                        | /L -71     | 1   | 914-6                     |
| (1)      | 914 552 035 10                   | Cover                        | /L -71     | 1   | 914-4                     |
| 2        | 914 552 111 11                   | Cover                        | 72-        | 1   |                           |
|          | 714 332 111 11                   | F 47529 00011>>              | 7.2        | -   |                           |
| 2        | 914 552 113 11                   | Cover                        | 72-        | 1   | 914-4/1,7                 |
|          | 714 332 113 11                   | COVCI                        | 7.2        | -   | 914-1,8/2,0               |
|          |                                  | F 47529 00011>>              |            |     | 714 1,0/2,0               |
| 2/1      | 914 552 025 12                   | Dashboard trim               |            | 1   | 914-1,8V/2,0              |
| 2/1      | 914 552 042 11                   | Dashboard trim               |            | 1 1 | 914-1,8/2,0               |
| 2/1      | 914 552 089 12                   | Cover                        |            | 1 1 | 914-1,8V/1,8              |
| 2/2      | 914 332 009 12                   | Glove compartment cover      |            | +   | 914-2,0                   |
| 3        | 914 552 043 10                   | Cover                        | /L -71     | 1   | 914-6                     |
|          | 714 332 043 10                   | Centre                       | /          | -   | 714 0                     |
| 3        | 914 552 045 10                   | Cover                        | /L -71     | 1   | 914-4                     |
| ٦        | 914 332 043 10                   | Centre                       | / 1 - / 1  |     | 214-4                     |
| (4)      | 914 552 039 10                   | Cover                        | /R -71     | 1   | 914-6                     |
| (4)      | 914 552 039 10                   | Centre                       | /R -/1     | -   | 914-0                     |
|          |                                  | Radio                        |            |     |                           |
| (4)      | 914 552 040 10                   | Cover                        | /R         | 1   | 014 4/1 7                 |
| (4)      | 914 552 040 10                   |                              | / R        |     | 914-4/1,7<br>914-1,8/1,8V |
|          |                                  | Centre                       |            |     |                           |
|          |                                  | F 47529 00011>>              |            |     | 914-2,0                   |
|          | 914 552 444 10                   | F 47529 00011>>              |            | 1   | 014 1 077/1 0             |
| -        | 914 552 444 10                   |                              |            | 1   | 914-1,8V/1,8              |
| (4)      | 014 550 040 10                   | Opening for radio            | /D 70      | 1   | 914-2,0                   |
| (4)      | 914 552 040 10                   | Cover                        | /R 72-     | 1   | 914-6                     |
|          |                                  | Centre                       |            |     |                           |
|          | 014 550 040 10                   | Radio                        | /B         | 1   |                           |
| 4        | 914 552 049 10                   | Cover                        | /R         | 1   |                           |
| _ ا      | 014 552 003 10                   | Centre                       | /R -71     | 1   | 914-6/4                   |
| 5<br>6   | 914 552 093 10<br>914 552 241 10 | Cover                        | -71        | 1 2 | 914-6/4                   |
| 7        | 914 552 241 10                   | Door mirror                  |            | 1 1 | 914-6                     |
| (7)      | 914 731 039 10                   | Door mirror                  | /L<br>/R M | 1 1 |                           |
|          | 914 /31 040 10                   | Convex                       | /R M       |     |                           |
| 8        | 914 731 116 10                   | Desk pad                     |            | 1   |                           |
| 9        | 914 731 116 10                   | Rais. counters. h. tap. s.   |            | 2   |                           |
| 9        | 914 531 523 10                   | AM 6 X 12 4.8                |            |     |                           |
|          |                                  | , -                          |            |     |                           |
| _        | 914 552 267 10                   | Self-locking<br>Handle liner |            | 1   |                           |
| 10       | 914 552 267 10                   | Bracket                      | -71        | 1 1 | 914-6                     |
| 10       | 914 552 021 10                   | for                          | - / 1      | -   | 914-6                     |
|          |                                  | Instruments                  |            |     |                           |
| (10)     | 914 552 022 10                   | Bracket                      | -71        | 1   | 914-4                     |
| (10)     | 914 552 022 10                   | for                          | - / 1      |     | 914-4                     |
|          |                                  | Instruments                  |            |     |                           |
| (10)     | 914 552 022 11                   | Bracket                      | 72-        | 1   |                           |
| (10)     | 914 552 022 11                   | for                          | 72-        |     |                           |
|          |                                  | Instruments                  |            |     |                           |
| 11       | 914 552 202 10                   | Dashboard trim               |            | 1   |                           |
| 12       | 914 552 263 10                   | Sealing frame                |            | 1 1 |                           |
| 1        | 999 507 228 00                   | _                            |            | 6   |                           |
| 13<br>14 | 999 507 228 00                   | Speed nut<br>Rubber base     |            | 4   |                           |
|          |                                  |                              |            | 4 4 |                           |
| 15       | 900 076 010 02                   | Nut                          |            | 4   |                           |
| 15       | 000 076 010 00                   | M 6                          |            | 4   |                           |
| 1 12     | 900 076 010 0B                   | Nut<br>M 6                   |            | 4   |                           |
| 1.0      | N 011 F24 7                      | M 6<br>Washer                |            |     |                           |
| 16       | N 011 524 7                      |                              |            | 4   |                           |
| 1.0      | N 011 F24 27                     | 6,4<br>Washer                |            |     |                           |
| 16       | N 011 524 27                     | Wasner<br>6,4                |            | 4   |                           |
| 17       | 999 591 355 02                   | Speed nut                    |            | 4   |                           |
|          | 799 J91 300 UZ                   | Speed Hut                    |            | _ T |                           |

| Model:   | 914 70 Model life 1970>>1976     |   |            |        |                    |  |
|----------|----------------------------------|---|------------|--------|--------------------|--|
| Pos      | Part Number                      | Description                                 | Remark     | Qty    | Model              |  |
| 18       | N 043 890 1                      | Tapping screw                               |            | 4      |                    |  |
|          |                                  | B 4,2 X 9,5                                 |            |        |                    |  |
| 19       | 900 075 057 02                   | Hexagon-head bolt M 6 X 16                  |            | 1      |                    |  |
| 19       | 900 075 057 03                   | Hexagon-head bolt                           |            | 1      |                    |  |
|          |                                  | M 6 X 16                                    |            | _      |                    |  |
| 20       | 900 151 006 09                   | Washer                                      |            | 1      |                    |  |
| 0.1      | 014 550 041 10                   | B 6,4                                       | B1         | 1      | 014 674            |  |
| (21)     | 914 552 041 10<br>914 552 041 11 | Knee protection strip Knee protection strip | -71<br>72- | 1<br>1 | 914-6/4<br>914-6/4 |  |
| (21)     | 914 552 041 12                   | Knee protection strip                       | 7 2        | 1      | 914-1,7/1,8V       |  |
|          |                                  |   |            |        | 914-1,8/2,0        |  |
| 22       | N 014 140 5                      | Oval-head screw                             |            | 5      |                    |  |
| 23       | 900 151 006 09                   | AM 6 X 15<br>Washer                         |            | 5      |                    |  |
| 23       | 900 131 000 09                   | B 6,4                                       |            | 3      |                    |  |
| 24       | 999 507 314 12                   | Captive nut                                 |            | 5      |                    |  |
| 25       | 914 552 087 10                   | Retaining bracket                           |            | 1      |                    |  |
|          |                                  | for   |            |        |                    |  |
| 26       | N 011 004 6                      | Ashtray<br>Hexagon nut                      |            | 3      | 914-6              |  |
| 20       | N OII OO4 O                      | M 4   |            | 3      | 914-0              |  |
| 26       | N 011 004 G                      | Nut   |            | 3      | 914-6              |  |
|          |                                  | M 4   |            |        |                    |  |
| 26       | N 011 004 6                      | Hexagon nut                                 |            | 4      |                    |  |
| 26       | N 011 004 G                      | M 4<br>Nut                                  |            | 4      |                    |  |
| 20       | N 011 004 G                      | M 4   |            | _ T    |                    |  |
| 27       | N 012 224 3                      | Spring washer                               |            | 3      |                    |  |
|          |                                  | B 4   |            |        |                    |  |
| 28       | 914 552 075 10                   | Ashtray                                     |            | 1      |                    |  |
| 29       | 900 143 063 02                   | Complete Oval-head sheetmetal screw         |            | 2      |                    |  |
|          |                                  | B 3,9 X 9,5                                 |            | _      |                    |  |
| 30       | 914 552 031 12                   | Dashboard trim                              |            | 1      |                    |  |
| 31       | N 015 429 2                      | Speed nut                                   |            | 2      |                    |  |
| 31<br>32 | N 015 429 6                      | Speed nut                                   |            | 2      |                    |  |
| 32       | 900 143 007 02                   | Oval-head sheetmetal screw B 4,2 X 13       |            | ∠      |                    |  |
| 32       | 900 073 507 01                   | Oval-head sheetmetal screw                  |            | 2      |                    |  |
|          |                                  | B 4,2 X 13                                  |            |        |                    |  |
| 33       | 900 025 007 02                   | Washer                                      |            | 9      |                    |  |
| 33       | 900 025 007 03                   | 8,4<br>Washer                               |            | 9      |                    |  |
| 33       | 900 025 007 03                   | 8,4   |            | 9      |                    |  |
| 33/1     | 900 076 026 40                   | Plastic nut                                 |            | 9      |                    |  |
|          |                                  | м 8   |            |        |                    |  |
| 34       | 914 555 129 10                   | Stopper                                     | 71         | 2      | 014 674            |  |
| 35       | 900 145 058 02                   | Rais. counters. h. tap. s.<br>B 4,2 X 9,5   | -71        | 4      | 914-6/4            |  |
| 35       | 900 145 060 02                   | Rais. counters. h. tap. s.                  | 72-        | 4      |                    |  |
|          |                                  | B 4,2 X 13                                  |            |        |                    |  |
| 36       | 900 143 066 02                   | Oval-head sheetmetal screw                  | -71        | 2      | 914-6/4            |  |
| 3.5      | 000 142 070 00                   | B 4,2 X 9,5                                 | 7.0        |        |                    |  |
| 36       | 900 143 070 02                   | Oval-head sheetmetal screw B 4,2 X 13       | 72-        | 2      |                    |  |
| 37       | N 015 429 2                      | Speed nut                                   |            | 6      |                    |  |
|          | N 015 429 6                      | Speed nut                                   |            | 6      |                    |  |
|          |                                  |   |            |        |                    |  |
|          |                                  |   |            |        |                    |  |
|          |                                  |   |            |        |                    |  |
|          |                                  |   |            |        |                    |  |
|          | <u> </u>                         | I .   |            |        | <u> </u>           |  |



| Interior mirror Glove compartment Sun visor 1 914 731 014 11 Interior mirror -71 Inner 1 914 731 014 12 Interior mirror Inner (1) 914 731 014 11 Interior mirror 72- | 1   | 914-6/4 |
|--|-----|---------|
| Glove compartment Sun visor  1 914 731 014 11 Interior mirror Inner  1 914 731 014 12 Interior mirror Inner  |     | 914-6/4 |
| Sun visor 1 914 731 014 11 Interior mirror 1 914 731 014 12 Interior mirror Inner Inner  |     | 914-6/4 |
| 1 914 731 014 11 Interior mirror -71 Inner 1 914 731 014 12 Interior mirror Interior mirror Inner  |     | 914-6/4 |
| 1 914 731 014 12 Inner<br>Inner<br>Inner   |     |         |
| 1 914 731 014 12 Interior mirror Inner   | 1   |         |
| Inner  | -   | 914-6/4 |
|  | 1   | 914-0/4 |
|  | 1   |         |
| Inner  | 1   |         |
| (1) 914 731 014 12 Interior mirror 72-   | 1   |         |
| (1) 914 /31 014 12 Interior mirror /2-   | 1   |         |
| 1  | 1   |         |
| 2 901 731 133 20 Adhesive plate  | 1   |         |
| for  |     |         |
| Mirror base  | 1   |         |
| (2) 914 731 025 10 Repair kit 74-  | 1   |         |
| for  |     |         |
| Mount  |     |         |
| Interior mirror  |     |         |
| 3 900 014 098 10 Pan-head screw  | 1   |         |
| AM 2,6 X 15  |     |         |
| 4 914 552 556 10 Lock cylinder   | 1   |         |
| Not available  |     |         |
| 5   914 531 637 10   Main key  | 2   |         |
| State lock number  |     |         |
| 5 914 531 903 10 Blank key   | 2   |         |
| for  |     |         |
| Main key   |     |         |
| 6 914 552 526 10 Spacer sleeve   | 1   |         |
| 7 914 552 557 10 Hexagon nut   | 1   |         |
| 8 901 552 552 21 Latch   | 1   |         |
| 9 914 552 559 10 Spring washer   | 1   |         |
| 10 914 552 558 10 Slotted nut  | 1   |         |
| 11 914 552 905 10 Glove compartment lock   | 1   |         |
| with   |     |         |
|  |     |         |
| Main key   |     |         |
| W/o stipulated lock number   |     |         |
| 11 914 552 906 10 Glove compartment lock   | 1   |         |
| with   |     |         |
|  |     |         |
| Main key   |     |         |
| State lock number  |     |         |
| 12 914 552 051 10 Glove compartment cover -71  | 1   | 914-6/4 |
| with   |     |         |
| Picture  |     |         |
| 13 - 15  |     |         |
| 12 914 552 051 11 Glove compartment cover 72-  | 1   |         |
| with   | -   |         |
| Picture  |     |         |
| 13 - 15  |     |         |
| 13 914 552 086 10 Handle   | 1   |         |
| 14 900 146 021 02 Oval-head screw  | 2   |         |
| AM 3 X 8   |     |         |
| 15 900 028 006 01 Washer   | 2   |         |
| B 3  |     |         |
| 1  | 1   | 914-6/4 |
|  | 1 1 | 914-0/4 |
| 16 914 552 501 11 Glove compartment 72-<br>17 914 552 253 10 Spacer  | 2   |         |
| I I  | 2 2 |         |
|  | 1   |         |
| 19 900 076 027 02 Nut  | 1   |         |
| M 5  | 1   |         |
| - N 012 225 2 Spring washer  | 1   |         |
| B 5  |     |         |


| Model:  | 914 70         | Model life 19/0>>19/6      |          |     |              |
|---------|----------------|----------------------------|----------|-----|--------------|
| Pos     | Part Number    | Description                | Remark   | Qty | Model        |
|         |                | <u> </u>                   |          |     | +            |
| 20      | 914 552 055 10 | Restraining strap          |          | 1   |              |
| 21      | 900 072 001 02 | Oval-head screw            |          | 2   |              |
|         |                | M 6 X 12                   |          |     |              |
| 22      | 901 731 017 10 | Sun visor                  | /L       | 1   | 914-6/4      |
| 22      | 914 731 043 12 | Sun visor                  | /L       | 1   | 914-1,7/1,8V |
|         |                |                            |          |     | 914-1,8/2,0  |
| 23      | 901 731 018 10 | Sun visor                  | /R       | 1   | 914-6/4      |
| 23      | 914 731 044 12 | Sun visor                  | /R       | 1   | 914-1,7/1,8V |
| 23      | 751 044 12     | Suii Visoi                 | 710      | -   | 914-1,8/2,0  |
| 24      | 901 731 323 41 | Dogging                    | /L -70   | 1   | 914-6/4      |
|         |                | Bearing                    |          |     | 914-6/4      |
| 24      | 911 731 323 40 | Bearing                    | /L 71-   | 1   |              |
| 25      | 901 731 324 41 | Bearing                    | /R -70   | 1   | 914-6/4      |
| 25      | 911 731 324 40 | Bearing                    | /R 71-   | 1   |              |
| 26      | 914 731 327 10 | Bearing bracket            |          | 1   |              |
| 27      | N 014 093 3    | Oval-head sheetmetal screw | -70      | 4   | 914-6/4      |
|         |                | B 4,2 X 13                 |          |     |              |
| 27      | N 014 095 1    | Counters. head tapp. screw | 71-      | 4   |              |
|         | 1, 011 033 1   | B 4,2 X 19                 | , ,      | 1 - |              |
|         |                | B 4,2 A 19                 |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          | 1   |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
|         |                |                            |          |     |              |
| 1       |                |                            |          |     |              |
|         |                |                            |          |     |              |
| <u></u> |                | Į.                         | <u> </u> | L   |              |



| woder. | 914 70         | Woder life 1970>>1976      |            |     |              |
|--------|----------------|----------------------------|------------|-----|--------------|
| Pos    | Part Number    | Description                | Remark     | Qty | Model        |
|        |                | D                          |            |     |              |
|        |                | Decorative fittings        |            |     |              |
| 1      | 914 559 103 10 | Moulding                   |            | 1   | 914-6        |
|        |                | Centre                     |            |     |              |
|        |                | Anodised                   |            |     |              |
| 1      | 914 559 104 10 | Moulding                   |            | 1   | 914-4/1,7    |
|        |                | Centre                     |            |     | 914-1,8/1,8V |
|        |                | Prime coated               |            |     | 914-2,0      |
| (1)    | 914 559 103 10 | Moulding                   |            | 1   | 914-4/1,7    |
|        |                | Centre                     |            |     | 914-1,8/1,8V |
|        |                | Anodised                   |            | _   | 914-2,0      |
| 2      | 914 559 223 10 | Moulding clip              |            | 3   |              |
| 3      | 914 559 101 10 | Moulding                   | /L         | 1   | 914-6        |
|        |                | Anodised                   |            |     |              |
| 3      |                | Moulding                   | /L M       | 1   |              |
|        |                | Anodised                   |            |     |              |
| (3)    | 914 559 102 10 | Moulding                   | /R         | 1   | 914-6        |
|        |                | Anodised                   |            |     |              |
| (3)    |                | Moulding                   | /R M       | 1   |              |
|        |                | Anodised                   |            |     |              |
| (3)    | 914 559 107 10 | Moulding                   | /L         | 1   | 914-4/1,7    |
|        |                | Prime coated               |            |     | 914-1,8/1,8V |
|        |                |                            |            |     | 914-2,0      |
| (3)    | 914 559 108 10 | Moulding                   | /R         | 1   | 914-4/1,7    |
|        |                | Prime coated               |            |     | 914-1,8/1,8V |
|        |                |                            |            |     | 914-2,0      |
| 4      | 914 559 011 10 | Clamping screw             |            | 2   |              |
| 5      | 900 076 004 01 | Hexagon nut                |            | 2   |              |
|        |                | M 5                        |            |     |              |
| 6      | 900 025 003 02 | Washer                     |            | 2   |              |
|        |                | 5,3                        |            |     |              |
| 7      | 900 027 003 01 | Lock ring                  |            | 2   |              |
|        |                | A 5                        |            |     |              |
| 8      | 914 559 225 10 | Spacer                     |            | 2   |              |
| 9      | 900 145 050 02 | Rais. counters. h. tap. s. |            | 2   | 914-6        |
|        |                | B 2,9 X 19                 |            |     |              |
| 9      |                | Rais. counters. h. tap. s. |            | 2   | 914-4/1,7    |
|        |                | B 2,9 X 19                 |            |     | 914-1,8/1,8V |
|        |                |                            |            |     | 914-2,0      |
| 10     | 900 145 050 00 | Rais. counters. h. tap. s. |            | 2   | 914-4/1,7    |
|        |                | B 2,9 X 19                 |            |     | 914-1,8/1,8V |
|        |                |                            |            |     | 914-2,0      |
| -      | 914 559 121 10 | Adhesive tape              |            | 2   |              |
|        |                | 9 X 1,6 X25                |            |     |              |
| 11     | 914 559 017 10 | Covering plate             | /L         | 1   |              |
| (11)   | 914 559 018 10 | Covering plate             | /R         | 1   |              |
| 12     | 900 143 057 00 | Rais. counters. h. tap. s. |            | 4   |              |
|        |                | B 2,9 X 9,5                |            |     |              |
| 13     | 914 559 109 10 | Moulding                   | /L         | 1   | 914-6        |
| 13     |                | Moulding                   | /L M       | 1   |              |
| (13)   | 914 559 110 10 | Moulding                   | /R         | 1   | 914-6        |
| (13)   |                | Moulding                   | /R M       | 1   |              |
| 14     | 999 591 326 02 | Moulding clip              |            | 8   | 914-6        |
| 14     | 999 591 326 01 | Moulding clip              |            | 8   |              |
| 14     | 999 591 326 02 | Moulding clip              |            | 8   |              |
| 16     | N 900 488 01   | Speed nut                  | -74        | 8   |              |
|        | 000 140 000 00 | B 3,5                      | <b>5</b> 0 |     |              |
| 17     | 900 143 033 02 | Oval-head sheetmetal screw | -73        | 8   |              |
|        |                | B 3,5 X 13                 |            |     |              |
| 17     | N 013 959 3    | Oval-head sheetmetal screw | 74         | 8   |              |
|        |                | B 3,5 X 16                 |            |     |              |
| 23     | 900 143 016 01 | Oval-head sheetmetal screw |            | 8   |              |
|        | 014 550 055 15 | B 3,5 X 16                 | (- B4      |     |              |
| 18     | 914 559 257 10 | Grille                     | /L -74     | 1   | 914-6/1,7    |
|        |                |                            |            |     |              |

| Model:   | 914 70                           | Model life 1970>>1976         |        |     |                             |
|----------|----------------------------------|-------------------------------|--------|-----|-----------------------------|
| Pos      | Part Number                      | Description                   | Remark | Qty | Model                       |
|          |                                  | Chrome                        |        |     | 914-1,8/2,0                 |
|          |                                  | Not for                       |        |     | 711 1/0/2/0                 |
|          |                                  | Additional headlamp           |        |     |                             |
| (18)     | 914 559 259 10                   | Grille                        | /L     | 1   | 914-4                       |
|          |                                  | Prime coated Not for          |        |     |                             |
|          |                                  | Additional headlamp           |        |     |                             |
| (18)     | 914 559 258 10                   | Grille                        | /R -74 | 1   | 914-6/1,7                   |
|          |                                  | Chrome                        |        |     | 914-1,8/2,0                 |
|          |                                  | Not for                       |        |     |                             |
|          |                                  | Additional headlamp           | -      | _   |                             |
| (18)     | 914 559 260 10                   | Grille Prime coated           | /R     | 1   | 914-4                       |
|          |                                  | Not for                       |        |     |                             |
|          |                                  | Additional headlamp           |        |     |                             |
| 19-25    | 901 559 301 22                   | Logo                          |        | 1   | 914-6/4                     |
|          |                                  | Gold-coloured                 |        |     |                             |
| 19-25    | 901 559 902 00                   | Logo                          |        | 1   | 914-1,7/1,8                 |
| 26       | 014 550 300 10                   | Chrome                        |        | 2   | 914-1,8                     |
| 26<br>27 | 914 559 309 10<br>914 559 303 10 | Mud flap Retaining bar        | /L     | 2   | 914-6/4                     |
| 27       | 914 559 311 10                   | Retaining bar                 | / L    | 1   | 914-1,7/1,8V                |
|          |                                  |                               | , –    | -   | 914-1,8/2,0                 |
| (27)     | 914 559 304 10                   | Retaining bar                 | /R     | 1   | 914-6/4                     |
| (27)     | 914 559 312 10                   | Retaining bar                 | /R     | 1   | 914-1,7/1,8V                |
| 1        |                                  |                               |        |     | 914-1,8/2,0                 |
| 28       | N 010 264 4                      | Hexagon-head bolt M 5 X 20    |        | 4   |                             |
| 29       | N 010 207 6                      | M 5 X 20<br>Hexagon-head bolt |        | 6   |                             |
|          | N 010 207 0                      | M 5 X 12                      |        | "   |                             |
| 29       | N 010 207 17                     | Hexagon-head bolt             |        | 6   |                             |
|          |                                  | M 5 X 12                      |        |     |                             |
| 30       | 900 076 027 02                   | Nut                           |        | 10  |                             |
| 2.1      | N 011 F04 F                      | M 5                           |        | 1.0 | 014 6/4                     |
| 31       | N 011 524 7                      | Washer 5,3                    |        | 10  | 914-6/4                     |
| 31       | N 011 524 27                     | Washer                        |        | 10  | 914-6/4                     |
|          |                                  | 5,3                           |        |     |                             |
| 31       | N 011 524 7                      | Washer                        |        | 6   | 914-1,7/1,8V                |
|          |                                  | 5,3                           |        |     | 914-1,8/2,0                 |
| 31       | N 011 524 27                     | Washer                        |        | 6   | 914-1,7/1,8V                |
| 31/1     | 900 151 027 02                   | 5,3<br>Washer                 |        | 4   | 914-1,8/2,0<br>914-1,7/1,8V |
| 31/1     | 900 131 027 02                   | B 5,3                         |        | 1 4 | 914-1,8/2,0                 |
| 31/1     | 900 151 027 03                   | Washer                        |        | 4   | 914-1,7/1,8V                |
|          |                                  | В 5,3                         |        |     | 914-1,8/2,0                 |
| 32       | N 012 005 3                      | Lock ring                     |        | 10  |                             |
| 2.2      | 014 550 110 10                   | B 5                           |        |     | 0146                        |
| 33       | 914 559 112 10                   | Logo<br>- VW-PORSCHE-         |        | 1   | 914-6                       |
| 34       | 914 559 111 10                   | Logo                          |        | 1   | 914-4                       |
|          |                                  | - VW-PORSCHE-                 |        |     |                             |
|          |                                  | Gold-coloured                 |        |     |                             |
| 34       | 914 559 289 10                   | Logo                          | -73    | 1   | 914-1,7/1,8V                |
|          |                                  | - VW-PORSCHE-                 |        |     | 914-1,8/2,0                 |
| 35       | 999 591 423 03                   | Black<br>Tapping nut          |        | 21  | 914-6/4                     |
| 35       | 999 391 423 03                   | Tapping nut                   |        | 14  | 914-0/4<br>914-1,7/1,8V     |
|          |                                  |                               |        |     | 914-1,8/2,0                 |
| 35       |                                  | Tapping nut                   |        | 7   | 914-1,7/1,8V                |
| 1        |                                  |                               |        |     | 914-1,8/2,0                 |
| 36       | 914 559 114 10                   | Logo                          |        | 1   | 914-6                       |
|          |                                  | 914-6                         |        |     |                             |

| Model:   | 914 70         | Model life 1970>>1976                |            |        |                             |
|----------|----------------|--------------------------------------|------------|--------|-----------------------------|
| Pos      | Part Number    | Description                          | Remark     | Qty    | Model                       |
| 37       | 914 559 113 10 | Logo<br>Gold-coloured                |            | 1      |                             |
| 37       | 914 559 287 11 | 914<br>Logo                          |            | 1      |                             |
|          |                | Black<br>914                         |            |        |                             |
| 38<br>38 | 999 591 211 01 | Tapping nut Tapping nut              |            | 3<br>2 | 914-6<br>914-4              |
| 38       |                | Tapping nut                          |            | 4      | 914-1,7/1,8V<br>914-1,8/2,0 |
| 39       | 914 559 263 10 | Lining<br>Centre                     |            | 1      | 914-6                       |
| 39       |                | Lining<br>Centre                     |            | 1      |                             |
| 40<br>40 | 914 559 265 10 | Lining<br>Lining                     | /L<br>/L M | 1<br>1 | 914-6                       |
| (40)     | 914 559 266 10 | Lining<br>Lining                     | /R<br>/R M | 1<br>1 | 914-6                       |
| 41       | 914 559 115 10 | Logo<br>1,7                          |            | 1      | 914-1,7                     |
| 42       | 914 559 120 11 | Logo<br>2,0                          | -74        | 1      | 914-2,0                     |
| 43       | 914 559 459 10 | Logo<br>1,8                          | -74        | 1      | 914-1,8V/1,8                |
| _        | 914 559 293 10 | Logo<br>914-1,8<br>Adhesive film     | 75-        | 1      | 914-1,8                     |
| -        | 914 559 293 11 | Logo<br>914-2,0<br>Adhesive film     | 75-        | 1      | 914-2,0                     |
| -        | 902 701 111 00 | Badge<br>KARMANN<br>Body<br>Paint    |            | 1      |                             |
| -        | 900 093 001 02 | Use also:<br>T-headed screw<br>Rivet |            | 4      |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          |                |                                      |            |        |                             |
|          | 1              |                                      |            |        |                             |




| woder. | 914 70             | Woderlife 1970>>1976       |          |     |               |
|--------|--------------------|----------------------------|----------|-----|---------------|
| Pos    | Part Number        | Description                | Remark   | Qty | Model         |
|        |                    | Roof                       |          |     |               |
| (1)    | 914 563 901 10     | Roof                       | -73      | 1   | 914-6/4/1,7   |
| ( - /  |                    | with                       | 1 7 3    | _   | 914-2,0       |
|        |                    | Picture                    |          |     | J14 2,0       |
|        |                    | 18 - 19                    |          |     |               |
|        |                    | F >>47329 26221            |          |     |               |
| (1)    | 914 563 901 11     | Roof                       | 73-      | 1   | 914-1,8V/1,8  |
| ( 1 )  | 914 303 901 11     | with                       | 73-      | 1   | 914-2,0       |
|        |                    | Picture                    |          |     | 914-2,0       |
|        |                    | 18 - 19                    |          |     |               |
|        |                    | F 47329 26222>>            |          |     |               |
| 2      | 914 563 321 11     | Lining                     | -73      | 1   | 914-6/4/1,7   |
|        | 914 503 321 11     | Inner                      | -73      | 1   | 914-0/4/1,7   |
|        |                    | F >>47329 26221            |          |     | 914-2,0       |
| 2      | 914 563 321 13     | Lining                     | 73-      | 1   | 014 1 077/1 0 |
|        | 914 503 321 13     |                            | /3-      | 1   | 914-1,8V/1,8  |
|        |                    | Inner                      |          |     | 914-1,8       |
| _      | 014 562 001 10     | F 47329 26222>>            | /        | -   | 014 674       |
| 3      | 914 563 021 12     | Padding                    | /V       | 1   | 914-6/4       |
| 3      |                    | Padding                    | /V -73   | 1   | 914-1,7/1,8V  |
|        |                    |                            |          |     | 914-1,8/2,0   |
| _      |                    | F >>47329 26221            |          | _   |               |
| 3      | 914 563 021 13     | Padding                    | /V 73-   | 1   | 914-1,8V/1,8  |
|        |                    |                            |          |     | 914-2,0       |
|        |                    | F 47329 26222>>            |          |     |               |
| 4      | N 013 957 5        | Oval-head sheetmetal screw |          | 4   |               |
|        |                    | B 3,5 X 9,5                |          |     |               |
| 5      | 999 703 077 40     | Cap                        |          | 4   |               |
| 5      | 914 552 233 10     | Filler piece               |          | 4   |               |
| 5      |                    | Filler piece               |          | 4   |               |
|        | 914 552 233 10 01C |                            |          |     |               |
| 6      | 914 563 812 00     | Centring wedge             |          | 1   |               |
| 7      | N 033 165 1        | Countersunk-head screw     |          | 2   |               |
|        |                    | AM 4 X 8                   |          |     |               |
| 8      | 900 114 006 01     | Shake-proof washer         |          | 2   |               |
|        |                    | A 4,3                      |          |     |               |
| 9      | 914 563 035 10     | Seal                       | /V -73   | 1   | 914-6/4/1,7   |
|        |                    | Windscreen frame           |          |     | 914-2,0       |
| 9      | 914 563 039 10     | Seal                       | /V 74-   | 1   | 914-1,8V/1,8  |
|        |                    | Windscreen frame           |          |     | 914-2,0       |
| 10     | 914 559 239 10     | Filler piece               |          | 2   |               |
|        |                    | for                        |          |     |               |
|        |                    | Ski rack                   |          |     |               |
| 11     | 914 563 033 10     | Metalastik pivot bearing   |          | 2   | 914-6/4       |
| 11     | 914 563 033 19     | Silentbloc bearing         |          | 2   | 914-1,7/1,8V  |
| 11     | 914 563 033 20     | Silentbloc bearing         |          | 2   | 914-1,7/1,8V  |
| _      | 914 563 317 10     | Desk pad                   |          | X   | 914-1,8/2,0   |
|        |                    | for                        |          |     | ·             |
|        |                    | Silentbloc bearing         |          |     |               |
| 12     | N 042 121 3        | Shake-proof washer         |          | 4   |               |
|        |                    | A 6,4                      |          |     |               |
| 13     | 900 186 006 01     | Pan-head screw             |          | 4   |               |
|        |                    | M 6 X 12                   |          |     |               |
| 14     | 914 563 077 11     | Gasket                     | /H -73   | 1   | 914-6/4/1,7   |
|        |                    | for                        | /H       | _   | 914-2,0       |
|        |                    | Roll bar                   | ,        |     |               |
|        |                    | F >>47329 26221            |          |     |               |
| 14     |                    | Gasket                     | /н 73-   | 1   | 914-1,8V/1,8  |
|        |                    | for                        | , 11 , 3 | _   | 914-1,80/1,8  |
|        |                    | Roll bar                   |          |     | )11-2,U       |
|        |                    | Not available              |          |     |               |
|        |                    | 914.563.077.10             |          |     |               |
|        |                    | 914.563.077.10<br>  Use    |          |     |               |
|        |                    | USE<br>  F 47329 26222>>   |          |     |               |
|        |                    | r 11343 40444//            |          |     |               |

| woder.      | 914 70                                  | Woder life 1970>>1976      |          |          |                         |
|-------------|---|----------------------------|----------|----------|-------------------------|
| Pos         | Part Number                             | Description                | Remark   | Qty      | Model                   |
| <del></del> |   |                            |          | _        |                         |
| 15          | 914 563 127 10                          | Attachment strip           | /L       | 1        |                         |
| -           | 914 563 203 10                          | Attachment strip           | /L 73-   | 1        | 914-1,8V/1,8            |
|             |   | Lateral                    |          |          | 914-2,0                 |
|             |   | F 47329 26222>>            |          |          |                         |
| 16          | 914 563 128 10                          | Attachment strip           | /R       | 1        |                         |
| -           | 914 563 204 10                          | Attachment strip           | /R 73-   | 1        | 914-1,8V/1,8            |
|             |   | Lateral                    |          |          | 914-2,0                 |
|             |   | F 47329 26222>>            |          |          |                         |
| 17          | N 013 958 7                             | Oval-head sheetmetal screw | -73      | 7        | 914-6/4/1,7             |
|             |   | B 3,5 X 13                 |          |          | 914-2,0                 |
|             |   | F >>47329 26221            |          |          |                         |
| 17          | N 013 957 5                             | Oval-head sheetmetal screw | 73-      | 13       | 914-1,8V/1,8            |
|             |   | B 3,5 X 9,5                |          |          | 914-2,0                 |
|             |   | F 47329 26222>>            |          |          |                         |
| 18          | 914 531 865 10                          | Attachment strip           | /L       | 1        |                         |
| (18)        | 914 531 866 10                          | Attachment strip           | /R       | 1        |                         |
| 19          | N 013 953 2                             | Oval-head sheetmetal screw |          | 8        |                         |
|             |   | B 2,9 X 9,5                |          |          |                         |
| 19          | N 013 954 2                             | Hexagon-head bolt          |          | 2        |                         |
|             |   | B 2,9 X 13                 |          |          |                         |
| 19          | 900 143 051 01                          | Oval-head sheetmetal screw |          | 2        |                         |
|             |   | B 2.9 X 13                 |          |          |                         |
| _           | 900 151 019 02                          | Washer                     |          | 2        |                         |
|             |   | В 3,2                      |          | -        |                         |
| 20          | 914 531 185 10                          | Gasket                     | /L 74-   | 1        | 914-1,8V/1,8            |
|             |   |                            | ,        | -        | 914-2,0                 |
| (20)        | 914 531 186 10                          | Gasket                     | /R 74-   | 1        | 914-1,8V/1,8            |
| (20)        |   | dabitee                    | , 10 , 1 | -        | 914-2,0                 |
| 21          | 914 563 071 10                          | Catch                      | /V       | 2        | J11 2,0                 |
| 22          | 914 563 081 11                          | Catch                      | /H /L    | 1        |                         |
| 1           | 914 563 082 11                          | Catch                      | /H /R    | 1        |                         |
| 23          | 900 148 012 02                          | Rais. counters. h. tap. s. | -73      | 4        | 914-6/4/1,7             |
| 43          | 900 148 012 02                          | AM 5 X 15                  | -73      | 1 4      | 914-0/4/1,7             |
|             |   | F >>47329 26221            |          |          | 914-2,0                 |
| 23          | 999 148 005 04                          | Countersunk-head screw     | 73-      | 4        | 914-1,8V/1,8            |
|             | 333 148 003 04                          | AM 5 X 12                  | 75-      | -        | 914-2,0                 |
|             |   | F 47329 26222>>            |          |          | 914-2,0                 |
| 23          | 999 148 005 0E                          | Countersunk-head screw     | 73-      | 4        | 914-1,8V/1,8            |
| 43          | 999 148 005 0E                          | AM 5 X 12                  | /3-      | 1 4      | 914-1,80/1,8            |
|             |   | F 47329 26222>>            |          |          | 914-2,0                 |
| 24          | 900 115 011 01                          | Spring washer              |          | 4        |                         |
| 4           | 900 113 011 01                          | V 5,3                      |          | 1 4      |                         |
| 25          | 900 075 010 02                          | Hexagon nut                |          | 4        |                         |
| 45          | 900 073 010 02                          | M 6 X 12                   |          | 1 4      |                         |
| 25          | N 010 212 14                            | Hexagon-head bolt          |          | 4        |                         |
| 45          | N 010 212 14                            | M 6 X 12                   |          | 1 4      |                         |
| 25          | 999 072 005 09                          | Hexagon nut                |          | 4        |                         |
| 45          | 333 072 003 09                          | M 6 X 12                   |          | 1 4      |                         |
| 25          | 999 072 005 01                          | Hexagon nut                |          | 4        |                         |
| 25          | 333 072 003 01                          | M 6 X 12                   |          | 1 4      |                         |
| 26          | 900 028 003 01                          | Lock ring                  |          | 4        |                         |
|             | 300 028 003 01                          | B 6                        |          | ] 1      |                         |
| 27          | 914 531 823 10                          | Attachment strip           | /L -73   | 1        | 914-6/4/1,7             |
|             | 914 331 823 10                          | Accachinenc Scrip          | 7 1 - 73 | -        | 914-2,0                 |
| 27          | 914 531 823 11                          | Attachment strip           | /L 74-   | 1        | 914-1,8V/1,8            |
| 4           | 914 531 823 11                          | Accachinenc Scrip          | /11 /4-  | -        | 914-1,80/1,8            |
| (27)        | 914 531 824 10                          | Attachment strip           | /R -73   | 1        | 914-2,0                 |
| (27)        | 914 331 824 10                          | Accachinenc Scrip          | /K -/3   | -        | 914-0/4/1,7             |
| (27)        | 914 531 824 11                          | Attachment strip           | /R 74-   | 1        | 914-2,0<br>914-1,8V/1,8 |
| (4/)        | 714 731 024 11                          | Accaerment serry           | /10 /1-  |          | 914-1,80/1,8            |
| 28          | 914 563 319 10                          | Gasket                     |          | 1        | ) 1                     |
|             | 711 303 317 10                          | Lower                      |          | -        |                         |
| _           | 999 703 087 40                          | Cap                        |          | 6        |                         |
| <u></u>     | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 * ***                    | 1        | <u> </u> | <u> </u>                |

| PORSCHE | Illustration: 811-00 | PORSCHE |
|---------|----------------------|---------|
|         |                      |         |

| Pos | Part Number | Description       | Remark | Qty | Model |
|-----|-------------|-------------------|--------|-----|-------|
|     |             | Mount<br>Ski rack |        |     |       |
|     |             | Rear              |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |
|     |             |                   |        |     |       |


Model life 1970>>1976 Model: 914 70



| Model:   | 914 70                           | Model life 1970>>1976  |            |     |   |
|----------|----------------------------------|--|------------|-----|---|
| Pos      | Part Number                      | Description  | Remark     | Qty | Model                                   |
|          |                                  | Seat belt Seat belt with Automatic And   | 72-        |     |   |
| 1        | 914 803 903 10                   | Warning contact Three-point seat belt with Automatic Installation set with Picture | /L -73     | 1   | 914-4/1,7<br>914-2,0                    |
| 1        | 914 803 181 11                   | 2, 6 + 7 Three-point seat belt with Automatic                                      | /L 74-     | 1   | 914-1,8/2,0                             |
| (1)      | 914 803 904 10                   | Three-point seat belt with Automatic Installation set with Picture                 | /R -73     | 1   | 914-4/1,7<br>914-2,0                    |
| (1)      | 914 803 182 11                   | 2, 6 + 7 Three-point seat belt with Automatic                                      | /R 74-     | 1   | 914-1,8/2,0                             |
| 2        | 901 803 134 20                   | Cap  | -73        | 2   | 914-4/1,7<br>914-2,0                    |
| (2)      | 111 857 719 G<br>914 803 183 11  | Cap<br>Seat belt buckle<br>with  | 74-<br>-73 | 2 2 | 914-1,8/2,0<br>914-4/1,7<br>914-2,0     |
| (3)      |                                  | Push button Seat belt buckle with Push button                                      | 74-        | 2   | 914-1,8/2,0                             |
| 4        | 914 612 323 00                   | Pin connector socket   | -73        | 1   | 914-4/1,7<br>914-2,0                    |
| 5        | 914 803 137 10                   | Spacer tube  |            | 2   | 914-4/1,7<br>914-1,8/2,0                |
| 6        | 901 803 146 00                   | Hexagon-head bolt  | -73        | 2   | 914-4/1,7<br>914-2,0                    |
| (6)<br>7 | 111 857 793 E<br>901 803 147 00  | Hexagon-head bolt<br>Washer  | 74-<br>-73 | 2 4 | 914-1,8/2,0<br>914-4/1,7<br>914-2,0     |
| (7)      | 211 857 771<br>111 857 707 A     | Washer<br>Spacer   | 74-        | 6   | 914-1,8/2,0<br>914-4/1,7<br>914-1,8/2,0 |
| 8        | WHT 001 373                      | Spacer   |            | 6   | 914-4/1,7<br>914-1,8/2,0                |
| 9        | 901 803 119 22                   | Hexagon-head bolt  | -73<br>-74 | 2   | 914-4/1,7<br>914-2,0                    |
| 9 10     | 111 857 793 E<br>111 857 799     | Hexagon-head bolt<br>Hexagon-head bolt   | 74-        | 2 2 | 914-1,8/2,0<br>914-4/1,7<br>914-1,8/2,0 |
| 11       | 999 523 109 02                   | Lock washer  |            | 2   | 914-4/1,7<br>914-1,8/2,0                |
| 12       | 901 803 119 20                   | Hexagon-head bolt  | -73<br>    | 2   | 914-4/1,7<br>914-2,0                    |
| 12<br>13 | 914 803 468 10<br>900 028 026 01 | Screw<br>Spring washer<br>B 14   | 74-        | 2 2 | 914-1,8/2,0<br>914-4/1,7<br>914-1,8/2,0 |
| 14       | 111 857 771 A                    | Washer   | -73        | 4   | 914-4/1,7<br>914-2,0                    |


| Pos         Part Number         Description         Remainstrain           (14)         211 857 771         Washer         74-           >>         914 803 017 10         Three-point seat belt Comprising: Seat belt with         /L -7 | 4 1         | Model<br>914-1,8/2,0<br>914-6/4 |
|---|-------------|---------------------------------|
| >> 914 803 017 10 Three-point seat belt /L -7 Comprising:   | 71 1        |                                 |
| >> 914 803 017 10 Three-point seat belt /L -7 Comprising:   | 71 1        |                                 |
| Comprising: /L  |             |                                 |
| - 914 803 129 10 Seat belt /L   |             | )14 U/ 4                        |
|   | <b>l</b> 1  | 914-6/4                         |
|   | +           | 914-0/4                         |
| Lock  |             |                                 |
| - 914 803 133 10 Belt   | 1           | 914-6/4                         |
| - 1914 803 133 10 Belt with   | +           | 914-0/4                         |
| Tab   |             |                                 |
| - 914 803 137 10 Spacer tube  | 1           | 914-6/4                         |
| - 901 803 137 10 Spacer tube<br>- 901 803 119 21 Hexagon-head bolt  |             | 914-6/4                         |
| Roll bar  | +           | 914-0/4                         |
| - 111 857 771 A Washer  | 6           | 914-6/4                         |
| - 111 857 707 A   Washer   - 111 857 707 A   Spacer   | 3           | 914-6/4                         |
| - WHT 001 373 Spacer  | 3           | 914-6/4                         |
| - 111 857 719 C Cap   |             | 914-6/4                         |
| - 901 803 119 22 Hexagon-head bolt  |             | 914-6/4                         |
| Side member   | +           | 914-0/4                         |
| - 914 803 141 10 Retaining bar  | 1           | 914-6/4                         |
| - 900 145 002 02 Rais. counters. h. tap. s.   | 4           | 914-6/4                         |
| B 2,9 X 9,5   | <b>1</b> ** | 914-0/4                         |
| Chrome  |             |                                 |
|   | 1           | 014 674                         |
| - 901 803 119 20 Hexagon-head bolt  | 1           | 914-6/4                         |
| Tunnel  | 7.1         | 014 674                         |
| >> 914 803 018 10 Three-point seat belt /R -7   | 71 1        | 914-6/4                         |
| Comprising:   |             | 014 674                         |
| - 914 803 130 10 Seat belt /R   | 1           | 914-6/4                         |
| with  |             |                                 |
| Lock  |             | 014 674                         |
| - 914 803 133 10 Belt   | 1           | 914-6/4                         |
| with  |             |                                 |
| Tab   |             | 014 674                         |
| - 914 803 137 10 Spacer tube  |             | 914-6/4                         |
| - 901 803 119 21 Hexagon-head bolt  | 1           | 914-6/4                         |
| Roll bar  |             | 014 674                         |
| - 111 857 771 A Washer<br>- 111 857 707 A Spacer  | 6           | 914-6/4<br>914-6/4              |
| - 111 857 707 A Spacer<br>- WHT 001 373 Spacer  | 3           | 914-6/4                         |
| - WHI 001 373 Spacer - 111 857 719 C Cap  |             | 914-6/4                         |
| - 901 803 119 22 Hexagon-head bolt  | 1           | 914-6/4                         |
| Side member   | 1           | 914-0/4                         |
| - 914 803 141 10 Retaining bar  | 1           | 914-6/4                         |
| - 900 145 002 02 Rais. counters. h. tap. s.   | 4           | 914-6/4                         |
| B 2,9 X 9,5   | 4           | 914-0/4                         |
| Chrome  |             |                                 |
| - 901 803 119 20 Hexagon-head bolt  | 1           | 914-6/4                         |
| Tunnel  | 1           | 914-0/4                         |
| >> 914 803 025 10 Seat belt -71   | 1           | 914-6/4                         |
|   | 1           | 914-0/4                         |
| Centre  |             |                                 |
| Lap belt  |             |                                 |
| 1 1 -   |             |                                 |
| Comprising:<br> - 914 803 113 10   Seat belt  | 1           | 014 674                         |
| - 914 803 113 10 Seat Delt with   | 1           | 914-6/4                         |
|   |             |                                 |
| Lock  |             | 014 674                         |
| - 914 803 114 10 Seat belt  | 1           | 914-6/4                         |
| with  | 1           |                                 |
| Tab   |             | 014 6/4                         |
| - 111 857 799 A Hexagon-head bolt   | 2           | 914-6/4                         |
| - 3B0 857 799 Hexagon-head bolt   | 2           | 914-6/4                         |
| - 111 857 707 A Spacer  | 2           | 914-6/4                         |
| - WHT 001 373 Spacer  | 2           | 914-6/4                         |
| - 900 028 014 02 Washer   | 2           | 914-6/4                         |

| 914-6/4 |
|---------|
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |
|         |



| Validation   Val   | Pos  | Part Number    | Description  | Remark | O4v | Model         |
|--|------|----------------|--------------|--------|-----|---------------|
|  | Pos  | Part Number    | •            | Remark | Qty | Model         |
| Differing parts   72-  |      |                |              |        |     |               |
| See group  |      |                | _            | 70     |     |               |
| 1 914 571 907 00   Presh air inlet box   6   6   |      |                |              | / 2-   |     |               |
| 1/1   914 571 905 10   Sealing frame   F > 47329 24928   F   129 10   Sealing frame   F > 47329 24928   F   131 10   Grille   F   132 20   Grille   F      |      |                |              |        |     |               |
| (2)   914 571 904 10   Sealing frame   F > >4733   1   F > >4732 94928   7   914-1,8/2.0   914-1,8   | 1    |                |              |        | 6   |               |
| F > 47329 24938  |      |                |              |        | _   |               |
| 2 914 571 129 10 Sealing frame F 47329 24939>>   | (2)  | 914 571 904 10 |              | -73    | 1   |               |
| 2/1   314   571   131   10   Grille     73 -   1   314-1,71,872,0   314-1,71,872,0   314-1,71,872,0   314-1,71,872,0   314-1,71,872,0   314-1,71,872,0   314-1,71,872,0   314-1,872,0    | 2    | 914 571 129 10 |              | 73-    | 1   | 914-1 7/1 877 |
| 2/1   914   571   131   10   0   11   1   914   1,7/1,8V   914   1,8/2,0   |      | 711 371 123 10 |              | , 3    | _   |               |
| 3   900   151   006   09   | 2/1  | 914 571 131 10 | Grille       | 73-    | 1   |               |
| ## 8 6.4  ## 8 6 X 20  ## 999 512 165 02  ## 157 1 900 00 |      |                |              |        |     | 914-1,8/2,0   |
| 4   900 378 030 09   | 3    | 900 151 006 09 |              |        | 2   |               |
| M 6 X 20   | 4    | 900 378 030 09 | 1 '          |        | 2   |               |
| Second Process   Seco   |      | 300 370 030 03 |              |        | 2   |               |
| 6   75 MM  | 5    | 999 512 165 02 | Hose clamp   |        | 2   |               |
| 7  | 1    | PCG 571 900 00 |              |        |     |               |
| 8  | 1    |                |              |        |     |               |
| PCG 571 900 00   Water drain hose   Water drain h   | 1    |                |              |        |     |               |
| PCG 571 900 00   | 0    | 914 571 153 10 | I =          |        | 1   |               |
| 10   | _    | PCG 571 900 00 |              |        | *   |               |
| With Engine   And   Fan  | 9    |                | 400 MM       |        |     |               |
| Engine And Fan  10/1 901 571 922 00 Sealing ring Fan housing Engine  10/1 901 571 922 01 Sealing ring Fan housing Engine  10/1 901 571 922 01 Sealing ring Fan housing Engine  - 911 571 320 32 Blower motor with Fan  11 N 010 205 6 Hexagon-head bolt M 5 X 10  11 900 075 105 02 Screw  | 10   | 911 571 018 00 |              |        | 1   |               |
| And   Fan  |      |                |              |        |     |               |
| Fan   Sealing ring   Fan   Sealing ring   Fan housing   Engine   Sealing ring   Fan housing   Engine   Sealing ring   Fan housing   Fan housing   Fan housing   Fan housing   Fan housing   Engine   Fan housing     |      |                | _            |        |     |               |
| Fan housing      |      |                |              |        |     |               |
| 10/1   901 571 922 01   Engine   Sealing ring   Fan housing   Engine     1   | 10/1 | 901 571 922 00 | Sealing ring |        | 1   |               |
| 10/1   901 571 922 01   Sealing ring   Fan housing   Engine     1  |      |                |              |        |     |               |
| Fan housing Engine  - 911 571 320 32 Blower motor with Fan  11 N 010 205 6 Hexagon-head bolt M 5 X 10  12 900 075 105 02 Screw M 5 X 10  12 900 027 003 01 Lock ring B 5  13 900 025 003 02 Washer 5,3  14 999 512 349 02 Hose clamp   | 10/1 | 001 551 000 01 |              |        | 1   |               |
| Engine Blower motor with Fan  11 N 010 205 6 Hexagon-head bolt M 5 X 10  12 900 075 105 02 Screw M 5 X 10  12 900 027 003 01 Lock ring B 5  13 900 025 003 02 Washer 5,3  14 999 512 349 02 Hose clamp 14 999 512 349 0B Hose clamp 14 999 512 349 0B Hose clamp 14 999 512 349 0C Hose clamp 14 999 512 349 0B Hose clamp 15 914 571 123 10 Connecting hose 16 914 571 123 10 Connecting hose 16 914 571 123 10 Control box 17 914 571 150 10 Control box 18 901 571 919 00 Terminal 19 914 572 123 10 Air hose 20 914 572 913 10 Sealing ring  | 10/1 | 901 5/1 922 01 |              |        | 1   |               |
| 1  |      |                |              |        |     |               |
| Fan Hexagon-head bolt M 5 X 10  11 900 075 105 02 Screw M 5 X 10  12 900 027 003 01 Lock ring B 5  13 900 025 003 02 Washer 5,3  14 999 512 349 02 Hose clamp 14 999 512 349 01 Hose clamp 14 999 512 349 02 Hose clamp 14 999 512 349 00 Hose clamp 15 914 591 349 01 Hose clamp 16 999 512 349 01 Hose clamp 17 4- 18 999 512 349 02 Hose clamp 19 99 512 349 01 Hose clamp 10 999 512 349 01 Hose clamp 11 999 512 349 02 Hose clamp 12 999 512 349 02 Hose clamp 13 900 025 003 02 Washer 14 999 512 349 01 Hose clamp 15 914 571 123 10 Connecting hose 16 914 571 123 10 Connecting hose 17 914 571 150 10 Control box 18 901 571 919 00 Terminal 19 914 572 913 10 Sealing ring 20 914 572 913 10 Sealing ring  | -    | 911 571 320 32 | _            |        | 1   |               |
| 11       N 010 205 6       Hexagon-head bolt M 5 X 10       2         11       900 075 105 02       Screw M 5 X 10       2         12       900 027 003 01       Lock ring B 5       4         13       900 025 003 02       Washer S 5,3       2         14       999 512 349 02       Hose clamp Hose Control box Hose clamp Hose Control box Hose Spid 571 123 10 Control box Hose Control box Hose Spid 571 191 90 Control box Hose Spid 571 919 00 Terminal Hose Spid 572 123 10 Hose Spid 571 919 00 Hose Spid 572 913 10 Sealing ring Down Hose Spid 572 913 10   |      |                | 1            |        |     |               |
| 11   900 075 105 02   Screw   2  |      |                |              |        |     |               |
| 11 900 075 105 02  | 111  | N 010 205 6    |              |        | 2   |               |
| M 5 X 10   Lock ring   B 5   | 11   | 900 075 105 02 |              |        | 2   |               |
| B 5 Washer 5,3  14 999 512 349 02 Hose clamp   |      |                |              |        |     |               |
| 13 900 025 003 02 Washer 5,3 14 999 512 349 02 Hose clamp -73 8 14 999 512 349 01 Hose clamp -73 8 14 999 512 349 0B Hose clamp 74- 4 914-1,8V/1,8 914-2,0 14 999 512 349 01 Hose clamp 74- 4 914-1,8V/1,8 914-2,0 14 999 512 349 0B Hose clamp 74- 4 914-1,8V/1,8 914-2,0 15 914 571 123 10 Connecting hose 2 16 914 571 149 10 Control box 7 17 914 571 150 10 Control box 7 18 901 571 919 00 Terminal 7 19 914 572 123 10 Air hose 2 20 914 572 913 10 Sealing ring 2  | 12   | 900 027 003 01 |              |        | 4   |               |
| 14       999 512 349 02       Hose clamp       -73       8         14       999 512 349 01       Hose clamp       8         14       999 512 349 0B       Hose clamp       -73       8         14       999 512 349 02       Hose clamp       74-       4       914-1,8V/1,8         14       999 512 349 01       Hose clamp       74-       4       914-1,8V/1,8         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8         914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2   | 1.0  |                |              |        |     |               |
| 14       999 512 349 02       Hose clamp       -73       8         14       999 512 349 01       Hose clamp       -73       8         14       999 512 349 0B       Hose clamp       -73       8         14       999 512 349 01       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         15       914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2  | 13   | 900 025 003 02 |              |        | 2   |               |
| 14       999 512 349 01       Hose clamp       -73       8         14       999 512 349 02       Hose clamp       -74       4       914-1,8V/1,8         14       999 512 349 01       Hose clamp       74-       4       914-2,0         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8         14       999 512 349 0B       Hose clamp       74-       4       914-2,0         15       914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2  | 14   | 999 512 349 02 |              | -73    | 8   |               |
| 14       999 512 349 0B       Hose clamp       -73       8         14       999 512 349 02       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         15       914 571 123 10       Connecting hose       2       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2  |      |                |              |        |     |               |
| 14   999 512 349 01   Hose clamp   74-   4   914-1,8V/1,8   914-2,0     14   999 512 349 0B   Hose clamp   74-   4   914-1,8V/1,8   914-2,0     15   914 571 123 10   Connecting hose   2       16   914 571 149 10   Control box   /L   1       17   914 571 150 10   Control box   /R   1       18   901 571 919 00   Terminal   7       19   914 572 123 10   Air hose   2       20   914 572 913 10   Sealing ring   2   | 14   |                | Hose clamp   |        | 8   |               |
| 14       999 512 349 01       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         15       914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2   | 14   | 999 512 349 02 | Hose clamp   | 74-    | 4   |               |
| 14       999 512 349 0B       Hose clamp       74-       4       914-2,0         15       914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2  | 1.4  | 000 510 240 01 | Hann alama   | 7.4    | 4   |               |
| 14       999 512 349 0B       Hose clamp       74-       4       914-1,8V/1,8 914-2,0         15       914 571 123 10       Connecting hose       2         16       914 571 149 10       Control box       /L       1         17       914 571 150 10       Control box       /R       1         18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2   | 14   | 999 512 349 01 | Hose Clamp   | /4-    | 4   |               |
| 15   914   571   123   10   Connecting hose   2   16   914   571   149   10   Control box   /L   1   17   914   571   150   10   Control box   /R   1   18   901   571   919   900   Terminal   7   19   914   572   123   10   Air hose   2   2   914   572   913   10   Sealing ring   914   572   913   10   Sealing ring   914   572   913   10   Sealing ring   914   572   913   10   914   572   913   10   Sealing ring   914   572   913   10   914   572   913   10   914   91   | 14   | 999 512 349 0B | Hose clamp   | 74-    | 4   |               |
| 16       914       571       149       10       Control box       /L       1         17       914       571       150       10       Control box       /R       1         18       901       571       919       90       Terminal       7         19       914       572       123       10       Air hose       2         20       914       572       913       10       Sealing ring       2   |      |                |              |        |     |               |
| 17     914 571 150 10     Control box     /R     1       18     901 571 919 00     Terminal     7       19     914 572 123 10     Air hose     2       20     914 572 913 10     Sealing ring     2  | 1    |                |              |        |     |               |
| 18       901 571 919 00       Terminal       7         19       914 572 123 10       Air hose       2         20       914 572 913 10       Sealing ring       2   | 1    |                |              |        |     |               |
| 19       914       572       123       10       Air hose       2         20       914       572       913       10       Sealing ring       2  | 1    |                |              | / K    |     |               |
| 20 914 572 913 10 Sealing ring 2   | 1    |                |              |        |     |               |
|  |      |                |              |        |     |               |
|  | 21   |                |              | -71    |     | 914-6/4       |

| Model: | 914 70                           | Model life 1970>>1976         |        |     |                            |
|--------|----------------------------------|-------------------------------|--------|-----|----------------------------|
| Pos    | Part Number                      | Description                   | Remark | Qty | Model                      |
| 22     | 914 571 113 10                   | Retaining clip                |        | 4   |                            |
| 23     | 900 025 003 02                   | Washer                        |        | 4   |                            |
|        |                                  | 5,3                           |        | -   |                            |
| 24     | 900 076 004 02                   | Hexagon nut                   |        | 4   |                            |
|        |                                  | M 5                           |        |     |                            |
| 25     | 914 571 118 10                   | Traction                      |        | 2   |                            |
| 26     | 914 572 045 10                   | Defroster vent                | /L -71 | 1   | 914-6/4                    |
| 27     | 914 572 046 10                   | Defroster vent                | /R -71 | 1   | 914-6/4                    |
| 28     | 914 572 157 10                   | Sealing ring for              |        | 2   |                            |
|        |                                  | Defroster vent                |        |     |                            |
| 29     | 999 512 162 02                   | Clamping spring               |        | 4   |                            |
| 30     | 999 512 356 02                   | Hose clamp                    | -71    | 2   | 914-6/4                    |
| 31     | 914 572 127 10                   | Heater hose                   | -71    | 1   | 914-6/4                    |
| 31/1   | 914 572 189 10                   | Cover                         | -71    | 1   | 914-4                      |
|        |                                  | for                           |        |     |                            |
|        |                                  | Defroster vent                |        |     |                            |
|        |                                  | Centre                        |        |     |                            |
| (32)   | 914 613 134 10                   | Switch                        |        | 1   | 914-4/1,7                  |
| (32)   | 014 (12 124 11                   | Good Anala                    |        | 1   | 914-1,8/2,0                |
| (32)   | 914 613 134 11<br>914 613 134 13 | Switch Switch                 |        | 1 1 | 914-1,8/2,0<br>914-1,8/2,0 |
| 33     | 901 571 917 00                   | Knob                          |        | 2   | 914-1,8/2,0                |
|        | 901 371 917 00                   | Black                         |        |     |                            |
| 33     | 901 571 918 00                   | Knob                          |        | 1   |                            |
|        |                                  | Red                           |        | -   |                            |
| _      | 900 631 129 90                   | Bulb                          |        | 1   |                            |
|        |                                  | 12 V 1,2 W                    |        |     |                            |
|        |                                  | for                           |        |     |                            |
|        |                                  | Picture                       |        |     |                            |
| l      |                                  | 32                            |        | _   |                            |
| 34     | 900 378 030 09                   | Hexagon-head bolt<br>M 6 X 20 |        | 1   |                            |
| 35     | 900 028 008 01                   | Lock ring                     |        | 1   |                            |
|        | 700 020 000 01                   | B 6                           |        | -   |                            |
| 36     | N 011 524 7                      | Washer                        |        | 1   |                            |
|        |                                  | 6,4                           |        |     |                            |
| 36     | N 011 524 27                     | Washer                        |        | 1   |                            |
|        |                                  | 6,4                           |        |     |                            |
| 37     | 914 571 151 10                   | Rubber sleeve                 |        | 1   |                            |
|        | 914 571 115 10                   | Bowden control Bowden cable   |        | 1   |                            |
|        | 914 571 115 10                   | for                           |        | -   |                            |
|        |                                  | Blower                        |        |     |                            |
| _      | 914 571 116 10                   | Bowden cable                  |        | 1   |                            |
|        |                                  | Cold air                      |        |     |                            |
| -      | 914 571 117 10                   | Bowden cable                  |        | 1   |                            |
|        |                                  | Hot air                       |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
| 1      |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        |                                  |                               |        |     |                            |
|        | I .                              | 1                             |        | l   | I                          |




| Model: | 914 70           | Model life 1970>>1976 |        |          |              |
|--------|------------------|-----------------------|--------|----------|--------------|
| Pos    | Part Number      | Description           | Remark | Qty      | Model        |
|        |                  |                       |        | <u> </u> | +            |
|        |                  | Ventilation           | 72-    | 1        |              |
|        |                  | Heating               |        |          |              |
|        | l                | Differing parts       |        |          |              |
|        |                  | See illustrations     |        | 1        |              |
|        |                  | 9/13/00               |        |          |              |
| 1      | 914 572 045 11   | Defroster vent        | /L     | 1        |              |
| 2      | 914 572 046 11   | Defroster vent        | /R     | 1        |              |
| 3      | 999 512 348 02   | Hose clamp            | -73    | 4        |              |
| 3      |                  | Hose clamp            | 74-    | 2        | 914-1,8V/1,8 |
|        |                  | nobe cramp            | , -    | ~        | 914-2,0      |
| 4      | 914 572 109 10   | Hose                  |        | 1        | 714 2,0      |
|        |                  | Hose                  |        | 1        |              |
| 5      | 914 572 110 10   |                       |        |          |              |
| 6      | 914 572 265 10   | Intermediate piece    |        | 2        |              |
| 7      | 914 572 039 11   | Nozzle                |        | 2        |              |
| 8      | N 011 524 7      | Washer                |        | 4        |              |
|        |                  | 6,4                   |        |          |              |
| 8      | N 011 524 27     | Washer                |        | 4        |              |
|        |                  | 6,4                   |        |          |              |
| 9      | N 010 220 3      | Hexagon-head bolt     |        | 2        |              |
|        |                  | M 6 X 30              |        | 1        |              |
| 10     | 900 075 010 02   | Hexagon nut           |        | 2        |              |
| 10     | ] 000 073 010 02 | M 6 X 12              |        |          |              |
| 1.0    | N 010 010 14     |                       |        | 1        |              |
| 10     | N 010 212 14     | Hexagon-head bolt     |        | 2        |              |
|        |                  | M 6 X 12              |        | _        |              |
| 10     | 999 072 005 09   | Hexagon nut           |        | 2        |              |
|        |                  | M 6 X 12              |        |          |              |
| 10     | 999 072 005 01   | Hexagon nut           |        | 2        |              |
|        |                  | M 6 X 12              |        |          |              |
| 11     | 914 571 349 10   | Air distributor       |        | 2        |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        | 1        |              |
|        |                  |                       |        | 1        |              |
|        |                  |                       |        | 1        |              |
|        |                  |                       |        | 1        |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        |          |              |
|        |                  |                       |        | 1        |              |
| 1      |                  |                       |        | 1        |              |
|        |                  |                       |        | 1        |              |

|        | SCHE   |            | Illustration: 898-00 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |


24.07.2017 - 1 Kat 570

| Model: | 914 70         | Model life 19/0>>19/6                  |        |     |             |
|--------|----------------|--|--------|-----|-------------|
| Pos    | Part Number    | Description                            | Remark | Qty | Model       |
|        |                | Number plate                           |        |     |             |
|        |                | Mount                                  |        |     |             |
|        | 011 501 052 00 | Mount                                  | (USA)  |     |             |
| >>     | 911 701 053 00 | Support                                | /V     | 1   |             |
|        |                | Number plate                           |        |     |             |
|        |                | Sticker                                |        |     |             |
| -      | 900 089 005 02 | Washer                                 |        | 4   |             |
| _      | 900 143 058 02 | 6 Tapping screw                        |        | 4   |             |
|        | 900 143 030 02 | BZ 4,8 X 9,5                           |        | -   |             |
| >>     | 914 701 056 10 | Support                                | /H -74 | 1   |             |
|        |                | for                                    |        |     |             |
|        |                | Number plate<br>Sticker                |        |     |             |
| _      | 803 955 637    | Sealing washer                         | -74    | 2   |             |
| -      | 900 138 029 02 | Pan-head tapping screw                 | -74    | 2   |             |
|        | 000 000 005 00 | B 5,5 X 16                             | B.4    |     |             |
| -      | 900 089 005 02 | Washer 6                               | -74    | 4   |             |
| _      | 900 143 058 02 | Tapping screw                          | -74    | 4   |             |
|        |                | BZ 4,8 X 9,5                           |        |     |             |
| >>     | 914 701 104 10 | Bridge                                 | /H 75- | 2   | 914-1,8/2,0 |
| _      | 900 138 029 02 | Pan-head tapping screw B 5,5 X 16      | 75-    | 2   | 914-1,8/2,0 |
| _      | 900 089 005 02 | Washer                                 | 75-    | 4   | 914-1,8/2,0 |
| _      | N 013 970 5    | Oval-head sheetmetal screw             | 75-    | 4   | 914-1,8/2,0 |
|        | . 106 560 00   | BZ 4,8 X 9,5                           |        |     |             |
| -      | N 106 568 02   | Oval-head sheetmetal screw B 4,8 X 9,5 | 75-    | 4   | 914-1,8/2,0 |
|        |                | Mount                                  |        |     | (ZOLL)      |
| >>     | 914 701 102 10 | Support                                | /V     | 1   |             |
|        |                | for                                    |        |     |             |
|        |                | Number plate<br>Sticker                |        |     |             |
| _      | 901 723 523 20 | Desk pad                               |        | 2   |             |
| -      | 914 722 012 10 | Support for spare wheel                |        | 1   |             |
|        |                | 5 1/2 J X 15                           |        |     | 014 4       |
| _      |                | Support for spare wheel 5 1/2 J X 15   |        | 1   | 914-4       |
| _      | 914 722 011 10 | Support for spare wheel                |        | 1   | 914-4       |
|        |                | 4 1/2 J X 15                           |        |     |             |
| -      |                | Support for spare wheel                |        | 1   | 914-1,7/2,0 |
|        |                | 4 1/2 J X 15                           |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |
|        |                |  |        |     |             |



| woder. | 914 70         | Wioder ine 1970>>1976      |        |     |          |
|--------|----------------|----------------------------|--------|-----|----------|
| Pos    | Part Number    | Description                | Remark | Qty | Model    |
|        |                | Regulator                  |        |     |          |
|        |                | Generator                  |        |     |          |
|        |                | Starter                    |        |     |          |
| 1      | 914 610 103 00 | Mounting plate             |        | 1   | 914-6    |
| _      |                | for                        |        | _   |          |
|        |                | Regulator                  |        |     |          |
| (1)    | 914 610 104 00 | Mounting plate             |        | 1   | 914      |
| ( - /  |                | for                        |        | _   |          |
|        |                | Regulator                  |        |     |          |
| 2      | 900 025 003 02 | Washer                     |        | 2   |          |
|        |                | 5,3                        |        | _   |          |
| 3      | N 013 968 7    | Tapping screw              |        | 2   |          |
|        | 1 013 300 7    | B 4,8 X 13                 |        | _   |          |
| 3      | 900 143 097 01 | Tapping screw              |        | 2   |          |
|        |                | B 4,8 X 13                 |        | _   |          |
| 4      | 914 610 111 13 | Cap                        |        | 1   |          |
| _      | 999 701 445 40 | Round seal                 |        | 1   |          |
|        |                | for                        |        | _   |          |
|        |                | Cap                        |        |     |          |
|        |                | 914.610.111.13             |        |     |          |
| 5      | 914 610 106 10 | Stud                       |        | 1   |          |
|        |                | F >>47529 00924            |        | _   |          |
| 6      | 900 025 003 02 | Washer                     |        | 1   |          |
|        |                | 5,3                        |        | _   |          |
|        |                | F >>47529 00924            |        |     |          |
| 7      | 900 241 011 02 | Knurled nut                |        | 1   | 914      |
| ,      |                | M 5                        |        | _   |          |
|        |                | F >>47529 00924            |        |     |          |
| 8      | 901 603 206 02 | Regulator                  | -71    | 1   | 914-6    |
| (8)    | 043 903 803 B  | Regulator switch           | 72-    | 1   | 914-6    |
| (8)    |                | Regulator switch           | , =    | 1   | 914      |
| 9      | N 013 956 7    | Oval-head sheetmetal screw |        | 2   |          |
|        |                | BZ 3,5 X 6,5               |        | _   |          |
| 10     | N 011 663 1    | Washer                     |        | 2   |          |
|        |                | В 3,7                      |        | _   |          |
| 11     | 901 602 601 00 | Switch unit                |        | 1   | 914-6    |
|        |                | BHKZ                       |        |     |          |
| 12     | N 017 121 4    | Lock                       |        | 2   | 914-6    |
|        |                | 16 AMP.                    |        |     |          |
| 13     | N 017 121 5    | Lock                       |        | 1   |          |
|        |                | 25 AMP.                    |        |     |          |
|        |                | Not for                    |        |     |          |
|        |                | TYP 914-6                  |        |     |          |
| 14     | 901 615 113 00 | Relay                      |        | 1   | 914-6    |
|        |                | for                        |        |     |          |
|        |                | Exhaust gas                |        |     |          |
| 15     | 911 619 001 00 | Suppression set            |        | 1   | 914-6    |
|        |                | for                        |        |     |          |
|        |                | - bosch -                  |        |     |          |
|        |                | Regulator                  |        |     |          |
| 16     | 914 610 107 00 | Clip                       |        | 2   |          |
| 17     | 911 603 118 00 | Generator                  |        | 1   | 914-6    |
|        |                | Complete                   |        |     |          |
|        |                | 770 W                      |        |     |          |
|        |                | See group                  |        |     |          |
|        |                | 1/05/00                    |        |     |          |
| (17)   | 022 903 023    | Generator                  |        | 1   |          |
| 18     | 901 612 110 00 | Ground strap               |        | 1   |          |
|        |                | Housing                    |        |     |          |
|        |                | Engine                     |        |     |          |
|        |                | Generator                  |        |     |          |
| 19     | 923 604 101 00 | Starter                    |        | 1   | 914-6    |
| (19)   | 901 604 102 CX | Starter                    |        | 1   | 914-6    |
|        | ]              | Į.                         |        |     | <u> </u> |

| Model:     | 914 70                        | Model life 1970>>1976    |        |        |              |
|------------|-------------------------------|--------------------------|--------|--------|--------------|
| Pos        | Part Number                   | Description              | Remark | Qty    | Model        |
| (19)       | 901 604 102 DX                | Starter                  |        | 1      | 914-6        |
| (19)       |                               | Starter                  |        | 1      | 914-6        |
| (19)       | 003 911 023 B                 | Starter                  |        | 1      | 914-4/1,7    |
|            |                               |                          |        |        | 914-1,8V/1,8 |
| -          | 003 911 023 BX                | Starter                  |        | 1      | 914-4/1,7    |
|            |                               | Exchange                 |        |        | 914-1,8/1,8V |
| (19)       | 039 911 023                   | Starter                  |        | 1      | 914-2,0      |
| -          |                               | Starter                  |        | 1      | 914-2,0      |
|            |                               | Exchange                 |        |        |              |
| 20         | 999 659 006 50                | Protection cap           |        | 1      |              |
| 21         | 900 027 015 02                | Lock ring                |        | 1      |              |
|            |                               | В 8                      |        |        |              |
| 21         | 900 027 015 03                | Lock ring                |        | 1      |              |
|            |                               | В 8                      |        |        |              |
| 22         | N 011 132 2                   | Hexagon nut              |        | 1      |              |
|            |                               | м 8                      |        |        |              |
| 23         | N 012 242 3                   | Spring washer            |        | 1      |              |
|            |                               | B 10 X 18                |        |        |              |
| 24         | 900 157 002 02                | Hexagon nut              |        | 1      |              |
|            |                               | M 10                     |        |        |              |
| 24         | 900 157 002 03                | Hexagon nut              |        | 1      |              |
|            |                               | M 10                     |        |        |              |
| 25         | 900 067 074 02                | Pan-head screw           |        | 1      | 914-6        |
|            |                               | M 10 X 110               |        | _      |              |
| (25)       | N 010 500 3                   | Hexagon-head bolt        |        | 1      |              |
|            |                               | M 10 X 115               |        |        |              |
|            |                               | Not for                  |        |        |              |
|            |                               | TYP 914-6                |        | _      |              |
| 26         | 900 067 078 02                | Pan-head screw           |        | 1      | SPM          |
| 0.7        | 001 604 501 00                | M 10 X 150               |        | _      | 0146         |
| 27         | 901 604 581 00                | Spring washer            |        | 1      | 914-6        |
| (29)<br>30 | 039 911 023<br>999 659 006 50 | Starter                  |        | 1      | 914-2,0      |
| 31         | 900 027 015 02                | Protection cap Lock ring |        | 1<br>1 |              |
| 31         | 900 027 015 02                | B 8                      |        | 1      |              |
| 31         | 900 027 015 03                | Lock ring                |        | 1      |              |
| 31         | 013 03                        | B 8                      |        |        |              |
| 32         | N 011 132 2                   | Hexagon nut              |        | 1      |              |
| 32         |                               | M 8                      |        | _      |              |
| 33         | N 012 242 3                   | Spring washer            |        | 1      |              |
|            |                               | B 10 X 18                |        | _      |              |
| 34         | 900 157 002 02                | Hexagon nut              |        | 1      |              |
|            |                               | M 10                     |        |        |              |
| 34         | 900 157 002 03                | Hexagon nut              |        | 1      |              |
|            |                               | м 10                     |        |        |              |
| 35         | 900 067 074 02                | Pan-head screw           |        | 1      | 914-6        |
|            |                               | M 10 X 110               |        |        |              |
| (35)       | N 010 500 3                   | Hexagon-head bolt        |        | 1      |              |
|            |                               | M 10 X 115               |        |        |              |
|            |                               | Not for                  |        |        |              |
|            |                               | TYP 914-6                |        |        |              |
| 36         | 900 067 078 02                | Pan-head screw           |        | 1      | SPM          |
|            |                               | M 10 X 150               |        |        |              |
| 37         | 901 604 581 00                | Spring washer            |        | 1      | 914-6        |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |
|            |                               |                          |        |        |              |




| woder. | 914 70         | Wiodeline 1970>>1976                   |          |     |           |
|--------|----------------|--|----------|-----|-----------|
| Pos    | Part Number    | Description                            | Remark   | Qty | Model     |
|        |                | Electrical equipment                   |          |     |           |
|        |                | Engine                                 |          |     |           |
| 1      | 901 602 702 00 | Control unit BHKZ                      |          | 1   | 914-6     |
| 1      | 901 602 702 01 | Control unit                           |          | 1   | 914-6     |
|        |                | BHKZ                                   |          |     |           |
| 1      | 901 602 702 AX | Control unit                           |          | 1   | 914-6     |
| 1      | 901 602 702 X  | BHKZ<br>Control unit                   |          | 1   | 914-6     |
|        |                | BHKZ                                   |          | _   |           |
|        |                | Exchange                               |          |     |           |
| 2      | 914 602 011 00 | Bracket<br>BKHZ                        |          | 1   | 914-6     |
| 3      | 900 014 007 02 | Pan-head screw                         |          | 3   | 914-6     |
|        |                | AM 6 X 10                              |          |     |           |
| 4      | N 011 524 7    | Washer                                 |          | 3   | 914-6     |
| 4      | N 011 524 27   | 6,4<br>Washer                          |          | 3   | 914-6     |
| 1      | N 011 324 27   | 6,4                                    |          | 3   | 714 0     |
| 5      | 900 027 014 01 | Lock ring                              |          | 6   | 914-6     |
| _      | 000 007 014 00 | B 6                                    |          | 6   | 014 6     |
| 5      | 900 027 014 02 | Lock ring B 6                          |          | б   | 914-6     |
| 5      | N 012 006 4    | Lock ring                              |          | 6   | 914-6     |
|        |                | В 6                                    |          |     |           |
| 6      | 900 076 010 02 | Nut<br>M 6                             |          | 3   | 914-6     |
| 6      | 900 076 010 0B | Nut                                    |          | 3   | 914-6     |
|        |                | М 6                                    |          |     |           |
| 7      | N 014 703 2    | Pan-head screw                         |          | 3   | 914-6     |
| _      | 039 905 351    | M 6 X 18<br>Lambda control unit        |          | 1   | 914-2,0   |
|        |                | for                                    |          |     | (CAL)     |
|        |                | Engine-speed shutoff                   |          |     |           |
| (8)    | 022 906 021 B  | Lambda control unit<br>M >> WO 129 581 |          | 1   | 914-4     |
| _      | 022 906 021 BX | Control unit                           |          | 1   | 914-4     |
|        |                | M >> W0 129 581                        |          |     |           |
| 8      | 022 906 021 E  | Exchange Lambda control unit           |          | 1   | 914-4/1,7 |
| 0      | 022 906 021 E  | Lambda Control unit                    |          | 1   | 914-4/1,/ |
|        |                | M W0 129 582 >>                        |          |     |           |
|        |                | M >> W0 250 000                        |          |     |           |
|        |                | M >>EA0 098 793<br>M >>EB0 010 020     |          |     |           |
|        |                | M >>GA0 006 765                        |          |     |           |
| (8)    | 022 906 021 G  | Lambda control unit                    |          | 1   | 914-1,8   |
| (8)    | 473 906 021    | M >>EC0 037 551<br>Lambda control unit |          | 1   | 914-1,8   |
| (0)    | 1 175 500 021  | M ECO 037 552>>                        |          | _   | J14 1,0   |
| -      | 311 906 105 A  | Grommet                                |          | 1   | 914-1,8   |
|        |                | for<br>Lid                             |          |     |           |
|        |                | Control unit                           |          |     |           |
| _      | 914 611 129 10 | Bracket                                |          | 1   | 914-1,8   |
|        |                | for                                    |          |     |           |
| _      | N 010 210 13   | Control unit Hexagon-head bolt         |          | 3   | 914-1,8   |
|        | 1. 010 210 13  | M 6 X 10                               |          |     | )         |
| -      | N 012 006 4    | Lock ring                              |          | 5   | 914-1,8   |
| _      | 000 075 014 00 | B 6                                    |          | 2   | 014 1 0   |
| _      | 900 075 014 02 | Hexagon-head bolt<br>M 6 X 18          |          | ∠   | 914-1,8   |
|        | <u>I</u>       |  | <u> </u> |     | <u> </u>  |

| woder.  | 914 70         | Model life 1970>>1976      |        |     |             |
|---------|----------------|----------------------------|--------|-----|-------------|
| Pos     | Part Number    | Description                | Remark | Qty | Model       |
| _       | 900 075 014 03 | Hexagon-head bolt          |        | 2   | 914-1,8     |
| _       | 900 075 014 05 | M 6 X 18                   |        |     | 914-1,8     |
| 8A      | 022 906 079    | Series resistor            |        | 1   | 914-1,8     |
| OA      | 022 900 079    | Battery                    |        |     | 914-1,0     |
|         |                | Bracket                    |        |     |             |
| 8B      | 900 143 046 02 | Oval-head sheetmetal screw |        | 2   | 914-1,8     |
| 0.0     | 900 143 040 02 | B 4,8 X 16                 |        |     | 914-1,8     |
| 8B      | 900 143 046 01 | Oval-head sheetmetal screw |        | 2   | 914-1,8     |
| 0.0     | 900 143 040 01 | B 4,8 X 16                 |        |     | 914-1,8     |
| _       | N 013 885 1    | Tapping screw              |        | 3   | 914-1,8     |
|         | N 013 863 1    | 4,8 X 13                   |        | ]   | 914-1,0     |
| _       | N 012 005 3    | Lock ring                  |        | 3   | 914-1,8     |
|         | N 012 003 3    | B 5                        |        | ]   | 914-1,0     |
| (8)     | 039 906 021    | Lambda control unit        |        | 1   | 914-2,0     |
| (0)     | 039 900 021    | M GAO 006 766>>            |        | _   | J14 2,0     |
|         |                | M >>GAO 016 000            |        |     |             |
| (8)     | 039 906 021 A  | Control unit               |        | 1   | 914-2,0     |
| (0)     | 039 906 021 A  | M GC0 000 001>>            |        | +   | 914-2,0     |
|         |                |                            |        |     |             |
| -       | 311 971 935    | Push-on connector          |        | 1   | 914-1,8     |
| _       | 113 971 935 A  | Push-on connector          |        | 1   | 914-1,8     |
| 9       | 311 906 025    | Slide                      |        | 1   | 914-4/1,7   |
|         |                | for                        |        |     | 914-2,0     |
|         |                | Control unit               |        |     |             |
| 10      | 039 906 051    | Pressure sensor            |        | 1   | 914-2,0     |
| (10)    | 022 906 051 E  | Pressure transmitter       |        | 1   | 914-4/1,7   |
| 11      | N 014 138 7    | Oval-head screw            |        | 2   | 914-4/1,7   |
|         |                | AM 6 X 10                  |        |     | 914-2,0     |
| 12      | N 012 226 5    | Spring washer              |        | 2   | 914-4/1,7   |
|         |                | B 6                        |        | ~   | 914-2,0     |
| 13      | 113 957 855    | Rubber sleeve              |        | 3   | 914-4/1,7   |
| 13      | 113 937 833    | for                        |        | ]   | 914-2,0     |
|         |                | Spacer sleeve              |        |     | 914-2,0     |
| 14      | 211 006 057    | =                          |        | 3   | 014 4/1 7   |
| 14      | 311 906 057    | Spacer sleeve for          |        | 3   | 914-4/1,7   |
|         |                |                            |        |     | 914-2,0     |
|         |                | Pressure sensor            |        |     |             |
|         | 071 906 059 A  | Double relay               |        | 1   | 914-1,8     |
| 15      | 022 906 200    | Bracket                    |        | 1   | 914-4/1,7   |
|         |                | for                        |        |     | 914-2,0     |
|         |                | Pressure sensor            |        |     |             |
| 16      | N 011 524 7    | Washer                     |        | 2   | 914-4/1,7   |
|         |                | A 6,4                      |        |     | 914-2,0     |
| 16      | N 011 524 27   | Washer                     |        | 2   | 914-4/1,7   |
|         |                | A 6,4                      |        |     | 914-2,0     |
| (16)    | N 012 226 5    | Spring washer              |        | 1   | 914-4/1,7   |
|         |                | В 6                        |        |     | 914-2,0     |
| (16)    | N 011 692 3    | Washer                     |        | 2   | 914-4/1,7   |
|         |                | 5,1                        |        |     | 914-2,0     |
| 17      | N 013 948 1    | Oval-head sheetmetal screw |        | 2   | 914-4/1,7   |
|         |                | B 5,5 X 25                 |        |     | 914-2,0     |
| (17)    | N 010 719 2    | Pan-head screw             |        | 1   | 914-4/1,7   |
| ( - · , |                | M 6 X 20                   |        | _   | 914-2,0     |
| 18      | 022 906 209    | Support                    |        | 1   | 914-4/1,7   |
|         |                | for                        |        | _   | 914-1,8/2,0 |
|         |                | Connector                  |        |     | J11 1,0/2,0 |
|         |                | Control unit               |        |     |             |
|         | 473 906 075    |                            |        | 1   | 014 4/1 7   |
| _       | 4/3 900 0/5    | Protection cap             |        | +   | 914-4/1,7   |
|         |                | for                        |        |     | 914-1,8/2,0 |
|         |                | Potentiometer              |        |     |             |
|         | l              | Idle-speed adjuster        |        | l _ |             |
| (19)    | 022 906 102    | Protection cap             |        | 7   | 914-1,8     |
|         |                | for                        |        |     |             |
|         |                | Connector housing          |        |     |             |
|         |                | 2-pole                     |        |     |             |
|         |                | <u> </u>                   |        |     |             |

| Model:  | 914 70         | Model life 1970>>1976          | 1      |     | T                    |
|---------|----------------|--------------------------------|--------|-----|----------------------|
| Pos     | Part Number    | Description                    | Remark | Qty | Model                |
| (19)    | 022 906 102 B  | Protection cap                 |        | 1   | 914-1,8              |
|         |                | for                            |        |     |                      |
|         |                | Connector housing              |        |     |                      |
|         |                | 6-pole                         |        |     |                      |
| (19)    | 022 906 102 C  | M >>EC0 037 551 Protection cap |        | 1   | 914-1,8              |
| (19)    | 022 906 102 C  | for                            |        |     | 914-1,0              |
|         |                | Connector housing              |        |     |                      |
|         |                | 3-pole                         |        |     |                      |
| (19)    | 022 906 102 D  | Protection cap                 |        | 1   | 914-1,8              |
|         |                | for                            |        |     |                      |
|         |                | Connector housing              |        |     |                      |
|         |                | 7-pole<br>M ECO 037 552>>      |        |     |                      |
| 19      | 311 906 102 A  | Protection cap                 |        | 6   | 914-4/1,7            |
|         | 311 300 102 11 | for                            |        |     | 914-1,8/2,0          |
|         |                | Connector housing              |        |     |                      |
|         |                | 2-pole                         |        |     |                      |
| (19)    | 311 906 102 B  | Cap                            |        | 1   | 914-4/1,7            |
|         |                | for                            |        |     | 914-2,0              |
|         |                | Connector housing 3-pole       |        |     |                      |
| (19)    | 311 906 102 C  | Protection cap                 |        | 2   | 914-4/1,7            |
| (1)     | 311 300 102 0  | for                            |        |     | 914-2,0              |
|         |                | Connector housing              |        |     |                      |
|         |                | 4-pole                         |        |     |                      |
| (19)    | 311 906 102 E  | Protection cap                 |        | 2   | 914-4/1,7            |
|         |                | for                            |        |     | 914-2,0              |
|         |                | Connector housing 5-pole       |        |     |                      |
| (20)    | 037 906 240    | Connector housing              |        | 4   | 914-1,8              |
| (20)    | 037 300 210    | 2-pole                         |        | 1   | J11 1,0              |
|         |                | Grey                           |        |     |                      |
| 20      | 311 906 231 A  | Connector housing              |        | 6   | 914-4/1,7            |
|         |                | 2-pole                         |        |     | 914-2,0              |
| (20)    | 311 906 231 B  | Connector housing              |        | 1   | 914-4/1,7            |
| (20)    | 311 906 231 C  | 3-pole<br>Connector housing    |        | 2   | 914-2,0<br>914-4/1,7 |
| (20)    | 311 900 231 C  | 4-pole                         |        |     | 914-2,0              |
| (20)    | 311 906 231 D  | Connector housing              | 72-    | 2   | 914-4/1,7            |
|         |                | 5-pole                         |        |     | 914-2,0              |
| (20)    | 022 906 233 A  | Connector housing              |        | 1   | 914-1,8              |
|         |                | 6-pole                         |        |     |                      |
| (20)    | 022 906 233 B  | M >>ECO 037 551                |        | 1   | 014 1 0              |
| (20)    | UZZ 9U0 Z33 B  | Connector housing 3-pole       |        |     | 914-1,8              |
| (20)    | 071 906 233    | Terminal sleeve housing        |        | 1   | 914-1,8              |
| ` '-'   |                | 7-pole                         |        |     |                      |
|         |                | M ECO 037 552>>                |        |     |                      |
| 21      | 022 971 819    | Wiring harness                 |        | 1   | 914-4/1,7            |
|         |                | for                            |        |     |                      |
| (21)    | 000 071 761 5  | Control unit                   | 72-    | 1   | 014 4/1 7            |
| (21)    | 022 971 761 F  | Wiring harness for             | 12-    | 1   | 914-4/1,7            |
|         |                | Control unit                   |        |     |                      |
| (21)    | 022 971 761 G  | Wiring harness                 |        | 1   | 914-1,8              |
|         |                | for                            |        |     |                      |
|         |                | Control unit                   |        |     |                      |
| / 0 = 1 | 000 071 711    | M >>ECO 037 551                |        |     | 014 1 0              |
| (21)    | 022 971 761 Q  | Wiring harness for             |        | 1   | 914-1,8              |
|         |                | Control unit                   |        |     |                      |
|         |                | M ECO 037 552>>                |        |     |                      |
|         |                | 1                              | 1      |     | I                    |


| Model: | 914 70                     | Model life 1970>>1976               |        |        |                      |
|--------|----------------------------|-------------------------------------|--------|--------|----------------------|
| Pos    | Part Number                | Description                         | Remark | Qty    | Model                |
| (21)   | 039 971 761 В              | Wiring harness                      |        | 1      | 914-2,0              |
| (22)   | 000 071 701 2              | for                                 |        | _      | 711 2,0              |
|        |                            | Control unit                        |        |        |                      |
|        |                            | M >>GA0 016 000                     |        |        |                      |
| (21)   | 039 971 761 A              | Wiring harness                      |        | 1      | 914-2,0              |
|        |                            | for                                 |        |        | (CAL)                |
|        |                            | Control unit M GC0 000 001>>        |        |        |                      |
| (21)   | 039 971 761 В              | Wiring harness                      |        | 1      | 914-2,0              |
| (21)   | 037 371 701 2              | for                                 |        | _      | J11 270              |
|        |                            | Control unit                        |        |        |                      |
|        |                            | M GC0 000 001>>                     |        |        |                      |
| -      | 111 971 911 A              | Grommet                             |        | 1      | 914-1,8V/1,8         |
| -      | 849 941 593                | Connector housing 9-pole            |        | 1      | 914-1,8              |
| _      | 411 963 369                | Connector housing                   |        | 1      | 914-1,8              |
|        | 111 703 307                | 6-pole                              |        | _      | J14 1,0              |
| _      | 111 971 977                | Flat connector socket               |        | 4      | 914-1,8              |
|        |                            | Single pole                         |        |        |                      |
| -      | 803 905 897                | Connector housing                   |        | 1      | 914-4/1,7            |
|        |                            | for                                 |        |        |                      |
| 22     | 914 618 013 10             | Wiring harness<br>Retaining bracket |        | 1      |                      |
| 22     | 714 010 013 10             | for                                 |        | _      |                      |
|        |                            | Control unit                        |        |        |                      |
| 23     | 914 618 119 10             | Retaining bracket                   |        | 1      | 914-2,0              |
| (23)   | 914 618 113 10             | Retaining bracket                   |        | 1      | 914-4/1,7            |
| 24     | 914 618 114 10             | Oval-head screw                     |        | 1      | 914-4/1,7            |
| 25     | 900 028 030 01             | Spring washer                       |        | 1      | 914-2,0<br>914-4/1,7 |
| 23     | 700 020 030 01             | A 7                                 |        | _      | 914-2,0              |
| 26     | 900 014 054 02             | Pan-head screw                      |        | 1      | 914-4/1,7            |
|        |                            | M 5 X 6                             |        |        | 914-2,0              |
| 27     | N 012 005 3                | Lock ring                           |        | 1      | 914-4/1,7            |
| 28     | 900 138 030 02             | B 5 Tapping screw                   |        | 1      | 914-2,0<br>914-4/1,7 |
| 20     | 700 130 030 02             | BZ 3,9 X 6,5                        |        | _      | 914-2,0              |
| 29     | 900 151 001 02             | Washer                              |        | 1      | 914-4/1,7            |
|        |                            | A 4,3                               |        |        | 914-2,0              |
| 30     | N 010 210 13               | Hexagon-head bolt                   |        | 4      | 914-4/1,7            |
| 31     | N 011 524 7                | M 6 X 10<br>Washer                  |        | 2      | 914-2,0<br>914-4/1,7 |
| 31     | N 011 524 /                | A 6,4                               |        | ∠      | 914-2,0              |
| 31     | N 011 524 27               | Washer                              |        | 2      | 914-4/1,7            |
|        |                            | A 6,4                               |        |        | 914-2,0              |
| 32     | 900 027 014 01             | Lock ring                           |        | 2      | 914-4/1,7            |
| 2.0    |                            | B 6                                 |        |        | 914-2,0              |
| 32     | 900 027 014 02             | Lock ring B 6                       |        | 2      | 914-4/1,7<br>914-2,0 |
| 32     | N 012 006 4                | Lock ring                           |        | 2      | 914-4/1,7            |
|        |                            | B 6                                 |        |        | 914-2,0              |
| -      | 022 906 239                | Cap                                 |        | 1      | 914-1,8              |
| -      | 022 906 241                | Protection cap                      |        | 1      | 914-1,8              |
| _      | 022 906 249                | Sealing ring                        |        | 1      | 914-1,8              |
|        | N 020 902 1<br>N 020 902 A | Tie-wrap Tie-wrap                   |        | 2<br>2 | 914-1,8<br>914-1,8   |
|        | IN 020 902 A               | 11C WIGH                            |        | ۷      | ), T T T T           |
|        |                            |                                     |        |        |                      |
|        |                            |                                     |        |        |                      |
|        |                            |                                     |        |        |                      |
|        |                            |                                     |        |        |                      |
|        |                            |                                     |        |        |                      |
|        | <u> </u>                   | 1                                   |        |        |                      |



| woder. | 914 70           | Woder life 1970>>1970    |        |             |       |
|--------|------------------|--------------------------|--------|-------------|-------|
| Pos    | Part Number      | Description              | Remark | Qty         | Model |
|        |                  | ·                        |        | <del></del> |       |
|        |                  | Engine electrics         |        |             | 914-6 |
| 1      | 901 602 021 05   | Distributor              |        | 1           |       |
|        |                  | - bosch -                |        |             |       |
| (1)    | 911 602 022 00   | Distributor              |        | 1           |       |
| (1)    | 911 602 022 X    | Distributor              |        | 1           |       |
| ` ′    |                  | - MARELLI -              |        |             |       |
| 2      | 911 602 928 00   | Rotor                    |        | 1           |       |
|        | ] 11 002 320 00  | - bosch -                |        | -           |       |
|        |                  | with                     |        |             |       |
|        |                  |                          |        |             |       |
| (0)    | 001 600 000 01   | Engine-speed shutoff     |        | -           |       |
| (2)    | 901 602 928 01   | Rotor                    |        | 1           |       |
|        |                  | - MARELLI -              |        |             |       |
|        |                  | with                     |        |             |       |
|        |                  | Engine-speed shutoff     |        |             |       |
| 3      | 999 701 101 50   | Gasket                   |        | 1           |       |
| 4      | 999 511 046 02   | Clamping bow             |        | 1           |       |
| 4      | 999 511 046 03   | Clamping bow             |        | 1           |       |
| 5      | N 012 241 1      | Spring washer            |        | 1           |       |
|        |                  | B 8 X 15                 |        |             |       |
| 6      | 900 076 025 02   | Hexagon nut              |        | 1           |       |
| Ŭ      |                  | M 8                      |        | -           |       |
| 6      | 900 076 064 02   | Hexagon nut              |        | 1           |       |
| 0      | 900 070 004 02   | _                        |        | +           |       |
|        | 011 600 000 00   | M 8                      |        | -           |       |
| 7      | 911 602 933 00   | Distributor cap          |        | 1           |       |
|        |                  | - bosch -                |        |             |       |
| (7)    | 901 602 953 00   | Distributor cap          |        | 1           |       |
|        |                  | - MARELLI -              |        |             |       |
| 8      | 616 602 226 02   | Contact breaker point    |        | 1           |       |
|        |                  | - bosch -                |        |             |       |
| (8)    | 911 602 960 00   | Contact breaker point    |        | 1           |       |
|        |                  | - MARELLI -              |        |             |       |
| 9      | 930 602 905 00   | Wiper contact            |        | 1           |       |
|        |                  | - bosch -                |        |             |       |
| (9)    | 901 602 952 00   | Contact pin              |        | 1           |       |
| ()     | ] 001 002 332 00 | - MARELLI -              |        | -           |       |
| 10     | 901 602 502 00   | Ignition transformer     |        | 1           |       |
| 10     | 901 002 302 00   | for                      |        | _           |       |
|        |                  |                          |        |             |       |
|        |                  | BHKZ                     |        |             |       |
| 11     | 900 025 007 02   | Washer                   |        | 2           |       |
|        |                  | 8,4                      |        |             |       |
| 11     | 900 025 007 03   | Washer                   |        | 2           |       |
|        |                  | 8,4                      |        |             |       |
| 12     | N 012 241 1      | Spring washer            |        | 2           |       |
|        |                  | B 8 X 15                 |        |             |       |
| 13     | 900 076 025 02   | Hexagon nut              |        | 2           |       |
|        |                  | м 8                      |        |             |       |
| 13     | 900 076 064 02   | Hexagon nut              |        | 2           |       |
|        |                  | M 8                      |        | -           |       |
|        |                  | Spark plug               |        |             |       |
|        |                  |                          |        |             |       |
|        |                  | Use also: 547 09222      |        | 3,          |       |
|        |                  |                          |        | X           |       |
|        |                  | for                      |        |             |       |
|        |                  | Spark plug               |        |             |       |
| -      | 547 09 222       | Nut                      |        | X           |       |
|        |                  | for                      |        |             |       |
|        |                  | Spark plug               |        |             |       |
| 14     | 999 170 010 91   | Spark plug               |        | 6           |       |
|        |                  | - bosch -                |        |             |       |
| 14     | 999 170 186 90   | Spark plug               |        | 6           |       |
|        |                  | - bosch -                |        | ]           |       |
| (14)   | 999 170 165 90   | Spark plug               |        | 6           |       |
| (11)   | 100 100 00       | - bosch -                |        |             |       |
| 15     | 911 609 061 00   | Set of ignition cables   |        | X           |       |
|        | 1 005 001 00     | 1 200 OI ISHICION CADICB |        | <u> </u>    |       |

| Pos  | Part Number                  | Description            | Remark     | Qty | Model |
|------|------------------------------|------------------------|------------|-----|-------|
| ı-us | rait Nullipel                |                        | IVEIIIAI N | Ψιy | WOUCI |
|      |                              | without                |            |     |       |
|      | 000 610 001 00               | Spark plug connector   |            |     |       |
| -    | 900 612 001 00               | Ignition lead          |            | X   |       |
|      |                              | High voltage<br>Black  |            |     |       |
|      |                              | 5 Meter                |            |     |       |
| 16   | 911 609 510 00               | Cable plug             |            | 8   |       |
| 16   | PCG 609 510 00               | Cable plug             |            | 8   |       |
| 17   | 999 619 121 00               | Screened connector     |            | 7   |       |
|      |                              | - beru -               |            |     |       |
| -    |                              | Screened connector     |            | 7   |       |
|      |                              | - bosch -              |            |     |       |
| 18   | 999 659 001 40               | Water protection cap   |            | 8   |       |
| 19   | 901 609 309 00               | Screened connector     |            | 6   |       |
|      |                              | Ignition lead          |            |     |       |
| 1.0  |                              | - beru -               |            |     |       |
| 19   | 901 609 309 01               | Screened connector     |            | 6   |       |
|      |                              | Ignition lead - beru - |            |     |       |
| 20   | 111 905 449 A                | Protection cap         |            | 6   |       |
| 20   | 111 905 449 A<br>111 905 449 | Protection cap         |            | 6   |       |
| 20   | PCG 905 449 A                | Cap                    |            | 6   |       |
| 20   | 111 905 449                  | Protection cap         |            | 6   |       |
| 21   | 999 659 034 40               | Rubber cap             |            | 6   |       |
| (21) | 999 659 002 50               | Rubber cap             |            | 7   |       |
| 22   | 901 609 591 00               | Cable holder           |            | 3   |       |
| 23   | 901 602 927 00               | Dust cover             |            | 1   |       |
|      |                              | - bosch -              |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      |                              |                        |            |     |       |
|      | 1                            |                        |            |     |       |

PORSCHE Illustration: 901-15




| woder. | 914 70                          | Wiodel life 1970>>1976             |        |          |                    |
|--------|---------------------------------|------------------------------------|--------|----------|--------------------|
| Pos    | Part Number                     | Description                        | Remark | Qty      | Model              |
|        |                                 | Engine electrics                   |        |          | 914                |
| 1      | 022 905 115                     | Ignition coil                      |        | 1        | 914-4              |
|        |                                 | 12 V                               |        |          |                    |
|        |                                 | M >> W0 057 460                    |        |          |                    |
| (1)    | 022 905 115 A                   | Ignition coil                      |        | 1        | 914-1,8V/2,0       |
|        |                                 | 12 V                               |        |          |                    |
|        |                                 | M >>GA0 016 000                    |        |          |                    |
|        |                                 | M GA0 006 766>>                    |        |          |                    |
|        |                                 | M GCO 000 001>>                    |        |          |                    |
| 2      | 022 905 121 A                   | Restraining strap                  |        | 1        | 914-4/1,7          |
|        |                                 | for                                |        |          | 914-2,0            |
|        |                                 | Ignition coil M >> W0 250 000      |        |          |                    |
|        |                                 | M >> W0 250 000<br>M >>EA0 098 793 |        |          |                    |
|        |                                 | M >>EBO 010 020                    |        |          |                    |
|        |                                 | M >>GAO 006 765                    |        |          |                    |
| (2)    | 021 905 119                     | Restraining strap                  |        | 1        | 914-1,8V/1,8       |
| , ,    |                                 | for                                |        |          | 914-2,0            |
|        |                                 | Ignition coil                      |        |          | ,                  |
|        |                                 | M ECO 000 001>>                    |        |          |                    |
|        |                                 | M >>GA0 016 000                    |        |          |                    |
|        |                                 | M GA0 006 766>>                    |        |          |                    |
|        |                                 | M GC0 000 001>>                    |        |          |                    |
| 3      | N 012 226 5                     | Spring washer                      | -73    | 2        | 914-4/1,7          |
|        |                                 | В 6                                |        |          | 914-1,8/2,0        |
| 4      | N 010 215 13                    | Hexagon-head bolt                  |        | 2        | 914-4/1,7          |
| (      |                                 | M 6 X 15                           |        | _        | 914-1,8/2,0        |
| (3)    | N 012 226 5                     | Spring washer                      | 74-    | 2        | 914-1,8V/2,0       |
| (4)    | NT 010 010 12                   | A 6                                | 74-    | 2        | 014 1 077/0 0      |
| (4)    | N 010 210 13                    | Hexagon-head bolt M 6 X 10         | /4-    |          | 914-1,8V/2,0       |
| _      | 900 151 029 02                  | Washer                             | 74-    | 2        | 914-1,8V/1,8       |
|        | 700 131 027 02                  | 6,4                                | 7 1    |          | 914-2,0            |
| (5)    | 022 905 205 AB                  | Distributor                        |        | 1        | 914-1,8            |
| ( - /  |                                 | - bosch -                          |        | _        |                    |
|        |                                 | Use also:                          |        |          |                    |
|        |                                 | 043.905.225                        |        |          |                    |
|        |                                 | M ECO 037 552>>                    |        |          |                    |
| (5)    | 021 905 205 S                   | Distributor                        |        | 1        | 914-1,8            |
|        |                                 | - bosch -                          |        |          |                    |
|        |                                 | Use also:                          |        |          |                    |
|        |                                 | 022.905.225 A                      |        |          |                    |
| _      | 000 005 005 0                   | M >>EC0 037 551                    |        | 1        | 014 4              |
| 5      | 022 905 205 P                   | Distributor - bosch -              |        | 1        | 914-4              |
|        |                                 | - boscn -<br>M W0 000 001 >>       |        |          |                    |
|        |                                 | M EAO 000 001>>                    |        |          |                    |
|        |                                 | M >> W0 129 581                    |        |          |                    |
|        |                                 | M >>EA0 057 000                    |        |          |                    |
| (5)    | 022 905 205 н                   | Distributor                        |        | 1        | 914-4/1,7          |
|        |                                 | - bosch -                          |        |          | ·                  |
|        |                                 | M W0 057 460 >>                    |        |          |                    |
|        |                                 | M >> W0 250 000                    |        |          |                    |
| (5)    | 022 905 205 P                   | Distributor                        |        | 1        | 914-1,7            |
|        |                                 | - bosch -                          |        |          |                    |
|        |                                 | Use also:                          |        |          |                    |
|        |                                 | 022.905.225 A                      |        |          |                    |
|        |                                 | M >>EA0 098 793                    |        |          |                    |
| / - \  | 039 905 205 A                   | M >>EB0 010 020<br>Distributor     |        | 1        | 014 2 0            |
| (5)    | 039 905 205 A<br>039 905 205 AX | Distributor                        |        | 1 1      | 914-2,0<br>914-2,0 |
| -      | 039 903 203 AA                  | - bosch -                          |        |          | 914-2,U            |
|        |                                 | M GB0 007 402>>                    |        |          |                    |
|        | l                               |                                    |        | <u> </u> | <u> </u>           |

| woder. | 914 70         | Woder me 1970>>1976                |        |     |             |
|--------|----------------|------------------------------------|--------|-----|-------------|
| Pos    | Part Number    | Description                        | Remark | Qty | Model       |
|        |                | M GAO 006 766>>                    | 1      |     |             |
|        |                | M >>GAO 000 700>>                  |        |     |             |
| (5)    | 039 905 205 B  | Distributor                        |        | 1   | 914-2,0     |
| (3)    | 039 903 203 B  | - bosch -                          |        |     | (CAL)       |
|        |                | M GC0 000 001>>                    |        |     | (CAL)       |
| (5)    | 039 905 205 A  | Distributor                        |        | 1   | 914-2,0     |
| (5)    | 039 905 205 AX | Distributor                        |        | 1   | 914-2,0     |
| _      | 039 905 205 AA | l l                                |        | +   | 914-2,0     |
|        |                | M GB0 000 001>><br>M GA0 000 001>> |        |     |             |
|        |                | M >>GB0 000 001>>                  |        |     |             |
|        |                |                                    |        |     |             |
|        | 112 005 007 0  | M >>GAO 006 765                    |        | 1   |             |
| 6      | 113 905 207 C  | Distributor cap                    |        | 1   |             |
| 7      | 111 905 221 A  | Contact pin                        |        | 1   |             |
|        |                | with                               |        |     |             |
|        | 022 905 225 A  | Spring                             |        | 1   |             |
| 8      | 022 905 225 A  | Rotor                              |        | 1   |             |
|        |                | Shielded                           |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                | 022.905.205 F                      |        |     |             |
|        |                | 022.905.205 н                      |        |     |             |
|        |                | 022.905.205 T                      |        |     |             |
|        |                | 022.905.205 P                      |        |     |             |
|        |                | 021.905.205 S                      |        |     |             |
|        |                | 039.905.205                        |        |     |             |
|        |                | 039.905.205 A                      |        |     |             |
| (8)    | 055 905 225 B  | Rotor                              |        | 1   | 914-1,8/2,0 |
|        |                | Shielded                           |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                | 022.905.205 AB                     |        |     |             |
|        |                | 039.905.205 B                      |        |     |             |
| 9      | 616 602 226 02 | Contact breaker point              |        | 1   |             |
|        |                | Contact breaker point              |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                | 022.905.205 F                      |        |     |             |
|        |                | 022.905.205 н                      |        |     |             |
|        |                | 022.905.205 T                      |        |     |             |
|        |                | 022.905.205 P                      |        |     |             |
|        |                | 021.905.205 S                      |        |     |             |
|        |                | 039.905.205                        |        |     |             |
|        |                | 039.905.205 A                      |        |     |             |
| (9)    |                | Contact breaker point              |        | 1   | 914-1,8     |
|        |                | 1 set                              |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                | 022.905.205 AB                     |        |     |             |
|        |                | 039.905.205 B                      |        |     |             |
| 10     | 111 905 247    | Driving arm                        |        | 1   |             |
| 11     | 021 905 250    | Support                            |        | 1   |             |
|        |                | F.ignition distributor             |        |     |             |
| 12     | 111 905 261    | Sealing ring                       |        | 1   |             |
|        |                | F.ignition distributor             |        |     |             |
| 13     | 021 905 267    | Nut                                |        | 1   |             |
|        |                | M 6 X 35                           |        |     |             |
| 13A    | N 011 008 8    | Hexagon nut                        |        | 1   |             |
|        |                | M 8                                |        |     |             |
| 13B    | N 012 241 11   | Spring washer                      |        | 1   |             |
|        |                | B 8 X 15                           |        |     |             |
| 14     | 022 905 271 A  | Vacuum unit                        |        | 1   | 914-4       |
|        |                | with two connections               |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                | 022.905.205 F                      |        |     |             |
| (14)   | 022 905 271 B  | Vacuum unit                        |        | 1   | 914-4/1,7   |
|        |                | with one conection                 |        |     |             |
|        |                | F.ignition distributor             |        |     |             |
|        |                |                                    |        |     | L           |


| wiodei. | 914 70         | Modellie 1970>>1970              |        |     |               |
|---------|----------------|----------------------------------|--------|-----|---------------|
| Pos     | Part Number    | Description                      | Remark | Qty | Model         |
|         |                | 022.905.205 н                    |        |     |               |
| (14)    | 022 905 271 C  | Vacuum unit                      |        | 1   | 914-1,7/2,0   |
| ( + + / |                | with two connections             |        | -   | 711 1/1/2/0   |
|         |                | F.ignition distributor           |        |     |               |
|         |                | 022.905.205 P                    |        |     |               |
|         |                | 039.905.205                      |        |     |               |
| (14)    | 022 905 271 D  | Vacuum unit                      |        | 1   | 914-1,8       |
| , ,     |                | F.ignition distributor           |        |     | , ,           |
|         |                | 022.905.205 AB                   |        |     |               |
| (14)    | 021 905 271 н  | Vacuum unit                      |        | 1   | 914-1,8       |
|         |                | F.ignition distributor           |        |     |               |
|         |                | 021.905.205 S                    |        |     |               |
| (14)    | 039 905 271    | Vacuum unit                      |        | 1   | 914-2,0       |
|         |                | F.ignition distributor           |        |     |               |
|         |                | 039.905.205 A                    |        |     |               |
| (14)    | 039 905 271 A  | Vacuum unit                      |        | 1   | 914-2,0       |
|         |                | F.ignition distributor           |        |     | (CAL)         |
|         |                | 039.905.205 B                    |        |     |               |
| (15)    | 311 905 295 C  | Condenser                        |        | 1   | 914-1,7/2,0   |
|         |                | F.ignition distributor           |        |     |               |
|         |                | 022.905.205 P                    |        |     |               |
|         |                | 039.905.205                      |        |     |               |
|         |                | 039.905.205 A                    |        |     |               |
| (15)    | 001 005 005 5  | 039.905.205 B                    |        | 1   | 014 1 077/1 0 |
| (15)    | 021 905 295 B  | Condenser F.ignition distributor |        | 1   | 914-1,8V/1,8  |
|         |                | 022.905.205 AB                   |        |     |               |
|         |                | 022.905.205 AB                   |        |     |               |
|         |                | 021.905.205 S                    |        |     |               |
| 15      | 311 905 295 C  | Condenser                        |        | 1   | 914-4/1,7     |
| 13      |                | F.ignition distributor           |        | _   | )             |
|         |                | 022.905.205 F                    |        |     |               |
|         |                | 022.905.205 Н                    |        |     |               |
| 16      | 311 905 301    | Pulse sender                     |        | 1   | 914-4/1,7     |
|         |                | with                             |        |     | 914-2,0       |
|         |                | Pulse sender                     |        |     |               |
|         |                | F.ignition distributor           |        |     |               |
| 17      | 111 905 265    | Retainer spring                  |        | 2   |               |
|         |                | for                              |        |     |               |
|         |                | Distributor cap                  |        |     |               |
| 18      | 111 905 269    | Retaining bar                    |        | 2   |               |
|         |                | for                              |        |     |               |
|         |                | Retainer spring                  |        |     |               |
| 19      | N 010 703 2    | Pan-head screw                   |        | 2   |               |
|         | NT 010 004 0   | AM 4,8                           |        |     |               |
| 20      | N 012 004 2    | Lock ring B 4                    |        | 2   |               |
|         |                |                                  |        |     |               |
|         |                | Spark plug<br>Use also:          |        |     |               |
|         |                | Use also:<br>  547 09222         |        | X   |               |
|         |                | for                              |        | Λ   |               |
|         |                | Spark plug                       |        |     |               |
| _       | 547 09 222     | Nut                              |        | X   |               |
|         |                | for                              |        |     |               |
|         |                | Spark plug                       |        |     |               |
| (21)    | N 017 812 16   | Spark plug                       |        | 4   | 914-4/1,7     |
|         |                | 175                              |        |     | 914-1,8/2,0   |
|         |                | - beru -                         |        |     |               |
| 22      | 900 612 001 00 | Ignition lead                    |        | Х   |               |
|         |                | Ignition coil                    |        |     |               |
|         |                | Distributor                      |        |     |               |
|         |                | And                              |        |     |               |
|         |                | Cylinder                         |        |     |               |
|         | •              | •                                |        |     |               |

| Model: | 914 70        | Model life 1970>>1976           |        |        |                           |
|--------|---------------|---------------------------------|--------|--------|---------------------------|
| Pos    | Part Number   | Description                     | Remark | Qty    | Model                     |
|        |               | 5 Meter                         |        |        |                           |
| 23     | 111 905 427   | Connector                       |        | 6      |                           |
|        |               | for ignition cable              |        |        |                           |
| (23)   | 036 035 281   | Suppression connector           |        | 6      | 914-4/1,7                 |
| ' '    |               | for ignition cable              |        |        | 914-1,8V/2,0              |
| 24     | 311 905 429 A | Protection cap                  |        | 1      |                           |
|        |               | for ignition cable              |        |        |                           |
|        |               | Ignition coil                   |        |        |                           |
| (24)   |               | Protection cap                  |        | 5      |                           |
|        |               | for ignition cable              |        |        |                           |
|        |               | Distributor                     |        |        |                           |
| 25     | 311 905 443   | Water protection cap            |        | 4      |                           |
|        |               | for                             |        |        |                           |
| 0.5    | 110 005 055 - | Spark plug connector            |        |        |                           |
| 26     | 113 035 255 A | Spark plug connector            |        | 2      | 914-4/1,7                 |
|        |               | 62 MM                           |        |        | 914-1,8V/2,0              |
|        |               | Cylinder 1 + 3                  |        |        |                           |
| (26)   |               | Spark plug connector            |        | 4      | 914-1,8V/1,8              |
| (20)   |               | Spark plug connector            |        | 4      |                           |
| (26)   | 021 035 255   | Spark plug connector            |        | 1      | 914-2,0<br>914-4/1,7      |
| (20)   | 021 035 255   | Spark plug connector Spark plug |        | 1      | 914-4/1,7<br>914-1,8V/1,8 |
|        |               | 85 MM                           |        |        | )                         |
|        |               | Cylinlder 4                     |        |        |                           |
| (26)   | 021 035 255 B | Spark plug connector            |        | 1      | 914-4/1,7                 |
| (20)   |               | Spark plug                      |        | _      | 914-1,8V/1,8              |
|        |               | 98 MM                           |        |        |                           |
|        |               | Cylinder 2                      |        |        |                           |
| 27     | 036 035 281   | Suppression connector           |        | 5      | 914-1,7/1,8V              |
|        |               |                                 |        |        | 914-1,8/2,0               |
| 28     | 111 905 449 A | Protection cap                  |        | 4      |                           |
|        |               | for                             |        |        |                           |
|        |               | Spark plug                      |        |        |                           |
| 28     | 111 905 449   | Protection cap                  |        | 4      |                           |
|        |               | for                             |        |        |                           |
|        |               | Spark plug                      |        |        |                           |
| 28     | PCG 905 449 A | Cap                             |        | 4      |                           |
|        |               | for                             |        |        |                           |
|        |               | Spark plug                      |        |        |                           |
| 28     | 111 905 449   | Protection cap                  |        | 4      |                           |
|        |               | for                             |        |        |                           |
|        |               | Spark plug                      |        |        |                           |
| 29     | 113 905 451 A | Support                         |        | 3      | 914-4/1,7                 |
| 29     |               | Support                         |        | 2      | 914-1,8V/1,8              |
| 30     | 111 201 261   | Support                         |        | 1      | 914-2,0<br>914-4          |
| 30     | 111 201 201   | Support                         |        | 1<br>2 | 914-4<br>914-1,7/1,8V     |
| 30     |               | Support                         |        | ∠      | 914-1,7/1,80              |
|        |               |                                 |        |        | 914-1,0/2,0               |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |
|        |               |                                 |        |        |                           |



| Pos  | Part Number    | Description                        | Remark     | Qty | Model        |
|------|----------------|------------------------------------|------------|-----|--------------|
| FUS  | rait Nullibel  | •                                  | IVEIIIAI K | чıy | MOUEI        |
|      |                | Battery                            |            |     |              |
| 1    | 000 056 007    | Fuse box Battery                   |            | 1   |              |
| _    | 000 030 007    | 12 V 45 AH                         |            | 1   |              |
| 1/1  | 914 611 116 00 | Cap                                |            | 1   |              |
| 2    | 914 611 233 10 | Tension terminal                   |            | 1   |              |
| 3    | 900 027 015 02 | Lock ring                          |            | 1   |              |
| 3    | 900 027 015 03 | B 8<br>Lock ring                   |            | 1   |              |
| 3    | 900 027 013 03 | B 8                                |            | 1   |              |
| 4    | N 010 247 7    | Hexagon-head bolt                  |            | 1   |              |
|      |                | M 8 X 35                           |            |     |              |
| 4    | N 010 247 18   | Hexagon-head bolt                  |            | 1   |              |
| 5    | 010 409 549 B  | M 8 X 35<br>Sealing ring           |            | 1   |              |
| 6    | 914 611 031 00 | Wiring harness                     |            | 1   |              |
|      |                | Battery                            |            |     |              |
|      |                | Starter                            |            |     |              |
|      |                | Not for<br>TYP 914-6               |            |     |              |
| 7    | 914 611 903 10 | Ground strap                       | -73        | 1   | 914-6/4/1,7  |
|      | 311 011 303 10 | oround berap                       | , 3        | -   | 914-2,0      |
| (7)  | 914 611 904 11 | Ground strap                       | 74-        | 1   | 914-1,8V/1,8 |
|      |                |                                    |            | _   | 914-2,0      |
| 8    | N 012 228 3    | Spring washer<br>B 8               |            | 1   |              |
| 9    | 900 076 025 02 | Hexagon nut                        |            | 1   |              |
|      | 300 070 023 02 | M 8                                |            | -   |              |
| 9    | 900 076 064 02 | Hexagon nut                        |            | 1   |              |
|      |                | м 8                                |            |     |              |
| 10   | 914 612 315 10 | Fuse box<br>12-pole                |            | 1   |              |
| 11   | 914 612 316 10 | Lid                                |            | 1   |              |
| 12   | 914 612 319 10 | Bracket                            | -73        | 1   | 914-6/4/1,7  |
|      |                |                                    |            |     | 914-2,0      |
| (12) | 914 612 319 11 | Bracket                            | 74-        | 1   | 914-1,8V/1,8 |
| 13   | 311 937 693    | Speed nut                          |            | 2   | 914-2,0      |
| 14   | 900 143 007 02 | Oval-head sheetmetal screw         |            | 2   |              |
|      |                | B 4,2 X 13                         |            |     |              |
| 14   | 900 073 507 01 | Oval-head sheetmetal screw         |            | 2   |              |
| 15   | 000 115 010 01 | B 4,2 X 13<br>Serrated lock washer |            | 2   |              |
| 15   | 900 115 012 01 | A 5,1                              |            | ∠   |              |
| 16   | 900 189 010 02 | Oval-head sheetmetal screw         |            | 2   |              |
|      |                | AM 5 X 10                          |            |     |              |
| 17   | N 042 121 3    | Shake-proof washer                 |            | 2   |              |
| 18   | 900 076 010 02 | A 6,4<br>Nut                       |            | 2   |              |
| 10   | 900 070 010 02 | M 6                                |            | ۷   |              |
| 18   | 900 076 010 0B | Nut                                |            | 2   |              |
|      |                | м 6                                |            |     |              |
| 19   | 928 612 867 00 | Cable connection                   |            | 1   | 914-6/4      |
| 20   | 900 114 018 01 | Shake-proof washer A 5,1           |            | 1   | 914-6/4      |
| 21   | 900 146 003 02 | Oval-head screw                    |            | 1   | 914-6/4      |
|      |                | AM 5 X 10                          |            |     |              |
| 22   | N 015 429 2    | Speed nut                          |            | 2   | 914-6/4      |
|      | N 015 400 C    | B 4,2                              |            | 2   | 014 674      |
| 22   | N 015 429 6    | Speed nut B 4,2                    |            | 2   | 914-6/4      |
| 23   | 900 025 002 02 | Washer                             |            | 2   | 914-6/4      |
|      |                | 4,3                                |            |     |              |

|     | 914 70         | Model life 1970>>1970               |        |     |         |
|-----|----------------|-------------------------------------|--------|-----|---------|
| Pos | Part Number    | Description                         | Remark | Qty | Model   |
| 23  | 900 025 002 03 | Washer<br>4,3                       |        | 2   | 914-6/4 |
| 24  | 900 187 017 02 | Hexagon-head tapping screw 4,2 X 19 |        | 2   | 914-6/4 |
| 25  | 901 612 330 00 | Multiple plug connection 6-pole     |        | 1   | 914-6   |
|     |                | Clutch<br>And                       |        |     |         |
| 26  | 901 612 333 00 | Connector Plug socket               |        | 1   |         |
|     | 302 022 000 00 | for<br>Standard type relay          |        | _   |         |
| 27  | 901 612 334 00 | Plug socket<br>for                  |        | 1   |         |
|     |                | Flasher relay                       |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |
|     |                |                                     |        |     |         |




| iviodei. | 914 70         | Model life 1970>>1970              | In     |     | I B.A L. I              |
|----------|----------------|------------------------------------|--------|-----|-------------------------|
| Pos      | Part Number    | Description                        | Remark | Qty | Model                   |
|          |                | Generator                          |        |     | 914                     |
|          |                | Single parts                       |        |     |                         |
| 1        | 022 903 023    | Generator                          |        | 1   | 914-4/1,7               |
|          |                | 12 V 50 A                          |        |     | 914-1,8/1,8V            |
|          |                |                                    |        |     | 914-2,0                 |
|          |                | M >> W0 250 000                    |        |     |                         |
|          |                | M >>EA0 098 793                    |        |     |                         |
|          |                | M >>EB0 010 020                    |        |     |                         |
|          |                | M >>EC0 037 551                    |        |     |                         |
|          |                | M >>GA0 016 000                    |        |     |                         |
| -        | 022 903 023 X  | Generator                          |        | 1   | 914-4/1,7               |
|          |                | Exchange                           |        |     | 914-1,8/1,8V            |
|          |                | 12 V 50 A                          |        |     | 914-2,0                 |
|          |                | M >> W0 250 000                    |        |     |                         |
|          |                | M >>EAO 098 793                    |        |     |                         |
|          |                | M >>EB0 010 020                    |        |     |                         |
|          |                | M >>EC0 037 551                    |        |     |                         |
| (1)      | 000 000 000 7  | M >>GAO 016 000                    |        | _   | 014 1 077/1 0           |
| (1)      | 022 903 023 A  | Generator                          |        | 1   | 914-1,8V/1,8            |
|          |                | 12 V 50 A                          |        |     | 914-2,0                 |
|          |                | M EC0 037 552>><br>M GC0 000 001>> |        |     |                         |
| _        | 022 903 023 AX | Generator                          |        | 1   | 014 1 0 /1 077          |
| _        | 022 903 023 AX | Exchange                           |        | 1   | 914-1,8/1,8V<br>914-2,0 |
|          |                | 12 V 50 A                          |        |     | 914-2,0                 |
|          |                | M ECO 037 552>>                    |        |     |                         |
|          |                | M GC0 000 001>>                    |        |     |                         |
| 2        | 021 903 109 A  | V-belt pulley                      |        | 1   |                         |
|          | 021 903 109 A  | M >> W0 250 000                    |        |     |                         |
|          |                | M >>EAO 098 793                    |        |     |                         |
|          |                | M >>EB0 010 020                    |        |     |                         |
|          |                | M >>ECO 037 551                    |        |     |                         |
|          |                | M >>GAO 016 000                    |        |     |                         |
| (2)      | 022 903 109 A  | V-belt pulley                      |        | 1   | 914-1,8V/1,8            |
| ( - /    |                |                                    |        |     | 914-2,0                 |
|          |                | M ECO 037 552>>                    |        |     | ·                       |
|          |                | M GC0 000 001>>                    |        |     |                         |
| 3        | 068 903 137 D  | V-belt                             |        | 1   |                         |
| 4        | N 011 565 3    | Washer                             |        | 1   |                         |
|          |                | 15                                 |        |     |                         |
| 5        | 900 078 005 01 | Hexagon nut                        |        | 1   |                         |
|          |                | M 14 X 1,5                         |        |     |                         |
| 6        | 021 903 203    | Gasket                             |        | 1   |                         |
|          |                | for                                |        |     |                         |
|          |                | Generator                          |        |     |                         |
|          |                | M >> W0 250 000                    |        |     |                         |
|          |                | M >>EA0 098 793                    |        |     |                         |
|          |                | M >>EB0 010 020                    |        |     |                         |
|          |                | M >>ECO 037 551                    |        |     |                         |
|          |                | M >>GA0 016 000                    |        |     |                         |
| (6)      | 022 903 203    | Gasket                             |        | 1   | 914-1,8V/1,8            |
|          |                | for                                |        |     | 914-2,0                 |
|          |                | Generator                          |        |     |                         |
|          |                | M ECO 037 552>>                    |        |     |                         |
|          | N 010 700 0    | M GC0 000 001>>                    |        | 1   |                         |
| 7        | N 012 708 2    | Woodruff key 4 X 5                 |        | 1   |                         |
| 8        | 021 903 209    | 4 X 5<br>Gasket                    |        | 2   |                         |
| 8 9      | 021 903 209    | Claw-pole rotor                    |        | 1   |                         |
| 10       | 022 903 213    | Parts kit                          |        | 1   |                         |
| 10       | 041 903 440    | for                                |        |     |                         |
|          |                | Claw-pole rotor                    |        |     |                         |
|          |                | M >> W0 250 000                    |        |     |                         |
|          |                | 11                                 |        |     |                         |

| Model:   | 914 70                       | Model life 19/0>>19/6  |        |        |                         |
|----------|------------------------------|--|--------|--------|-------------------------|
| Pos      | Part Number                  | Description  | Remark | Qty    | Model                   |
| (10)     | 059 903 205                  | M >>EA0 098 793<br>M >>EB0 010 020<br>M >>EC0 037 551<br>M >>GA0 016 000<br>Set<br>for                 |        | 1      | 914-1,8V/1,8<br>914-2,0 |
| 11       | 021 903 221                  | Claw-pole rotor M ECO 037 552>> M GCO 000 001>> Deep-groove ball bearing for Housing                   |        | 1      |                         |
| 12       | 021 903 221 A                | Generator Deep-groove ball bearing for   |        | 1      |                         |
| 13       | 021 903 231                  | Bearing shaft Screw M 8 X 71   |        | 1      |                         |
| 14       | N 012 241 11                 | Spring washer B 8  |        | 1      |                         |
| 15       | N 011 008 8                  | Hexagon nut M 8  |        | 1      |                         |
| 16       | 900 067 081 02               | Pan-head screw M 8 X 35  |        | 1      |                         |
| 16       | 900 067 102 02               | Pan-head screw M 8 X 35  |        | 1      |                         |
| 17       | N 012 228 3                  | Spring washer B 8  |        | 1      |                         |
| 18       | 021 903 243 A                | Square nut M 8   |        | 1      |                         |
| 19<br>20 | 021 903 295<br>021 903 351 A | Suppressor condenser  Generator  M >> W0 250 000  M >> EA0 098 793  M >> EB0 010 020  M >> EC0 037 551 |        | 1      |                         |
| (20)     | 021 903 351 D                | M >>GA0 016 000<br>Generator   |        | 1      | 914-1,8V/1,8<br>914-2,0 |
| 21       | 021 903 355                  | M ECO 037 552>><br>M GCO 000 001>><br>Diode<br>(-)   |        | 3      |                         |
| 22       | 021 903 357                  | Diode (+)  |        | 3      |                         |
| (22)     | 021 903 357 A                | Diode (+)  |        | 3      | 914-1,8V/1,8<br>914-2,0 |
| 23<br>24 | 021 903 359 A<br>N 010 698 1 | Diode plate Pan-head screw AM 4 X 12   |        | 1 2    |                         |
| 25       | N 012 224 1                  | Spring washer B 4  |        | 2      |                         |
| 26<br>27 | 021 903 503 A<br>021 903 519 | Stop plate<br>Spring   |        | 1<br>2 |                         |
| 28       | N 010 695 1                  | Pan-head screw   |        | 1      |                         |
| 29       | N 012 224 1                  | AM 4 X 6 Spring washer B 4   |        | 1      |                         |
| 30       | N 012 106 1                  | Lock washer J 6,4  |        | 1      |                         |
| 31       | N 012 006 4                  | Lock ring B 6  |        | 2      |                         |
| 32       | N 011 116 1                  | Hexagon nut  |        | 4      |                         |

| woder. | 914 70         | Model life 1970>>1976        |        |        |              |
|--------|----------------|------------------------------|--------|--------|--------------|
| Pos    | Part Number    | Description                  | Remark | Qty    | Model        |
|        |                | BM 6                         |        |        |              |
| 33     | 021 903 543    | Retainer plate               |        | 1      |              |
| (34)   | 021 903 545    | Pan-head screw               |        | 3      | 914-1,8V/1,8 |
| (34)   | 021 903 333    | ran nead serew               |        | 3      | 914-2,0      |
|        |                | M ECO 037 552>>              |        |        |              |
|        |                | M GCO 000 001>>              |        |        |              |
| 34     | 021 903 555 A  | Eccentric bolt               |        | 3      |              |
|        |                | M >> W0 250 000              |        | 3      |              |
|        |                | M >>EAO 098 793              |        |        |              |
|        |                | M >>EB0 010 020              |        |        |              |
|        |                | M >>EC0 037 551              |        |        |              |
|        |                | M >>GA0 016 000              |        |        |              |
| 35     | N 012 005 3    | Lock ring                    |        | 1      |              |
|        |                | В 5                          |        |        |              |
| 36     | 900 025 003 02 | Washer                       |        | 1      |              |
|        |                | A 5,3                        |        |        |              |
| 37     | 021 903 621    | Suction housing              |        | 1      |              |
|        |                | for                          |        |        |              |
|        |                | Generator                    |        |        |              |
| 38     | 021 903 637    | Gasket                       |        | 1      |              |
|        |                | for                          |        |        |              |
|        |                | Suction housing              |        |        |              |
| 39     | 900 028 007 02 | Spring washer                |        | 3      |              |
|        |                | B 5                          |        |        |              |
| 40     | N 011 115 1    | Hexagon nut                  |        | 3      |              |
| 4.1    |                | BM 5                         |        | _      |              |
| 41     | 022 903 645    | Bracket                      |        | 1<br>2 |              |
| 42     | N 012 228 3    | Spring washer B 8            |        | ∠      |              |
| 43     | 900 075 085 02 | Hexagon-head bolt            |        | 2      |              |
| 1 13   | 900 073 083 02 | M 8 X 20                     |        |        |              |
| 44     | 022 903 646    | Engine carrier               |        | 1      |              |
| (45)   | 021 903 655    | Elbow                        |        | 1      | 914-4        |
| (13)   | 021 903 033    | M >> W0 129 581              |        | _      |              |
| 45     | 021 903 655 B  | Air hose                     | 72-    | 1      |              |
|        |                | M WO 129 582 >>              |        |        |              |
|        |                | M >> W0 250 000              |        |        |              |
|        |                | M >>EA0 098 793              |        |        |              |
|        |                | M >>EB0 010 020              |        |        |              |
|        |                | M >>EC0 037 551              |        |        |              |
|        |                | M >>GA0 016 000              |        |        |              |
| (45)   | 021 903 655 D  | Air hose                     |        | 1      | 914-1,8V/1,8 |
|        |                |                              |        |        | 914-2,0      |
|        |                | M ECO 037 552>>              |        |        |              |
|        |                | M GC0 000 001>>              |        |        |              |
| (46)   | 021 903 659    | Hose clamp                   |        | 1      | 914-4        |
|        |                | M >> W0 129 581              |        |        |              |
| 46     | 021 903 659 A  | Hose clamp                   | 72-    | 1      |              |
|        |                | M W0 129 582 >>              |        |        |              |
|        |                | M ECO 000 001>>              |        |        |              |
|        |                | M GC0 000 001>>              |        |        |              |
|        |                | M >> W0 250 000              |        |        |              |
|        |                | M >>EA0 098 793              |        |        |              |
|        |                | M >>EBO 010 020              |        |        |              |
| (47)   |                | M >>GA0 016 000<br>Regulator |        | Х      |              |
| (4/)   |                | Regulator<br>  Shielded      |        | Λ      |              |
|        |                | See group                    |        |        |              |
|        |                | 9/01/00                      |        |        |              |
| 47     |                | Regulator                    |        | Х      |              |
| ] -    |                | See group                    |        |        |              |
|        |                | 9/01/00                      |        |        |              |
| 48     | 021 971 349 D  | Set                          |        | 1      |              |
|        |                | ļ                            |        |        |              |

| Pos     | Part Number                  | Description  | Remark   | Qty    | Model                   |
|---------|------------------------------|--|----------|--------|-------------------------|
| . 55    | . a.t Hullingi               |  | Noniui N | - C. y | ouci                    |
| -<br>49 | 111 971 911 A<br>021 903 657 | Lines Regulator Generator Grommet Circlip \$ 44,5 MM M >> W0 250 000 M >>EA0 098 793 M >>EB0 010 020 | 72-      | 1 1    | 914-2,0                 |
| (49)    | 022 903 657                  | M >>ECO 037 551 M >>GAO 016 000 Circlip \$ 50,5 MM M ECO 037 552>> M GCO 000 001>>                   |          | 1      | 914-1,8V/1,8<br>914-2,0 |
| 50      | N 013 968 1                  | Oval-head sheetmetal screw B 4,8 X 13  |          | 2      |                         |
| -       | 021 903 791 A                | Set Connecting piece Terminal B + M ECO 037 552>> M GCO 000 001>>                                    |          | 1      | 914-1,8V/1,8<br>914-2,0 |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |
|         |                              |  |          |        |                         |




| Dec.  | Dort Number    | Description             | Damark | 04. | Madal         |
|-------|----------------|-------------------------|--------|-----|---------------|
| Pos   | Part Number    | Description             | Remark | Qty | Model         |
|       |                | Wiring harnesses        |        |     | 914           |
| 1     | 914 612 018 10 | Wiring harness          | -70    | 1   | 914-4         |
| (1)   | 914 612 018 12 | Wiring harness          | 71-    | 1   | 914-4         |
| (1)   | 914 612 018 13 | Wiring harness          | 72-    | 1   | 914-4         |
| , ,   |                | F 47229 00001>>         |        |     |               |
| (1)   | 914 612 018 15 | Wiring harness          | -73    | 1   | 914-1,7/2,0   |
| (1)   | 914 612 018 16 | Wiring harness          | 74-    | 1   | 914-1,8V/2,0  |
| (1)   | 914 612 018 17 | Wiring harness          | 75-    | 1   | 914-1,8V/2,0  |
| (1)   | 914 612 021 10 | Wiring harness          | -70    | 1   | 914-4         |
| (1)   | 914 612 021 12 | Wiring harness          | 71-    | 1   | 914-4         |
| . ,   |                | F >>47229 00008         |        |     |               |
| (1)   | 914 612 021 13 | Wiring harness          |        | 1   | 914-4         |
| ( - / |                | F 47229 00009>>         |        |     |               |
|       |                | F >>47229 08250         |        |     |               |
| (1)   | 914 612 021 14 | Wiring harness          | 72-    | 1   | 914-4         |
| ( - / |                | F 47229 08251>>         | . –    | _   |               |
| (1)   | 914 612 021 15 | Wiring harness          | -73    | 1   | 914-1,7/2,0   |
| (1)   | 914 612 021 16 | Wiring harness          | 74-    | 1   | 914-1,8/2,0   |
| (1)   | 914 612 021 17 | Wiring harness          | 75-    | 1   | 914-1,8/2,0   |
| _     | 311 971 913    | Grommet                 | , 3    | 1   | ]             |
|       |                | for                     |        | _   |               |
|       |                | Handbrake contact piece |        |     |               |
| 2     | 914 612 007 13 | Wiring harness          | -71    | 1   | 914-4         |
| 2     | 914 012 007 13 | Engine                  | -/1    | 1   | 1 214-4       |
|       |                | Regulator               |        |     |               |
|       |                | Plate                   |        |     |               |
| (2)   |                | Wiring harness          | 72-    | 1   | 914-4         |
| (2)   |                |                         | 72-    | 1   | 914-4         |
|       |                | Engine                  |        |     |               |
|       |                | Regulator<br>Plate      |        |     |               |
| (2)   | 914 612 007 15 | Wiring harness          | -73    | 1   | 014 1 7/2 0   |
| (2)   | 914 612 007 15 | Engine                  | - / 3  | -   | 914-1,7/2,0   |
|       |                | Regulator               |        |     |               |
|       |                | Plate                   |        |     |               |
| (2)   | 914 612 007 16 | Wiring harness          | 74-    | 1   | 014 1 077/2 0 |
| (2)   | 914 612 007 16 | _                       | 74-    | 1   | 914-1,8V/2,0  |
|       |                | Engine                  |        |     |               |
|       |                | Regulator<br>Plate      |        |     |               |
| (2)   | 914 612 016 16 |                         |        | 1   | 014 1 0       |
| (2)   | 914 612 016 16 | Wiring harness          |        | 1   | 914-1,8       |
|       |                | Engine                  |        |     |               |
|       |                | Regulator<br>Plate      |        |     |               |
| 3     |                |                         |        | 37  |               |
| 3     |                | Wiring harness          |        | X   |               |
|       |                | Generator               |        |     |               |
|       |                | See group 9/02/05       |        |     |               |
|       | 014 612 151 10 |                         |        | 1   |               |
| _     | 914 612 151 10 | Wiring harness          |        | 1   |               |
|       |                | for                     |        |     |               |
|       | 014 610 155 10 | Centre console          |        | _   | 014 0 0       |
| _     | 914 612 155 10 |                         |        | 1   | 914-2,0       |
|       |                | for                     |        |     |               |
|       |                | Instrument cluster      |        |     |               |
|       |                | without                 |        |     |               |
|       | 001 610 040 03 | Centre console          |        | ,   | 014 0 0       |
| _     | 901 612 043 01 | Positive cable          |        | 1   | 914-2,0       |
| .     |                | Instrument cluster      |        | l   |               |
| 4     |                | Lines                   |        | X   |               |
|       |                | for                     |        |     |               |
|       |                | Control unit            |        |     |               |
|       |                | See group               |        |     |               |
|       | 014 616 116 11 | 9/01/05                 |        |     |               |
| _     | 914 612 149 14 | Wiring harness          | 72-    | 1   | 914-4/1,7     |
|       |                | Warning contact         |        |     | 914-2,0       |

| Pos | Part Number    | Description                    | Remark | Qty | Model        |
|-----|----------------|--------------------------------|--------|-----|--------------|
|     |                | Seat belt                      |        |     |              |
|     |                | for                            |        |     |              |
|     |                | Seat                           |        |     |              |
|     |                | Passenger's side               |        |     |              |
| _   |                | Wiring harness Warning contact | 74-    | 2   | 914-1,8/2,0  |
|     |                | Seat belt                      |        |     |              |
|     |                | for                            |        |     |              |
|     |                | Seat                           |        |     |              |
|     |                | Driver's side                  |        |     |              |
|     |                | And                            |        |     |              |
|     |                | Passenger's side               |        |     |              |
| 5   | 914 611 903 10 | Ground strap                   | -73    | 1   | 914-4/1,7    |
|     |                | Battery<br>Body                |        |     | 914-2,0      |
| (5) | 914 611 904 11 | Ground strap                   | 74-    | 1   | 914-1,8V/1,8 |
| (3) | 914 011 904 11 | Battery                        | 74-    | -   | 914-2,0      |
|     |                | Body                           |        |     | 711 2/0      |
| 6   | 999 611 919 20 | Ground strap                   |        | 1   |              |
|     |                | Transmission                   |        |     |              |
|     |                | suspension                     |        |     |              |
| -   | 900 076 025 02 | Hexagon nut                    |        | 2   |              |
|     |                | M 8                            |        |     |              |
| -   | 900 076 064 02 | Hexagon nut M 8                |        | 2   |              |
| _   | N 012 228 3    | Spring washer                  |        | 2   |              |
|     | N 012 220 3    | B8                             |        |     |              |
| 7   | 914 611 031 00 | Wiring harness                 |        | 1   |              |
|     |                | Battery                        |        |     |              |
|     |                | Starter                        |        |     |              |
| 8   | 914 612 041 10 | Wiring harness                 | -73    | 1   | 914-4/1,7    |
|     |                | for                            |        |     | 914-2,0      |
|     |                | Lights                         |        |     |              |
| (8) | 914 612 041 20 | Instruments Wiring harness     | -73    | 1   | 914-1,7/2,0  |
| (0) | 914 012 041 20 | for                            | -73    |     | 914-1,7/2,0  |
|     |                | Lights                         |        |     |              |
|     |                | Instruments                    |        |     |              |
| -   | 911 617 107 00 | Diode                          |        | 1   |              |
|     |                | for                            |        |     |              |
|     |                | Brakes                         |        |     |              |
|     | 014 610 051 10 | Warning function               |        |     |              |
| _   | 914 612 051 10 | Additional cables for          |        | 2   |              |
|     |                | Direction indicator light      |        |     |              |
| _   | 914 612 052 10 | Additional cables              | -73    | 1   | 914-4/1,7    |
|     |                | for                            |        |     | 914-2,0      |
|     |                | Switch                         |        |     |              |
|     |                | High-beam headlight            |        |     |              |
| 8   | 914 612 052 11 | Additional cables              |        | 1   | 914-1,8V/2,0 |
|     |                | for                            |        |     |              |
|     |                | Switch High-beam headlight     |        |     |              |
| _   | 914 612 085 00 | Wiring harness                 | 75-    | 1   | 914-1,8V/1,8 |
|     | 711 012 003 00 | for                            | , 3    | -   | 914-2,0      |
|     |                | License plate light            |        |     |              |
| _   | 914 612 056 10 | Additional cables              |        | 1   | 914-4        |
|     |                | for                            |        |     |              |
|     |                | Rear window heating            |        |     |              |
| _   | 914 612 161 20 | Wiring harness                 |        | 1   | 914-1,8V/1,8 |
|     |                | Ground strap                   |        |     | 914-2,0      |
|     |                | Fuel pump                      |        |     |              |
|     |                | I act bamb                     | _1     |     |              |

| woder. | 914 70         | Model life 1970>>1976                  |        |     |              |
|--------|----------------|--|--------|-----|--------------|
| Pos    | Part Number    | Description                            | Remark | Qty | Model        |
| -      | 914 612 056 13 | Additional cables                      | 72-    | 1   | 914-4/1,7    |
|        |                | for                                    |        |     | 914-2,0      |
|        |                | Rear window heating                    |        |     |              |
| _      | 914 612 056 14 | F 47229 00001>><br>Additional cables   | 74-    | 1   | 914-1,8V/1,8 |
|        | 914 012 030 14 | for                                    | 71-    |     | 914-2,0      |
|        |                | Rear window heating                    |        |     | ]            |
| -      | 914 612 057 10 | Wiring harness                         |        | 1   | 914-4        |
|        |                | Switch                                 |        |     |              |
|        |                | for Fog headlamp                       |        |     |              |
|        |                | And                                    |        |     |              |
|        |                | Rear fog light                         |        |     |              |
| -      | 914 612 057 13 | Wiring harness                         | 72-    | 1   |              |
|        |                | Switch                                 |        |     |              |
|        |                | for                                    |        |     |              |
|        |                | Fog headlamp<br>And                    |        |     |              |
|        |                | Rear fog light                         |        |     |              |
|        |                | F 47229 00001>>                        |        |     |              |
| -      | 914 612 049 16 | Additional cables                      | 74-    | 1   | 914-1,8V/1,8 |
|        |                | for                                    |        |     | 914-2,0      |
|        |                | Emergency light switch Brake           |        |     |              |
|        |                | Single pole                            |        |     |              |
| -      | 914 612 053 10 | Wiring harness                         |        | 1   |              |
|        |                | for                                    |        |     |              |
|        |                | Radio                                  |        |     |              |
| _      | 914 612 055 10 | - BLAUPUNKT -<br>Cable for loudspeaker |        | 1   |              |
|        | 914 012 033 10 | for                                    |        |     |              |
|        |                | Radio                                  |        |     |              |
|        |                | - BLAUPUNKT -                          |        |     |              |
| -      | 914 612 115 10 | Additional cables                      |        | 1   | 914-4/1,7    |
|        |                | for Rear fog light                     |        |     | 914-2,0      |
| _      | 914 612 115 13 | Additional cables                      | 72-    | 1   | 914-4/1,7    |
|        |                | for                                    |        |     | 914-1,8V/1,8 |
|        |                | Rear fog light                         |        |     |              |
| -      | 914 612 065 10 | Additional cables for                  |        | 1   | 914-4        |
|        |                | Double                                 |        |     |              |
|        |                | Horn                                   |        |     |              |
| -      | 914 612 177 00 | Additional cables                      | 75-    | 1   | 914-1,8V/1,8 |
|        |                | for                                    |        |     | 914-2,0      |
|        |                | Double<br>Horn                         |        |     |              |
| _      | 914 612 067 10 | Diode                                  |        | 1   |              |
|        |                | with                                   |        |     |              |
|        |                | Cable                                  |        |     |              |
|        |                | for                                    |        |     |              |
|        | 914 612 132 12 | Relay<br>Wiring harness                |        | 1   |              |
| _      | 914 012 132 12 | for                                    |        |     |              |
|        |                | Brakes                                 |        |     |              |
|        |                | Warning system                         |        |     |              |
| _      | 914 612 173 00 | Additional cables                      | 74-    | 1   | 914-1,8V/1,8 |
|        |                | for<br>Headlight washer system         |        |     | 914-2,0      |
|        |                | (S)                                    |        |     |              |
| _      | 914 612 143 10 | Additional cables                      | 72-    | 1   |              |
|        |                | for                                    |        |     |              |
|        |                | Interval relay                         |        |     |              |

| Model: | 914 70         | Model life 1970>>1976     |        |     |       |
|--------|----------------|---------------------------|--------|-----|-------|
| Pos    | Part Number    | Description               | Remark | Qty | Model |
|        |                | Windscreen wiper system   |        |     |       |
| _      | 914 612 123 10 | Wiring harness            |        | 1   | 914-4 |
|        |                | Repair material           |        |     |       |
|        |                | FRONT luggage compartment |        |     |       |
| -      | 911 612 122 03 | Clutch                    |        | 1   |       |
|        |                | for                       |        |     |       |
|        |                | Regulator                 |        |     |       |
|        |                | Plate                     |        | _   |       |
| _      | 901 612 891 02 | Clutch                    |        | 1   |       |
|        |                | for<br>Sender             |        |     |       |
|        |                | Fuel-level indicator      |        |     |       |
|        |                | And                       |        |     |       |
|        |                | Blower                    |        |     |       |
| -      | 901 612 893 01 | Flat connector socket     |        | 1   |       |
|        |                | for                       |        |     |       |
|        |                | Regulator                 |        |     |       |
| -      | 999 652 167 40 | Terminal sleeve housing   |        | 1   |       |
|        |                | for                       |        |     |       |
|        | 930 612 914 00 | Generator                 |        | 1   |       |
| _      | 999 613 017 40 | Cap<br>  Covering         |        | 1   |       |
|        | 999 013 017 40 | for                       |        |     |       |
|        |                | Cable holder              |        |     |       |
| _      |                | 100 MM                    |        | Х   |       |
| -      |                | 70 MM                     |        | Х   |       |
| -      |                | 50 MM                     |        | X   |       |
| -      |                | 40 MM                     |        | X   |       |
| -      | 999 652 106 02 | Flat receptacle           |        | 12  | 914-4 |
|        |                | for Repair material       |        |     |       |
|        |                | Wiring harness            |        |     |       |
|        |                | 914 612 123 10            |        |     |       |
| _      | 999 652 107 02 | Flat receptacle           |        | 2   | 914-4 |
|        |                | for                       |        |     |       |
|        |                | Repair material           |        |     |       |
|        |                | Wiring harness            |        |     |       |
|        | 000 512 000 40 | 914 612 123 10            |        | _   |       |
| _      | 999 513 002 40 | Tie-wrap<br>for           |        | 2   |       |
|        |                | Headlamp                  |        |     |       |
|        |                | Housing                   |        |     |       |
| _      | N 020 910 4    | Tie-wrap                  |        | 2   |       |
|        |                | for                       |        |     |       |
|        |                | Headlamp                  |        |     |       |
|        |                | Housing                   |        |     |       |
| _      | 999 513 003 40 | Tie-wrap                  |        | 2   |       |
|        |                | for<br>Headlamp           |        |     |       |
|        |                | Housing                   |        |     |       |
| _      | 999 513 021 40 | Tie-wrap                  |        | 1   |       |
|        |                | for                       |        |     |       |
|        |                | Starter                   |        |     |       |
| -      | 999 513 007 40 | Tie-wrap                  |        | 2   |       |
|        |                | for                       |        |     |       |
|        |                | Engine                    |        |     |       |
|        |                | Cable 4                   |        |     |       |
| _      | 311 821 189    | Rubber washer             |        | 2   |       |
|        |                |                           |        | _   |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |
|        |                |                           |        |     |       |


PORSCHE Illustration: 902-15



| woder. | 914 70           | Widder life 1970>>1976       |        |             |       |
|--------|------------------|------------------------------|--------|-------------|-------|
| Pos    | Part Number      | Description                  | Remark | Qty         | Model |
|        |                  |                              |        | <del></del> |       |
|        |                  | Wiring harnesses             |        |             | 914-6 |
| 1      | 914 612 019 10   | Wiring harness               |        | 1           |       |
| (1)    | 914 612 018 13   | Wiring harness               | 72-    | 1           |       |
| (1)    | 914 612 047 10   | Wiring harness               |        | 1           |       |
| -      | 311 971 913      | Grommet                      |        | 1           |       |
|        |                  | for                          |        |             |       |
|        |                  | Handbrake contact piece      |        |             |       |
| 2      | 914 612 046 10   | Wiring harness               |        | 1           |       |
|        |                  | Control board                |        |             |       |
|        |                  | Engine                       |        |             |       |
| (2)    |                  | Wiring harness               |        | 1           |       |
|        |                  | Control board                |        |             |       |
|        |                  | Engine                       |        |             |       |
| -      | 914 612 317 12   | Wiring harness               | 72-    | 1           |       |
|        |                  | Wiring harness               |        |             |       |
|        |                  | Control board                |        |             |       |
| 3      | 914 612 041 10   | Wiring harness               |        | 1           |       |
|        |                  | Light                        |        | -           |       |
|        |                  | Instruments                  |        |             |       |
| _      | 914 612 145 10   | Connecting line              | 72-    | 1           |       |
|        |                  | Wiring harness               | , 2    | -           |       |
|        |                  | Oil temperature              |        |             |       |
|        |                  | Instrument cluster           |        |             |       |
| 4      | 999 611 919 20   | Ground strap                 |        | 1           |       |
| 4      | 999 011 919 20   | Transmission                 |        | +           |       |
|        |                  | suspension                   |        |             |       |
| _      | 901 612 043 01   | Positive cable               | 72-    | 1           |       |
| _      | 901 012 043 01   | Sender                       | 72-    | +           |       |
|        |                  |                              |        |             |       |
| 5      | 914 611 903 10   | Oil temperature Ground strap |        | 1           |       |
| 5      | 914 611 903 10   |                              |        | +           |       |
|        |                  | Battery                      |        |             |       |
|        |                  | Body                         |        |             |       |
| -      | 900 076 025 02   | Hexagon nut                  |        | 2           |       |
| _      | 900 076 064 02   | M 8<br>Hexagon nut           |        | 2           |       |
| _      | 900 070 004 02   | M 8                          |        |             |       |
| _      | N 012 228 3      | Spring washer                |        | 2           |       |
| _      | N 012 226 3      | B 8                          |        | 4           |       |
| 6      | 901 612 099 00   | Ground strap                 |        | 1           |       |
| 0      | 901 012 099 00   | Ignition coil                |        | +           |       |
|        |                  | KL.1                         |        |             |       |
|        | 911 617 107 00   | Diode                        |        | 1           |       |
|        | ] 311 017 107 00 | for                          |        |             |       |
|        |                  | Brake                        |        |             |       |
|        |                  | Warning function             |        |             |       |
| _      | 914 612 051 10   | Additional cables            |        | 1           |       |
|        | J14 012 031 10   | Direction indicator light    |        |             |       |
| _      | 914 612 052 10   | Additional cables            |        | 1           |       |
|        | 1 914 012 032 10 | High-beam headlight          |        |             |       |
|        | 914 612 057 10   | Wiring harness               |        | 1           |       |
|        | J14 012 037 10   | for fog lamp                 |        |             |       |
|        |                  | And                          |        |             |       |
|        |                  | Rear fog light               |        |             |       |
| _      | 914 612 132 12   | Wiring harness               |        | 1           |       |
|        |                  | for                          |        | -           |       |
|        |                  | Brake light switch           |        |             |       |
| _      |                  | Wiring harness               |        | 1           |       |
|        |                  | for                          |        | -           |       |
|        |                  | Brakes                       |        |             |       |
|        |                  | Warning function             |        |             |       |
|        | 914 612 054 10   | Wiring harness               |        | 1           |       |
|        | 71 012 034 10    | -BLAUPUNKT-                  |        |             |       |
|        |                  | Radio                        |        |             |       |
|        | <u>l</u>         | <del>-</del>                 |        | <u> </u>    | 1     |


| Part Number   Description   Remark   Qty   Model   | woder. | 914 70           | Wiodeline 1970>>1970  |        |                |       |
|--|--------|------------------|-----------------------|--------|----------------|-------|
| - 914 612 055 10   | Pos    | Part Number      | Description           | Remark | Qty            | Model |
| - SLADURNET- Rodio Rodio 914 612 115 10 Additional cables Rear fos light 914 612 000 10 Wirins harness - SECKER- Rodio 2014 612 007 10 Diode 72- 1 Diode 72- 1 Diode 72- 1 Diode 72- 2014 612 121 10 Wirins harness - SECKER- Rodio 2016 For Relay 2014 612 121 10 Wirins harness - SECKER- Rodio 2016 For Relay 2016 FOR Relay 2016 FOR Relay 2017 FOR Relay 2016 FOR Relay 2017 FOR Relay 2018 FOR Relay 2 |        |                  | ·                     |        | _              |       |
| Radio   Rear for   R   | -      | 914 612 055 10   | _                     |        | 1              |       |
| - 914 612 115 10 Additional cables Rear for glight Wiring harness - BSCKER- Radio Diode With Cable For Relay Wiring harness - BSCKER- Radio Diode With Cable For Relay Wiring harness - BSCKER- Radio Diode With Cable For Relay Wiring harness - BSCKER- Radio Diode With Cable For Relay Wiring harness - BSCKER- Radio Diode With Cable For Relay Wiring harness   1   PROWING FOR STATE   1   1   1   1   1   1   1   1   1  |        |                  | -BLAUPUNKT-           |        |                |       |
| Rear fog light   Wiring harmess   1   Rear fog light   |        |                  | Radio                 |        |                |       |
| Rear fog light   Wiring harmess   1   Rear fog light   | _      | 914 612 115 10   |                       |        | 1              |       |
| - 914 612 060 10   |        |                  |                       |        | -              |       |
| - BEECER- Radio Diode with Cable for Relay Hiring harness - Broker - Bl4 612 121 10 Wiring harness - Broker - Bl1 612 123 10 Wiring harness Repair material FRONT luguage compartment Connector housing Control board Broker - Bl1 612 122 02 Repair Wiring harness For Steering column switch Plug socket 12-pole Niving harness for Steering column switch - Bl1 612 887 00 Comector housing 2-pole Buzzer contact Steering lock Connector housing 10-pole Steering lock Ste |        |                  |                       |        |                |       |
| Radio   Diode   With   Cable   For   Relay     | _      | 914 612 060 10   |                       |        | 1              |       |
| -  |        |                  | -BECKER-              |        |                |       |
| with   Cable   for   Relay     |        |                  | Radio                 |        |                |       |
| Cable for   For   Relay  | _      | 914 612 067 10   | Diode                 | 72-    | 1              |       |
| Cable for   For   Relay  |        |                  | with                  |        |                |       |
| For Relay      |        |                  | I .                   |        |                |       |
| Relay   Wiring harness   1   RenKKER-   Radio     Wiring harness   -BRKKER-   Radio     Wiring harness   1   |        |                  |                       |        |                |       |
| - 914 612 121 10   |        |                  |                       |        |                |       |
| -BCKER- Radio - 914 612 123 10 Wiring harness Repair material FRONT luggage compartment Control board Ragine - 911 612 115 03 Control board Ragine - 911 612 122 02 Flug socket 1 12-pole AM Wiring harness for Steering column switch - 911 612 122 04 Plug socket 1 12-pole AM Wiring harness for Steering column switch - 911 612 887 00 Connector housing 1 2-pole Ruzzer contact Steering lock - 911 612 889 00 Connector housing 1 10-pole Steering lock - 901 612 891 02 Clutch Steering lock - 901 612 893 01 Flat connector socket 1 for Regulator - 999 652 167 40 Freminal sleeve housing 1 - 901 612 899 00 Clutch - 901 612 899 00 Clutch - 901 612 899 00 Flat connector socket 1 for Regulator - 999 651 107 40 Cap - 999 613 017 40 Cap - 999 613 017 40 Covering 7 Cable holder - Cable holder - 100 MM X - 70 MM X - |        |                  | _                     |        |                |       |
| Radio   Wiring harness   Repair material   Rep   | _      | 914 612 121 10   |                       |        | 1              |       |
| 1  |        |                  | -BECKER-              |        |                |       |
| Repair material   PRONT lugsage compartment  |        |                  | Radio                 |        |                |       |
| Repair material   PRONT lugsage compartment  | _      | 914 612 123 10   | Wiring harness        |        | 1              |       |
| FRONT luggage compartment Control board Control board Engine Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Connector housing 2-pole Buzzer contact Steering lock Connector housing 10-pole Steering lock Connector housing 10-pole Steering lock 10-pole Steering lock 10-pole Steering lock 10-pole Steering lock Clutch Sender And Plower Plat connector socket for Regulator Sequiator Plat connector socket for Generator Cutch Selerator Sel |        |                  |                       |        | _              |       |
| - 911 612 115 03 Connector housing Control board Engine Plug socket 12-pole AK Wiring harness for Steering column switch Plug socket 12-pole AK Wiring harness for Steering column switch Plug socket 12-pole AK Wiring harness for Steering column switch Plug socket 12-pole AK Wiring harness for Steering column switch Steering column switch Steering column switch Steering column switch Steering lock Connector housing 2-pole Buzzer contact Steering lock Steering lock Connector housing 10-pole Steering lock Steering lock Clutch Sender And Blower Blower Blower Blower Blower Sender Sender Connector socket for Regulator Terminal sleeve housing 1 for Generator Clutch 1 Sender |        |                  |                       |        |                |       |
| Control board   Engine   |        | 011 610 115 00   |                       |        | 1              |       |
| Engine   | -      | ATT 0TS TT2 03   | _                     |        | 1              |       |
| - 911 612 122 02 Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Connector housing 2-pole Buzzer contact Steering lock Connector housing 10-pole Steering lock Connector housing 10-pole Steering lock Clutch Seering lock Plug socket 11 Pole AM Wiring harness for Steering column switch Connector housing 1 - 2-pole Buzzer contact Steering lock Clutch Sender And Blower Plat connector socket for Regulator Plat connector socket for Cenerator Clutch for Generator Clutch for Generator Clutch for Cenerator Clutch for Cowering for Cable holder Loo MM X   |        |                  |                       |        |                |       |
| 12-pole   MM   Myring harness   for   Steering column switch   Plug socket   12-pole   MM   Wiring harness   for   Steering column switch   Plug socket   12-pole   MM   Wiring harness   for   Steering column switch   Steering column switch   Steering column switch   Steering column switch   Steering lock   Steering   |        |                  | Engine                |        |                |       |
| 12-pole   MM   Myring harness   for   Steering column switch   Plug socket   12-pole   MM   Wiring harness   for   Steering column switch   Plug socket   12-pole   MM   Wiring harness   for   Steering column switch   Steering column switch   Steering column switch   Steering column switch   Steering lock   Steering   | _      | 911 612 122 02   | Plug socket           |        | 1              |       |
| AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole AM Wiring harness for Steering column switch Plug socket 12-pole Pluzzer contact Steering lock Plug socket Plug sock Plug socket Plug s |        |                  |                       |        |                |       |
| Wiring harness   for   Steering column switch   1   1   1   1   2   2   2   4   1   2   2   2   4   1   2   2   2   4   1   2   2   2   4   1   2   2   2   4   1   2   2   2   4   4   2   2   2   2   4   4  |        |                  |                       |        |                |       |
| For   Steering column switch   1   1   1   2   2   2   4   2   2   2   4   2   2   |        |                  |                       |        |                |       |
| Steering column switch   Plug socket   1   12-pole   AM   Wiring harness   for   Steering column switch  |        |                  |                       |        |                |       |
| - 911 612 122 04   |        |                  |                       |        |                |       |
| 12-pole  |        |                  |                       |        |                |       |
| AM Wiring harness for Steering column switch Commector housing 2-pole Buzzer contact Steering lock - 911 612 889 00 Connector housing 10-pole Steering lock - 901 612 891 02 Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch 1 901 612 899 00 Clutch for Cabeh holder - 930 612 914 00 Cop 1 999 613 017 40 Covering for Cable holder 100 MM 70 MM X 50 MM X X 40 MM X X  | _      | 911 612 122 04   | Plug socket           |        | 1              |       |
| Wiring harness for Steering column switch  |        |                  | 12-pole               |        |                |       |
| For   Steering column switch   Connector housing   2-pole   Buzzer contact   Steering lock   |        |                  | AM                    |        |                |       |
| For   Steering column switch   Connector housing   2-pole   Buzzer contact   Steering lock   |        |                  |                       |        |                |       |
| Steering column switch   Connector housing   2-pole   Buzzer contact   Steering lock   Connector housing   1   1   1   1   1   1   1   1   1   |        |                  |                       |        |                |       |
| - 911 612 887 00   |        |                  |                       |        |                |       |
| 2-pole   |        |                  |                       |        |                |       |
| Buzzer contact Steering lock Connector housing 10-pole Steering lock  - 901 612 891 02 Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap - 999 613 017 40 Covering for Cable holder - 100 MM - 70 MM - 50 MM 40 MM  | _      | 911 612 887 00   |                       |        | ⊥              |       |
| Steering lock Connector housing 10-pole Steering lock Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap - 999 613 017 40 Covering for Cable holder 100 MM 70  |        |                  |                       |        |                |       |
| - 911 612 889 00 Connector housing 10-pole Steering lock - 901 612 891 02 Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder 100 MM X X 70 MM X X 40 MM   |        |                  | Buzzer contact        |        |                |       |
| - 911 612 889 00 Connector housing 10-pole Steering lock - 901 612 891 02 Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder 100 MM X X 70 MM X X 40 MM   |        |                  | Steering lock         |        |                |       |
| 10-pole   Steering lock   1  | _      | 911 612 889 00   |                       |        | 1              |       |
| Steering lock Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator Clutch for BHKZ - 930 612 914 00 Cap - 999 613 017 40 Covering for Cable holder 100 MM 70 MM 550 MM 40 MM 1 X   |        |                  |                       |        | _              |       |
| - 901 612 891 02 Clutch Sender And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder - 100 MM X X 50 MM 40 MM X X  |        |                  |                       |        |                |       |
| Sender   And   Blower  |        | 001 612 001 02   |                       |        | 1              |       |
| And Blower - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder 100 MM X 50 MM X 40 MM   | _      | 901 612 891 02   | I .                   |        | +              |       |
| Blower Flat connector socket for Regulator Terminal sleeve housing for Generator  - 901 612 899 00 Clutch for BHKZ  - 930 612 914 00 Cap 999 613 017 40 Covering for Cable holder 100 MM 70 MM 50 MM 40 MM X   |        |                  |                       |        |                |       |
| - 901 612 893 01 Flat connector socket for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch 1 for BHKZ - 930 612 914 00 Cap 1 1 Covering for Cable holder 100 MM X X 50 MM 40 MM X X   |        | 1                | And                   |        |                |       |
| for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder - 100 MM   |        |                  | Blower                |        |                |       |
| for Regulator - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder - 100 MM   | _      | 901 612 893 01   | Flat connector socket |        | 1              |       |
| Regulator Terminal sleeve housing for Generator  - 901 612 899 00 Clutch for BHKZ  - 930 612 914 00 Cap - 999 613 017 40 Covering for Cable holder - 100 MM - 70 MM - 50 MM 40 MM  X  X  X  X  X  X  X  X  X  X  X  X  |        |                  | for                   |        |                |       |
| - 999 652 167 40 Terminal sleeve housing for Generator - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder - 100 MM   |        |                  | I -                   |        |                |       |
| for Generator  - 901 612 899 00 Clutch for BHKZ  - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder  - 100 MM X - 70 MM X - 50 MM 40 MM   |        | 000 652 167 40   |                       |        | 1              |       |
| Generator Clutch for BHKZ - 930 612 914 00 Cap - 999 613 017 40 Covering for Cable holder - 100 MM 70 MM 50 MM 40 MM X 40 MM X 40 MM   | _      | 999 652 167 40   |                       |        | +              |       |
| - 901 612 899 00 Clutch for BHKZ - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder 100 MM X - 100 MM X - 50 MM X - 40 MM   |        |                  | I -                   |        |                |       |
| for BHKZ  - 930 612 914 00 Cap 1 - 999 613 017 40 Covering for Cable holder  - 100 MM X - 70 MM X - 50 MM X 40 MM  |        |                  | I .                   |        |                |       |
| BHKZ Cap 999 613 017 40 Covering for Cable holder 100 MM 70 MM 50 MM 40 MM X 40 MM X 40 MM   | _      | 901 612 899 00   | Clutch                |        | 1              |       |
| - 930 612 914 00 Cap 999 613 017 40 Covering for Cable holder 100 MM 70 MM X 70 MM 50 MM 40 MM X X   |        |                  | for                   |        |                |       |
| - 930 612 914 00 Cap 999 613 017 40 Covering for Cable holder 100 MM 70 MM X 70 MM 50 MM 40 MM X X   |        |                  | BHKZ                  |        |                |       |
| - 999 613 017 40 Covering  | l _    | 930 612 914 00   |                       |        | l <sub>1</sub> |       |
| for Cable holder  - 100 MM   |        | 1                |                       |        | 1              |       |
| Cable holder  100 MM  70 MM  X  50 MM  X  40 MM  | _      | 222 OT 2 OT / 40 |                       |        | <b>_</b>       |       |
| -  |        | 1                | I .                   |        |                |       |
| - 70 MM X X X X X 40 MM X X  |        | 1                |                       |        |                |       |
| -  | -      |                  | 100 MM                |        | X              |       |
| -  | _      |                  | 70 MM                 |        | Х              |       |
| - 40 MM X  | _      | 1                |                       |        | X              |       |
|  | l _    | 1                |                       |        |                |       |
| - 999 002 100 02 Fiat receptable 12  |        | 999 652 106 02   |                       |        | 1              |       |
|  |        | 799 UJZ 1UU UZ   | Trial receptable      |        | 14             |       |

| woder. | 914 70         | Woderlife 1970>>1976 |        |     |  |
|--------|----------------|----------------------|--------|-----|--|
| Pos    | Part Number    | Description          | Remark | Qty | Model  |
|        |                | for                  |        |     |  |
|        |                | 914.612.123.10       |        |     |  |
|        |                | Repair kit           |        |     |  |
|        |                | Cable holder         |        |     |  |
| -      | 999 652 107 02 | Flat receptacle      |        | 2   |  |
|        |                | for 914.612.123.10   |        |     |  |
|        |                | Repair kit           |        |     |  |
|        |                | Cable holder         |        |     |  |
| -      | 999 513 002 40 | Tie-wrap             |        | 2   |  |
|        |                | for                  |        |     |  |
|        |                | Headlamp             |        |     |  |
| _      | N 020 910 4    | Housing<br>Tie-wrap  |        | 2   |  |
| _      | N 020 910 4    | for                  |        | 4   |  |
|        |                | Headlamp             |        |     |  |
|        |                | Housing              |        |     |  |
| -      | 999 513 003 40 | Tie-wrap             |        | 2   |  |
|        |                | for                  |        |     |  |
|        |                | Headlamp             |        |     |  |
| _      | 999 513 021 40 | Housing<br>Tie-wrap  |        | 1   |  |
| _      | 999 513 021 40 | for                  |        |     |  |
|        |                | Starter              |        |     |  |
| -      | 999 513 023 40 | Tie-wrap             |        | 1   |  |
|        |                | for                  |        |     |  |
|        |                | Cable                |        |     |  |
|        |                | BHKZ                 |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        |                |                      |        |     |  |
|        | L              | I                    |        |     | <u>.                                    </u> |



| Model:                  | 914 70   | Model life 19/0>>19/6   |             |                  |   |
|-------------------------|--|---|-------------|------------------|---|
| Pos                     | Part Number  | Description   | Remark      | Qty              | Model   |
| 1                       | 911 613 901 00   | Switch Dashboard trim Steering lock without Buzzer contact with                 |             | 1                | 914-6   |
| (1)                     | 911 613 902 00   | Key W/o stipulated lock number Steering lock with Buzzer contact with           |             | 1                | 914-6   |
| (1)                     | 911 613 903 01   | Key W/o stipulated lock number Steering lock without Buzzer contact with        |             | 1                | 914-6   |
| (1)                     | 911 613 904 01   | Key State lock number Steering lock with Buzzer contact with Key                |             | 1                | 914-6   |
| 2<br>3<br>4<br>5<br>5/1 | 999 219 017 02<br>911 613 017 01<br>911 347 613 00<br>911 613 125 00<br>914 615 112 10 | State lock number Shear bolt Ignition starter switch Shim Buzzer contact Buzzer | <b>-</b> 73 | 2<br>1<br>1<br>1 | 914-6<br>914-6<br>914-6<br>914-6<br>914-6/4/1,7 |
| 3/1                     | 914 013 112 10   | Buzzer  | - 73        |                  | 914-0/4/1,7                                     |
| 6                       | 914 613 163 00   | Trim cover  |             | 1                | 914-6   |
| 7 (7)                   | 914 613 414 10<br>914 613 414 15   | Light switch Light switch See classic technical information 2/94                | -71<br>72-  | 1                | 914-6/4<br>914-1,7/1,8V<br>914-1,8/2,0          |
| 8 (8)                   | 111 941 541 F  | Knob<br>Knob  | -71<br>72-  | 3                | 914-6/4<br>914-1,7/1,8V<br>914-1,8/2,0          |
| 9 (9)                   | 111 941 543 G<br>113 941 543 B   | Cap with symbol Cap with symbol Not for   |             | 1                | , , , , ,                                       |
| 10                      | 111 941 515 D  | TYP 914-1,8V<br>Rosette<br>M 14 X 1   |             | 4                |   |
| 11 (11)                 | 411 953 235 A<br>411 953 235 B   | Hazard warning light sw. Emergency light switch Not for TYP 914-1,8V            |             | 1                |   |
| 12<br>(12)              | 914 613 433 10<br>411 953 245 A  | Knob<br>Knob  | -71<br>72-  | 1                | 914-6/4<br>914-1,7/1,8<br>914-2,0               |
| 13                      | 900 631 129 90   | Bulb<br>W 2 X 4,6 D - 12 V 1,2 W  |             | 3                |   |
| 14                      | 111 941 543 F  | Cap with symbol Red without Identification for                                  |             | 1                |   |
| 14/1                    | 113 941 543 E  | Emergency light switch Cap with symbol Transparent                              |             | 1                |   |

| woder.  | 914 70                           | Widderlife 1970>>1970  |            |          |  |
|---------|----------------------------------|--|------------|----------|--|
| Pos     | Part Number                      | Description  | Remark     | Qty      | Model                                  |
| _       | 914 613 030 15                   | Red<br>Not for<br>TYP 914-1,8V<br>Switch for rear fog light        |            | 1        |  |
|         |                                  | Complete for Rear fog light And Fog headlamp                       |            |          |  |
| 15      | 914 613 419 11                   | Switch housing Fog headlamp Rear window heating Rear fog light     |            | 1        |  |
| 16 (16) | 914 613 435 10<br>111 953 245 E  | Knob<br>Knob   | -71<br>72- | 1        | 914-6/4<br>914-1,7/1,8V<br>914-1,8/2,0 |
| 17      | 411 941 543 C                    | Cap with symbol Transparent Green for Rear window Heatable         |            | 1        |  |
| 17/1    | 111 941 543 н                    | Cap with symbol Transparent Yellow for Rear fog light Fog headlamp |            | 1        |  |
| 18      | 141 955 517 A                    | Wiper switch   |            | 1        | 914-4                                  |
| 19      | 111 941 547                      | Spring   |            | 1        | 914-4                                  |
| 20      | 914 613 428 10                   | Knob   |            | 1        | 914-4                                  |
| 21 22   | 111 941 515 D                    | Rosette M 14 X 1 Blower switch                                     |            | 1        | 914-4                                  |
|         |                                  | Complete<br>See group<br>8/13/00                                   |            |          |  |
| 23      | 901 613 114 00                   | Cover F >>47529 00010  |            | 1        |  |
| 25      | PCG 652 104 11<br>911 613 235 01 | Cigarette lighter Complete Cap with symbol                         |            | 1        |  |
| 25      | 911 613 235 02                   | for Cigarette lighter Cap with symbol                              |            | 1        |  |
| 26      | 914 652 115 10                   | for<br>Cigarette lighter<br>Clamping washer                        |            | 1        |  |
|         |                                  | for<br>Cigarette lighter<br>914.652.104.10                         |            |          |  |
| 27      | 644 652 112 00                   | Glower   |            | 1        |  |
| 28      | 901 652 122 01                   | Cigarette lighter Connector Cigarette lighter                      |            | 1        |  |
| 29      | 901 613 801 00                   | Cigarette lighter with Picture 8, 25, 27 Connector                 |            | 1        |  |
| 30      | 911 613 319 01                   | Tip switch Headlight washer system (S)                             | 74-        | 1        | 914-1,8V/1,8<br>914-2,0                |
| L       | 1                                | 1  | l .        | <u> </u> | 1                                      |




| Niodei.  | 914 70         | Model life 1970>>1970             | I Daniel | 10: | I Mandal              |
|----------|----------------|-----------------------------------|----------|-----|-----------------------|
| Pos      | Part Number    | Description                       | Remark   | Qty | Model                 |
|          |                | Switch                            |          |     |                       |
|          |                | Relay                             |          |     |                       |
|          |                | Horn                              |          |     |                       |
|          |                | Combined switch                   |          |     | 914-6                 |
|          |                | See group                         |          |     |                       |
|          |                | 9/03/10                           |          |     |                       |
|          |                | Steering column switch            | -71      |     |                       |
|          |                | See group                         |          |     |                       |
|          |                | 9/03/15                           | F 0      |     |                       |
|          |                | Steering column switch            | 72-      |     |                       |
|          |                | See group 9/03/20                 |          |     |                       |
| 1        | 914 618 410 00 | Interval relay                    | -72      | 1   | 914-4                 |
| (1)      | 111 955 531    | Interval relay Interval relay     | 73-      |     | 914-4<br>914-1,7/1,8V |
| ( 1 )    | 111 733 331    | Interval relay                    | 73       | 1   | 914-1,8/2,0           |
| 2        | 911 613 411 00 | Brake light switch                |          | 1   | 714 1,0/2,0           |
| 2        | 911 613 411 01 | Brake light switch                |          | 1 1 |                       |
| 3        | 113 947 561 D  | Contact switch                    | -73      | 1   | 914-6/4/1,7           |
|          |                | Handbrake contact piece           |          | -   | 914-2,0               |
| (3)      | 113 947 561 G  | Contact switch                    | /2,0 74- | 1   | 914-1,8V/1,8          |
| ' '      |                | Handbrake contact piece           |          |     |                       |
| (3)      | 113 947 561 D  | Contact switch                    | 2,0 -73  | 2   | 914-6/4/1,7           |
| (3)      | 113 947 561 G  | Contact switch                    | 74-      | 2   | 914-1,8V/2,0          |
| (3)      | 113 947 561 E  | Door contact switch               | 2,0 -73  | 2   | 914-6/4/1,7           |
| (3)      | 113 947 561 н  | Switch                            | 74-      | 2   | 914-1,8/2,0           |
| 4        | 113 947 565    | Gasket                            |          | 2   |                       |
|          |                | for                               |          |     |                       |
|          |                | Door contact switch               |          |     |                       |
| 5        | N 013 958 7    | Oval-head sheetmetal screw        |          | 2   |                       |
|          |                | A 3,5 X 19                        |          |     |                       |
| 6        | 133 919 439    | Warning time relay                | 74-      | 1   | 914-1,8/2,0           |
|          |                | Seat belt                         |          |     |                       |
|          |                | Replacement                       |          |     |                       |
|          |                | 911 617 118 00<br>F >>47529 07947 |          |     |                       |
| (6)      | 321 919 433    | Warning time relay                |          | 1   | 914-1,8/2,0           |
| (0)      | 321 919 433    | F 47529 07948>>                   |          | 1   | 914-1,8/2,0           |
| 7        | 914 615 123 00 | Terminal sleeve housing           | 74-      | 1   | 914-1,8/2,0           |
| <b>'</b> | 714 013 123 00 | F >>47529 07947                   | 7 4      | 1   | J14 1,0/2,0           |
| (7)      | 911 615 123 00 | Relay carrier                     |          | 1 1 | 914-1,8/2,0           |
|          | 711 013 123 00 | for                               |          | -   | 311 1,0,2,0           |
|          |                | 171 919 433                       |          |     |                       |
| 8        | N 013 970 5    | Oval-head sheetmetal screw        | 74-      | 2   | 914-1,8/2,0           |
|          |                | BZ 4,8 X 9,5                      |          |     |                       |
| 8        | N 106 568 02   | Oval-head sheetmetal screw        | 74-      | 2   | 914-1,8/2,0           |
|          |                | B 4,8 X 9,5                       |          |     |                       |
| 9        |                | Oil pressure switch               |          | Х   | 914-6                 |
|          |                | See group                         |          |     |                       |
|          |                | 1/01/10                           |          |     |                       |
| (9)      |                | Oil pressure switch               |          | X   |                       |
|          |                | See group                         |          |     |                       |
|          |                | 1/14/00                           |          |     |                       |
| 10       |                | Water protection cap              |          | X   |                       |
|          |                | for                               |          |     |                       |
|          |                | Oil pressure switch               |          |     |                       |
|          |                | See group                         |          |     |                       |
|          |                | 1/01/10                           |          |     |                       |
| 11       |                | Back-up light switch              |          | X   |                       |
|          |                | with                              |          |     |                       |
|          |                | Sealing ring                      |          |     |                       |
|          |                | See group 3/02/00                 |          |     |                       |
| (11)     |                | Back-up light switch              |          | X   | SPM                   |
| ( + + /  |                | Dack ab 113116 BM10CII            |          | ^   | 5111                  |


| Pos  | Part Number    | Description                         | Remark    | Otv | Model                     |
|------|----------------|-------------------------------------|-----------|-----|---------------------------|
| -08  | rait Nuillber  | •                                   | Nelliai K | Qty | IVIOUEI                   |
|      |                | with Sealing ring                   |           |     |                           |
|      |                | See group                           |           |     |                           |
|      |                | 3/08/00                             |           |     |                           |
| 12   |                | Protection cap                      |           | X   |                           |
|      |                | for Back-up light switch            |           |     |                           |
|      |                | See group                           |           |     |                           |
|      |                | 3/02/00                             |           |     |                           |
| 13   |                | Remote temperature sensor See group |           | X   |                           |
|      |                | 1/01/10                             |           |     |                           |
| 14   |                | Sealing ring                        |           | Х   |                           |
|      |                | See group                           |           |     |                           |
| 15   | 911 615 109 01 | 1/01/10<br>Standard type relay      |           | 7   |                           |
| 15   |                | Standard type relay                 |           | 6   | 914-6                     |
| 16   | 111 941 583    | Relay                               |           | 1   | 914-4/1,7                 |
|      |                | for Dipped beam                     |           |     | 914-1,8V/2,0              |
|      |                | And                                 |           |     |                           |
|      |                | High-beam headlight                 |           |     |                           |
| (16) |                | Relay<br>for                        |           | 1   | 914-4/1,7<br>914-1,8V/2,0 |
|      |                | Dipped beam                         |           |     | 914-1,00/2,0              |
| 17   | 914 618 303 11 | Flasher relay                       | -72       | 1   | 914-6/4                   |
| (17) |                | Flasher relay                       | 73-       | 1   | 914-1,7/1,8V              |
| 18   |                | Temperature switch                  |           | X   | 914-1,8/2,0<br>914-6:SPM  |
|      |                | See group                           |           |     |                           |
| 1.0  |                | 3/07/05                             |           |     | 014 6 774                 |
| 19   |                | Sealing ring See group              |           | Х   | 914-6:SPM                 |
|      |                | 3/07/05                             |           |     |                           |
| 20   |                | Bridging switch                     |           | X   | 914-6:SPM                 |
|      |                | See group 3/08/00                   |           |     |                           |
| 21   |                | Brake light switch                  |           | Х   |                           |
|      |                | See group                           |           |     |                           |
| 22   |                | 6/04/00<br>Water protection cap     |           | X   |                           |
|      |                | See group                           |           |     |                           |
|      |                | 6/04/00                             |           |     |                           |
| 23   | 914 635 103 11 | Horn<br>- HELLA -                   |           | 1   |                           |
|      |                | 335 HZ                              |           |     |                           |
| (23) | 914 635 104 11 | Horn                                |           | 1   |                           |
|      |                | - HELLA -<br>400 HZ                 |           |     |                           |
| 24   | N 012 132 2    | Shake-proof washer                  | -74       | 1   |                           |
|      |                | A 8,4                               |           |     |                           |
| 24   |                | Shake-proof washer A 8,4            | -74       | 2   | 914-6                     |
| 25   | 900 075 078 02 | Hexagon-head bolt                   | -74       | 1   |                           |
|      |                | M 8 X 15                            |           |     |                           |
| 25   | 900 075 078 03 | Hexagon-head bolt<br>M 8 X 15       |           | 1   |                           |
| 25   | 900 075 078 02 | Hexagon-head bolt                   | -74       | 2   | 914-6                     |
|      |                | M 8 X 15                            |           |     |                           |
| 25   | 900 075 078 03 | Hexagon-head bolt<br>M 8 X 15       |           | 2   | 914-6                     |
| 26   | 999 703 089 40 | M 8 X 15<br>Square nut              | -74       | 1   |                           |
|      |                | Not for                             |           |     |                           |
|      |                |                                     |           |     |                           |

| woder. | 914 70         | Woder life 1970>>1976 |        |          |              |
|--------|----------------|-----------------------|--------|----------|--------------|
| Pos    | Part Number    | Description           | Remark | Qty      | Model        |
|        |                |                       |        | <u> </u> | <u> </u>     |
|        |                | TYP 914-6             |        |          |              |
| -      | 900 076 025 02 | Hexagon nut           | 75-    | 1        | 914-1,8V/1,8 |
|        |                | м 8                   |        |          | 914-2,0      |
| -      | 900 076 064 02 | Hexagon nut           | 75-    | 1        | 914-1,8V/1,8 |
|        |                | м 8                   |        |          | 914-2,0      |
| -      | 900 027 015 02 | Lock ring             | 75-    | 1        | 914-1,8V/1,8 |
|        |                | В 8                   |        |          | 914-2,0      |
| -      | 900 027 015 03 | Lock ring             | 75-    | 1        | 914-1,8V/1,8 |
|        |                | В 8                   |        |          | 914-2,0      |
| 27     | 901 741 801 00 | Sender                |        | 1        |              |
|        |                | Electric              |        |          |              |
| 28     | 477 919 133    | Sealing ring          |        | 1        |              |
| 29     | N 011 556 2    | Washer                |        | 5        |              |
|        |                | 5,3                   |        |          |              |
| 30     | N 010 207 6    | Hexagon-head bolt     |        | 5        |              |
|        |                | M 5 X 12              |        |          |              |
| 30     | N 010 207 17   | Hexagon-head bolt     |        | 5        |              |
|        |                | M 5 X 12              |        | -        |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
| 1      |                |                       |        |          |              |
|        |                |                       |        |          |              |
| 1      |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        | 1              |                       |        |          |              |
|        |                |                       |        |          |              |
| 1      |                |                       |        |          |              |
| 1      |                |                       |        |          |              |
| 1      |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
| 1      | 1              |                       |        |          |              |
| 1      |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |
|        |                |                       |        |          |              |

PORSCHE Illustration: 903-10




| D.  | 51470          | modernie 1970/21970    | [B]    | 0.     |       |
|-----|----------------|------------------------|--------|--------|-------|
| Pos | Part Number    | Description            | Remark | Qty    | Model |
|     |                | Steering column switch |        |        | 914-6 |
| 1   | 914 613 303 10 | Combined switch        |        | 1      |       |
| 2   | 914 613 302 10 | Wiper switch           |        | 1      |       |
| 3   | 901 552 853 00 | Handle                 |        | 1      |       |
|     |                | for                    |        |        |       |
|     |                | Switch                 |        |        |       |
| 4   | 901 613 352 00 | Spring                 |        | 2      |       |
| 4   | 901 613 352 01 | Tension spring         |        | 2      |       |
| 5   | 901 613 918 00 | Tension spring         |        | 1      |       |
| 6   | 901 613 920 00 | Clamping piece         |        | 3      |       |
| 7   | 901 613 919 00 | Pan-head screw         |        | 3<br>6 |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |
|     |                |                        |        |        |       |




| woder. | 914 70         | Woderlife 1970>>1976                    |        |  |          |
|--------|----------------|---|--------|--|----------|
| Pos    | Part Number    | Description                             | Remark | Qty  | Model    |
|        |                | <u> </u>                                |        | <del>                                     </del> |          |
|        |                | Steering column switch                  | -71    |  | 914-4    |
| -      | 914 613 305 10 | Steering column switch                  | -70    | 1  |          |
| -      | 914 613 306 12 | Steering column switch                  | 71-    | 1  |          |
|        |                | F 47129 11715>>                         |        |  |          |
| -      | 914 613 306 10 | Steering column switch                  | -70    | 1  |          |
|        |                | with                                    |        |  |          |
|        |                | Buzzer contact                          |        |  |          |
| _      | 914 613 306 12 | Steering column switch                  | 71-    | 1  |          |
|        |                | with                                    |        |  |          |
|        |                | Buzzer contact                          |        |  |          |
|        |                | F 47129 09637>>                         |        |  |          |
| _      | 111 953 572    | Spacer sleeve                           |        | 2  |          |
| 1      | 311 905 865 A  | Ignition starter switch                 | -70    | 1  |          |
| (1)    | 311 905 865 B  | Ignition starter switch                 | 71-    | 1  |          |
| . ,    |                | with                                    |        |  |          |
|        |                | Buzzer contact                          |        |  |          |
|        |                | F 47129 09637>>                         |        |  |          |
| 2      | 914 613 927 12 | Direction indicator switch              | -70    | 1  |          |
| -      |                | Upper part                              | , 0    | -  |          |
| (2)    |                | Direction indicator switch              | 71-    | 1  |          |
| (2)    |                | Upper part                              | , -    | -  |          |
|        |                | F 47129 09637>>                         |        |  |          |
| 3      | 113 905 887    |   | -70    | 1  |          |
| 3      | 113 905 887    | Steering lock with                      | -70    |  |          |
|        |                | Buzzer contact                          |        |  |          |
|        |                | without                                 |        |  |          |
|        |                |   |        |  |          |
| (2)    | 111 005 051 37 | Ignition starter switch                 | 71     | 1  |          |
| (3)    | 111 905 851 N  | Steering lock                           | 71-    | 1  |          |
|        |                | without                                 |        |  |          |
|        |                | Ignition starter switch F 47129 09637>> |        |  |          |
|        | 014 613 000 10 |   | 71-    | 1  |          |
| -      | 914 613 929 12 | Steering lock                           | /1-    | 1  |          |
|        |                | with Ignition starter switch            |        |  |          |
|        |                | F 47129 09637>>                         |        |  |          |
| 4      | 914 613 903 10 | Rubber stop                             |        | 1  |          |
| 4 5    | 111 953 573    | Oval-head screw                         |        | 4  |          |
| )      | 111 953 573    | for                                     |        | 4  |          |
|        |                | Direction indicator switch              |        |  |          |
|        |                | Upper part                              |        |  |          |
| 6      | 914 613 904 10 | Insulating piece                        |        | 1  |          |
| 7      | 111 953 577    | Slide                                   |        | 2  |          |
| 8      | 111 953 577    | Spring                                  |        |  |          |
| 0      | 111 953 575    | for                                     |        | +  |          |
|        |                | Direction indicator switch              |        |  |          |
|        |                | Upper part                              |        |  |          |
| 9      | 111 953 563    | Circlip                                 |        | 1  |          |
|        | 111 953 503    | for                                     |        |  |          |
|        |                | Ball bearing                            |        |  |          |
| 10     | 914 347 168 00 | Washer                                  |        | 1  |          |
| 11     | 900 052 202 00 | Ball bearing                            |        | 1  |          |
|        | 000 032 202 00 | 6 1905                                  |        | -  |          |
| 12     | N 010 811 1    | Pan-head screw                          |        | 2  |          |
| 1 12   | N 010 011 1    | AM 5 X 8                                |        |  |          |
| 13     | N 014 709 1    | Pan-head screw                          |        | 1  |          |
| 1 13   | N 014 709 1    | M 8 X 22                                |        |  |          |
| 14     | 911 612 121 03 | Connector                               | -70    | l <sub>1</sub>                                   |          |
| 1 1    | 1              | 12-pole                                 | 7.0    | -  |          |
| (14)   | 911 612 113 05 | Connector housing                       | 71-    | 1  |          |
| (13)   | 711 012 113 03 | 14-pole                                 | , ±    | -  |          |
|        |                | F 47129 09637>>                         |        |  |          |
| 15     | 914 613 908 10 | Slip ring                               |        | 1  |          |
| 16     | 914 613 909 10 | Screw                                   |        | 4  |          |
|        | 1              | 1                                       | Ĺ      | <u> </u>   | <u>l</u> |

| Model:   | 914 /0                           | Model life 1970>>1976  |        |     |       |
|----------|----------------------------------|--|--------|-----|-------|
| Pos      | Part Number                      | Description  | Remark | Qty | Model |
| 17       | 914 613 910 10                   | for<br>Slip ring<br>Washer<br>for                                    |        | 4   |       |
| 18<br>19 | 914 613 911 10<br>911 612 122 02 | Slip ring<br>Cable<br>Plug socket                                    | -70    | 1 1 |       |
|          |                                  | 12-pole<br>for<br>Steering column switch                             |        |     |       |
| 19       | 911 612 122 04                   | Plug socket 12-pole for Steering column switch                       |        | 1   |       |
| (19)     | 911 612 115 02                   | Connector housing 14-pole for Steering column switch F 47129 09637>> | 71-    | 1   |       |
| 20       | 914 347 903 00                   | Cylinder with keys W/o stipulated lock number                        | -70    | 1   |       |
| (20)     | 914 347 903 02                   | Lock cylinder with keys W/o stipulated lock number F 47129 09637>>   | 71-    | 1   |       |
| (20)     | 914 347 904 02                   | Cylinder with keys State lock number F 47129 09637>>                 | 71-    | 1   |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |
|          |                                  |  |        |     |       |




| Model:      | 914 /0         | Model life 1970>>1976      |        |             |       |
|-------------|----------------|----------------------------|--------|-------------|-------|
| Pos         | Part Number    | Description                | Remark | Qty         | Model |
| <del></del> |                |                            |        | <del></del> | 1     |
|             | 014 610 006 1- | Steering column switch     | 72-74  | ,           |       |
| -           | 914 613 306 17 | Steering column switch     | 72-    | 1           |       |
|             |                | Combined switch            |        |             |       |
|             |                | with                       |        |             |       |
|             |                | Steering lock              |        |             |       |
|             |                | Ignition starter switch    |        |             |       |
|             |                | without lock cylinder      |        | _           |       |
| 1           | 914 613 913 14 | Direction indicator switch |        | 1           |       |
| 2           | 914 613 915 14 | Wiper switch               |        | 1           |       |
| 3           | 111 905 851 N  | Steering lock              |        | 1           |       |
| 4           | N 013 042 2    | Threaded pin               |        | 1           |       |
| 5           | 111 905 865 K  | Ignition starter switch    |        | 1           |       |
| 6           | 111 953 575    | Spring                     |        | 1           |       |
| 7           | 111 953 573 A  | Oval-head screw            |        | 4           |       |
| 8           | N 010 811 1    | Pan-head screw             |        | 2           |       |
| (8)         | N 012 005 3    | Lock ring                  |        | 2           |       |
| 9           | 111 953 559 A  | Ball bearing               |        | 1           |       |
| 10          | 111 953 563 A  | Circlip                    |        | 1           |       |
| 11          | N 010 802 2    | Oval-head screw            |        | 2           |       |
| 12          | 111 953 553    | Valve                      |        | 1           |       |
|             |                | Windscreen washer system   |        | ١.          |       |
| 13          | 111 953 572 A  | Spacer sleeve              |        | 4           |       |
| 14          | 914 347 903 02 | Lock cylinder              |        | 1           |       |
|             |                | with keys                  |        |             |       |
| l           | l              | W/o stipulated lock number |        |             |       |
| 14          | 914 347 904 02 | Cylinder                   |        | 1           |       |
|             |                | with keys                  |        |             |       |
|             |                | State lock number          |        |             |       |
| 15          | 111 953 631    | Terminal sleeve housing    |        | 1           |       |
| 1.0         | 111 050 605    | Ignition starter switch    |        | _           |       |
| 16          | 111 953 635    | Terminal sleeve housing    |        | 1           |       |
|             |                | Wiper switch               |        |             |       |
| 17          | 111 953 633    | Terminal sleeve housing    |        | 1           |       |
| 1.0         |                | Direction indicator switch |        |             |       |
| 18          | N 014 707 4    | Pan-head screw             |        | 2           |       |
|             |                | M 8 X 16                   |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |
|             |                |                            |        |             |       |




| Model: | 914 70         | Model life 19/0>>19/6      |        |     |       |
|--------|----------------|----------------------------|--------|-----|-------|
| Pos    | Part Number    | Description                | Remark | Qty | Model |
|        | <del> </del>   | <u> </u>                   |        | + - |       |
|        | l              | Steering column switch     | 75-    | ١.  |       |
| -      | 914 613 306 18 | Steering column switch     | 75-    | 1   |       |
|        |                | Combined switch            |        |     |       |
|        |                | with                       |        |     |       |
|        |                | Steering lock              |        |     |       |
|        |                | Ignition starter switch    |        |     |       |
|        |                | without lock cylinder      |        |     |       |
| 1      | 914 613 913 15 | Direction indicator switch |        | 1 1 |       |
|        |                |                            |        | 1   |       |
| 2      | 914 613 915 15 | Wiper switch               |        | 1   |       |
| 4      | 111 905 865 L  | Ignition starter switch    |        | 1   |       |
| 5      | 914 613 932 00 | Spring washer              |        | 1   |       |
| 6      | 914 613 931 00 | Pan-head screw             |        | 1   |       |
| 7      | 111 953 575    | Spring                     |        | 1   |       |
| 8      | 111 953 573 A  | Oval-head screw            |        | 4   |       |
| 9      | 911 347 771 02 | Ball bearing               |        | 1   |       |
| 10     | 111 953 563 A  | Circlip                    |        | 1   |       |
|        | N 010 802 2    |                            |        |     |       |
| 11     |                | Oval-head screw            |        | 2   |       |
| 12     | 111 953 553    | Valve                      |        | 1   |       |
| 1      | 1              | Windscreen washer system   | 1      | 1   |       |
| 13     | 111 953 572    | Spacer sleeve              |        | 4   |       |
| 14     | 914 347 903 02 | Lock cylinder              |        | 1   |       |
| 1      |                | with keys                  |        |     |       |
| 1      | 1              | W/o stipulated lock number | 1      | 1   |       |
| 14     | 914 347 904 02 | Cylinder                   |        | 1   |       |
| 1 14   | 914 347 904 02 |                            |        | +   |       |
| 1      |                | with keys                  |        |     |       |
| 1      |                | State lock number          |        |     |       |
| 15     | 111 953 631    | Terminal sleeve housing    |        | 1   |       |
| 1      |                | Ignition starter switch    |        |     |       |
| 16     | 111 953 635    | Terminal sleeve housing    |        | 1   |       |
| 1      |                | Wiper switch               |        |     |       |
| 17     | 111 953 633    | Terminal sleeve housing    |        | 1   |       |
| '      |                | Direction indicator switch |        | -   |       |
| 1.0    | N 014 707 4    | l .                        |        |     |       |
| 18     | N 014 707 4    | Pan-head screw             |        | 2   |       |
|        | 1              | M 8 X 16                   |        |     |       |
|        | 1              |                            |        |     |       |
| 1      | 1              |                            | 1      | 1   |       |
| 1      | 1              |                            | 1      | 1   |       |
| 1      | 1              |                            | 1      | 1   |       |
|        | ĺ              |                            |        |     |       |
|        | ĺ              |                            |        |     |       |
| 1      | ĺ              |                            |        |     |       |
|        |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
|        | 1              |                            |        |     |       |
|        | 1              |                            |        |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        |                |                            |        |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
|        | 1              |                            | 1      |     |       |
| 1      | 1              |                            | 1      |     |       |
| 1      | 1              |                            | 1      |     |       |
| 1      |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
|        | 1              |                            | 1      |     |       |
| 1      | 1              |                            | 1      |     |       |
| 1      |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
| 1      |                |                            |        |     |       |
|        |                |                            |        | 1   |       |

PORSCHE Illustration: 904-00 PORSCHE



| Pos     | Part Number                      | Description                 | Remark | Qty | Model |
|---------|----------------------------------|-----------------------------|--------|-----|-------|
|         |                                  | Windscreen wiper system     | -71    | 1   | 914-6 |
| _       | 914 628 011 01                   | Windscreen wiper system     | -71    | 1   | 711 0 |
|         |                                  | Complete                    | , -    | -   |       |
|         |                                  | without                     |        |     |       |
|         |                                  | Wiper arm                   |        |     |       |
|         |                                  | Wiper blade                 |        |     |       |
|         |                                  | Switch                      |        |     |       |
| 1       | 914 628 019 10                   | Engine                      |        | 1   |       |
| 2       | 914 628 012 20                   | Crank drive                 |        | 1   |       |
|         |                                  | without                     |        |     |       |
|         |                                  | Engine                      |        |     |       |
|         |                                  | Ready for installation      |        |     |       |
|         |                                  | with Picture                |        |     |       |
|         |                                  | 6 - 11 + 19                 |        |     |       |
| 3       | 914 628 313 10                   | Wiper arm                   | /L     | 1   |       |
|         | 714 020 313 10                   | - SWF -                     | 7 1    | 1   |       |
| 3       | 964 628 028 01                   | Wiper arm                   | /L     | 1 1 |       |
|         |                                  | Together with               | , –    | -   |       |
|         |                                  | 96462802802                 |        |     |       |
|         |                                  | Use                         |        |     |       |
|         |                                  | Attention                   |        |     |       |
|         |                                  | Modification                |        |     |       |
|         |                                  | Version                     |        |     |       |
| 4       | 914 628 314 10                   | Wiper arm                   | /R     | 1   |       |
|         |                                  | - SWF -                     |        |     |       |
| (4)     | 964 628 028 02                   | Wiper arm                   | /R     | 1   |       |
|         |                                  | Together with 96462802801   |        |     |       |
|         |                                  | 96462802801<br>Use          |        |     |       |
|         |                                  | Attention                   |        |     |       |
|         |                                  | Modification                |        |     |       |
|         |                                  | Version                     |        |     |       |
| 5       | 914 628 311 10                   | Wiper blade                 |        | 2   |       |
|         |                                  | - SWF -                     |        |     |       |
| (5)     |                                  | Wiper blade                 |        | 2   |       |
|         |                                  | - bosch -                   |        |     |       |
| 6       | 901 628 922 00                   | Flange washer               |        | 4   |       |
|         |                                  | Chrome                      |        |     |       |
| 7       | 901 628 923 01                   | Rubber bush                 |        | 2   |       |
| 8       | 901 628 924 00                   | Rubber bush                 |        | 2   |       |
| 9<br>10 | 901 628 925 00<br>901 628 926 00 | Hexagon nut                 |        | 2 2 |       |
| 11      | 901 628 926 00                   | Cap<br>Spring washer        |        | 2   |       |
| 11      | 481 955 349                      | Spring washer Spring washer |        | 2   |       |
| 11      | 803 955 437                      | Spring washer               |        | 2   |       |
| 12      | 900 076 010 02                   | Nut                         |        | 2   |       |
|         |                                  | м 6                         |        |     |       |
| 12      | 900 076 010 0B                   | Nut                         |        | 2   |       |
|         |                                  | м 6                         |        |     |       |
| 13      | 914 628 901 00                   | Lock ring                   |        | 1   |       |
| 14      | N 042 121 1                      | Shake-proof washer          |        | 2   |       |
|         |                                  | J 6,4                       |        |     |       |
| 15      | 900 075 010 02                   | Hexagon nut                 |        | 2   |       |
| 1.5     | N 010 010 14                     | M 6 X 12                    |        |     |       |
| 15      | N 010 212 14                     | Hexagon-head bolt M 6 X 12  |        | 2   |       |
| 15      | 999 072 005 09                   | M 6 X 12<br>Hexagon nut     |        | 2   |       |
| 1.5     | 779 072 003 09                   | M 6 X 12                    |        |     |       |
| 15      | 999 072 005 01                   | Hexagon nut                 |        | 2   |       |
|         | 777 0,2 003 01                   | M 6 X 12                    |        |     |       |
| 16      | 914 628 906 00                   | Wiper contact               |        | 2   |       |
| 17      | 914 628 908 00                   | Armature                    |        | 1   |       |
| L       | 1                                |                             |        |     | 1     |


| woder.   | 91470     |                |    | Model life 1970>>1970 |        |     |       |
|----------|-----------|----------------|----|-----------------------|--------|-----|-------|
| Pos      | Part Numb | er             |    | Description           | Remark | Qty | Model |
| 18       | 914 628 9 | 002 0          | 10 | Retainer plate        |        | 1   |       |
| 19       | 001 620 3 | 903 0<br>241 0 | 10 | Con nut               |        | 2   |       |
| 19       | 901 628 3 | 341 0          |    | Cap nut               |        | ∠   |       |
|          |           |                |    | for                   |        |     |       |
|          |           |                |    | Wiper arm             |        |     |       |
|          |           |                |    | Mount                 |        |     |       |
| -        | 914 628 1 | 113 U          |    | Rubber buffer         |        | 1   |       |
| -        | 900 028 ( | 008 0          | )⊥ | Lock ring             |        | 1   |       |
|          |           |                |    | В 6                   |        | _   |       |
| -        | 900 076 ( | 010 0          |    | Nut                   |        | 1   |       |
|          |           |                |    | М б                   |        |     |       |
| -        | 900 076 ( | 010 0          | )B | Nut                   |        | 1   |       |
|          |           |                |    | M 6                   |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          | 1         |                |    |                       |        |     |       |
|          |           |                |    |                       |        |     |       |
| <u> </u> |           |                |    |                       |        |     |       |




| Model:   | 914 70                     | Model life 1970>>1976       |        |          |       |
|----------|----------------------------|-----------------------------|--------|----------|-------|
| Pos      | Part Number                | Description                 | Remark | Qty      | Model |
|          |                            | Windscreen wiper system     |        |          | 914   |
|          |                            |                             | 72-    |          | 914-6 |
| _        | 914 628 015 13             | Windscreen wiper system     | 72-    | 1        |       |
|          |                            | Complete                    |        |          |       |
|          |                            | without                     |        |          |       |
|          |                            | Wiper arm                   |        |          |       |
|          |                            | Wiper blade                 |        |          |       |
|          |                            | Switch                      |        |          |       |
| (1)      | 914 628 020 13             | Wiper motor                 | 72-    | 1        |       |
| 2        | 914 628 011 20             | Crank drive                 |        | 1        |       |
|          |                            | Crank drive without         |        |          |       |
|          |                            | Engine                      |        |          |       |
|          |                            | Complete                    |        |          |       |
|          |                            | with                        |        |          |       |
|          |                            | Picture                     |        |          |       |
|          |                            | 6 - 11 + 20                 |        |          |       |
| 3        | 914 628 313 10             | Wiper arm                   | /L     | 1        |       |
|          |                            | - SWF -                     |        |          |       |
|          |                            | Installation instructions   |        |          |       |
|          |                            | Attention                   |        |          |       |
| 3        | 964 628 028 01             | Wiper arm                   | /L     | 1        |       |
|          |                            | Together with               |        |          |       |
|          |                            | 96462802802                 |        |          |       |
|          |                            | Use<br>Attention            |        |          |       |
|          |                            | Modification                |        |          |       |
|          |                            | Version                     |        |          |       |
| 4        | 914 628 314 10             | Wiper arm                   | /R     | 1        |       |
|          |                            | - SWF -                     | ,      |          |       |
|          |                            | Installation instructions   |        |          |       |
|          |                            | Attention                   |        |          |       |
| (4)      | 964 628 028 02             | Wiper arm                   | /R     | 1        |       |
|          |                            | Together with               |        |          |       |
|          |                            | 96462802801                 |        |          |       |
|          |                            | Use<br>Attention            |        |          |       |
|          |                            | Modification                |        |          |       |
|          |                            | Version                     |        |          |       |
| 5        | 914 628 311 10             | Wiper blade                 |        | 2        |       |
|          | 711 020 311 10             | - SWF -                     |        | ~        |       |
| 6        | 901 628 922 00             | Flange washer               |        | 4        |       |
|          |                            | Chrome                      |        |          |       |
| 7        | 901 628 923 01             | Rubber bush                 |        | 2        |       |
| 8        | 901 628 924 00             | Rubber bush                 |        | 2        |       |
| 9        | 901 628 925 00             | Hexagon nut                 |        | 2        |       |
| 10       | 901 628 926 00             | Cap                         |        | 2        |       |
| 11<br>11 | 901 628 927 00             | Spring washer               |        | 2 2      |       |
| 11       | 481 955 349<br>803 955 437 | Spring washer Spring washer |        | 2        |       |
| 12       | 900 076 010 02             | Nut                         |        | 1        |       |
|          |                            | M 6                         |        | -        |       |
| 12       | 900 076 010 0B             | Nut                         |        | 1        |       |
|          |                            | м 6                         |        |          |       |
| 13       | 914 628 901 00             | Lock ring                   |        | 1        |       |
| 14       | 900 075 010 02             | Hexagon nut                 |        | 1        |       |
|          |                            | M 6 X 12                    |        | _        |       |
| 14       | N 010 212 14               | Hexagon-head bolt           |        | 1        |       |
| 1 4      | 000 072 005 00             | M 6 X 12                    |        | 1        |       |
| 14       | 999 072 005 09             | Hexagon nut                 |        | 1        |       |
| 14       | 999 072 005 01             | M 6 X 12<br>Hexagon nut     |        | 1        |       |
| 1 1      | 777 072 003 01             | M 6 X 12                    |        |          |       |
|          |                            | . = ==                      |        | <u> </u> |       |

| Pos | Part Number    | Description                 | Remark  | Qty | Model |
|-----|----------------|-----------------------------|---------|-----|-------|
|     |                |                             | Nomin N |     | model |
| 15  | N 042 121 1    | Shake-proof washer<br>J 6,4 |         | 1   |       |
| 20  | 901 628 341 00 | Cap nut                     |         | 2   |       |
| -   | 914 628 113 00 | Rubber buffer               |         | 1   |       |
| -   | 900 028 008 01 | Lock ring                   |         | 1   |       |
|     |                | В 6                         |         | _   |       |
| -   | 900 076 010 02 | Nut                         |         | 1   |       |
| _   | 900 076 010 0B | M 6<br>Nut                  |         | 1   |       |
|     | 700 070 010 0B | м 6                         |         | _   |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |
|     |                |                             |         |     |       |

PORSCHE Illustration: 904-10 PORSCHE




| woder. | 914 70         | Woder life 1970>>1970    |        |          |       |
|--------|----------------|--------------------------|--------|----------|-------|
| Pos    | Part Number    | Description              | Remark | Qty      | Model |
|        |                |                          | 71     |          | 014 6 |
|        |                | Windscreen washer system | -71    | _        | 914-6 |
| 1      | 914 628 080 10 | Container                |        | 1        |       |
|        |                | Complete                 |        |          |       |
| 2      | 999 507 336 02 | Captive nut              |        | 1        |       |
|        |                | М 6                      |        |          |       |
| 3      | N 010 215 13   | Hexagon-head bolt        |        | 1        |       |
|        |                | M 6 X 15                 |        |          |       |
| 4      | 900 151 006 09 | Washer                   |        | 1        |       |
|        |                | A 6,4                    |        |          |       |
| 5      | 644 628 741 02 | Spray nozzle             |        | 2        |       |
| 6      | 901 628 745 20 | T-piece                  |        | 1        |       |
| 7      | 901 628 749 20 | T-piece                  |        | 1        |       |
| 8      | 914 628 901 10 | Hose                     |        | *        |       |
|        |                | Plastic material         |        | Х        |       |
| 8      | PCG 628 901 10 | Hose                     |        | 1        |       |
|        | FCG 028 901 10 | 3000 mm                  |        |          |       |
|        | 014 600 841 00 |                          |        |          |       |
| 9      | 914 628 741 00 | Stopper                  |        | 3        |       |
| 10     | 928 628 074 01 | Pump                     |        | 1        |       |
|        |                | Electric                 |        |          |       |
|        |                | for                      |        |          |       |
|        |                | Windscreen washer system |        |          |       |
|        |                | 10 V                     |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
| 1      |                |                          |        |          |       |
|        |                |                          |        |          |       |
| 1      |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                |                          |        |          |       |
| 1      |                |                          |        |          |       |
|        |                |                          |        |          |       |
|        |                | Į.                       | !      | <u> </u> |       |




| Model: | 914 /0         | Model life 1970>>1976    |        |     |                         |
|--------|----------------|--------------------------|--------|-----|-------------------------|
| Pos    | Part Number    | Description              | Remark | Qty | Model                   |
|        |                | Windscreen washer system |        |     |                         |
| (1)    | 914 628 075 12 | Container                |        | 1   |                         |
| `-'    |                | Complete                 |        |     |                         |
| 2      | 999 507 336 02 | Captive nut              |        | 1   |                         |
|        |                | м 6                      |        |     |                         |
| 3      | N 010 215 13   | Hexagon-head bolt        |        | 1   |                         |
|        |                | M 6 X 15                 |        |     |                         |
| 4      | 900 151 006 09 | Washer                   |        | 1   |                         |
|        |                | A 6,4                    |        |     |                         |
| 5      | 644 628 741 02 | Spray nozzle             |        | 2   |                         |
|        |                | with                     |        |     |                         |
|        |                | Valve                    |        |     |                         |
|        |                | F >>47429 02453          |        |     |                         |
| 5/1    | 914 628 203 11 | Nozzle                   |        | 2   | 914-1,8V/1,8            |
|        |                | Black                    |        |     | 914-2,0                 |
|        | 001 600 545 00 | F 47429 02454>>          |        | _   |                         |
| 6      | 901 628 745 20 | T-piece                  |        | 1   |                         |
| E / 1  | 914 628 433 00 | F >>47429 02453<br>Valve |        | 1   | 014 1 077/1 0           |
| 6/1    | 714 028 433 UU | valve<br>  with          |        |     | 914-1,8V/1,8<br>914-2,0 |
|        |                | Valve                    |        |     | ) 14-4,U                |
|        |                | F 47429 02454>>          |        |     |                         |
| 7      | 914 628 022 10 | Hose                     |        | 1   |                         |
| '      | 714 020 022 10 | Container                |        |     |                         |
| 7/1    | 914 628 021 10 | Hose                     |        | 1   |                         |
| ''     |                | Connecting piece         |        | ] - |                         |
|        |                | Emergency wheel          |        |     |                         |
| 8      | 914 628 901 11 | Hose                     |        | *   |                         |
| 9      | 113 955 481    | Union nut                |        | 1   |                         |
|        |                | for                      |        |     |                         |
|        |                | Hose                     |        |     |                         |
| 10     | 914 628 191 10 | Rubber sleeve            |        | 1   |                         |
|        |                | Switch                   |        |     |                         |
|        |                | for                      |        |     |                         |
|        |                | Windscreen wiper system  |        |     |                         |
|        |                | See group                |        |     |                         |
|        |                | 9/03/00                  |        |     |                         |
| 11     | 111 971 521 A  | Hose                     |        | X   |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |
|        |                |                          |        |     |                         |

PORSCHE Illustration: 904-20



| Model: | 914 /0         | Model life 1970>>1976   |        |     |       |
|--------|----------------|-------------------------|--------|-----|-------|
| Pos    | Part Number    | Description             | Remark | Qty | Model |
|        |                | Headlight washer system | 74-    |     |       |
| 1      | 914 628 031 10 | Water reservoir         | / =    | 1   |       |
| 2      | 911 628 167 00 | Lid                     |        | 1   |       |
| 3      | 914 628 035 10 | Restraining strap       |        | 1   |       |
| 4      | 914 628 035 10 | Motor pump              |        | 1   |       |
| 5      | 914 628 221 11 | Clip                    |        | 1   |       |
| 6      | N 010 724 2    | Pan-head screw          |        | 1   |       |
| 1      | 900 076 027 02 |                         |        |     |       |
| 7      |                | Nut                     |        | 1   |       |
| 8      | 900 114 014 01 | Shake-proof washer      |        | 1   |       |
| 9      | N 010 215 13   | Hexagon-head bolt       |        | 2   |       |
|        |                | M 6 X 15                |        |     |       |
| 10     | 900 151 029 02 | Washer                  |        | 4   |       |
|        |                | B 6,4                   |        |     |       |
| 11     | N 012 006 4    | Lock ring               |        | 2   |       |
|        |                | В 6                     |        |     |       |
| 12     | 900 076 010 02 | Nut                     |        | 2   |       |
|        |                | М 6                     |        |     |       |
| 12     | 900 076 010 0B | Nut                     |        | 2   |       |
|        |                | М 6                     |        |     |       |
| 13     | 000 043 129 00 | Sealing strap           |        | 4   |       |
|        |                | 25 X 20 X 2             |        |     |       |
| 14     | 914 628 417 10 | Hose                    |        | 1   |       |
|        |                | Water reservoir         |        |     |       |
|        |                | Pump                    |        |     |       |
| 15     | 914 628 418 10 | Breather hose           |        | 1   |       |
|        |                | Pump                    |        |     |       |
|        |                | Water reservoir         |        |     |       |
| 16     | 914 628 419 10 | Hose                    |        | 1   |       |
|        |                | 790 MM                  |        |     |       |
|        |                | Distributing piece      |        |     |       |
|        |                | Pump                    |        |     |       |
| 17     | 914 628 413 10 | Distributing piece      |        | 1   |       |
| 18     | 999 702 059 50 | Rubber sleeve           |        | 1   |       |
| 19     | 914 628 421 12 | Hose                    |        | 2   |       |
| 1      | 714 020 421 12 | 525 MM                  |        |     |       |
|        |                | Distributing piece      |        |     |       |
|        |                | Pressure control valve  |        |     |       |
| 10/1   | 911 628 809 00 | Connecting piece        | 75-    | 2   |       |
|        |                |                         | 75-    | 2   |       |
|        | 113 955 187    | Pressure control valve  |        | 2   |       |
| 21     | 914 628 027 10 | Jet carrier             |        | 2   |       |
| (21)   | 914 628 027 11 | Jet carrier             | 75-    | 2   |       |
| 22     | N 011 380 1    | Pan-head tapping screw  |        | 4   |       |
|        |                | B 4,2 X 9,5             |        |     |       |
| 23     | N 012 224 3    | Spring washer           |        | 4   |       |
|        |                | B 4                     |        | _   |       |
| 24     | 928 618 111 00 | Relay                   |        | 1   |       |
| 25     | 914 628 435 10 | Desk pad                | /L 75- | 1   |       |
|        |                | for                     |        |     |       |
|        |                | Jet carrier             |        |     |       |
| 26     | 914 628 436 10 | Desk pad                | /R 75- | 1   |       |
|        |                | for                     |        |     |       |
|        |                | Jet carrier             |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        |     |       |
|        |                |                         |        | 1   |       |



| Pos  | Part Number                   | Description   | Domark | I Otty | Model                   |
|------|-------------------------------|---|--------|--------|-------------------------|
| Pos  | Part Number                   | Description   | Remark | Qty    | Model                   |
| 1    | 914 750 903 11                | Headlamp Pop-up headlight Complete with   | /L     | 1      |                         |
|      |                               | Driving mechanism without Picture 12, 13, 15, 12/1, 13/1                                |        |        |                         |
| (1)  | 914 750 904 11                | Pop-up headlight Complete with Driving mechanism without Picture 12, 13, 15, 12/1, 13/1 | /R     | 1      |                         |
| (2)  | 914 631 011 10                | Mounting piece Complete   | /L     | 1      |                         |
| (2)  | 914 631 012 10                | Mounting piece Complete   | /R     | 1      |                         |
| -    | 914 631 901 10                | Headlamp Adjusting screw with Threaded piece  |        | 4      |                         |
| 3    | 914 750 131 10                | Cover plate Upper part  | /L     | 1      |                         |
| (3)  | 914 750 132 10                | Housing Upper part  | /R     | 1      |                         |
| 4    | 999 591 338 02                | Speed nut   |        | 10     |                         |
| 5    | 999 591 460 01<br>N 013 958 7 | Speed nut Oval-head sheetmetal screw B 3,5 X 13   |        | 10     |                         |
| 6    | 914 750 165 10                | Bearing bracket Outer   | -70    | 2      | 914-6/4                 |
| 6    |                               | Bearing bracket Outer   | 71-    | 2      |                         |
| 7    | 914 750 271 10                | Bearing bracket Inner   | -70    | 2      | 914-6/4                 |
| 7    |                               | Bearing bracket<br>Inner  | 71-    | 2      |                         |
| 8    | 914 750 167 10                | Plate<br>Outer  |        | 2      |                         |
| 9    | 914 750 169 10<br>N 014 750 3 | Plate Inner Pan-head screw  |        | 10     |                         |
| 10   | N 014 750 13                  | M 6 X 10 Pan-head screw   |        | 10     |                         |
| 11   | 900 114 002 02                | M 6 X 10 Shake-proof washer   |        | 10     |                         |
| (12) | 914 631 164 00                | J 6,4<br>Headlamp   | /RL    | 2      |                         |
|      |                               | Asymmetrical<br>Not for<br>914-1,8  |        |        |                         |
| (12) | 999 631 108 90                | Headlamp unit Sealed-beam 50/40 W F >>47329 08291                                       | -73    | 2      | 914-6/4/1,7<br>914-2,0  |
| (12) | 111 941 261 B                 | High-beam headlight Sealed-beam 60/50 W F 47329 08292>>                                 | 73-    | 2      | 914-1,7/1,8<br>914-2,0  |
| 12/1 | 914 631 164 00                | Headlamp<br>H 4   | /RL    | 2      | 914-1,7/1,8V<br>914-2,0 |

| Model:   | 914 70                           | Model life 1970>>1976      |        |     |              |
|----------|----------------------------------|----------------------------|--------|-----|--------------|
| Pos      | Part Number                      | Description                | Remark | Qty | Model        |
| 13       | 900 631 109 90                   | Bulb                       |        | 2   |              |
| 1 13     | 900 031 109 90                   | A 12 V - 45/40 ES          |        |     |              |
|          |                                  | White                      |        |     |              |
|          |                                  | Not for                    |        |     |              |
|          |                                  | 914-1,8                    |        |     |              |
| 13/1     | 999 631 202 90                   | Bulb                       |        | 2   | 914-1,7/1,8V |
|          |                                  | н 4                        |        |     | 914-2,0      |
| 14       | 911 631 108 00                   | Terminal sleeve housing    |        | 2   |              |
|          |                                  | 3-pole                     |        |     |              |
| _        | N 017 498 A                      | Flat plug                  |        | X   |              |
|          |                                  | 7,7 X 1 CuZn               |        |     |              |
| 15       | 901 631 123 01                   | Cap                        |        | 2   |              |
| 16       | 914 031 107 20                   | Retaining ring             | -74    | 2   |              |
| (16)     | 914 631 107 20                   | Retaining ring             | 75-    | 2   | 914-1,8V/1,8 |
|          |                                  | Black mat                  |        |     | 914-2,0      |
| 17       | 341 941 183 A                    | Pan-head screw             |        | 6   |              |
| 17       |                                  | Pan-head screw             |        | 6   |              |
|          |                                  | AM 4 - 8                   |        |     |              |
| 18       | 914 750 225 11                   | Cap                        | /L     | 1   |              |
| (18)     | 914 750 226 11                   | Cap                        | /R     | 1   |              |
| 19       | 900 145 004 02                   | Rais. counters. h. tap. s. |        | 6   |              |
|          |                                  | B 3,5 X 13                 |        |     |              |
| 20       | 914 750 193 10                   | Stop screw                 |        | 2   |              |
| 21       | 900 076 025 02                   | Hexagon nut                |        | 2   |              |
|          |                                  | M 8                        |        |     |              |
| 21       | 900 076 064 02                   | Hexagon nut                |        | 2   |              |
|          |                                  | M 8                        |        |     |              |
| 22       | 914 750 265 10                   | Sealing cap                | /L 72- | 1   |              |
| (22)     | 914 750 266 10                   | Sealing cap                | /R 72- | 1   |              |
| 23       | 914 750 267 10                   | Seal                       | 72-    | 2   |              |
| 24<br>25 | 914 750 277 10                   | Sealing washer Push rod    |        | 2 2 |              |
| 26       | 914 750 185 11<br>914 750 189 10 | Bearing sleeve             |        | 4   |              |
| 27       | 914 750 189 10                   | Washer                     |        | 4   |              |
| 28       | 900 116 007 01                   | Lock washer                |        | 2   |              |
| 20       | ] 300 110 007 01                 | 8                          |        |     |              |
| 28       | N 012 439 1                      | Lock washer                |        | 2   |              |
|          |                                  | 8                          |        |     |              |
| 28       | N 012 439 2                      | Lock washer                |        | 2   |              |
|          |                                  | 8                          |        |     |              |
| 29       | 914 624 113 11                   | Electric motor             | /R     | 1   |              |
|          |                                  | for                        |        |     |              |
|          |                                  | Pop-up headlight           |        |     |              |
| (29)     | 914 624 114 11                   | Electric motor             | /L     | 1   |              |
|          |                                  | for                        |        |     |              |
|          |                                  | Pop-up headlight           |        |     |              |
| 30       | 914 624 115 00                   | Lever                      |        | 2   |              |
|          |                                  | for                        |        |     |              |
|          |                                  | Engine                     |        |     |              |
| 31       | 914 624 118 00                   | Hexagon nut                |        | 2   |              |
|          |                                  | M 6                        |        |     |              |
| 32       | 914 624 119 00                   | Shake-proof washer         |        | 2   |              |
| 33       | 914 624 117 00                   | Knob                       |        | 2   |              |
|          |                                  | for                        |        |     |              |
|          |                                  | Engine                     |        |     |              |
| 34       | 900 067 008 02                   | Pan-head screw             |        | 6   |              |
|          | 000 067 000 00                   | M 6 X 12                   |        |     |              |
| 34       | 900 067 008 03                   | Pan-head screw             |        | 6   |              |
| 2.5      | N 011 F24 7                      | M 6 X 12<br>Washer         |        | 6   |              |
| 35       | N 011 524 7                      | Wasner<br>B 6,4            |        | ٥   |              |
| 35       | N 011 524 27                     | Washer                     |        | 6   |              |
|          | IN OTT 254 7/                    | B 6,4                      |        |     |              |
|          |                                  | D V, T                     |        |     |              |


| woder.  | 914 70                           | Model life 1970>>1976      |        |          |       |
|---------|----------------------------------|----------------------------|--------|----------|-------|
| Pos     | Part Number                      | Description                | Remark | Qty      | Model |
| 36      | N 012 007 2                      | Lock ring                  |        | 6        |       |
|         |                                  | A 6                        |        |          |       |
| 36      | 900 027 004 03                   | Lock ring                  |        | 6        |       |
|         |                                  | A 6                        |        |          |       |
| 37      | 914 750 195 10                   | Protection cap             | /L     | 1        |       |
| (37)    | 914 750 196 10<br>999 591 331 02 | Protection cap             | /R     | 1 4      |       |
| 38      | 999 591 331 02                   | Speed nut B 4,2            |        | 4        |       |
| 39      | 900 143 007 02                   | Oval-head sheetmetal screw |        | 4        |       |
|         |                                  | B 4,2 X 13                 |        |          |       |
| 39      | 900 073 507 01                   | Oval-head sheetmetal screw |        | 4        |       |
|         |                                  | B 4,2 X 13                 |        |          |       |
| 40      | 914 631 131 10                   | Additional headlamp        | -74    | 2        |       |
|         |                                  | H 3                        |        |          |       |
|         |                                  | White without              |        |          |       |
|         |                                  | Bulb                       |        |          |       |
|         |                                  | Not for                    |        |          |       |
|         |                                  | 914-1,8                    |        |          |       |
| (40)    | 914 631 134 11                   | Fog headlamp               | -74    | 2        |       |
|         |                                  | Light-diffusing lens       |        |          |       |
|         |                                  | White                      |        |          |       |
|         |                                  | without                    |        |          |       |
| 41      | 900 631 130 90                   | Bulb<br>Bulb               |        | 2        |       |
| 41      | 900 631 130 90                   | D 12 V - 35 W              |        |          |       |
|         |                                  | for                        |        |          |       |
|         |                                  | Fog headlamp               |        |          |       |
| 42      | 900 631 126 90                   | Halogen bulb               |        | 2        |       |
|         |                                  | Н 3                        |        |          |       |
|         |                                  | YC 6/12 V - 55 W           |        |          |       |
|         |                                  | Not for                    |        |          |       |
| (42)    | 900 631 125 90                   | 914-1,8<br>Halogen bulb    |        | 2        |       |
| (42)    | 900 631 125 90                   | H 1                        |        |          |       |
|         |                                  | VA 12 V - 55 W             |        |          |       |
|         |                                  | Not for                    |        |          |       |
|         |                                  | 914-1,8                    |        |          |       |
| 43      | 914 631 914 10                   | Gasket                     |        | 2        |       |
|         |                                  | for                        |        |          |       |
| (42)    | 914 631 923 10                   | Fog headlamp<br>Gasket     |        | _        |       |
| (43)    | 914 631 923 10                   | for                        |        | 2        |       |
|         |                                  | High-beam headlight        |        |          |       |
|         |                                  | And                        |        |          |       |
|         |                                  | Fog headlamp               |        |          |       |
|         |                                  | Not for                    |        |          |       |
|         |                                  | 914-1,8                    |        |          |       |
| 44      | 914 631 913 11                   | Light-diffusing lens       |        | 2        |       |
|         |                                  | White for                  |        |          |       |
|         |                                  | Additional headlamp        |        |          |       |
| (44)    | 914 631 922 10                   | Light-diffusing lens       |        | 2        |       |
| (11)    |                                  | White                      |        | ~        |       |
|         |                                  | for                        |        |          |       |
|         |                                  | н 3 + н 1                  |        |          |       |
|         |                                  | High-beam headlight        |        |          |       |
|         |                                  | Not for                    |        |          |       |
| ( 4 4 ) | 014 631 030 10                   | 914-1,8                    |        |          |       |
| (44)    | 914 631 930 10                   | Lens<br>Yellow             |        | 2        |       |
|         |                                  | for                        |        |          |       |
|         |                                  | Н 3                        |        |          |       |
|         | l                                | 1                          | 1      | <u> </u> | l     |

| woder. | 914 70         | Woder me 1970>>1976    |        |     |                         |
|--------|----------------|------------------------|--------|-----|-------------------------|
| Pos    | Part Number    | Description            | Remark | Qty | Model                   |
|        |                | High-beam headlight    |        |     |                         |
|        |                | Not for                |        |     |                         |
|        |                | 914-1,8                |        |     |                         |
| (44)   | 914 631 952 10 | Light-diffusing lens   |        | 2   |                         |
|        |                | White                  |        |     |                         |
|        |                | for                    |        |     |                         |
|        |                | н 3 + н 1              |        |     |                         |
|        |                | Fog headlamp           |        |     |                         |
|        |                | Not for                |        |     |                         |
|        |                | 914-1,8                |        |     |                         |
| -      | 914 631 976 00 | Glass                  |        | 2   |                         |
|        |                | with                   |        |     |                         |
|        |                | Light-diffusing lens   |        |     |                         |
|        |                | for                    |        |     |                         |
|        |                | High-beam headlight    |        |     |                         |
|        |                | 914.631.131.10         |        |     |                         |
|        |                | Not for                |        |     |                         |
|        | 014 621 055 00 | 914-1,8                |        |     |                         |
| _      | 914 631 977 00 | Glass<br>with          |        | 2   |                         |
|        |                | Light-diffusing lens   |        |     |                         |
|        |                | for                    |        |     |                         |
|        |                | Fog headlamp           |        |     |                         |
|        |                | 914.631.136.10         |        |     |                         |
|        |                | Not for                |        |     |                         |
|        |                | 914-1,8                |        |     |                         |
| 45     | 914 631 925 10 | Retaining ring         |        | 2   |                         |
| (45)   | 914 631 917 10 | Retaining ring         |        | 2   |                         |
| 46     | 914 631 924 10 | Tensioning spring      |        | 8   |                         |
| 47     | 914 631 961 10 | Retainer spring        |        | 2   |                         |
| 48     | 914 631 920 10 | Oval-head screw        |        | 2   |                         |
|        |                | AM 4 X 10              |        |     |                         |
| 49     | 914 631 029 10 | Support                | /L M   | 1   |                         |
| (49)   | 914 631 030 10 | Support                | /R M   | 1   |                         |
| 50     | 900 074 134 02 | Hexagon-head bolt      |        | 2   |                         |
|        |                | M 8 X 45               |        |     |                         |
| 51     | N 012 241 1    | Spring washer          |        | 2   |                         |
|        |                | B 8 X 15               |        | _   |                         |
| 52     | 900 186 125 02 | Pan-head screw         |        | 2   |                         |
|        | N 012 230 1    | M 10 X 16              |        |     |                         |
| 53     | N 012 230 1    | Spring washer B 10     |        | 2   |                         |
|        |                | Additional headlamp    | 75-    |     |                         |
|        |                | Bumper                 | 75-    |     |                         |
|        |                | Front                  |        |     |                         |
| _      | 914 631 184 00 | Additional headlamp    |        | 2   | 914-1,8V/1,8            |
|        |                | industrial insulation. |        | -   | 914-2,0                 |
| _      | 914 631 969 00 | Light-diffusing lens   |        | 2   | 914-1,8V/1,8            |
|        |                | for                    |        |     | 914-2,0                 |
|        |                | High-beam headlight    |        |     | ,                       |
|        |                | 914.631.184.00         |        |     |                         |
| -      | 914 631 974 00 | Retaining ring         |        | 2   | 914-1,8V/1,8            |
|        |                | with                   |        |     | 914-2,0                 |
|        |                | Screw                  |        |     |                         |
| -      | 481 941 713    | Retaining ring         |        | 2   | 914-1,8V/1,8            |
|        |                | with                   |        |     | 914-2,0                 |
|        | 014 605 0==    | Screw                  |        |     | 014 1 0 15              |
| -      | 914 631 975 00 | Gasket                 |        | 2   | 914-1,8V/1,8            |
|        | 401 041 515    |                        |        |     | 914-2,0                 |
| -      | 481 941 715    | Gasket                 |        | 2   | 914-1,8V/1,8            |
| _      | 914 631 181 00 | Fog headlamp           |        | 2   | 914-2,0<br>914-1,8V/1,8 |
| -      | 914 03T TOT 00 | rog neadramp           |        | _   | 914-1,80/1,8            |
|        |                |                        |        |     | J11-2,U                 |

| Model: | 914 70                        | Model life 1970>>1976   |        |     |   |
|--------|-------------------------------|---|--------|-----|---|
| Pos    | Part Number                   | Description   | Remark | Qty | Model                                   |
| -      | 481 941 719                   | Washer<br>for<br>Fog headlamp                                 |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      |                               | 914.631.181.00<br>Light-diffusing lens<br>for<br>Fog headlamp |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 914 631 974 00                | 914.631.181.00<br>Retaining ring<br>with                      |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 481 941 713                   | Screw Retaining ring with Screw                               |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 481 941 715                   | Gasket  |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 900 631 126 90                | Halogen bulb<br>H 3<br>YC 12 V - 55 W                         |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 914 631 188 00                | Hexagon nut M 8   |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 914 631 187 00                | Eccentric bolt  |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 914 631 186 00                | Retaining bar   |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 914 631 195 00                | Eccentric bolt  |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | N 011 010 6                   | Hexagon nut<br>M 10   |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | N 101 552 10                  | Hexagon nut<br>M 10   |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| -      | 900 025 008 02                | Washer<br>A 10,5  |        | 2   | 914-1,8V/1,8<br>914-2,0                 |
| _      | N 011 527 4<br>900 025 008 09 | Washer<br>A 10,5<br>Washer                                    |        | 2   | 914-1,8V/1,8<br>914-2,0<br>914-1,8V/1,8 |
| _      | 900 025 008 04                | A 10,5<br>Washer  |        | 2   | 914-2,0<br>914-1,8V/1,8                 |
| _      | 900 027 016 02                | A 10,5<br>Lock ring   |        | 2   | 914-2,0<br>914-1,8V/1,8                 |
| -      | 900 027 016 03                | B 10<br>Lock ring   |        | 2   | 914-2,0<br>914-1,8V/1,8                 |
|        |                               | В 10  |        |     | 914-2,0                                 |

PORSCHE 


Model life 1970>>1976 Model: 914 70



| D    | Dark Namehan   | Description               | D         | 0   | I Manalat    |
|------|----------------|---------------------------|-----------|-----|--------------|
| Pos  | Part Number    | Description               | Remark    | Qty | Model        |
|      |                | Lights                    |           |     |              |
| (1)  | 914 631 401 11 | Direction indicator light |           | 2   |              |
| (2)  | 914 631 934 11 | Lens                      |           | 2   |              |
| 3    | 914 631 957 10 | Gasket                    |           | 2   |              |
| 4    | 914 631 958 10 | Oval-head screw           |           | 4   |              |
| 5    | 900 631 127 90 | Bulb                      |           | 2   |              |
|      |                | RL 12 V - 21 W            |           |     |              |
| (5)  | 900 631 128 90 | Bulb                      | (I) (USA) | 2   |              |
|      |                | SL 12 V - 21 W / 5 W      |           |     |              |
| (5)  | 999 631 115 90 | Bulb                      | (I) (USA) | 2   |              |
|      |                | 12 V, 32/3 CP             |           |     |              |
| 6    | 900 631 104 90 | Bulb                      |           | 2   |              |
|      |                | G 12 V, 5 W               |           |     |              |
| 7    | 914 631 215 10 | Retaining bow             |           | 2   |              |
| 8    | 900 045 005 02 | Hexagon nut               |           | 2   |              |
|      |                | м 6                       |           |     |              |
| 9    | N 042 121 1    | Shake-proof washer        |           | 2   |              |
|      |                | J 6,4                     |           |     |              |
| 10   | 914 631 217 10 | Grommet                   |           | 2   |              |
| 11   | 914 631 405 00 | Side marker light         | /L        | 1   |              |
| (11) | 914 631 408 00 | Side marker light         | /R        | 1   |              |
| 12   |                | Lens                      | /L        | 1   |              |
| (12) | 914 631 946 00 | Lens                      | /R        | 1   |              |
| (13) | 999 631 104 91 | Bulb                      |           | 2   |              |
|      |                | 12 V, 2 CP                |           |     |              |
| 14   | 914 631 910 00 | Rubber washer             |           | 4   |              |
|      |                | 3,5                       |           |     |              |
| 15   | 914 631 909 00 | Oval-head screw           |           | 4   |              |
|      |                | BM 4 X 17 X 8             |           |     |              |
| 16   | 914 631 218 10 | Cap                       |           | 2   |              |
| (17) | 914 631 403 14 | Rear light                | /L        | 1   |              |
| (17) | 914 631 404 14 | Rear light                | /R        | 1   |              |
| (18) | 914 631 939 11 | Lens                      | /L        | 1   |              |
| (18) | 914 631 940 11 | Lens                      | /R        | 1   |              |
| 19   | 900 631 127 90 | Bulb                      |           | 2   |              |
|      |                | RL 12 V, 21 W             |           |     |              |
| (19) |                | Bulb                      |           | 2   |              |
|      |                | 12 V, 32 CP               |           |     |              |
| 20   | 900 631 128 90 | Bulb                      |           | 2   |              |
|      |                | SL 12 V, 21 / 5 W         |           |     |              |
| (20) | 999 631 115 90 | Bulb                      |           | 2   |              |
|      |                | 12 V, 32 / 3 CP           |           |     |              |
| 21   | 900 631 110 90 | Bulb                      |           | 2   | 914-6/4      |
|      |                | E 12 V, 25 W              |           |     |              |
| 21   | 900 631 110 92 | Bulb                      |           | 2   | 914-6/4      |
|      |                | E 12 V, 25 W              |           |     |              |
| (21) | 900 631 127 90 | Bulb                      |           | 2   | 914-1,7/1,8V |
|      |                | RL 12 V, 21 W             |           |     | 914-1,8/2,0  |
|      |                | Not for                   |           |     |              |
|      |                | (F)                       |           |     |              |
| (21) |                | Bulb                      |           | 2   |              |
|      |                | 12 V, 32 CP               |           |     |              |
| 22   | 900 631 103 90 | Bulb                      |           | 2   |              |
|      |                | HL 12 V, 4 W              |           |     |              |
| (22) | 999 631 104 91 | Bulb                      |           | 2   |              |
|      |                | 12 V, 2 CP                |           |     |              |
| 23   | N 042 121 1    | Shake-proof washer        |           | 8   |              |
|      |                | J 6,4                     |           |     |              |
| 24   | 900 045 005 02 | Hexagon nut               |           | 8   |              |
|      |                | M 6                       |           |     |              |
| 25   | 999 704 107 50 | Shim                      |           | 8   |              |
| 26   | 901 631 251 00 | Rear fog light            |           | 1   |              |
|      |                | Picture                   |           |     |              |
|      |                |                           |           |     |              |

| woder. | 914 70 WOUGH IIIE 1970>>1970 |   |        |     |             |
|--------|------------------------------|---|--------|-----|-------------|
| Pos    | Part Number                  | Description                             | Remark | Qty | Model       |
|        |                              | 06 04                                   |        |     |             |
|        |                              | 26 - 34                                 |        |     |             |
|        |                              | Not for                                 |        |     |             |
| (26)   | 001 631 351 30               | 914-1,8                                 |        | 1   |             |
| (26)   | 901 631 251 29               | Rear fog light                          |        | 1   |             |
|        |                              | Not for                                 |        |     |             |
|        |                              | 914-1,8                                 |        |     |             |
| 27     | 911 631 975 00               | Lens                                    |        | 1   |             |
|        |                              | Washer                                  |        |     |             |
| 28     | 900 631 123 90               | Linolite lamp                           |        | 1   |             |
|        |                              | K 12 V, 18 W                            |        |     |             |
| 28     | 900 631 123 92               | Linolite lamp                           |        | 1   |             |
|        |                              | K 12 V, 18 W                            |        | _   |             |
| 29     | 900 076 010 02               | Nut                                     |        | 2   |             |
|        |                              | M 6                                     |        |     |             |
| 29     | 900 076 010 0B               | Nut                                     |        | 2   |             |
|        |                              | M 6                                     |        |     |             |
| 30     | 900 075 159 02               | Hexagon-head bolt                       |        | 2   |             |
|        |                              | M 6 X 12                                |        |     |             |
| 31     | N 042 121 1                  | Shake-proof washer                      |        | 2   |             |
|        |                              | J 6,4                                   |        |     |             |
| 32     | 914 631 161 10               | Support                                 |        | 1   |             |
| 33     | 914 631 162 10               | Plastic base                            |        | 1   |             |
| 34     | 999 702 011 50               | Rubber sleeve                           |        | 1   |             |
| 35     | 914 631 601 00               | License plate light                     | -74    | 2   |             |
|        |                              | Complete                                |        |     |             |
| 36     | 900 143 016 02               | Oval-head sheetmetal screw              | -74    | 4   |             |
|        |                              | B 3,5 X 16                              |        |     |             |
| 36     | 900 143 016 01               | Oval-head sheetmetal screw              |        | 4   |             |
|        |                              | B 3,5 X 16                              |        |     |             |
| 37     | 900 631 103 90               | Bulb                                    | -74    | 2   |             |
|        |                              | HL 12 V, 4 W                            |        |     |             |
| 38     | 111 971 911 A                | Grommet                                 | -74    | 2   |             |
| 39     | 111 947 111 D                | Interior light                          |        | 1   |             |
| 40     | 900 631 106 90               | Linolite lamp                           |        | 1   |             |
|        |                              | K 12 V, 10 W                            |        |     |             |
| 41     | 901 631 601 00               | License plate light                     |        | 1   |             |
|        |                              | with                                    |        |     |             |
|        |                              | Desk pad                                |        |     |             |
| 41     | 901 631 601 01               | License plate light                     |        | 1   |             |
|        |                              | Delivered                               |        |     |             |
|        |                              | Desk pad                                |        |     |             |
|        |                              | Bulb                                    |        |     |             |
| -      | 901 631 605 00               | Desk pad                                |        | 1   |             |
| 42     | 900 631 103 90               | Bulb                                    |        | 1   |             |
|        |                              | HL 12 V, 4 W                            |        |     |             |
| 43     | 900 146 011 02               | Oval-head screw                         |        | 2   |             |
|        |                              | AM 4 X 10                               |        |     |             |
| _      | 999 523 105 01               | Lock washer                             |        | 2   |             |
| 45     | 911 631 620 04               | License plate light                     | 75-    | 2   |             |
| 46     | 911 631 608 00               | Gasket                                  | 75-    | 2   |             |
| 46     | 911 631 608 01               | Gasket                                  | 75-    | 2   |             |
| -      | 900 631 104 90               | Bulb                                    | 75-    | 2   |             |
|        |                              | G 12 V - 5 W                            |        |     |             |
| 47     | 911 631 606 00               | Lens                                    | 75-    | 2   |             |
| 48     | 911 631 604 00               | Sealing washer                          | 75-    | 4   |             |
| 49     | N 013 944 3                  | Tapping screw                           | 75-    | 4   |             |
|        |                              | BZ 2,9 X 19                             |        |     |             |
| 50     | 911 632 012 00               | Indicator light                         | 72-    | 1   | 914-4/1,7   |
|        |                              | FASTEN SEAT BELT                        |        |     | 914-2,0     |
| (50)   | 911 632 012 01               | Indicator light                         | 74-    | 1   | '-          |
| (20)   |                              | FASTEN SEAT BELT                        |        |     |             |
| _      | 900 631 129 90               | Bulb                                    |        | 1   | 914-4/1,7   |
|        |                              | W 2 X 4,6 D 12 V - 1,2 W                |        |     | 914-1,8/2,0 |
|        | <u> </u>                     | 1 , , , , , , , , , , , , , , , , , , , |        |     | , - , - , - |


| woder. | 914 70         | Widder life 1970>>1976   |          |     |             |
|--------|----------------|--------------------------|----------|-----|-------------|
| Pos    | Part Number    | Description              | Remark   | Qty | Model       |
|        | 014 622 107 00 |                          |          |     | 014 4/1 7   |
| 51     | 914 632 107 00 | Illumination             |          | 1   | 914-4/1,7   |
|        |                | Logo<br>Heating          |          |     | 914-1,8/2,0 |
| _      | 900 631 129 90 | Bulb                     |          | 1   | 914-4/1,7   |
| _      | 900 031 129 90 | W 2 X 4,6 D 12 V - 1,2 W |          | 1   | 914-1,8/2,0 |
| _      | N 043 931 1    | Hexagon-head bolt        |          | 2   | 914-1,8/2,0 |
| _      | N 043 931 1    | B 2,9 X 16               |          | 4   | 914-1,8/2,0 |
|        |                | B 2,9 A 10               |          |     | 914-1,0/2,0 |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
| 1      |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        |                |                          |          |     |             |
|        | L              |                          | <u> </u> |     |             |



| Model: | 914 70 Model life 1970>>1976 |                    |        |     |                                       |
|--------|------------------------------|--------------------|--------|-----|---------------------------------------|
| Pos    | Part Number                  | Description        | Remark | Qty | Model                                 |
|        |                              | Instruments        |        |     |                                       |
| 1      | 914 641 101 20               | Instrument cluster |        | 1   | 914-6                                 |
| (1)    | 914 641 101 30               | Instrument cluster |        | 1   | 914-2,0                               |
| ( 1 )  | 914 041 101 30               | for cars without   |        |     | ]                                     |
|        |                              | Centre console     |        |     |                                       |
| (1)    | 914 641 101 50               | Instrument cluster | 74-    | 1   | 914-2,0                               |
| (1)    | ] 11 011 101 50              | for cars without   | , ,    | -   | J11 2,0                               |
|        |                              | Centre console     |        |     |                                       |
| 1/1    | 914 641 102 40               | Instrument cluster | -73    | 1   | 914-4/1,7                             |
| 1/1    |                              | Instrument cluster | -73    | 1   | 914-2,0                               |
|        | 914 641 102 50               | Instrument cluster | 74-    | 1   | 914-1,8V/1,8                          |
| (1/1)  |                              | Instrument cluster | 74-    | 1   | 914-2,0                               |
|        | 914 631 179 10               | Bulb socket        |        | 3   | 914-1,8V/1,8                          |
|        |                              | 2-pole             |        |     | 914-2,0                               |
|        |                              | for                |        |     |                                       |
|        |                              | Instrument cluster |        |     |                                       |
| 4      | 911 641 902 00               | Rubber ring        |        | 2   |                                       |
|        |                              | \$ 100             |        |     |                                       |
| 5      | 914 641 301 10               | Tachometer         |        | 1   | 914-6                                 |
| 5/1    | 914 641 302 10               | Tachometer         | -73    | 1   | 914-4/1,7                             |
|        |                              |                    |        |     | 914-2,0                               |
| (5/1)  | 914 641 302 12               | Tachometer         | 74-    | 1   | 914-1,8V/1,8                          |
|        |                              |                    |        |     | 914-2,0                               |
| 6      | 999 632 009 10               | Bulb socket        |        | 4   |                                       |
|        |                              | 2-pole             |        |     |                                       |
|        |                              | for                |        |     |                                       |
|        |                              | Instrument cluster |        |     |                                       |
| 7      | 900 631 102 90               | Light              |        | 13  |                                       |
|        |                              | 12 V - 2 W         |        |     |                                       |
| 8      | 911 641 903 00               | Rubber ring        |        | 1   |                                       |
|        |                              | \$ 115             |        |     |                                       |
| 9      | 911 641 501 00               | Speedometer        |        | 1   | 914-6                                 |
|        |                              | KM/H               |        |     |                                       |
|        |                              | for                |        |     |                                       |
|        |                              | Tyre               |        |     |                                       |
| (0)    | 011 641 506 00               | 165 X 15           |        |     | 0146                                  |
| (9)    | 911 641 506 00               | Speedometer        |        | 1   | 914-6                                 |
| 0 / 1  | 014 641 500 10               | MPH                |        |     | 014 1 5                               |
| 9/1    | 914 641 502 10               | Speedometer        |        | 1   | 914-1,7                               |
|        |                              | KM/H<br>for        |        |     |                                       |
|        |                              | Tyre               |        |     |                                       |
|        |                              | 155 X 15           |        |     |                                       |
| (9/1)  | 914 641 503 11               | Speedometer        |        | 1   | 914-1,7                               |
|        | 711 011 303 11               | MPH                |        | -   | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ |
| 1      |                              | for                |        |     |                                       |
|        |                              | Tyre               |        |     |                                       |
|        |                              | 155 X 15           |        |     |                                       |
| (9/1)  | 914 641 504 10               | Speedometer        |        | 1   | 914-4/1,7                             |
|        |                              | KM/H               |        |     | ,                                     |
|        |                              | for                |        |     |                                       |
|        |                              | Tyre               |        |     |                                       |
| 1      |                              | 165 X 15           |        |     |                                       |
| (9)    | 914 641 504 20               | Speedometer        | -73    | 1   | 914-2,0                               |
|        |                              | KM/H               |        |     |                                       |
| (9)    | 914 641 504 30               | Speedometer        | 74-    | 1   | 914-1,8V/2,0                          |
|        |                              | KM/H               |        |     |                                       |
| 1      |                              | Not for            | (J)    |     |                                       |
| -      | 999 632 017 02               | Bulb socket        |        | 1   | 914-1,8V/1,8                          |
| 1      |                              | Single pole        |        |     | 914-2,0                               |
| 1      |                              | for                |        |     |                                       |
| 1      |                              | Speedometer        |        |     |                                       |
|        |                              | Position light     |        |     |                                       |

| Model: | 914 70                           | Model life 1970>>1976             |        |     |  |
|--------|----------------------------------|-----------------------------------|--------|-----|--|
| Pos    | Part Number                      | Description                       | Remark | Qty | Model                                      |
| -      | 111 957 397                      | Bulb socket for                   |        | 2   | 914-1,8V/1,8<br>914-2,0                    |
| -      | 900 631 102 90                   | Speedometer Light for             |        | 2   | 914-1,8V/1,8<br>914-2,0                    |
| (9/1)  | 914 641 505 20                   | Speedometer<br>Speedometer<br>MPH |        | 1   | 914-4                                      |
|        |                                  | for<br>Tyre<br>165 X 15           |        |     |  |
| (9/1)  |                                  | Speedometer<br>MPH                | -73    | 1   | 914-4/1,7<br>914-2,0                       |
| (9)    | 914 641 505 30                   | Speedometer<br>MPH                | 74-    | 1   | 914-1,8/2,0                                |
| 11     | 914 641 111 00                   | Drive shaft<br>3530 MM            |        | 1   |  |
| 11     | 914 641 111 01                   | Drive shaft 3530 MM               |        | 1   |  |
| 14     | 999 513 008 40<br>914 641 119 10 | Tie-wrap<br>100<br>Clock          |        | 1   | 914-1,7/1,8V                               |
| 15     | 914 641 119 10                   | Temperature gauge                 | -73    | 1   | 914-1,7/1,8V<br>914-1,8/2,0<br>914-1,7/2,0 |
| (15)   | 914 641 118 30                   | Temperature gauge                 | 74-    | 1   | 914-1,8V/1,8<br>914-2,0                    |
| 16     | 914 641 115 10                   | Indicator<br>Battery              |        | 1   | 914-1,7/1,8V<br>914-1,8/2,0                |
| 17     | 911 641 909 00                   | Rubber ring<br>\$ 60              |        | 3   | 914-1,7/1,8V<br>914-1,8/2,0                |
| -      | 914 641 121 00                   | Knob<br>for<br>Trip meter         |        | 1   |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |
|        |                                  |                                   |        |     |  |

PORSCHE Illustration: 909-00 PORSCHE



| Model: | 1: 914 /0 Model life 19/0>>19/6 |   |        |     |             |
|--------|---------------------------------|---|--------|-----|-------------|
| Pos    | Part Number                     | Description                             | Remark | Qty | Model       |
|        |                                 | Catalytic converter                     | 75-    |     | 914-1,8/2,0 |
|        |                                 | Counter switch                          | 1 7 3  |     | 711 1,0/2,0 |
|        |                                 | Indicator light                         |        |     |             |
| 1      | 914 641 123 10                  | Counter switch                          |        | 1   | (CAL)       |
| 2      | 914 641 124 10                  | Desk pad                                |        | 1   |             |
| 3      | N 011 692 1                     | Washer                                  |        | 2   |             |
|        |                                 | 5,1                                     |        |     |             |
| 4      | N 013 968 3                     | Oval-head sheetmetal screw              |        | 2   |             |
|        |                                 | B 4,8 X 13                              |        |     |             |
| 5      | 914 641 111 10                  | Drive shaft                             |        | 1   |             |
|        |                                 | 2620 MM                                 |        |     |             |
|        |                                 | Transmission Counter switch             |        |     |             |
| 6      | 914 641 111 20                  | Drive shaft                             |        | 1   |             |
|        | 711 011 111 20                  | 1350 MM                                 |        | -   |             |
|        |                                 | Speedometer                             |        |     |             |
|        |                                 | Counter switch                          |        |     |             |
| 7      | 914 632 113 10                  | Indicator light                         |        | 1   |             |
|        |                                 | (EGR)                                   |        |     |             |
|        |                                 | for                                     |        |     |             |
|        |                                 | Exhaust gas recirculation               |        |     |             |
| 8      | 914 632 113 20                  | Indicator light                         |        | 1   |             |
|        |                                 | (CAT)<br>for                            |        |     |             |
|        |                                 | Catalytic converter                     |        |     |             |
| 9      | 900 631 129 90                  | Bulb                                    |        | 2   |             |
|        |                                 | W 12 V - 1,2 W                          |        | -   |             |
| 10     | 111 919 243                     | Bulb socket                             |        | 2   |             |
| -      | 043 906 086                     | Switch unit                             |        | 1   |             |
|        |                                 | for                                     |        |     |             |
|        | 450 065 451                     | Catalytic converter                     |        |     |             |
| _      | 473 867 471<br>N 013 970 5      | Sealing ring Oval-head sheetmetal screw |        | 1 1 |             |
| _      | N 013 970 5                     | B 4,8 X 9,5                             |        |     |             |
| _      | N 106 568 02                    | Oval-head sheetmetal screw              |        | 1   |             |
|        | 1. 200 500 02                   | B 4,8 X 9,5                             |        | _   |             |
| _      | 914 612 109 20                  | Wiring harness                          |        | 1   |             |
|        |                                 | with                                    |        |     |             |
|        |                                 | Relay carrier                           |        |     |             |
| -      | 914 618 109 10                  | Outer sensor                            |        | 1   |             |
|        |                                 | for<br>Catalytic converter              |        |     |             |
|        |                                 | Catalytic converter                     |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |
|        |                                 |   |        |     |             |

|        |        |            | Illustration: 998-00 | PORSCHE |
|--------|--------|------------|----------------------|---------|
|        |        |            |                      |         |
| Model: | 914 70 | Model life | 1970>>1976           |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |
|        |        |            |                      |         |

24.07.2017 - 1 Kat 570

| woder. | 91470          | Model life 1970>>1976 |        |     | I · · |
|--------|----------------|-----------------------|--------|-----|-------|
| Pos    | Part Number    | Description           | Remark | Qty | Model |
|        |                | Accessories           |        |     |       |
|        |                | Radio                 |        |     |       |
|        |                | Fog headlamp          |        |     |       |
|        |                | Headlamp              |        |     |       |
|        |                | н 4                   |        |     |       |
| >>     | 914 645 909 10 | Installation set      |        | 1   | 914-6 |
|        |                | for                   |        |     |       |
|        |                | - BLAUPUNKT -         |        |     |       |
|        |                | Radio<br>without      |        |     |       |
|        |                | Radio                 |        |     |       |
|        |                | Antenna               |        |     |       |
|        |                | Suppression set       |        |     |       |
| _      | 914 645 911 00 | Suppression set       |        | 1   | 914-6 |
|        |                | for                   |        |     |       |
|        |                | - BLAUPUNKT -         |        |     |       |
|        |                | Radio                 |        |     |       |
| -      | 914 645 503 10 | Loudspeaker           |        | 2   | 914-6 |
|        | 450 005 505    | 8 OHM                 |        |     |       |
| >>     | 473 035 605    | Installation set      |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | - VW -<br>Car radio   |        |     |       |
|        |                | Not for               |        |     |       |
|        |                | TYP 914-6             |        |     |       |
|        |                | Installation set      |        |     |       |
|        |                | Comprising:           |        |     |       |
| _      | 914 645 503 10 | Loudspeaker           |        | 2   |       |
|        |                | 8 OHM                 |        |     |       |
| -      | 914 612 055 10 | Cable for loudspeaker |        | 1   |       |
|        |                | NR. 22                |        |     |       |
| -      | 900 189 011 02 | Half-round screw      |        | 8   |       |
|        |                | AM 4 X 8              |        | _   |       |
| -      | 900 025 002 02 | Washer                |        | 8   |       |
| _      | 900 025 002 03 | 4,3<br>Washer         |        | 8   |       |
| _      | 900 025 002 05 | 4,3                   |        | 0   |       |
| _      | 999 025 106 50 | Rubber washer         |        | 8   |       |
|        |                | 10 X 3,8 X 4          |        |     |       |
| _      | N 010 205 6    | Hexagon-head bolt     |        | 1   |       |
|        |                | M 5 X 10              |        |     |       |
| -      | 900 075 105 02 | Screw                 |        | 1   |       |
|        |                | M 5 X 10              |        |     |       |
| -      | N 012 225 2    | Spring washer         |        | 1   |       |
|        | 000 505 000 00 | B 5                   |        | 1   |       |
| -      | 999 507 320 02 | Nut lock clip         |        | 1   |       |
| _      | N 021 196 1    | M 5<br>Lock nut       |        | 1   |       |
| -      | IN 07T TAO T   | M 5                   |        | Т Т |       |
| _      | N 021 196 3    | Hexagon nut           |        | 1   |       |
| -      | 1. 021 170 3   | M 5                   |        | _   |       |
| _      | 900 025 003 02 | Washer                |        | 1   |       |
|        |                | A 5,3                 |        |     |       |
| _      | 914 645 159 10 | Support               |        | 1   |       |
|        |                | for                   |        |     |       |
|        |                | Radio                 |        |     |       |
| -      | 914 612 053 10 | Wiring harness        |        | 1   |       |
|        | 014 550 010 11 | NR. 21                |        |     |       |
| -      | 914 552 040 10 | Cover                 |        | 1   |       |
|        | 111 971 911 A  | Grommet               |        | 2   |       |
| >>     | 473 035 655    | Suppression set for   |        | 1   |       |
|        |                | Car radio             |        |     |       |
|        |                | Cal laulo             |        |     |       |

| Niodei. |                |                                    |          |     |       |  |
|---------|----------------|------------------------------------|----------|-----|-------|--|
| Pos     | Part Number    | Description                        | Remark   | Qty | Model |  |
|         |                | WOLFSBURG                          |          |     |       |  |
|         |                | EMDEN                              |          |     |       |  |
|         |                | BRAUNSCHWEIG                       |          |     |       |  |
|         |                | HANNOVER<br>Not for                |          |     |       |  |
|         |                | TYP 914-6                          |          |     |       |  |
|         |                | Comprising:                        |          |     |       |  |
| _       | 111 035 267 A  | Condenser                          |          | 1   |       |  |
|         |                | for                                |          |     |       |  |
|         |                | Ignition coil                      |          |     |       |  |
| -       | 411 035 265    | Condenser                          |          | 1   |       |  |
| -       | 036 035 281    | Suppression connector              |          | 5   |       |  |
| _       | 043 903 803 B  | Regulator switch Shielded          |          | 1   |       |  |
| _       | 914 612 141 10 | Ground strap                       |          | 1   |       |  |
|         |                | Engine                             |          |     |       |  |
|         |                | Lid hinge                          |          |     |       |  |
| >>      | 914 631 959 10 | Installation set                   |          | 1   |       |  |
|         |                | Set                                |          |     |       |  |
|         |                | for subsequent installation        |          |     |       |  |
| _       | 914 631 134 11 | Comprising: Fog headlamp           |          | 2   |       |  |
| _       | 900 631 130 90 | Bulb                               |          | 2   |       |  |
|         | 300 031 130 30 | D 12 V - 35 W                      |          |     |       |  |
| -       | 914 631 029 10 | Support                            | /L       | 1   |       |  |
| -       | 914 631 030 10 | Support                            | /R       | 1   |       |  |
| -       | 900 074 134 02 | Hexagon-head bolt                  |          | 2   |       |  |
|         |                | M 8 X 45                           |          |     |       |  |
| _       | N 012 241 1    | Spring washer<br>B 8 X 15          |          | 2   |       |  |
| _       | 900 075 035 02 | Hexagon-head bolt                  |          | 2   |       |  |
|         | 000 075 055 02 | M 10 X 15                          |          |     |       |  |
| _       | N 012 230 1    | Spring washer                      |          | 2   |       |  |
|         |                | В 10                               |          |     |       |  |
| -       | 914 613 030 10 | Switch for rear fog light          |          | 1   |       |  |
|         | 014 612 020 15 | Complete                           |          |     |       |  |
| _       | 914 613 030 15 | Switch for rear fog light Complete |          | 1   |       |  |
| _       | 911 615 109 01 | Standard type relay                |          | 1   |       |  |
| _       | 914 559 235 10 | Grille                             | /L       | 1   |       |  |
| -       | 914 559 236 10 | Grille                             | /R       | 1   |       |  |
| -       | N 900 488 01   | Speed nut                          |          | 8   |       |  |
|         |                | В 3,5                              |          |     |       |  |
| -       | 900 143 033 02 | Oval-head sheetmetal screw         |          | 8   |       |  |
| >>      | 914 631 963 00 | B 3,5 X 13<br>Headlamp             | /LL M    | 1   |       |  |
| ''      | 914 631 963 00 | Н 4                                | / LL   M | +   |       |  |
|         |                | Conversion set                     |          |     |       |  |
|         |                | Not for                            |          |     |       |  |
|         |                | TYP 914-1,8                        |          |     |       |  |
|         |                | Comprising:                        |          |     |       |  |
| -       | 914 631 163 00 | Insert                             |          | 2   |       |  |
| _       | 999 631 202 90 | Bulb<br>White                      |          | 2   |       |  |
| _       | 911 631 108 00 | Terminal sleeve housing            |          | 2   |       |  |
| _       | 711 031 100 00 | 3-pole                             |          | "   |       |  |
| _       | N 017 498 A    | Flat plug                          |          | Х   |       |  |
|         |                | 7,7 X 1 CuZn                       |          |     |       |  |
| -       | 901 631 123 02 | Cap                                |          | 2   |       |  |
| -       | N 017 498 A    | Flat plug                          |          | Х   |       |  |
|         |                | 7,7 X 1 CuZn                       |          |     |       |  |
|         |                |                                    |          |     |       |  |
|         |                |                                    | ]        |     |       |  |