

JYKilltool.java

```
1  import java.io.BufferedReader;
2  import java.io.File;
3  import java.io.FileOutputStream;
4  import java.io.IOException;
5  import java.io.InputStream;
6  import java.io.InputStreamReader;
7  import java.io.OutputStreamWriter;
8  import java.io.PrintWriter;
9  import java.util.Scanner;
10
11 public class JYKilltool {
12     // 全局变量：用户主目录路径
13     private static final String USER_HOME = System.getProperty("user.home");
14
15     public static void main(String[] args) {
16         Scanner scanner = new Scanner(System.in);
17         System.out.println("=====");
18         System.out.println("
19         System.out.println("
20         System.out.println("
21         System.out.println("
22         System.out.println("
23         System.out.println("
24         System.out.println("=====");
25         try {
26             Thread.sleep(1000);
27         } catch (InterruptedException e) {
28             e.printStackTrace();
29         }
30
31         System.out.println("输入 “help” 查看帮助");
32         while (true) {
33             System.out.print(">");
34             String code = scanner.next();
35             if (code.equals("help")) {
36                 System.out.println("1         极域破解模块");
37                 System.out.println("2         惠普机房运维管理系统破解模块");
38                 System.out.println("exit      退出程序");
39             } else if (code.equals("1")) {
40                 System.out.println("极域破解");
41                 jiyuModule(scanner);
42             } else if (code.equals("2")) {
43                 System.out.println("惠普机房运维管理系统破解");
44                 hpModule(scanner);
45             } else if (code.equals("exit")) {
46                 System.out.println("确定退出程序? (Y/N)");
47                 String c = scanner.next();
48                 if (c.equalsIgnoreCase("Y")) {
49                     System.out.println("程序退出");
```

```

50         break;
51     }
52     } else {
53         System.out.println(code + "不是有效的命令, 请输入help查看");
54     }
55 }
56 scanner.close();
57 }
58
59 // 极域破解模块
60 private static void jiyuModule(Scanner scanner) {
61     while (true) {
62         System.out.print("jiyupj>>");
63         String jy = scanner.next();
64         if (jy.equals("help")) {
65             System.out.println("=====");
66             System.out.println("                H E L P");
67             System.out.println("                帮助");
68             System.out.println("                (极域课堂)");
69             System.out.println("                ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓");
70             System.out.println("1                启动极域破解工具(JiYuTrainer)");
71             System.out.println("stop            脱离教师控制");
72             System.out.println("disable         解除网络控制");
73             System.out.println("Kdisable       解除网络控制pro max强力版");
74             System.out.println("debug          解决运行“解除网络控制pro max强力版”后电脑可能会产生的
                    卡顿现象");
75             System.out.println("optimize       网络优化");
76             System.out.println("passwd         破解极域密码(测试版)");
77             System.out.println("exit          退出");
78             System.out.println("=====");
79         } else if (jy.equals("1")) {
80             System.out.println("正在启动 JiYuTrainer...");
81             String batContent = "@echo off\r\n"
82                 + "chcp 65001 >nul\r\n"
83                 + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process -FilePath '%~f0' -Verb
                    RunAs\" >nul 2>&1 & exit /b)\r\n"
84                 + "\r\n"
85                 + "cd C:\\Program Files\\JKILLTOOL\\jre\\jiy\r\n"
86                 + "start JiYuTrainer.exe\r\n"
87                 + "exit\r\n";
88             String batFileName = "JY_Trainer_" + System.currentTimeMillis() + ".bat";
89             File batFile = new File(USER_HOME, batFileName);
90             try {
91                 writeBat(batFile, batContent, "UTF-8");
92                 runBatAsAdmin(batFile);
93                 System.out.println("已启动 JiYuTrainer");
94             } catch (Exception e) {
95                 System.out.println("启动失败!");
96                 e.printStackTrace();
97             } finally {
98                 deleteFile(batFile);
99             }
100         } else if (jy.equals("passwd")) {

```

```

101 System.out.println("正在破解中...");
102 try { Thread.sleep(3000); } catch (InterruptedException ignored) {}
103 String regPath = "HKEY_LOCAL_MACHINE\\SOFTWARE\\TopDomain\\e-learning Class Standard\\1.0
0";
104 String regItem = "UninstallPasswd";
105 String resultData = null;
106 try {
107     String[] cmd = {"reg", "query", regPath, "/v", regItem, "/reg:64"};
108     Process process = new ProcessBuilder(cmd).start();
109     BufferedReader reader = new BufferedReader(new InputStreamReader(process.getInputStream(), "GBK"));
110     String line;
111     while ((line = reader.readLine()) != null) {
112         String trimLine = line.trim();
113         if (trimLine.contains(regItem)) {
114             String[] parts = trimLine.split("\\ ");
115             if (parts.length >= 3) {
116                 resultData = parts[parts.length - 1];
117             }
118             break;
119         }
120     }
121     if (resultData != null) {
122         if (resultData.length() > 6) {
123             System.out.println("UninstallPasswd忽略前6位结果:" + resultData.substring(6));
124         } else {
125             System.out.println("提示:数据长度≤6位,无有效内容");
126         }
127     } else {
128         System.out.println("错误:未查询到UninstallPasswd项");
129     }
130     reader.close();
131     process.waitFor();
132 } catch (Exception e) {
133     System.err.println("查询注册表失败");
134     e.printStackTrace();
135 }
136 } else if (jy.equals("stop")) {
137     System.out.println("开始脱离教师机");
138     String batContent = "@echo off\r\n"
139         + "chcp 65001 >nul\r\n"
140         + "setlocal enabledelayedexpansion\r\n"
141         + "\r\n"
142         + "echo =====\r\n"
143         + "echo 正在禁用所有网络适配器...\r\n"
144         + "echo =====\r\n"
145         + "for /l %%i in (1,1,10) do (\r\n"
146         + "    wmic path win32_networkadapter where Index=%%i call disable >nul 2>&1\r\n"
147         + "    echo 已尝试禁用索引 %%i 的适配器\r\n"
148         + ")\r\n"
149         + "\r\n"
150         + "echo 禁用完成\r\n"

```

```

151         + "timeout /t 3 /nobreak >nul\r\n"
152         + "\r\n"
153         + "echo 正在启用所有网络适配器...\r\n"
154         + "for /l %%i in (1,1,10) do (\r\n"
155         + "    wmic path win32_networkadapter where Index=%%i call enable >nul 2>&1\r\n"
156         + "    echo 已尝试启用索引 %%i 的适配器\r\n"
157         + ")\r\n"
158         + "exit";
159     File batFile = new File(USER_HOME, "JYStopProcess_" + System.currentTimeMillis() + ".bat"
160 );
161     try {
162         writeBat(batFile, batContent, "UTF-8");
163         runBatAsAdmin(batFile);
164         System.out.println("已脱离教师控制");
165     } catch (Exception e) {
166         System.out.println("执行失败");
167         e.printStackTrace();
168     } finally {
169         deleteFile(batFile);
170     }
171 } else if (jy.equals("disable")) {
172     System.out.println("开始解除网络控制");
173     String batContent = "title Timeless-进程阻断1.1\r\n"
174         + "@echo off\r\n"
175         + "echo 正在获取管理员权限...\r\n"
176         + ">nul 2>&1 \"%SYSTEMROOT%\system32\cmd.exe\" \"%SYSTEMROOT%\system32\conf
177         ig\system\" \r\n"
178         + "if %errorlevel% neq 0 (\r\n"
179         + "    powershell -Command \"Start-Process '%~f0' -Verb RunAs\" >nul 2>&1\r\n"
180         + "    exit /b\r\n"
181         + ")\r\n"
182         + "taskkill /f /im MasterHelper.exe\r\n"
183         + "sc stop tdnetfilter\r\n"
184         + "echo 完成\r\n"
185         + "timeout /t 3 /nobreak >nul\r\n"
186         + "exit";
187     File batFile = new File(USER_HOME, "JYDisableProcess_" + System.currentTimeMillis() + ".b
188 at");
189     try {
190         writeBat(batFile, batContent, "GBK");
191         runBatAsAdmin(batFile);
192         System.out.println("已成功解除网络控制");
193     } catch (Exception e) {
194         System.out.println("执行失败");
195         e.printStackTrace();
196     } finally {
197         deleteFile(batFile);
198     }
199 } else if (jy.equals("Kdisable")) {
200     System.out.println("此操作会与老师断开连接, 5秒后执行...");
201     try { Thread.sleep(5000); } catch (InterruptedException ignored) {}
202     System.out.println("开始运行强力版");
203     String batContent = "title Timeless-Disable Ethernet Restrictions version1.0\r\n"

```

```

201         + "@echo off\r\n"
202         + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process '%~f0' -Verb RunAs\" >
nul 2>&1 & exit /b)\r\n"
203         + "taskkill /f /im MasterHelper.exe\r\n"
204         + "sc stop tdnetfilter\r\n"
205         + "for /l %%i in (1,1,10) do (\r\n"
206         + "    wmic path win32_networkadapter where Index=%%i call disable >nul 2>&1\r\n"
207         + ")\r\n"
208         + "timeout /t 3 /nobreak >nul\r\n"
209         + "for /l %%i in (1,1,10) do (\r\n"
210         + "    wmic path win32_networkadapter where Index=%%i call enable >nul 2>&1\r\n"
211         + ")\r\n"
212         + "exit";
213     File batFile = new File(USER_HOME, "JYKdisableProMax_" + System.currentTimeMillis() + ".bat");
214     try {
215         writeBat(batFile, batContent, "UTF-8");
216         runBatAsAdmin(batFile);
217         System.out.println("网络控制已解除");
218     } catch (Exception e) {
219         System.out.println("执行失败");
220         e.printStackTrace();
221     } finally {
222         deleteFile(batFile);
223     }
224 } else if (jy.equals("debug")) {
225     System.out.println("开始解决卡顿问题");
226     String batContent = "@echo off\r\n"
227         + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process '%~f0' -Verb RunAs\" >
nul 2>&1 & exit /b)\r\n"
228         + "netsh interface set interface \"以太网 2\" admin=disable\r\n"
229         + "echo 命令执行完成! \r\n"
230         + "timeout /t 2 /nobreak >nul\r\n"
231         + "exit";
232     File batFile = new File(USER_HOME, "JYDebug_Ethernet2_" + System.currentTimeMillis() + ".bat");
233     try {
234         writeBat(batFile, batContent, "GBK");
235         runBatAsAdmin(batFile);
236         System.out.println("已解决卡死现象");
237     } catch (Exception e) {
238         System.out.println("执行失败");
239         e.printStackTrace();
240     } finally {
241         deleteFile(batFile);
242     }
243 } else if (jy.equals("optimize")) {
244     System.out.println("开始执行网络优化配置");
245     String batContent = "@echo off\r\n"
246         + "REG ADD \"HKLM\\SOFTWARE\\Policies\\Microsoft\\Edge\" /v DnsOverHttpsMode /t REG_SZ /d Off /f\r\n"
247         + "wmic nic where \"name like '%%Npcap Loopback Adapter%%'\" call disable >nul 2>&1\r\n"

```

```

248         + "for /f \"%tokens=* delims=\" %%i in ('netsh interface show interface ^| findstr
          /i \"已启用\") do (\r\n"
249         + "    for /f \"%tokens=4 delims= \" %%a in (\\"%%i\") do (\r\n"
250         + "        netsh interface ipv4 set dns name=\"%a\" static 223.5.5.5 validate=no
          >nul 2>&1\r\n"
251         + "        netsh interface ipv4 add dns name=\"%a\" 223.6.6.6 index=2 validate=n
          o >nul 2>&1\r\n"
252         + "    )\r\n"
253         + ")\r\n"
254         + "ipconfig /flushdns >nul 2>&1\r\n"
255         + "powershell -Command \"Disable-NetAdapterBinding -Name '*' -ComponentID ms_tcpi
          p6 -ErrorAction SilentlyContinue\" >nul 2>&1\r\n"
256         + "netsh interface teredo set state disable >nul 2>&1\r\n"
257         + "netsh interface 6to4 set state disabled >nul 2>&1\r\n"
258         + "netsh interface isatap set state disabled >nul 2>&1\r\n"
259         + "echo 优化完成\r\n"
260         + "exit";
261     File batFile = new File(USER_HOME, "JYOptimize_Network_" + System.currentTimeMillis() + ".bat");
262     try {
263         writeBat(batFile, batContent, "GBK");
264         runBatAsAdmin(batFile);
265         System.out.println("已成功完成网络优化配置");
266     } catch (Exception e) {
267         System.out.println("执行失败");
268         e.printStackTrace();
269     } finally {
270         deleteFile(batFile);
271     }
272     } else if (jy.equals("exit")) {
273         System.out.println("确定要退出极域模块？(Y/N)");
274         String exit = scanner.next();
275         if (exit.equalsIgnoreCase("Y")) {
276             System.out.println("已退出极域模块");
277             break;
278         }
279     } else {
280         System.out.println(jy + "不是有效的命令");
281     }
282 }
283
284
285 // 惠普破解模块
286 private static void hpModule(Scanner scanner) {
287     while (true) {
288         System.out.print("HPpj>>");
289         String hp = scanner.next();
290         if (hp.equals("help")) {
291             System.out.println("=====");
292             System.out.println("                        H E L P");
293             System.out.println("                        帮助");
294             System.out.println("                        (惠普机房运维管理系统)");
295             System.out.println("hkill          强制关闭惠普机房运维管理系统");

```

```

296         System.out.println("hpstart      恢复惠普机房运维管理系统");
297         System.out.println("vidkill     仅禁止教师机投屏/霸屏");
298         System.out.println("vidrestart  恢复教师机投屏/霸屏");
299         System.out.println("exit      退出");
300         System.out.println("=====");
301     } else if (hp.equals("vidrestart")) {
302         System.out.println("正在恢复霸屏进程...");
303         String batContent = "@echo off\r\n"
304             + "chcp 65001 >nul\r\n"
305             + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process -FilePath '%~f0' -Verb"
306                 + "RunAs\" >nul 2>&1 & exit /b)\r\n"
307             + "cd C:\\Program Files (x86)\\HP\\LabManager Ultimate\\Client\\eclass\\vidrecv\\"
308                 + "\\r\n"
309             + "ren videorecv.txt videorecv.exe >nul 2>&1\r\n"
310             + "start videorecv.exe >nul 2>&1\r\n"
311             + "echo 操作完成! \r\n"
312             + "exit";
313         File batFile = new File(USER_HOME, "JYStarvid_" + System.currentTimeMillis() + ".bat");
314         try {
315             writeBat(batFile, batContent, "UTF-8");
316             runBatAsAdmin(batFile);
317             System.out.println("视频监控进程已恢复完成");
318         } catch (Exception e) {
319             System.out.println("执行失败!");
320             e.printStackTrace();
321         } finally {
322             deleteFile(batFile);
323         }
324     } else if (hp.equals("hpkill")) {
325         System.out.println("开始强制关闭惠普服务");
326         String batContent = "@echo off\r\n"
327             + "chcp 65001 >nul\r\n"
328             + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process -FilePath '%~f0' -Verb"
329                 + "RunAs\" >nul 2>&1 & exit /b)\r\n"
330             + "sc stop HotkeyServiceDSU\r\n"
331             + "sc stop \"HP Comm Recover\"\r\n"
332             + "sc stop hp-one-agent-service\r\n"
333             + "taskkill /f /im iConsoleSec.exe\r\n"
334             + "taskkill /f /im HotkeyServiceDSU.exe\r\n"
335             + "taskkill /f /im hp-one-agent-service.exe\r\n"
336             + "taskkill /f /im iClient.exe\r\n"
337             + "taskkill /f /im capclient_c.exe\r\n"
338             + "echo 执行完成! \r\n"
339             + "exit";
340         File batFile = new File(USER_HOME, "JYHPstop_" + System.currentTimeMillis() + ".bat");
341         try {
342             writeBat(batFile, batContent, "UTF-8");
343             runBatAsAdmin(batFile);
344             System.out.println("已完成强制关闭惠普服务");
345         } catch (Exception e) {
346             System.out.println("执行失败!");
347             e.printStackTrace();
348         } finally {

```

```

346         deleteFile(batFile);
347     }
348 } else if (hp.equals("hpstart")) {
349     System.out.println("开始恢复惠普服务");
350     String batContent = "@echo off\r\n"
351         + "chcp 65001 >nul\r\n"
352         + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process -FilePath '%~f0' -Verb"
353           "RunAs\" >nul 2>&1 & exit /b)\r\n"
354         + "cd C:\\Program Files (x86)\\HP\\LabManager Ultimate\\Client\\cap\r\n"
355         + "start capclient_c.exe\r\n"
356         + "cd C:\\Program Files (x86)\\HP\\LabManager Ultimate\\Client\r\n"
357         + "start iClient.exe\r\n"
358         + "sc start HotkeyServiceDSU\r\n"
359         + "sc start \"HP Comm Recover\" \r\n"
360         + "sc start hp-one-agent-service\r\n"
361         + "echo 所有服务已恢复! \r\n"
362         + "exit";
363     File batFile = new File(USER_HOME, "JYHPstart_" + System.currentTimeMillis() + ".bat");
364     try {
365         writeBat(batFile, batContent, "UTF-8");
366         runBatAsAdmin(batFile);
367         System.out.println("已完成恢复惠普服务");
368     } catch (Exception e) {
369         System.out.println("执行失败! ");
370         e.printStackTrace();
371     } finally {
372         deleteFile(batFile);
373     }
374 } else if (hp.equals("vidkill")) {
375     System.out.println("正在禁止霸屏");
376     String batContent = "@echo off\r\n"
377         + "chcp 65001 >nul\r\n"
378         + "fltmc >nul 2>&1 || (powershell -Command \"Start-Process -FilePath '%~f0' -Verb"
379           "RunAs\" >nul 2>&1 & exit /b)\r\n"
380         + "taskkill /f /im videorecv.exe >nul 2>&1\r\n"
381         + "cd C:\\Program Files (x86)\\HP\\LabManager Ultimate\\Client\\eclass\\vidrecv\\"
382           "\r\n"
383         + "ren videorecv.exe videorecv.txt >nul 2>&1\r\n"
384         + "echo 操作完成! \r\n"
385         + "exit";
386     File batFile = new File(USER_HOME, "JYvidk_" + System.currentTimeMillis() + ".bat");
387     try {
388         writeBat(batFile, batContent, "UTF-8");
389         runBatAsAdmin(batFile);
390         System.out.println("视频监控进程已禁用完成");
391     } catch (Exception e) {
392         System.out.println("执行失败! ");
393         e.printStackTrace();
394     } finally {
395         deleteFile(batFile);
396     }
397 } else if (hp.equals("exit")) {
398     System.out.println("确定要退出惠普模块? (Y/N)");

```

```

396         String exit = scanner.next();
397         if (exit.equalsIgnoreCase("Y")) {
398             System.out.println("已退出惠普模块");
399             break;
400         }
401     } else {
402         System.out.println(hp + "不是有效的命令");
403     }
404 }
405 }
406
407 // 写入BAT文件
408 private static void writeBat(File file, String content, String charset) throws IOException {
409     OutputStreamWriter osw = new OutputStreamWriter(new FileOutputStream(file), charset);
410     PrintWriter pw = new PrintWriter(osw);
411     pw.write(content);
412     pw.flush();
413     pw.close();
414     osw.close();
415 }
416
417 // 管理员运行BAT
418 private static void runBatAsAdmin(File batFile) throws IOException, InterruptedException {
419     String psCommand = String.format("Start-Process -FilePath \"%s\" -Verb RunAs -Wait", batFile.getAbsolutePath());
420     ProcessBuilder pb = new ProcessBuilder("powershell", "-Command", psCommand);
421     Process process = pb.start();
422     process.waitFor();
423 }
424
425 // 删除文件
426 private static void deleteFile(File file) {
427     if (file.exists()) file.delete();
428 }
429
430 // 读取进程输出
431 private static void readProcessOutput(InputStream inputStream) throws IOException {
432     BufferedReader br = new BufferedReader(new InputStreamReader(inputStream, "UTF-8"));
433     String line;
434     while ((line = br.readLine()) != null) {
435         System.out.println(line);
436     }
437     br.close();
438 }
439 }

```