





Sheet: /
File: 1000base-t1-converter.kicad_sch


Title:


Size: A4	Date:	**Rev:**
KiCad E.D.A. 9.0.6		Id: 1/6



U201
PSC-1608U52GC-G4
R201
2.2k
U203
SMQP-02R-TP
R203
2.49k
LED_0
U204
PSC-1608U52GC-G4
R207
2.2k
R211
2.49k
+3V3
GND
The 720 PHY is configured as Master.
1 and 4 is closed.
The 720 PHY is configured as Slave.
2 and 3 is closed.
LED_1
U202
PSC-1608U52GC-G4
R202
2.2k
R204
2.49k
R208
2.49k
720_RX_D2
L201
DLW32MH201XK2L
TRD_P
TRD_N
TRD2_P
TRD2_N
C201
0.1uF
C202
0.1uF
TRD3_P
TRD3_N
CN201
WJ2EDGR-5.08-2P
C203
0.1uF
C204
0.1uF
VDD1P0
R205
1.0k 0.25W
R206
1.0k 0.25W
R210
1M 0.25W
C205
1kV 4700pF
R209
2.2k
R212
2.2k
INT
INH
U206
DP83TG720RWRHATQ1
MDC
INT_N
RESET_N
XO
XI
LED_1/GPIO_1
VSLEEP
WAKE
VDD1P0
INH
VDDA
TRD_P
TRD_M
STRAP_1
RX_CTRL
CLKOUT/GPIO_2
DNC
GND
MDIO
LED_0/GPIO_0
VDDIO
TX_D0/TX_M
TX_D1/TX_P
TX_D2
TX_D3
TX_CTRL
TX_CLK
RX_CLK
RX_D0
RX_D1
RX_D2/RX_P
RX_D3/RX_M
DP83TG720_RESET_ND
720_TX_D0
720_TX_D1
720_TX_D2
720_TX_D3
720_TX_CTRL
720_TX_CLK
720_RX_CLK
720_RX_D0
720_RX_D1
720_RX_D2
720_RX_D3
867_TX_CLK
867_TX_D0
867_TX_D1
867_TX_D2
867_TX_D3
R21422
R21522
R21722
R21822
R22022
R213
2.2k
U205
SMQP-02R-TP
R219
10.0k
WAKE: Active-HIGH (this pin works on VSLEEP domain) pulse on
wake-up pin wakes up the PHY from the sleep state. For pulse
width, refer to timing section. This pin can be directly
tied to the VSLEEP rail when the sleep state is not used or left float.
867_TX_CTRL
R22122
720_RX_CTRL
U207
ABM8AIG-25.000MHZ-12-2Z-T3
R216
100
R222
1k
XI
XO
C206
50V 22pF
C207
50V 22pF
L202
BLM18KG102BH1D
PWR_FLAG
VDDIO
C208
10V 10uF
C209
10V 10uF
C210
1uF
C211
0.1uF
C212
50V 0.01uF
C213
0.1uF
C214
50V 0.01uF
C215
0.1uF
C216
0.1uF
L203
BLM18KG102BH1D
VDDA3P3
C222
10V 10uF
C223
10V 10uF
C224
1uF
C225
0.1uF
C226
50V 0.01uF
L204
BLM18KG102BH1D
+1V0
VDD1P0
C227
10V 10uF
C228
10V 10uF
C221
0.1uF
EN
+5V
U208
TPS7B8233QDGNRQ1
OUT
IN
NC
EN
GND
EP
C217
0.1uF
C218
10V 10uF
C219
25V 10uF
C220
0.1uF
Sheet: /DP83TG720/
File: DP83TG720.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 9.0.6
Id: 2/6


+1V0_867
+3V3_867
+2V5_867
GND
U301
DP83867ERGZR
867_TD_A_P
867_TD_A_N
867_TD_B_P
867_TD_B_N
867_TD_C_P
867_TD_C_N
867_TD_D_P
867_TD_D_N
RBIAS
MDC
MDIO
CLK_OUT
JTAG_CLK
JTAG_TDO
JTAG_TMS
JTAG_TDI
LED01
LED11
LED21
INT/PWDN
RESET_N
83867_RESET_N
R301
2.2k
R303
11k
X301
NX5032GA-25.000M-STD-CSK-4
U302
25V 27pF
U303
25V 27pF
867_RX_CTRL
867_TX_CTRL
867_RX_D3
867_RX_D2
867_RX_D1
867_RX_D0
867_RX_CLK
867_TX_CLK
867_TX_D0
867_TX_D1
867_TX_D2
867_TX_D3
720_TX_CTRL
720_TX_D3
720_TX_D2
720_TX_D1
720_TX_D0
720_TX_CLK
R30222
R30422
R30522
R30622
R30722
R30822
L301
BLM18KG102BH1D
L302
BLM18KG102BH1D
L303
BLM18KG102BH1D
PWR_FLAG +1V0_867
PWR_FLAG +2V5_867
PWR_FLAG +3V3_867
C301 10V 10uF
C302 1uF
C303 50V 0.01uF
C304 0.1uF
C305 50V 0.01uF
C306 0.1uF
C307 50V 0.01uF
C308 0.1uF
C309 50V 0.01uF
C310 0.1uF
C311 10V 10uF
C312 1uF
C313 50V 0.01uF
C314 0.1uF
C315 50V 0.01uF
C316 0.1uF
C317 10V 10uF
C318 1uF
C319 50V 0.01uF
C320 0.1uF
C321 50V 0.01uF
C322 0.1uF
C323 50V 0.01uF
C324 0.1uF
Sheet: /DP83867/
File: DP83867.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 9.0.6
Id: 3/6










Sheet: /Power/
File: Power.kicad_sch


Title:

Size: A4 | Date: | **Rev:**

KiCad E.D.A. 9.0.6 | Id: 4/6



Sheet: /RJ45/		
File: RJ45.kicad_sch		
Title:		
Size: A4	Date:	**Rev:**
KiCad E.D.A. 9.0.6		Id: 5/6


USB601
TYPE-C 16PIN 2MD(073)
SHELL
GND
VBUS
SBU2
CC1
DN2
DP1
DN1
DP2
SBU1
CC2
VBUS
GND
SHELL
R601
5.1k
USB_D-
USB_D+
R603
5.1k
PWR_FLAG
D601
MBR120VLSFT1G
+5V
PWR_FLAG
VBUS
VSYS
R602
5.6k
R604
10.0k
PWR_FLAG
+1V1
C609
0.1uF
C610
0.1uF
C611
1uF
Make sure C611 is close pin 44 of RP2040.
GND
RP_GPIO24
R607
1M 0.25W
PWR_FLAG
GND
C612
1kV 0.01uF
+3V3_thin
PWR_FLAG
NT1
NetTie_2
+3V3
C601
0.1uF
C602
0.1uF
C603
0.1uF
C604
0.1uF
C605
0.1uF
C606
0.1uF
C607
0.1uF
C608
1uF
Make sure C608 is close pin 44 of RP2040.
GND
DVDD
DVDD
VREG_VOUT
VREG_IN
IOVDD
IOVDD
IOVDD
IOVDD
IOVDD
IOVDD
IOVDD
USB_VDD
ADC_AVDD
USB_DP
USB_DM
R605
27
R606
27
USB_D+
USB_D-
USB_D_RP+
USB_D_RP-
QSPI_SS
QSPI_SD0
QSPI_SD1
QSPI_SD2
QSPI_SD3
QSPI_SCLK
XIN
XOUT
RUN
SWCLK
SWD
TESTEN
GND
GPIO0
GPIO1
GPIO2
GPIO3
GPIO4
GPIO5
GPIO6
GPIO7
GPIO8
GPIO9
GPIO10
GPIO11
GPIO12
GPIO13
GPIO14
GPIO15
GPIO16
GPIO17
GPIO18
GPIO19
GPIO20
GPIO21
GPIO22
GPIO23
GPIO24
GPIO25
GPIO26_ADC0
GPIO27_ADC1
GPIO28_ADC2
GPIO29_ADC3
R60822
R60922
MDIO
MDC
RP_GPIO25
R612
470
LED601
TJ-S1608CY6T5ALC7K-A5
GND
J601
Conn_02x20_Counter_Clockwise
+3V3
VBUS
VSYS
RP_GPIO28_ADC2
RP_GPIO27_ADC1
RP_GPIO26_ADC0
RP_RUN
RP_GPIO22
RP_GPIO21
RP_GPIO20
RP_GPIO19
RP_GPIO18
RP_GPIO17
RP_GPIO16
GND
SW601
TS-1101-C-W
Reprograming Switch
+3V3_thin
R610
1k
R611
DNF
RP_QSPI_SS
U602
W25Q16JVUXIQ
CS
DO(IO1)
WP#(IO2)
GND
EP
VCC
HOLD#orRESET#(IO3)
CLK
DI(IO0)
RP_QSPI_SD1
RP_QSPI_SD2
RP_QSPI_SD3
RP_QSPI_SCLK
RP_QSPI_SD0
C613
2.2uF
C614
0.1uF
GND
NT2
NetTie_2
U601
RP2040
PWR_FLAG
+3V3
J602
Conn_01x03_Pin
RP_SWCLK
RP_SWDIO
GND
C615
27pF
RP_XIN
U603
ABLS-12.000MHZ-B4-T
C616
27pF
R615
1k
RP_OUT
GND
R613
1M 0.25W
U604
TPS3838K33QDBVRQ1
CT
GND
MR
VDD
RESET
SW602
TS-1101-C-W
Reset Switch
LED602
XL-1608SURC-06
R614
2.2k
RP_RUN
DP83TG720_RESET_N
83867_RESET_N
C617
0.1uF
GND
Sheet: /RP2040/
File: RP2040.kicad_sch
Title:
Size: A4
Date:
Rev:
KiCad E.D.A. 9.0.6
Id: 6/6