

**EDUSAMBAM ASSESSMENT SERIES****What Is Coding?****PRINTABLE PRACTICE WORKSHEET**

**EDUSAMBAM**, working on building your Foundational Concepts. Visit [edusambam.com](https://edusambam.com) for Auto-graded Self-assessment Experience.

**YOUR PHYSICAL & ONLINE SELF-ASSESSMENT ROADMAP****PHYSICAL****1**

Download any practice test

**2**

Solve within assigned time

**3**

Submit it to your Teacher/Examiner

**4**

Get assessed and improve

**ONLINE****1**Visit [edusambam.com](https://edusambam.com)**2**

Open Assessment Arena

**3**

Solve online papers

**4**

Get auto-assessed and improve

|                              |  |                     |  |
|------------------------------|--|---------------------|--|
| <b>Candidate Name:</b>       |  | <b>Roll No.:</b>    |  |
| <b>Class / Grade:</b>        |  | <b>Date:</b>        |  |
| <b>School / Institution:</b> |  | <b>Test Centre:</b> |  |

|                        |                       |                     |                     |                    |     |
|------------------------|-----------------------|---------------------|---------------------|--------------------|-----|
| <b>Subject</b>         | Computer Fundamentals | <b>Topic</b>        | What Is Coding?     | <b>Total Marks</b> | 100 |
| <b>Total Questions</b> | 45                    | <b>Time Allowed</b> | 1 Hour (60 minutes) | <b>Version</b>     | A   |

**GENERAL INSTRUCTIONS**

1. Read each question carefully before answering.
2. For Section A and Section B, mark one answer only.
3. For Sections C and E, write your answer clearly in the space provided.
4. For Section D, write the correct letter from Column B against each item in Column A.
5. Do not use correction fluid. Keep all answers clear and legible.
6. This worksheet is prepared from the EDUSAMBAM practice assessment supplied for this paper.

**PAPER PATTERN**

| Section                       | Questions | Marks Each | Total      |
|-------------------------------|-----------|------------|------------|
| Section A — Multiple Choice   | 15        | 2          | 30         |
| Section B — True / False      | 10        | 2          | 20         |
| Section C — Fill in the Blank | 10        | 2          | 20         |
| Section D — Column Matching   | 5 pairs   | 2          | 10         |
| Section E — Short Answer      | 5         | 4          | 20         |
| <b>Total</b>                  | <b>45</b> | <b>—</b>   | <b>100</b> |

**Section A — Multiple Choice****30 marks**

1. What is coding?

- A.** Repairing broken hardware  
**C.** Writing instructions a computer can follow

- B.** Designing computer chips  
**D.** Connecting to Wi-Fi

**Answer:** ☐A ☐B ☐C ☐D**Basic • 2 pts**

2. Which language is commonly used to make websites interactive?

- A.** HTML  
**C.** CSS only

- B.** JavaScript  
**D.** A compiler

**Answer:** ☐A ☐B ☐C ☐D**Basic • 2 pts**

3. What is "syntax" in coding?

- A.** The strict rules for how code must be written  
**C.** A programming mistake

- B.** A type of computer chip  
**D.** A type of loop

**Answer:** ☐A ☐B ☐C ☐D**Basic • 2 pts**

4. What does a variable do?

- A.** Repeats instructions  
**C.** Translates code into machine instructions

- B.** Fixes bugs automatically  
**D.** Stores a piece of information a program can use

**Answer:** ☐A ☐B ☐C ☐D**Basic • 2 pts**

5. What is a loop used for?

- A.** Storing a single value  
**C.** Repeating a set of instructions

- B.** Translating code  
**D.** Fixing syntax errors

**Answer:** ☐A ☐B ☐C ☐D**Intermediate • 2 pts**

|                                                                                                                                                                                                                                                                      |                                                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 6. What does a conditional let a program do?<br><b>A.</b> Store many variables at once<br><b>C.</b> Repeat forever with no way to stop<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D | <b>B.</b> Choose between different actions based on true or false<br><b>D.</b> Translate one language into another<br><b>Intermediate · 2 pts</b> |
| 7. What is a function in code?<br><b>A.</b> A type of bug<br><b>C.</b> A programming language<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D                                          | <b>B.</b> A single stored number<br><b>D.</b> A named, reusable block of instructions<br><b>Intermediate · 2 pts</b>                              |
| 8. What is a "bug"?<br><b>A.</b> A mistake in code<br><b>C.</b> A type of variable<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D                                                     | <b>B.</b> A finished, working program<br><b>D.</b> A programming language<br><b>Intermediate · 2 pts</b>                                          |
| 9. What does a compiler do?<br><b>A.</b> Writes code automatically<br><b>C.</b> Deletes bugs<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D                                           | <b>B.</b> Translates the whole program before it runs<br><b>D.</b> Connects a computer to the internet<br><b>Intermediate · 2 pts</b>             |
| 10. Coding is used in which of these?<br><b>A.</b> Apps only<br><b>C.</b> Apps, games, everyday devices, and scientific research<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D       | <b>B.</b> Websites only<br><b>D.</b> Only large business software<br><b>Intermediate · 2 pts</b>                                                  |
| 11. Which language is commonly used for data analysis, automation, and beginner-friendly learning?<br><b>A.</b> C++<br><b>C.</b> HTML<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D  | <b>B.</b> Python<br><b>D.</b> CSS<br><b>Intermediate · 2 pts</b>                                                                                  |
| 12. Which language is commonly used for large business applications and Android apps?<br><b>A.</b> Java<br><b>C.</b> CSS<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D               | <b>B.</b> HTML<br><b>D.</b> A compiler<br><b>Advanced · 2 pts</b>                                                                                 |
| 13. Which language is commonly used for video games needing top performance?<br><b>A.</b> HTML<br><b>C.</b> C++<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D                        | <b>B.</b> CSS<br><b>D.</b> An interpreter<br><b>Advanced · 2 pts</b>                                                                              |
| 14. What does "debugging" mean?<br><b>A.</b> Writing new features only<br><b>C.</b> Translating code into another language<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D             | <b>B.</b> Deleting a program<br><b>D.</b> Finding and fixing mistakes in code<br><b>Advanced · 2 pts</b>                                          |
| 15. What does an interpreter do?<br><b>A.</b> Writes code automatically<br><b>C.</b> Connects to Wi-Fi<br><b>Answer:</b> <input type="checkbox"/> A <input type="checkbox"/> B <input type="checkbox"/> C <input type="checkbox"/> D                                 | <b>B.</b> Translates and runs code line by line<br><b>D.</b> Deletes unused variables<br><b>Advanced · 2 pts</b>                                  |

|                                                                                                                                                               |                             |                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------|
| <b>Section B — True / False</b>                                                                                                                               |                             | <b>20 marks</b> |
| 16. Coding is the process of writing precise instructions for a computer.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/> | <b>Basic · 2 pts</b>        |                 |
| 17. A computer can guess what you mean, even with imprecise instructions.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/> | <b>Basic · 2 pts</b>        |                 |
| 18. Every programming language shares the exact same syntax rules.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/>        | <b>Basic · 2 pts</b>        |                 |
| 19. A variable is a named container that holds a piece of information.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/>    | <b>Basic · 2 pts</b>        |                 |
| 20. Loops let you repeat instructions without rewriting them each time.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/>   | <b>Intermediate · 2 pts</b> |                 |
| 21. A conditional always runs the same action, no matter what.<br><b>A.</b> True <input type="checkbox"/> <b>B.</b> False <input type="checkbox"/>            | <b>Intermediate · 2 pts</b> |                 |

22. A function is a reusable, named block of instructions.  
**A.** True ☐ **B.** False ☐

23. Even experienced programmers spend time debugging.  
**A.** True ☐ **B.** False ☐

24. A compiler translates code one line at a time while the program runs.  
**A.** True ☐ **B.** False ☐

25. Coding only powers apps and websites, and nothing else.  
**A.** True ☐ **B.** False ☐

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Section C — Fill in the Blank

20 marks

26. \_\_\_\_\_, also called programming, is writing instructions a computer can follow.  
Answer: \_\_\_\_\_

27. A structured way of communicating instructions to a computer is called a programming \_\_\_\_\_.  
Answer: \_\_\_\_\_

28. Strict rules about how code must be written are called \_\_\_\_\_.  
Answer: \_\_\_\_\_

29. A named container that holds a piece of information is called a \_\_\_\_\_.  
Answer: \_\_\_\_\_

30. A \_\_\_\_\_ repeats a set of instructions until a condition is met.  
Answer: \_\_\_\_\_

31. A mistake in code is called a \_\_\_\_\_.  
Answer: \_\_\_\_\_

32. The process of finding and fixing mistakes in code is called \_\_\_\_\_.  
Answer: \_\_\_\_\_

33. A \_\_\_\_\_ translates the whole program before it runs.  
Answer: \_\_\_\_\_

34. An \_\_\_\_\_ translates and runs code line by line.  
Answer: \_\_\_\_\_

35. A reusable, named block of instructions is called a \_\_\_\_\_.  
Answer: \_\_\_\_\_

Basic • 2 pts

Basic • 2 pts

Basic • 2 pts

Basic • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Intermediate • 2 pts

Section D — Column Matching

10 marks

36-40. Match each term to its correct definition.

| Column A    | Answer | Column B                                                      |
|-------------|--------|---------------------------------------------------------------|
| Variable    | _____  | <b>A.</b> Repeats a set of instructions                       |
| Loop        | _____  | <b>B.</b> Chooses between actions based on true or false      |
| Conditional | _____  | <b>C.</b> A reusable, named block of instructions             |
| Function    | _____  | <b>D.</b> A mistake in code                                   |
| Bug         | _____  | <b>E.</b> A named container that holds a piece of information |

Section E — Short Answer

20 marks

41. What is a variable used for in code?  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

42. Why are loops useful in programming?  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Advanced • 4 pts

Advanced • 4 pts

43. What is the difference between a compiler and an interpreter?

Advanced · 4 pts

---

---

---

---

44. Give an example of somewhere coding is used, other than apps or websites.

Advanced · 4 pts

---

---

---

---

45. Why is debugging considered a normal part of writing software?

Advanced · 4 pts

---

---

---

---

**Candidate Signature:** \_\_\_\_\_ **Invigilator Signature:** \_\_\_\_\_

**FOR OFFICE USE ONLY**

Marks Obtained: \_\_\_\_\_ / 100

Checked By: \_\_\_\_\_

Result / Grade: \_\_\_\_\_

Date Checked: \_\_\_\_\_

EDUSAMBAM ASSESSMENT SERIES

## What Is Coding? — Answer Key

Teacher reference: equivalent grammatically correct wording is acceptable for open-ended items when the meaning is preserved.

### Section A — Multiple Choice

- |      |       |
|------|-------|
| 1. C | 9. B  |
| 2. B | 10. C |
| 3. A | 11. B |
| 4. D | 12. A |
| 5. C | 13. C |
| 6. B | 14. D |
| 7. D | 15. B |
| 8. A |       |

### Section B — True / False

- |           |           |
|-----------|-----------|
| 16. True  | 21. False |
| 17. False | 22. True  |
| 18. False | 23. True  |
| 19. True  | 24. False |
| 20. True  | 25. False |

### Section C — Fill in the Blank

- |              |                 |
|--------------|-----------------|
| 26. coding   | 31. bug         |
| 27. language | 32. debugging   |
| 28. syntax   | 33. compiler    |
| 29. variable | 34. interpreter |
| 30. loop     | 35. function    |

### Section D — Column Matching

- |                     |                  |
|---------------------|------------------|
| 36. Variable — E    | 39. Function — C |
| 37. Loop — A        | 40. Bug — D      |
| 38. Conditional — B |                  |

### Section E — Short Answer (Model Answers)

- 41.** store; hold; remember; save; information; data
- 42.** repeat; rewrite; save time; avoid; thousand times; same instruction
- 43.** whole program; line by line; before it runs; while it runs; translate
- 44.** game; car; appliance; device; watch; research; science; washing machine; thermostat; embedded
- 45.** normal; common; everyone; mistake; part of; experienced