wavy lined text wavy lined text wavy lined text

RQ1: 1 test

RQ1: 2 test2

RQ1: 3 küsimus 3

A very nice sample title

Mariann Tapfer

April 30


Contents

1	The title in table of contents is different	3
	1.1 Images	3
	1.2 Table of contents	3
	1.3 General	3
2	Motivation	4
3	Commands	5
4	Tables and arrays 4.1 Tables	5
5	Lists	6
	5.1 bullet	6
	5.2 numbered list	6
6	Random	6
	6.1 Non breakable space	6
	6.2 Space	7
	6.3 Boxes	7
	6.4 Line and dot fill space	7
7	custom list	7

1 Introduction

1.1 Images

This works with JPEG, PNG, EPS, PDF



paperwidth

Figure 1: Dimension names used in the geometry package. width = textwidth and height = textheight by default. left, right, top and bottom are margins. If margins on verso pages are swapped by twoside option, margins specified by left and right options are used for the inside and outside margins respectively. inner and outer are aliases of left and right respectively.

right

(outer)

marginal note

marginparsep

marginparwidth

body

textwidth

foot

1.2 Table of contents

height

width

bottom

left (inner)

For custom tables to cloft package might be useful.

1.3 General

This is a sample introduction section. This is the second linne in the section. this will make only the text inside the brakets large this will make only the text inside the brakets italic this will make only the text inside

the brakets bold this will make only the text inside the brakets underliend this will make only the text inside the brakets cold italic and underlined Ulem pacage example. This is better for underline than regular underline, because it can break lines and has more options and has more options. And this is the Third line.

This is how you change the line.

2 Motivation

The goal of this little document is to understand how to use latex and test it out a bit before starting to write my master thesis.

3 Commands

% is used for commenting out things in the .tex document. at the end of the line goes to new line.

Regular emphasized text. This will make only the text inside the brakets italic Roman text is default

Sans serif is also available

as is Typewriter { this could be used for code snippets for example By default text is fully justified and you need a much longer paragraph to really be able to see the effect here. By default text is fully justified and you need a much longer paragraph to really be able to see the effect here. By default text is fully justified and you need a much longer paragraph to really be able to see the effect here.

This text is left aligned and you need a much longer paragraph to really be able to see the effect here. This text is left aligned and you need a much longer paragraph to really be able to see the effect here. This text is left aligned and you need a much longer paragraph to really be able to see the effect here.

This text is centre aligned and you need a much longer paragraph to really be able to see the effect here. This text is centre aligned and you need a much longer paragraph to really be able to see the effect here. This text is centre aligned and you need a much longer paragraph to really be able to see the effect here.

This text is right aligned and you need a much longer paragraph to really be able to see the effect here. This text is right aligned and you need a much longer paragraph to really be able to see the effect here. This text is right aligned and you need a much longer paragraph to really be able to see the effect here.

Adding empty lines

Adding more than one empty line

4 Tables and arrays

4.1 Tables

Table environment Tabular environment this one has three columns aligned left, centre and right

```
\begin{array}{cccc} text & text & text \\ l & c & r \end{array}
```

text	text	text
1	c	r

[&]quot;booktabs" package is most commonly used for making nicer tables, but also "tabularx", "colortbl" and "longtable"

5 Lists

5.1 bullet

- \rightarrow First item
- Second item

just random text Second item

• Second item

Third item

- sub item
- another sub

5.2 numbered list

- 1. Apple
 - (a) Granny Smith
 - (b) Valge klaar
- 2. Banana
- 3. Pear

6 Random

6.1 Non breakable space

Non breakable space looks like this and this space will not be broken appart by line (example here) changes

6.2 Space

This text is centre aligned and you need a much longer paragraph to really be able to see the effect here. This text is centre aligned and you need a much longer paragraph to really be able to see the effect here. This text is centre

aligned and you need a much longer paragraph to really be able to see the effect here.

6.3 Boxes

text is centre aligned and you need a much longer paragraph to really be able to see

6.4 Line and dot fill space

7 custom list

RQ: Text of your description goes here...

- List entries start with the \item command.
- Individual entries are indicated with a black dot, a so-called bullet.
- The text in the entries may be of any length.
- 1. Items are numbered automatically.
- 2. The numbers start at 1 with each use of the enumerate environment.
- 3. Another entry in the list

Adding more than one empty line

This is an entry without a label.

Something short A short one-line description.

Something long A much longer description. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.