

LAB – 2

✗	Dec 13 04:02:08	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:08	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:09	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:10	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:12	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:16	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:17	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:17	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:18	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:20	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:25	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:26	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:32	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:43	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:64562	192.168.10.106:80	TCP:A
✗	Dec 13 04:02:46	LANCORE	Default deny rule IPv4 (1000000104)	192.168.10.103:51581	192.168.10.106:80	TCP:A
✗	Dec 13 04:07:00	WANUPLINK	Default deny rule IPv4 (1000000104)	10.0.2.15:48451	192.168.10.103:51581	TCP:RA
✗	Dec 13 04:11:51	WANUPLINK	Default deny rule IPv4 (1000000103)	10.0.2.2:67	255.255.255.255:68	UDP



WARNING:
The password for this account is insecure. Password is currently set to the default value (pfsense).
Change the password as soon as possible.

Rules (Drag to Change Order)											
☐	States	Protocol	Source	Port	Destination	Port	Gateway	Queue	Schedule	Description	Actions
☒	1/105 KIB	*	*	*	LANCORE Address	80	*	*		Anti-Lockout Rule	
☐	✗ 0/0 B	IPv4 ICMP any	LANCORE address	*	*	*	*	none		Block LAN ICMP	
☐	✓ 0/0 B	IPv4 *	192.168.1.50	*	*	*	*	none	workhours	Allow Specific Host	
☐	✓ 0/0 B	IPv4 *	LANCORE subnets	*	*	*	*	none		Default allow LAN to any rule	
☐	✓ 0/0 B	IPv6 *	LANCORE subnets	*	*	*	*	none		Default allow LAN IPv6 to any rule	

pf

sense

COMMUNITY EDITION

System

Interfaces

Firewall

Services

VPN

Status

Diagnostics

Help

WARNING:

The password for this account is insecure. Password is currently set to the default value (pfsense).

[Change the password as soon as possible.](#)

Firewall / Schedules

Schedules

Name	Range: Date / Times / Name	Description	Actions
workhours	December 8 - 12 / 9:00-16:59 / workhours		

Indicates that the schedule is currently active.

+

 Add

i

LAB – 3

The changes have been applied successfully. The firewall rules are now reloading in the background.
[Monitor](#) the filter reload progress.

Port Forward1:1OutboundNPT

Outbound NAT Mode

Mode

Automatic outbound NAT rule generation.
(IPsec passthrough included)

Hybrid Outbound NAT rule generation.
(Automatic Outbound NAT + rules below)

Manual Outbound NAT rule generation.
(AON - Advanced Outbound NAT)

Disable Outbound NAT rule generation.
(No Outbound NAT rules)

Save

Mappings

	Interface	Source	Source Port	Destination	Destination Port	NAT Address	NAT Port	Static Port	Description	Actions	
☐	☒	WANUPLINK	192.168.20.0/24	*	*	*	WANUPLINK address	*		Manual Outbound for Lab Subnet	

Add

Add

Delete

Toggle

Save

Automatic Rules

	Interface	Source	Source Port	Destination	Destination Port	NAT Address	NAT Port	Static Port	Description
☒	WANUPLINK	127.0.0.0/8 ::1/128 192.168.10.0/24	*	*	500	WANUPLINK address	*	☒	Auto created rule for ISAKMP
☒	WANUPLINK	127.0.0.0/8 ::1/128 192.168.10.0/24	*	*	*	WANUPLINK address	*		Auto created rule

COMMUNITY EDITION

System ▾ Interfaces ▾ Firewall ▾ Services ▾ VPN ▾ Status ▾ Diagnostics ▾ Help ▾

WARNING:

The password for this account is insecure. Password is currently set to the default value (pfsense).
[Change the password as soon as possible.](#)

Firewall / NAT / Port Forward

The changes have been applied successfully. The firewall rules are now reloading in the background.
[Monitor](#) the filter reload progress.

Port Forward1:1OutboundNPT

Rules

	Interface	Protocol	Source Address	Source Ports	Dest. Address	Dest. Ports	NAT IP	NAT Ports	Description	Actions		
☐	☒		WANUPLINK	TCP	*	*	WANUPLINK address	80 (HTTP)	192.168.1.50	80 (HTTP)	Web Server Forward	

Add

Add

Delete

Toggle

Save

Separator

Legend

Pass

Linked rule

sense

COMMUNITY EDITION

System

Interfaces

Firewall

Services

VPN

Status

Diagnostics

Help

WARNING:

The password for this account is insecure. Password is currently set to the default value (pfsense).
[Change the password as soon as possible.](#)

Firewall / NAT / Outbound

Port Forward

1:1

Outbound

NPT

Outbound NAT Mode

Mode

Automatic outbound NAT rule generation.
(IPsec passthrough included)

Hybrid Outbound NAT rule generation.
(Automatic Outbound NAT + rules below)

Manual Outbound NAT rule generation.
(AON - Advanced Outbound NAT)

Disable Outbound NAT rule generation.
(No Outbound NAT rules)

Save

Mappings

Interface

Source

Source Port

Destination

Destination Port

NAT Address

NAT Port

Static Port

Description

Actions

↑ Add

↓ Add

Delete

Toggle

Save

Automatic Rules

Interface

Source

Source Port

Destination

Destination Port

NAT Address

NAT Port

Static Port

Description

✓

WANUPLINK

127.0.0.0/8 ::1/128
192.168.10.0/24

*

*

500

WANUPLINK address

*

✓

Auto created rule for ISAKMP