caseid
case identification

        type:  string (str15)
     unique values: 9,372          missing "":  0/9,372
       examples:  "078851  3"
               "140059  2"
               "199027  1"
               "262437  2"
       warning:  variable has leading and embedded blanks

v000
country code and phase

        type:  string (str3)
     unique values:  1          missing "":  0/9,372
       tabulation:  Freq.  Value
            9,372  "DR6"

v001
cluster number

        type:  numeric (int)
       range:  [6,3299]       units:  1
     unique values:  524        missing .:  0/9,372
        mean:  1681.48
      std. dev:  926.559
     percentiles:    10%    25%    50%    75%    90%
               308    926   1669   2435   2966

v002
household number

        type:  numeric (byte)
       range:  [1,99]       units:  1
     unique values:  99        missing .:  0/9,372
        mean:  49.7723
      std. dev:  28.6322
     percentiles:    10%    25%    50%    75%    90%
               10    25    49    74    89

v003
respondent's line number

        type:  numeric (byte)
       range:  [1,15]       units:  1
     unique values:  14        missing .:  0/9,372
        mean:  2.35948
      std. dev:  1.3599
     percentiles:    10%    25%    50%    75%    90%
                1     2     2     3     4

v004
ultimate area unit

        type:  numeric (int)
       range:  [6,3299]       units:  1

```
         unique values:  524              missing .:  0/9,372
                 mean:  1681.48
             std. dev:  926.559
          percentiles:      10%     25%     50%     75%     90%
                            308     926    1669    2435    2966
```

---

**v005**
women's individual sample weight (6 decimals)
```
                 type:  numeric (long)
                range:  [62730,12507910]        units:  1
         unique values:  523              missing .:  0/9,372
             std. dev:  931540
          percentiles:      10%     25%     50%     75%     90%
```

---

**v006**
month of interview
```
                 type:  numeric (byte)
                range:  [7,10]                 units:  1
         unique values:  4                missing .:  0/9,372
            tabulation:  Freq.  Value
                         1,720  7
                         3,343  8
                         3,009  9
                         1,300  10
```

---

**v007**
year of interview
```
                 type:  numeric (int)
                range:  [2013,2013]            units:  1
         unique values:  1                missing .:  0/9,372
            tabulation:  Freq.  Value
                         9,372  2013
```

---

**v008**
date of interview (cmc)
```
                 type:  numeric (int)
                range:  [1363,1366]            units:  1
         unique values:  4                missing .:  0/9,372
            tabulation:  Freq.  Value
                         1,720  1363
                         3,343  1364
                         3,009  1365
                         1,300  1366
```

---

**v009**
respondent's month of birth
```
                 type:  numeric (byte)
                range:  [1,12]                 units:  1
         unique values:  12               missing .:  0/9,372
                 mean:  6.63978
             std. dev:  3.50239
          percentiles:      10%     25%     50%     75%     90%
                              2       4       7      10      11
```

```
v010
respondent's year of birth
             type:  numeric (int)
            range:  [1963,1998]          units:  1
    unique values:  36              missing .:  0/9,372
             mean:  1982.84
         std. dev:  10.1002
      percentiles:     10%    25%    50%    75%    90%
                      1968   1975   1984   1992   1996
```

```
v011
date of birth (cmc)
             type:  numeric (int)
            range:  [764,1186]           units:  1
    unique values:  423            missing .:  0/9,372
             mean:  1000.77
         std. dev:  121.259
      percentiles:     10%    25%    50%    75%    90%
                       820    901   1015   1108   1153
```

```
v012
respondent's current age
             type:  numeric (byte)
            range:  [15,49]              units:  1
    unique values:  35             missing .:  0/9,372
             mean:  29.8348
         std. dev:  10.1047
      percentiles:     10%    25%    50%    75%    90%
                        17     21     29     38     45
```

```
v013
age in 5-year groups
             type:  numeric (byte)
            label:  v013
            range:  [1,7]                units:  1
    unique values:  7              missing .:  0/9,372
        tabulation:  Freq.   Numeric  Label
                    1,864      1  15-19
                    1,681      2  20-24
                    1,355      3  25-29
                    1,264      4  30-34
                    1,134      5  35-39
                    1,057      6  40-44
                    1,017      7  45-49
```

```
v014
completeness of age information
             type:  numeric (byte)
            label:  v014
            range:  [1,6]                units:  1
    unique values:  3              missing .:  0/9,372
        tabulation:  Freq.   Numeric  Label
                    9,345      1  month and year - information
                                  complete
```

```
                  24      3  year and age - month imputed
                   3      6  age - year/month imputed


  v015
  result of individual interview
           type:  numeric (byte)
          label:  v015
          range:  [1,1]              units:  1
   unique values:  1           missing .:  0/9,372
       tabulation:  Freq.  Numeric  Label
              9,372      1  completed


  v016
  day of interview
           type:  numeric (byte)
          range:  [1,31]             units:  1
   unique values:  31          missing .:  0/9,372
           mean:  15.5786
        std. dev:  8.98526
      percentiles:     10%     25%     50%     75%     90%
                        3       7      15      23      27


  v017
  na - cmc start of calendar
           type:  numeric (byte)
          range:  [.,.]              units:  .
   unique values:  0           missing .:  9,372/9,372
       tabulation:  Freq.  Value
              9,372  .


  v018
  na - row of month of interview
           type:  numeric (byte)
          label:  v018
          range:  [.,.]              units:  .
   unique values:  0           missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372      .


  v019
  na - length of calendar
           type:  numeric (byte)
          label:  v019
          range:  [.,.]              units:  .
   unique values:  0           missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372      .


  v019a
  na - number of calendar columns
           type:  numeric (byte)
          label:  v019a
          range:  [.,.]              units:  .
   unique values:  0           missing .:  9,372/9,372
```

```
        tabulation: Freq.   Numeric   Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ v020                                                                  │
│ ever-married sample                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  v020
             range:  [0,0]                units:  1
     unique values:  1                 missing .:  0/9,372
        tabulation: Freq.   Numeric   Label
              9,372         0  all woman sample
```

┌─────────────────────────────────────────────────────────────────────┐
│ v021                                                                  │
│ primary sampling unit                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (int)
             range:  [6,3299]               units:  1
     unique values:  524              missing .:  0/9,372
              mean:  1681.48
          std. dev:  926.559
       percentiles:      10%      25%      50%      75%      90%
                        308      926     1669     2435     2966
```

┌─────────────────────────────────────────────────────────────────────┐
│ v022                                                                  │
│ sample strata for sampling errors                                     │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [1,63]                 units:  1
     unique values:  63               missing .:  0/9,372
              mean:  32.2374
          std. dev:  18.0004
       percentiles:      10%      25%      50%      75%      90%
                          6       17       32       51       57
```

┌─────────────────────────────────────────────────────────────────────┐
│ v023                                                                  │
│ stratification used in sample design                                  │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  v023, but 63 nonmissing values are not labeled
             range:  [1,63]                 units:  1
     unique values:  63               missing .:  0/9,372
          examples:  15
                     27
                     38
                     52
```

┌─────────────────────────────────────────────────────────────────────┐
│ v024                                                                  │
│ region                                                                │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  v024, but 1 nonmissing value is not labeled
             range:  [0,8]                 units:  1
     unique values:  9                missing .:  0/9,372
        tabulation: Freq.   Numeric   Label
              1,449         0
              1,044         1  i
              1,145         2  ii
                958         3  iii
```

```
              865      4 iv
            1,136      5 v
              918      6 vi
              890      7 vii
              967      8 viii
```

---

**v025**
**type of place of residence**

```
       type:  numeric (byte)
      label:  v025
      range:  [1,2]                units:  1
unique values:  2              missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
             6,794      1 urban
             2,578      2 rural
```

---

v026
na - de facto place of residence

```
       type:  numeric (byte)
      label:  v026
      range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372       .
```

---

v027
number of visits

```
       type:  numeric (byte)
      range:  [1,8]                units:  1
unique values:  8              missing .:  0/9,372
   tabulation:  Freq.  Value
             8,493  1
               525  2
               226  3
                51  4
                32  5
                16  6
                13  7
                16  8
```

---

v028
interviewer identification

```
       type:  numeric (int)
      range:  [15,128]             units:  1
unique values:  69             missing .:  0/9,372
       mean:  71.3797
   std. dev:  35.1263
  percentiles:     10%     25%     50%     75%     90%
                    25      38      68      98     118
```

---

v029
keyer identification

```
       type:  numeric (byte)
      range:  [1,12]               units:  1
```

```
        unique values:  12              missing .:  0/9,372
              mean:  6.52326
          std. dev:  3.54747
       percentiles:      10%      25%      50%      75%      90%
                          2        3        7       10       11
```

┌─────────────────────────────────────────────────────────────────────┐
│  v030                                                                 │
│  field supervisor                                                     │
└─────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (int)
             range:  [10,132]           units:  1
        unique values:  14              missing .:  0/9,372
              mean:  64.8704
          std. dev:  35.5056
       percentiles:      10%      25%      50%      75%      90%
                         20       30       70       90      110
```

┌─────────────────────────────────────────────────────────────────────┐
│  v031                                                                 │
│  field editor                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (int)
             range:  [12,125]           units:  1
        unique values:  15              missing .:  0/9,372
              mean:  67.2335
          std. dev:  35.4753
       percentiles:      10%      25%      50%      75%      90%
                         22       32       72      102      112
```

┌─────────────────────────────────────────────────────────────────────┐
│  v032                                                                 │
│  na - office editor                                                   │
└─────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             range:  [.,.]              units:  .
        unique values:  0               missing .:  9,372/9,372
          tabulation:  Freq.  Value
                       9,372  .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v034                                                                 │
│  line number of husband                                               │
└─────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v034, but 12 nonmissing values are not labeled
             range:  [0,12]             units:  1
        unique values:  13              missing .:  4,153/9,372
           examples:  1
                      1
                      .
                      .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v040                                                                 │
│  na - cluster altitude in meters                                      │
└─────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             range:  [.,.]              units:  .
        unique values:  0               missing .:  9,372/9,372
          tabulation:  Freq.  Value
                       9,372  .
```

v042
na - household selected for hemoglobin

```
        type:  numeric (byte)
       label:  v042
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372        .
```

v044
selected for domestic violence module

```
        type:  numeric (byte)
       label:  v044
       range:  [0,3]                units:  1
unique values:  4                missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
           2,359      0  woman not selected
           6,996      1  woman selected and interviewed
              10      2  woman selected, but privacy not
                         possible
               7      3  woman selected, but not
                         interviewed
```

v101
region

```
        type:  numeric (byte)
       label:  v101, but 1 nonmissing value is not labeled
       range:  [0,8]                units:  1
unique values:  9                missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
           1,449      0
           1,044      1  i
           1,145      2  ii
             958      3  iii
             865      4  iv
           1,136      5  v
             918      6  vi
             890      7  vii
             967      8  viii
```

v102
type of place of residence

```
        type:  numeric (byte)
       label:  v102
       range:  [1,2]                units:  1
unique values:  2                missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
           6,794      1  urban
           2,578      2  rural
```

v103
na - childhood place of residence

```
        type:  numeric (byte)
       label:  v103
```

```
                range:  [.,.]                  units:  .
        unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v104                                                                          │
│ na - years lived in place of residence                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v104
                range:  [.,.]                  units:  .
        unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v105                                                                       na │
│ - type of place of previous residence                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v105
                range:  [.,.]                  units:  .
        unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v106                                                                          │
│ highest educational level                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v106
                range:  [0,3]                  units:  1
        unique values:  4                    missing .:  0/9,372
           tabulation:  Freq.  Numeric  Label
                          263       0  no education
                        3,029       1  primary
                        3,679       2  secondary
                        2,401       3  higher
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v107                                                                          │
│ highest year of education                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v107, but 12 nonmissing values are not labeled
                range:  [0,13]                 units:  1
        unique values:  13                   missing .:  263/9,372
             examples:  2
                        3
                        4
                        6
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v113                                                                          │
│ source of drinking water                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v113
                range:  [11,97]                units:  1
        unique values:  10                   missing .:  2/9,372
             examples:  62    cart with small tank
                        71    bottled water
```

```
                71    bottled water
                71    bottled water
```

| v115 |
| --- |
| time to get to water source |

```
         type:  numeric (int)
         label:  v115, but 29 nonmissing values are not labeled
         range:  [1,998]              units:  1
  unique values:  32               missing .:  12/9,372
      examples:  996   on premises
                996   on premises
                996   on premises
                996   on premises
```

| v116 |
| --- |
| type of toilet facility |

```
         type:  numeric (byte)
         label:  v116
         range:  [11,97]              units:  1
  unique values:  6                missing .:  3/9,372
     tabulation:  Freq.   Numeric  Label
                6,155       11  flush to piped sewer system
                2,237       22  pit latrine with slab
                  284       23  pit latrine without slab/open
                               pit
                  345       31  no facility/bush/field
                    4       96  other
                  344       97  not a dejure resident
                    3        .
```

| v119 |
| --- |
| household has: electricity |

```
         type:  numeric (byte)
         label:  v119
         range:  [0,7]               units:  1
  unique values:  3                missing .:  0/9,372
     tabulation:  Freq.   Numeric  Label
                  211        0  no
                8,817        1  yes
                  344        7  not a dejure resident
```

| v120 |
| --- |
| household has: radio |

```
         type:  numeric (byte)
         label:  v120
         range:  [0,7]               units:  1
  unique values:  3                missing .:  4/9,372
     tabulation:  Freq.   Numeric  Label
                3,963        0  no
                5,061        1  yes
                  344        7  not a dejure resident
                    4        .
```

v121
household has: television

        type:  numeric (byte)
       label:  v121
       range:  [0,7]                    units:  1
unique values:  3                    missing .:  2/9,372
   tabulation:  Freq.  Numeric  Label
                888       0  no
              8,138       1  yes
                344       7  not a dejure resident
                  2        .

v122
household has: refrigerator

        type:  numeric (byte)
       label:  v122
       range:  [0,7]                    units:  1
unique values:  3                    missing .:  5/9,372
   tabulation:  Freq.  Numeric  Label
              2,062       0  no
              6,961       1  yes
                344       7  not a dejure resident
                  5        .

v123
household has: bicycle

        type:  numeric (byte)
       label:  v123
       range:  [0,7]                    units:  1
unique values:  3                    missing .:  3/9,372
   tabulation:  Freq.  Numeric  Label
              8,761       0  no
                264       1  yes
                344       7  not a dejure resident
                  3        .

v124
household has: motorcycle/scooter

        type:  numeric (byte)
       label:  v124
       range:  [0,7]                    units:  1
unique values:  3                    missing .:  3/9,372
   tabulation:  Freq.  Numeric  Label
              5,355       0  no
              3,670       1  yes
                344       7  not a dejure resident
                  3        .

v125
household has: car/truck

        type:  numeric (byte)
       label:  v125
       range:  [0,7]                    units:  1
unique values:  3                    missing .:  3/9,372

```
tabulation: Freq.   Numeric  Label
        7,614       0  no
        1,411       1  yes
          344       7  not a dejure resident
            3        .
```

```
 v127
main floor material
        type:  numeric (byte)
       label:  v127
       range:  [11,97]              units:  1
unique values:  6                 missing .:  2/9,372
   tabulation: Freq.   Numeric  Label
            358      11  earth
             56      31  wood
          7,650      33  cement/ tile
            959      34  granite / marble / ceramic
              3      96  other
            344      97  not a dejure resident
              2       .
```

```
 v128
main wall material
        type:  numeric (byte)
       label:  v128
       range:  [11,97]              units:  1
unique values:  8                 missing .:  0/9,372
   tabulation: Freq.   Numeric  Label
              2      11  palm leave (yagua)
             37      12  waste materials
            365      21  palm
              9      22  shingle (tejamanil)
          6,548      31  block/cements/bricks
          1,874      32  wood
            193      96  other
            344      97  not a dejure resident
```

```
 v129
main roof material
        type:  numeric (byte)
       label:  v129
       range:  [11,97]              units:  1
unique values:  7                 missing .:  4/9,372
   tabulation: Freq.   Numeric  Label
             31      11  cana
              3      12  palm leave
          5,832      21  zinc
             53      22  asbesto
          3,098      31  concret
              7      96  other
            344      97  not a dejure resident
              4       .
```

```
v130
religion
            type:  numeric (byte)
           label:  v130
           range:  [1,96]              units:  1
   unique values:  5                 missing .:  3/9,372
      tabulation:  Freq.   Numeric  Label
                   4,570       1  catholic
                   1,819       2  evangelic
                     146       3  adventist
                   2,697       4  none
                     137      96  other
                       3       .
```

```
v131
na - ethnicity
            type:  numeric (byte)
           range:  [.,.]               units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Value
                   9,372  .
```

```
v133
education in single years
            type:  numeric (byte)
           label:  v133, but 25 nonmissing values are not labeled
           range:  [0,25]              units:  1
   unique values:  25                missing .:  0/9,372
        examples:  7
                   9
                   12
                   13
```

```
v134
na - de facto place of residence
            type:  numeric (byte)
           label:  v134
           range:  [.,.]               units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
v135
usual resident or visitor
            type:  numeric (byte)
           label:  v135
           range:  [1,2]               units:  1
   unique values:  2                 missing .:  2/9,372
      tabulation:  Freq.   Numeric  Label
                   9,028       1  usual resident
                     342       2  visitor
                       2       .
```

## v136
### number of household members (listed)

```
            type:  numeric (byte)
           range:  [1,17]                units:  1
   unique values:  16             missing .:  0/9,372
            mean:  4.66613
        std. dev:  2.0313
     percentiles:     10%     25%     50%     75%     90%
                       2       3       4       6       7
```

## v137                                                      number
### of children 5 and under in household (de jure)

```
            type:  numeric (byte)
           range:  [0,5]                 units:  1
   unique values:  6              missing .:  0/9,372
       tabulation:  Freq.  Value
              5,268  0
              2,886  1
                974  2
                200  3
                 36  4
                  8  5
```

## v138
### number of eligible women in household (de facto)

```
            type:  numeric (byte)
           range:  [1,6]                 units:  1
   unique values:  6              missing .:  0/9,372
       tabulation:  Freq.  Value
              5,249  1
              2,815  2
              1,018  3
                232  4
                 34  5
                 24  6
```

## v139
### de jure region of residence

```
            type:  numeric (byte)
           label:  v139
           range:  [1,97]                units:  1
   unique values:  10             missing .:  0/9,372
        examples:  2    i
                   4    iii
                   6    v
                   8    vii
```

## v140
### de jure type of place of residence

```
            type:  numeric (byte)
           label:  v140
           range:  [1,7]                 units:  1
   unique values:  3              missing .:  0/9,372
       tabulation:  Freq.  Numeric  Label
```

```
                6,561        1  urban
                2,467        2  rural
                  344        7  not a dejure resident
```

| v141 |
| --- |
| na - de jure place of residence |

```
         type:  numeric (byte)
         label:  v141
         range:  [.,.]                units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

| v149 |
| --- |
| educational attainment |

```
         type:  numeric (byte)
         label:  v149
         range:  [0,5]                units:  1
  unique values:  6               missing .:  0/9,372
     tabulation:  Freq.  Numeric  Label
                263        0  no education
              2,230        1  incomplete primary
                799        2  complete primary
              2,042        3  incomplete secondary
              1,637        4  complete secondary
              2,401        5  higher
```

| v150 |
| --- |
| relationship to household head |

```
         type:  numeric (byte)
         label:  v150
         range:  [1,16]               units:  1
  unique values:  11              missing .:  3/9,372
       examples:  1     head
                  2     wife or husband
                  2     wife or husband
                  3     son/daughter
```

| v151 |
| --- |
| sex of household head |

```
         type:  numeric (byte)
         label:  v151
         range:  [1,2]                units:  1
  unique values:  2               missing .:  0/9,372
     tabulation:  Freq.  Numeric  Label
              5,235        1  male
              4,137        2  female
```

| v152 |
| --- |
| age of household head |

```
         type:  numeric (byte)
         label:  v152, but 81 nonmissing values are not labeled
         range:  [15,96]              units:  1
  unique values:  81              missing .:  0/9,372
```

```
        examples:  32
                   39
                   45
                   53
```

```
v153                                                                        na
- household has: telephone (land-line)
            type:  numeric (byte)
           label:  v153
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
awfactt
all woman factor - total
            type:  numeric (byte)
           range:  [100,100]              units:  1
   unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Value
                9,372  100
```

```
awfactu
all woman factor - urban/rural
            type:  numeric (byte)
           range:  [100,100]              units:  1
   unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Value
                9,372  100
```

```
awfactr
all woman factor - regional
            type:  numeric (byte)
           range:  [100,100]              units:  1
   unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Value
                9,372  100
```

```
awfacte
all woman factor - educational
            type:  numeric (byte)
           range:  [100,100]              units:  1
   unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Value
                9,372  100
```

```
awfactw
all woman factor - wealth index
            type:  numeric (byte)
           range:  [100,100]              units:  1
   unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Value
                9,372  100
```

## v155
## literacy

```
       type:  numeric (byte)
      label:  v155
      range:  [0,4]               units:  1
unique values:  5                 missing .:  7/9,372
   tabulation:  Freq.   Numeric  Label
                 672        0  cannot read at all
                 570        1  able to read only parts of
                              sentence
               8,045        2  able to read whole sentence
                  72        3  no card with required language
                   6        4  blind/visually impaired
                   7        .
```

## v156                                                          ever
## participated in a literacy program outside of primary

```
       type:  numeric (byte)
      label:  v156
      range:  [0,1]               units:  1
unique values:  2                 missing .:  6,100/9,372
   tabulation:  Freq.   Numeric  Label
               2,915        0  no
                 357        1  yes
               6,100        .
```

## v157
## frequency of reading newspaper or magazine

```
       type:  numeric (byte)
      label:  v157
      range:  [0,2]               units:  1
unique values:  3                 missing .:  2/9,372
   tabulation:  Freq.   Numeric  Label
               2,917        0  not at all
               2,293        1  less than once a week
               4,160        2  at least once a week
                   2        .
```

## v158
## frequency of listening to radio

```
       type:  numeric (byte)
      label:  v158
      range:  [0,2]               units:  1
unique values:  3                 missing .:  2/9,372
   tabulation:  Freq.   Numeric  Label
               1,490        0  not at all
               1,612        1  less than once a week
               6,268        2  at least once a week
                   2        .
```

## v159
## frequency of watching television

```
       type:  numeric (byte)
      label:  v159
```

```
                range:  [0,2]                    units:  1
        unique values:  3                    missing .:  4/9,372

           tabulation:  Freq.  Numeric  Label
                         526      0  not at all
                         752      1  less than once a week
                       8,090      2  at least once a week
                           4       .
```

v160                                                                              toilet
facilities shared with other households

```
                 type:  numeric (byte)
                label:  v160
                range:  [0,7]                    units:  1
        unique values:  3                    missing .:  345/9,372

           tabulation:  Freq.  Numeric  Label
                       7,631      0  no
                       1,052      1  yes
                         344      7  not a dejure resident
                         345       .
```

v161
type of cooking fuel

```
                 type:  numeric (byte)
                label:  v161
                range:  [1,97]                   units:  1
        unique values:  7                    missing .:  0/9,372

           tabulation:  Freq.  Numeric  Label
                           8      1  electricity
                       7,898      2  lpg
                           2      5  kerosene
                         413      7  charcoal
                         620      8  wood
                          87     95  no food cooked in house
                         344     97  not a dejure resident
```

v166
na - result of salt test for iodine

```
                 type:  numeric (byte)
                label:  v166
                range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372

           tabulation:  Freq.  Numeric  Label
                       9,372       .
```

v167
number of trips in last 12 months

```
                 type:  numeric (byte)
                label:  v167, but 46 nonmissing values are not labeled
                range:  [0,90]                   units:  1
        unique values:  48                   missing .:  6/9,372

             examples:  0    none
                        0    none
                        1
                        3
```

| v168 | away |
|---|---|

for more than one month in last 12 months

```
        type:  numeric (byte)
       label:  v168
       range:  [0,1]               units:  1
unique values:  2               missing .:  5,262/9,372
   tabulation:  Freq.  Numeric  Label
               3,444     0   no
                 666     1   yes
               5,262     .
```

| v190 |
|---|

wealth index

```
        type:  numeric (byte)
       label:  v190
       range:  [1,5]               units:  1
unique values:  5               missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
               1,950     1   poorest
               2,014     2   poorer
               1,979     3   middle
               1,810     4   richer
               1,619     5   richest
```

| v191 |
|---|

wealth index factor score (5 decimals)

```
        type:  numeric (long)
       range:  [-271239,246582]        units:  1
unique values:  7,095           missing .:  0/9,372
        mean:  19585.9
    std. dev:  90018.5
  percentiles:      10%     25%     50%     75%     90%
               -96944   -37661   22930   83327.5  135262
```

| ml101 | na - type |
|---|---|

of mosquito bed net(s) slept under last night

```
        type:  numeric (byte)
       label:  ml101
       range:  [.,.]               units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372     .
```

| bidx_01 |
|---|

birth column number

```
        type:  numeric (byte)
       range:  [1,1]               units:  1
unique values:  1               missing .:  2,685/9,372
   tabulation:  Freq.  Value
               6,687  1
               2,685  .
```

bidx_02
birth column number

         type:  numeric (byte)
        range:  [2,2]              units:  1
unique values:  1         missing .:  4,334/9,372
   tabulation:  Freq.  Value
           5,038  2
           4,334  .

---

bidx_03
birth column number

         type:  numeric (byte)
        range:  [3,3]              units:  1
unique values:  1         missing .:  5,967/9,372
   tabulation:  Freq.  Value
           3,405  3
           5,967  .

---

bidx_04
birth column number

         type:  numeric (byte)
        range:  [4,4]              units:  1
unique values:  1         missing .:  7,790/9,372
   tabulation:  Freq.  Value
           1,582  4
           7,790  .

---

bidx_05
birth column number

         type:  numeric (byte)
        range:  [5,5]              units:  1
unique values:  1         missing .:  8,610/9,372
   tabulation:  Freq.  Value
             762  5
           8,610  .

---

bidx_06
birth column number

         type:  numeric (byte)
        range:  [6,6]              units:  1
unique values:  1         missing .:  8,998/9,372
   tabulation:  Freq.  Value
             374  6
           8,998  .

---

bidx_07
birth column number

         type:  numeric (byte)
        range:  [7,7]              units:  1
unique values:  1         missing .:  9,205/9,372
   tabulation:  Freq.  Value
             167  7
           9,205  .

## bidx_08
birth column number

        type:  numeric (byte)
       range:  [8,8]                units:  1
unique values:  1             missing .:  9,283/9,372
   tabulation:  Freq.  Value
               89  8
            9,283  .

## bidx_09
birth column number

        type:  numeric (byte)
       range:  [9,9]                units:  1
unique values:  1             missing .:  9,336/9,372
   tabulation:  Freq.  Value
               36  9
            9,336  .

## bidx_10
birth column number

        type:  numeric (byte)
       range:  [10,10]              units:  1
unique values:  1             missing .:  9,356/9,372
   tabulation:  Freq.  Value
               16  10
            9,356  .

## bidx_11
birth column number

        type:  numeric (byte)
       range:  [11,11]              units:  1
unique values:  1             missing .:  9,366/9,372
   tabulation:  Freq.  Value
                6  11
            9,366  .

## bidx_12
birth column number

        type:  numeric (byte)
       range:  [12,12]              units:  1
unique values:  1             missing .:  9,370/9,372
   tabulation:  Freq.  Value
                2  12
            9,370  .

## bidx_13
birth column number

        type:  numeric (byte)
       range:  [13,13]              units:  1
unique values:  1             missing .:  9,371/9,372
   tabulation:  Freq.  Value
                1  13
            9,371  .

| bidx_14 |
| --- |
| birth column number |

type: numeric (byte)

range: [14,14]                    units: 1

unique values: 1                  missing .: 9,371/9,372

tabulation: Freq. Value

1  14

9,371  .

| bidx_15 |
| --- |
| birth column number |

type: numeric (byte)

range: [15,15]                    units: 1

unique values: 1                  missing .: 9,371/9,372

tabulation: Freq. Value

1  15

9,371  .

| bidx_16 |
| --- |
| birth column number |

type: numeric (byte)

range: [.,.]                      units: .

unique values: 0                  missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .

| bidx_17 |
| --- |
| birth column number |

type: numeric (byte)

range: [.,.]                      units: .

unique values: 0                  missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .

| bidx_18 |
| --- |
| birth column number |

type: numeric (byte)

range: [.,.]                      units: .

unique values: 0                  missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .

| bidx_19 |
| --- |
| birth column number |

type: numeric (byte)

range: [.,.]                      units: .

unique values: 0                  missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .

| bidx_20 |
| --- |
| birth column number |

type: numeric (byte)

range: [.,.]                      units: .

```
         unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Value
                  9,372  .
```

bord_01
birth order number

```
                 type:  numeric (byte)
                range:  [1,15]               units:  1
        unique values:  13                   missing .:  2,685/9,372
                 mean:  2.71676
             std. dev:  1.55618
          percentiles:      10%      25%      50%      75%      90%
                             1        2        3        3        5
```

bord_02
birth order number

```
                 type:  numeric (byte)
                range:  [1,14]               units:  1
        unique values:  12                   missing .:  4,334/9,372
                 mean:  2.27868
             std. dev:  1.39062
          percentiles:      10%      25%      50%      75%      90%
                             1        1        2        3        4
```

bord_03
birth order number

```
                 type:  numeric (byte)
                range:  [1,13]               units:  1
        unique values:  11                   missing .:  5,967/9,372
                 mean:  1.89192
             std. dev:  1.30423
          percentiles:      10%      25%      50%      75%      90%
                             1        1        1        2        4
```

bord_04
birth order number

```
                 type:  numeric (byte)
                range:  [1,12]               units:  1
        unique values:  10                   missing .:  7,790/9,372
                 mean:  1.91972
             std. dev:  1.29925
          percentiles:      10%      25%      50%      75%      90%
                             1        1        1        2        4
```

bord_05
birth order number

```
                 type:  numeric (byte)
                range:  [1,11]               units:  1
        unique values:  9                    missing .:  8,610/9,372
           tabulation:  Freq.  Value
                    388  1
                    207  2
                     78  3
                     53  4
```

```
                    20  5
                    10  6
                     4  7
                     1  8
                     1  11
                 8,610  .
```

┌─────────────────────────────────────────────────────────────────┐
│ bord_06                                                           │
│ birth order number                                                │
└─────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             range:  [1,10]              units:  1
     unique values:  8                   missing .:  8,998/9,372
         tabulation:  Freq.  Value
                    207  1
                     78  2
                     53  3
                     20  4
                     10  5
                      4  6
                      1  7
                      1  10
                  8,998  .
```

┌─────────────────────────────────────────────────────────────────┐
│ bord_07                                                           │
│ birth order number                                                │
└─────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             range:  [1,9]               units:  1
     unique values:  7                   missing .:  9,205/9,372
         tabulation:  Freq.  Value
                     78  1
                     53  2
                     20  3
                     10  4
                      4  5
                      1  6
                      1  9
                  9,205  .
```

┌─────────────────────────────────────────────────────────────────┐
│ bord_08                                                           │
│ birth order number                                                │
└─────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             range:  [1,8]               units:  1
     unique values:  6                   missing .:  9,283/9,372
         tabulation:  Freq.  Value
                     53  1
                     20  2
                     10  3
                      4  4
                      1  5
                      1  8
                  9,283  .
```

┌─────────────────────────────────────────────────────────────────┐
│ bord_09                                                           │
│ birth order number                                                │
└─────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               range:  [1,7]                  units:  1
        unique values:  5                     missing .:  9,336/9,372
            tabulation:  Freq.  Value
                  20  1
                  10  2
                   4  3
                   1  4
                   1  7
               9,336  .
```

| bord_10 |
| --- |
| birth order number |

```
                type:  numeric (byte)
               range:  [1,6]                  units:  1
        unique values:  4                     missing .:  9,356/9,372
            tabulation:  Freq.  Value
                  10  1
                   4  2
                   1  3
                   1  6
               9,356  .
```

| bord_11 |
| --- |
| birth order number |

```
                type:  numeric (byte)
               range:  [1,5]                  units:  1
        unique values:  3                     missing .:  9,366/9,372
            tabulation:  Freq.  Value
                   4  1
                   1  2
                   1  5
               9,366  .
```

| bord_12 |
| --- |
| birth order number |

```
                type:  numeric (byte)
               range:  [1,4]                  units:  1
        unique values:  2                     missing .:  9,370/9,372
            tabulation:  Freq.  Value
                   1  1
                   1  4
               9,370  .
```

| bord_13 |
| --- |
| birth order number |

```
                type:  numeric (byte)
               range:  [3,3]                  units:  1
        unique values:  1                     missing .:  9,371/9,372
            tabulation:  Freq.  Value
                   1  3
               9,371  .
```

bord_14
birth order number

       type:  numeric (byte)
      range:  [2,2]           units:  1
   unique values:  1          missing .:  9,371/9,372
     tabulation:  Freq.  Value
             1  2
        9,371  .

bord_15
birth order number

       type:  numeric (byte)
      range:  [1,1]           units:  1
   unique values:  1          missing .:  9,371/9,372
     tabulation:  Freq.  Value
             1  1
        9,371  .

bord_16
birth order number

       type:  numeric (byte)
      range:  [.,.]           units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
        9,372  .

bord_17
birth order number

       type:  numeric (byte)
      range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
        9,372  .

bord_18
birth order number

       type:  numeric (byte)
      range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
        9,372  .

bord_19
birth order number

       type:  numeric (byte)
      range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
        9,372  .

bord_20
birth order number

       type:  numeric (byte)
      range:  [.,.]           units:  .

```
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Value
                   9,372  .
```

```
 b0_01
 child is twin
```
```
                  type:  numeric (byte)
                 label:  b0_01
                 range:  [0,3]                units:  1
        unique values:  3                    missing .:  2,685/9,372
            tabulation:  Freq.  Numeric  Label
                   6,587     0  single birth
                      99     2  2nd of multiple
                       1     3  3rd of multiple
                   2,685        .
```

```
 b0_02
 child is twin
```
```
                  type:  numeric (byte)
                 label:  b0_02
                 range:  [0,2]                units:  1
        unique values:  3                    missing .:  4,334/9,372
            tabulation:  Freq.  Numeric  Label
                   4,894     0  single birth
                      99     1  1st of multiple
                      45     2  2nd of multiple
                   4,334        .
```

```
 b0_03
 child is twin
```
```
                  type:  numeric (byte)
                 label:  b0_03
                 range:  [0,3]                units:  1
        unique values:  4                    missing .:  5,967/9,372
            tabulation:  Freq.  Numeric  Label
                   3,332     0  single birth
                      45     1  1st of multiple
                      26     2  2nd of multiple
                       2     3  3rd of multiple
                   5,967        .
```

```
 b0_04
 child is twin
```
```
                  type:  numeric (byte)
                 label:  b0_04
                 range:  [0,2]                units:  1
        unique values:  3                    missing .:  7,790/9,372
            tabulation:  Freq.  Numeric  Label
                   1,545     0  single birth
                      26     1  1st of multiple
                      11     2  2nd of multiple
                   7,790        .
```

b0_05
child is twin

        type: numeric (byte)
       label: b0_05
       range: [0,2]            units: 1
   unique values: 3          missing .: 8,610/9,372
     tabulation: Freq.  Numeric  Label
          745      0  single birth
           11      1  1st of multiple
            6      2  2nd of multiple
        8,610      .

b0_06
child is twin

        type: numeric (byte)
       label: b0_06
       range: [0,2]            units: 1
   unique values: 3          missing .: 8,998/9,372
     tabulation: Freq.  Numeric  Label
          364      0  single birth
            6      1  1st of multiple
            4      2  2nd of multiple
        8,998      .

b0_07
child is twin

        type: numeric (byte)
       label: b0_07
       range: [0,2]            units: 1
   unique values: 3          missing .: 9,205/9,372
     tabulation: Freq.  Numeric  Label
          162      0  single birth
            4      1  1st of multiple
            1      2  2nd of multiple
        9,205      .

b0_08
child is twin

        type: numeric (byte)
       label: b0_08
       range: [0,2]            units: 1
   unique values: 3          missing .: 9,283/9,372
     tabulation: Freq.  Numeric  Label
           87      0  single birth
            1      1  1st of multiple
            1      2  2nd of multiple
        9,283      .

b0_09
child is twin

        type: numeric (byte)
       label: b0_09
       range: [0,2]            units: 1
   unique values: 3          missing .: 9,336/9,372

```
tabulation:  Freq.   Numeric  Label
                34        0  single birth
                 1        1  1st of multiple
                 1        2  2nd of multiple
             9,336         .
```

b0_10
child is twin

```
        type:  numeric (byte)
       label:  b0_10
       range:  [0,1]                 units:  1
unique values:  2                    missing .:  9,356/9,372
   tabulation:  Freq.   Numeric  Label
                15        0  single birth
                 1        1  1st of multiple
             9,356         .
```

b0_11
child is twin

```
        type:  numeric (byte)
       label:  b0_11
       range:  [0,0]                 units:  1
unique values:  1                    missing .:  9,366/9,372
   tabulation:  Freq.   Numeric  Label
                 6        0  single birth
             9,366         .
```

b0_12
child is twin

```
        type:  numeric (byte)
       label:  b0_12
       range:  [0,0]                 units:  1
unique values:  1                    missing .:  9,370/9,372
   tabulation:  Freq.   Numeric  Label
                 2        0  single birth
             9,370         .
```

b0_13
child is twin

```
        type:  numeric (byte)
       label:  b0_13
       range:  [.,.]                 units:  .
unique values:  1                    missing .:  9,371/9,372
   tabulation:  Freq.   Numeric  Label
                 1        0  single birth
             9,371         .
```

b0_14
child is twin

```
        type:  numeric (byte)
       label:  b0_14
       range:  [.,.]                 units:  .
unique values:  1                    missing .:  9,371/9,372
   tabulation:  Freq.   Numeric  Label
```

1        0  single birth
                      9,371        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_15                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_15
             range:  [.,.]                   units:  .
     unique values:  1                     missing .:  9,371/9,372
         tabulation:  Freq.  Numeric  Label
                          1        0  single birth
                      9,371        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_16                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_16
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                      9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_17                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_17
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                      9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_18                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_18
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                      9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_19                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_19
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                      9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│ b0_20                                                                     │
│ child is twin                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  b0_20
             range:  [.,.]                   units:  .

unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.   Numeric  Label
            9,372         .

---

**b1_01**
month of birth

        type:  numeric (byte)
       range:  [1,12]            units:  1
unique values:  12              missing .:  2,685/9,372
        mean:  6.76223
    std. dev:  3.47836
    percentiles:      10%     25%     50%     75%     90%
                       2       4       7      10      11

---

**b1_02**
month of birth

        type:  numeric (byte)
       range:  [1,12]            units:  1
unique values:  12              missing .:  4,334/9,372
        mean:  6.82175
    std. dev:  3.48769
    percentiles:      10%     25%     50%     75%     90%
                       2       4       7      10      11

---

**b1_03**
month of birth

        type:  numeric (byte)
       range:  [1,12]            units:  1
unique values:  12              missing .:  5,967/9,372
        mean:  6.59442
    std. dev:  3.47193
    percentiles:      10%     25%     50%     75%     90%
                       2       4       7      10      11

---

**b1_04**
month of birth

        type:  numeric (byte)
       range:  [1,12]            units:  1
unique values:  12              missing .:  7,790/9,372
        mean:  6.66498
    std. dev:  3.55533
    percentiles:      10%     25%     50%     75%     90%
                       2       3       7      10      11

---

**b1_05**
month of birth

        type:  numeric (byte)
       range:  [1,12]            units:  1
unique values:  12              missing .:  8,610/9,372
        mean:  6.87402
    std. dev:  3.57571
    percentiles:      10%     25%     50%     75%     90%
                       2       4       7      10      12

## b1_06
month of birth

```
        type:  numeric (byte)
        range:  [1,12]              units:  1
unique values:  12                  missing .:  8,998/9,372
         mean:  6.67647
     std. dev:  3.51475
  percentiles:      10%     25%     50%     75%     90%
                     2       4       7      10      12
```

## b1_07
month of birth

```
        type:  numeric (byte)
        range:  [1,12]              units:  1
unique values:  12                  missing .:  9,205/9,372
         mean:  6.31737
     std. dev:  3.48679
  percentiles:      10%     25%     50%     75%     90%
                     1       3       6       9      11
```

## b1_08
month of birth

```
        type:  numeric (byte)
        range:  [1,12]              units:  1
unique values:  12                  missing .:  9,283/9,372
         mean:  5.65169
     std. dev:  3.38144
  percentiles:      10%     25%     50%     75%     90%
                     1       3       5       9      11
```

## b1_09
month of birth

```
        type:  numeric (byte)
        range:  [1,12]              units:  1
unique values:  12                  missing .:  9,336/9,372
         mean:  7.61111
     std. dev:  3.34047
  percentiles:      10%     25%     50%     75%     90%
                     3      4.5     8.5     10      12
```

## b1_10
month of birth

```
        type:  numeric (byte)
        range:  [1,12]              units:  1
unique values:  7                   missing .:  9,356/9,372
    tabulation:  Freq.  Value
                     2   1
                     2   2
                     2   5
                     2   9
                     1   10
                     2   11
                     5   12
                 9,356   .
```

```
b1_11
month of birth
           type:  numeric (byte)
          range:  [1,9]                units:  1
  unique values:  6                    missing .:  9,366/9,372
      tabulation:  Freq.  Value
                     1   1
                     1   3
                     1   5
                     1   7
                     1   8
                     1   9
                 9,366   .
```

```
b1_12
month of birth
           type:  numeric (byte)
          range:  [7,9]                units:  1
  unique values:  2                    missing .:  9,370/9,372
      tabulation:  Freq.  Value
                     1   7
                     1   9
                 9,370   .
```

```
b1_13
month of birth
           type:  numeric (byte)
          range:  [8,8]                units:  1
  unique values:  1                    missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1   8
                 9,371   .
```

```
b1_14
month of birth
           type:  numeric (byte)
          range:  [1,1]                units:  1
  unique values:  1                    missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1   1
                 9,371   .
```

```
b1_15
month of birth
           type:  numeric (byte)
          range:  [5,5]                units:  1
  unique values:  1                    missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1   5
                 9,371   .
```

```
b1_16
month of birth
```

```
                type: numeric (byte)
               range: [.,.]            units: .
        unique values: 0               missing .: 9,372/9,372
            tabulation: Freq.  Value
                       9,372  .
```

```
 b1_17
 month of birth
                type: numeric (byte)
               range: [.,.]            units: .
        unique values: 0               missing .: 9,372/9,372
            tabulation: Freq.  Value
                       9,372  .
```

```
 b1_18
 month of birth
                type: numeric (byte)
               range: [.,.]            units: .
        unique values: 0               missing .: 9,372/9,372
            tabulation: Freq.  Value
                       9,372  .
```

```
 b1_19
 month of birth
                type: numeric (byte)
               range: [.,.]            units: .
        unique values: 0               missing .: 9,372/9,372
            tabulation: Freq.  Value
                       9,372  .
```

```
 b1_20
 month of birth
                type: numeric (byte)
               range: [.,.]            units: .
        unique values: 0               missing .: 9,372/9,372
            tabulation: Freq.  Value
                       9,372  .
```

```
 b2_01
 year of birth
                type: numeric (int)
               range: [1980,2013]          units: 1
        unique values: 34                 missing .: 2,685/9,372
                mean: 2004.97
            std. dev: 6.94434
          percentiles:    10%     25%     50%     75%     90%
                         1994    2000    2007    2011    2012
```

```
 b2_02
 year of birth
                type: numeric (int)
               range: [1979,2013]          units: 1
        unique values: 35                 missing .: 4,334/9,372
                mean: 2000.13
```

```
            std. dev:  6.91877
          percentiles:      10%      25%      50%      75%      90%
                          1990     1995     2001     2006     2009
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  b2_03                                                                        │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (int)
              range:  [1977,2011]           units:  1
      unique values:  35                  missing .:  5,967/9,372
               mean:  1996.62
            std. dev:  6.62838
          percentiles:      10%      25%      50%      75%      90%
                          1988     1992     1997     2002     2005
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  b2_04                                                                        │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (int)
              range:  [1976,2009]           units:  1
      unique values:  34                  missing .:  7,790/9,372
               mean:  1994.37
            std. dev:  6.38795
          percentiles:      10%      25%      50%      75%      90%
                          1986     1990     1994     1999     2003
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  b2_05                                                                        │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (int)
              range:  [1978,2007]           units:  1
      unique values:  30                  missing .:  8,610/9,372
               mean:  1992.66
            std. dev:  6.22733
          percentiles:      10%      25%      50%      75%      90%
                          1985     1988     1992     1998     2001
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  b2_06                                                                        │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (int)
              range:  [1976,2005]           units:  1
      unique values:  30                  missing .:  8,998/9,372
               mean:  1991.3
            std. dev:  6.08361
          percentiles:      10%      25%      50%      75%      90%
                          1984     1987     1991     1996     2000
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  b2_07                                                                        │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (int)
              range:  [1977,2002]           units:  1
      unique values:  25                  missing .:  9,205/9,372
               mean:  1989.84
            std. dev:  5.57855
          percentiles:      10%      25%      50%      75%      90%
                          1983     1986     1989     1994     1998
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ b2_08                                                                         │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (int)
               range:  [1979,2000]            units:  1
       unique values:  21              missing .:  9,283/9,372
                mean:  1988.36
            std. dev:  5.42144
         percentiles:       10%      25%      50%      75%      90%
                           1981     1985     1987     1992     1997

┌─────────────────────────────────────────────────────────────────────────────┐
│ b2_09                                                                         │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (int)
               range:  [1978,1996]            units:  1
       unique values:  15              missing .:  9,336/9,372
                mean:  1986.11
            std. dev:  5.14797
         percentiles:       10%      25%      50%      75%      90%
                           1980     1982   1984.5   1990.5    1994

┌─────────────────────────────────────────────────────────────────────────────┐
│ b2_10                                                                         │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (int)
               range:  [1978,1993]            units:  1
       unique values:  11              missing .:  9,356/9,372
                mean:  1985.5
            std. dev:  4.74693
         percentiles:       10%      25%      50%      75%      90%
                           1980     1981     1986   1989.5    1992

┌─────────────────────────────────────────────────────────────────────────────┐
│ b2_11                                                                         │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (int)
               range:  [1978,1990]            units:  1
       unique values:  6               missing .:  9,366/9,372
           tabulation:  Freq.  Value
                           1  1978
                           1  1979
                           1  1983
                           1  1985
                           1  1989
                           1  1990
                       9,366  .

┌─────────────────────────────────────────────────────────────────────────────┐
│ b2_12                                                                         │
│ year of birth                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (int)
               range:  [1977,1988]            units:  1
       unique values:  2               missing .:  9,370/9,372
           tabulation:  Freq.  Value
                           1  1977
                           1  1988
                       9,370  .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b2_13                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (int)
             range:  [1985,1985]              units:  1
     unique values:  1                   missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  1985
                  9,371  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_14                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (int)
             range:  [1983,1983]              units:  1
     unique values:  1                   missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  1983
                  9,371  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_15                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (int)
             range:  [1981,1981]              units:  1
     unique values:  1                   missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  1981
                  9,371  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_16                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             range:  [.,.]                    units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Value
                  9,372  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_17                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             range:  [.,.]                    units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Value
                  9,372  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_18                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             range:  [.,.]                    units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Value
                  9,372  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b2_19                                                                     │
│ year of birth                                                             │
└─────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
```

```
        range: [.,.]               units: .
unique values:  0              missing .:  9,372/9,372
  tabulation:  Freq.  Value
           9,372  .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b2_20                                                                 │
│ year of birth                                                         │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        range: [.,.]               units: .
unique values:  0              missing .:  9,372/9,372
  tabulation:  Freq.  Value
           9,372  .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b3_01                                                                 │
│ date of birth (cmc)                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (int)
        range: [968,1366]          units: 1
unique values:  359            missing .:  2,685/9,372
          mean:  1266.42
      std. dev:  83.2734
   percentiles:     10%      25%      50%      75%      90%
                  1139     1212     1292     1336     1354
```

┌─────────────────────────────────────────────────────────────────────┐
│ b3_02                                                                 │
│ date of birth (cmc)                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (int)
        range: [951,1363]          units: 1
unique values:  382            missing .:  4,334/9,372
          mean:  1208.4
      std. dev:  83.0746
   percentiles:     10%      25%      50%      75%      90%
                  1091     1148     1217     1276     1313
```

┌─────────────────────────────────────────────────────────────────────┐
│ b3_03                                                                 │
│ date of birth (cmc)                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (int)
        range: [929,1343]          units: 1
unique values:  363            missing .:  5,967/9,372
          mean:  1166.03
      std. dev:  79.5218
   percentiles:     10%      25%      50%      75%      90%
                  1058     1109     1167     1227     1272
```

┌─────────────────────────────────────────────────────────────────────┐
│ b3_04                                                                 │
│ date of birth (cmc)                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (int)
        range: [913,1311]          units: 1
unique values:  331            missing .:  7,790/9,372
          mean:  1139.09
      std. dev:  76.6652
   percentiles:     10%      25%      50%      75%      90%
                  1042     1085     1137     1198     1241
```

b3_05
date of birth (cmc)

```
        type:  numeric (int)
       range:  [937,1286]            units:  1
unique values:  272              missing .:  8,610/9,372
        mean:  1118.78
    std. dev:  74.8093
  percentiles:       10%      25%      50%      75%      90%
                    1022     1063   1115.5     1182     1220
```

b3_06
date of birth (cmc)

```
        type:  numeric (int)
       range:  [922,1270]            units:  1
unique values:  216              missing .:  8,998/9,372
        mean:  1102.3
    std. dev:  72.7201
  percentiles:       10%      25%      50%      75%      90%
                    1010     1047     1099     1157     1208
```

b3_07
date of birth (cmc)

```
        type:  numeric (int)
       range:  [929,1233]            units:  1
unique values:  120              missing .:  9,205/9,372
        mean:  1084.45
    std. dev:  66.6594
  percentiles:       10%      25%      50%      75%      90%
                    1003     1036     1077     1140     1177
```

b3_08
date of birth (cmc)

```
        type:  numeric (int)
       range:  [952,1208]            units:  1
unique values:  70               missing .:  9,283/9,372
        mean:  1065.97
    std. dev:  65.0867
  percentiles:       10%      25%      50%      75%      90%
                     983     1023     1051     1108     1165
```

b3_09
date of birth (cmc)

```
        type:  numeric (int)
       range:  [946,1162]            units:  1
unique values:  35               missing .:  9,336/9,372
        mean:  1040.94
    std. dev:  61.4965
  percentiles:       10%      25%      50%      75%      90%
                     964    992.5     1021     1092     1132
```

b3_10
date of birth (cmc)

```
        type:  numeric (int)
       range:  [948,1117]            units:  1
```

```
         unique values:  16                missing .:  9,356/9,372
                  mean:  1033.88
              std. dev:  55.8735
           percentiles:      10%     25%      50%      75%      90%
                            965    983.5    1035.5   1079.5    1116
```

```
 b3_11
date of birth (cmc)
                 type:  numeric (int)
                range:  [944,1089]            units:  1
        unique values:  6                missing .:  9,366/9,372
           tabulation:  Freq.  Value
                           1  944
                           1  955
                           1  999
                           1  1025
                           1  1069
                           1  1089
                        9,366  .
```

```
 b3_12
date of birth (cmc)
                 type:  numeric (int)
                range:  [931,1065]            units:  1
        unique values:  2                missing .:  9,370/9,372
           tabulation:  Freq.  Value
                           1  931
                           1  1065
                        9,370  .
```

```
 b3_13
date of birth (cmc)
                 type:  numeric (int)
                range:  [1028,1028]           units:  1
        unique values:  1                missing .:  9,371/9,372
           tabulation:  Freq.  Value
                           1  1028
                        9,371  .
```

```
 b3_14
date of birth (cmc)
                 type:  numeric (int)
                range:  [997,997]             units:  1
        unique values:  1                missing .:  9,371/9,372
           tabulation:  Freq.  Value
                           1  997
                        9,371  .
```

```
 b3_15
date of birth (cmc)
                 type:  numeric (int)
                range:  [977,977]             units:  1
        unique values:  1                missing .:  9,371/9,372
           tabulation:  Freq.  Value
```

```
              1  977
          9,371  .
```

| b3_16 |
|---|
| date of birth (cmc) |

```
          type:  numeric (byte)
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .
```

| b3_17 |
|---|
| date of birth (cmc) |

```
          type:  numeric (byte)
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .
```

| b3_18 |
|---|
| date of birth (cmc) |

```
          type:  numeric (byte)
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .
```

| b3_19 |
|---|
| date of birth (cmc) |

```
          type:  numeric (byte)
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .
```

| b3_20 |
|---|
| date of birth (cmc) |

```
          type:  numeric (byte)
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .
```

| b4_01 |
|---|
| sex of child |

```
          type:  numeric (byte)
          label:  b4_01
         range:  [1,2]                    units:  1
  unique values:  2                    missing .:  2,685/9,372
     tabulation:  Freq.  Numeric  Label
                  3,409    1  male
                  3,278    2  female
                  2,685       .
```

| b4_02 |
| --- |
| sex of child |

```
        type:  numeric (byte)
        label:  b4_02
        range:  [1,2]                 units:  1
 unique values:  2                 missing .:  4,334/9,372
    tabulation:  Freq.  Numeric  Label
                2,598      1  male
                2,440      2  female
                4,334      .
```

| b4_03 |
| --- |
| sex of child |

```
        type:  numeric (byte)
        label:  b4_03
        range:  [1,2]                 units:  1
 unique values:  2                 missing .:  5,967/9,372
    tabulation:  Freq.  Numeric  Label
                1,775      1  male
                1,630      2  female
                5,967      .
```

| b4_04 |
| --- |
| sex of child |

```
        type:  numeric (byte)
        label:  b4_04
        range:  [1,2]                 units:  1
 unique values:  2                 missing .:  7,790/9,372
    tabulation:  Freq.  Numeric  Label
                  813      1  male
                  769      2  female
                7,790      .
```

| b4_05 |
| --- |
| sex of child |

```
        type:  numeric (byte)
        label:  b4_05
        range:  [1,2]                 units:  1
 unique values:  2                 missing .:  8,610/9,372
    tabulation:  Freq.  Numeric  Label
                  396      1  male
                  366      2  female
                8,610      .
```

| b4_06 |
| --- |
| sex of child |

```
        type:  numeric (byte)
        label:  b4_06
        range:  [1,2]                 units:  1
 unique values:  2                 missing .:  8,998/9,372
    tabulation:  Freq.  Numeric  Label
                  205      1  male
                  169      2  female
                8,998      .
```

```
 b4_07
sex of child
         type:  numeric (byte)
        label:  b4_07
        range:  [1,2]                 units:  1
 unique values:  2               missing .:  9,205/9,372
    tabulation:  Freq.  Numeric  Label
                   79      1  male
                   88      2  female
                9,205         .
```

```
 b4_08
sex of child
         type:  numeric (byte)
        label:  b4_08
        range:  [1,2]                 units:  1
 unique values:  2               missing .:  9,283/9,372
    tabulation:  Freq.  Numeric  Label
                   52      1  male
                   37      2  female
                9,283         .
```

```
 b4_09
sex of child
         type:  numeric (byte)
        label:  b4_09
        range:  [1,2]                 units:  1
 unique values:  2               missing .:  9,336/9,372
    tabulation:  Freq.  Numeric  Label
                   22      1  male
                   14      2  female
                9,336         .
```

```
 b4_10
sex of child
         type:  numeric (byte)
        label:  b4_10
        range:  [1,2]                 units:  1
 unique values:  2               missing .:  9,356/9,372
    tabulation:  Freq.  Numeric  Label
                   10      1  male
                    6      2  female
                9,356         .
```

```
 b4_11
sex of child
         type:  numeric (byte)
        label:  b4_11
        range:  [1,2]                 units:  1
 unique values:  2               missing .:  9,366/9,372
    tabulation:  Freq.  Numeric  Label
                    3      1  male
                    3      2  female
```

```
                    9,366        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_12                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  b4_12
             range:  [1,2]                    units:  1
     unique values:  2                       missing .:  9,370/9,372
        tabulation:  Freq.  Numeric  Label
                        1       1  male
                        1       2  female
                    9,370        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_13                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  b4_13
             range:  [1,1]                    units:  1
     unique values:  1                       missing .:  9,371/9,372
        tabulation:  Freq.  Numeric  Label
                        1       1  male
                    9,371        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_14                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  b4_14
             range:  [1,1]                    units:  1
     unique values:  1                       missing .:  9,371/9,372
        tabulation:  Freq.  Numeric  Label
                        1       1  male
                    9,371        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_15                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  b4_15
             range:  [1,1]                    units:  1
     unique values:  1                       missing .:  9,371/9,372
        tabulation:  Freq.  Numeric  Label
                        1       1  male
                    9,371        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_16                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  b4_16
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ b4_17                                                                             │
│ sex of child                                                                      │
└─────────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b4_17
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372         .
```

```
 b4_18
 sex of child
```
```
          type:  numeric (byte)
         label:  b4_18
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372         .
```

```
 b4_19
 sex of child
```
```
          type:  numeric (byte)
         label:  b4_19
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372         .
```

```
 b4_20
 sex of child
```
```
          type:  numeric (byte)
         label:  b4_20
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372         .
```

```
 b5_01
 child is alive
```
```
          type:  numeric (byte)
         label:  b5_01
         range:  [0,1]                    units:  1
 unique values:  2                      missing .:  2,685/9,372
    tabulation:  Freq.  Numeric  Label
                 195        0  no
               6,492        1  yes
               2,685         .
```

```
 b5_02
 child is alive
```
```
          type:  numeric (byte)
         label:  b5_02
         range:  [0,1]                    units:  1
 unique values:  2                      missing .:  4,334/9,372
    tabulation:  Freq.  Numeric  Label
                 216        0  no
               4,822        1  yes
```

```
                4,334      .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b5_03                                                                         │
│ child is alive                                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b5_03
            range:  [0,1]                 units:  1
    unique values:  2               missing .:  5,967/9,372
        tabulation:  Freq.   Numeric  Label
                211      0  no
              3,194      1  yes
              5,967        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b5_04                                                                         │
│ child is alive                                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b5_04
            range:  [0,1]                 units:  1
    unique values:  2               missing .:  7,790/9,372
        tabulation:  Freq.   Numeric  Label
                133      0  no
              1,449      1  yes
              7,790        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b5_05                                                                         │
│ child is alive                                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b5_05
            range:  [0,1]                 units:  1
    unique values:  2               missing .:  8,610/9,372
        tabulation:  Freq.   Numeric  Label
                 91      0  no
                671      1  yes
              8,610        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b5_06                                                                         │
│ child is alive                                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b5_06
            range:  [0,1]                 units:  1
    unique values:  2               missing .:  8,998/9,372
        tabulation:  Freq.   Numeric  Label
                 34      0  no
                340      1  yes
              8,998        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b5_07                                                                         │
│ child is alive                                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b5_07
            range:  [0,1]                 units:  1
    unique values:  2               missing .:  9,205/9,372
        tabulation:  Freq.   Numeric  Label
                 29      0  no
```

```
                 138      1  yes
               9,205       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b5_08                                                                     │
│ child is alive                                                            │
└─────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
         label:  b5_08
         range:  [0,1]                   units:  1
 unique values:  2                     missing .:  9,283/9,372
     tabulation:  Freq.  Numeric  Label
                 14      0  no
                 75      1  yes
               9,283       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b5_09                                                                     │
│ child is alive                                                            │
└─────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
         label:  b5_09
         range:  [0,1]                   units:  1
 unique values:  2                     missing .:  9,336/9,372
     tabulation:  Freq.  Numeric  Label
                  6      0  no
                 30      1  yes
               9,336       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b5_10                                                                     │
│ child is alive                                                            │
└─────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
         label:  b5_10
         range:  [0,1]                   units:  1
 unique values:  2                     missing .:  9,356/9,372
     tabulation:  Freq.  Numeric  Label
                  4      0  no
                 12      1  yes
               9,356       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b5_11                                                                     │
│ child is alive                                                            │
└─────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
         label:  b5_11
         range:  [0,1]                   units:  1
 unique values:  2                     missing .:  9,366/9,372
     tabulation:  Freq.  Numeric  Label
                  3      0  no
                  3      1  yes
               9,366       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b5_12                                                                     │
│ child is alive                                                            │
└─────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
         label:  b5_12
         range:  [1,1]                   units:  1
 unique values:  1                     missing .:  9,370/9,372
     tabulation:  Freq.  Numeric  Label
```

```
                2      1  yes
            9,370         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_13                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b5_13
         range:  [.,.]                 units:  .
 unique values:  1                    missing .:  9,371/9,372
     tabulation:  Freq.  Numeric  Label
                1      0  no
            9,371         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_14                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b5_14
         range:  [1,1]                 units:  1
 unique values:  1                    missing .:  9,371/9,372
     tabulation:  Freq.  Numeric  Label
                1      1  yes
            9,371         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_15                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b5_15
         range:  [1,1]                 units:  1
 unique values:  1                    missing .:  9,371/9,372
     tabulation:  Freq.  Numeric  Label
                1      1  yes
            9,371         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_16                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b5_16
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_17                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b5_17
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

┌─────────────────────────────────────────────────────────────────┐
│  b5_18                                                            │
│ child is alive                                                    │
└─────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
```

```
              label:  b5_18
              range:  [.,.]                    units:  .
      unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                      9,372        .
```

```
  b5_19
  child is alive

                type:  numeric (byte)
               label:  b5_19
               range:  [.,.]                   units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                       9,372        .
```

```
  b5_20
  child is alive

                type:  numeric (byte)
               label:  b5_20
               range:  [.,.]                   units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                       9,372        .
```

```
  b6_01
  age at death

                type:  numeric (int)
               label:  b6_01, but 51 nonmissing values are not labeled
               range:  [100,320]               units:  1
       unique values:  54                     missing .:  9,177/9,372
            examples:  .
                       .
                       .
                       .
```

```
  b6_02
  age at death

                type:  numeric (int)
               label:  b6_02, but 55 nonmissing values are not labeled
               range:  [100,325]               units:  1
       unique values:  58                     missing .:  9,157/9,372
            examples:  .
                       .
                       .
                       .
```

```
  b6_03
  age at death

                type:  numeric (int)
               label:  b6_03, but 50 nonmissing values are not labeled
               range:  [100,329]               units:  1
       unique values:  54                     missing .:  9,161/9,372
            examples:  .
                       .
```

.

.

---

b6_04

age at death

---

         type:  numeric (int)

        label:  b6_04, but 39 nonmissing values are not labeled

        range:  [100,332]         units:  1

  unique values:  42          missing .:  9,240/9,372

    examples:  .

          .

          .

          .

---

b6_05

age at death

---

         type:  numeric (int)

        label:  b6_05, but 39 nonmissing values are not labeled

        range:  [100,325]         units:  1

  unique values:  42          missing .:  9,282/9,372

    examples:  .

          .

          .

          .

---

b6_06

age at death

---

         type:  numeric (int)

        label:  b6_06, but 16 nonmissing values are not labeled

        range:  [100,322]         units:  1

  unique values:  19          missing .:  9,338/9,372

    examples:  .

          .

          .

          .

---

b6_07

age at death

---

         type:  numeric (int)

        label:  b6_07, but 16 nonmissing values are not labeled

        range:  [100,321]         units:  1

  unique values:  18          missing .:  9,344/9,372

    examples:  .

          .

          .

          .

---

b6_08

age at death

---

         type:  numeric (int)

        label:  b6_08, but 11 nonmissing values are not labeled

        range:  [101,312]         units:  1

  unique values:  13          missing .:  9,359/9,372

    examples:  .

.
.
.

---

**b6_09**
**age at death**

         type:  numeric (int)
       label:  b6_09, but 4 nonmissing values are not labeled
      range:  [100,310]         units:  1
unique values:  5              missing .:  9,366/9,372
   tabulation:  Freq.  Numeric  Label

| Freq. | Numeric | Label |
|---|---|---|
| 1 | 100 | died on day of birth |
| 2 | 120 | |
| 1 | 203 | |
| 1 | 215 | |
| 1 | 310 | |
| 9,366 | . | |

---

**b6_10**
**age at death**

         type:  numeric (int)
       label:  b6_10, but 3 nonmissing values are not labeled
      range:  [111,218]         units:  1
unique values:  3              missing .:  9,368/9,372
   tabulation:  Freq.  Numeric  Label

| Freq. | Numeric | Label |
|---|---|---|
| 1 | 111 | |
| 2 | 203 | |
| 1 | 218 | |
| 9,368 | . | |

---

**b6_11**
**age at death**

         type:  numeric (int)
       label:  b6_11, but 2 nonmissing values are not labeled
      range:  [203,997]         units:  1
unique values:  3              missing .:  9,369/9,372
   tabulation:  Freq.  Numeric  Label

| Freq. | Numeric | Label |
|---|---|---|
| 1 | 203 | |
| 1 | 212 | |
| 1 | 997 | inconsistent |
| 9,369 | . | |

---

**b6_12**
**age at death**

         type:  numeric (byte)
       label:  b6_12
      range:  [.,.]         units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label

| Freq. | Numeric | Label |
|---|---|---|
| 9,372 | . | |

---

**b6_13**
**age at death**

         type:  numeric (int)

```
                label:  b6_13, but 1 nonmissing value is not labeled
                range:  [321,321]                units:  1
        unique values:  1                       missing .:  9,371/9,372

           tabulation:  Freq.   Numeric  Label
                           1       321
                        9,371        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_14                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b6_14
                range:  [.,.]                   units:  .
        unique values:  0                       missing .:  9,372/9,372

           tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_15                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b6_15
                range:  [.,.]                   units:  .
        unique values:  0                       missing .:  9,372/9,372

           tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_16                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b6_16
                range:  [.,.]                   units:  .
        unique values:  0                       missing .:  9,372/9,372

           tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_17                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b6_17
                range:  [.,.]                   units:  .
        unique values:  0                       missing .:  9,372/9,372

           tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_18                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b6_18
                range:  [.,.]                   units:  .
        unique values:  0                       missing .:  9,372/9,372

           tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ b6_19                                                                     │
│ age at death                                                              │
└─────────────────────────────────────────────────────────────────────────┘
```

```
          type:  numeric (byte)
         label:  b6_19
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
 b6_20
age at death
```

```
          type:  numeric (byte)
         label:  b6_20
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
 b7_01
age at death (months, imputed)
```

```
          type:  numeric (int)
         range:  [0,240]              units:  1
 unique values:  35                missing .:  9,177/9,372
          mean:  16.9282
       std. dev:  47.2059
    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        8       36
```

```
 b7_02
age at death (months, imputed)
```

```
          type:  numeric (int)
         range:  [0,300]              units:  1
 unique values:  39                missing .:  9,156/9,372
          mean:  24.2083
       std. dev:  60.5322
    percentiles:      10%      25%      50%      75%      90%
                      0        0        1       13       60
```

```
 b7_03
age at death (months, imputed)
```

```
          type:  numeric (int)
         range:  [0,348]              units:  1
 unique values:  34                missing .:  9,161/9,372
          mean:  22.2654
       std. dev:  60.6215
    percentiles:      10%      25%      50%      75%      90%
                      0        0        0        7       60
```

```
 b7_04
age at death (months, imputed)
```

```
          type:  numeric (int)
         range:  [0,384]              units:  1
 unique values:  32                missing .:  9,239/9,372
          mean:  28.0376
       std. dev:  66.2692
    percentiles:      10%      25%      50%      75%      90%
```

|  |  | 0 | 0 | 2 | 15 | 108 |

| b7_05 |
| age at death (months, imputed) |

|  |  |  |  |  |
| type: | numeric (int) |  |  |  |
| range: | [0,300] |  | units: | 1 |
| unique values: | 24 |  | missing .: | 9,281/9,372 |
| mean: | 24.7912 |  |  |  |
| std. dev: | 64.1158 |  |  |  |

| percentiles: | 10% | 25% | 50% | 75% | 90% |
|---|---|---|---|---|---|
|  | 0 | 0 | 2 | 11 | 36 |

| b7_06 |
| age at death (months, imputed) |

|  |  |  |  |  |
| type: | numeric (int) |  |  |  |
| range: | [0,264] |  | units: | 1 |
| unique values: | 14 |  | missing .: | 9,338/9,372 |
| mean: | 22.8824 |  |  |  |
| std. dev: | 56.3129 |  |  |  |

| percentiles: | 10% | 25% | 50% | 75% | 90% |
|---|---|---|---|---|---|
|  | 0 | 0 | 3.5 | 12 | 48 |

| b7_07 |
| age at death (months, imputed) |

|  |  |  |  |  |
| type: | numeric (int) |  |  |  |
| range: | [0,252] |  | units: | 1 |
| unique values: | 15 |  | missing .: | 9,343/9,372 |
| mean: | 44.8276 |  |  |  |
| std. dev: | 80.5699 |  |  |  |

| percentiles: | 10% | 25% | 50% | 75% | 90% |
|---|---|---|---|---|---|
|  | 0 | 0 | 7 | 24 | 228 |

| b7_08 |
| age at death (months, imputed) |

|  |  |  |  |  |
| type: | numeric (int) |  |  |  |
| range: | [0,144] |  | units: | 1 |
| unique values: | 10 |  | missing .: | 9,358/9,372 |
| mean: | 22.4286 |  |  |  |
| std. dev: | 45.3952 |  |  |  |

| percentiles: | 10% | 25% | 50% | 75% | 90% |
|---|---|---|---|---|---|
|  | 0 | 0 | 3.5 | 7 | 108 |

| b7_09 |
| age at death (months, imputed) |

|  |  |
| type: | numeric (int) |
| range: | [0,120] | units: | 1 |
| unique values: | 4 | missing .: | 9,366/9,372 |

| tabulation: | Freq. | Value |
|---|---|---|
|  | 3 | 0 |
|  | 1 | 3 |
|  | 1 | 15 |
|  | 1 | 120 |
|  | 9,366 | . |

```
 b7_10
age at death (months, imputed)
            type:  numeric (byte)
           range:  [0,18]              units:  1
   unique values:  3                   missing .:  9,368/9,372
      tabulation:  Freq.  Value
                       1  0
                       2  3
                       1  18
                   9,368  .


 b7_11
age at death (months, imputed)
            type:  numeric (byte)
           range:  [0,12]              units:  1
   unique values:  3                   missing .:  9,369/9,372
      tabulation:  Freq.  Value
                       1  0
                       1  3
                       1  12
                   9,369  .


 b7_12
age at death (months, imputed)
            type:  numeric (byte)
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Value
                   9,372  .


 b7_13
age at death (months, imputed)
            type:  numeric (int)
           range:  [252,252]           units:  1
   unique values:  1                   missing .:  9,371/9,372
      tabulation:  Freq.  Value
                       1  252
                   9,371  .


 b7_14
age at death (months, imputed)
            type:  numeric (byte)
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Value
                   9,372  .


 b7_15
age at death (months, imputed)
            type:  numeric (byte)
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Value
                   9,372  .
```

b7_16
age at death (months, imputed)

        type:  numeric (byte)
       range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .

---

b7_17
age at death (months, imputed)

        type:  numeric (byte)
       range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .

---

b7_18
age at death (months, imputed)

        type:  numeric (byte)
       range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .

---

b7_19
age at death (months, imputed)

        type:  numeric (byte)
       range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .

---

b7_20
age at death (months, imputed)

        type:  numeric (byte)
       range:  [.,.]            units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Value
          9,372  .

---

b8_01
current age of child

        type:  numeric (byte)
       range:  [0,33]         units:  1
   unique values:  34        missing .:  2,880/9,372
       mean:  7.62092
     std. dev:  6.87553
   percentiles:     10%     25%     50%     75%     90%
               0      2    5.5     12     18

---

b8_02
current age of child

        type:  numeric (byte)

```
          range:  [0,34]                 units:  1
  unique values:  35               missing .:  4,550/9,372
           mean:  12.4959
       std. dev:  6.88865
    percentiles:        10%      25%      50%      75%      90%
                    4        7       12       18       22
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b8_03                                                                         │
│ current age of child                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          range:  [1,36]                 units:  1
  unique values:  36               missing .:  6,178/9,372
           mean:  16.0385
       std. dev:  6.5785
    percentiles:        10%      25%      50%      75%      90%
                    7       11       16       21       25
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b8_04                                                                         │
│ current age of child                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          range:  [4,37]                 units:  1
  unique values:  34               missing .:  7,923/9,372
           mean:  18.2519
       std. dev:  6.3845
    percentiles:        10%      25%      50%      75%      90%
                   10       13       18       23       26
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b8_05                                                                         │
│ current age of child                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          range:  [6,35]                 units:  1
  unique values:  30               missing .:  8,701/9,372
           mean:  19.7392
       std. dev:  6.17329
    percentiles:        10%      25%      50%      75%      90%
                   11       15       20       24       28
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b8_06                                                                         │
│ current age of child                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          range:  [7,37]                 units:  1
  unique values:  31               missing .:  9,032/9,372
           mean:  21.3118
       std. dev:  6.16225
    percentiles:        10%      25%      50%      75%      90%
                 12.5       17       22       26       29
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b8_07                                                                         │
│ current age of child                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          range:  [11,34]                units:  1
  unique values:  24               missing .:  9,234/9,372
           mean:  22.5507
       std. dev:  5.48531
```

percentiles:     10%     25%     50%     75%     90%
                  15      18      23      26      29

---

b8_08
current age of child

         type:  numeric (byte)
        range:  [14,34]              units:  1
unique values:  20            missing .:  9,297/9,372
         mean:    24.76
     std. dev:  5.3394
  percentiles:     10%     25%     50%     75%     90%
                   17      21      26      28      32

---

b8_09
current age of child

         type:  numeric (byte)
        range:  [17,34]              units:  1
unique values:  15            missing .:  9,342/9,372
         mean:    25.9
     std. dev:  5.19516
  percentiles:     10%     25%     50%     75%     90%
                   19      21     25.5     30      33

---

b8_10
current age of child

         type:  numeric (byte)
        range:  [20,31]              units:  1
unique values:  8             missing .:  9,360/9,372
    tabulation:  Freq.  Value
                    2  20
                    1  21
                    1  24
                    1  25
                    2  26
                    2  28
                    1  30
                    2  31
                9,360  .

---

b8_11
current age of child

         type:  numeric (byte)
        range:  [22,35]              units:  1
unique values:  3             missing .:  9,369/9,372
    tabulation:  Freq.  Value
                    1  22
                    1  28
                    1  35
                9,369  .

---

b8_12
current age of child

         type:  numeric (byte)
        range:  [24,36]              units:  1

unique values: 2                    missing .: 9,370/9,372
   tabulation: Freq.  Value
             1  24
             1  36
         9,370  .

---

**b8_13**
current age of child

         type:  numeric (byte)
        range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Value
         9,372  .

---

**b8_14**
current age of child

         type:  numeric (byte)
        range:  [30,30]              units: 10
unique values: 1                    missing .: 9,371/9,372
   tabulation: Freq.  Value
             1  30
         9,371  .

---

**b8_15**
current age of child

         type:  numeric (byte)
        range:  [32,32]              units: 1
unique values: 1                    missing .: 9,371/9,372
   tabulation: Freq.  Value
             1  32
         9,371  .

---

**b8_16**
current age of child

         type:  numeric (byte)
        range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Value
         9,372  .

---

**b8_17**
current age of child

         type:  numeric (byte)
        range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Value
         9,372  .

---

**b8_18**
current age of child

         type:  numeric (byte)
        range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Value

```
                9,372  .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b8_19                                                                   │
│ current age of child                                                     │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [.,.]                  units:  .
   unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Value
                9,372  .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b8_20                                                                   │
│ current age of child                                                     │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [.,.]                  units:  .
   unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Value
                9,372  .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b9_01                                                                   │
│ child lives with whom                                                    │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  b9_01
           range:  [0,4]                  units:  1
   unique values:  2              missing .:  2,880/9,372
      tabulation:  Freq.  Numeric  Label
                5,686     0  respondent
                  806     4  lives elsewhere
                2,880        .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b9_02                                                                   │
│ child lives with whom                                                    │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  b9_02
           range:  [0,4]                  units:  1
   unique values:  2              missing .:  4,550/9,372
      tabulation:  Freq.  Numeric  Label
                3,621     0  respondent
                1,201     4  lives elsewhere
                4,550        .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b9_03                                                                   │
│ child lives with whom                                                    │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  b9_03
           range:  [0,4]                  units:  1
   unique values:  2              missing .:  6,178/9,372
      tabulation:  Freq.  Numeric  Label
                1,964     0  respondent
                1,230     4  lives elsewhere
                6,178        .
```

┌────────────────────────────────────────────────────────────────────────┐
│  b9_04                                                                   │
│ child lives with whom                                                    │
└────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
```

```
        label: b9_04
        range: [0,4]                units: 1
unique values: 2                missing .: 7,923/9,372
    tabulation: Freq.  Numeric  Label
             706     0  respondent
             743     4  lives elsewhere
           7,923     .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b9_05                                                                 │
│ child lives with whom                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label: b9_05
        range: [0,4]                units: 1
unique values: 2                missing .: 8,701/9,372
    tabulation: Freq.  Numeric  Label
             270     0  respondent
             401     4  lives elsewhere
           8,701     .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b9_06                                                                 │
│ child lives with whom                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label: b9_06
        range: [0,4]                units: 1
unique values: 2                missing .: 9,032/9,372
    tabulation: Freq.  Numeric  Label
             105     0  respondent
             235     4  lives elsewhere
           9,032     .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b9_07                                                                 │
│ child lives with whom                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label: b9_07
        range: [0,4]                units: 1
unique values: 2                missing .: 9,234/9,372
    tabulation: Freq.  Numeric  Label
              29     0  respondent
             109     4  lives elsewhere
           9,234     .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b9_08                                                                 │
│ child lives with whom                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label: b9_08
        range: [0,4]                units: 1
unique values: 2                missing .: 9,297/9,372
    tabulation: Freq.  Numeric  Label
              21     0  respondent
              54     4  lives elsewhere
           9,297     .
```

┌─────────────────────────────────────────────────────────────────────┐
│ b9_09                                                                 │
│ child lives with whom                                                 │
└─────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
            label:  b9_09
            range:  [0,4]                units:  1
     unique values:  2                 missing .:  9,342/9,372
         tabulation:  Freq.  Numeric  Label
                  4       0  respondent
                 26       4  lives elsewhere
              9,342        .
```

```
 b9_10
 child lives with whom
            type:  numeric (byte)
            label:  b9_10
            range:  [0,4]                units:  1
     unique values:  2                 missing .:  9,360/9,372
         tabulation:  Freq.  Numeric  Label
                  3       0  respondent
                  9       4  lives elsewhere
              9,360        .
```

```
 b9_11
 child lives with whom
            type:  numeric (byte)
            label:  b9_11
            range:  [4,4]                units:  1
     unique values:  1                 missing .:  9,369/9,372
         tabulation:  Freq.  Numeric  Label
                  3       4  lives elsewhere
              9,369        .
```

```
 b9_12
 child lives with whom
            type:  numeric (byte)
            label:  b9_12
            range:  [4,4]                units:  1
     unique values:  1                 missing .:  9,370/9,372
         tabulation:  Freq.  Numeric  Label
                  2       4  lives elsewhere
              9,370        .
```

```
 b9_13
 child lives with whom
            type:  numeric (byte)
            label:  b9_13
            range:  [.,.]                units:  .
     unique values:  0                 missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 b9_14
 child lives with whom
            type:  numeric (byte)
            label:  b9_14
            range:  [4,4]                units:  1
```

unique values:  1                    missing .:  9,371/9,372
             tabulation:  Freq.  Numeric  Label
                      1        4  lives elsewhere
                  9,371        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_15                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  b9_15
                 range:  [4,4]                 units:  1
          unique values:  1                    missing .:  9,371/9,372
             tabulation:  Freq.  Numeric  Label
                      1        4  lives elsewhere
                  9,371        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_16                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  b9_16
                 range:  [.,.]                 units:  .
          unique values:  0                    missing .:  9,372/9,372
             tabulation:  Freq.  Numeric  Label
                  9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_17                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  b9_17
                 range:  [.,.]                 units:  .
          unique values:  0                    missing .:  9,372/9,372
             tabulation:  Freq.  Numeric  Label
                  9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_18                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  b9_18
                 range:  [.,.]                 units:  .
          unique values:  0                    missing .:  9,372/9,372
             tabulation:  Freq.  Numeric  Label
                  9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_19                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  b9_19
                 range:  [.,.]                 units:  .
          unique values:  0                    missing .:  9,372/9,372
             tabulation:  Freq.  Numeric  Label
                  9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  b9_20                                                                     │
│ child lives with whom                                                     │
└─────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)

```
        label:  b9_20
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_01                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b10_01
         range:  [1,5]                    units:  1
 unique values:  3                     missing .:  2,685/9,372
    tabulation:  Freq.  Numeric  Label
                6,673      1  month and year - information
                              complete
                    6      3  year and age - month imputed
                    8      5  year - age/month imputed
                2,685       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_02                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b10_02
         range:  [1,5]                    units:  1
 unique values:  3                     missing .:  4,334/9,372
    tabulation:  Freq.  Numeric  Label
                5,012      1  month and year - information
                              complete
                   12      3  year and age - month imputed
                   14      5  year - age/month imputed
                4,334       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_03                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b10_03
         range:  [1,5]                    units:  1
 unique values:  3                     missing .:  5,967/9,372
    tabulation:  Freq.  Numeric  Label
                3,378      1  month and year - information
                              complete
                   10      3  year and age - month imputed
                   17      5  year - age/month imputed
                5,967       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_04                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  b10_04
         range:  [1,5]                    units:  1
 unique values:  3                     missing .:  7,790/9,372
    tabulation:  Freq.  Numeric  Label
                1,560      1  month and year - information
                              complete
```

```
               7       3  year and age - month imputed
              15       5  year - age/month imputed
           7,790         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_05                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  b10_05
           range:  [1,5]                  units:  1
   unique values:  3                    missing .:  8,610/9,372
       tabulation:  Freq.   Numeric  Label
                    744       1  month and year - information
                                 complete
                      6       3  year and age - month imputed
                     12       5  year - age/month imputed
                  8,610         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_06                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  b10_06
           range:  [1,5]                  units:  1
   unique values:  3                    missing .:  8,998/9,372
       tabulation:  Freq.   Numeric  Label
                    359       1  month and year - information
                                 complete
                      6       3  year and age - month imputed
                      9       5  year - age/month imputed
                  8,998         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_07                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  b10_07
           range:  [1,5]                  units:  1
   unique values:  3                    missing .:  9,205/9,372
       tabulation:  Freq.   Numeric  Label
                    157       1  month and year - information
                                 complete
                      3       3  year and age - month imputed
                      7       5  year - age/month imputed
                  9,205         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b10_08                                                                        │
│ completeness of information                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  b10_08
           range:  [1,5]                  units:  1
   unique values:  3                    missing .:  9,283/9,372
       tabulation:  Freq.   Numeric  Label
                     85       1  month and year - information
                                 complete
                      1       3  year and age - month imputed
                      3       5  year - age/month imputed
```

9,283        .

---

| b10_09 |
| --- |
| completeness of information |

            type:  numeric (byte)
           label:  b10_09
           range:  [1,5]                    units:  1
    unique values:  3                     missing .:  9,336/9,372
       tabulation:  Freq.   Numeric  Label
                       33        1  month and year - information
                                    complete
                        1        3  year and age - month imputed
                        2        5  year - age/month imputed
                    9,336        .

---

| b10_10 |
| --- |
| completeness of information |

            type:  numeric (byte)
           label:  b10_10
           range:  [1,5]                    units:  1
    unique values:  2                     missing .:  9,356/9,372
       tabulation:  Freq.   Numeric  Label
                       13        1  month and year - information
                                    complete
                        3        5  year - age/month imputed
                    9,356        .

---

| b10_11 |
| --- |
| completeness of information |

            type:  numeric (byte)
           label:  b10_11
           range:  [1,5]                    units:  1
    unique values:  2                     missing .:  9,366/9,372
       tabulation:  Freq.   Numeric  Label
                        4        1  month and year - information
                                    complete
                        2        5  year - age/month imputed
                    9,366        .

---

| b10_12 |
| --- |
| completeness of information |

            type:  numeric (byte)
           label:  b10_12
           range:  [1,1]                    units:  1
    unique values:  1                     missing .:  9,370/9,372
       tabulation:  Freq.   Numeric  Label
                        2        1  month and year - information
                                    complete
                    9,370        .

---

| b10_13 |
| --- |
| completeness of information |

            type:  numeric (byte)
           label:  b10_13

```
        range:  [1,1]                     units:  1
unique values:  1                       missing .:  9,371/9,372
   tabulation:  Freq.  Numeric  Label
                   1        1  month and year - information
                               complete
               9,371         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b10_14                                                                    │
│ completeness of information                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  b10_14
        range:  [1,1]                     units:  1
unique values:  1                       missing .:  9,371/9,372
   tabulation:  Freq.  Numeric  Label
                   1        1  month and year - information
                               complete
               9,371         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b10_15                                                                    │
│ completeness of information                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  b10_15
        range:  [1,1]                     units:  1
unique values:  1                       missing .:  9,371/9,372
   tabulation:  Freq.  Numeric  Label
                   1        1  month and year - information
                               complete
               9,371         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b10_16                                                                    │
│ completeness of information                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  b10_16
        range:  [.,.]                     units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b10_17                                                                    │
│ completeness of information                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  b10_17
        range:  [.,.]                     units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b10_18                                                                    │
│ completeness of information                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  b10_18
        range:  [.,.]                     units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
```

```
              9,372       .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b10_19                                                                         │
│ completeness of information                                                    │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b10_19
           range:  [.,.]                     units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b10_20                                                                         │
│ completeness of information                                                    │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b10_20
           range:  [.,.]                     units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b11_01                                                                         │
│ preceding birth interval (months)                                              │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
           range:  [9,258]                   units:  1
   unique values:  193                     missing .:  4,348/9,372
            mean:  47.6338
        std. dev:  34.4592
     percentiles:      10%     25%     50%     75%     90%
                       16      23      37      63      94
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b11_02                                                                         │
│ preceding birth interval (months)                                              │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
           range:  [9,275]                   units:  1
   unique values:  138                     missing .:  5,984/9,372
            mean:  36.9672
        std. dev:  24.5124
     percentiles:      10%     25%     50%     75%     90%
                       14      20    29.5      47      68
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b11_03                                                                         │
│ preceding birth interval (months)                                              │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
           range:  [9,149]                   units:  1
   unique values:  99                      missing .:  7,801/9,372
            mean:  31.3113
        std. dev:  19.134
     percentiles:      10%     25%     50%     75%     90%
                       13      18      26      39      55
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ b11_04                                                                         │
│ preceding birth interval (months)                                              │
└──────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
           range:  [9,115]                   units:  1
```

```
       unique values:  79               missing .:  8,614/9,372
                mean:   28.442
            std. dev:   16.083
         percentiles:       10%     25%     50%     75%     90%
                            13      17      24      34      48
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b11_05                                                                        │
│ preceding birth interval (months)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (int)
               range:  [9,133]              units:  1
       unique values:  61                missing .:  8,998/9,372
                mean:  27.5749
            std. dev:  16.6003
         percentiles:       10%     25%     50%     75%     90%
                            12      16      24      34      46
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b11_06                                                                        │
│ preceding birth interval (months)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               range:  [9,97]               units:  1
       unique values:  47                missing .:  9,206/9,372
                mean:  25.7892
            std. dev:  14.5601
         percentiles:       10%     25%     50%     75%     90%
                            12      15      22      32      43
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b11_07                                                                        │
│ preceding birth interval (months)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (int)
               range:  [9,106]              units:  1
       unique values:  39                missing .:  9,283/9,372
                mean:  27.8652
            std. dev:  17.5798
         percentiles:       10%     25%     50%     75%     90%
                            12      17      23      35      45
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b11_08                                                                        │
│ preceding birth interval (months)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (int)
               range:  [10,106]             units:  1
       unique values:  21                missing .:  9,336/9,372
                mean:  27.3056
            std. dev:  18.7522
         percentiles:       10%     25%     50%     75%     90%
                            12      17.5    21      28.5    50
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b11_09                                                                        │
│ preceding birth interval (months)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               range:  [9,43]               units:  1
       unique values:  12                missing .:  9,356/9,372
                mean:  20.625
            std. dev:  8.81571
         percentiles:       10%     25%     50%     75%     90%
```

11      14    18.5     24      34

┌─────────────────────────────────────────────────────────────────────────┐
│ b11_10                                                                    │
│ preceding birth interval (months)                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [10,39]              units:  1
   unique values:  6          missing .:  9,366/9,372
      tabulation:  Freq.  Value
                     1  10
                     1  21
                     1  23
                     1  27
                     1  28
                     1  39
                 9,366  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b11_11                                                                    │
│ preceding birth interval (months)                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [13,24]              units:  1
   unique values:  2          missing .:  9,370/9,372
      tabulation:  Freq.  Value
                     1  13
                     1  24
                 9,370  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b11_12                                                                    │
│ preceding birth interval (months)                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [37,37]              units:  1
   unique values:  1          missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1  37
                 9,371  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b11_13                                                                    │
│ preceding birth interval (months)                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [31,31]              units:  1
   unique values:  1          missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1  31
                 9,371  .

┌─────────────────────────────────────────────────────────────────────────┐
│ b11_14                                                                    │
│ preceding birth interval (months)                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [20,20]              units:  10
   unique values:  1          missing .:  9,371/9,372
      tabulation:  Freq.  Value
                     1  20
                 9,371  .

| b11_15 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b11_16 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b11_17 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b11_18 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b11_19 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b11_20 |
|---|
| preceding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

         9,372  .

| b12_01 |
|---|
| succeeding birth interval (months) |

         type:  numeric (byte)

        range:  [.,.]           units: .

    unique values:  0         missing .:  9,372/9,372

     tabulation:  Freq.  Value

9,372  .

---

**b12_02**
succeeding birth interval (months)

```
        type:  numeric (int)
       range:  [9,258]                units:  1
unique values:  193        missing .:  4,434/9,372
        mean:  47.5806
    std. dev:  34.4345
 percentiles:     10%     25%     50%     75%     90%
                  16      23      37      63      94
```

---

**b12_03**
succeeding birth interval (months)

```
        type:  numeric (int)
       range:  [9,275]                units:  1
unique values:  140        missing .:  5,968/9,372
        mean:  37.0676
    std. dev:  24.7806
 percentiles:     10%     25%     50%     75%     90%
                  14      20      30      47      68
```

---

**b12_04**
succeeding birth interval (months)

```
        type:  numeric (int)
       range:  [9,153]                units:  1
unique values:  101        missing .:  7,790/9,372
        mean:  31.5177
    std. dev:  19.5206
 percentiles:     10%     25%     50%     75%     90%
                  13      19      26      39      56
```

---

**b12_05**
succeeding birth interval (months)

```
        type:  numeric (int)
       range:  [9,115]                units:  1
unique values:  79         missing .:  8,610/9,372
        mean:  28.4882
    std. dev:  16.1192
 percentiles:     10%     25%     50%     75%     90%
                  13      17      24      34      48
```

---

**b12_06**
succeeding birth interval (months)

```
        type:  numeric (int)
       range:  [9,133]                units:  1
unique values:  62         missing .:  8,998/9,372
        mean:  27.8342
    std. dev:  16.7815
 percentiles:     10%     25%     50%     75%     90%
                  12      16      24      34      46
```

---

**b12_07**
succeeding birth interval (months)

```
        type: numeric (byte)
       range: [9,97]              units: 1
unique values: 47                 missing .: 9,205/9,372
        mean: 25.8263
    std. dev: 14.5722
  percentiles:     10%     25%     50%     75%     90%
                    12      15      22      33      43
```

```
 b12_08
succeeding birth interval (months)
        type: numeric (byte)
       range: [9,98]              units: 1
unique values: 38                 missing .: 9,283/9,372
        mean: 26.9101
    std. dev: 15.4689
  percentiles:     10%     25%     50%     75%     90%
                    12      17      23      34      45
```

```
 b12_09
succeeding birth interval (months)
        type: numeric (int)
       range: [10,106]            units: 1
unique values: 22                 missing .: 9,336/9,372
        mean: 28.1111
    std. dev: 18.9628
  percentiles:     10%     25%     50%     75%     90%
                    12    17.5      22      34      50
```

```
 b12_10
succeeding birth interval (months)
        type: numeric (byte)
       range: [9,43]              units: 1
unique values: 12                 missing .: 9,356/9,372
        mean: 20.25
    std. dev: 8.83553
  percentiles:     10%     25%     50%     75%     90%
                    11      14    17.5      24      34
```

```
 b12_11
succeeding birth interval (months)
        type: numeric (byte)
       range: [10,39]             units: 1
unique values: 6                  missing .: 9,366/9,372
   tabulation: Freq.  Value
                   1  10
                   1  21
                   1  23
                   1  27
                   1  28
                   1  39
               9,366  .
```

```
 b12_12
succeeding birth interval (months)
```

```
              type:  numeric (byte)
             range:  [13,24]              units:  1
     unique values:  2                    missing .:  9,370/9,372
         tabulation:  Freq.  Value
                      1  13
                      1  24
                  9,370  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_13                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [37,37]              units:  1
     unique values:  1                    missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  37
                  9,371  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_14                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [31,31]              units:  1
     unique values:  1                    missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  31
                  9,371  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_15                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [20,20]              units:  10
     unique values:  1                    missing .:  9,371/9,372
         tabulation:  Freq.  Value
                      1  20
                  9,371  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_16                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [.,.]                units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Value
                  9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_17                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             range:  [.,.]                units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Value
                  9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b12_18                                                                        │
│ succeeding birth interval (months)                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
```

```
          range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
       tabulation:  Freq.  Value
              9,372  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b12_19                                                                    │
│ succeeding birth interval (months)                                        │
└─────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
          range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
       tabulation:  Freq.  Value
              9,372  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b12_20                                                                    │
│ succeeding birth interval (months)                                        │
└─────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
          range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
       tabulation:  Freq.  Value
              9,372  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b13_01                                                                    │
│ flag for age at death                                                     │
└─────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b13_01
          range:  [0,0]                    units:  1
   unique values:  1               missing .:  9,177/9,372
       tabulation:  Freq.  Numeric  Label
                195       0  no flag
              9,177        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b13_02                                                                    │
│ flag for age at death                                                     │
└─────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b13_02
          range:  [0,8]                    units:  1
   unique values:  2               missing .:  9,156/9,372
       tabulation:  Freq.  Numeric  Label
                215       0  no flag
                  1       8  imputed, no units
              9,156        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ b13_03                                                                    │
│ flag for age at death                                                     │
└─────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  b13_03
          range:  [0,6]                    units:  1
   unique values:  2               missing .:  9,161/9,372
       tabulation:  Freq.  Numeric  Label
                210       0  no flag
                  1       6  outside range
              9,161        .
```

b13_04
flag for age at death

            type:  numeric (byte)
           label:  b13_04
           range:  [0,8]                 units:  1
    unique values:  2                  missing .:  9,239/9,372
       tabulation:  Freq.   Numeric  Label
                132       0  no flag
                  1       8  imputed, no units
              9,239        .

b13_05
flag for age at death

            type:  numeric (byte)
           label:  b13_05
           range:  [0,8]                 units:  1
    unique values:  2                  missing .:  9,281/9,372
       tabulation:  Freq.   Numeric  Label
                 90       0  no flag
                  1       8  imputed, no units
              9,281        .

b13_06
flag for age at death

            type:  numeric (byte)
           label:  b13_06
           range:  [0,0]                 units:  1
    unique values:  1                  missing .:  9,338/9,372
       tabulation:  Freq.   Numeric  Label
                 34       0  no flag
              9,338        .

b13_07
flag for age at death

            type:  numeric (byte)
           label:  b13_07
           range:  [0,8]                 units:  1
    unique values:  2                  missing .:  9,343/9,372
       tabulation:  Freq.   Numeric  Label
                 28       0  no flag
                  1       8  imputed, no units
              9,343        .

b13_08
flag for age at death

            type:  numeric (byte)
           label:  b13_08
           range:  [0,8]                 units:  1
    unique values:  2                  missing .:  9,358/9,372
       tabulation:  Freq.   Numeric  Label
                 13       0  no flag
                  1       8  imputed, no units
              9,358        .

b13_09
flag for age at death

          type:  numeric (byte)
          label:  b13_09
          range:  [0,0]                    units:  1
  unique values:  1                      missing .:  9,366/9,372
      tabulation:  Freq.  Numeric  Label
                 6        0  no flag
             9,366         .

b13_10
flag for age at death

          type:  numeric (byte)
          label:  b13_10
          range:  [0,0]                    units:  1
  unique values:  1                      missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                 4        0  no flag
             9,368         .

b13_11
flag for age at death

          type:  numeric (byte)
          label:  b13_11
          range:  [0,8]                    units:  1
  unique values:  2                      missing .:  9,369/9,372
      tabulation:  Freq.  Numeric  Label
                 2        0  no flag
                 1        8  imputed, no units
             9,369         .

b13_12
flag for age at death

          type:  numeric (byte)
          label:  b13_12
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372         .

b13_13
flag for age at death

          type:  numeric (byte)
          label:  b13_13
          range:  [.,.]                    units:  .
  unique values:  1                      missing .:  9,371/9,372
      tabulation:  Freq.  Numeric  Label
                 1        0  no flag
             9,371         .

b13_14
flag for age at death

          type:  numeric (byte)
          label:  b13_14

```
         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_15**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_15

         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_16**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_16

         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_17**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_17

         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_18**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_18

         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_19**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_19

         range:  [.,.]                      units:  .
 unique values:  0                       missing .:  9,372/9,372

    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**b13_20**
flag for age at death

```
          type:  numeric (byte)
         label:  b13_20
```

range: [.,.]                    units: .
   unique values: 0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .

┌─────────────────────────────────────────────────────────────────┐
│ b15_01                                                            │
│ live birth between births                                         │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b15_01
           range:  [0,1]                   units:  1
   unique values:  2                 missing .:  4,343/9,372
       tabulation: Freq.   Numeric  Label
            5,019        0  no
               10        1  yes
            4,343        .

┌─────────────────────────────────────────────────────────────────┐
│ b15_02                                                            │
│ live birth between births                                         │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b15_02
           range:  [0,1]                   units:  1
   unique values:  2                 missing .:  5,972/9,372
       tabulation: Freq.   Numeric  Label
            3,349        0  no
               51        1  yes
            5,972        .

┌─────────────────────────────────────────────────────────────────┐
│ b15_03                                                            │
│ live birth between births                                         │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b15_03
           range:  [0,1]                   units:  1
   unique values:  2                 missing .:  7,792/9,372
       tabulation: Freq.   Numeric  Label
            1,553        0  no
               27        1  yes
            7,792        .

┌─────────────────────────────────────────────────────────────────┐
│ b15_04                                                            │
│ live birth between births                                         │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b15_04
           range:  [0,1]                   units:  1
   unique values:  2                 missing .:  8,611/9,372
       tabulation: Freq.   Numeric  Label
              742        0  no
               19        1  yes
            8,611        .

┌─────────────────────────────────────────────────────────────────┐
│ b15_05                                                            │
│ live birth between births                                         │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  b15_05
           range:  [0,1]                   units:  1

```
              unique values:  2                    missing .:  9,000/9,372
                 tabulation:  Freq.  Numeric  Label
                              361        0  no
                               11        1  yes
                            9,000         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b15_06                                                                        │
│ live birth between births                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                      type:  numeric (byte)
                     label:  b15_06
                     range:  [0,1]                 units:  1
              unique values:  2                    missing .:  9,206/9,372
                 tabulation:  Freq.  Numeric  Label
                              163        0  no
                                3        1  yes
                            9,206         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b15_07                                                                        │
│ live birth between births                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                      type:  numeric (byte)
                     label:  b15_07
                     range:  [0,1]                 units:  1
              unique values:  2                    missing .:  9,283/9,372
                 tabulation:  Freq.  Numeric  Label
                               87        0  no
                                2        1  yes
                            9,283         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b15_08                                                                        │
│ live birth between births                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                      type:  numeric (byte)
                     label:  b15_08
                     range:  [0,0]                 units:  1
              unique values:  1                    missing .:  9,336/9,372
                 tabulation:  Freq.  Numeric  Label
                               36        0  no
                            9,336         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b15_09                                                                        │
│ live birth between births                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                      type:  numeric (byte)
                     label:  b15_09
                     range:  [0,0]                 units:  1
              unique values:  1                    missing .:  9,356/9,372
                 tabulation:  Freq.  Numeric  Label
                               16        0  no
                            9,356         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ b15_10                                                                        │
│ live birth between births                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                      type:  numeric (byte)
                     label:  b15_10
                     range:  [0,0]                 units:  1
              unique values:  1                    missing .:  9,366/9,372
```

```
         tabulation: Freq.  Numeric  Label
                 6       0  no
             9,366        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b15_11                                                                   │
│ live birth between births                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  b15_11
              range:  [0,0]              units:  1
      unique values:  1                missing .:  9,370/9,372
         tabulation: Freq.  Numeric  Label
                 2       0  no
             9,370        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b15_12                                                                   │
│ live birth between births                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  b15_12
              range:  [.,.]              units:  .
      unique values:  1                missing .:  9,371/9,372
         tabulation: Freq.  Numeric  Label
                 1       0  no
             9,371        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b15_13                                                                   │
│ live birth between births                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  b15_13
              range:  [.,.]              units:  .
      unique values:  1                missing .:  9,371/9,372
         tabulation: Freq.  Numeric  Label
                 1       0  no
             9,371        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b15_14                                                                   │
│ live birth between births                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  b15_14
              range:  [.,.]              units:  .
      unique values:  1                missing .:  9,371/9,372
         tabulation: Freq.  Numeric  Label
                 1       0  no
             9,371        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b15_15                                                                   │
│ live birth between births                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  b15_15
              range:  [.,.]              units:  .
      unique values:  0                missing .:  9,372/9,372
         tabulation: Freq.  Numeric  Label
             9,372        .
```

```
 b15_16
live birth between births
          type:  numeric (byte)
         label:  b15_16
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 b15_17
live birth between births
          type:  numeric (byte)
         label:  b15_17
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 b15_18
live birth between births
          type:  numeric (byte)
         label:  b15_18
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 b15_19
live birth between births
          type:  numeric (byte)
         label:  b15_19
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 b15_20
live birth between births
          type:  numeric (byte)
         label:  b15_20
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 b16_01
child's line number in household
          type:  numeric (byte)
         label:  b16_01, but 15 nonmissing values are not labeled
         range:  [0,15]                units:  1
 unique values:  16                   missing .:  2,880/9,372
       examples:  3
                  4
                  6
```

.

---

b16_02

child's line number in household

type: numeric (byte)
label: b16_02, but 12 nonmissing values are not labeled
range: [0,12]                units: 1
unique values: 13            missing .: 4,550/9,372
examples: 3
4
.
.

---

b16_03

child's line number in household

type: numeric (byte)
label: b16_03, but 10 nonmissing values are not labeled
range: [0,10]                units: 1
unique values: 11            missing .: 6,178/9,372
examples: 3
.
.
.

---

b16_04

child's line number in household

type: numeric (byte)
label: b16_04, but 11 nonmissing values are not labeled
range: [0,13]                units: 1
unique values: 12            missing .: 7,923/9,372
examples: .
.
.
.

---

b16_05

child's line number in household

type: numeric (byte)
label: b16_05, but 9 nonmissing values are not labeled
range: [0,9]                 units: 1
unique values: 10            missing .: 8,701/9,372
examples: .
.
.
.

---

b16_06

child's line number in household

type: numeric (byte)
label: b16_06, but 8 nonmissing values are not labeled
range: [0,11]                units: 1
unique values: 9             missing .: 9,032/9,372
tabulation: Freq.  Numeric  Label
236       0  not listed in household

```
                14        2
                55        3
                18        4
                 6        5
                 5        6
                 4        7
                 1        9
                 1       11
             9,032        .
```

b16_07
child's line number in household

```
        type:  numeric (byte)
        label:  b16_07, but 5 nonmissing values are not labeled
        range:  [0,11]              units:  1
 unique values:  6                  missing .:  9,234/9,372
    tabulation:  Freq.   Numeric  Label
               109        0  not listed in household
                 3        2
                15        3
                 9        4
                 1        5
                 1       11
             9,234        .
```

b16_08
child's line number in household

```
        type:  numeric (byte)
        label:  b16_08, but 5 nonmissing values are not labeled
        range:  [0,9]               units:  1
 unique values:  6                  missing .:  9,297/9,372
    tabulation:  Freq.   Numeric  Label
                53        0  not listed in household
                 3        2
                14        3
                 3        4
                 1        6
                 1        9
             9,297        .
```

b16_09
child's line number in household

```
        type:  numeric (byte)
        label:  b16_09, but 2 nonmissing values are not labeled
        range:  [0,4]               units:  1
 unique values:  3                  missing .:  9,342/9,372
    tabulation:  Freq.   Numeric  Label
                26        0  not listed in household
                 3        3
                 1        4
             9,342        .
```

b16_10
child's line number in household

```
        type:  numeric (byte)
        label:  b16_10, but 2 nonmissing values are not labeled
        range:  [0,3]                    units:  1
unique values:  3                    missing .:  9,360/9,372
    tabulation:  Freq.   Numeric  Label
                   9         0  not listed in household
                   1         2
                   2         3
               9,360         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_11                                                                   │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  b16_11
        range:  [0,0]                    units:  1
unique values:  1                    missing .:  9,369/9,372
    tabulation:  Freq.   Numeric  Label
                   3         0  not listed in household
               9,369         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_12                                                                   │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  b16_12
        range:  [0,0]                    units:  1
unique values:  1                    missing .:  9,370/9,372
    tabulation:  Freq.   Numeric  Label
                   2         0  not listed in household
               9,370         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_13                                                                   │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  b16_13
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_14                                                                   │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  b16_14
        range:  [.,.]                    units:  .
unique values:  1                    missing .:  9,371/9,372
    tabulation:  Freq.   Numeric  Label
                   1         0  not listed in household
               9,371         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_15                                                                   │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  b16_15
        range:  [.,.]                    units:  .
```

unique values: 1                    missing .: 9,371/9,372
            tabulation: Freq.  Numeric  Label
                   1         0  not listed in household
               9,371         .

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_16                                                                    │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b16_16
                range:  [.,.]                 units:  .
          unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
               9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_17                                                                    │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b16_17
                range:  [.,.]                 units:  .
          unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
               9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_18                                                                    │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b16_18
                range:  [.,.]                 units:  .
          unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
               9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_19                                                                    │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b16_19
                range:  [.,.]                 units:  .
          unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
               9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  b16_20                                                                    │
│ child's line number in household                                          │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  b16_20
                range:  [.,.]                 units:  .
          unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
               9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v201                                                                      │
│ total children ever born                                                  │
└─────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                range:  [0,15]                 units:  1

unique values: 14          missing .: 0/9,372
mean: 1.93843
std. dev: 1.79909
percentiles: 10%   25%   50%   75%   90%
0    0    2    3    4

---

**v202**
**sons at home**

type: numeric (byte)
range: [0,5]        units: 1
unique values: 6       missing .: 0/9,372
tabulation: Freq. Value
5,013  0
2,776  1
1,137  2
342  3
80  4
24  5

---

**v203**
**daughters at home**

type: numeric (byte)
range: [0,6]        units: 1
unique values: 7       missing .: 0/9,372
tabulation: Freq. Value
5,309  0
2,663  1
1,043  2
293  3
57  4
5  5
2  6

---

**v204**
**sons elsewhere**

type: numeric (byte)
range: [0,8]        units: 1
unique values: 9       missing .: 0/9,372
tabulation: Freq. Value
7,774  0
1,092  1
366  2
103  3
25  4
6  5
3  6
2  7
1  8

---

**v205**
**daughters elsewhere**

type: numeric (byte)
range: [0,7]        units: 1
unique values: 8       missing .: 0/9,372

```
        tabulation:  Freq.  Value
                     7,649  0
                     1,146  1
                       414  2
                       124  3
                        28  4
                         7  5
                         3  6
                         1  7
```

---

**v206**
**sons who have died**

```
              type:  numeric (byte)
             range:  [0,6]              units:  1
     unique values:  5                  missing .:  0/9,372
        tabulation:  Freq.  Value
                     8,892  0
                       433  1
                        30  2
                        16  3
                         1  6
```

---

**v207**
**daughters who have died**

```
              type:  numeric (byte)
             range:  [0,4]              units:  1
     unique values:  5                  missing .:  0/9,372
        tabulation:  Freq.  Value
                     9,027  0
                       308  1
                        31  2
                         4  3
                         2  4
```

---

**v208**
**births in last five years**

```
              type:  numeric (byte)
             label:  v208, but 4 nonmissing values are not labeled
             range:  [0,4]              units:  1
     unique values:  5                  missing .:  0/9,372
        tabulation:  Freq.   Numeric  Label
                     6,409      0  no births
                     2,283      1
                       613      2
                        63      3
                         4      4
```

---

v209
births in past year

```
              type:  numeric (byte)
             label:  v209, but 2 nonmissing values are not labeled
             range:  [0,2]              units:  1
     unique values:  3                  missing .:  0/9,372
        tabulation:  Freq.   Numeric  Label
```

```
                      8,582      0  no births
                        781      1
                          9      2
```

┌─────────────────────────────────────────────────────────────────┐
│ v210                                                              │
│ births in month of interview                                      │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [0,1]                 units:  1
   unique values:  2              missing .:  0/9,372
       tabulation:  Freq.  Value
                  9,339  0
                     33  1
```

┌─────────────────────────────────────────────────────────────────┐
│ v211                                                              │
│ date of first birth (cmc)                                         │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           range:  [913,1366]            units:  1
   unique values:  430            missing .:  2,685/9,372
            mean:  1199.51
        std. dev:  105.126
     percentiles:     10%      25%      50%      75%      90%
                    1053     1118     1206     1292     1337
```

┌─────────────────────────────────────────────────────────────────┐
│ v212                                                              │
│ age of respondent at 1st birth                                    │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [10,41]               units:  1
   unique values:  32             missing .:  2,685/9,372
            mean:  19.7474
        std. dev:  4.20127
     percentiles:     10%      25%      50%      75%      90%
                      15       17       19       22       25
```

┌─────────────────────────────────────────────────────────────────┐
│ v213                                                              │
│ currently pregnant                                                │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  v213
           range:  [0,1]                 units:  1
   unique values:  2              missing .:  0/9,372
       tabulation:  Freq.  Numeric  Label
                  8,859      0  no or unsure
                    513      1  yes
```

┌─────────────────────────────────────────────────────────────────┐
│ v214                                                              │
│ duration of current pregnancy                                     │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  v214, but 9 nonmissing values are not labeled
           range:  [0,9]                 units:  1
   unique values:  10             missing .:  8,859/9,372
        examples:  .
                   .
                   .
                   .
```

v215
time since last menstrual period

         type:  numeric (int)
         label:  v215, but 104 nonmissing values are not labeled
         range:  [100,996]              units:  1
  unique values:  113            missing .:  8/9,372
      examples:  106
               120
               203
               301   months: 1

v216
menstruated in last six weeks

         type:  numeric (byte)
         label:  v216
         range:  [0,1]                 units:  1
  unique values:  2              missing .:  0/9,372
     tabulation:  Freq.  Numeric  Label
              1,850       0  no
              7,522       1  yes

v217
knowledge of ovulatory cycle

         type:  numeric (byte)
         label:  v217
         range:  [1,8]                 units:  1
  unique values:  7              missing .:  0/9,372
     tabulation:  Freq.  Numeric  Label
                169       1  during her period
              5,622       2  after period ended
              1,011       3  middle of the cycle
              1,197       4  before period begins
                457       5  at any time
                 32       6  other
                884       8  don't know

v218
number of living children

         type:  numeric (byte)
         range:  [0,12]                units:  1
  unique values:  12             missing .:  0/9,372
          mean:  1.83845
      std. dev:  1.68839
    percentiles:     10%     25%     50%     75%     90%
                      0       0       2       3       4

v219
living children + current pregnancy

         type:  numeric (byte)
         range:  [0,12]                units:  1
  unique values:  12             missing .:  0/9,372
          mean:  1.89319
      std. dev:  1.68309
    percentiles:     10%     25%     50%     75%     90%

|  | 0 | 0 | 2 | 3 | 4 |

---

**v220**                                                                                                          living

children + current pregnancy (grouped)

            type:  numeric (byte)
           label:  v220, but 6 nonmissing values are not labeled
           range:  [0,6]                  units:  1
    unique values:  7                missing .:  0/9,372
      tabulation:  Freq.  Numeric  Label
                  2,530      0
                  1,746      1
                  1,823      2
                  1,869      3
                    773      4
                    339      5

---

**v221**

marriage to first birth interval (months)

            type:  numeric (int)
           label:  v221, but 169 nonmissing values are not labeled
           range:  [0,996]                units:  1
    unique values:  170              missing .:  2,835/9,372
        examples:  12
                   23
                   63
                    .

---

**v222**

last birth to interview (months)

            type:  numeric (int)
           range:  [0,396]                units:  1
    unique values:  359              missing .:  2,685/9,372
           mean:  97.9904
        std. dev:  83.2928
      percentiles:     10%      25%      50%      75%      90%
                        11       29       72      152      225

---

**v223**

completeness of current pregnancy information

            type:  numeric (byte)
           label:  v223
           range:  [7,8]                  units:  1
    unique values:  2                missing .:  8,859/9,372
      tabulation:  Freq.  Numeric  Label
                    512      7  month - exact date
                      1      8  none - date placed
                  8,859       .

---

**v224**

entries in birth history

            type:  numeric (byte)
           range:  [0,15]                 units:  1
    unique values:  14               missing .:  0/9,372
           mean:  1.93843

```
            std. dev:  1.79909
         percentiles:      10%      25%      50%      75%      90%
                            0        0        2        3        4
```

```
  v225
  current pregnancy wanted
                type:  numeric (byte)
               label:  v225
               range:  [1,3]                units:  1
       unique values:  3                  missing .:  8,862/9,372
           tabulation:  Freq.   Numeric  Label
                        233       1  then
                        229       2  later
                         48       3  not at all
                      8,862          .
```

```
  v226
  time since last period (comp) (months)
                type:  numeric (int)
               label:  v226, but 34 nonmissing values are not labeled
               range:  [0,997]              units:  1
       unique values:  38                 missing .:  9/9,372
            examples:  0
                       0
                       0
                       1
```

```
  v227
  flag for last period
                type:  numeric (byte)
               label:  v227
               range:  [0,9]                units:  1
       unique values:  8                  missing .:  0/9,372
           tabulation:  Freq.   Numeric  Label
                      9,170       0  no flag
                         10       1  n > interval since birth
                         58       3  n, but period not returned
                          1       5  95, but period returned
                         40       7  n, last period during pregnancy
                          1       8  96, had children
                         80       9  n, period before last birth
```

```
  v228
  ever had a terminated pregnancy
                type:  numeric (byte)
               label:  v228
               range:  [0,1]                units:  1
       unique values:  2                  missing .:  2/9,372
           tabulation:  Freq.   Numeric  Label
                      7,031       0  no
                      2,339       1  yes
                          2          .
```

v229
month pregnancy ended

           type:  numeric (byte)
           label:  v229, but 12 nonmissing values are not labeled
           range:  [1,98]                units:  1
    unique values:  13                   missing .:  7,081/9,372
        examples:  98    don't know
                   .
                   .
                   .

v230
year pregnancy ended

           type:  numeric (int)
           label:  v230, but 36 nonmissing values are not labeled
           range:  [1975,9998]           units:  1
    unique values:  37                   missing .:  7,036/9,372
        examples:  2011
                   .
                   .
                   .

v231
cmc pregnancy ended

           type:  numeric (int)
           label:  v231, but 334 nonmissing values are not labeled
           range:  [911,9998]            units:  1
    unique values:  335                  missing .:  7,082/9,372
        examples:  9998  don't know
                   .
                   .
                   .

v232
completeness of last termination information

           type:  numeric (byte)
           label:  v232
           range:  [1,8]                 units:  1
    unique values:  3                    missing .:  7,033/9,372
       tabulation:  Freq.   Numeric  Label
                    1,724      1  month and year
                      605      5  year
                       10      8  none
                    7,033      .

v233
months when pregnancy ended

           type:  numeric (byte)
           label:  v233, but 10 nonmissing values are not labeled
           range:  [0,9]                 units:  1
    unique values:  10                   missing .:  8,458/9,372
        examples:  .
                   .
                   .

.

---

v234
other such pregnancies

```
        type:  numeric (byte)
        label:  v234
        range:  [0,1]              units:  1
 unique values:  2              missing .:  8,454/9,372
    tabulation:  Freq.  Numeric  Label
               851       0  no
                67       1  yes
             8,454       .
```

---

v235                                                                    index last
child prior to maternity-health (calendar)

```
        type:  numeric (byte)
        label:  v235, but 1 nonmissing value is not labeled
        range:  [0,1]              units:  1
 unique values:  2              missing .:  0/9,372
    tabulation:  Freq.  Numeric  Label
             2,685       0  no prior child
             6,687       1
```

---

v237
birth between last and interview

```
        type:  numeric (byte)
        label:  v237
        range:  [0,1]              units:  1
 unique values:  2              missing .:  2,690/9,372
    tabulation:  Freq.  Numeric  Label
             6,612       0  no
                70       1  yes
             2,690       .
```

---

v238
births in last three years

```
        type:  numeric (byte)
        range:  [0,3]              units:  1
 unique values:  4              missing .:  0/9,372
    tabulation:  Freq.  Value
             7,367  0
             1,798  1
               202  2
                 5  3
```

---

v239
pregnancies terminated before calendar beginning

```
        type:  numeric (byte)
        label:  v239
        range:  [0,1]              units:  1
 unique values:  2              missing .:  7,049/9,372
    tabulation:  Freq.  Numeric  Label
               852       0  no
             1,471       1  yes
```

```
        7,049       .
```

```
  v240
  month of last termination prior to calendar

          type:  numeric (byte)
          label:  v240, but 12 nonmissing values are not labeled
          range:  [1,98]              units:  1
  unique values:  13                missing .:  7,938/9,372
       examples:  .
                  .
                  .
                  .
```

```
  v241
  year of last termination prior to calendar

          type:  numeric (int)
          label:  v241, but 31 nonmissing values are not labeled
          range:  [1975,2007]          units:  1
  unique values:  31                missing .:  7,901/9,372
       examples:  .
                  .
                  .
                  .
```

```
  v242
  cmc termination ended prior to calendar

          type:  numeric (int)
          label:  v242, but 267 nonmissing values are not labeled
          range:  [911,9998]           units:  1
  unique values:  268               missing .:  7,938/9,372
       examples:  .
                  .
                  .
                  .
```

```
  v243
  completeness of last termination date prior to calendar

          type:  numeric (byte)
          label:  v243
          range:  [1,5]              units:  1
  unique values:  2                missing .:  7,901/9,372
      tabulation:  Freq.  Numeric  Label
                    972      1  month and year
                    499      5  year
                  7,901       .
```

```
  v301
  knowledge of any method

          type:  numeric (byte)
          label:  v301
          range:  [0,3]              units:  1
  unique values:  2                missing .:  0/9,372
      tabulation:  Freq.  Numeric  Label
                     22      0  knows no method
```

```
            9,350      3  knows modern method
```

```
 v302
 na - ever use of any method
          type:  numeric (byte)
          label:  v302
          range:  [.,.]                    units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
 v302a                                                                ever used
 anything or tried to delay or avoid getting pregnant
          type:  numeric (byte)
          label:  v302a
          range:  [0,2]                    units:  1
     unique values:  3                  missing .:  0/9,372
        tabulation:  Freq.  Numeric  Label
            2,228       0  no
            1,897       1  yes, used outside calendar
            5,247       2  yes, used in calendar
```

```
 v304a_01
 type of method
          type:  numeric (byte)
          label:  v304a_01
          range:  [1,1]                    units:  1
     unique values:  1                  missing .:  0/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       1  modern method
```

```
 v304a_02
 type of method
          type:  numeric (byte)
          label:  v304a_02
          range:  [1,1]                    units:  1
     unique values:  1                  missing .:  0/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       1  modern method
```

```
 v304a_03
 type of method
          type:  numeric (byte)
          label:  v304a_03
          range:  [1,1]                    units:  1
     unique values:  1                  missing .:  0/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       1  modern method
```

```
 v304a_04
 type of method
          type:  numeric (byte)
          label:  v304a_04
          range:  [1,1]                    units:  1
```

```
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        1  modern method
```

```
  v304a_05
type of method
```
```
              type:  numeric (byte)
             label:  v304a_05
             range:  [1,1]                  units:  1
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        1  modern method
```

```
  v304a_06
type of method
```
```
              type:  numeric (byte)
             label:  v304a_06
             range:  [1,1]                  units:  1
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        1  modern method
```

```
  v304a_07
type of method
```
```
              type:  numeric (byte)
             label:  v304a_07
             range:  [1,1]                  units:  1
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        1  modern method
```

```
  v304a_08
type of method
```
```
              type:  numeric (byte)
             label:  v304a_08
             range:  [2,2]                  units:  1
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        2  traditional method
```

```
  v304a_09
type of method
```
```
              type:  numeric (byte)
             label:  v304a_09
             range:  [2,2]                  units:  1
       unique values:  1                    missing .:  0/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372        2  traditional method
```

```
  v304a_10
type of method
```
```
              type:  numeric (byte)
             label:  v304a_10
             range:  [3,3]                  units:  1
```

unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        3  folkloric method

---

v304a_11
type of method

                type:  numeric (byte)
               label:  v304a_11
               range:  [1,1]                   units:  1
          unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        1  modern method

---

v304a_12
type of method

                type:  numeric (byte)
               label:  v304a_12
               range:  [2,2]                   units:  1
          unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        2  traditional method

---

v304a_13
type of method

                type:  numeric (byte)
               label:  v304a_13
               range:  [1,1]                   units:  1
          unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        1  modern method

---

v304a_14
type of method

                type:  numeric (byte)
               label:  v304a_14
               range:  [1,1]                   units:  1
          unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        1  modern method

---

v304a_15
type of method

                type:  numeric (byte)
               label:  v304a_15
               range:  [1,1]                   units:  1
          unique values:  1                    missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        1  modern method

---

v304a_16
type of method

                type:  numeric (byte)
               label:  v304a_16
               range:  [1,1]                   units:  1

```
              unique values:  1                  missing .:  0/9,372

                tabulation:  Freq.  Numeric  Label
                             9,372        1  modern method
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304a_17                                                                     │
│ type of method                                                                │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
                     label:  v304a_17
                     range:  [1,1]                  units:  1
              unique values:  1                  missing .:  0/9,372

                tabulation:  Freq.  Numeric  Label
                             9,372        1  modern method
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304a_18                                                                     │
│ type of method                                                                │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
                     label:  v304a_18
                     range:  [3,3]                  units:  1
              unique values:  1                  missing .:  0/9,372

                tabulation:  Freq.  Numeric  Label
                             9,372        3  folkloric method
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304a_19                                                                     │
│ type of method                                                                │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
                     label:  v304a_19
                     range:  [3,3]                  units:  1
              unique values:  1                  missing .:  0/9,372

                tabulation:  Freq.  Numeric  Label
                             9,372        3  folkloric method
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304a_20                                                                     │
│ type of method                                                                │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
                     label:  v304a_20
                     range:  [3,3]                  units:  1
              unique values:  1                  missing .:  0/9,372

                tabulation:  Freq.  Numeric  Label
                             9,372        3  folkloric method
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304_01                                                                      │
│ knows method                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
                     label:  v304_01
                     range:  [0,1]                  units:  1
              unique values:  2                  missing .:  2/9,372

                tabulation:  Freq.  Numeric  Label
                                88        0  no
                             9,282        1  yes
                                 2        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  v304_02                                                                      │
│ knows method                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
                      type:  numeric (byte)
```

```
          label:  v304_02
          range:  [0,1]                    units:  1
  unique values:  2                    missing .:  2/9,372
      tabulation:  Freq.  Numeric  Label
                   1,532      0  no
                   7,838      1  yes
                       2         .
```

```
  v304_03
  knows method

           type:  numeric (byte)
          label:  v304_03
          range:  [0,1]                    units:  1
  unique values:  2                    missing .:  1/9,372
      tabulation:  Freq.  Numeric  Label
                     200      0  no
                   9,171      1  yes
                       1         .
```

```
  v304_04
  knows method

           type:  numeric (byte)
          label:  v304_04
          range:  [7,7]                    units:  1
  unique values:  1                    missing .:  0/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372      7  not in contraception table, but
                                   as a current method
```

```
  v304_05
  knows method

           type:  numeric (byte)
          label:  v304_05
          range:  [0,1]                    units:  1
  unique values:  2                    missing .:  3/9,372
      tabulation:  Freq.  Numeric  Label
                     107      0  no
                   9,262      1  yes
                       3         .
```

```
  v304_06
  knows method

           type:  numeric (byte)
          label:  v304_06
          range:  [0,1]                    units:  1
  unique values:  2                    missing .:  1/9,372
      tabulation:  Freq.  Numeric  Label
                     296      0  no
                   9,075      1  yes
                       1         .
```

```
  v304_07
  knows method

           type:  numeric (byte)
```

```
            label:  v304_07
            range:  [0,1]                    units:  1
    unique values:  2                    missing .:  2/9,372
        tabulation:  Freq.   Numeric  Label
                3,110       0  no
                6,260       1  yes
                    2       .
```

```
  v304_08
  knows method

              type:  numeric (byte)
            label:  v304_08
            range:  [0,1]                    units:  1
    unique values:  2                    missing .:  4/9,372
        tabulation:  Freq.   Numeric  Label
                3,061       0  no
                6,307       1  yes
                    4       .
```

```
  v304_09
  knows method

              type:  numeric (byte)
            label:  v304_09
            range:  [0,1]                    units:  1
    unique values:  2                    missing .:  1/9,372
        tabulation:  Freq.   Numeric  Label
                2,745       0  no
                6,626       1  yes
                    1       .
```

```
  v304_10
  knows method

              type:  numeric (byte)
            label:  v304_10
            range:  [0,1]                    units:  1
    unique values:  2                    missing .:  13/9,372
        tabulation:  Freq.   Numeric  Label
                9,063       0  no
                  296       1  yes
                   13       .
```

```
  v304_11
  knows method

              type:  numeric (byte)
            label:  v304_11
            range:  [0,1]                    units:  1
    unique values:  2                    missing .:  1/9,372
        tabulation:  Freq.   Numeric  Label
                1,519       0  no
                7,852       1  yes
                    1       .
```

```
  v304_12
  knows method
```

```
          type:  numeric (byte)
         label:  v304_12
         range:  [8,8]              units:  1
 unique values:  1                  missing .:  0/9,372
    tabulation:  Freq.  Numeric  Label
               9,372       8  not asked
```

v304_13
knows method

```
          type:  numeric (byte)
         label:  v304_13
         range:  [0,1]              units:  1
 unique values:  2                  missing .:  3/9,372
    tabulation:  Freq.  Numeric  Label
               3,668       0  no
               5,701       1  yes
                   3       .
```

v304_14
knows method

```
          type:  numeric (byte)
         label:  v304_14
         range:  [0,1]              units:  1
 unique values:  2                  missing .:  6/9,372
    tabulation:  Freq.  Numeric  Label
               2,438       0  no
               6,928       1  yes
                   6       .
```

v304_15
knows method

```
          type:  numeric (byte)
         label:  v304_15
         range:  [7,7]              units:  1
 unique values:  1                  missing .:  0/9,372
    tabulation:  Freq.  Numeric  Label
               9,372       7  not in contraception table, but
                             as a current method
```

v304_16
knows method

```
          type:  numeric (byte)
         label:  v304_16
         range:  [0,1]              units:  1
 unique values:  2                  missing .:  8/9,372
    tabulation:  Freq.  Numeric  Label
               2,404       0  no
               6,960       1  yes
                   8       .
```

v304_17
knows method

```
          type:  numeric (byte)
         label:  v304_17
```

range: [7,7]        units: 1
unique values: 1        missing .: 0/9,372

tabulation: Freq.  Numeric  Label
       9,372      7  not in contraception table, but
                        as a current method

---

v304_18
knows method

      type:  numeric (byte)
     label:  v304_18
     range:  [8,8]        units: 1
unique values: 1        missing .: 0/9,372

tabulation: Freq.  Numeric  Label
       9,372      8  not asked

---

v304_19
knows method

      type:  numeric (byte)
     label:  v304_19
     range:  [8,8]        units: 1
unique values: 1        missing .: 0/9,372

tabulation: Freq.  Numeric  Label
       9,372      8  not asked

---

v304_20
knows method

      type:  numeric (byte)
     label:  v304_20
     range:  [8,8]        units: 1
unique values: 1        missing .: 0/9,372

tabulation: Freq.  Numeric  Label
       9,372      8  not asked

---

v305_01
na - ever used method

      type:  numeric (byte)
     label:  v305_01
     range:  [.,.]        units: .
unique values: 0        missing .: 9,372/9,372

tabulation: Freq.  Numeric  Label
       9,372      .

---

v305_02
na - ever used method

      type:  numeric (byte)
     label:  v305_02
     range:  [.,.]        units: .
unique values: 0        missing .: 9,372/9,372

tabulation: Freq.  Numeric  Label
       9,372      .

---

v305_03
na - ever used method

      type:  numeric (byte)

```
              label:  v305_03
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_04
na - ever used method
```
```
               type:  numeric (byte)
              label:  v305_04
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_05
na - ever used method
```
```
               type:  numeric (byte)
              label:  v305_05
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_06
na - ever used method
```
```
               type:  numeric (byte)
              label:  v305_06
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_07
na - ever used method
```
```
               type:  numeric (byte)
              label:  v305_07
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_08
na - ever used method
```
```
               type:  numeric (byte)
              label:  v305_08
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  v305_09
na - ever used method
```
```
               type:  numeric (byte)
```

label:  v305_09
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_10 |
| na - ever used method |

        type:  numeric (byte)
        label:  v305_10
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_11 |
| na - ever used method |

        type:  numeric (byte)
        label:  v305_11
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_12 |
| na - ever used method |

        type:  numeric (byte)
        label:  v305_12
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_13 |
| na - ever used method |

        type:  numeric (byte)
        label:  v305_13
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_14 |
| na - ever used method |

        type:  numeric (byte)
        label:  v305_14
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372       .

| v305_15 |
| na - ever used method |

        type:  numeric (byte)

```
           label:  v305_15
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v305_16
na - ever used method
           type:  numeric (byte)
           label:  v305_16
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v305_17
na - ever used method
           type:  numeric (byte)
           label:  v305_17
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v305_18
na - ever used method
           type:  numeric (byte)
           label:  v305_18
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v305_19
na - ever used method
           type:  numeric (byte)
           label:  v305_19
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v305_20
na - ever used method
           type:  numeric (byte)
           label:  v305_20
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372      .
```

```
 v307_01
method currently used
           type:  numeric (byte)
```

label: v307_01
range: [0,1]  units: 1
unique values: 2  missing .: 90/9,372
tabulation: Freq.  Numeric  Label
8,136  0  no
1,146  1  yes
90  .

v307_02
method currently used
type: numeric (byte)
label: v307_02
range: [0,1]  units: 1
unique values: 2  missing .: 1,534/9,372
tabulation: Freq.  Numeric  Label
7,729  0  no
109  1  yes
1,534  .

v307_03
method currently used
type: numeric (byte)
label: v307_03
range: [0,1]  units: 1
unique values: 2  missing .: 201/9,372
tabulation: Freq.  Numeric  Label
8,772  0  no
399  1  yes
201  .

v307_04
method currently used
type: numeric (byte)
label: v307_04
range: [.,.]  units: .
unique values: 0  missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
9,372  .

v307_05
method currently used
type: numeric (byte)
label: v307_05
range: [0,1]  units: 1
unique values: 2  missing .: 110/9,372
tabulation: Freq.  Numeric  Label
8,880  0  no
382  1  yes
110  .

v307_06
method currently used
type: numeric (byte)
label: v307_06

```
            range:  [0,1]                units:  1
    unique values:  2                 missing .:  297/9,372
        tabulation:  Freq.   Numeric  Label
               6,152      0  no
               2,923      1  yes
                 297       .
```

┌─────────────────────────────────────────────────────────────────┐
│ v307_07                                                           │
│ method currently used                                             │
└─────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v307_07
            range:  [0,1]                units:  1
    unique values:  2                 missing .:  3,112/9,372
        tabulation:  Freq.   Numeric  Label
               6,252      0  no
                   8      1  yes
               3,112       .
```

┌─────────────────────────────────────────────────────────────────┐
│ v307_08                                                           │
│ method currently used                                             │
└─────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v307_08
            range:  [0,1]                units:  1
    unique values:  2                 missing .:  3,065/9,372
        tabulation:  Freq.   Numeric  Label
               6,217      0  no
                  90      1  yes
               3,065       .
```

┌─────────────────────────────────────────────────────────────────┐
│ v307_09                                                           │
│ method currently used                                             │
└─────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v307_09
            range:  [0,1]                units:  1
    unique values:  2                 missing .:  2,746/9,372
        tabulation:  Freq.   Numeric  Label
               6,493      0  no
                 133      1  yes
               2,746       .
```

┌─────────────────────────────────────────────────────────────────┐
│ v307_10                                                           │
│ method currently used                                             │
└─────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v307_10
            range:  [0,1]                units:  1
    unique values:  2                 missing .:  9,076/9,372
        tabulation:  Freq.   Numeric  Label
                 283      0  no
                  13      1  yes
               9,076       .
```

┌─────────────────────────────────────────────────────────────────┐
│ v307_11                                                           │
│ method currently used                                             │
└─────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
```

```
        label:  v307_11
        range:  [0,1]                 units:  1
unique values:  2                  missing .:  1,520/9,372
    tabulation:  Freq.   Numeric  Label
            7,817      0  no
               35      1  yes
            1,520         .
```

```
 v307_12
 method currently used

          type:  numeric (byte)
         label:  v307_12
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372         .
```

```
 v307_13
 method currently used

          type:  numeric (byte)
         label:  v307_13
         range:  [0,1]                units:  1
 unique values:  2                 missing .:  3,671/9,372
    tabulation:  Freq.   Numeric  Label
            5,675      0  no
               26      1  yes
            3,671         .
```

```
 v307_14
 method currently used

          type:  numeric (byte)
         label:  v307_14
         range:  [0,1]                units:  1
 unique values:  2                 missing .:  2,444/9,372
    tabulation:  Freq.   Numeric  Label
            6,926      0  no
                2      1  yes
            2,444         .
```

```
 v307_15
 method currently used

          type:  numeric (byte)
         label:  v307_15
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372         .
```

```
 v307_16
 method currently used

          type:  numeric (byte)
         label:  v307_16
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
```

```
        tabulation: Freq.  Numeric  Label
              9,372        .
```

```
  v307_17
  method currently used
          type:  numeric (byte)
         label:  v307_17
         range:  [0,1]                units:  1
  unique values:  2                 missing .:  0/9,372
        tabulation: Freq.  Numeric  Label
              9,341      0  no
                 31      1  yes
```

```
  v307_18
  method currently used
          type:  numeric (byte)
         label:  v307_18
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .
```

```
  v307_19
  method currently used
          type:  numeric (byte)
         label:  v307_19
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .
```

```
  v307_20
  method currently used
          type:  numeric (byte)
         label:  v307_20
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .
```

```
  v310
  na - living children at first use
          type:  numeric (byte)
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
        tabulation: Freq.  Value
              9,372 .
```

```
  v311
  na - children at first use (grouped)
          type:  numeric (byte)
         label:  v311
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
```

```
tabulation: Freq.  Numeric  Label
        9,372         .
```

v312
current contraceptive method

```
        type:  numeric (byte)
       label:  v312
       range:  [0,17]              units:  1
unique values:  13                missing .:  0/9,372
     examples:  0    not using
            0    not using
            3    injections
            6    female sterilization
```

v313
current use by method type

```
        type:  numeric (byte)
       label:  v313
       range:  [0,3]               units:  1
unique values:  4                 missing .:  0/9,372
   tabulation:  Freq.  Numeric  Label
          4,125    0  no method
             12    1  folkloric method
            207    2  traditional method
          5,028    3  modern method
```

v315
month of start of use of method

```
        type:  numeric (byte)
       range:  [1,12]              units:  1
unique values:  12                missing .:  4,125/9,372
         mean:  6.48828
     std. dev:  3.39583
  percentiles:    10%    25%    50%    75%    90%
                    2      4      6      9     11
```

v316
year of start of use of method

```
        type:  numeric (int)
       range:  [1981,2013]         units:  1
unique values:  32                missing .:  4,125/9,372
         mean:  2006.37
     std. dev:  6.90118
  percentiles:    10%    25%    50%    75%    90%
                 1996   2002   2009   2012   2013
```

v317
date of start of use of method (cmc)

```
        type:  numeric (int)
       range:  [973,1366]          units:  1
unique values:  337               missing .:  4,125/9,372
         mean:  1282.98
     std. dev:  82.5485
  percentiles:    10%    25%    50%    75%    90%
```

v318
completeness of information

         type: numeric (byte)
        label: v318
        range: [1,8]              units: 1
 unique values: 3              missing .: 4,125/9,372
     tabulation: Freq.  Numeric  Label
             4,942     1  month and year - information
                          complete
               298     5  year - month imputed, age
                          calculated
                 7     8  none - date placed
             4,125        .

v319
years since sterilization

         type: numeric (byte)
        label: v319
        range: [1,6]              units: 1
 unique values: 6              missing .: 6,441/9,372
     tabulation: Freq.  Numeric  Label
               346     1  <2
               319     2  2-3
               283     3  4-5
               257     4  6-7
               276     5  8-9
             6,441        .

v320
age at sterilization

         type: numeric (byte)
        label: v320
        range: [1,6]              units: 1
 unique values: 6              missing .: 6,441/9,372
     tabulation: Freq.  Numeric  Label
               831     1  <25
               976     2  25-29
               737     3  30-34
               292     4  35-39
                82     5  40-44
                13     6  45-49
             6,441        .

v321
marital duration at sterilization

         type: numeric (byte)
        label: v321
        range: [0,6]              units: 1
 unique values: 7              missing .: 6,441/9,372
     tabulation: Freq.  Numeric  Label
                16     0  single, before marriage
               358     1  0-4

```
              1,216     2  5-9
                823     3  10-14
                382     4  15-19
                102     5  20-24
              6,441     .
```

---

**v322**
**parity at sterilization**

```
              type:  numeric (byte)
             label:  v322, but 5 nonmissing values are not labeled
             range:  [0,5]              units:  1
     unique values:  6                missing .:  6,441/9,372
        tabulation:  Freq.  Numeric  Label
                        3        0
                       46        1
                      503        2
                    1,251        3
                      600        4
                    6,441        .
```

---

**v323**
**na - brand of pill used**

```
              type:  numeric (byte)
             label:  v323
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

---

**v323a**
**na - brand of condom used**

```
              type:  numeric (byte)
             label:  v323a
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

---

**v325a**                                                                                    na
**- cost of current method (in currency)**

```
              type:  numeric (byte)
             label:  v325a
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

---

**v326**
**last source for current users**

```
              type:  numeric (byte)
             label:  v326
             range:  [11,98]             units:  1
     unique values:  15               missing .:  4,413/9,372
          examples:  11   government hospital (moh)
```

21    private doctor/clinic
                 .
                 .
                 .

---

v327
last source for users by type

          type:  numeric (byte)
          label:  v327
          range:  [1,8]                units:  1
    unique values:  7                  missing .:  4,413/9,372
       tabulation:  Freq.   Numeric  Label
                2,780       1  government clinic/pharmacy
                    6       3  ngo
                1,203       4  private clinic/delivery
                  818       5  pharmacy
                  121       6  shop, church, friend
                   30       7  other
                    1       8  don't know
                4,413          .

---

v337
months of use of current method

          type:  numeric (byte)
          label:  v337, but 94 nonmissing values are not labeled
          range:  [0,96]               units:  1
    unique values:  95                 missing .:  4,125/9,372
        examples:  24
                    .
                    .

---

v359                                                                    na -
last method discontinued in last 5 years

          type:  numeric (byte)
          label:  v359
          range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372          .

---

v360
na - reason of last discontinuation

          type:  numeric (byte)
          label:  v360
          range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372          .

---

v361
pattern of use

          type:  numeric (byte)
          label:  v361
          range:  [1,4]                units:  1
    unique values:  3                  missing .:  0/9,372

```
tabulation: Freq.  Numeric  Label
            5,247       1  currently using
            1,897       3  used before last birth
            2,228       4  never used
```

```
 v362
 intention to use
           type:  numeric (byte)
          label:  v362
          range:  [2,5]              units:  1
  unique values:  3                missing .:  5,259/9,372
     tabulation: Freq.  Numeric  Label
            3,024       2  use later
              196       4  unsure about use
              893       5  does not intend
            5,259       .
```

```
 v363
 na - preferred future method
           type:  numeric (byte)
          label:  v363
          range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 v364
 contraceptive use and intention
           type:  numeric (byte)
          label:  v364
          range:  [1,4]              units:  1
  unique values:  4                missing .:  0/9,372
     tabulation: Freq.  Numeric  Label
            5,028       1  using modern method
              219       2  using traditional method
            3,024       3  non-user - intends to use later
            1,101       4  does not intend to use
```

```
 v367
 wanted last child
           type:  numeric (byte)
          label:  v367
          range:  [1,3]              units:  1
  unique values:  3                missing .:  6,411/9,372
     tabulation: Freq.  Numeric  Label
            1,545       1  wanted then
            1,029       2  wanted later
              387       3  wanted no more
            6,411       .
```

```
 v372
 na - shown pill package
           type:  numeric (byte)
          label:  v372
```

range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v372a
na - shown condom package
            type:  numeric (byte)
            label:  v372a
            range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v375a
na - main reason not using a method
            type:  numeric (byte)
            label:  v375a
            range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v376
na - main reason not to use a method
            type:  numeric (byte)
            label:  v376
            range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v376a
na - would ever use method if married
            type:  numeric (byte)
            label:  v376a
            range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v379
na - source known for any method
            type:  numeric (byte)
            label:  v379
            range:  [.,.]                     units:  .
   unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
             9,372        .

---

 v380
na - source known for any method
            type:  numeric (byte)
            label:  v380

```
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v384a                                                           na -
  heard family planning on radio last few months
          type:  numeric (byte)
          label:  v384a
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v384b                                                           na -
  heard family planning on tv last few months
          type:  numeric (byte)
          label:  v384b
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v384c                                                  na - heard family
  planning in newspaper/magazine last few months
          type:  numeric (byte)
          label:  v384c
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v393                                                            na -
  visited by family planning worker last 12 months
          type:  numeric (byte)
          label:  v393
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v394                                                            na -
  visited health facility last 12 months
          type:  numeric (byte)
          label:  v394
          range:  [.,.]               units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372      .
```

```
  v395                                                            na - at
  health facility, told of family planning
          type:  numeric (byte)
          label:  v395
```

```
        range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00a | na - source of |
| --- | --- |

family planning for non-users: government hospital

```
          type:  numeric (byte)
         label:  v3a00a
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00b | na - source of |
| --- | --- |

family planning for non-users: cs public sector

```
          type:  numeric (byte)
         label:  v3a00b
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00c | na - source of |
| --- | --- |

family planning for non-users: cs public sector

```
          type:  numeric (byte)
         label:  v3a00c
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00d | na - source of |
| --- | --- |

family planning for non-users: cs public sector

```
          type:  numeric (byte)
         label:  v3a00d
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00e | na - source of |
| --- | --- |

family planning for non-users: cs public sector

```
          type:  numeric (byte)
         label:  v3a00e
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372         .
```

| v3a00f | na - source of |
| --- | --- |

family planning for non-users: cs public sector

```
          type:  numeric (byte)
         label:  v3a00f
```

```
             range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00g                                                            na - source of │
│  family planning for non-users: cs public sector                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00g
            range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00h                                                            na - source of │
│  family planning for non-users: cs public sector                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00h
            range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00i                                                            na - source of │
│  family planning for non-users: cs public sector                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00i
            range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00j                                                            na - source of │
│  family planning for non-users: private hospital/clinic                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00j
            range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00k                                                                    na - │
│  source of family planning for non-users: pharmacy                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00k
            range:  [.,.]                      units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00l                                                            na - source of │
│  family planning for non-users: private doctor                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00l
```

```
        range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00m | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00m
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00n | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00n
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00o | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00o
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00p | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00p
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00q | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00q
         range:  [.,.]                units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

| v3a00r | na - source of |
|--------|---------------|
| family planning for non-users: cs private sector | |

```
          type:  numeric (byte)
         label:  v3a00r
```

```
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00s                                                               na -     │
│  source of family planning for non-users: cs other                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00s
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00t                                                          na - source   │
│  of family planning for non-users: cs other                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00t
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00u                                                               na -     │
│  source of family planning for non-users: cs other                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00u
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00v                                                               na -     │
│  source of family planning for non-users: cs other                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00v
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00w                                                               na -     │
│  source of family planning for non-users: cs other                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00w
              range:  [.,.]                  units:  .
      unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                      9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a00x                                                               na -     │
│  source of family planning for non-users: other                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
               type:  numeric (byte)
              label:  v3a00x
```

```
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a00y                                                      na - source  │
│  of family planning for non-users: no source                             │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00y
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a00z                                                      na - source  │
│  of family planning for non-users: any source                            │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a00z
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a01                                                         na - told  │
│  sterilization would mean no more children                                │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a01
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a02                                                                    │
│  told about side effects                                                  │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a02
            range:  [0,1]                    units:  1
    unique values:  2                     missing .:  4,785/9,372
       tabulation:  Freq.   Numeric  Label
               2,829        0  no
               1,758        1  yes
               4,785        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a03                                                        told about  │
│  side effects by health or family planning worker                         │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  v3a03
            range:  [0,1]                    units:  1
    unique values:  2                     missing .:  6,536/9,372
       tabulation:  Freq.   Numeric  Label
               2,698        0  no
                 138        1  yes
               6,536        .
```

v3a04
told how to deal with side effects
```
        type:  numeric (byte)
        label:  v3a04
        range:  [0,1]                units:  1
 unique values:  2                 missing .:  7,490/9,372
     tabulation:  Freq.  Numeric  Label
               485     0  no
             1,397     1  yes
             7,490        .
```

v3a05
told about other family planning methods
```
        type:  numeric (byte)
        label:  v3a05
        range:  [0,1]                units:  1
 unique values:  2                 missing .:  4,780/9,372
     tabulation:  Freq.  Numeric  Label
             2,405     0  no
             2,187     1  yes
             4,780        .
```

v3a06                                                              told about other family
planning methods by health or family planning worker
```
        type:  numeric (byte)
        label:  v3a06
        range:  [0,1]                units:  1
 unique values:  2                 missing .:  6,971/9,372
     tabulation:  Freq.  Numeric  Label
             2,144     0  no
               257     1  yes
             6,971        .
```

v3a07
first source for current method
```
        type:  numeric (byte)
        label:  v3a07
        range:  [11,98]              units:  1
 unique values:  15                missing .:  4,302/9,372
       examples:  11   government hospital (moh)
                  21   private doctor/clinic
                   .
                   .
```

v3a08a
reason not using: not married
```
        type:  numeric (byte)
        label:  v3a08a
        range:  [0,1]                units:  1
 unique values:  2                 missing .:  6,978/9,372
     tabulation:  Freq.  Numeric  Label
             1,999     0  no
               395     1  yes
             6,978        .
```

```
 ┌─────────────────────────────────────────────────────────────────────────┐
 │ v3a08b                                                                    │
 │ reason not using: not having sex                                          │
 └─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  v3a08b
           range:  [0,1]                    units:  1
   unique values:  2                      missing .:  6,978/9,372
       tabulation:  Freq.  Numeric  Label
                   1,077      0     no
                   1,317      1     yes
                   6,978      .

 ┌─────────────────────────────────────────────────────────────────────────┐
 │ v3a08c                                                                    │
 │ reason not using: infrequent sex                                          │
 └─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  v3a08c
           range:  [0,1]                    units:  1
   unique values:  2                      missing .:  6,978/9,372
       tabulation:  Freq.  Numeric  Label
                   2,006      0     no
                     388      1     yes
                   6,978      .

 ┌─────────────────────────────────────────────────────────────────────────┐
 │ v3a08d                                                                    │
 │ reason not using: menopausal/hysterectomy                                 │
 └─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  v3a08d
           range:  [0,1]                    units:  1
   unique values:  2                      missing .:  6,978/9,372
       tabulation:  Freq.  Numeric  Label
                   2,343      0     no
                      51      1     yes
                   6,978      .

 ┌─────────────────────────────────────────────────────────────────────────┐
 │ v3a08e                                                                    │
 │ reason not using: subfecund/infecund                                      │
 └─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  v3a08e
           range:  [0,1]                    units:  1
   unique values:  2                      missing .:  6,978/9,372
       tabulation:  Freq.  Numeric  Label
                   2,347      0     no
                      47      1     yes
                   6,978      .

 ┌─────────────────────────────────────────────────────────────────────────┐
 │ v3a08f                                                                    │
 │ reason not using: postpartum amenorrheic                                  │
 └─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  v3a08f
           range:  [0,1]                    units:  1
   unique values:  2                      missing .:  6,978/9,372
       tabulation:  Freq.  Numeric  Label
                   2,344      0     no
                      50      1     yes
```

```
          6,978        .
```

| v3a08g |
|---|
| reason not using: breastfeeding |

```
        type:  numeric (byte)
       label:  v3a08g
       range:  [0,1]                units:  1
unique values:  2            missing .:  6,978/9,372
   tabulation:  Freq.  Numeric  Label
             2,363      0  no
                31      1  yes
             6,978      .
```

| v3a08h |
|---|
| reason not using: fatalistic |

```
        type:  numeric (byte)
       label:  v3a08h
       range:  [0,1]                units:  1
unique values:  2            missing .:  6,978/9,372
   tabulation:  Freq.  Numeric  Label
             2,365      0  no
                29      1  yes
             6,978      .
```

| v3a08i |
|---|
| reason not using: respondent opposed |

```
        type:  numeric (byte)
       label:  v3a08i
       range:  [0,1]                units:  1
unique values:  2            missing .:  6,978/9,372
   tabulation:  Freq.  Numeric  Label
             2,298      0  no
                96      1  yes
             6,978      .
```

| v3a08j |
|---|
| reason not using: husband/partner opposed |

```
        type:  numeric (byte)
       label:  v3a08j
       range:  [0,1]                units:  1
unique values:  2            missing .:  6,978/9,372
   tabulation:  Freq.  Numeric  Label
             2,377      0  no
                17      1  yes
             6,978      .
```

| v3a08k |
|---|
| reason not using: others opposed |

```
        type:  numeric (byte)
       label:  v3a08k
       range:  [0,1]                units:  1
unique values:  2            missing .:  6,978/9,372
   tabulation:  Freq.  Numeric  Label
             2,393      0  no
```

```
                          1        1   yes
                      6,978        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a08l                                                                        │
│ reason not using: religious prohibition                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v3a08l
             range:  [0,1]                 units:  1
     unique values:  2               missing .:  6,978/9,372
         tabulation:  Freq.  Numeric  Label
                      2,390        0   no
                          4        1   yes
                      6,978        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a08m                                                                        │
│ reason not using: knows no method                                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v3a08m
             range:  [0,1]                 units:  1
     unique values:  2               missing .:  6,978/9,372
         tabulation:  Freq.  Numeric  Label
                      2,390        0   no
                          4        1   yes
                      6,978        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a08n                                                                        │
│ reason not using: knows no source                                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v3a08n
             range:  [0,1]                 units:  1
     unique values:  2               missing .:  6,978/9,372
         tabulation:  Freq.  Numeric  Label
                      2,388        0   no
                          6        1   yes
                      6,978        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a08o                                                                        │
│ na - reason not using: health concerns                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v3a08o
             range:  [.,.]                 units:  .
     unique values:  0               missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v3a08p                                                               reason    │
│ not using: fear of side effects/health concerns                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v3a08p
             range:  [0,1]                 units:  1
     unique values:  2               missing .:  6,978/9,372
         tabulation:  Freq.  Numeric  Label
                      2,225        0   no
                        169        1   yes
```

6,978        .

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a08q                                                                   │
│ reason not using: lack of access/too far                                 │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  v3a08q
            range:  [0,1]                    units:  1
     unique values:  2                    missing .:  6,978/9,372
        tabulation:  Freq.  Numeric  Label
                2,390      0  no
                    4      1  yes
                6,978        .

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a08r                                                                   │
│ reason not using: costs too much                                         │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  v3a08r
            range:  [0,1]                    units:  1
     unique values:  2                    missing .:  6,978/9,372
        tabulation:  Freq.  Numeric  Label
                2,393      0  no
                    1      1  yes
                6,978        .

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a08s                                                                   │
│ reason not using: inconvenient to use                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  v3a08s
            range:  [0,1]                    units:  1
     unique values:  2                    missing .:  6,978/9,372
        tabulation:  Freq.  Numeric  Label
                2,377      0  no
                   17      1  yes
                6,978        .

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a08t                                                              reason│
│ not using: interferes with body's processes                              │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  v3a08t
            range:  [0,1]                    units:  1
     unique values:  2                    missing .:  6,978/9,372
        tabulation:  Freq.  Numeric  Label
                2,373      0  no
                   21      1  yes
                6,978        .

┌─────────────────────────────────────────────────────────────────────────┐
│  v3a08u                                                              reason│
│ not using: preferred method not available                                │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  v3a08u
            range:  [0,1]                    units:  1
     unique values:  2                    missing .:  6,978/9,372
        tabulation:  Freq.  Numeric  Label
                2,384      0  no

```
                 10       1  yes
              6,978         .
```

---

**v3a08v**
reason not using: no method available

```
          type:  numeric (byte)
          label:  v3a08v
          range:  [0,1]                 units:  1
  unique values:  2                 missing .:  6,978/9,372
     tabulation:  Freq.  Numeric  Label
              2,386       0  no
                  8       1  yes
              6,978         .
```

---

**v3a08w**
na - reason not using: cs

```
          type:  numeric (byte)
          label:  v3a08w
          range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v3a08aa**
na - reason not using: cs

```
          type:  numeric (byte)
          label:  v3a08aa
          range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v3a08ab**
na - reason not using: cs

```
          type:  numeric (byte)
          label:  v3a08ab
          range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v3a08ac**
na - reason not using: cs

```
          type:  numeric (byte)
          label:  v3a08ac
          range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v3a08ad**
na - reason not using: cs

```
          type:  numeric (byte)
          label:  v3a08ad
```

```
            range: [.,.]                  units: .
    unique values: 0                    missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
              9,372        .
```

```
 v3a08x
reason not using: other
             type: numeric (byte)
            label: v3a08x
            range: [0,1]                  units: 1
    unique values: 2                    missing .: 6,978/9,372
       tabulation: Freq.  Numeric  Label
              2,350        0  no
                 44        1  yes
              6,978        .
```

```
 v3a08z
reason not using: don't know
             type: numeric (byte)
            label: v3a08z
            range: [0,1]                  units: 1
    unique values: 2                    missing .: 6,978/9,372
       tabulation: Freq.  Numeric  Label
              2,377        0  no
                 17        1  yes: don't know
              6,978        .
```

```
 v3a09a                                                                   na
- how many pill cycles did get last time
             type: numeric (byte)
            label: v3a09a
            range: [.,.]                  units: .
    unique values: 0                    missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
              9,372        .
```

```
 v3a09b
na - how many condoms did get last time
             type: numeric (byte)
            label: v3a09b
            range: [.,.]                  units: .
    unique values: 0                    missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
              9,372        .
```

```
 midx_1
index to birth history
             type: numeric (byte)
            range: [1,1]                  units: 1
    unique values: 1                    missing .: 6,409/9,372
       tabulation: Freq.  Value
              2,963  1
              6,409  .
```

midx_2
index to birth history

          type:  numeric (byte)
         range:  [2,2]                   units:  1
 unique values:  1                       missing .:  8,692/9,372
    tabulation:  Freq.  Value
                 680  2
               8,692  .

midx_3
index to birth history

          type:  numeric (byte)
         range:  [3,3]                   units:  1
 unique values:  1                       missing .:  9,305/9,372
    tabulation:  Freq.  Value
                  67  3
               9,305  .

midx_4
index to birth history

          type:  numeric (byte)
         range:  [4,4]                   units:  1
 unique values:  1                       missing .:  9,368/9,372
    tabulation:  Freq.  Value
                   4  4
               9,368  .

midx_5
index to birth history

          type:  numeric (byte)
         range:  [.,.]                   units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.  Value
               9,372  .

midx_6
index to birth history

          type:  numeric (byte)
         range:  [.,.]                   units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.  Value
               9,372  .

m1_1
number of tetanus injections before birth

          type:  numeric (byte)
         label:  m1_1, but 6 nonmissing values are not labeled
         range:  [0,8]                   units:  1
 unique values:  9                       missing .:  6,409/9,372
    tabulation:  Freq.  Numeric  Label
                 152      0  received no injection
                 449      1
               1,276      2
               1,008      3

```
                37      4
                 7      5
                 1      6
                32      8  don't know
            6,409       .
```

---

**m1_2**
number of tetanus injections before birth

```
         type:  numeric (byte)
         label:  m1_2
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

---

**m1_3**
number of tetanus injections before birth

```
         type:  numeric (byte)
         label:  m1_3
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

---

**m1_4**
number of tetanus injections before birth

```
         type:  numeric (byte)
         label:  m1_4
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

---

**m1_5**
number of tetanus injections before birth

```
         type:  numeric (byte)
         label:  m1_5
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

---

**m1_6**
number of tetanus injections before birth

```
         type:  numeric (byte)
         label:  m1_6
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

---

**m1a_1**
number of tetanus injections before pregnancy

```
         type:  numeric (byte)
```

label: m1a_1, but 6 nonmissing values are not labeled
          range: [0,8]                 units: 1
   unique values: 9                 missing .: 8,741/9,372
        tabulation: Freq.  Numeric  Label
                225        0  received no injection
                105        1
                135        2
                 87        3
                 13        4
                  6        5
                  7        6
                 40        8  don't know
              8,741        .

---

**m1a_2**
number of tetanus injections before pregnancy
          type:  numeric (byte)
          label:  m1a_2
          range: [.,.]                 units: .
   unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .

---

**m1a_3**
number of tetanus injections before pregnancy
          type:  numeric (byte)
          label:  m1a_3
          range: [.,.]                 units: .
   unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .

---

**m1a_4**
number of tetanus injections before pregnancy
          type:  numeric (byte)
          label:  m1a_4
          range: [.,.]                 units: .
   unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .

---

**m1a_5**
number of tetanus injections before pregnancy
          type:  numeric (byte)
          label:  m1a_5
          range: [.,.]                 units: .
   unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
              9,372        .

---

**m1a_6**
number of tetanus injections before pregnancy
          type:  numeric (byte)
          label:  m1a_6

```
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_1                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_1
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_2                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_2
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_3                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_3
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_4                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_4
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_5                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_5
                 range:  [.,.]                   units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                         9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m1b_6                                                                na -     │
│  month of last tetanus injection before pregnancy                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                  type:  numeric (byte)
                 label:  m1b_6
```

```
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_1 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_1
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_2 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_2
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_3 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_3
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_4 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_4
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_5 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_5
            range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m1c_6 | na - year |
|---|---|
| of last tetanus injection before pregnancy | |

```
             type:  numeric (byte)
            label:  m1c_6
```

```
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_1                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [0,17]                  units:  1
unique values:  16                      missing .:  8,991/9,372
         mean:  3.84514
     std. dev:  2.90818
  percentiles:       10%      25%      50%      75%      90%
                       1        2        3        5        8
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_2                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_3                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_4                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_5                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ m1d_6                                                                   years ago │
│ received last tetanus injection before pregnancy                                  │
└─────────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        range:  [.,.]                   units:  .
unique values:  0                       missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

| m1e_1 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (int)
       label:  m1e_1, but 119 nonmissing values are not labeled
       range:  [1156,9996]           units:  1
unique values:  120              missing .:  8,990/9,372
     examples:  .
                .
                .
                .
```

| m1e_2 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (byte)
       label:  m1e_2
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| m1e_3 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (byte)
       label:  m1e_3
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| m1e_4 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (byte)
       label:  m1e_4
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| m1e_5 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (byte)
       label:  m1e_5
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| m1e_6 | last |
|---|---|
| tetanus injection before pregnancy (cmc) | |

```
        type:  numeric (byte)
       label:  m1e_6
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
```

tabulation: Freq.   Numeric  Label
              9,372        .

---

m2a_1
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_1
         range:  [0,1]                 units:  1
  unique values:  2                missing .:  6,410/9,372
     tabulation: Freq.  Numeric  Label
              2,212      0  no
                750      1  yes
              6,410        .

---

m2a_2
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_2
         range:  [.,.]                 units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372        .

---

m2a_3
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_3
         range:  [.,.]                 units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372        .

---

m2a_4
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_4
         range:  [.,.]                 units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372        .

---

m2a_5
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_5
         range:  [.,.]                 units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372        .

---

m2a_6
prenatal: doctor

          type:  numeric (byte)
         label:  m2a_6

```
            range: [.,.]                 units: .
    unique values: 0                missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

---

m2b_1
prenatal: gynecology/obstetrician

```
             type:  numeric (byte)
            label:  m2b_1
            range: [0,1]                 units: 1
    unique values: 2                missing .: 6,410/9,372
       tabulation: Freq.  Numeric  Label
              779      0  no
            2,183      1  yes
            6,410        .
```

---

m2b_2
prenatal: gynecology/obstetrician

```
             type:  numeric (byte)
            label:  m2b_2
            range: [.,.]                 units: .
    unique values: 0                missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

---

m2b_3
prenatal: gynecology/obstetrician

```
             type:  numeric (byte)
            label:  m2b_3
            range: [.,.]                 units: .
    unique values: 0                missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

---

m2b_4
prenatal: gynecology/obstetrician

```
             type:  numeric (byte)
            label:  m2b_4
            range: [.,.]                 units: .
    unique values: 0                missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

---

m2b_5
prenatal: gynecology/obstetrician

```
             type:  numeric (byte)
            label:  m2b_5
            range: [.,.]                 units: .
    unique values: 0                missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

---

m2b_6
prenatal: gynecology/obstetrician

```
       type:  numeric (byte)
      label:  m2b_6
      range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

---

**m2c_1**
prenatal: doctor other specialty

```
       type:  numeric (byte)
      label:  m2c_1
      range:  [0,1]                units:  1
unique values:  2                  missing .:  6,410/9,372
   tabulation:  Freq.  Numeric  Label
            2,899       0  no
               63       1  yes
            6,410       .
```

---

**m2c_2**
prenatal: doctor other specialty

```
       type:  numeric (byte)
      label:  m2c_2
      range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

---

**m2c_3**
prenatal: doctor other specialty

```
       type:  numeric (byte)
      label:  m2c_3
      range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

---

**m2c_4**
prenatal: doctor other specialty

```
       type:  numeric (byte)
      label:  m2c_4
      range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

---

**m2c_5**
prenatal: doctor other specialty

```
       type:  numeric (byte)
      label:  m2c_5
      range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

m2c_6
prenatal: doctor other specialty

```
        type:  numeric (byte)
        label:  m2c_6
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

m2d_1
prenatal: doctor don't know spacialty

```
        type:  numeric (byte)
        label:  m2d_1
        range:  [0,1]                 units:  1
unique values:  2                 missing .:  6,410/9,372
    tabulation:  Freq.  Numeric  Label
             2,857        0  no
               105        1  yes
             6,410        .
```

m2d_2
prenatal: doctor don't know spacialty

```
        type:  numeric (byte)
        label:  m2d_2
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

m2d_3
prenatal: doctor don't know spacialty

```
        type:  numeric (byte)
        label:  m2d_3
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

m2d_4
prenatal: doctor don't know spacialty

```
        type:  numeric (byte)
        label:  m2d_4
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

m2d_5
prenatal: doctor don't know spacialty

```
        type:  numeric (byte)
        label:  m2d_5
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
```

```
                  9,372        .
```

```
  m2d_6
prenatal: doctor don't know spacialty
           type:  numeric (byte)
          label:  m2d_6
          range:  [.,.]                 units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

```
  m2e_1
prenatal: nurse
           type:  numeric (byte)
          label:  m2e_1
          range:  [0,1]                 units:  1
  unique values:  2                   missing .:  6,410/9,372
      tabulation:  Freq.  Numeric  Label
                  2,951        0  no
                     11        1  yes
                  6,410        .
```

```
  m2e_2
prenatal: nurse
           type:  numeric (byte)
          label:  m2e_2
          range:  [.,.]                 units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

```
  m2e_3
prenatal: nurse
           type:  numeric (byte)
          label:  m2e_3
          range:  [.,.]                 units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

```
  m2e_4
prenatal: nurse
           type:  numeric (byte)
          label:  m2e_4
          range:  [.,.]                 units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

```
  m2e_5
prenatal: nurse
           type:  numeric (byte)
          label:  m2e_5
          range:  [.,.]                 units:  .
```

unique values:  0                    missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2e_6**
prenatal: nurse

          type:  numeric (byte)
         label:  m2e_6
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2f_1**
na - prenatal: cs health professional

          type:  numeric (byte)
         label:  m2f_1
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2f_2**
na - prenatal: cs health professional

          type:  numeric (byte)
         label:  m2f_2
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2f_3**
na - prenatal: cs health professional

          type:  numeric (byte)
         label:  m2f_3
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2f_4**
na - prenatal: cs health professional

          type:  numeric (byte)
         label:  m2f_4
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
           9,372        .

---

**m2f_5**
na - prenatal: cs health professional

          type:  numeric (byte)
         label:  m2f_5
         range:  [.,.]                    units:  .

unique values: 0            missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label

           9,372       .

---

**m2f_6**
na - prenatal: cs health professional

         type:  numeric (byte)

         label:  m2f_6

         range:  [.,.]          units:  .

unique values: 0            missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label

           9,372       .

---

**m2g_1**
prenatal: traditional birth attendant

         type:  numeric (byte)

         label:  m2g_1

         range:  [0,0]         units:  1

unique values: 1            missing .: 6,410/9,372

     tabulation: Freq.  Numeric  Label

           2,962      0  no

           6,410       .

---

**m2g_2**
prenatal: traditional birth attendant

         type:  numeric (byte)

         label:  m2g_2

         range:  [.,.]          units:  .

unique values: 0            missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label

           9,372       .

---

**m2g_3**
prenatal: traditional birth attendant

         type:  numeric (byte)

         label:  m2g_3

         range:  [.,.]          units:  .

unique values: 0            missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label

           9,372       .

---

**m2g_4**
prenatal: traditional birth attendant

         type:  numeric (byte)

         label:  m2g_4

         range:  [.,.]          units:  .

unique values: 0            missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label

           9,372       .

---

**m2g_5**
prenatal: traditional birth attendant

         type:  numeric (byte)

         label:  m2g_5

```
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2g_6                                                                    │
│ prenatal: traditional birth attendant                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m2g_6
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2h_1                                                                    │
│ prenatal: health worker                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m2h_1
            range:  [0,0]                    units:  1
    unique values:  1                      missing .:  6,410/9,372
       tabulation:  Freq.   Numeric  Label
               2,962         0  no
               6,410         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2h_2                                                                    │
│ prenatal: health worker                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m2h_2
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2h_3                                                                    │
│ prenatal: health worker                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m2h_3
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2h_4                                                                    │
│ prenatal: health worker                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m2h_4
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m2h_5                                                                    │
│ prenatal: health worker                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
```

```
                 label:  m2h_5
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2h_6
  prenatal: health worker
                  type:  numeric (byte)
                 label:  m2h_6
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2i_1
  na - prenatal: cs other person
                  type:  numeric (byte)
                 label:  m2i_1
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2i_2
  na - prenatal: cs other person
                  type:  numeric (byte)
                 label:  m2i_2
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2i_3
  na - prenatal: cs other person
                  type:  numeric (byte)
                 label:  m2i_3
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2i_4
  na - prenatal: cs other person
                  type:  numeric (byte)
                 label:  m2i_4
                 range:  [.,.]                    units:  .
         unique values:  0                      missing .:  9,372/9,372
             tabulation:  Freq.   Numeric  Label
                          9,372       .
```

```
  m2i_5
  na - prenatal: cs other person
                  type:  numeric (byte)
```

```
          label:  m2i_5
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2i_6**
na - prenatal: cs other person

```
           type:  numeric (byte)
          label:  m2i_6
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2j_1**
na - prenatal: cs other person

```
           type:  numeric (byte)
          label:  m2j_1
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2j_2**
na - prenatal: cs other person

```
           type:  numeric (byte)
          label:  m2j_2
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2j_3**
na - prenatal: cs other person

```
           type:  numeric (byte)
          label:  m2j_3
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2j_4**
na - prenatal: cs other person

```
           type:  numeric (byte)
          label:  m2j_4
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**m2j_5**
na - prenatal: cs other person

```
           type:  numeric (byte)
```

```
        label:  m2j_5
        range:  [.,.]                  units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
 m2j_6
na - prenatal: cs other person
          type:  numeric (byte)
        label:  m2j_6
        range:  [.,.]                  units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
 m2k_1
prenatal: other
          type:  numeric (byte)
        label:  m2k_1
        range:  [0,1]                  units:  1
unique values:  2                    missing .:  6,410/9,372
    tabulation:  Freq.   Numeric  Label
              2,961        0  no
                  1        1  yes
              6,410        .
```

```
 m2k_2
prenatal: other
          type:  numeric (byte)
        label:  m2k_2
        range:  [.,.]                  units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
 m2k_3
prenatal: other
          type:  numeric (byte)
        label:  m2k_3
        range:  [.,.]                  units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
 m2k_4
prenatal: other
          type:  numeric (byte)
        label:  m2k_4
        range:  [.,.]                  units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
  m2k_5
prenatal: other
            type:  numeric (byte)
           label:  m2k_5
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
  m2k_6
prenatal: other
            type:  numeric (byte)
           label:  m2k_6
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
  m2l_1
na - prenatal: cs other
            type:  numeric (byte)
           label:  m2l_1
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
  m2l_2
na - prenatal: cs other
            type:  numeric (byte)
           label:  m2l_2
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
  m2l_3
na - prenatal: cs other
            type:  numeric (byte)
           label:  m2l_3
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
  m2l_4
na - prenatal: cs other
            type:  numeric (byte)
           label:  m2l_4
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372       .
```

m2l_5
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2l_5
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2l_6
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2l_6
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2m_1
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2m_1
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2m_2
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2m_2
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2m_3
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2m_3
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2m_4
na - prenatal: cs other

                type:  numeric (byte)
               label:  m2m_4
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372       .

m2m_5
na - prenatal: cs other

```
         type:  numeric (byte)
         label:  m2m_5
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

m2m_6
na - prenatal: cs other

```
         type:  numeric (byte)
         label:  m2m_6
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

m2n_1
prenatal: no one

```
         type:  numeric (byte)
         label:  m2n_1
         range:  [0,1]                    units:  1
  unique values:  2                 missing .:  6,409/9,372
     tabulation:  Freq.  Numeric  Label
              2,939       0  no: some care
                 24       1  yes: no care
              6,409        .
```

m2n_2
prenatal: no one

```
         type:  numeric (byte)
         label:  m2n_2
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

m2n_3
prenatal: no one

```
         type:  numeric (byte)
         label:  m2n_3
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

m2n_4
prenatal: no one

```
         type:  numeric (byte)
         label:  m2n_4
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
```

```
                 9,372      .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  m2n_5                                                                        │
│  prenatal: no one                                                             │
└─────────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
          label:  m2n_5
          range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                 9,372      .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  m2n_6                                                                        │
│  prenatal: no one                                                             │
└─────────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
          label:  m2n_6
          range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                 9,372      .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  m3a_1                                                                        │
│  assistance: doctor                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
          label:  m3a_1
          range:  [0,1]                  units:  1
    unique values:  2                  missing .:  6,413/9,372
       tabulation:  Freq.  Numeric  Label
                 2,252      0  no
                   707      1  yes
                 6,413      .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  m3a_2                                                                        │
│  assistance: doctor                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
          label:  m3a_2
          range:  [0,1]                  units:  1
    unique values:  2                  missing .:  8,693/9,372
       tabulation:  Freq.  Numeric  Label
                   525      0  no
                   154      1  yes
                 8,693      .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  m3a_3                                                                        │
│  assistance: doctor                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
          type:  numeric (byte)
          label:  m3a_3
          range:  [0,1]                  units:  1
    unique values:  2                  missing .:  9,306/9,372
       tabulation:  Freq.  Numeric  Label
                    51      0  no
                    15      1  yes
                 9,306      .
```

m3a_4
assistance: doctor

          type:  numeric (byte)
          label:  m3a_4
          range:  [0,1]                    units:  1
   unique values:  2                 missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
               3      0  no
               1      1  yes
           9,368         .

m3a_5
assistance: doctor

          type:  numeric (byte)
          label:  m3a_5
          range:  [.,.]                    units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
           9,372         .

m3a_6
assistance: doctor

          type:  numeric (byte)
          label:  m3a_6
          range:  [.,.]                    units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
           9,372         .

m3b_1
assistance: gynecology/obstetrician

          type:  numeric (byte)
          label:  m3b_1
          range:  [0,1]                    units:  1
   unique values:  2                 missing .:  6,413/9,372
      tabulation:  Freq.  Numeric  Label
             752      0  no
           2,207      1  yes
           6,413         .

m3b_2
assistance: gynecology/obstetrician

          type:  numeric (byte)
          label:  m3b_2
          range:  [0,1]                    units:  1
   unique values:  2                 missing .:  8,693/9,372
      tabulation:  Freq.  Numeric  Label
             201      0  no
             478      1  yes
           8,693         .

m3b_3
assistance: gynecology/obstetrician

          type:  numeric (byte)

```
            label:  m3b_3
            range:  [0,1]                   units:  1
    unique values:  2                     missing .:  9,306/9,372
       tabulation:  Freq.   Numeric  Label
                27      0  no
                39      1  yes
             9,306         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m3b_4                                                                 │
│ assistance: gynecology/obstetrician                                   │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3b_4
            range:  [0,1]                   units:  1
    unique values:  2                     missing .:  9,368/9,372
       tabulation:  Freq.   Numeric  Label
                 2      0  no
                 2      1  yes
             9,368         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m3b_5                                                                 │
│ assistance: gynecology/obstetrician                                   │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3b_5
            range:  [.,.]                   units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m3b_6                                                                 │
│ assistance: gynecology/obstetrician                                   │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3b_6
            range:  [.,.]                   units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
             9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m3c_1                                                                 │
│ assistance: doctor other specialty                                    │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_1
            range:  [0,1]                   units:  1
    unique values:  2                     missing .:  6,413/9,372
       tabulation:  Freq.   Numeric  Label
             2,038      0  no
               921      1  yes
             6,413         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m3c_2                                                                 │
│ assistance: doctor other specialty                                    │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_2
            range:  [0,1]                   units:  1
    unique values:  2                     missing .:  8,693/9,372
```

```
      tabulation:  Freq.   Numeric  Label
                504        0   no
                175        1   yes
              8,693        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m3c_3                                                                     │
│ assistance: doctor other specialty                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_3
            range:  [0,1]                 units:  1
    unique values:  2                   missing .:  9,306/9,372
      tabulation:  Freq.   Numeric  Label
                 49        0   no
                 17        1   yes
              9,306        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m3c_4                                                                     │
│ assistance: doctor other specialty                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_4
            range:  [0,1]                 units:  1
    unique values:  2                   missing .:  9,368/9,372
      tabulation:  Freq.   Numeric  Label
                  3        0   no
                  1        1   yes
              9,368        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m3c_5                                                                     │
│ assistance: doctor other specialty                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_5
            range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m3c_6                                                                     │
│ assistance: doctor other specialty                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3c_6
            range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m3d_1                                                                     │
│ assistance: doctor don't know specialty                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3d_1
            range:  [0,1]                 units:  1
    unique values:  2                   missing .:  6,413/9,372
      tabulation:  Freq.   Numeric  Label
              2,458        0   no
                501        1   yes
```

```
               6,413        .
```

```
 m3d_2
 assistance: doctor don't know specialty
          type:  numeric (byte)
          label:  m3d_2
          range:  [0,1]                    units:  1
   unique values:  2                   missing .:  8,693/9,372
      tabulation:  Freq.  Numeric  Label
               558      0  no
               121      1  yes
             8,693        .
```

```
 m3d_3
 assistance: doctor don't know specialty
          type:  numeric (byte)
          label:  m3d_3
          range:  [0,1]                    units:  1
   unique values:  2                   missing .:  9,306/9,372
      tabulation:  Freq.  Numeric  Label
                55      0  no
                11      1  yes
             9,306        .
```

```
 m3d_4
 assistance: doctor don't know specialty
          type:  numeric (byte)
          label:  m3d_4
          range:  [0,1]                    units:  1
   unique values:  2                   missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                 3      0  no
                 1      1  yes
             9,368        .
```

```
 m3d_5
 assistance: doctor don't know specialty
          type:  numeric (byte)
          label:  m3d_5
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
 m3d_6
 assistance: doctor don't know specialty
          type:  numeric (byte)
          label:  m3d_6
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
m3e_1
assistance: nurse
          type:  numeric (byte)
         label:  m3e_1
         range:  [0,1]                    units:  1
 unique values:  2                    missing .:  6,413/9,372
     tabulation:  Freq.  Numeric  Label
                1,572      0  no
                1,387      1  yes
                6,413         .
```

```
m3e_2
assistance: nurse
          type:  numeric (byte)
         label:  m3e_2
         range:  [0,1]                    units:  1
 unique values:  2                    missing .:  8,693/9,372
     tabulation:  Freq.  Numeric  Label
                  401      0  no
                  278      1  yes
                8,693         .
```

```
m3e_3
assistance: nurse
          type:  numeric (byte)
         label:  m3e_3
         range:  [0,1]                    units:  1
 unique values:  2                    missing .:  9,306/9,372
     tabulation:  Freq.  Numeric  Label
                   39      0  no
                   27      1  yes
                9,306         .
```

```
m3e_4
assistance: nurse
          type:  numeric (byte)
         label:  m3e_4
         range:  [0,1]                    units:  1
 unique values:  2                    missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                    3      0  no
                    1      1  yes
                9,368         .
```

```
m3e_5
assistance: nurse
          type:  numeric (byte)
         label:  m3e_5
         range:  [.,.]                    units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
m3e_6
assistance: nurse
          type:  numeric (byte)
         label:  m3e_6
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
m3f_1
na - assistance: cs health professional
          type:  numeric (byte)
         label:  m3f_1
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
m3f_2
na - assistance: cs health professional
          type:  numeric (byte)
         label:  m3f_2
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
m3f_3
na - assistance: cs health professional
          type:  numeric (byte)
         label:  m3f_3
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
m3f_4
na - assistance: cs health professional
          type:  numeric (byte)
         label:  m3f_4
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

```
m3f_5
na - assistance: cs health professional
          type:  numeric (byte)
         label:  m3f_5
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .
```

m3f_6
na - assistance: cs health professional

          type:  numeric (byte)
         label:  m3f_6
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372

     tabulation:  Freq.  Numeric  Label
                  9,372        .

m3g_1
assistance: traditional birth attendant

          type:  numeric (byte)
         label:  m3g_1
         range:  [0,1]                    units:  1
  unique values:  2                  missing .:  6,413/9,372

     tabulation:  Freq.  Numeric  Label
                  2,921        0  no
                     38        1  yes
                  6,413        .

m3g_2
assistance: traditional birth attendant

          type:  numeric (byte)
         label:  m3g_2
         range:  [0,1]                    units:  1
  unique values:  2                  missing .:  8,693/9,372

     tabulation:  Freq.  Numeric  Label
                    670        0  no
                      9        1  yes
                  8,693        .

m3g_3
assistance: traditional birth attendant

          type:  numeric (byte)
         label:  m3g_3
         range:  [0,1]                    units:  1
  unique values:  2                  missing .:  9,306/9,372

     tabulation:  Freq.  Numeric  Label
                     63        0  no
                      3        1  yes
                  9,306        .

m3g_4
assistance: traditional birth attendant

          type:  numeric (byte)
         label:  m3g_4
         range:  [0,0]                    units:  1
  unique values:  1                  missing .:  9,368/9,372

     tabulation:  Freq.  Numeric  Label
                      4        0  no
                  9,368        .

m3g_5
assistance: traditional birth attendant

```
        type:  numeric (byte)
       label:  m3g_5
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**m3g_6**
assistance: traditional birth attendant

```
        type:  numeric (byte)
       label:  m3g_6
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**m3h_1**
assistance: health worker

```
        type:  numeric (byte)
       label:  m3h_1
       range:  [0,1]                units:  1
unique values:  2                 missing .:  6,413/9,372
   tabulation:  Freq.  Numeric  Label
            2,958        0  no
                1        1  yes
            6,413        .
```

---

**m3h_2**
assistance: health worker

```
        type:  numeric (byte)
       label:  m3h_2
       range:  [0,1]                units:  1
unique values:  2                 missing .:  8,693/9,372
   tabulation:  Freq.  Numeric  Label
              678        0  no
                1        1  yes
            8,693        .
```

---

**m3h_3**
assistance: health worker

```
        type:  numeric (byte)
       label:  m3h_3
       range:  [0,0]                units:  1
unique values:  1                 missing .:  9,306/9,372
   tabulation:  Freq.  Numeric  Label
               66        0  no
            9,306        .
```

---

**m3h_4**
assistance: health worker

```
        type:  numeric (byte)
       label:  m3h_4
       range:  [0,0]                units:  1
unique values:  1                 missing .:  9,368/9,372
```

```
            tabulation: Freq.   Numeric  Label
                   4        0  no
               9,368           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3h_5                                                                    │
│ assistance: health worker                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3h_5
               range:  [.,.]               units:  .
       unique values:  0                 missing .:  9,372/9,372
            tabulation: Freq.   Numeric  Label
               9,372           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3h_6                                                                    │
│ assistance: health worker                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3h_6
               range:  [.,.]               units:  .
       unique values:  0                 missing .:  9,372/9,372
            tabulation: Freq.   Numeric  Label
               9,372           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3i_1                                                                    │
│ na - assistance: cs other person                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3i_1
               range:  [.,.]               units:  .
       unique values:  0                 missing .:  9,372/9,372
            tabulation: Freq.   Numeric  Label
               9,372           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3i_2                                                                    │
│ na - assistance: cs other person                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3i_2
               range:  [.,.]               units:  .
       unique values:  0                 missing .:  9,372/9,372
            tabulation: Freq.   Numeric  Label
               9,372           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3i_3                                                                    │
│ na - assistance: cs other person                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3i_3
               range:  [.,.]               units:  .
       unique values:  0                 missing .:  9,372/9,372
            tabulation: Freq.   Numeric  Label
               9,372           .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m3i_4                                                                    │
│ na - assistance: cs other person                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  m3i_4
               range:  [.,.]               units:  .
```

unique values:  0                    missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3i_5**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3i_5
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3i_6**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3i_6
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3j_1**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3j_1
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3j_2**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3j_2
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3j_3**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3j_3
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372         .

---

**m3j_4**
na - assistance: cs other person

          type:  numeric (byte)
         label:  m3j_4
         range:  [.,.]                units:  .

```
         unique values:  0                  missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
 m3j_5
 na - assistance: cs other person
              type:  numeric (byte)
             label:  m3j_5
             range:  [.,.]                units:  .
         unique values:  0                  missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
 m3j_6
 na - assistance: cs other person
              type:  numeric (byte)
             label:  m3j_6
             range:  [.,.]                units:  .
         unique values:  0                  missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
 m3k_1
 assistance: other
              type:  numeric (byte)
             label:  m3k_1
             range:  [0,1]                units:  1
         unique values:  2                  missing .:  6,413/9,372
            tabulation:  Freq.  Numeric  Label
                  2,927       0  no
                     32       1  yes
                  6,413       .
```

```
 m3k_2
 assistance: other
              type:  numeric (byte)
             label:  m3k_2
             range:  [0,1]                units:  1
         unique values:  2                  missing .:  8,693/9,372
            tabulation:  Freq.  Numeric  Label
                    676       0  no
                      3       1  yes
                  8,693       .
```

```
 m3k_3
 assistance: other
              type:  numeric (byte)
             label:  m3k_3
             range:  [0,1]                units:  1
         unique values:  2                  missing .:  9,306/9,372
            tabulation:  Freq.  Numeric  Label
                     65       0  no
                      1       1  yes
                  9,306       .
```

m3k_4
assistance: other

            type:  numeric (byte)
           label:  m3k_4
           range:  [0,0]                    units:  1
   unique values:  1                     missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                       4       0   no
                   9,368           .

m3k_5
assistance: other

            type:  numeric (byte)
           label:  m3k_5
           range:  [.,.]                    units:  .
   unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372           .

m3k_6
assistance: other

            type:  numeric (byte)
           label:  m3k_6
           range:  [.,.]                    units:  .
   unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372           .

m3l_1
na - assistance: cs other

            type:  numeric (byte)
           label:  m3l_1
           range:  [.,.]                    units:  .
   unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372           .

m3l_2
na - assistance: cs other

            type:  numeric (byte)
           label:  m3l_2
           range:  [.,.]                    units:  .
   unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372           .

m3l_3
na - assistance: cs other

            type:  numeric (byte)
           label:  m3l_3
           range:  [.,.]                    units:  .
   unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label

```
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3l_4                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3l_4
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3l_5                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3l_5
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3l_6                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3l_6
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3m_1                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3m_1
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3m_2                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3m_2
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌────────────────────────────────────────────────────────────────────────────┐
│  m3m_3                                                                       │
│ na - assistance: cs other                                                    │
└────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m3m_3
            range:  [.,.]                   units:  .
    unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
```

9,372       .

---

m3m_4
na - assistance: cs other

        type:  numeric (byte)
        label:  m3m_4
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

---

m3m_5
na - assistance: cs other

        type:  numeric (byte)
        label:  m3m_5
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

---

m3m_6
na - assistance: cs other

        type:  numeric (byte)
        label:  m3m_6
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

---

m3n_1
assistance: no one

        type:  numeric (byte)
        label:  m3n_1
        range:  [0,1]                    units:  1
    unique values:  2                    missing .:  6,413/9,372
      tabulation:  Freq.  Numeric  Label
            2,956       0  no: some assistance
                3       1  yes: no assistance
            6,413       .

---

m3n_2
assistance: no one

        type:  numeric (byte)
        label:  m3n_2
        range:  [0,1]                    units:  1
    unique values:  2                    missing .:  8,693/9,372
      tabulation:  Freq.  Numeric  Label
              678       0  no: some assistance
                1       1  yes: no assistance
            8,693       .

---

m3n_3
assistance: no one

        type:  numeric (byte)

```
              label:  m3n_3
              range:  [0,0]                 units:  1
      unique values:  1                    missing .:  9,306/9,372
          tabulation:  Freq.  Numeric  Label
                   66       0  no: some assistance
                9,306        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m3n_4                                                                 │
│  assistance: no one                                                    │
└─────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (byte)
              label:  m3n_4
              range:  [0,0]                 units:  1
      unique values:  1                    missing .:  9,368/9,372
          tabulation:  Freq.  Numeric  Label
                    4       0  no: some assistance
                9,368        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m3n_5                                                                 │
│  assistance: no one                                                    │
└─────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (byte)
              label:  m3n_5
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m3n_6                                                                 │
│  assistance: no one                                                    │
└─────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (byte)
              label:  m3n_6
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m4_1                                                                  │
│  duration of breastfeeding                                             │
└─────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (byte)
              label:  m4_1, but 38 nonmissing values are not labeled
              range:  [0,98]                units:  1
      unique values:  41                   missing .:  6,412/9,372
           examples:  24
                       .
                       .
                       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m4_2                                                                  │
│  duration of breastfeeding                                             │
└─────────────────────────────────────────────────────────────────────┘

```
               type:  numeric (byte)
              label:  m4_2, but 37 nonmissing values are not labeled
              range:  [0,98]                units:  1
      unique values:  39                   missing .:  8,696/9,372
           examples:  .
                       .
```

.
.

m4_3
duration of breastfeeding
            type:  numeric (byte)
           label:  m4_3, but 19 nonmissing values are not labeled
           range:  [0,98]              units:  1
   unique values:  21                  missing .:  9,306/9,372
        examples:  .
                   .
                   .
                   .

m4_4
duration of breastfeeding
            type:  numeric (byte)
           label:  m4_4, but 3 nonmissing values are not labeled
           range:  [3,8]               units:  1
   unique values:  3                   missing .:  9,368/9,372
       tabulation:  Freq.  Numeric  Label
                        1       3
                        2       6
                        1       8
                    9,368       .

m4_5
duration of breastfeeding
            type:  numeric (byte)
           label:  m4_5
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .

m4_6
duration of breastfeeding
            type:  numeric (byte)
           label:  m4_6
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .

m5_1
months of breastfeeding
            type:  numeric (byte)
           label:  m5_1, but 56 nonmissing values are not labeled
           range:  [0,98]              units:  1
   unique values:  58                  missing .:  6,412/9,372
        examples:  12
                   .
                   .
                   .

m5_2
months of breastfeeding

           type:  numeric (byte)
          label:  m5_2, but 37 nonmissing values are not labeled
          range:  [0,98]              units:  1
  unique values:  39                  missing .:  8,696/9,372
       examples:  .
                  .
                  .
                  .


m5_3
months of breastfeeding

           type:  numeric (byte)
          label:  m5_3, but 19 nonmissing values are not labeled
          range:  [0,98]              units:  1
  unique values:  21                  missing .:  9,306/9,372
       examples:  .
                  .
                  .
                  .


m5_4
months of breastfeeding

           type:  numeric (byte)
          label:  m5_4, but 3 nonmissing values are not labeled
          range:  [3,8]               units:  1
  unique values:  3                   missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                      1       3
                      2       6
                      1       8
                  9,368       .


m5_5
months of breastfeeding

           type:  numeric (byte)
          label:  m5_5
          range:  [.,.]               units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .


m5_6
months of breastfeeding

           type:  numeric (byte)
          label:  m5_6
          range:  [.,.]               units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m6_1                                                                      │
│ duration of amenorrhea                                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m6_1, but 27 nonmissing values are not labeled
           range:  [0,98]              units:  1
   unique values:  29                  missing .:  6,410/9,372
        examples:  3
                   .
                   .
                   .

┌─────────────────────────────────────────────────────────────────────────┐
│ m6_2                                                                      │
│ duration of amenorrhea                                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m6_2, but 21 nonmissing values are not labeled
           range:  [0,98]              units:  1
   unique values:  23                  missing .:  8,699/9,372
        examples:  .
                   .
                   .
                   .

┌─────────────────────────────────────────────────────────────────────────┐
│ m6_3                                                                      │
│ duration of amenorrhea                                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m6_3, but 12 nonmissing values are not labeled
           range:  [1,96]              units:  1
   unique values:  13                  missing .:  9,306/9,372
        examples:  .
                   .
                   .
                   .

┌─────────────────────────────────────────────────────────────────────────┐
│ m6_4                                                                      │
│ duration of amenorrhea                                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m6_4, but 4 nonmissing values are not labeled
           range:  [1,8]               units:  1
   unique values:  4                   missing .:  9,368/9,372
       tabulation:  Freq.  Numeric  Label
                      1       1
                      1       2
                      1       3
                      1       8
                  9,368       .

┌─────────────────────────────────────────────────────────────────────────┐
│ m6_5                                                                      │
│ duration of amenorrhea                                                    │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m6_5
           range:  [.,.]               units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

m6_6
duration of amenorrhea

                type: numeric (byte)
               label: m6_6
               range: [.,.]                    units: .
       unique values: 0                  missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .

m7_1
months of amenorrhea

                type: numeric (byte)
               label: m7_1, but 31 nonmissing values are not labeled
               range: [0,98]                   units: 1
       unique values: 33                 missing .: 6,410/9,372
            examples: 2
                      .
                      .
                      .

m7_2
months of amenorrhea

                type: numeric (byte)
               label: m7_2, but 25 nonmissing values are not labeled
               range: [0,98]                   units: 1
       unique values: 27                 missing .: 8,699/9,372
            examples: .
                      .
                      .
                      .

m7_3
months of amenorrhea

                type: numeric (byte)
               label: m7_3, but 12 nonmissing values are not labeled
               range: [1,97]                   units: 1
       unique values: 13                 missing .: 9,306/9,372
            examples: .
                      .
                      .
                      .

m7_4
months of amenorrhea

                type: numeric (byte)
               label: m7_4, but 4 nonmissing values are not labeled
               range: [1,8]                    units: 1
       unique values: 4                  missing .: 9,368/9,372
          tabulation: Freq.  Numeric  Label
                        1        1
                        1        2
                        1        3
                        1        8

9,368        .

```
  m7_5
  months of amenorrhea
            type:  numeric (byte)
           label:  m7_5
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m7_6
  months of amenorrhea
            type:  numeric (byte)
           label:  m7_6
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m8_1
  duration of abstinence
            type:  numeric (byte)
           label:  m8_1, but 27 nonmissing values are not labeled
           range:  [0,98]                  units:  1
   unique values:  29                     missing .:  6,414/9,372
        examples:  3
                   .
                   .
                   .
```

```
  m8_2
  duration of abstinence
            type:  numeric (byte)
           label:  m8_2, but 15 nonmissing values are not labeled
           range:  [0,98]                  units:  1
   unique values:  16                     missing .:  8,698/9,372
        examples:  .
                   .
                   .
                   .
```

```
  m8_3
  duration of abstinence
            type:  numeric (byte)
           label:  m8_3, but 8 nonmissing values are not labeled
           range:  [0,98]                  units:  1
   unique values:  9                      missing .:  9,306/9,372
       tabulation:  Freq.  Numeric  Label
                     4        0
                    19        1
                    15        2
                    22        3
                     1        5
```

```
                    2       6
                    1       8
                    1      12
                    1      98  don't know
                9,306        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m8_4                                                                  │
│ duration of abstinence                                                │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m8_4, but 4 nonmissing values are not labeled
         range:  [1,12]                units:  1
 unique values:  4                 missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                    1       1
                    1       2
                    1       3
                    1      12
                9,368        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m8_5                                                                  │
│ duration of abstinence                                                │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m8_5
         range:  [.,.]                 units:  .
 unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m8_6                                                                  │
│ duration of abstinence                                                │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m8_6
         range:  [.,.]                 units:  .
 unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m9_1                                                                  │
│ months of abstinence                                                  │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m9_1, but 46 nonmissing values are not labeled
         range:  [0,98]                units:  1
 unique values:  48                missing .:  6,414/9,372
      examples:  3
                 .
                 .
                 .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m9_2                                                                  │
│ months of abstinence                                                  │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m9_2, but 15 nonmissing values are not labeled
         range:  [0,98]                units:  1
 unique values:  16                missing .:  8,698/9,372
```

examples: .
.
.
.

---

**m9_3**
months of abstinence

        type: numeric (byte)
        label: m9_3, but 8 nonmissing values are not labeled
        range: [0,98]               units: 1
unique values: 9                 missing .: 9,306/9,372
    tabulation: Freq.  Numeric  Label
              4       0
             19       1
             15       2
             22       3
              1       5
              2       6
              1       8
              1      12
              1      98  don't know
          9,306        .

---

**m9_4**
months of abstinence

        type: numeric (byte)
        label: m9_4, but 4 nonmissing values are not labeled
        range: [1,12]               units: 1
unique values: 4                 missing .: 9,368/9,372
    tabulation: Freq.  Numeric  Label
              1       1
              1       2
              1       3
              1      12
          9,368        .

---

**m9_5**
months of abstinence

        type: numeric (byte)
        label: m9_5
        range: [.,.]               units: .
unique values: 0                 missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372        .

---

**m9_6**
months of abstinence

        type: numeric (byte)
        label: m9_6
        range: [.,.]               units: .
unique values: 0                 missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372        .

```
 m10_1
wanted pregnancy when became pregnant
          type:  numeric (byte)
         label:  m10_1
         range:  [1,3]                 units:  1
  unique values:  3                missing .:  6,411/9,372
      tabulation:  Freq.  Numeric  Label
               1,545       1  then
               1,029       2  later
                 387       3  no more
               6,411          .


 m10_2
wanted pregnancy when became pregnant
          type:  numeric (byte)
         label:  m10_2
         range:  [1,3]                 units:  1
  unique values:  3                missing .:  8,693/9,372
      tabulation:  Freq.  Numeric  Label
                 442       1  then
                 177       2  later
                  60       3  no more
               8,693          .


 m10_3
wanted pregnancy when became pregnant
          type:  numeric (byte)
         label:  m10_3
         range:  [1,3]                 units:  1
  unique values:  3                missing .:  9,306/9,372
      tabulation:  Freq.  Numeric  Label
                  46       1  then
                  16       2  later
                   4       3  no more
               9,306          .


 m10_4
wanted pregnancy when became pregnant
          type:  numeric (byte)
         label:  m10_4
         range:  [1,1]                 units:  1
  unique values:  1                missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                   4       1  then
               9,368          .


 m10_5
wanted pregnancy when became pregnant
          type:  numeric (byte)
         label:  m10_5
         range:  [.,.]                 units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372          .
```

m10_6
wanted pregnancy when became pregnant

          type:  numeric (byte)
         label:  m10_6
         range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372       .

m11_1
desired time would have waited

          type:  numeric (int)
         label:  m11_1, but 22 nonmissing values are not labeled
         range:  [101,998]           units:  1
  unique values:  25               missing .:  8,344/9,372
       examples:  .
                  .
                  .
                  .

m11_2
desired time would have waited

          type:  numeric (int)
         label:  m11_2, but 13 nonmissing values are not labeled
         range:  [103,998]           units:  1
  unique values:  15               missing .:  9,196/9,372
       examples:  .
                  .
                  .
                  .

m11_3
desired time would have waited

          type:  numeric (int)
         label:  m11_3, but 5 nonmissing values are not labeled
         range:  [201,210]           units:  1
  unique values:  6                missing .:  9,356/9,372
      tabulation:  Freq.  Numeric  Label
                    4      201  years: 1
                    2      202
                    5      203
                    2      204
                    2      205
                    1      210
                9,356       .

m11_4
desired time would have waited

          type:  numeric (byte)
         label:  m11_4
         range:  [.,.]                    units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label

9,372        .

---

m11_5
desired time would have waited

       type:  numeric (byte)
      label:  m11_5
      range:  [.,.]          units:  .
  unique values:  0        missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
       9,372        .

---

m11_6
desired time would have waited

       type:  numeric (byte)
      label:  m11_6
      range:  [.,.]          units:  .
  unique values:  0        missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
       9,372        .

---

m13_1
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_1, but 10 nonmissing values are not labeled
      range:  [0,98]        units:  1
  unique values:  11       missing .:  6,433/9,372
    examples:  3
          .
          .
          .

---

m13_2
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_2
      range:  [.,.]          units:  .
  unique values:  0        missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
       9,372        .

---

m13_3
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_3
      range:  [.,.]          units:  .
  unique values:  0        missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
       9,372        .

---

m13_4
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_4
      range:  [.,.]          units:  .

unique values: 0                  missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
        9,372      .

---

**m13_5**
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_5
      range:  [.,.]            units:  .
  unique values: 0             missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
        9,372      .

---

**m13_6**
timing of 1st antenatal check (months)

       type:  numeric (byte)
      label:  m13_6
      range:  [.,.]            units:  .
  unique values: 0             missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
        9,372      .

---

**m14_1**
number of antenatal visits during pregnancy

       type:  numeric (byte)
      label:  m14_1, but 33 nonmissing values are not labeled
      range:  [0,98]         units:  1
  unique values: 35           missing .: 6,410/9,372
    examples: 10
            .
            .
            .

---

**m14_2**
number of antenatal visits during pregnancy

       type:  numeric (byte)
      label:  m14_2
      range:  [.,.]            units:  .
  unique values: 0             missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
        9,372      .

---

**m14_3**
number of antenatal visits during pregnancy

       type:  numeric (byte)
      label:  m14_3
      range:  [.,.]            units:  .
  unique values: 0             missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
        9,372      .

---

**m14_4**
number of antenatal visits during pregnancy

       type:  numeric (byte)

```
        label: m14_4
        range: [.,.]                  units: .
unique values: 0                   missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
           9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m14_5                                                                     │
│ number of antenatal visits during pregnancy                              │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label: m14_5
        range: [.,.]                  units: .
unique values: 0                   missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
           9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m14_6                                                                     │
│ number of antenatal visits during pregnancy                              │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label: m14_6
        range: [.,.]                  units: .
unique values: 0                   missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
           9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m15_1                                                                     │
│ place of delivery                                                         │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label: m15_1
        range: [11,96]                units: 1
unique values: 9                   missing .: 6,410/9,372
    tabulation: Freq.  Numeric  Label
              45       11  respondent's home
               4       12  other home
           2,050       21  government hospital (moh)
              40       22  military hospital / social
                           security (idss)
               6       26  other public sector
             791       31  private hospital/clinic
               9       32  profamilia clinic
               7       36  other private sector
              10       96  other
           6,410       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m15_2                                                                     │
│ place of delivery                                                         │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label: m15_2
        range: [11,96]                units: 1
unique values: 8                   missing .: 8,694/9,372
    tabulation: Freq.  Numeric  Label
              15       11  respondent's home
               2       12  other home
             520       21  government hospital (moh)
              10       22  military hospital / social
```

```
                                security (idss)
               3        26  other public sector
             125         31  private hospital/clinic
               1        36  other private sector
               2        96  other
           8,694         .
```

```
 m15_3
 place of delivery
           type:  numeric (byte)
          label:  m15_3
          range:  [11,96]              units:  1
  unique values:  7                 missing .:  9,306/9,372
      tabulation:  Freq.   Numeric  Label
                3        11  respondent's home
                1        12  other home
               54        21  government hospital (moh)
                1        22  military hospital / social
                              security (idss)
                5        31  private hospital/clinic
                1        32  profamilia clinic
                1        96  other
            9,306         .
```

```
 m15_4
 place of delivery
           type:  numeric (byte)
          label:  m15_4
          range:  [21,21]              units:  1
  unique values:  1                 missing .:  9,368/9,372
      tabulation:  Freq.   Numeric  Label
                4        21  government hospital (moh)
            9,368         .
```

```
 m15_5
 place of delivery
           type:  numeric (byte)
          label:  m15_5
          range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
            9,372         .
```

```
 m15_6
 place of delivery
           type:  numeric (byte)
          label:  m15_6
          range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
            9,372         .
```

```
 m17_1
 delivery by caesarean section
```

```
            type:  numeric (byte)
           label:  m17_1
           range:  [0,1]                units:  1
   unique values:  2              missing .:  6,409/9,372
       tabulation:  Freq.  Numeric  Label
               1,286     0  no
               1,677     1  yes
               6,409        .
```

m17_2
delivery by caesarean section

```
            type:  numeric (byte)
           label:  m17_2
           range:  [0,1]                units:  1
   unique values:  2              missing .:  8,698/9,372
       tabulation:  Freq.  Numeric  Label
                 377     0  no
                 297     1  yes
               8,698        .
```

m17_3
delivery by caesarean section

```
            type:  numeric (byte)
           label:  m17_3
           range:  [0,1]                units:  1
   unique values:  2              missing .:  9,305/9,372
       tabulation:  Freq.  Numeric  Label
                  48     0  no
                  19     1  yes
               9,305        .
```

m17_4
delivery by caesarean section

```
            type:  numeric (byte)
           label:  m17_4
           range:  [0,1]                units:  1
   unique values:  2              missing .:  9,368/9,372
       tabulation:  Freq.  Numeric  Label
                   3     0  no
                   1     1  yes
               9,368        .
```

m17_5
delivery by caesarean section

```
            type:  numeric (byte)
           label:  m17_5
           range:  [.,.]               units:  .
   unique values:  0              missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .
```

m17_6
delivery by caesarean section

```
            type:  numeric (byte)
```

```
        label: m17_6
        range: [.,.]                 units: .
unique values: 0               missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│ m18_1                                                             │
│ size of child at birth                                            │
└─────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m18_1
        range:  [1,8]                 units:  1
unique values:  6               missing .:  6,414/9,372
    tabulation: Freq.  Numeric  Label
              103        1  very large
              960        2  larger than average
            1,206        3  average
              531        4  smaller than average
              148        5  very small
               10        8  don't know
            6,414           .
```

┌─────────────────────────────────────────────────────────────────┐
│ m18_2                                                             │
│ size of child at birth                                            │
└─────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m18_2
        range:  [1,8]                 units:  1
unique values:  6               missing .:  8,695/9,372
    tabulation: Freq.  Numeric  Label
               28        1  very large
              218        2  larger than average
              268        3  average
              130        4  smaller than average
               28        5  very small
                5        8  don't know
            8,695           .
```

┌─────────────────────────────────────────────────────────────────┐
│ m18_3                                                             │
│ size of child at birth                                            │
└─────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m18_3
        range:  [1,8]                 units:  1
unique values:  6               missing .:  9,306/9,372
    tabulation: Freq.  Numeric  Label
                2        1  very large
               24        2  larger than average
               23        3  average
               14        4  smaller than average
                1        5  very small
                2        8  don't know
            9,306           .
```

┌─────────────────────────────────────────────────────────────────┐
│ m18_4                                                             │
│ size of child at birth                                            │
└─────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
```

```
          label: m18_4
          range: [2,4]                 units: 1
   unique values: 3                 missing .: 9,368/9,372
      tabulation: Freq.  Numeric  Label
                    1       2  larger than average
                    2       3  average
                    1       4  smaller than average
                9,368       .
```

```
 m18_5
size of child at birth
           type:  numeric (byte)
          label:  m18_5
          range:  [.,.]              units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                9,372       .
```

```
 m18_6
size of child at birth
           type:  numeric (byte)
          label:  m18_6
          range:  [.,.]              units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                9,372       .
```

```
 m19_1
birth weight in kilograms (3 decimals)
           type:  numeric (int)
          label:  m19_1, but 90 nonmissing values are not labeled
          range:  [453,9998]          units:  1
   unique values:  92                 missing .:  6,411/9,372
       examples:  3211
                   .
                   .
                   .
```

```
 m19_2
birth weight in kilograms (3 decimals)
           type:  numeric (int)
          label:  m19_2, but 62 nonmissing values are not labeled
          range:  [489,9998]          units:  1
   unique values:  64                 missing .:  8,695/9,372
       examples:  .
                   .
                   .
                   .
```

```
 m19_3
birth weight in kilograms (3 decimals)
           type:  numeric (int)
          label:  m19_3, but 19 nonmissing values are not labeled
          range:  [462,9998]          units:  1
```

```
        unique values:  21               missing .:  9,306/9,372
           examples:  .
                      .
                      .
                      .
```

```
  m19_4
birth weight in kilograms (3 decimals)
                type:  numeric (int)
               label:  m19_4, but 3 nonmissing values are not labeled
               range:  [2721,3665]            units:  1
        unique values:  3               missing .:  9,368/9,372
           tabulation:  Freq.  Numeric  Label
                           2     2721
                           1     3193
                           1     3665
                       9,368        .
```

```
  m19_5
birth weight in kilograms (3 decimals)
                type:  numeric (byte)
               label:  m19_5
               range:  [.,.]                  units:  .
        unique values:  0               missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                       9,372        .
```

```
  m19_6
birth weight in kilograms (3 decimals)
                type:  numeric (byte)
               label:  m19_6
               range:  [.,.]                  units:  .
        unique values:  0               missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                       9,372        .
```

```
  m19a_1
weight at birth/recall
                type:  numeric (byte)
               label:  m19a_1
               range:  [0,9]                   units:  1
        unique values:  5               missing .:  6,409/9,372
           tabulation:  Freq.  Numeric  Label
                          44       0  not weighed
                         509       1  from written card
                       2,375       2  from mother's recall
                          11       8  don't know
                          24       9  special answers
                       6,409        .
```

```
  m19a_2
weight at birth/recall
                type:  numeric (byte)
               label:  m19a_2
```

```
             range:  [0,9]                  units:  1
     unique values:  5                   missing .:  8,692/9,372
        tabulation:  Freq.  Numeric  Label
                21       0  not weighed
               122       1  from written card
               526       2  from mother's recall
                 4       8  don't know
                 7       9  special answers
             8,692       .
```

---

**m19a_3**
weight at birth/recall

```
              type:  numeric (byte)
             label:  m19a_3
             range:  [0,9]                  units:  1
     unique values:  5                   missing .:  9,305/9,372
        tabulation:  Freq.  Numeric  Label
                 5       0  not weighed
                14       1  from written card
                45       2  from mother's recall
                 1       8  don't know
                 2       9  special answers
             9,305       .
```

---

**m19a_4**
weight at birth/recall

```
              type:  numeric (byte)
             label:  m19a_4
             range:  [2,2]                  units:  1
     unique values:  1                   missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                 4       2  from mother's recall
             9,368       .
```

---

**m19a_5**
weight at birth/recall

```
              type:  numeric (byte)
             label:  m19a_5
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
             9,372       .
```

---

**m19a_6**
weight at birth/recall

```
              type:  numeric (byte)
             label:  m19a_6
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
             9,372       .
```

---

**m27_1**
na - flag for breastfeeding

```
             type:  numeric (byte)
             label:  m27_1
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m27_2                                                                 │
│ na - flag for breastfeeding                                           │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  m27_2
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m27_3                                                                 │
│ na - flag for breastfeeding                                           │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  m27_3
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m27_4                                                                 │
│ na - flag for breastfeeding                                           │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  m27_4
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m27_5                                                                 │
│ na - flag for breastfeeding                                           │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  m27_5
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m27_6                                                                 │
│ na - flag for breastfeeding                                           │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  m27_6
             range:  [.,.]                  units:  .
     unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m28_1                                                                 │
│ flag for amenorrhea                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  m28_1
        range:  [0,1]                  units:  1
 unique values:  2                 missing .:  6,409/9,372
      tabulation:  Freq.   Numeric  Label
            2,962       0  no flag
                1       1  > interval
            6,409         .
```

```
 m28_2
 flag for amenorrhea
        type:  numeric (byte)
        label:  m28_2
        range:  [0,1]                  units:  1
 unique values:  2                 missing .:  8,692/9,372
      tabulation:  Freq.   Numeric  Label
              678       0  no flag
                2       1  > interval
            8,692         .
```

```
 m28_3
 flag for amenorrhea
        type:  numeric (byte)
        label:  m28_3
        range:  [0,1]                  units:  1
 unique values:  2                 missing .:  9,305/9,372
      tabulation:  Freq.   Numeric  Label
               65       0  no flag
                2       1  > interval
            9,305         .
```

```
 m28_4
 flag for amenorrhea
        type:  numeric (byte)
        label:  m28_4
        range:  [0,0]                  units:  1
 unique values:  1                 missing .:  9,368/9,372
      tabulation:  Freq.   Numeric  Label
                4       0  no flag
            9,368         .
```

```
 m28_5
 flag for amenorrhea
        type:  numeric (byte)
        label:  m28_5
        range:  [.,.]                  units:  .
 unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
            9,372         .
```

```
 m28_6
 flag for amenorrhea
        type:  numeric (byte)
        label:  m28_6
```

```
        range:  [.,.]                    units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 m29_1
flag for abstinence
```
```
         type:  numeric (byte)
        label:  m29_1
        range:  [0,2]                    units:  1
unique values:  3              missing .:  6,409/9,372
   tabulation:  Freq.   Numeric  Label
                2,960        0  no flag
                    2        1  > interval
                    1        2  > interval by 1 month
                6,409        .
```

```
 m29_2
flag for abstinence
```
```
         type:  numeric (byte)
        label:  m29_2
        range:  [0,0]                    units:  1
unique values:  1              missing .:  8,692/9,372
   tabulation:  Freq.   Numeric  Label
                  680        0  no flag
                8,692        .
```

```
 m29_3
flag for abstinence
```
```
         type:  numeric (byte)
        label:  m29_3
        range:  [0,0]                    units:  1
unique values:  1              missing .:  9,305/9,372
   tabulation:  Freq.   Numeric  Label
                   67        0  no flag
                9,305        .
```

```
 m29_4
flag for abstinence
```
```
         type:  numeric (byte)
        label:  m29_4
        range:  [0,0]                    units:  1
unique values:  1              missing .:  9,368/9,372
   tabulation:  Freq.   Numeric  Label
                    4        0  no flag
                9,368        .
```

```
 m29_5
flag for abstinence
```
```
         type:  numeric (byte)
        label:  m29_5
        range:  [.,.]                    units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
```

```
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m29_6                                                                 │
│  flag for abstinence                                                   │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m29_6
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m34_1                                                                 │
│  when child put to breast                                              │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (int)
             label:  m34_1, but 30 nonmissing values are not labeled
             range:  [0,299]                  units:  1
     unique values:  35                      missing .:  6,707/9,372
          examples:  103
                     .
                     .
                     .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m34_2                                                                 │
│  when child put to breast                                              │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m34_2
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m34_3                                                                 │
│  when child put to breast                                              │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m34_3
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m34_4                                                                 │
│  when child put to breast                                              │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m34_4
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m34_5                                                                 │
│  when child put to breast                                              │
└─────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m34_5
             range:  [.,.]                    units:  .
```

unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m34_6                                                                        │
│  when child put to breast                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m34_6
                   range:  [.,.]                  units:  .
             unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m35_1                                                                  na -  │
│  number of times breastfed during previous night                             │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m35_1
                   range:  [.,.]                  units:  .
             unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m35_2                                                                  na -  │
│  number of times breastfed during previous night                             │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m35_2
                   range:  [.,.]                  units:  .
             unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m35_3                                                                  na -  │
│  number of times breastfed during previous night                             │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m35_3
                   range:  [.,.]                  units:  .
             unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m35_4                                                                  na -  │
│  number of times breastfed during previous night                             │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m35_4
                   range:  [.,.]                  units:  .
             unique values:  0                    missing .:  9,372/9,372
               tabulation:  Freq.   Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m35_5                                                                  na -  │
│  number of times breastfed during previous night                             │
└─────────────────────────────────────────────────────────────────────────────┘
                    type:  numeric (byte)
                   label:  m35_5
                   range:  [.,.]                  units:  .

unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m35_6 | na - |
|---|---|
| number of times breastfed during previous night | |

      type:  numeric (byte)
     label:  m35_6
     range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m36_1 | na - |
|---|---|
| number of times breastfed during previous day | |

      type:  numeric (byte)
     label:  m36_1
     range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m36_2 | na - |
|---|---|
| number of times breastfed during previous day | |

      type:  numeric (byte)
     label:  m36_2
     range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m36_3 | na - |
|---|---|
| number of times breastfed during previous day | |

      type:  numeric (byte)
     label:  m36_3
     range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m36_4 | na - |
|---|---|
| number of times breastfed during previous day | |

      type:  numeric (byte)
     label:  m36_4
     range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

| m36_5 | na - |
|---|---|
| number of times breastfed during previous day | |

      type:  numeric (byte)
     label:  m36_5
     range:  [.,.]              units:  .

unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

m36_6                                                                                 na -
number of times breastfed during previous day
         type:  numeric (byte)
        label:  m36_6
        range:  [.,.]              units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
          9,372        .

m38_1                                                                                 drank
from bottle with nipple yesterday/last night
         type:  numeric (byte)
        label:  m38_1
        range:  [0,8]              units:  1
unique values:  3                    missing .:  6,481/9,372
    tabulation:  Freq.   Numeric  Label
            708        0  no
          2,153        1  yes
             30        8  don't know
          6,481        .

m38_2                                                                                 drank
from bottle with nipple yesterday/last night
         type:  numeric (byte)
        label:  m38_2
        range:  [0,8]              units:  1
unique values:  3                    missing .:  8,735/9,372
    tabulation:  Freq.   Numeric  Label
            251        0  no
            367        1  yes
             19        8  don't know
          8,735        .

m38_3                                                                                 drank
from bottle with nipple yesterday/last night
         type:  numeric (byte)
        label:  m38_3
        range:  [0,8]              units:  1
unique values:  3                    missing .:  9,307/9,372
    tabulation:  Freq.   Numeric  Label
             38        0  no
             23        1  yes
              4        8  don't know
          9,307        .

m38_4                                                                                 drank
from bottle with nipple yesterday/last night
         type:  numeric (byte)
        label:  m38_4
        range:  [0,1]              units:  1

```
        unique values:  2                missing .:  9,368/9,372
           tabulation:  Freq.  Numeric  Label
                    3      0  no
                    1      1  yes
                9,368         .
```

```
  m38_5                                                                drank
from bottle with nipple yesterday/last night

                 type:  numeric (byte)
                label:  m38_5
                range:  [.,.]                units:  .
        unique values:  0                missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m38_6                                                                drank
from bottle with nipple yesterday/last night

                 type:  numeric (byte)
                label:  m38_6
                range:  [.,.]                units:  .
        unique values:  0                missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m39a_1                                                               did eat
any solid, semi-solid or soft foods yesterday

                 type:  numeric (byte)
                label:  m39a_1
                range:  [0,1]               units:  1
        unique values:  2                missing .:  8,031/9,372
           tabulation:  Freq.  Numeric  Label
                  318      0  no
                1,023      1  yes
                8,031         .
```

```
  m39a_2                                                               did eat
any solid, semi-solid or soft foods yesterday

                 type:  numeric (byte)
                label:  m39a_2
                range:  [1,1]               units:  1
        unique values:  1                missing .:  9,367/9,372
           tabulation:  Freq.  Numeric  Label
                    5      1  yes
                9,367         .
```

```
  m39a_3                                                               did eat
any solid, semi-solid or soft foods yesterday

                 type:  numeric (byte)
                label:  m39a_3
                range:  [.,.]                units:  .
        unique values:  0                missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                9,372         .
```

| m39a_4 | did eat |
|---|---|

any solid, semi-solid or soft foods yesterday

```
        type:  numeric (byte)
        label:  m39a_4
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

| m39a_5 | did eat |
|---|---|

any solid, semi-solid or soft foods yesterday

```
        type:  numeric (byte)
        label:  m39a_5
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

| m39a_6 | did eat |
|---|---|

any solid, semi-solid or soft foods yesterday

```
        type:  numeric (byte)
        label:  m39a_6
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

| m39_1 | number of |
|---|---|

times ate solid, semi-solid or soft food yesterday

```
        type:  numeric (byte)
        label:  m39_1, but 6 nonmissing values are not labeled
        range:  [0,8]                    units:  1
unique values:  9                    missing .:  8,036/9,372
    tabulation:  Freq.  Numeric  Label
              327        0  none
              143        1
              290        2
              212        3
              129        4
               74        5
               40        6
               16        8  don't know
            8,036        .
```

| m39_2 | number of |
|---|---|

times ate solid, semi-solid or soft food yesterday

```
        type:  numeric (byte)
        label:  m39_2, but 3 nonmissing values are not labeled
        range:  [2,8]                    units:  1
unique values:  4                    missing .:  9,367/9,372
    tabulation:  Freq.  Numeric  Label
                1        2
                2        3
                1        4
```

```
              1       8  don't know
          9,367        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m39_3                                                          number of  │
│ times ate solid, semi-solid or soft food yesterday                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m39_3
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m39_4                                                          number of  │
│ times ate solid, semi-solid or soft food yesterday                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m39_4
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m39_5                                                          number of  │
│ times ate solid, semi-solid or soft food yesterday                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m39_5
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m39_6                                                          number of  │
│ times ate solid, semi-solid or soft food yesterday                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m39_6
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m42a_1                                                                    │
│ during pregnancy: weighed                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m42a_1
         range:  [0,8]                units:  1
  unique values:  3                 missing .:  6,433/9,372
      tabulation:  Freq.  Numeric  Label
             15       0  no
          2,921       1  yes
              3       8  dk
          6,433        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m42a_2                                                                    │
│ during pregnancy: weighed                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
```

```
            label:  m42a_2
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42a_3
during pregnancy: weighed
             type:  numeric (byte)
            label:  m42a_3
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42a_4
during pregnancy: weighed
             type:  numeric (byte)
            label:  m42a_4
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42a_5
during pregnancy: weighed
             type:  numeric (byte)
            label:  m42a_5
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42a_6
during pregnancy: weighed
             type:  numeric (byte)
            label:  m42a_6
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42b_1
na - during pregnancy: height measured
             type:  numeric (byte)
            label:  m42b_1
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
 m42b_2
na - during pregnancy: height measured
             type:  numeric (byte)
```

```
        label: m42b_2
        range: [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372       .
```

```
 m42b_3
na - during pregnancy: height measured
         type:  numeric (byte)
        label: m42b_3
        range: [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372       .
```

```
 m42b_4
na - during pregnancy: height measured
         type:  numeric (byte)
        label: m42b_4
        range: [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372       .
```

```
 m42b_5
na - during pregnancy: height measured
         type:  numeric (byte)
        label: m42b_5
        range: [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372       .
```

```
 m42b_6
na - during pregnancy: height measured
         type:  numeric (byte)
        label: m42b_6
        range: [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372       .
```

```
 m42c_1
during pregnancy: blood pressure taken
         type:  numeric (byte)
        label: m42c_1
        range: [0,8]                units: 1
unique values: 3                    missing .: 6,434/9,372
   tabulation: Freq.  Numeric  Label
            11       0  no
         2,921       1  yes
             6       8  dk
         6,434       .
```

```
m42c_2
during pregnancy: blood pressure taken
           type:  numeric (byte)
          label:  m42c_2
          range:  [.,.]                   units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
m42c_3
during pregnancy: blood pressure taken
           type:  numeric (byte)
          label:  m42c_3
          range:  [.,.]                   units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
m42c_4
during pregnancy: blood pressure taken
           type:  numeric (byte)
          label:  m42c_4
          range:  [.,.]                   units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
m42c_5
during pregnancy: blood pressure taken
           type:  numeric (byte)
          label:  m42c_5
          range:  [.,.]                   units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
m42c_6
during pregnancy: blood pressure taken
           type:  numeric (byte)
          label:  m42c_6
          range:  [.,.]                   units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
m42d_1
during pregnancy: urine sample taken
           type:  numeric (byte)
          label:  m42d_1
          range:  [0,8]                   units:  1
  unique values:  3                      missing .:  6,433/9,372
      tabulation:  Freq.  Numeric  Label
                  41        0  no
               2,893        1  yes
```

```
                    5        8  dk
              6,433          .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42d_2                                                               │
│ during pregnancy: urine sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42d_2
           range:  [.,.]                 units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42d_3                                                               │
│ during pregnancy: urine sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42d_3
           range:  [.,.]                 units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42d_4                                                               │
│ during pregnancy: urine sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42d_4
           range:  [.,.]                 units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42d_5                                                               │
│ during pregnancy: urine sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42d_5
           range:  [.,.]                 units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42d_6                                                               │
│ during pregnancy: urine sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42d_6
           range:  [.,.]                 units:  .
   unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m42e_1                                                               │
│ during pregnancy: blood sample taken                                 │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m42e_1
           range:  [0,8]                 units:  1
   unique values:  3                   missing .:  6,435/9,372
```

```
         tabulation: Freq.   Numeric  Label
                 14       0  no
              2,919       1  yes
                  4       8  dk
              6,435        .
```

m42e_2
during pregnancy: blood sample taken

```
              type:  numeric (byte)
             label:  m42e_2
             range:  [.,.]                units:  .
      unique values:  0                 missing .:  9,372/9,372
         tabulation: Freq.   Numeric  Label
              9,372        .
```

m42e_3
during pregnancy: blood sample taken

```
              type:  numeric (byte)
             label:  m42e_3
             range:  [.,.]                units:  .
      unique values:  0                 missing .:  9,372/9,372
         tabulation: Freq.   Numeric  Label
              9,372        .
```

m42e_4
during pregnancy: blood sample taken

```
              type:  numeric (byte)
             label:  m42e_4
             range:  [.,.]                units:  .
      unique values:  0                 missing .:  9,372/9,372
         tabulation: Freq.   Numeric  Label
              9,372        .
```

m42e_5
during pregnancy: blood sample taken

```
              type:  numeric (byte)
             label:  m42e_5
             range:  [.,.]                units:  .
      unique values:  0                 missing .:  9,372/9,372
         tabulation: Freq.   Numeric  Label
              9,372        .
```

m42e_6
during pregnancy: blood sample taken

```
              type:  numeric (byte)
             label:  m42e_6
             range:  [.,.]                units:  .
      unique values:  0                 missing .:  9,372/9,372
         tabulation: Freq.   Numeric  Label
              9,372        .
```

m43_1
told about pregnancy complications

```
              type:  numeric (byte)
```

```
        label:  m43_1
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  6,433/9,372
    tabulation:  Freq.  Numeric  Label
               853       0  no
             2,080       1  yes
                 6       8  don't know
             6,433        .
```

```
 m43_2
told about pregnancy complications
         type:  numeric (byte)
        label:  m43_2
        range:  [.,.]                  units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
 m43_3
told about pregnancy complications
         type:  numeric (byte)
        label:  m43_3
        range:  [.,.]                  units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
 m43_4
told about pregnancy complications
         type:  numeric (byte)
        label:  m43_4
        range:  [.,.]                  units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
 m43_5
told about pregnancy complications
         type:  numeric (byte)
        label:  m43_5
        range:  [.,.]                  units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
 m43_6
told about pregnancy complications
         type:  numeric (byte)
        label:  m43_6
        range:  [.,.]                  units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

| m44_1 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_1
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m44_2 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_2
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m44_3 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_3
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m44_4 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_4
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m44_5 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_5
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m44_6 | na - |
|---|---|
| told where to go for pregnancy complications | |

        type: numeric (byte)
       label: m44_6
       range: [.,.]         units: .
   unique values: 0        missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
        9,372      .

| m45_1 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_1
     range:  [0,8]            units:  1
unique values:  3             missing .:  6,409/9,372
  tabulation:  Freq.  Numeric  Label
               126      0  no
             2,832      1  yes
                 5      8  don't know
             6,409         .
```

| m45_2 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_2
     range:  [.,.]            units:  .
unique values:  0             missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
             9,372         .
```

| m45_3 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_3
     range:  [.,.]            units:  .
unique values:  0             missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
             9,372         .
```

| m45_4 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_4
     range:  [.,.]            units:  .
unique values:  0             missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
             9,372         .
```

| m45_5 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_5
     range:  [.,.]            units:  .
unique values:  0             missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
             9,372         .
```

| m45_6 | during |
|---|---|

pregnancy, given or bought iron tablets/syrup

```
      type:  numeric (byte)
     label:  m45_6
     range:  [.,.]            units:  .
unique values:  0             missing .:  9,372/9,372
```

```
      tabulation: Freq.   Numeric  Label
            9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_1                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
           label:  m46_1, but 105 nonmissing values are not labeled
           range:  [1,998]              units:  1
   unique values:  106                missing .:  6,543/9,372
        examples:  210
                    .
                    .
                    .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_2                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m46_2
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation: Freq.   Numeric  Label
            9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_3                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m46_3
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation: Freq.   Numeric  Label
            9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_4                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m46_4
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation: Freq.   Numeric  Label
            9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_5                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m46_5
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation: Freq.   Numeric  Label
            9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ m46_6                                                                     │
│ days tablets or syrup taken                                               │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m46_6
```

range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_1                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_1
        range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_2                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_2
        range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_3                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_3
        range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_4                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_4
        range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_5                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_5
        range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

---

m47_6                                                                    na - during
pregnancy, had difficulty with daylight vision

        type:  numeric (byte)
        label:  m47_6

```
         range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_1                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_1
          range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_2                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_2
          range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_3                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_3
          range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_4                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_4
          range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_5                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_5
          range:  [.,.]                 units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m48_6                                                          na - during│
│ pregnancy, had difficulty with night blindness                            │
└─────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m48_6
```

```
        range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_1                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_1
         range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_2                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_2
         range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_3                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_3
         range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_4                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_4
         range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_5                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_5
         range:  [.,.]                   units:  .
unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m49a_6                                                                 na -   │
│ during pregnancy took: sp/fansidar for malaria                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49a_6
```

```
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_1                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_1
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_2                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_2
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_3                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_3
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_4                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_4
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_5                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_5
          range:  [.,.]                 units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49b_6                                                             na -  │
│ during pregnancy took: chloroquine for malaria                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m49b_6
```

```
      range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_1                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_1
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_2                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_2
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_3                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_3
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_4                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_4
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_5                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_5
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m49c_6                                                          na -  │
│ during pregnancy took: cs drug for malaria                           │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49c_6
```

```
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_1                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_1
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_2                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_2
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_3                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_3
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_4                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_4
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_5                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_5
        range: [.,.]                  units:  .
 unique values:  0            missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49d_6                                                              na - │
│ during pregnancy took: cs drug for malaria                                │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m49d_6
```

```
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_1 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_1
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_2 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_2
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_3 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_3
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_4 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_4
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_5 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_5
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
              9,372           .
```

| m49e_6 | na - |
|---|---|

during pregnancy took: cs drug for malaria

```
               type:  numeric (byte)
              label:  m49e_6
```

```
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_1                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_1
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_2                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_2
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_3                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_3
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_4                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_4
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_5                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_5
          range:  [.,.]                 units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                  9,372        .
```

```
  m49f_6                                                          na -
during pregnancy took: cs drug for malaria
           type:  numeric (byte)
          label:  m49f_6
```

```
        range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_1                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_1
         range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_2                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_2
         range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_3                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_3
         range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_4                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_4
         range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_5                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_5
         range: [.,.]                  units: .
 unique values: 0              missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  m49g_6                                                    na -
during pregnancy took: cs drug for malaria
```
```
          type:  numeric (byte)
         label:  m49g_6
```

```
        range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_1                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_1
         range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_2                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_2
         range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_3                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_3
         range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_4                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_4
         range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_5                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_5
         range:  [.,.]                   units:  .
 unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric   Label
                 9,372        .
```

┌────────────────────────────────────────────────────────────────────────────────┐
│  m49x_6                                                                   na -    │
│ during pregnancy took: other drug for malaria                                    │
└────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  m49x_6
```

```
        range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_1**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_1
         range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_2**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_2
         range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_3**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_3
         range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_4**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_4
         range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_5**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_5
         range:  [.,.]                    units:  .
 unique values:  0                       missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**m49z_6**
na - during pregnancy took: don't know
```
          type:  numeric (byte)
         label:  m49z_6
```

```
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_1                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_1
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_2                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_2
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_3                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_3
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_4                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_4
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_5                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_5
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m49y_6                                                              na -  │
│  during pregnancy took: no drug for malaria                               │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m49y_6
```

```
        range:  [.,.]              units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_1                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m50_1
        range:  [0,1]              units:  1
unique values:  2            missing .:  6,410/9,372
   tabulation:  Freq.  Numeric  Label
                  140       0  no
                2,822       1  yes
                6,410        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_2                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m50_2
        range:  [.,.]              units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_3                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m50_3
        range:  [.,.]              units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_4                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m50_4
        range:  [.,.]              units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_5                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m50_5
        range:  [.,.]              units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m50_6                                                         │
│ respondent's check up after delivery                          │
└─────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  m50_6
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m51_1                                                                │
│  respondent's checkup after deliver timing                            │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (int)
       label:  m51_1, but 45 nonmissing values are not labeled
       range:  [100,998]               units:  1
unique values:  50                   missing .:  6,557/9,372
     examples:  104
                .
                .
                .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m51_2                                                                │
│  respondent's checkup after deliver timing                            │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
       label:  m51_2
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m51_3                                                                │
│  respondent's checkup after deliver timing                            │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
       label:  m51_3
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m51_4                                                                │
│  respondent's checkup after deliver timing                            │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
       label:  m51_4
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  m51_5                                                                │
│  respondent's checkup after deliver timing                            │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
       label:  m51_5
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372        .
```

m51_6
respondent's checkup after deliver timing

                type:  numeric (byte)
               label:  m51_6
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372       .

m51_2                                                                          respondent's
health professional checked up after delivery

                type:  numeric (byte)
               label:  m52_1
               range:  [11,96]                  units:  1
       unique values:  7                      missing .:  6,556/9,372
          tabulation:  Freq.  Numeric  Label
                         614       11  general doctor
                       1,784       12  gynecology/ obstetrician
                          91       13  doctor other specialty
                         143       14  doctor don't know specialty
                         174       15  nurse
                           4       21  traditional birth attendant
                           6       96  other
                       6,556       .

m52_2                                                                          respondent's
health professional checked up after delivery

                type:  numeric (byte)
               label:  m52_2
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372       .

m52_3                                                                          respondent's
health professional checked up after delivery

                type:  numeric (byte)
               label:  m52_3
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372       .

m52_4                                                                          respondent's
health professional checked up after delivery

                type:  numeric (byte)
               label:  m52_4
               range:  [.,.]                    units:  .
       unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372       .

m52_5                                                                          respondent's
health professional checked up after delivery

```
        type:  numeric (byte)
        label:  m52_5
        range:  [.,.]              units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

```
 m52_6                                                          respondent's
 health professional checked up after delivery
        type:  numeric (byte)
        label:  m52_6
        range:  [.,.]              units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

```
 m54_1                                                          received
 vitamin a dose in first 2 months after delivery
        type:  numeric (byte)
        label:  m54_1
        range:  [0,8]              units:  1
 unique values:  3                 missing .:  6,411/9,372
    tabulation:  Freq.  Numeric  Label
             1,996       0  no
               928       1  yes
                37       8  don't know
             6,411       .
```

```
 m54_2                                                          received
 vitamin a dose in first 2 months after delivery
        type:  numeric (byte)
        label:  m54_2
        range:  [.,.]              units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

```
 m54_3                                                          received
 vitamin a dose in first 2 months after delivery
        type:  numeric (byte)
        label:  m54_3
        range:  [.,.]              units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

```
 m54_4                                                          received
 vitamin a dose in first 2 months after delivery
        type:  numeric (byte)
        label:  m54_4
        range:  [.,.]              units:  .
 unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

| m54_5 | received |
|---|---|

vitamin a dose in first 2 months after delivery

```
        type:  numeric (byte)
        label:  m54_5
        range:  [.,.]                    units:  .
 unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

| m54_6 | received |
|---|---|

vitamin a dose in first 2 months after delivery

```
        type:  numeric (byte)
        label:  m54_6
        range:  [.,.]                    units:  .
 unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

| m55a_1 | first 3 |
|---|---|

days, given milk (other than breast milk)

```
        type:  numeric (byte)
        label:  m55a_1
        range:  [0,1]                    units:  1
 unique values:  2               missing .:  6,685/9,372
    tabulation:  Freq.  Numeric  Label
             2,136       0  no
               551       1  yes
             6,685       .
```

| m55a_2 | first 3 |
|---|---|

days, given milk (other than breast milk)

```
        type:  numeric (byte)
        label:  m55a_2
        range:  [.,.]                    units:  .
 unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

| m55a_3 | first 3 |
|---|---|

days, given milk (other than breast milk)

```
        type:  numeric (byte)
        label:  m55a_3
        range:  [.,.]                    units:  .
 unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372       .
```

| m55a_4 | first 3 |
|---|---|

days, given milk (other than breast milk)

```
        type:  numeric (byte)
        label:  m55a_4
        range:  [.,.]                    units:  .
 unique values:  0               missing .:  9,372/9,372
```

tabulation: Freq.  Numeric  Label
          9,372        .

---

m55a_5                                                                                    first 3
days, given milk (other than breast milk)

          type:  numeric (byte)
          label:  m55a_5
          range:  [.,.]              units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .

---

m55a_6                                                                                    first 3
days, given milk (other than breast milk)

          type:  numeric (byte)
          label:  m55a_6
          range:  [.,.]              units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .

---

m55b_1
first 3 days, given plain water

          type:  numeric (byte)
          label:  m55b_1
          range:  [0,1]              units:  1
   unique values:  2                  missing .:  6,685/9,372
       tabulation:  Freq.  Numeric  Label
              2,683        0  no
                  4        1  yes
              6,685        .

---

m55b_2
first 3 days, given plain water

          type:  numeric (byte)
          label:  m55b_2
          range:  [.,.]              units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .

---

m55b_3
first 3 days, given plain water

          type:  numeric (byte)
          label:  m55b_3
          range:  [.,.]              units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .

---

m55b_4
first 3 days, given plain water

          type:  numeric (byte)
          label:  m55b_4

```
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

---

**m55b_5**
first 3 days, given plain water

```
         type:  numeric (byte)
        label:  m55b_5
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

---

**m55b_6**
first 3 days, given plain water

```
         type:  numeric (byte)
        label:  m55b_6
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

---

**m55c_1**
first 3 days, given sugar/glucose water

```
         type:  numeric (byte)
        label:  m55c_1
        range:  [0,1]                    units:  1
unique values:  2                     missing .:  6,685/9,372
   tabulation:  Freq.   Numeric  Label
                2,679        0  no
                    8        1  yes
                6,685        .
```

---

**m55c_2**
first 3 days, given sugar/glucose water

```
         type:  numeric (byte)
        label:  m55c_2
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

---

**m55c_3**
first 3 days, given sugar/glucose water

```
         type:  numeric (byte)
        label:  m55c_3
        range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

---

**m55c_4**
first 3 days, given sugar/glucose water

```
         type:  numeric (byte)
        label:  m55c_4
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55c_5                                                                    │
│ first 3 days, given sugar/glucose water                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m55c_5
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55c_6                                                                    │
│ first 3 days, given sugar/glucose water                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m55c_6
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55d_1                                                                    │
│ na - first 3 days, given gripe water                                      │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m55d_1
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55d_2                                                                    │
│ na - first 3 days, given gripe water                                      │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m55d_2
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55d_3                                                                    │
│ na - first 3 days, given gripe water                                      │
└─────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  m55d_3
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m55d_4                                                                    │
│ na - first 3 days, given gripe water                                      │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m55d_4
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
 m55d_5
 na - first 3 days, given gripe water
          type:  numeric (byte)
         label:  m55d_5
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
 m55d_6
 na - first 3 days, given gripe water
          type:  numeric (byte)
         label:  m55d_6
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
 m55e_1
 first 3 days, given sugar/salt solution
          type:  numeric (byte)
         label:  m55e_1
         range:  [0,1]                units:  1
 unique values:  2                  missing .:  6,685/9,372
    tabulation:  Freq.   Numeric  Label
                 2,679        0  no
                     8        1  yes
                 6,685        .
```

```
 m55e_2
 first 3 days, given sugar/salt solution
          type:  numeric (byte)
         label:  m55e_2
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
 m55e_3
 first 3 days, given sugar/salt solution
          type:  numeric (byte)
         label:  m55e_3
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372        .
```

m55e_4
first 3 days, given sugar/salt solution

```
          type:  numeric (byte)
         label:  m55e_4
         range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .
```

m55e_5
first 3 days, given sugar/salt solution

```
          type:  numeric (byte)
         label:  m55e_5
         range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .
```

m55e_6
first 3 days, given sugar/salt solution

```
          type:  numeric (byte)
         label:  m55e_6
         range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .
```

m55f_1
first 3 days, given fruit juice

```
          type:  numeric (byte)
         label:  m55f_1
         range:  [0,1]              units:  1
  unique values:  2                missing .:  6,685/9,372
      tabulation:  Freq.  Numeric  Label
               2,682       0  no
                   5       1  yes
               6,685       .
```

m55f_2
first 3 days, given fruit juice

```
          type:  numeric (byte)
         label:  m55f_2
         range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .
```

m55f_3
first 3 days, given fruit juice

```
          type:  numeric (byte)
         label:  m55f_3
         range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
```

9,372        .

---

m55f_4
first 3 days, given fruit juice

        type:  numeric (byte)
        label:  m55f_4
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

m55f_5
first 3 days, given fruit juice

        type:  numeric (byte)
        label:  m55f_5
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

m55f_6
first 3 days, given fruit juice

        type:  numeric (byte)
        label:  m55f_6
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

m55g_1
first 3 days, given infant formula

        type:  numeric (byte)
        label:  m55g_1
        range:  [0,1]                    units:  1
    unique values:  2                    missing .:  6,685/9,372
       tabulation:  Freq.  Numeric  Label
            1,571        0  no
            1,116        1  yes
            6,685        .

---

m55g_2
first 3 days, given infant formula

        type:  numeric (byte)
        label:  m55g_2
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

m55g_3
first 3 days, given infant formula

        type:  numeric (byte)
        label:  m55g_3
        range:  [.,.]                    units:  .

unique values:  0                    missing .:  9,372/9,372
  tabulation:  Freq.   Numeric  Label
          9,372        .

---

**m55g_4**
first 3 days, given infant formula

          type:  numeric (byte)
         label:  m55g_4
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .

---

**m55g_5**
first 3 days, given infant formula

          type:  numeric (byte)
         label:  m55g_5
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .

---

**m55g_6**
first 3 days, given infant formula

          type:  numeric (byte)
         label:  m55g_6
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .

---

**m55h_1**
first 3 days, given tea/infusions

          type:  numeric (byte)
         label:  m55h_1
         range:  [0,1]                units:  1
  unique values:  2                    missing .:  6,685/9,372
    tabulation:  Freq.   Numeric  Label
            2,611        0  no
               76        1  yes
            6,685        .

---

**m55h_2**
first 3 days, given tea/infusions

          type:  numeric (byte)
         label:  m55h_2
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .

---

**m55h_3**
first 3 days, given tea/infusions

          type:  numeric (byte)

```
          label: m55h_3
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                9,372       .
```

---

**m55h_4**
first 3 days, given tea/infusions

```
           type: numeric (byte)
          label: m55h_4
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                9,372       .
```

---

**m55h_5**
first 3 days, given tea/infusions

```
           type: numeric (byte)
          label: m55h_5
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                9,372       .
```

---

**m55h_6**
first 3 days, given tea/infusions

```
           type: numeric (byte)
          label: m55h_6
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                9,372       .
```

---

**m55i_1**
first 3 days, given honey

```
           type: numeric (byte)
          label: m55i_1
          range: [0,0]                units: 1
  unique values: 1                 missing .: 6,685/9,372
     tabulation: Freq.  Numeric  Label
                2,687       0  no
                6,685       .
```

---

**m55i_2**
first 3 days, given honey

```
           type: numeric (byte)
          label: m55i_2
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                9,372       .
```

---

**m55i_3**
first 3 days, given honey

```
          type:  numeric (byte)
         label:  m55i_3
         range:  [.,.]                 units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

m55i_4
first 3 days, given honey

```
          type:  numeric (byte)
         label:  m55i_4
         range:  [.,.]                 units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

m55i_5
first 3 days, given honey

```
          type:  numeric (byte)
         label:  m55i_5
         range:  [.,.]                 units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

m55i_6
first 3 days, given honey

```
          type:  numeric (byte)
         label:  m55i_6
         range:  [.,.]                 units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

m55j_1
first 3 days, given coffee

```
          type:  numeric (byte)
         label:  m55j_1
         range:  [0,0]                 units:  1
 unique values:  1                   missing .:  6,685/9,372
     tabulation:  Freq.  Numeric  Label
               2,687        0  no
               6,685        .
```

---

m55j_2
first 3 days, given coffee

```
          type:  numeric (byte)
         label:  m55j_2
         range:  [.,.]                 units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

m55j_3
first 3 days, given coffee

                type:  numeric (byte)
               label:  m55j_3
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55j_4
first 3 days, given coffee

                type:  numeric (byte)
               label:  m55j_4
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55j_5
first 3 days, given coffee

                type:  numeric (byte)
               label:  m55j_5
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55j_6
first 3 days, given coffee

                type:  numeric (byte)
               label:  m55j_6
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55k_1
na - first 3 days, given country specific

                type:  numeric (byte)
               label:  m55k_1
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55k_2
na - first 3 days, given country specific

                type:  numeric (byte)
               label:  m55k_2
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                        9,372        .

m55k_3
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55k_3
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55k_4
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55k_4
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55k_5
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55k_5
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55k_6
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55k_6
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55l_1
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55l_1
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55l_2
na - first 3 days, given country specific

```
          type:  numeric (byte)
         label:  m55l_2
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372         .
```

m55l_3
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55l_3
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55l_4
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55l_4
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55l_5
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55l_5
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55l_6
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55l_6
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55m_1
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55m_1
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55m_2
na - first 3 days, given country specific

           type: numeric (byte)
          label: m55m_2
          range: [.,.]                units: .
  unique values: 0                 missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372       .

m55m_3
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55m_3
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

m55m_4
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55m_4
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

m55m_5
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55m_5
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

m55m_6
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55m_6
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

m55n_1
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55n_1
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

m55n_2
na - first 3 days, given country specific

          type:  numeric (byte)
         label:  m55n_2
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .

## m55n_3
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55n_3
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

## m55n_4
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55n_4
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

## m55n_5
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55n_5
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

## m55n_6
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55n_6
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

## m55o_1
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55o_1
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

## m55o_2
na - first 3 days, given country specific

```
        type:  numeric (byte)
        label:  m55o_2
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372        .
```

m55o_3
na - first 3 days, given country specific

```
        type:  numeric (byte)
       label:  m55o_3
       range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

m55o_4
na - first 3 days, given country specific

```
        type:  numeric (byte)
       label:  m55o_4
       range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

m55o_5
na - first 3 days, given country specific

```
        type:  numeric (byte)
       label:  m55o_5
       range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

m55o_6
na - first 3 days, given country specific

```
        type:  numeric (byte)
       label:  m55o_6
       range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

m55x_1
first 3 days, given other

```
        type:  numeric (byte)
       label:  m55x_1
       range:  [0,1]                 units:  1
unique values:  2                   missing .:  6,685/9,372
   tabulation:  Freq.  Numeric  Label
               2,680        0  no
                   7        1  yes
               6,685        .
```

m55x_2
first 3 days, given other

```
        type:  numeric (byte)
       label:  m55x_2
       range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
```

9,372        .

---

m55x_3
first 3 days, given other

              type:  numeric (byte)
             label:  m55x_3
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                       9,372        .

---

m55x_4
first 3 days, given other

              type:  numeric (byte)
             label:  m55x_4
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                       9,372        .

---

m55x_5
first 3 days, given other

              type:  numeric (byte)
             label:  m55x_5
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                       9,372        .

---

m55x_6
first 3 days, given other

              type:  numeric (byte)
             label:  m55x_6
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                       9,372        .

---

m55z_1
first 3 days, given nothing

              type:  numeric (byte)
             label:  m55z_1
             range:  [0,1]                    units:  1
     unique values:  2                      missing .:  6,685/9,372
         tabulation:  Freq.  Numeric  Label
                       1,721        0  no: given something
                         966        1  yes: given nothing
                       6,685        .

---

m55z_2
first 3 days, given nothing

              type:  numeric (byte)
             label:  m55z_2
             range:  [.,.]                    units:  .

```
            unique values:  0                      missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                     9,372        .
```

```
  m55z_3
  first 3 days, given nothing
                    type:  numeric (byte)
                   label:  m55z_3
                   range:  [.,.]                    units:  .
            unique values:  0                      missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                     9,372        .
```

```
  m55z_4
  first 3 days, given nothing
                    type:  numeric (byte)
                   label:  m55z_4
                   range:  [.,.]                    units:  .
            unique values:  0                      missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                     9,372        .
```

```
  m55z_5
  first 3 days, given nothing
                    type:  numeric (byte)
                   label:  m55z_5
                   range:  [.,.]                    units:  .
            unique values:  0                      missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                     9,372        .
```

```
  m55z_6
  first 3 days, given nothing
                    type:  numeric (byte)
                   label:  m55z_6
                   range:  [.,.]                    units:  .
            unique values:  0                      missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                     9,372        .
```

```
  m57a_1
  antenatal care: respondent's home
                    type:  numeric (byte)
                   label:  m57a_1
                   range:  [0,1]                    units:  1
            unique values:  2                      missing .:  6,433/9,372
              tabulation:  Freq.   Numeric  Label
                     2,927        0  no
                        12        1  yes
                     6,433        .
```

```
  m57a_2
  antenatal care: respondent's home
                    type:  numeric (byte)
```

```
          label:  m57a_2
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 m57a_3
 antenatal care: respondent's home
           type:  numeric (byte)
          label:  m57a_3
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 m57a_4
 antenatal care: respondent's home
           type:  numeric (byte)
          label:  m57a_4
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 m57a_5
 antenatal care: respondent's home
           type:  numeric (byte)
          label:  m57a_5
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 m57a_6
 antenatal care: respondent's home
           type:  numeric (byte)
          label:  m57a_6
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 m57b_1
 antenatal care: other home
           type:  numeric (byte)
          label:  m57b_1
          range:  [0,0]                units:  1
  unique values:  1                   missing .:  6,433/9,372
     tabulation:  Freq.   Numeric  Label
               2,939       0  no
               6,433       .
```

```
 m57b_2
 antenatal care: other home
```

```
          type:  numeric (byte)
         label:  m57b_2
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57b_3                                                                    │
│ antenatal care: other home                                                │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m57b_3
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57b_4                                                                    │
│ antenatal care: other home                                                │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m57b_4
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57b_5                                                                    │
│ antenatal care: other home                                                │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m57b_5
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57b_6                                                                    │
│ antenatal care: other home                                                │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m57b_6
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_1                                                                    │
│ na - antenatal care: cs home                                              │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  m57c_1
         range:  [.,.]                units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_2                                                                    │
│ na - antenatal care: cs home                                              │
└─────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  m57c_2
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_3                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  m57c_3
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_4                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  m57c_4
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_5                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  m57c_5
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57c_6                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  m57c_6
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57d_1                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  m57d_1
             range:  [.,.]                    units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57d_2                                                                    │
│ na - antenatal care: cs home                                             │
└─────────────────────────────────────────────────────────────────────────┘

```
       type:  numeric (byte)
       label:  m57d_2
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m57d_3                                                         │
│ na - antenatal care: cs home                                  │
└─────────────────────────────────────────────────────────────┘
```
       type:  numeric (byte)
       label:  m57d_3
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m57d_4                                                         │
│ na - antenatal care: cs home                                  │
└─────────────────────────────────────────────────────────────┘
```
       type:  numeric (byte)
       label:  m57d_4
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m57d_5                                                         │
│ na - antenatal care: cs home                                  │
└─────────────────────────────────────────────────────────────┘
```
       type:  numeric (byte)
       label:  m57d_5
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m57d_6                                                         │
│ na - antenatal care: cs home                                  │
└─────────────────────────────────────────────────────────────┘
```
       type:  numeric (byte)
       label:  m57d_6
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ m57e_1                                                         │
│ antenatal care: government hospital (moh)                     │
└─────────────────────────────────────────────────────────────┘
```
       type:  numeric (byte)
       label:  m57e_1
       range:  [0,1]              units:  1
unique values:  2                 missing .:  6,433/9,372
    tabulation:  Freq.   Numeric  Label
            1,022        0  no
            1,917        1  yes
            6,433        .
```

```
  m57e_2
antenatal care: government hospital (moh)
            type:  numeric (byte)
           label:  m57e_2
           range:  [.,.]                 units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m57e_3
antenatal care: government hospital (moh)
            type:  numeric (byte)
           label:  m57e_3
           range:  [.,.]                 units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m57e_4
antenatal care: government hospital (moh)
            type:  numeric (byte)
           label:  m57e_4
           range:  [.,.]                 units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m57e_5
antenatal care: government hospital (moh)
            type:  numeric (byte)
           label:  m57e_5
           range:  [.,.]                 units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m57e_6
antenatal care: government hospital (moh)
            type:  numeric (byte)
           label:  m57e_6
           range:  [.,.]                 units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  m57f_1                                                              antenatal
care: militar hospital/ social security (idss)
            type:  numeric (byte)
           label:  m57f_1
           range:  [0,1]                 units:  1
    unique values:  2                missing .:  6,433/9,372
        tabulation:  Freq.  Numeric  Label
              2,906       0  no
                 33       1  yes
```

6,433          .

| m57f_2 | antenatal |
|---|---|
| care: militar hospital/ social security (idss) | |

            type:  numeric (byte)
           label:  m57f_2
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372          .

| m57f_3 | antenatal |
|---|---|
| care: militar hospital/ social security (idss) | |

            type:  numeric (byte)
           label:  m57f_3
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372          .

| m57f_4 | antenatal |
|---|---|
| care: militar hospital/ social security (idss) | |

            type:  numeric (byte)
           label:  m57f_4
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372          .

| m57f_5 | antenatal |
|---|---|
| care: militar hospital/ social security (idss) | |

            type:  numeric (byte)
           label:  m57f_5
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372          .

| m57f_6 | antenatal |
|---|---|
| care: militar hospital/ social security (idss) | |

            type:  numeric (byte)
           label:  m57f_6
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372          .

| m57g_1 | |
|---|---|
| antenatal care: other public health | |

            type:  numeric (byte)
           label:  m57g_1
           range:  [0,1]                   units:  1
   unique values:  2                     missing .:  6,433/9,372
       tabulation:  Freq.  Numeric  Label

```
                  2,889      0  no
                     50      1  yes
                  6,433         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57g_2                                                                        │
│ antenatal care: other public health                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57g_2
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57g_3                                                                        │
│ antenatal care: other public health                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57g_3
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57g_4                                                                        │
│ antenatal care: other public health                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57g_4
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57g_5                                                                        │
│ antenatal care: other public health                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57g_5
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57g_6                                                                        │
│ antenatal care: other public health                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57g_6
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57h_1                                                                        │
│ na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m57h_1
           range:  [.,.]                units:  .
```

unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57h_2
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57h_2
               range:  [.,.]                   units:  .
        unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57h_3
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57h_3
               range:  [.,.]                   units:  .
        unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57h_4
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57h_4
               range:  [.,.]                   units:  .
        unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57h_5
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57h_5
               range:  [.,.]                   units:  .
        unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57h_6
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57h_6
               range:  [.,.]                   units:  .
        unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                  9,372        .

---

 m57i_1
na - antenatal care: cs public health

                type:  numeric (byte)
               label:  m57i_1
               range:  [.,.]                   units:  .

unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57i_2                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57i_2
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57i_3                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57i_3
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57i_4                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57i_4
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57i_5                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57i_5
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57i_6                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57i_6
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                 9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_1                                                                       │
│ na - antenatal care: cs public health                                         │
└─────────────────────────────────────────────────────────────────────────────┘
                type:  numeric (byte)
               label:  m57j_1
               range:  [.,.]                 units:  .

```
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_2                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57j_2
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_3                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57j_3
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_4                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57j_4
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_5                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57j_5
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57j_6                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57j_6
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m57k_1                                                                       │
│  na - antenatal care: cs public health                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  m57k_1
                range:  [.,.]              units:  .
```

unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57k_2**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57k_2
        range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57k_3**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57k_3
        range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57k_4**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57k_4
        range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57k_5**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57k_5
        range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57k_6**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57k_6
        range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**m57l_1**
na - antenatal care: cs public health

         type:  numeric (byte)
        label:  m57l_1
        range:  [.,.]                 units:  .

unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57l_2**
na - antenatal care: cs public health

     type:  numeric (byte)
     label:  m57l_2
     range:  [.,.]      units:  .
unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57l_3**
na - antenatal care: cs public health

     type:  numeric (byte)
     label:  m57l_3
     range:  [.,.]      units:  .
unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57l_4**
na - antenatal care: cs public health

     type:  numeric (byte)
     label:  m57l_4
     range:  [.,.]      units:  .
unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57l_5**
na - antenatal care: cs public health

     type:  numeric (byte)
     label:  m57l_5
     range:  [.,.]      units:  .
unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57l_6**
na - antenatal care: cs public health

     type:  numeric (byte)
     label:  m57l_6
     range:  [.,.]      units:  .
unique values:  0      missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
      9,372    .

---

**m57m_1**
antenatal care: private hospital/clinic

     type:  numeric (byte)
     label:  m57m_1
     range:  [0,1]      units:  1

```
       unique values: 2                    missing .: 6,433/9,372
          tabulation: Freq.  Numeric  Label
                      1,984       0  no
                        955       1  yes
                      6,433        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57m_2                                                                        │
│ antenatal care: private hospital/clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
                label:  m57m_2
                range:  [.,.]                units:  .
       unique values: 0                     missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57m_3                                                                        │
│ antenatal care: private hospital/clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
                label:  m57m_3
                range:  [.,.]                units:  .
       unique values: 0                     missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57m_4                                                                        │
│ antenatal care: private hospital/clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
                label:  m57m_4
                range:  [.,.]                units:  .
       unique values: 0                     missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57m_5                                                                        │
│ antenatal care: private hospital/clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
                label:  m57m_5
                range:  [.,.]                units:  .
       unique values: 0                     missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57m_6                                                                        │
│ antenatal care: private hospital/clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
                label:  m57m_6
                range:  [.,.]                units:  .
       unique values: 0                     missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57n_1                                                                        │
│ antenatal care: profamilia clinic                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
```

```
              label:  m57n_1
              range:  [0,1]                    units:  1
      unique values:  2                   missing .:  6,433/9,372
          tabulation:  Freq.  Numeric  Label
                 2,916      0  no
                    23      1  yes
                 6,433         .
```

---

```
  m57n_2
antenatal care: profamilia clinic
               type:  numeric (byte)
              label:  m57n_2
              range:  [.,.]                    units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372         .
```

---

```
  m57n_3
antenatal care: profamilia clinic
               type:  numeric (byte)
              label:  m57n_3
              range:  [.,.]                    units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372         .
```

---

```
  m57n_4
antenatal care: profamilia clinic
               type:  numeric (byte)
              label:  m57n_4
              range:  [.,.]                    units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372         .
```

---

```
  m57n_5
antenatal care: profamilia clinic
               type:  numeric (byte)
              label:  m57n_5
              range:  [.,.]                    units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372         .
```

---

```
  m57n_6
antenatal care: profamilia clinic
               type:  numeric (byte)
              label:  m57n_6
              range:  [.,.]                    units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372         .
```

m57o_1
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_1
        range:  [0,1]                units:  1
unique values:  2                 missing .:  6,433/9,372
    tabulation:  Freq.  Numeric  Label
                2,920      0  no
                   19      1  yes
                6,433       .
```

m57o_2
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_2
        range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

m57o_3
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_3
        range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

m57o_4
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_4
        range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

m57o_5
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_5
        range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

m57o_6
antenatal care: other private medical/ ngo

```
        type:  numeric (byte)
        label:  m57o_6
        range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
```

9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_1                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_1
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_2                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_2
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_3                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_3
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_4                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_4
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_5                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_5
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  m57p_6                                                                   │
│ na - antenatal care: cs private medical                                   │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  m57p_6
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label

```
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_1                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_1
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_2                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_2
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_3                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_3
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_4                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_4
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_5                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_5
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ m57q_6                                                                │
│ na - antenatal care: cs private medical                               │
└─────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
           label:  m57q_6
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

```
           9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_1                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_1
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_2                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_2
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_3                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_3
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_4                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_4
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_5                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_5
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m57r_6                                                                        │
│ na - antenatal care: cs private medical                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  m57r_6
          range:  [.,.]               units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
```

```
                 9,372      .
```

```
  m57s_1
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_1
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
  m57s_2
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_2
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
  m57s_3
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_3
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
  m57s_4
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_4
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
  m57s_5
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_5
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
  m57s_6
  na - antenatal care: cs other
          type:  numeric (byte)
          label:  m57s_6
          range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
```

```
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_1                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_1
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_2                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_2
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_3                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_3
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_4                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_4
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_5                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_5
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m57t_6                                                                    │
│ na - antenatal care: cs other                                            │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m57t_6
              range:  [.,.]                    units:  .
      unique values:  0                         missing .: 9,372/9,372
          tabulation:  Freq.  Numeric  Label
```

9,372       .

---

**m57u_1**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_1
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .

---

**m57u_2**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_2
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .

---

**m57u_3**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_3
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .

---

**m57u_4**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_4
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .

---

**m57u_5**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_5
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .

---

**m57u_6**
na - antenatal care: cs other

        type:  numeric (byte)
        label:  m57u_6
        range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label

```
                9,372        .
```

```
  m57v_1
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_1
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
  m57v_2
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_2
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
  m57v_3
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_3
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
  m57v_4
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_4
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
  m57v_5
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_5
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
  m57v_6
  na - antenatal care: cs other
            type:  numeric (byte)
            label:  m57v_6
            range:  [.,.]                   units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
```

```
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_1                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_1
            range:  [0,1]                    units:  1
    unique values:  2                     missing .:  6,433/9,372
       tabulation:  Freq.   Numeric  Label
                    2,931       0  no
                        8       1  yes
                    6,433        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_2                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_2
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_3                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_3
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_4                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_4
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_5                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_5
            range:  [.,.]                    units:  .
    unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  m57x_6                                                                   │
│ antenatal care: other                                                     │
└─────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  m57x_6
            range:  [.,.]                    units:  .
```

```
           unique values:  0                    missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m60_1                                                                        drugs
  for intestinal parasites during pregnancy
```
```
                    type:  numeric (byte)
                   label:  m60_1
                   range:  [0,8]                 units:  1
           unique values:  3                    missing .:  6,412/9,372
              tabulation:  Freq.   Numeric  Label
                    2,564        0  no
                      360        1  yes
                       36        8  don't know
                    6,412        .
```

```
  m60_2                                                                        drugs
  for intestinal parasites during pregnancy
```
```
                    type:  numeric (byte)
                   label:  m60_2
                   range:  [.,.]                 units:  .
           unique values:  0                    missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m60_3                                                                        drugs
  for intestinal parasites during pregnancy
```
```
                    type:  numeric (byte)
                   label:  m60_3
                   range:  [.,.]                 units:  .
           unique values:  0                    missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m60_4                                                                        drugs
  for intestinal parasites during pregnancy
```
```
                    type:  numeric (byte)
                   label:  m60_4
                   range:  [.,.]                 units:  .
           unique values:  0                    missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m60_5                                                                        drugs
  for intestinal parasites during pregnancy
```
```
                    type:  numeric (byte)
                   label:  m60_5
                   range:  [.,.]                 units:  .
           unique values:  0                    missing .:  9,372/9,372
              tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m60_6                                                                        drugs
  for intestinal parasites during pregnancy
```

```
            type: numeric (byte)
           label: m60_6
           range: [.,.]                  units: .
   unique values: 0                     missing .: 9,372/9,372
      tabulation: Freq.   Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m61_1                                                                     │
│ time spent at place of delivery                                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type: numeric (int)
           label: m61_1, but 41 nonmissing values are not labeled
           range: [100,998]              units: 1
   unique values: 47                    missing .: 6,470/9,372
        examples: 203
                  .
                  .
                  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m61_2                                                                     │
│ time spent at place of delivery                                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type: numeric (byte)
           label: m61_2
           range: [.,.]                  units: .
   unique values: 0                     missing .: 9,372/9,372
      tabulation: Freq.   Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m61_3                                                                     │
│ time spent at place of delivery                                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type: numeric (byte)
           label: m61_3
           range: [.,.]                  units: .
   unique values: 0                     missing .: 9,372/9,372
      tabulation: Freq.   Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m61_4                                                                     │
│ time spent at place of delivery                                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type: numeric (byte)
           label: m61_4
           range: [.,.]                  units: .
   unique values: 0                     missing .: 9,372/9,372
      tabulation: Freq.   Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ m61_5                                                                     │
│ time spent at place of delivery                                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type: numeric (byte)
           label: m61_5
           range: [.,.]                  units: .
   unique values: 0                     missing .: 9,372/9,372
      tabulation: Freq.   Numeric  Label
                  9,372        .
```

m61_6
time spent at place of delivery

```
        type:  numeric (byte)
       label:  m61_6
       range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

m62_1
respondent's health checked before discharge

```
        type:  numeric (byte)
       label:  m62_1
       range:  [0,1]               units:  1
unique values:  2            missing .:  6,470/9,372
   tabulation:  Freq.  Numeric  Label
                155       0  no
              2,747       1  yes
              6,470        .
```

m62_2
respondent's health checked before discharge

```
        type:  numeric (byte)
       label:  m62_2
       range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

m62_3
respondent's health checked before discharge

```
        type:  numeric (byte)
       label:  m62_3
       range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

m62_4
respondent's health checked before discharge

```
        type:  numeric (byte)
       label:  m62_4
       range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

m62_5
respondent's health checked before discharge

```
        type:  numeric (byte)
       label:  m62_5
       range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
```

```
         9,372        .
```

```
  m62_6
respondent's health checked before discharge
              type:  numeric (byte)
             label:  m62_6
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
  m65a_1                                                                        na - reason
didn't deliver at health facility: cost too much
              type:  numeric (byte)
             label:  m65a_1
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
  m65a_2                                                                        na - reason
didn't deliver at health facility: cost too much
              type:  numeric (byte)
             label:  m65a_2
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
  m65a_3                                                                        na - reason
didn't deliver at health facility: cost too much
              type:  numeric (byte)
             label:  m65a_3
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
  m65a_4                                                                        na - reason
didn't deliver at health facility: cost too much
              type:  numeric (byte)
             label:  m65a_4
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
  m65a_5                                                                        na - reason
didn't deliver at health facility: cost too much
              type:  numeric (byte)
             label:  m65a_5
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
```

```
                    9,372        .
```

| m65a_6 | na - reason |
| --- | --- |
| didn't deliver at health facility: cost too much | |

```
          type:  numeric (byte)
          label:  m65a_6
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m65b_1 | na - reason |
| --- | --- |
| didn't deliver at health facility: facility not open | |

```
          type:  numeric (byte)
          label:  m65b_1
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m65b_2 | na - reason |
| --- | --- |
| didn't deliver at health facility: facility not open | |

```
          type:  numeric (byte)
          label:  m65b_2
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m65b_3 | na - reason |
| --- | --- |
| didn't deliver at health facility: facility not open | |

```
          type:  numeric (byte)
          label:  m65b_3
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m65b_4 | na - reason |
| --- | --- |
| didn't deliver at health facility: facility not open | |

```
          type:  numeric (byte)
          label:  m65b_4
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

| m65b_5 | na - reason |
| --- | --- |
| didn't deliver at health facility: facility not open | |

```
          type:  numeric (byte)
          label:  m65b_5
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

```
               9,372        .
```

<table>
<tr><td>m65b_6</td><td>na - reason</td></tr>
<tr><td colspan="2">didn't deliver at health facility: facility not open</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65b_6
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372        .
```

<table>
<tr><td>m65c_1</td><td>na - reason didn't</td></tr>
<tr><td colspan="2">deliver at health facility: too far/no transport</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65c_1
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372        .
```

<table>
<tr><td>m65c_2</td><td>na - reason didn't</td></tr>
<tr><td colspan="2">deliver at health facility: too far/no transport</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65c_2
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372        .
```

<table>
<tr><td>m65c_3</td><td>na - reason didn't</td></tr>
<tr><td colspan="2">deliver at health facility: too far/no transport</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65c_3
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372        .
```

<table>
<tr><td>m65c_4</td><td>na - reason didn't</td></tr>
<tr><td colspan="2">deliver at health facility: too far/no transport</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65c_4
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372        .
```

<table>
<tr><td>m65c_5</td><td>na - reason didn't</td></tr>
<tr><td colspan="2">deliver at health facility: too far/no transport</td></tr>
</table>

```
              type:  numeric (byte)
             label:  m65c_5
             range:  [.,.]                   units:  .
      unique values:  0                     missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
```

9,372        .

---

| m65c_6 | na - reason didn't |
|---|---|
| deliver at health facility: too far/no transport | |

        type:  numeric (byte)
       label:  m65c_6
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .

---

| m65d_1 | na - reason didn't deliver |
|---|---|
| at health facility: don't trust facility/poor service | |

        type:  numeric (byte)
       label:  m65d_1
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .

---

| m65d_2 | na - reason didn't deliver |
|---|---|
| at health facility: don't trust facility/poor service | |

        type:  numeric (byte)
       label:  m65d_2
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .

---

| m65d_3 | na - reason didn't deliver |
|---|---|
| at health facility: don't trust facility/poor service | |

        type:  numeric (byte)
       label:  m65d_3
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .

---

| m65d_4 | na - reason didn't deliver |
|---|---|
| at health facility: don't trust facility/poor service | |

        type:  numeric (byte)
       label:  m65d_4
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .

---

| m65d_5 | na - reason didn't deliver |
|---|---|
| at health facility: don't trust facility/poor service | |

        type:  numeric (byte)
       label:  m65d_5
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label

```
                          9,372      .
```

```
  m65d_6                                                    na - reason didn't deliver
  at health facility: don't trust facility/poor service
            type:  numeric (byte)
            label:  m65d_6
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372      .
```

```
  m65e_1                                                                na - reason
  didn't deliver at health facility: no female provider
            type:  numeric (byte)
            label:  m65e_1
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372      .
```

```
  m65e_2                                                                na - reason
  didn't deliver at health facility: no female provider
            type:  numeric (byte)
            label:  m65e_2
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372      .
```

```
  m65e_3                                                                na - reason
  didn't deliver at health facility: no female provider
            type:  numeric (byte)
            label:  m65e_3
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372      .
```

```
  m65e_4                                                                na - reason
  didn't deliver at health facility: no female provider
            type:  numeric (byte)
            label:  m65e_4
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372      .
```

```
  m65e_5                                                                na - reason
  didn't deliver at health facility: no female provider
            type:  numeric (byte)
            label:  m65e_5
            range:  [.,.]                 units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

```
                     9,372        .
```

| m65e_6 | na - reason |
| --- | --- |
| didn't deliver at health facility: no female provider | |

```
            type:  numeric (byte)
           label:  m65e_6
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                     9,372        .
```

| m65f_1 | na - reason didn't |
| --- | --- |
| deliver at health facility: husband/family didn't allow | |

```
            type:  numeric (byte)
           label:  m65f_1
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                     9,372        .
```

| m65f_2 | na - reason didn't |
| --- | --- |
| deliver at health facility: husband/family didn't allow | |

```
            type:  numeric (byte)
           label:  m65f_2
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                     9,372        .
```

| m65f_3 | na - reason didn't |
| --- | --- |
| deliver at health facility: husband/family didn't allow | |

```
            type:  numeric (byte)
           label:  m65f_3
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                     9,372        .
```

| m65f_4 | na - reason didn't |
| --- | --- |
| deliver at health facility: husband/family didn't allow | |

```
            type:  numeric (byte)
           label:  m65f_4
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                     9,372        .
```

| m65f_5 | na - reason didn't |
| --- | --- |
| deliver at health facility: husband/family didn't allow | |

```
            type:  numeric (byte)
           label:  m65f_5
           range:  [.,.]                 units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

9,372        .

<table>
<tr><td>m65f_6</td><td>na - reason didn't</td></tr>
</table>

deliver at health facility: husband/family didn't allow

      type:  numeric (byte)
      label:  m65f_6
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
        9,372        .

<table>
<tr><td>m65g_1</td><td>na - reason</td></tr>
</table>

didn't deliver at health facility: not necessary

      type:  numeric (byte)
      label:  m65g_1
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
        9,372        .

<table>
<tr><td>m65g_2</td><td>na - reason</td></tr>
</table>

didn't deliver at health facility: not necessary

      type:  numeric (byte)
      label:  m65g_2
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
        9,372        .

<table>
<tr><td>m65g_3</td><td>na - reason</td></tr>
</table>

didn't deliver at health facility: not necessary

      type:  numeric (byte)
      label:  m65g_3
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
        9,372        .

<table>
<tr><td>m65g_4</td><td>na - reason</td></tr>
</table>

didn't deliver at health facility: not necessary

      type:  numeric (byte)
      label:  m65g_4
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
        9,372        .

<table>
<tr><td>m65g_5</td><td>na - reason</td></tr>
</table>

didn't deliver at health facility: not necessary

      type:  numeric (byte)
      label:  m65g_5
      range:  [.,.]        units:  .
   unique values:  0        missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label

9,372        .

| m65g_6 | na - reason |
| --- | --- |
| didn't deliver at health facility: not necessary | |

          type:  numeric (byte)
          label:  m65g_6
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

| m65h_1 | na - reason |
| --- | --- |
| didn't deliver at health facility: not customary | |

          type:  numeric (byte)
          label:  m65h_1
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

| m65h_2 | na - reason |
| --- | --- |
| didn't deliver at health facility: not customary | |

          type:  numeric (byte)
          label:  m65h_2
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

| m65h_3 | na - reason |
| --- | --- |
| didn't deliver at health facility: not customary | |

          type:  numeric (byte)
          label:  m65h_3
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

| m65h_4 | na - reason |
| --- | --- |
| didn't deliver at health facility: not customary | |

          type:  numeric (byte)
          label:  m65h_4
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

| m65h_5 | na - reason |
| --- | --- |
| didn't deliver at health facility: not customary | |

          type:  numeric (byte)
          label:  m65h_5
          range:  [.,.]                    units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label

```
                9,372        .
```

| m65h_6 | na - reason |
|--------|-------------|
| didn't deliver at health facility: not customary | |

```
          type:  numeric (byte)
         label:  m65h_6
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

| m65i_1 | na - |
|--------|------|
| reason didn't deliver at health facility: cs | |

```
          type:  numeric (byte)
         label:  m65i_1
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

| m65i_2 | na - |
|--------|------|
| reason didn't deliver at health facility: cs | |

```
          type:  numeric (byte)
         label:  m65i_2
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

| m65i_3 | na - |
|--------|------|
| reason didn't deliver at health facility: cs | |

```
          type:  numeric (byte)
         label:  m65i_3
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

| m65i_4 | na - |
|--------|------|
| reason didn't deliver at health facility: cs | |

```
          type:  numeric (byte)
         label:  m65i_4
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .
```

| m65i_5 | na - |
|--------|------|
| reason didn't deliver at health facility: cs | |

```
          type:  numeric (byte)
         label:  m65i_5
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
```

```
          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65i_6                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65i_6
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65j_1                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65j_1
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65j_2                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65j_2
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65j_3                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65j_3
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65j_4                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65j_4
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  m65j_5                                                                na -   │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  m65j_5
           range:  [.,.]                 units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

```
          9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65j_6                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65j_6
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_1                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65k_1
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_2                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65k_2
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_3                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65k_3
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_4                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65k_4
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_5                                                                   na - │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  m65k_5
            range:  [.,.]                   units:  .
     unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
```

```
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65k_6                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65k_6
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65l_1                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65l_1
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65l_2                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65l_2
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65l_3                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65l_3
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65l_4                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65l_4
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                        9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ m65l_5                                                                  na -  │
│ reason didn't deliver at health facility: cs                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  m65l_5
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
```

9,372        .

```
  m65l_6                                                                    na -
reason didn't deliver at health facility: cs
            type:  numeric (byte)
            label:  m65l_6
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
  m65x_1                                                                    na -
reason didn't deliver at health facility: other
            type:  numeric (byte)
            label:  m65x_1
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
  m65x_2                                                                    na -
reason didn't deliver at health facility: other
            type:  numeric (byte)
            label:  m65x_2
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
  m65x_3                                                                    na -
reason didn't deliver at health facility: other
            type:  numeric (byte)
            label:  m65x_3
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
  m65x_4                                                                    na -
reason didn't deliver at health facility: other
            type:  numeric (byte)
            label:  m65x_4
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
  m65x_5                                                                    na -
reason didn't deliver at health facility: other
            type:  numeric (byte)
            label:  m65x_5
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
```

```
                9,372        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m65x_6                                                                    na -     │
│ reason didn't deliver at health facility: other                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m65x_6
           range:  [.,.]                 units:  .
      unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m66_1                                                                 respondent's │
│ health checked after discharge/delivery at home                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m66_1
           range:  [0,1]                 units:  1
      unique values:  2                  missing .:  9,157/9,372
        tabulation:  Freq.  Numeric  Label
                 140       0   no
                  75       1   yes
                9,157        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m66_2                                                                 respondent's │
│ health checked after discharge/delivery at home                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m66_2
           range:  [.,.]                 units:  .
      unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m66_3                                                                 respondent's │
│ health checked after discharge/delivery at home                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m66_3
           range:  [.,.]                 units:  .
      unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m66_4                                                                 respondent's │
│ health checked after discharge/delivery at home                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m66_4
           range:  [.,.]                 units:  .
      unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .


┌──────────────────────────────────────────────────────────────────────────────────┐
│  m66_5                                                                 respondent's │
│ health checked after discharge/delivery at home                                    │
└──────────────────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
           label:  m66_5
           range:  [.,.]                 units:  .
```

```
        unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m66_6                                                    respondent's
  health checked after discharge/delivery at home
                type:  numeric (byte)
               label:  m66_6
               range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m70_1
  baby postnatal check within 2 months
                type:  numeric (byte)
               label:  m70_1
               range:  [0,8]              units:  1
        unique values:  3              missing .:  6,409/9,372
          tabulation:  Freq.  Numeric  Label
                  148      0  no
                2,809      1  yes
                    6      8  don't know
                6,409         .
```

```
  m70_2
  baby postnatal check within 2 months
                type:  numeric (byte)
               label:  m70_2
               range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m70_3
  baby postnatal check within 2 months
                type:  numeric (byte)
               label:  m70_3
               range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m70_4
  baby postnatal check within 2 months
                type:  numeric (byte)
               label:  m70_4
               range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
  m70_5
  baby postnatal check within 2 months
```

```
            type:  numeric (byte)
           label:  m70_5
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m70_6
  baby postnatal check within 2 months
            type:  numeric (byte)
           label:  m70_6
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m71_1                                                                        time
  after delivery postnatal check took place
            type:  numeric (int)
           label:  m71_1, but 50 nonmissing values are not labeled
           range:  [100,998]              units:  1
    unique values:  55                     missing .:  6,564/9,372
        examples:  104
                      .
                      .
                      .
```

```
  m71_2                                                                        time
  after delivery postnatal check took place
            type:  numeric (byte)
           label:  m71_2
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m71_3                                                                        time
  after delivery postnatal check took place
            type:  numeric (byte)
           label:  m71_3
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  m71_4                                                                        time
  after delivery postnatal check took place
            type:  numeric (byte)
           label:  m71_4
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
m71_5                                                                      time
after delivery postnatal check took place
           type:  numeric (byte)
           label:  m71_5
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
m71_6                                                                      time
after delivery postnatal check took place
           type:  numeric (byte)
           label:  m71_6
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
m72_1
person who performed postnatal checkup
           type:  numeric (byte)
           label:  m72_1
           range:  [11,96]                  units:  1
   unique values:  6                       missing .:  6,566/9,372
        tabulation:  Freq.   Numeric  Label
                 102      11  general doctor
               2,560      12  pediatriacian
                  32      13  doctor other specialty
                  68      14  doctor don't know specialty
                  39      15  nurse
                   5      96  other
               6,566        .
```

```
m72_2
person who performed postnatal checkup
           type:  numeric (byte)
           label:  m72_2
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
m72_3
person who performed postnatal checkup
           type:  numeric (byte)
           label:  m72_3
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
m72_4
person who performed postnatal checkup
           type:  numeric (byte)
```

```
          label: m72_4
          range: [.,.]                  units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                 9,372       .
```

```
 m72_5
person who performed postnatal checkup
          type:  numeric (byte)
          label: m72_5
          range: [.,.]                  units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                 9,372       .
```

```
 m72_6
person who performed postnatal checkup
          type:  numeric (byte)
          label: m72_6
          range: [.,.]                  units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                 9,372       .
```

```
 m73_1
place baby was first checked
          type:  numeric (byte)
          label: m73_1
          range: [11,96]                units: 1
  unique values: 9                  missing .: 6,569/9,372
     tabulation: Freq.  Numeric  Label
                     7      11  respondent's home
                     1      12  other home
                 1,877      21  government hospital (moh)
                    38      22  military hospital / social
                               security (idss)
                    11      23  other public sector
                   837      31  private hospital/clinic
                    14      32  profamilia clinic
                    13      36  other private sector
                     5      96  other
                 6,569       .
```

```
 m73_2
place baby was first checked
          type:  numeric (byte)
          label: m73_2
          range: [.,.]                  units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
                 9,372       .
```

```
 m73_3
place baby was first checked
```

```
         type:  numeric (byte)
         label:  m73_3
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 m73_4
 place baby was first checked
         type:  numeric (byte)
         label:  m73_4
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 m73_5
 place baby was first checked
         type:  numeric (byte)
         label:  m73_5
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 m73_6
 place baby was first checked
         type:  numeric (byte)
         label:  m73_6
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 v401
 last birth a caesarean section
         type:  numeric (byte)
         label:  v401
         range:  [0,1]                 units:  1
 unique values:  2                    missing .:  6,409/9,372
     tabulation:  Freq.  Numeric  Label
              1,286        0  no
              1,677        1  yes
              6,409        .
```

```
 v404
 currently breastfeeding
         type:  numeric (byte)
         label:  v404
         range:  [0,1]                 units:  1
 unique values:  2                    missing .:  0/9,372
     tabulation:  Freq.  Numeric  Label
              8,681        0  no
                691        1  yes
```

v405
currently amenorrheic
         type: numeric (byte)
         label: v405
         range: [0,1]                units: 1
    unique values: 2               missing .: 0/9,372
       tabulation: Freq.  Numeric  Label
           9,143      0  no
             229      1  yes

v406
currently abstaining
         type: numeric (byte)
         label: v406
         range: [0,1]                units: 1
    unique values: 2               missing .: 0/9,372
       tabulation: Freq.  Numeric  Label
           9,161      0  no
             211      1  yes

v407                                                                    na -
number of times breastfed during night
         type: numeric (byte)
         label: v407
         range: [.,.]                units: .
    unique values: 0               missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
           9,372       .

v408                                                                    na
- number of times breastfed during day
         type: numeric (byte)
         label: v408
         range: [.,.]                units: .
    unique values: 0               missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
           9,372       .

v409
gave child plain water
         type: numeric (byte)
         label: v409
         range: [0,8]                units: 1
    unique values: 3               missing .: 8,019/9,372
       tabulation: Freq.  Numeric  Label
              94      0  no
           1,254      1  yes
               5      8  don't know
           8,019       .

v409a
na - gave child sugar water
         type: numeric (byte)

```
        label:  v409a
        range:  [.,.]                units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
 v410
gave child juice
         type:  numeric (byte)
        label:  v410
        range:  [0,8]                units:  1
unique values:  3               missing .:  8,019/9,372
   tabulation:  Freq.  Numeric  Label
                  561      0  no
                  786      1  yes
                    6      8  don't know
                8,019        .
```

```
 v410a
na - gave child tea or coffee
         type:  numeric (byte)
        label:  v410a
        range:  [.,.]                units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
 v411
gave child tinned, powdered or fresh milk
         type:  numeric (byte)
        label:  v411
        range:  [0,8]                units:  1
unique values:  3               missing .:  8,019/9,372
   tabulation:  Freq.  Numeric  Label
                  403      0  no
                  944      1  yes
                    6      8  don't know
                8,019        .
```

```
 v411a
gave child baby formula
         type:  numeric (byte)
        label:  v411a
        range:  [0,8]                units:  1
unique values:  3               missing .:  8,024/9,372
   tabulation:  Freq.  Numeric  Label
                1,174      0  no
                  168      1  yes
                    6      8  don't know
                8,024        .
```

```
 v412
na - gave child fresh milk
         type:  numeric (byte)
```

```
        label: v412
        range: [.,.]                 units: .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v412a                                                                    gave │
│ child fortified baby food (cerelac, etc)                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v412a
         range:  [0,8]                units:  1
  unique values: 3                 missing .: 8,019/9,372
     tabulation: Freq.  Numeric  Label
              1,101      0  no
                246      1  yes
                  6      8  don't know
              8,019         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v412b                                                                         │
│ na - gave child other porridge/gruel                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v412b
         range:  [.,.]                units:  .
  unique values: 0                 missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v412c                                                                         │
│ gave child soup/clear broth                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v412c
         range:  [0,8]                units:  1
  unique values: 3                 missing .: 8,020/9,372
     tabulation: Freq.  Numeric  Label
                941      0  no
                403      1  yes
                  8      8  don't know
              8,020         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v413                                                                          │
│ gave child other liquid                                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v413
         range:  [0,8]                units:  1
  unique values: 3                 missing .: 8,019/9,372
     tabulation: Freq.  Numeric  Label
                965      0  no
                382      1  yes
                  6      8  don't know
              8,019         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v413a                                                                         │
│ na - gave child cs liquid                                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
```

label: v413a
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v413b
na - gave child cs liquid

type:  numeric (byte)
label:  v413b
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v413c
na - gave child cs liquid

type:  numeric (byte)
label:  v413c
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v413d
na - gave child cs liquid

type:  numeric (byte)
label:  v413d
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v414a
na - gave child cs foods

type:  numeric (byte)
label:  v414a
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v414b
na - gave child cs foods

type:  numeric (byte)
label:  v414b
range: [.,.]                    units: .
unique values: 0                missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
         9,372        .

---

v414c
na - gave child cs foods

type:  numeric (byte)

```
            label: v414c
            range: [.,.]                    units: .
    unique values: 0                      missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
                   9,372      .
```

```
 v414d
 na - gave child cs foods
             type: numeric (byte)
            label: v414d
            range: [.,.]                    units: .
    unique values: 0                      missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
                   9,372      .
```

```
 v414e                                                                        gave
 child bread, noodles, other made from grains
             type: numeric (byte)
            label: v414e
            range: [0,8]                    units: 1
    unique values: 3                      missing .: 8,019/9,372
       tabulation: Freq.  Numeric  Label
                     525      0  no
                     822      1  yes
                       6      8  don't know
                   8,019      .
```

```
 v414f                                                                        gave
 child potatoes, cassava, or other tubers
             type: numeric (byte)
            label: v414f
            range: [0,8]                    units: 1
    unique values: 3                      missing .: 8,019/9,372
       tabulation: Freq.  Numeric  Label
                     824      0  no
                     522      1  yes
                       7      8  don't know
                   8,019      .
```

```
 v414g
 gave child eggs
             type: numeric (byte)
            label: v414g
            range: [0,8]                    units: 1
    unique values: 3                      missing .: 8,019/9,372
       tabulation: Freq.  Numeric  Label
                     999      0  no
                     346      1  yes
                       8      8  don't know
                   8,019      .
```

```
 v414h                                                                        gave
 child meat (beef, pork, lamb, chicken, etc)
             type: numeric (byte)
```

```
         label: v414h
         range:  [0,8]              units:  1
   unique values:  3               missing .:  8,019/9,372
      tabulation:  Freq.  Numeric  Label
               862      0  no
               484      1  yes
                 7      8  don't know
             8,019         .
```

| v414i | gave child |
|---|---|
| pumpkin, carrots, squash (yellow or orange inside) | |

```
          type:  numeric (byte)
         label:  v414i
         range:  [0,8]              units:  1
   unique values:  3               missing .:  8,020/9,372
      tabulation:  Freq.  Numeric  Label
             1,065      0  no
               281      1  yes
                 6      8  don't know
             8,020         .
```

| v414j |
|---|
| gave child any dark green leafy vegetables |

```
          type:  numeric (byte)
         label:  v414j
         range:  [0,8]              units:  1
   unique values:  3               missing .:  8,020/9,372
      tabulation:  Freq.  Numeric  Label
             1,311      0  no
                34      1  yes
                 7      8  don't know
             8,020         .
```

| v414k | gave |
|---|---|
| child mangoes, papayas, other vitamin a fruits | |

```
          type:  numeric (byte)
         label:  v414k
         range:  [0,8]              units:  1
   unique values:  3               missing .:  8,020/9,372
      tabulation:  Freq.  Numeric  Label
             1,075      0  no
               269      1  yes
                 8      8  don't know
             8,020         .
```

| v414l |
|---|
| gave child any other fruits |

```
          type:  numeric (byte)
         label:  v414l
         range:  [0,8]              units:  1
   unique values:  3               missing .:  8,020/9,372
      tabulation:  Freq.  Numeric  Label
               973      0  no
               373      1  yes
```

```
              6      8  don't know
          8,020       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v414m                                                                         │
│ gave child liver, heart, other organs                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v414m
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  8,020/9,372
         tabulation:  Freq.  Numeric  Label
              1,285       0  no
                 61       1  yes
                  6       8  don't know
              8,020       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v414n                                                                         │
│ gave child fish or shellfish                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v414n
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  8,020/9,372
         tabulation:  Freq.  Numeric  Label
              1,281       0  no
                 64       1  yes
                  7       8  don't know
              8,020       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v414o                                                                    gave │
│ child food made from beans, peas, lentils, nuts                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v414o
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  8,019/9,372
         tabulation:  Freq.  Numeric  Label
                764       0  no
                581       1  yes
                  8       8  don't know
              8,019       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v414p                                                                    gave │
│ child cheese, yogurt, other milk products                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v414p
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  8,020/9,372
         tabulation:  Freq.  Numeric  Label
              1,208       0  no
                138       1  yes
                  6       8  don't know
              8,020       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v414q                                                              na - gave  │
│ child oil, fats, butter, products made of them                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
```

```
          label:  v414q
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 v414r                                                                          na - gave
 child chocolates, sweets, candies, pastries, etc
          type:  numeric (byte)
          label:  v414r
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 v414s
 gave child other solid-semisolid food
          type:  numeric (byte)
          label:  v414s
          range:  [0,8]                units:  1
  unique values:  3                   missing .:  8,020/9,372
     tabulation:  Freq.  Numeric  Label
               1,141       0  no
                 204       1  yes
                   7       8  don't know
               8,020        .
```

```
 v414t
 na - gave child cs foods
          type:  numeric (byte)
          label:  v414t
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 v414u
 na - gave child cs foods
          type:  numeric (byte)
          label:  v414u
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
 v414v
 gave child yogurt
          type:  numeric (byte)
          label:  v414v
          range:  [0,8]                units:  1
  unique values:  3                   missing .:  8,019/9,372
     tabulation:  Freq.  Numeric  Label
               1,279       0  no
                  69       1  yes
```

```
                     5      8  don't know
              8,019        .
```

---

**v414w**
na - gave child cs foods

```
        type:  numeric (byte)
       label:  v414w
       range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**v415**                                                                    drank
from bottle with nipple yesterday/last night

```
        type:  numeric (byte)
       label:  v415
       range:  [0,8]                units:  1
unique values:  3              missing .:  6,481/9,372
   tabulation:  Freq.  Numeric  Label
                708      0  no
              2,153      1  yes
                 30      8  don't know
              6,481        .
```

---

**v416**
heard of oral rehydration

```
        type:  numeric (byte)
       label:  v416
       range:  [0,2]                units:  1
unique values:  3              missing .:  15/9,372
   tabulation:  Freq.  Numeric  Label
              1,069      0  never heard of
                281      1  used ors
              8,007      2  heard of ors
                 15        .
```

---

**v417**
entries in maternity table

```
        type:  numeric (byte)
       range:  [0,4]                units:  1
unique values:  5              missing .:  0/9,372
   tabulation:  Freq.  Value
              6,409  0
              2,283  1
                613  2
                 63  3
                  4  4
```

---

**v418**
entries in health table

```
        type:  numeric (byte)
       range:  [0,4]                units:  1
unique values:  5              missing .:  0/9,372
   tabulation:  Freq.  Value
```

```
                6,409  0
                2,283  1
                  613  2
                   63  3
                    4  4
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v419                                                                          │
│ entries in height/weight table                                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               range:  [0,4]              units:  1
       unique values:  5                missing .:  0/9,372
          tabulation:  Freq.  Value
                6,409  0
                2,283  1
                  613  2
                   63  3
                    4  4
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v420                                                                          │
│ na - measurer's code                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               range:  [.,.]              units:  .
       unique values:  0                missing .:  9,372/9,372
          tabulation:  Freq.  Value
                9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v421                                                                          │
│ na - assistant measurer's code                                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               range:  [.,.]              units:  .
       unique values:  0                missing .:  9,372/9,372
          tabulation:  Freq.  Value
                9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v426                                                                          │
│ when child put to breast                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (int)
               label:  v426, but 30 nonmissing values are not labeled
               range:  [0,299]            units:  1
       unique values:  35               missing .:  6,707/9,372
            examples:  103
                         .
                         .
                         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v437                                                                          │
│ respondent's weight in kilograms (1 decimal)                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (int)
               label:  v437, but 786 nonmissing values are not labeled
               range:  [290,9996]         units:  1
       unique values:  789              missing .:  21/9,372
            examples:  528
                       600
                       673
```

776

---

**v438**

respondent's height in centimeters (1 decimal)

```
        type:  numeric (int)
       label:  v438, but 407 nonmissing values are not labeled
       range:  [1057,9996]          units:  1
unique values:  410                missing .:  24/9,372
    examples:  1534
               1571
               1603
               1643
```

---

**v439**

height/age percentile

```
        type:  numeric (int)
       label:  v439, but 1230 nonmissing values are not labeled
       range:  [0,9998]             units:  1
unique values:  1,231              missing .:  191/9,372
    examples:  454
               1413
               2953
               5462
```

---

**v440**

height/age standard deviation

```
        type:  numeric (int)
       label:  v440, but 549 nonmissing values are not labeled
       range:  [-510,9998]          units:  1
unique values:  550                missing .:  191/9,372
    examples:  -169
               -107
               -54
               12
```

---

**v441**

height/age percent ref. median

```
        type:  numeric (long)
       label:  v441, but 996 nonmissing values are not labeled
       range:  [8143,99998]         units:  1
unique values:  997                missing .:  191/9,372
    examples:  9377
               9602
               9798
               10042
```

---

**v442**

weight/height percent ref. median (dhs)

```
        type:  numeric (long)
       label:  v442, but 5306 nonmissing values are not labeled
       range:  [5670,99998]         units:  1
unique values:  5,307              missing .:  191/9,372
    examples:  8941
               9974
```

```
                      11042
                      12612


  v443
  weight/height percent ref. median (fog)

              type:  numeric (long)
              label:  v443, but 5761 nonmissing values are not labeled
              range:  [6203,99998]            units:  1
       unique values:  5,762           missing .:  191/9,372
          examples:  10117
                      11471
                      12889
                      14760


  v444
  weight/height percent ref. median (who)

              type:  numeric (long)
              label:  v444, but 6012 nonmissing values are not labeled
              range:  [5504,99998]            units:  1
       unique values:  6,013           missing .:  191/9,372
          examples:  11031
                      12556
                      14163
                      16301


  v444a
  weight/height standard deviation (dhs)

              type:  numeric (int)
              label:  v444a, but 733 nonmissing values are not labeled
              range:  [-389,9998]             units:  1
       unique values:  734             missing .:  191/9,372
          examples:  -77
                       -2
                       68
                      159


  v445
  body mass index

              type:  numeric (int)
              label:  v445, but 2290 nonmissing values are not labeled
              range:  [1296,9998]             units:  1
       unique values:  2,291           missing .:  191/9,372
          examples:  2104
                      2390
                      2682
                      3075


  v446
  rohrer's index

              type:  numeric (int)
              label:  v446, but 1657 nonmissing values are not labeled
              range:  [659,9998]              units:  1
       unique values:  1,658           missing .:  191/9,372
          examples:  1321
```

```
                    1505
                    1697
                    1952
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v447                                                                          │
│ result of measurement - height/weight                                         │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v447
           range:  [0,6]                 units:  1
   unique values:  4                    missing .:  26/9,372
       tabulation:  Freq.   Numeric  Label
                    9,179      0  measured
                      103      3  not present
                       38      4  refused
                       26      6  other
                       26      .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v447a                                                               women's   │
│ age in years (from household questionnaire)                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           range:  [15,49]               units:  1
   unique values:  35                   missing .:  0/9,372
            mean:  29.8348
        std. dev:  10.1047
      percentiles:    10%     25%     50%     75%     90%
                       17      21      29      38      45
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v452a                                                                 na -    │
│ under age 18 (from household questionnaire)                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v452a
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v452b                                                                         │
│ na - line number of parent/caretaker                                          │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v452b
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v452c                                                                         │
│ na - read consent statement - hemoglobin                                      │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v452c
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

v453                                                                                                        na
- hemoglobin level (g/dl - 1 decimal)

            type: numeric (byte)
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Value
                9,372  .


v454                                                                                                      na -
currently pregnant (from household questionnaire)

            type: numeric (byte)
            label: v454
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372       .


v455
na - result of measurement - hemoglobin

            type: numeric (byte)
            label: v455
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372       .


v456                                                                                      na - hemoglobin level
adjusted for altitude and smoking (g/dl - 1 decimal)

            type: numeric (byte)
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Value
                9,372  .


v457
na - anemia level

            type: numeric (byte)
            label: v457
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372       .


v458
na - agrees to referral - anemia

            type: numeric (byte)
            label: v458
            range: [.,.]                    units: .
    unique values: 0                   missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372       .


v459                                                                                      na - have mosquito
bed net for sleeping (from household questionnaire)

```
        type:  numeric (byte)
        label:  v459
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────────────┐
│ v460                                                         na - children under 5 slept  │
│ under mosquito bed net last night (household questio                                      │
└─────────────────────────────────────────────────────────────────────────────────────────┘
        type:  numeric (byte)
        label:  v460
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────────────┐
│ v461                                                                               na -   │
│ respondent slept under mosquito bed net                                                   │
└─────────────────────────────────────────────────────────────────────────────────────────┘
        type:  numeric (byte)
        label:  v461
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────────────┐
│ v462                                                                               na -   │
│ washed hands before preparing last meal                                                   │
└─────────────────────────────────────────────────────────────────────────────────────────┘
        type:  numeric (byte)
        label:  v462
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────────────┐
│ v463a                                                                                     │
│ smokes cigarettes                                                                         │
└─────────────────────────────────────────────────────────────────────────────────────────┘
        type:  numeric (byte)
        label:  v463a
        range:  [0,1]                 units:  1
unique values:  2                 missing .:  3/9,372
   tabulation:  Freq.  Numeric  Label
            9,003       0  no
              366       1  yes
                3       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────────────┐
│ v463b                                                                                     │
│ smokes pipe                                                                               │
└─────────────────────────────────────────────────────────────────────────────────────────┘
        type:  numeric (byte)
        label:  v463b
        range:  [0,1]                 units:  1
unique values:  2                 missing .:  5/9,372
   tabulation:  Freq.  Numeric  Label
            9,357       0  no
               10       1  yes
```

```
                  5        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463c                                                                         │
│ uses chewing tobacco                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v463c
         range:  [0,1]                 units:  1
  unique values:  2                 missing .:  5/9,372
     tabulation:  Freq.  Numeric  Label
               9,365      0  no
                   2      1  yes
                   5         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463d                                                                         │
│ na - uses snuff                                                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v463d
         range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463e                                                                         │
│ smokes cigars                                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v463e
         range:  [0,1]                 units:  1
  unique values:  2                 missing .:  5/9,372
     tabulation:  Freq.  Numeric  Label
               9,329      0  no
                  38      1  yes
                   5         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463f                                                                         │
│ na - smokes country specific                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v463f
         range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463g                                                                         │
│ na - smokes country specific                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v463g
         range:  [.,.]                 units:  .
  unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v463x                                                                         │
│ smokes other                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
```

label: v463x
range: [0,1]             units: 1
unique values: 2         missing .: 5/9,372
tabulation: Freq.  Numeric  Label
        9,338      0  no
           29      1  yes
            5        .

v463z
does not use tobacco
        type:  numeric (byte)
        label:  v463z
        range:  [0,1]             units:  1
unique values: 2         missing .: 0/9,372
tabulation: Freq.  Numeric  Label
          424      0  no
        8,948      1  yes, smokes nothing

v464
number of cigarettes in last 24 hours
        type:  numeric (byte)
        label:  v464, but 22 nonmissing values are not labeled
        range:  [0,45]            units:  1
unique values: 22        missing .: 9,015/9,372
    examples:  .
               .
               .
               .

v465                                                                 disposal of
youngest child's stools when not using toilet
        type:  numeric (byte)
        label:  v465
        range:  [1,96]            units:  1
unique values: 7         missing .: 6,593/9,372
tabulation: Freq.  Numeric  Label
        1,025      1  used toilet/latrine
          576      2  put/rinsed in toilet/latrine
           27      3  put/rinsed into drain or ditch
        1,110      4  throw into garbage
            3      5  buried
           28      9  left in the open/not disposed of
           10     96  other
        6,593        .

v466                                                                 na - when child is
seriously ill, can decide whether medical treatment sought
        type:  numeric (byte)
        label:  v466
        range:  [.,.]             units:  .
unique values: 0         missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
        9,372        .

| v467a | na - |
|---|---|
| getting medical help for self: know where to go | |

```
        type:  numeric (byte)
       label:  v467a
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

| v467b | getting |
|---|---|
| medical help for self: getting permission to go | |

```
        type:  numeric (byte)
       label:  v467b
       range:  [1,2]              units:  1
unique values:  2               missing .:  2/9,372
   tabulation:  Freq.  Numeric  Label
                 640        1  big problem
               8,730        2  not a big problem
                   2        .
```

| v467c | getting medical |
|---|---|
| help for self: getting money needed for treatment | |

```
        type:  numeric (byte)
       label:  v467c
       range:  [1,2]              units:  1
unique values:  2               missing .:  2/9,372
   tabulation:  Freq.  Numeric  Label
               3,704        1  big problem
               5,666        2  not a big problem
                   2        .
```

| v467d | getting |
|---|---|
| medical help for self: distance to health facility | |

```
        type:  numeric (byte)
       label:  v467d
       range:  [1,2]              units:  1
unique values:  2               missing .:  3/9,372
   tabulation:  Freq.  Numeric  Label
               2,148        1  big problem
               7,221        2  not a big problem
                   3        .
```

| v467e | na - getting |
|---|---|
| medical help for self: having to take transport | |

```
        type:  numeric (byte)
       label:  v467e
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

| v467f | getting |
|---|---|
| medical help for self: not wanting to go alone | |

```
        type:  numeric (byte)
```

```
            label:  v467f
            range:  [1,2]                  units:  1
    unique values:  2                    missing .:  5/9,372
       tabulation:  Freq.  Numeric  Label
              1,480      1  big problem
              7,887      2  not a big problem
                  5      .
```

```
  v467g                                                     na - getting medical
  help for self: concern no female health provider
              type:  numeric (byte)
             label:  v467g
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v467h                                                          na - getting
  medical help for self: concern no provider
              type:  numeric (byte)
             label:  v467h
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v467i                                                          na - getting
  medical help for self: concern no drugs available
              type:  numeric (byte)
             label:  v467i
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v467j
  na - getting medical help for self: cs
              type:  numeric (byte)
             label:  v467j
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v467k
  na - getting medical help for self: cs
              type:  numeric (byte)
             label:  v467k
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v467l
na - getting medical help for self: cs
          type:  numeric (byte)
          label:  v467l
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
  v467m
na - getting medical help for self: cs
          type:  numeric (byte)
          label:  v467m
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
  v468
record for last birth
          type:  numeric (byte)
          label:  v468
          range:  [1,1]                    units:  1
    unique values:  1                    missing .:  0/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        1  last birth only
```

```
  v469e
times gave child powdered/tinned/fresh milk
          type:  numeric (byte)
          label:  v469e, but 6 nonmissing values are not labeled
          range:  [1,8]                    units:  1
    unique values:  8                    missing .:  8,437/9,372
       tabulation:  Freq.  Numeric  Label
                56        1
               149        2
               197        3
               201        4
               120        5
                71        6
                16        8  dk
             8,437        .
```

```
  v469f
times gave child infant formula
          type:  numeric (byte)
          label:  v469f, but 6 nonmissing values are not labeled
          range:  [1,8]                    units:  1
    unique values:  8                    missing .:  9,207/9,372
       tabulation:  Freq.  Numeric  Label
                12        1
                30        2
                33        3
                33        4
```

```
                 16       5
                 14       6
                  2       8  dk
              9,207       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v469x                                                                    │
│ times gave child yogurt                                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v469x, but 4 nonmissing values are not labeled
         range:  [1,4]                 units:  1
 unique values:  4                    missing .:  9,309/9,372
     tabulation:  Freq.  Numeric  Label
                    46       1
                    13       2
                     3       3
                     1       4
                 9,309       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v471a                                                              na -   │
│ mother had tinned, powdered or fresh milk                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v471a
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v471b                                                                    │
│ na - mother had tea or coffee                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v471b
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v471c                                                                    │
│ na - mother had any other liquid                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v471c
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  v471d                                                                    │
│ na - mother had cs liquid                                                 │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  v471d
         range:  [.,.]                 units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
v471e
na - mother had cs liquid
            type:  numeric (byte)
           label:  v471e
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
v471f
na - mother had cs liquid
            type:  numeric (byte)
           label:  v471f
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
v471g
na - mother had cs liquid
            type:  numeric (byte)
           label:  v471g
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
v472a
na - mother had cs foods
            type:  numeric (byte)
           label:  v472a
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
v472b
na - mother had cs foods
            type:  numeric (byte)
           label:  v472b
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
v472c
na - mother had cs foods
            type:  numeric (byte)
           label:  v472c
           range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372        .
```

v472d
na - mother had cs foods

        type:  numeric (byte)
        label:  v472d
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

v472e                                      na -
mother had bread, noodles, other made from grains

        type:  numeric (byte)
        label:  v472e
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

v472f                                      na -
mother had potatoes, cassava, or other tubers

        type:  numeric (byte)
        label:  v472f
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

v472g
na - mother had eggs

        type:  numeric (byte)
        label:  v472g
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

v472h                                      na -
mother had meat (beef, pork, lamb, chicken, etc)

        type:  numeric (byte)
        label:  v472h
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

v472i                              na - mother had
pumpkin, carrots, squash (yellow or orange inside)

        type:  numeric (byte)
        label:  v472i
        range:  [.,.]             units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

| v472j | na - |
|---|---|

mother had any dark green leafy vegetables

```
      type:  numeric (byte)
     label:  v472j
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472k | na - mother |
|---|---|

had mangoes, papayas, other vitamin a fruits

```
      type:  numeric (byte)
     label:  v472k
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472l |
|---|

na - mother had any other fruits

```
      type:  numeric (byte)
     label:  v472l
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472m | na |
|---|---|

- mother had liver, heart, other organs

```
      type:  numeric (byte)
     label:  v472m
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472n |
|---|

na - mother had fish or shellfish

```
      type:  numeric (byte)
     label:  v472n
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472o | na - mother |
|---|---|

had food made from beans, peas, lentils, nuts

```
      type:  numeric (byte)
     label:  v472o
     range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372        .
```

| v472p | na - |
|---|---|
| mother had cheese, yogurt, other milk products | |

```
        type:  numeric (byte)
        label:  v472p
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

| v472q | na - mother |
|---|---|
| had oil, fats, butter, products made of them | |

```
        type:  numeric (byte)
        label:  v472q
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

| v472r | na - mother |
|---|---|
| had chocolates, sweets, candies, pastries, etc | |

```
        type:  numeric (byte)
        label:  v472r
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

| v472s | na |
|---|---|
| - mother had other solid-semisolid food | |

```
        type:  numeric (byte)
        label:  v472s
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

| v472t | |
|---|---|
| na - mother had cs foods | |

```
        type:  numeric (byte)
        label:  v472t
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

| v472u | |
|---|---|
| na - mother had cs foods | |

```
        type:  numeric (byte)
        label:  v472u
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372       .
```

v473a
read consent statement - hiv

```
        type:  numeric (byte)
        label:  v473a
        range:  [1,4]              units:  1
unique values:  4                missing .:  28/9,372
    tabulation:  Freq.   Numeric  Label
            8,897      1  granted
               56      2  parent/other responsible refused
              387      3  respondent refused
                4      4  sample not tested/lost/not
                          enough dbs
               28         .
```

v473b
result of measurement - hiv

```
        type:  numeric (byte)
        label:  v473b
        range:  [1,6]              units:  1
unique values:  5                missing .:  15/9,372
    tabulation:  Freq.   Numeric  Label
            8,897      1  blood taken
               15      2  not present
              438      3  refused
                4      4  sample not
                          tested/lost/damaged/insufficient
                3      6  other
               15         .
```

v474
heard of tuberculosis or tb

```
        type:  numeric (byte)
        label:  v474
        range:  [0,1]              units:  1
unique values:  2                missing .:  0/9,372
    tabulation:  Freq.   Numeric  Label
              436      0  no
            8,936      1  yes
```

v474a                                                                   na -
tuberculosis spread by: air when coughing or sneezing

```
        type:  numeric (byte)
        label:  v474a
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372         .
```

v474b                                                                   na -
tuberculosis spread by: sharing utensils

```
        type:  numeric (byte)
        label:  v474b
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
```

```
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474c                                                                                  na -
  tuberculosis spread by: touching a person with tb
                        type:  numeric (byte)
                        label:  v474c
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474d
  na - tuberculosis spread by: food
                        type:  numeric (byte)
                        label:  v474d
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474e                                                                                  na -
  tuberculosis spread by: sexual contact
                        type:  numeric (byte)
                        label:  v474e
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474f                                                                                  na -
  tuberculosis spread by: mosquito bites
                        type:  numeric (byte)
                        label:  v474f
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474g
  na - tuberculosis spread by: cs
                        type:  numeric (byte)
                        label:  v474g
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
                  tabulation: Freq.   Numeric  Label
                        9,372       .


  v474h
  na - tuberculosis spread by: cs
                        type:  numeric (byte)
                        label:  v474h
                        range:  [.,.]                 units:  .
              unique values:  0                   missing .:  9,372/9,372
```

tabulation: Freq.  Numeric  Label
              9,372        .

---

v474i
na - tuberculosis spread by: cs

          type:  numeric (byte)
         label:  v474i
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

---

v474j
na - tuberculosis spread by: cs

          type:  numeric (byte)
         label:  v474j
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

---

v474x
na - tuberculosis spread by: other

          type:  numeric (byte)
         label:  v474x
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

---

v474z
na - tuberculosis spread by: don't know

          type:  numeric (byte)
         label:  v474z
         range:  [.,.]                units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

---

v475
tuberculosis can be cured

          type:  numeric (byte)
         label:  v475
         range:  [0,8]                units:  1
  unique values:  3                 missing .:  436/9,372
      tabulation: Freq.  Numeric  Label
              2,300        0  no
              5,097        1  yes
              1,539        8  don't know
                436        .

---

v476
keep secret when family member gets tb

          type:  numeric (byte)

```
              label:  v476
              range:  [0,8]                    units:  1
      unique values:  3                      missing .:  440/9,372
          tabulation:  Freq.   Numeric  Label
                       6,253        0  no
                       1,991        1  yes, remain a secret
                         688        8  don't know/not sure/depends
                         440        .
```

```
  v477
  number of injections in last 12 months
               type:  numeric (byte)
              label:  v477, but 34 nonmissing values are not labeled
              range:  [0,90]                   units:  1
      unique values:  36                     missing .:  1/9,372
           examples:  0    none
                      0     none
                      1
                      2
```

```
  v478                                                                        number
  of injections administered by a health worker
               type:  numeric (byte)
              label:  v478, but 34 nonmissing values are not labeled
              range:  [0,90]                   units:  1
      unique values:  36                     missing .:  5,515/9,372
           examples:  2
                      20
                      .
                      .
```

```
  v479                                                                            na
  - place of injection by health worker
               type:  numeric (byte)
              label:  v479
              range:  [.,.]                    units:  .
      unique values:  0                      missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                       9,372        .
```

```
  v480
  syringe and needle from new, unopened package
               type:  numeric (byte)
              label:  v480
              range:  [0,8]                    units:  1
      unique values:  3                      missing .:  5,575/9,372
          tabulation:  Freq.   Numeric  Label
                          27        0  no
                       3,740        1  yes
                          30        8  don't know
                       5,575        .
```

```
  v481
  covered by health insurance
```

```
        type:  numeric (byte)
       label:  v481
       range:  [0,1]                 units:  1
unique values:  2                  missing .:  1/9,372
    tabulation:  Freq.   Numeric  Label
            3,836      0  no
            5,535      1  yes
                1          .
```

| v481a | na - health |
| --- | --- |
| insurance type: mutual/community organization | |

```
        type:  numeric (byte)
       label:  v481a
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

| v481b |
| --- |
| health insurance type: provided by employer |

```
        type:  numeric (byte)
       label:  v481b
       range:  [0,1]                 units:  1
unique values:  2                  missing .:  4/9,372
    tabulation:  Freq.   Numeric  Label
            7,391      0  no
            1,977      1  yes
                4          .
```

| v481c |
| --- |
| health insurance type: social security |

```
        type:  numeric (byte)
       label:  v481c
       range:  [0,1]                 units:  1
unique values:  2                  missing .:  4/9,372
    tabulation:  Freq.   Numeric  Label
            9,304      0  no
               64      1  yes
                4          .
```

| v481d | na - health |
| --- | --- |
| insurance type: private/commercially purchased | |

```
        type:  numeric (byte)
       label:  v481d
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

| v481e |
| --- |
| health insurance type: cs - senasa |

```
        type:  numeric (byte)
       label:  v481e
       range:  [0,1]                 units:  1
```

```
              unique values:  2                  missing .:  4/9,372

                 tabulation:  Freq.   Numeric  Label
                             6,297       0   no
                             3,071       1   yes
                                 4           .
```

```
 v481f
 health insurance type: cs - ff.aa/p.n.
                      type:  numeric (byte)
                     label:  v481f
                     range:  [0,1]                 units:  1
              unique values:  2                  missing .:  4/9,372

                 tabulation:  Freq.   Numeric  Label
                             9,319       0   no
                                49       1   yes
                                 4           .
```

```
 v481g
 health insurance type: cs - private insurance
                      type:  numeric (byte)
                     label:  v481g
                     range:  [0,1]                 units:  1
              unique values:  2                  missing .:  4/9,372

                 tabulation:  Freq.   Numeric  Label
                             8,974       0   no
                               394       1   yes
                                 4           .
```

```
 v481h
 na - health insurance type: cs
                      type:  numeric (byte)
                     label:  v481h
                     range:  [.,.]                 units:  .
              unique values:  0                  missing .:  9,372/9,372

                 tabulation:  Freq.   Numeric  Label
                             9,372           .
```

```
 v481x
 health insurance type: other
                      type:  numeric (byte)
                     label:  v481x
                     range:  [0,1]                 units:  1
              unique values:  2                  missing .:  4/9,372

                 tabulation:  Freq.   Numeric  Label
                             9,351       0   no
                                17       1   yes
                                 4           .
```

```
 v482a                                                                    na -
 arrange care of biological children under age 18
                      type:  numeric (byte)
                     label:  v482a
                     range:  [.,.]                 units:  .
              unique values:  0                  missing .:  9,372/9,372
```

```
          tabulation: Freq.  Numeric  Label
                 9,372        .
```

```
  v482b                                                                    na -
  primary caregiver of children under age 18
              type:  numeric (byte)
             label:  v482b
             range:  [.,.]              units:  .
      unique values:  0               missing .:  9,372/9,372
          tabulation: Freq.  Numeric  Label
                 9,372        .
```

```
  v482c                                                                    na -
  arrange care of non-biological children < 18
              type:  numeric (byte)
             label:  v482c
             range:  [.,.]              units:  .
      unique values:  0               missing .:  9,372/9,372
          tabulation: Freq.  Numeric  Label
                 9,372        .
```

```
  hidx_1
  index to birth history
              type:  numeric (byte)
             range:  [1,1]              units:  1
      unique values:  1               missing .:  6,409/9,372
          tabulation: Freq.  Value
                 2,963  1
                 6,409  .
```

```
  hidx_2
  index to birth history
              type:  numeric (byte)
             range:  [2,2]              units:  1
      unique values:  1               missing .:  8,692/9,372
          tabulation: Freq.  Value
                   680  2
                 8,692  .
```

```
  hidx_3
  index to birth history
              type:  numeric (byte)
             range:  [3,3]              units:  1
      unique values:  1               missing .:  9,305/9,372
          tabulation: Freq.  Value
                    67  3
                 9,305  .
```

```
  hidx_4
  index to birth history
              type:  numeric (byte)
             range:  [4,4]              units:  1
      unique values:  1               missing .:  9,368/9,372
          tabulation: Freq.  Value
```

```
                    4  4
                 9,368  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ hidx_5                                                                    │
│ index to birth history                                                    │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [.,.]                 units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Value
                   9,372  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ hidx_6                                                                    │
│ index to birth history                                                    │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           range:  [.,.]                 units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Value
                   9,372  .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h1_1                                                                      │
│ has health card                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h1_1
           range:  [0,3]                 units:  1
   unique values:  4                      missing .:  6,477/9,372
       tabulation:  Freq.  Numeric  Label
                      49      0  no card
                   1,906      1  yes, seen
                     846      2  yes, not seen
                      94      3  no longer has card
                   6,477         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h1_2                                                                      │
│ has health card                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h1_2
           range:  [0,3]                 units:  1
   unique values:  4                      missing .:  8,733/9,372
       tabulation:  Freq.  Numeric  Label
                      13      0  no card
                     351      1  yes, seen
                     238      2  yes, not seen
                      37      3  no longer has card
                   8,733         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h1_3                                                                      │
│ has health card                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h1_3
           range:  [0,3]                 units:  1
   unique values:  4                      missing .:  9,306/9,372
       tabulation:  Freq.  Numeric  Label
                       3      0  no card
                      30      1  yes, seen
```

```
          26      2  yes, not seen
           7      3  no longer has card
       9,306        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h1_4                                                                  │
│ has health card                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h1_4
        range:  [2,2]              units:  1
unique values:  1              missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
                 4      2  yes, not seen
             9,368        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h1_5                                                                  │
│ has health card                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h1_5
        range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h1_6                                                                  │
│ has health card                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h1_6
        range:  [.,.]              units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h2_1                                                                  │
│ received bcg                                                          │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h2_1
        range:  [0,8]              units:  1
unique values:  5              missing .:  6,477/9,372
    tabulation:  Freq.  Numeric  Label
               194      0  no
             1,862      1  vaccination date on card
               828      2  reported by mother
                 3      3  vaccination marked on card
                 8      8  don't know
             6,477        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h2_2                                                                  │
│ received bcg                                                          │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h2_2
        range:  [0,8]              units:  1
unique values:  5              missing .:  8,731/9,372
    tabulation:  Freq.  Numeric  Label
                66      0  no
```

```
                  336      1  vaccination date on card
                  236      2  reported by mother
                    2      3  vaccination marked on card
                    1      8  don't know
                8,731       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h2_3                                                                          │
│ received bcg                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
          label:  h2_3
          range:  [0,3]                 units:  1
  unique values:  4                    missing .:  9,307/9,372
      tabulation:  Freq.  Numeric  Label
                    11      0  no
                    28      1  vaccination date on card
                    25      2  reported by mother
                     1      3  vaccination marked on card
                 9,307       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h2_4                                                                          │
│ received bcg                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
          label:  h2_4
          range:  [0,2]                 units:  1
  unique values:  2                    missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                     3      0  no
                     1      2  reported by mother
                 9,368       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h2_5                                                                          │
│ received bcg                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
          label:  h2_5
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h2_6                                                                          │
│ received bcg                                                                  │
└─────────────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
          label:  h2_6
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h2d_1                                                                         │
│ bcg day                                                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
           type:  numeric (byte)
          label:  h2d_1, but 31 nonmissing values are not labeled
          range:  [1,31]                units:  1
  unique values:  31                   missing .:  7,510/9,372
```

examples:  .
.
.
.

---

**h2d_2**
bcg day

            type:  numeric (byte)
            label:  h2d_2, but 31 nonmissing values are not labeled
            range:  [1,31]                    units:  1
    unique values:  31                    missing .:  9,036/9,372
         examples:  .
.
.
.

---

**h2d_3**
bcg day

            type:  numeric (byte)
            label:  h2d_3, but 17 nonmissing values are not labeled
            range:  [1,31]                    units:  1
    unique values:  17                    missing .:  9,344/9,372
         examples:  .
.
.
.

---

**h2d_4**
bcg day

            type:  numeric (byte)
            label:  h2d_4
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                 9,372        .

---

**h2d_5**
bcg day

            type:  numeric (byte)
            label:  h2d_5
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                 9,372        .

---

**h2d_6**
bcg day

            type:  numeric (byte)
            label:  h2d_6
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                 9,372        .

```
┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_1                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h2m_1, but 12 nonmissing values are not labeled
            range:  [1,12]                units:  1
    unique values:  12                  missing .:  7,510/9,372
         examples:  .
                    .
                    .
                    .

┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_2                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h2m_2, but 12 nonmissing values are not labeled
            range:  [1,12]                units:  1
    unique values:  12                  missing .:  9,036/9,372
         examples:  .
                    .
                    .
                    .

┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_3                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h2m_3, but 11 nonmissing values are not labeled
            range:  [1,12]                units:  1
    unique values:  11                  missing .:  9,344/9,372
         examples:  .
                    .
                    .
                    .

┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_4                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h2m_4
            range:  [.,.]                units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372       .

┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_5                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h2m_5
            range:  [.,.]                units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372       .

┌─────────────────────────────────────────────────────────────────────────┐
│ h2m_6                                                                     │
│ bcg month                                                                 │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
```

```
          label:  h2m_6
          range:  [.,.]                  units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h2y_1                                                                        │
│ bcg year                                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (int)
          label:  h2y_1, but 6 nonmissing values are not labeled
          range:  [2008,2013]             units:  1
  unique values:  6                     missing .:  7,510/9,372
      tabulation:  Freq.  Numeric  Label
                   70     2008
                  244     2009
                  315     2010
                  376     2011
                  511     2012
                  346     2013
                7,510       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h2y_2                                                                        │
│ bcg year                                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (int)
          label:  h2y_2, but 6 nonmissing values are not labeled
          range:  [2008,2013]             units:  1
  unique values:  6                     missing .:  9,036/9,372
      tabulation:  Freq.  Numeric  Label
                   46     2008
                  117     2009
                   99     2010
                   60     2011
                   11     2012
                    3     2013
                9,036       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h2y_3                                                                        │
│ bcg year                                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (int)
          label:  h2y_3, but 4 nonmissing values are not labeled
          range:  [2008,2011]             units:  1
  unique values:  4                     missing .:  9,344/9,372
      tabulation:  Freq.  Numeric  Label
                    8     2008
                   12     2009
                    4     2010
                    4     2011
                9,344       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h2y_4                                                                        │
│ bcg year                                                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h2y_4
          range:  [.,.]                  units:  .
```

unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
        9,372        .

---

**h2y_5**
bcg year

       type:  numeric (byte)
     label:  h2y_5
    range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
        9,372        .

---

**h2y_6**
bcg year

       type:  numeric (byte)
     label:  h2y_6
    range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
        9,372        .

---

**h3_1**
received dpt 1

       type:  numeric (byte)
     label:  h3_1
    range:  [0,3]                units:  1
unique values:  4                missing .:  6,826/9,372
  tabulation:  Freq.  Numeric  Label
         50      0  no
      1,693      1  vaccination date on card
       799      2  reported by mother
         4      3  vaccination marked on card
      6,826        .

---

**h3_2**
received dpt 1

       type:  numeric (byte)
     label:  h3_2
    range:  [0,3]                units:  1
unique values:  4                missing .:  8,800/9,372
  tabulation:  Freq.  Numeric  Label
         13      0  no
       331      1  vaccination date on card
       226      2  reported by mother
         2      3  vaccination marked on card
      8,800        .

---

**h3_3**
received dpt 1

       type:  numeric (byte)
     label:  h3_3
    range:  [0,3]                units:  1
unique values:  4                missing .:  9,316/9,372

tabulation: Freq.   Numeric  Label
            3       0  no
           28       1  vaccination date on card
           24       2  reported by mother
            1       3  vaccination marked on card
        9,316       .

---

h3_4
received dpt 1

         type:  numeric (byte)
        label:  h3_4
        range:  [2,2]                units:  1
unique values:  1                    missing .:  9,371/9,372
    tabulation: Freq.   Numeric  Label
                1       2  reported by mother
            9,371       .

---

h3_5
received dpt 1

         type:  numeric (byte)
        label:  h3_5
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h3_6
received dpt 1

         type:  numeric (byte)
        label:  h3_6
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h3d_1
dpt 1 day

         type:  numeric (byte)
        label:  h3d_1, but 31 nonmissing values are not labeled
        range:  [1,31]               units:  1
unique values:  31                   missing .:  7,679/9,372
    examples:  .
               .
               .
               .

---

h3d_2
dpt 1 day

         type:  numeric (byte)
        label:  h3d_2, but 31 nonmissing values are not labeled
        range:  [1,31]               units:  1
unique values:  31                   missing .:  9,041/9,372
    examples:  .
               .

.
.

h3d_3
dpt 1 day

       type:  numeric (byte)
      label:  h3d_3, but 18 nonmissing values are not labeled
      range:  [1,30]          units:  1
unique values:  18          missing .:  9,344/9,372
    examples:  .
             .
             .
             .

h3d_4
dpt 1 day

       type:  numeric (byte)
      label:  h3d_4
      range:  [.,.]          units:  .
unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

h3d_5
dpt 1 day

       type:  numeric (byte)
      label:  h3d_5
      range:  [.,.]          units:  .
unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

h3d_6
dpt 1 day

       type:  numeric (byte)
      label:  h3d_6
      range:  [.,.]          units:  .
unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

h3m_1
dpt 1 month

       type:  numeric (byte)
      label:  h3m_1, but 12 nonmissing values are not labeled
      range:  [1,97]          units:  1
unique values:  13          missing .:  7,679/9,372
    examples:  .
             .
             .
             .

h3m_2
dpt 1 month

type:  numeric (byte)
label:  h3m_2, but 12 nonmissing values are not labeled
range:  [1,12]                  units:  1
unique values:  12              missing .:  9,041/9,372
examples:  .
.
.
.

h3m_3
dpt 1 month

type:  numeric (byte)
label:  h3m_3, but 10 nonmissing values are not labeled
range:  [1,12]                  units:  1
unique values:  10              missing .:  9,344/9,372
examples:  .
.
.
.

h3m_4
dpt 1 month

type:  numeric (byte)
label:  h3m_4
range:  [.,.]                   units:  .
unique values:  0               missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

h3m_5
dpt 1 month

type:  numeric (byte)
label:  h3m_5
range:  [.,.]                   units:  .
unique values:  0               missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

h3m_6
dpt 1 month

type:  numeric (byte)
label:  h3m_6
range:  [.,.]                   units:  .
unique values:  0               missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

h3y_1
dpt 1 year

type:  numeric (int)
label:  h3y_1, but 6 nonmissing values are not labeled
range:  [2008,2013]             units:  1
unique values:  6               missing .:  7,679/9,372
tabulation:  Freq.  Numeric  Label

```
                  24      2008
                 226      2009
                 299      2010
                 338      2011
                 447      2012
                 359      2013
               7,679        .
```

h3y_2
dpt 1 year

```
          type:  numeric (int)
         label:  h3y_2, but 6 nonmissing values are not labeled
         range:  [2008,2013]           units:  1
 unique values:  6                     missing .:  9,041/9,372
    tabulation:  Freq.  Numeric  Label
                   18      2008
                  115      2009
                   96      2010
                   73      2011
                   24      2012
                    5      2013
                9,041        .
```

h3y_3
dpt 1 year

```
          type:  numeric (int)
         label:  h3y_3, but 5 nonmissing values are not labeled
         range:  [2008,2012]           units:  1
 unique values:  5                     missing .:  9,344/9,372
    tabulation:  Freq.  Numeric  Label
                    5      2008
                   12      2009
                    6      2010
                    4      2011
                    1      2012
                9,344        .
```

h3y_4
dpt 1 year

```
          type:  numeric (byte)
         label:  h3y_4
         range:  [.,.]                 units:  .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372        .
```

h3y_5
dpt 1 year

```
          type:  numeric (byte)
         label:  h3y_5
         range:  [.,.]                 units:  .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
h3y_6
dpt 1 year
        type:  numeric (byte)
       label:  h3y_6
       range:  [.,.]                    units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
h4_1
received polio 1
        type:  numeric (byte)
       label:  h4_1
       range:  [0,8]                   units:  1
unique values:  5              missing .:  6,478/9,372
    tabulation:  Freq.  Numeric  Label
               358      0  no
             1,773      1  vaccination date on card
               751      2  reported by mother
                 3      3  vaccination marked on card
                 9      8  don't know
             6,478        .
```

```
h4_2
received polio 1
        type:  numeric (byte)
       label:  h4_2
       range:  [0,8]                   units:  1
unique values:  5              missing .:  8,732/9,372
    tabulation:  Freq.  Numeric  Label
                85      0  no
               339      1  vaccination date on card
               212      2  reported by mother
                 2      3  vaccination marked on card
                 2      8  don't know
             8,732        .
```

```
h4_3
received polio 1
        type:  numeric (byte)
       label:  h4_3
       range:  [0,3]                   units:  1
unique values:  4              missing .:  9,306/9,372
    tabulation:  Freq.  Numeric  Label
                13      0  no
                29      1  vaccination date on card
                23      2  reported by mother
                 1      3  vaccination marked on card
             9,306        .
```

```
h4_4
received polio 1
        type:  numeric (byte)
```

```
                label:  h4_4
                range:  [0,2]                  units:  1
        unique values:  2                   missing .:  9,368/9,372
            tabulation:  Freq.  Numeric  Label
                            3       0   no
                            1       2   reported by mother
                        9,368        .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ h4_5                                                                           │
│ received polio 1                                                               │
└──────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  h4_5
                range:  [.,.]                  units:  .
        unique values:  0                   missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                        9,372        .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ h4_6                                                                           │
│ received polio 1                                                               │
└──────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  h4_6
                range:  [.,.]                  units:  .
        unique values:  0                   missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                        9,372        .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ h4d_1                                                                          │
│ polio 1 day                                                                    │
└──────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  h4d_1, but 31 nonmissing values are not labeled
                range:  [1,31]                 units:  1
        unique values:  31                  missing .:  7,599/9,372
             examples:  .
                        .
                        .
                        .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ h4d_2                                                                          │
│ polio 1 day                                                                    │
└──────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  h4d_2, but 31 nonmissing values are not labeled
                range:  [1,31]                 units:  1
        unique values:  31                  missing .:  9,033/9,372
             examples:  .
                        .
                        .
                        .
```

```
┌──────────────────────────────────────────────────────────────────────────────┐
│ h4d_3                                                                          │
│ polio 1 day                                                                    │
└──────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  h4d_3, but 19 nonmissing values are not labeled
                range:  [1,30]                 units:  1
        unique values:  19                  missing .:  9,343/9,372
```

examples:  .
.
.
.

---

h4d_4
polio 1 day

type:  numeric (byte)
label:  h4d_4
range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
tabulation:  Freq.   Numeric  Label
9,372       .

---

h4d_5
polio 1 day

type:  numeric (byte)
label:  h4d_5
range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
tabulation:  Freq.   Numeric  Label
9,372       .

---

h4d_6
polio 1 day

type:  numeric (byte)
label:  h4d_6
range:  [.,.]                units:  .
unique values:  0            missing .:  9,372/9,372
tabulation:  Freq.   Numeric  Label
9,372       .

---

h4m_1
polio 1 month

type:  numeric (byte)
label:  h4m_1, but 12 nonmissing values are not labeled
range:  [1,97]               units:  1
unique values:  13           missing .:  7,599/9,372
examples:  .
.
.
.

---

h4m_2
polio 1 month

type:  numeric (byte)
label:  h4m_2, but 12 nonmissing values are not labeled
range:  [1,12]               units:  1
unique values:  12           missing .:  9,033/9,372
examples:  .
.
.
.

h4m_3
polio 1 month

        type: numeric (byte)
        label: h4m_3, but 10 nonmissing values are not labeled
        range: [1,12]                 units: 1
    unique values: 10                  missing .: 9,343/9,372
      examples: .
                   .
                   .
                   .

h4m_4
polio 1 month

        type: numeric (byte)
        label: h4m_4
        range: [.,.]                  units: .
    unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

h4m_5
polio 1 month

        type: numeric (byte)
        label: h4m_5
        range: [.,.]                  units: .
    unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

h4m_6
polio 1 month

        type: numeric (byte)
        label: h4m_6
        range: [.,.]                  units: .
    unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .

h4y_1
polio 1 year

        type: numeric (int)
        label: h4y_1, but 6 nonmissing values are not labeled
        range: [2008,2013]            units: 1
    unique values: 6                   missing .: 7,599/9,372
      tabulation: Freq.  Numeric  Label
                25     2008
               234     2009
               314     2010
               354     2011
               469     2012
               377     2013
             7,599        .

| h4y_2 |
|---|
| polio 1 year |

```
        type:  numeric (int)
       label:  h4y_2, but 6 nonmissing values are not labeled
       range:  [2008,2013]            units:  1
unique values:  6                missing .:  9,033/9,372
   tabulation:  Freq.  Numeric  Label
                19    2008
               119    2009
               101    2010
                74    2011
                22    2012
                 4    2013
             9,033      .
```

| h4y_3 |
|---|
| polio 1 year |

```
        type:  numeric (int)
       label:  h4y_3, but 5 nonmissing values are not labeled
       range:  [2008,2012]            units:  1
unique values:  5                missing .:  9,343/9,372
   tabulation:  Freq.  Numeric  Label
                 5    2008
                14    2009
                 6    2010
                 3    2011
                 1    2012
             9,343      .
```

| h4y_4 |
|---|
| polio 1 year |

```
        type:  numeric (byte)
       label:  h4y_4
       range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372      .
```

| h4y_5 |
|---|
| polio 1 year |

```
        type:  numeric (byte)
       label:  h4y_5
       range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
             9,372      .
```

| h4y_6 |
|---|
| polio 1 year |

```
        type:  numeric (byte)
       label:  h4y_6
       range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
```

9,372      .

---

h5_1
received dpt 2

             type:  numeric (byte)
            label:  h5_1
            range:  [0,3]                 units:  1
     unique values:  4                missing .:  7,002/9,372
        tabulation:  Freq.   Numeric  Label
                   99       0  no
                1,514       1  vaccination date on card
                  752       2  reported by mother
                    5       3  vaccination marked on card
                7,002         .

---

h5_2
received dpt 2

             type:  numeric (byte)
            label:  h5_2
            range:  [0,3]                 units:  1
     unique values:  4                missing .:  8,810/9,372
        tabulation:  Freq.   Numeric  Label
                   29       0  no
                  318       1  vaccination date on card
                  214       2  reported by mother
                    1       3  vaccination marked on card
                8,810         .

---

h5_3
received dpt 2

             type:  numeric (byte)
            label:  h5_3
            range:  [0,2]                 units:  1
     unique values:  3                missing .:  9,318/9,372
        tabulation:  Freq.   Numeric  Label
                    5       0  no
                   27       1  vaccination date on card
                   22       2  reported by mother
                9,318         .

---

h5_4
received dpt 2

             type:  numeric (byte)
            label:  h5_4
            range:  [2,2]                 units:  1
     unique values:  1                missing .:  9,371/9,372
        tabulation:  Freq.   Numeric  Label
                    1       2  reported by mother
                9,371         .

---

h5_5
received dpt 2

             type:  numeric (byte)
            label:  h5_5

range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .

---

h5_6
received dpt 2

            type:  numeric (byte)
           label:  h5_6
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .

---

h5d_1
dpt 2 day

            type:  numeric (byte)
           label:  h5d_1, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  31                     missing .:  7,858/9,372
         examples:  .
                    .
                    .
                    .

---

h5d_2
dpt 2 day

            type:  numeric (byte)
           label:  h5d_2, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  31                     missing .:  9,054/9,372
         examples:  .
                    .
                    .
                    .

---

h5d_3
dpt 2 day

            type:  numeric (byte)
           label:  h5d_3, but 20 nonmissing values are not labeled
           range:  [2,30]                   units:  1
    unique values:  20                     missing .:  9,345/9,372
         examples:  .
                    .
                    .
                    .

---

h5d_4
dpt 2 day

            type:  numeric (byte)
           label:  h5d_4
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label

9,372        .

---

**h5d_5**
dpt 2 day

            type:  numeric (byte)
           label:  h5d_5
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

---

**h5d_6**
dpt 2 day

            type:  numeric (byte)
           label:  h5d_6
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

---

**h5m_1**
dpt 2 month

            type:  numeric (byte)
           label:  h5m_1, but 12 nonmissing values are not labeled
           range:  [1,12]                   units:  1
    unique values:  12                    missing .:  7,858/9,372
        examples:  .
                   .
                   .
                   .

---

**h5m_2**
dpt 2 month

            type:  numeric (byte)
           label:  h5m_2, but 12 nonmissing values are not labeled
           range:  [1,12]                   units:  1
    unique values:  12                    missing .:  9,054/9,372
        examples:  .
                   .
                   .
                   .

---

**h5m_3**
dpt 2 month

            type:  numeric (byte)
           label:  h5m_3, but 8 nonmissing values are not labeled
           range:  [2,12]                   units:  1
    unique values:  8                    missing .:  9,345/9,372
       tabulation:  Freq.  Numeric  Label
                        4        2
                        7        3
                        2        5
                        1        6
                        2        8

|       |      |
|-------|------|
| 1     | 9    |
| 6     | 10   |
| 4     | 12   |
| 9,345 | .    |

---

**h5m_4**
dpt 2 month

```
        type:  numeric (byte)
       label:  h5m_4
       range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
               9,372       .
```

---

**h5m_5**
dpt 2 month

```
        type:  numeric (byte)
       label:  h5m_5
       range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
               9,372       .
```

---

**h5m_6**
dpt 2 month

```
        type:  numeric (byte)
       label:  h5m_6
       range:  [.,.]                units: .
unique values: 0                    missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
               9,372       .
```

---

**h5y_1**
dpt 2 year

```
        type:  numeric (int)
       label:  h5y_1, but 6 nonmissing values are not labeled
       range:  [2008,2013]          units: 1
unique values: 6                    missing .: 7,858/9,372
   tabulation: Freq.  Numeric  Label
                   1    2008
                 180    2009
                 284    2010
                 299    2011
                 394    2012
                 356    2013
               7,858       .
```

---

**h5y_2**
dpt 2 year

```
        type:  numeric (int)
       label:  h5y_2, but 6 nonmissing values are not labeled
       range:  [2008,2013]          units: 1
unique values: 6                    missing .: 9,054/9,372
   tabulation: Freq.  Numeric  Label
```

| | |
|---:|:---|
| 3 | 2008 |
| 99 | 2009 |
| 104 | 2010 |
| 76 | 2011 |
| 32 | 2012 |
| 4 | 2013 |
| 9,054 | . |

---

**h5y_3**
dpt 2 year

```
        type:  numeric (int)
       label:  h5y_3, but 5 nonmissing values are not labeled
       range:  [2008,2012]          units:  1
unique values:  5                 missing .:  9,345/9,372
   tabulation:  Freq.  Numeric  Label
                  1     2008
                 12     2009
                  9     2010
                  3     2011
                  2     2012
              9,345        .
```

---

**h5y_4**
dpt 2 year

```
        type:  numeric (byte)
       label:  h5y_4
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**h5y_5**
dpt 2 year

```
        type:  numeric (byte)
       label:  h5y_5
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**h5y_6**
dpt 2 year

```
        type:  numeric (byte)
       label:  h5y_6
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**h6_1**
received polio 2

```
        type:  numeric (byte)
       label:  h6_1
       range:  [0,8]                units:  1
```

```
         unique values:  5                    missing .:  6,478/9,372

            tabulation:  Freq.   Numeric  Label
                          754       0  no
                        1,607       1  vaccination date on card
                          519       2  reported by mother
                            5       3  vaccination marked on card
                            9       8  don't know
                        6,478       .
```

```
 h6_2
 received polio 2
                  type:  numeric (byte)
                 label:  h6_2
                 range:  [0,8]               units:  1
         unique values:  5                    missing .:  8,733/9,372

            tabulation:  Freq.   Numeric  Label
                          158       0  no
                          326       1  vaccination date on card
                          151       2  reported by mother
                            2       3  vaccination marked on card
                            2       8  don't know
                        8,733       .
```

```
 h6_3
 received polio 2
                  type:  numeric (byte)
                 label:  h6_3
                 range:  [0,3]               units:  1
         unique values:  4                    missing .:  9,306/9,372

            tabulation:  Freq.   Numeric  Label
                           20       0  no
                           28       1  vaccination date on card
                           17       2  reported by mother
                            1       3  vaccination marked on card
                        9,306       .
```

```
 h6_4
 received polio 2
                  type:  numeric (byte)
                 label:  h6_4
                 range:  [0,2]               units:  1
         unique values:  2                    missing .:  9,368/9,372

            tabulation:  Freq.   Numeric  Label
                            3       0  no
                            1       2  reported by mother
                        9,368       .
```

```
 h6_5
 received polio 2
                  type:  numeric (byte)
                 label:  h6_5
                 range:  [.,.]               units:  .
         unique values:  0                    missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
```

```
                    9,372        .
```

```
 h6_6
 received polio 2
         type:  numeric (byte)
         label:  h6_6
         range:  [.,.]                   units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h6d_1
 polio 2 day
         type:  numeric (byte)
         label:  h6d_1, but 31 nonmissing values are not labeled
         range:  [1,31]                 units:  1
   unique values:  31                   missing .:  7,765/9,372
       examples:  .
                   .
                   .
                   .
```

```
 h6d_2
 polio 2 day
         type:  numeric (byte)
         label:  h6d_2, but 31 nonmissing values are not labeled
         range:  [1,31]                 units:  1
   unique values:  31                   missing .:  9,046/9,372
       examples:  .
                   .
                   .
                   .
```

```
 h6d_3
 polio 2 day
         type:  numeric (byte)
         label:  h6d_3, but 22 nonmissing values are not labeled
         range:  [1,30]                 units:  1
   unique values:  22                   missing .:  9,344/9,372
       examples:  .
                   .
                   .
                   .
```

```
 h6d_4
 polio 2 day
         type:  numeric (byte)
         label:  h6d_4
         range:  [.,.]                   units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .
```

h6d_5
polio 2 day

            type:  numeric (byte)
           label:  h6d_5
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h6d_6
polio 2 day

            type:  numeric (byte)
           label:  h6d_6
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h6m_1
polio 2 month

            type:  numeric (byte)
           label:  h6m_1, but 12 nonmissing values are not labeled
           range:  [1,12]               units:  1
   unique values:  12                 missing .:  7,765/9,372
        examples:  .
                   .
                   .
                   .

h6m_2
polio 2 month

            type:  numeric (byte)
           label:  h6m_2, but 12 nonmissing values are not labeled
           range:  [1,12]               units:  1
   unique values:  12                 missing .:  9,046/9,372
        examples:  .
                   .
                   .
                   .

h6m_3
polio 2 month

            type:  numeric (byte)
           label:  h6m_3, but 9 nonmissing values are not labeled
           range:  [2,12]               units:  1
   unique values:  9                  missing .:  9,344/9,372
       tabulation:  Freq.  Numeric  Label
                   5        2
                   6        3
                   1        4
                   2        5
                   2        6
                   1        8
                   1        9

```
                     6      10
                     4      12
                 9,344       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h6m_4                                                                     │
│ polio 2 month                                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h6m_4
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h6m_5                                                                     │
│ polio 2 month                                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h6m_5
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h6m_6                                                                     │
│ polio 2 month                                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h6m_6
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h6y_1                                                                     │
│ polio 2 year                                                              │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           label:  h6y_1, but 6 nonmissing values are not labeled
           range:  [2008,2013]             units:  1
   unique values:  6                     missing .:  7,765/9,372
       tabulation:  Freq.  Numeric  Label
                    3     2008
                  187     2009
                  293     2010
                  322     2011
                  425     2012
                  377     2013
                 7,765       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h6y_2                                                                     │
│ polio 2 year                                                              │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           label:  h6y_2, but 6 nonmissing values are not labeled
           range:  [2008,2013]             units:  1
   unique values:  6                     missing .:  9,046/9,372
       tabulation:  Freq.  Numeric  Label
                    4     2008
```

```
                          98      2009
                         108      2010
                          79      2011
                          31      2012
                           6      2013
                       9,046         .
```

---

**h6y_3**
polio 2 year

```
            type:  numeric (int)
           label:  h6y_3, but 5 nonmissing values are not labeled
           range:  [2008,2012]            units:  1
   unique values:  5                    missing .:  9,344/9,372
      tabulation:  Freq.  Numeric  Label
                       1     2008
                      13     2009
                      10     2010
                       3     2011
                       1     2012
                   9,344        .
```

---

**h6y_4**
polio 2 year

```
            type:  numeric (byte)
           label:  h6y_4
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

---

**h6y_5**
polio 2 year

```
            type:  numeric (byte)
           label:  h6y_5
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

---

**h6y_6**
polio 2 year

```
            type:  numeric (byte)
           label:  h6y_6
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

---

**h7_1**
received dpt 3

```
            type:  numeric (byte)
           label:  h7_1
           range:  [0,3]                  units:  1
   unique values:  4                    missing .:  7,157/9,372
```

tabulation: Freq.   Numeric  Label
              207       0  no
            1,362       1  vaccination date on card
              643       2  reported by mother
                3       3  vaccination marked on card
            7,157        .

h7_2
received dpt 3
        type:  numeric (byte)
       label:  h7_2
       range:  [0,3]                units:  1
unique values:  4                  missing .:  8,837/9,372
  tabulation: Freq.   Numeric  Label
               56        0  no
              291        1  vaccination date on card
              186        2  reported by mother
                2        3  vaccination marked on card
            8,837         .

h7_3
received dpt 3
        type:  numeric (byte)
       label:  h7_3
       range:  [0,2]                units:  1
unique values:  3                  missing .:  9,320/9,372
  tabulation: Freq.   Numeric  Label
                8        0  no
               25        1  vaccination date on card
               19        2  reported by mother
            9,320         .

h7_4
received dpt 3
        type:  numeric (byte)
       label:  h7_4
       range:  [2,2]                units:  1
unique values:  1                  missing .:  9,371/9,372
  tabulation: Freq.   Numeric  Label
                1        2  reported by mother
            9,371         .

h7_5
received dpt 3
        type:  numeric (byte)
       label:  h7_5
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
  tabulation: Freq.   Numeric  Label
            9,372         .

h7_6
received dpt 3
        type:  numeric (byte)

```
        label: h7_6
        range: [.,.]                units: .
unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 h7d_1
 dpt 3 day
```
```
         type:  numeric (byte)
        label:  h7d_1, but 31 nonmissing values are not labeled
        range:  [1,31]              units:  1
unique values:  31              missing .:  8,010/9,372
     examples:  .
                .
                .
                .
```

```
 h7d_2
 dpt 3 day
```
```
         type:  numeric (byte)
        label:  h7d_2, but 31 nonmissing values are not labeled
        range:  [1,31]              units:  1
unique values:  31              missing .:  9,081/9,372
     examples:  .
                .
                .
                .
```

```
 h7d_3
 dpt 3 day
```
```
         type:  numeric (byte)
        label:  h7d_3, but 17 nonmissing values are not labeled
        range:  [1,31]              units:  1
unique values:  17              missing .:  9,347/9,372
     examples:  .
                .
                .
                .
```

```
 h7d_4
 dpt 3 day
```
```
         type:  numeric (byte)
        label:  h7d_4
        range:  [.,.]               units:  .
unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

```
 h7d_5
 dpt 3 day
```
```
         type:  numeric (byte)
        label:  h7d_5
        range:  [.,.]               units:  .
unique values:  0               missing .:  9,372/9,372
```

tabulation: Freq.   Numeric  Label
         9,372        .

---

**h7d_6**
dpt 3 day

         type:  numeric (byte)
        label:  h7d_6
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
             9,372        .

---

**h7m_1**
dpt 3 month

         type:  numeric (byte)
        label:  h7m_1, but 12 nonmissing values are not labeled
        range:  [1,97]              units:  1
unique values:  13                  missing .:  8,010/9,372
     examples:  .
                .
                .
                .

---

**h7m_2**
dpt 3 month

         type:  numeric (byte)
        label:  h7m_2, but 12 nonmissing values are not labeled
        range:  [1,12]              units:  1
unique values:  12                  missing .:  9,081/9,372
     examples:  .
                .
                .
                .

---

**h7m_3**
dpt 3 month

         type:  numeric (byte)
        label:  h7m_3, but 11 nonmissing values are not labeled
        range:  [2,12]              units:  1
unique values:  11                  missing .:  9,347/9,372
     examples:  .
                .
                .
                .

---

**h7m_4**
dpt 3 month

         type:  numeric (byte)
        label:  h7m_4
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
             9,372        .

```
h7m_5
dpt 3 month
              type:  numeric (byte)
              label:  h7m_5
              range:  [.,.]                   units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
h7m_6
dpt 3 month
              type:  numeric (byte)
              label:  h7m_6
              range:  [.,.]                   units:  .
      unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
h7y_1
dpt 3 year
              type:  numeric (int)
              label:  h7y_1, but 5 nonmissing values are not labeled
              range:  [2009,2013]              units:  1
      unique values:  5                   missing .:  8,010/9,372
          tabulation:  Freq.  Numeric  Label
                  133     2009
                  237     2010
                  285     2011
                  368     2012
                  339     2013
                 8,010       .
```

```
h7y_2
dpt 3 year
              type:  numeric (int)
              label:  h7y_2, but 6 nonmissing values are not labeled
              range:  [2008,2013]              units:  1
      unique values:  6                   missing .:  9,081/9,372
          tabulation:  Freq.  Numeric  Label
                    1     2008
                   72     2009
                  100     2010
                   68     2011
                   41     2012
                    9     2013
                 9,081       .
```

```
h7y_3
dpt 3 year
              type:  numeric (int)
              label:  h7y_3, but 4 nonmissing values are not labeled
              range:  [2009,2013]              units:  1
      unique values:  4                   missing .:  9,347/9,372
          tabulation:  Freq.  Numeric  Label
```

|       |      |
|-------|------|
| 9     | 2009 |
| 12    | 2010 |
| 3     | 2011 |
| 1     | 2013 |
| 9,347 | .    |

---

**h7y_4**
dpt 3 year

```
        type:  numeric (byte)
       label:  h7y_4
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

---

**h7y_5**
dpt 3 year

```
        type:  numeric (byte)
       label:  h7y_5
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

---

**h7y_6**
dpt 3 year

```
        type:  numeric (byte)
       label:  h7y_6
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

---

**h8_1**
received polio 3

```
        type:  numeric (byte)
       label:  h8_1
       range:  [0,8]                 units:  1
unique values:  5                    missing .:  6,478/9,372
   tabulation:  Freq.  Numeric  Label
               1,350      0  no
               1,430      1  vaccination date on card
                  99      2  reported by mother
                   6      3  vaccination marked on card
                   9      8  don't know
               6,478      .
```

---

**h8_2**
received polio 3

```
        type:  numeric (byte)
       label:  h8_2
       range:  [0,8]                 units:  1
unique values:  5                    missing .:  8,733/9,372
   tabulation:  Freq.  Numeric  Label
```

```
                   295       0  no
                   311       1  vaccination date on card
                    30       2  reported by mother
                     1       3  vaccination marked on card
                     2       8  don't know
                 8,733        .
```

---

**h8_3**
received polio 3

```
              type:  numeric (byte)
             label:  h8_3
             range:  [0,3]                  units:  1
     unique values:  4                    missing .:  9,306/9,372
        tabulation:  Freq.  Numeric  Label
                        34       0  no
                        27       1  vaccination date on card
                         4       2  reported by mother
                         1       3  vaccination marked on card
                     9,306        .
```

---

**h8_4**
received polio 3

```
              type:  numeric (byte)
             label:  h8_4
             range:  [0,0]                  units:  1
     unique values:  1                    missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                         4       0  no
                     9,368        .
```

---

**h8_5**
received polio 3

```
              type:  numeric (byte)
             label:  h8_5
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .
```

---

**h8_6**
received polio 3

```
              type:  numeric (byte)
             label:  h8_6
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                     9,372        .
```

---

**h8d_1**
polio 3 day

```
              type:  numeric (byte)
             label:  h8d_1, but 31 nonmissing values are not labeled
             range:  [1,31]                 units:  1
     unique values:  31                   missing .:  7,942/9,372
```

examples:  .
.
.
.

---

h8d_2
polio 3 day

type:  numeric (byte)
label:  h8d_2, but 31 nonmissing values are not labeled
range:  [1,31]                 units:  1
unique values:  31                 missing .:  9,061/9,372
examples:  .
.
.
.

---

h8d_3
polio 3 day

type:  numeric (byte)
label:  h8d_3, but 19 nonmissing values are not labeled
range:  [1,31]                 units:  1
unique values:  19                 missing .:  9,345/9,372
examples:  .
.
.
.

---

h8d_4
polio 3 day

type:  numeric (byte)
label:  h8d_4
range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

---

h8d_5
polio 3 day

type:  numeric (byte)
label:  h8d_5
range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

---

h8d_6
polio 3 day

type:  numeric (byte)
label:  h8d_6
range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
tabulation:  Freq.  Numeric  Label
9,372        .

```
h8m_1
polio 3 month
          type:  numeric (byte)
         label:  h8m_1, but 12 nonmissing values are not labeled
         range:  [1,97]              units:  1
 unique values:  13                  missing .:  7,942/9,372
      examples:  .
                 .
                 .
                 .


h8m_2
polio 3 month
          type:  numeric (byte)
         label:  h8m_2, but 12 nonmissing values are not labeled
         range:  [1,12]              units:  1
 unique values:  12                  missing .:  9,061/9,372
      examples:  .
                 .
                 .
                 .


h8m_3
polio 3 month
          type:  numeric (byte)
         label:  h8m_3, but 11 nonmissing values are not labeled
         range:  [2,12]              units:  1
 unique values:  11                  missing .:  9,345/9,372
      examples:  .
                 .
                 .
                 .


h8m_4
polio 3 month
          type:  numeric (byte)
         label:  h8m_4
         range:  [.,.]               units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .


h8m_5
polio 3 month
          type:  numeric (byte)
         label:  h8m_5
         range:  [.,.]               units:  .
 unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372        .


h8m_6
polio 3 month
          type:  numeric (byte)
```

```
        label:  h8m_6
        range:  [.,.]                    units:  .
unique values:  0                        missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 h8y_1
 polio 3 year

         type:  numeric (int)
        label:  h8y_1, but 5 nonmissing values are not labeled
        range:  [2009,2013]              units:  1
unique values:  5                        missing .:  7,942/9,372
   tabulation:  Freq.   Numeric  Label
                  144      2009
                  240      2010
                  299      2011
                  396      2012
                  351      2013
                7,942        .
```

```
 h8y_2
 polio 3 year

         type:  numeric (int)
        label:  h8y_2, but 6 nonmissing values are not labeled
        range:  [2008,2013]              units:  1
unique values:  6                        missing .:  9,061/9,372
   tabulation:  Freq.   Numeric  Label
                    1      2008
                   81      2009
                  101      2010
                   78      2011
                   44      2012
                    6      2013
                9,061        .
```

```
 h8y_3
 polio 3 year

         type:  numeric (int)
        label:  h8y_3, but 4 nonmissing values are not labeled
        range:  [2009,2013]              units:  1
unique values:  4                        missing .:  9,345/9,372
   tabulation:  Freq.   Numeric  Label
                    9      2009
                   13      2010
                    3      2011
                    2      2013
                9,345        .
```

```
 h8y_4
 polio 3 year

         type:  numeric (byte)
        label:  h8y_4
        range:  [.,.]                    units:  .
unique values:  0                        missing .:  9,372/9,372
```

tabulation: Freq.   Numeric  Label
           9,372       .

```
h8y_5
polio 3 year
```
         type:  numeric (byte)
         label: h8y_5
         range: [.,.]                units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.   Numeric  Label
           9,372       .

```
h8y_6
polio 3 year
```
         type:  numeric (byte)
         label: h8y_6
         range: [.,.]                units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.   Numeric  Label
           9,372       .

```
h9_1
received measles
```
         type:  numeric (byte)
         label: h9_1
         range: [0,8]                units: 1
  unique values: 5               missing .: 7,350/9,372
     tabulation: Freq.   Numeric  Label
             176       0  no
           1,158       1  vaccination date on card
             628       2  reported by mother
               1       3  vaccination marked on card
              59       8  don't know
           7,350       .

```
h9_2
received measles
```
         type:  numeric (byte)
         label: h9_2
         range: [0,8]                units: 1
  unique values: 5               missing .: 8,829/9,372
     tabulation: Freq.   Numeric  Label
              27       0  no
             299       1  vaccination date on card
             194       2  reported by mother
               2       3  vaccination marked on card
              21       8  don't know
           8,829       .

```
h9_3
received measles
```
         type:  numeric (byte)
         label: h9_3
         range: [0,8]                units: 1

```
        unique values:  4              missing .:  9,321/9,372

           tabulation:  Freq.  Numeric  Label
                          4        0  no
                         25        1  vaccination date on card
                         19        2  reported by mother
                          3        8  don't know
                      9,321        .
```

```
  h9_4
  received measles
                 type:  numeric (byte)
                label:  h9_4
                range:  [2,2]              units:  1
        unique values:  1              missing .:  9,371/9,372

           tabulation:  Freq.  Numeric  Label
                          1        2  reported by mother
                      9,371        .
```

```
  h9_5
  received measles
                 type:  numeric (byte)
                label:  h9_5
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372

           tabulation:  Freq.  Numeric  Label
                      9,372        .
```

```
  h9_6
  received measles
                 type:  numeric (byte)
                label:  h9_6
                range:  [.,.]              units:  .
        unique values:  0              missing .:  9,372/9,372

           tabulation:  Freq.  Numeric  Label
                      9,372        .
```

```
  h9d_1
  measles day
                 type:  numeric (byte)
                label:  h9d_1, but 31 nonmissing values are not labeled
                range:  [1,31]             units:  1
        unique values:  31             missing .:  8,214/9,372

             examples:  .
                        .
                        .
                        .
```

```
  h9d_2
  measles day
                 type:  numeric (byte)
                label:  h9d_2, but 31 nonmissing values are not labeled
                range:  [1,31]             units:  1
        unique values:  31             missing .:  9,073/9,372

             examples:  .
```

.
.
.

h9d_3
measles day

```
        type:  numeric (byte)
        label:  h9d_3, but 19 nonmissing values are not labeled
        range:  [1,29]              units:  1
unique values:  19                 missing .:  9,347/9,372
     examples:  .
                .
                .
                .
```

h9d_4
measles day

```
        type:  numeric (byte)
        label:  h9d_4
        range:  [.,.]              units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372        .
```

h9d_5
measles day

```
        type:  numeric (byte)
        label:  h9d_5
        range:  [.,.]              units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372        .
```

h9d_6
measles day

```
        type:  numeric (byte)
        label:  h9d_6
        range:  [.,.]              units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372        .
```

h9m_1
measles month

```
        type:  numeric (byte)
        label:  h9m_1, but 12 nonmissing values are not labeled
        range:  [1,12]             units:  1
unique values:  12                 missing .:  8,214/9,372
     examples:  .
                .
                .
                .
```

| h9m_2 |
| --- |
| measles month |

                type:  numeric (byte)
               label:  h9m_2, but 12 nonmissing values are not labeled
               range:  [1,12]                    units:  1
       unique values:  12                       missing .:  9,073/9,372
            examples:  .
                       .
                       .
                       .

| h9m_3 |
| --- |
| measles month |

                type:  numeric (byte)
               label:  h9m_3, but 11 nonmissing values are not labeled
               range:  [1,12]                    units:  1
       unique values:  11                       missing .:  9,347/9,372
            examples:  .
                       .
                       .
                       .

| h9m_4 |
| --- |
| measles month |

                type:  numeric (byte)
               label:  h9m_4
               range:  [.,.]                     units:  .
       unique values:  0                        missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372        .

| h9m_5 |
| --- |
| measles month |

                type:  numeric (byte)
               label:  h9m_5
               range:  [.,.]                     units:  .
       unique values:  0                        missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372        .

| h9m_6 |
| --- |
| measles month |

                type:  numeric (byte)
               label:  h9m_6
               range:  [.,.]                     units:  .
       unique values:  0                        missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372        .

| h9y_1 |
| --- |
| measles year |

                type:  numeric (int)
               label:  h9y_1, but 5 nonmissing values are not labeled
               range:  [2009,2013]               units:  1

```
       unique values:  5              missing .:  8,214/9,372
          tabulation:  Freq.  Numeric  Label
                         46     2009
                        214     2010
                        281     2011
                        362     2012
                        255     2013
                      8,214      .
```

h9y_2
measles year

```
              type:  numeric (int)
             label:  h9y_2, but 5 nonmissing values are not labeled
             range:  [2009,2013]           units:  1
       unique values:  5              missing .:  9,073/9,372
          tabulation:  Freq.  Numeric  Label
                         32     2009
                         95     2010
                         92     2011
                         63     2012
                         17     2013
                      9,073      .
```

h9y_3
measles year

```
              type:  numeric (int)
             label:  h9y_3, but 5 nonmissing values are not labeled
             range:  [2009,2013]           units:  1
       unique values:  5              missing .:  9,347/9,372
          tabulation:  Freq.  Numeric  Label
                          2     2009
                         11     2010
                          5     2011
                          5     2012
                          2     2013
                      9,347      .
```

h9y_4
measles year

```
              type:  numeric (byte)
             label:  h9y_4
             range:  [.,.]                 units:  .
       unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                      9,372      .
```

h9y_5
measles year

```
              type:  numeric (byte)
             label:  h9y_5
             range:  [.,.]                 units:  .
       unique values:  0              missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                      9,372      .
```

```
  h9y_6
measles year
          type:  numeric (byte)
          label:  h9y_6
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h0_1
na - received polio 0
          type:  numeric (byte)
          label:  h0_1
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h0_2
na - received polio 0
          type:  numeric (byte)
          label:  h0_2
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h0_3
na - received polio 0
          type:  numeric (byte)
          label:  h0_3
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h0_4
na - received polio 0
          type:  numeric (byte)
          label:  h0_4
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h0_5
na - received polio 0
          type:  numeric (byte)
          label:  h0_5
          range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

h0_6
na - received polio 0

         type:  numeric (byte)
         label:  h0_6
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_1
na - polio 0 day

         type:  numeric (byte)
         label:  h0d_1
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_2
na - polio 0 day

         type:  numeric (byte)
         label:  h0d_2
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_3
na - polio 0 day

         type:  numeric (byte)
         label:  h0d_3
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_4
na - polio 0 day

         type:  numeric (byte)
         label:  h0d_4
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_5
na - polio 0 day

         type:  numeric (byte)
         label:  h0d_5
         range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .

h0d_6
na - polio 0 day

            type:  numeric (byte)
            label:  h0d_6
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_1
na - polio 0 month

            type:  numeric (byte)
            label:  h0m_1
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_2
na - polio 0 month

            type:  numeric (byte)
            label:  h0m_2
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_3
na - polio 0 month

            type:  numeric (byte)
            label:  h0m_3
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_4
na - polio 0 month

            type:  numeric (byte)
            label:  h0m_4
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_5
na - polio 0 month

            type:  numeric (byte)
            label:  h0m_5
            range:  [.,.]                      units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

h0m_6
na - polio 0 month

                type:  numeric (byte)
                label:  h0m_6

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .


h0y_1
na - polio 0 year

                type:  numeric (byte)
                label:  h0y_1

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .


h0y_2
na - polio 0 year

                type:  numeric (byte)
                label:  h0y_2

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .


h0y_3
na - polio 0 year

                type:  numeric (byte)
                label:  h0y_3

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .


h0y_4
na - polio 0 year

                type:  numeric (byte)
                label:  h0y_4

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .


h0y_5
na - polio 0 year

                type:  numeric (byte)
                label:  h0y_5

                range:  [.,.]                    units:  .
        unique values:  0                     missing .:  9,372/9,372

            tabulation:  Freq.   Numeric  Label
                          9,372        .

```
  h0y_6
  na - polio 0 year
          type:  numeric (byte)
         label:  h0y_6
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
  h10_1
  ever had vaccination
          type:  numeric (byte)
         label:  h10_1
         range:  [0,8]                   units:  1
  unique values:  3                    missing .:  8,387/9,372
      tabulation:  Freq.  Numeric  Label
                135        0  no
                844        1  yes
                  6        8  don't know
               8,387        .
```

```
  h10_2
  ever had vaccination
          type:  numeric (byte)
         label:  h10_2
         range:  [0,8]                   units:  1
  unique values:  3                    missing .:  9,086/9,372
      tabulation:  Freq.  Numeric  Label
                 47        0  no
                238        1  yes
                  1        8  don't know
               9,086        .
```

```
  h10_3
  ever had vaccination
          type:  numeric (byte)
         label:  h10_3
         range:  [0,1]                   units:  1
  unique values:  2                    missing .:  9,336/9,372
      tabulation:  Freq.  Numeric  Label
                  9        0  no
                 27        1  yes
               9,336        .
```

```
  h10_4
  ever had vaccination
          type:  numeric (byte)
         label:  h10_4
         range:  [0,1]                   units:  1
  unique values:  2                    missing .:  9,369/9,372
      tabulation:  Freq.  Numeric  Label
                  2        0  no
                  1        1  yes
```

```
             9,369        .


  h10_5
  ever had vaccination
              type:  numeric (byte)
             label:  h10_5
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
             9,372        .


  h10_6
  ever had vaccination
              type:  numeric (byte)
             label:  h10_6
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
             9,372        .


  h11_1
  had diarrhea recently
              type:  numeric (byte)
             label:  h11_1
             range:  [0,8]                 units:  1
     unique values:  3                    missing .:  6,477/9,372
         tabulation:  Freq.  Numeric  Label
             2,322        0  no
               550        2  yes, last two weeks
                23        8  don't know
             6,477        .


  h11_2
  had diarrhea recently
              type:  numeric (byte)
             label:  h11_2
             range:  [0,8]                 units:  1
     unique values:  3                    missing .:  8,732/9,372
         tabulation:  Freq.  Numeric  Label
               542        0  no
                80        2  yes, last two weeks
                18        8  don't know
             8,732        .


  h11_3
  had diarrhea recently
              type:  numeric (byte)
             label:  h11_3
             range:  [0,8]                 units:  1
     unique values:  3                    missing .:  9,306/9,372
         tabulation:  Freq.  Numeric  Label
                55        0  no
                 7        2  yes, last two weeks
                 4        8  don't know
```

```
                9,306        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h11_4                                                                         │
│ had diarrhea recently                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  h11_4
              range:  [0,0]                 units:  1
      unique values:  1                 missing .:  9,368/9,372
          tabulation:  Freq.  Numeric  Label
                  4       0  no
              9,368        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h11_5                                                                         │
│ had diarrhea recently                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  h11_5
              range:  [.,.]                 units:  .
      unique values:  0                 missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h11_6                                                                         │
│ had diarrhea recently                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  h11_6
              range:  [.,.]                 units:  .
      unique values:  0                 missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h11b_1                                                                        │
│ blood in the stools                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  h11b_1
              range:  [0,8]                 units:  1
      unique values:  3                 missing .:  8,823/9,372
          tabulation:  Freq.  Numeric  Label
                506       0  no
                 40       1  yes
                  3       8  don't know
              8,823        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h11b_2                                                                        │
│ blood in the stools                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
              label:  h11b_2
              range:  [0,1]                 units:  1
      unique values:  2                 missing .:  9,293/9,372
          tabulation:  Freq.  Numeric  Label
                 71       0  no
                  8       1  yes
              9,293        .
```

h11b_3
blood in the stools
           type:  numeric (byte)
          label:  h11b_3
          range:  [0,0]              units:  1
  unique values:  1                missing .:  9,365/9,372
      tabulation:  Freq.  Numeric  Label
                7        0  no
            9,365           .

h11b_4
blood in the stools
           type:  numeric (byte)
          label:  h11b_4
          range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372           .

h11b_5
blood in the stools
           type:  numeric (byte)
          label:  h11b_5
          range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372           .

h11b_6
blood in the stools
           type:  numeric (byte)
          label:  h11b_6
          range:  [.,.]              units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372           .

h12a_1
diarrhea: government hospital (moh)
           type:  numeric (byte)
          label:  h12a_1
          range:  [0,1]              units:  1
  unique values:  2                missing .:  8,822/9,372
      tabulation:  Freq.  Numeric  Label
              376        0  no
              174        1  yes
            8,822           .

h12a_2
diarrhea: government hospital (moh)
           type:  numeric (byte)
          label:  h12a_2
          range:  [0,1]              units:  1
  unique values:  2                missing .:  9,292/9,372

```
            tabulation:  Freq.   Numeric  Label
                    54       0  no
                    26       1  yes
                 9,292        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h12a_3                                                                        │
│  diarrhea: government hospital (moh)                                           │
└─────────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  h12a_3
                 range:  [0,1]              units:  1
         unique values:  2                missing .:  9,365/9,372
            tabulation:  Freq.   Numeric  Label
                     5       0  no
                     2       1  yes
                 9,365        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h12a_4                                                                        │
│  diarrhea: government hospital (moh)                                           │
└─────────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  h12a_4
                 range:  [.,.]              units:  .
         unique values:  0                missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h12a_5                                                                        │
│  diarrhea: government hospital (moh)                                           │
└─────────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  h12a_5
                 range:  [.,.]              units:  .
         unique values:  0                missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h12a_6                                                                        │
│  diarrhea: government hospital (moh)                                           │
└─────────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  h12a_6
                 range:  [.,.]              units:  .
         unique values:  0                missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h12b_1                                                                        │
│  diarrhea: militar hospital/ social security (idss)                            │
└─────────────────────────────────────────────────────────────────────────────┘
                  type:  numeric (byte)
                 label:  h12b_1
                 range:  [0,1]              units:  1
         unique values:  2                missing .:  8,822/9,372
            tabulation:  Freq.   Numeric  Label
                   547       0  no
                     3       1  yes
                 8,822        .
```

```
h12b_2
diarrhea: militar hospital/ social security (idss)
        type:  numeric (byte)
        label:  h12b_2
        range:  [0,1]              units:  1
  unique values:  2              missing .:  9,292/9,372
     tabulation:  Freq.  Numeric  Label
                     79      0  no
                      1      1  yes
                  9,292         .
```

```
h12b_3
diarrhea: militar hospital/ social security (idss)
        type:  numeric (byte)
        label:  h12b_3
        range:  [0,0]              units:  1
  unique values:  1              missing .:  9,365/9,372
     tabulation:  Freq.  Numeric  Label
                      7      0  no
                  9,365         .
```

```
h12b_4
diarrhea: militar hospital/ social security (idss)
        type:  numeric (byte)
        label:  h12b_4
        range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
h12b_5
diarrhea: militar hospital/ social security (idss)
        type:  numeric (byte)
        label:  h12b_5
        range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
h12b_6
diarrhea: militar hospital/ social security (idss)
        type:  numeric (byte)
        label:  h12b_6
        range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
h12c_1
diarrhea: rural clinic/ primary health center
        type:  numeric (byte)
        label:  h12c_1
        range:  [0,1]              units:  1
  unique values:  2              missing .:  8,822/9,372
```

```
    tabulation: Freq.  Numeric  Label
            480      0  no
             70      1  yes
          8,822       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12c_2                                                                │
│ diarrhea: rural clinic/ primary health center                        │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12c_2
         range:  [0,1]              units:  1
 unique values:  2                  missing .:  9,292/9,372
    tabulation: Freq.  Numeric  Label
             71      0  no
              9      1  yes
          9,292       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12c_3                                                                │
│ diarrhea: rural clinic/ primary health center                        │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12c_3
         range:  [0,1]              units:  1
 unique values:  2                  missing .:  9,365/9,372
    tabulation: Freq.  Numeric  Label
              6      0  no
              1      1  yes
          9,365       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12c_4                                                                │
│ diarrhea: rural clinic/ primary health center                        │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12c_4
         range:  [.,.]              units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12c_5                                                                │
│ diarrhea: rural clinic/ primary health center                        │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12c_5
         range:  [.,.]              units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12c_6                                                                │
│ diarrhea: rural clinic/ primary health center                        │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12c_6
         range:  [.,.]              units:  .
 unique values:  0                  missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372       .
```

h12d_1
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_1
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

h12d_2
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_2
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

h12d_3
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_3
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

h12d_4
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_4
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

h12d_5
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_5
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

h12d_6
na - diarrhea: cs public sector

         type: numeric (byte)
         label: h12d_6
         range: [.,.]                  units: .
 unique values: 0                      missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

```
 h12e_1
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_1
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h12e_2
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_2
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h12e_3
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_3
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h12e_4
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_4
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h12e_5
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_5
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
 h12e_6
na - diarrhea: cs public sector

            type:  numeric (byte)
           label:  h12e_6
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────┐
│  h12f_1                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_1
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────┐
│  h12f_2                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_2
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────┐
│  h12f_3                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_3
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────┐
│  h12f_4                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_4
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────┐
│  h12f_5                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_5
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────┐
│  h12f_6                                                           │
│ na - diarrhea: cs public sector                                   │
└─────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h12f_6
           range:  [.,.]                    units:  .
   unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
h12g_1
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_1
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
h12g_2
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_2
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
h12g_3
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_3
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
h12g_4
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_4
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
h12g_5
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_5
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

```
h12g_6
na - diarrhea: cs public sector
          type:  numeric (byte)
         label:  h12g_6
         range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .
```

h12h_1
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_1
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

h12h_2
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_2
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

h12h_3
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_3
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

h12h_4
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_4
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

h12h_5
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_5
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

h12h_6
na - diarrhea: cs public sector

          type:  numeric (byte)
          label:  h12h_6
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
            9,372        .

```
h12i_1
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_1
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12i_2
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_2
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12i_3
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_3
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12i_4
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_4
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12i_5
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_5
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12i_6
na - diarrhea: cs public sector
           type:  numeric (byte)
          label:  h12i_6
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

h12j_1
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_1
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

h12j_2
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_2
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

h12j_3
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_3
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

h12j_4
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_4
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

h12j_5
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_5
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

h12j_6
na - diarrhea: private hospital/clinic

          type:  numeric (byte)
         label:  h12j_6
         range:  [.,.]                    units:  .
  unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_1                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_1
          range:  [0,1]                   units:  1
  unique values:  2                     missing .:  8,822/9,372
      tabulation:  Freq.  Numeric  Label
                    543       0  no
                      7       1  yes
                  8,822          .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_2                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_2
          range:  [0,0]                   units:  1
  unique values:  1                     missing .:  9,292/9,372
      tabulation:  Freq.  Numeric  Label
                     80       0  no
                  9,292          .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_3                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_3
          range:  [0,0]                   units:  1
  unique values:  1                     missing .:  9,365/9,372
      tabulation:  Freq.  Numeric  Label
                      7       0  no
                  9,365          .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_4                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_4
          range:  [.,.]                   units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372          .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_5                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_5
          range:  [.,.]                   units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372          .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12k_6                                                                │
│ diarrhea: private pharmacy                                            │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  h12k_6
          range:  [.,.]                   units:  .
```

unique values: 0               missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
        9,372      .

---

**h12l_1**
diarrhea: private doctor

       type:  numeric (byte)
      label:  h12l_1
      range:  [0,1]          units:  1
unique values: 2               missing .: 8,822/9,372
   tabulation: Freq.  Numeric  Label
         489     0  no
          61     1  yes
       8,822      .

---

**h12l_2**
diarrhea: private doctor

       type:  numeric (byte)
      label:  h12l_2
      range:  [0,1]          units:  1
unique values: 2               missing .: 9,292/9,372
   tabulation: Freq.  Numeric  Label
         73     0  no
          7     1  yes
       9,292      .

---

**h12l_3**
diarrhea: private doctor

       type:  numeric (byte)
      label:  h12l_3
      range:  [0,0]          units:  1
unique values: 1               missing .: 9,365/9,372
   tabulation: Freq.  Numeric  Label
         7     0  no
       9,365      .

---

**h12l_4**
diarrhea: private doctor

       type:  numeric (byte)
      label:  h12l_4
      range:  [.,.]          units:  .
unique values: 0               missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
        9,372      .

---

**h12l_5**
diarrhea: private doctor

       type:  numeric (byte)
      label:  h12l_5
      range:  [.,.]          units:  .
unique values: 0               missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
        9,372      .

```
  h12l_6
diarrhea: private doctor
           type:  numeric (byte)
          label:  h12l_6
          range:  [.,.]                  units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h12m_1
diarrhea: health worker
           type:  numeric (byte)
          label:  h12m_1
          range:  [0,1]                  units:  1
  unique values:  2                   missing .:  8,822/9,372
      tabulation:  Freq.  Numeric  Label
                548        0  no
                  2        1  yes
              8,822        .
```

```
  h12m_2
diarrhea: health worker
           type:  numeric (byte)
          label:  h12m_2
          range:  [0,0]                  units:  1
  unique values:  1                   missing .:  9,292/9,372
      tabulation:  Freq.  Numeric  Label
                 80        0  no
              9,292        .
```

```
  h12m_3
diarrhea: health worker
           type:  numeric (byte)
          label:  h12m_3
          range:  [0,0]                  units:  1
  unique values:  1                   missing .:  9,365/9,372
      tabulation:  Freq.  Numeric  Label
                  7        0  no
              9,365        .
```

```
  h12m_4
diarrhea: health worker
           type:  numeric (byte)
          label:  h12m_4
          range:  [.,.]                  units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
  h12m_5
diarrhea: health worker
           type:  numeric (byte)
          label:  h12m_5
          range:  [.,.]                  units:  .
```

unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**h12m_6**
diarrhea: health worker

         type:  numeric (byte)
        label:  h12m_6
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

**h12n_1**
diarrhea: other private health sector

         type:  numeric (byte)
        label:  h12n_1
        range:  [0,1]                units:  1
unique values:  2                    missing .:  8,822/9,372
   tabulation:  Freq.  Numeric  Label
                541      0  no
                  9      1  yes
              8,822        .

---

**h12n_2**
diarrhea: other private health sector

         type:  numeric (byte)
        label:  h12n_2
        range:  [0,1]                units:  1
unique values:  2                    missing .:  9,292/9,372
   tabulation:  Freq.  Numeric  Label
                 79      0  no
                  1      1  yes
              9,292        .

---

**h12n_3**
diarrhea: other private health sector

         type:  numeric (byte)
        label:  h12n_3
        range:  [0,0]                units:  1
unique values:  1                    missing .:  9,365/9,372
   tabulation:  Freq.  Numeric  Label
                  7      0  no
              9,365        .

---

**h12n_4**
diarrhea: other private health sector

         type:  numeric (byte)
        label:  h12n_4
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

```
  h12n_5
diarrhea: other private health sector
            type: numeric (byte)
           label: h12n_5
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

```
  h12n_6
diarrhea: other private health sector
            type: numeric (byte)
           label: h12n_6
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

```
  h12o_1
na - diarrhea: cs private medical
            type: numeric (byte)
           label: h12o_1
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

```
  h12o_2
na - diarrhea: cs private medical
            type: numeric (byte)
           label: h12o_2
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

```
  h12o_3
na - diarrhea: cs private medical
            type: numeric (byte)
           label: h12o_3
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

```
  h12o_4
na - diarrhea: cs private medical
            type: numeric (byte)
           label: h12o_4
           range: [.,.]                units: .
   unique values: 0                  missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
            9,372        .
```

h12o_5
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12o_5
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h12o_6
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12o_6
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h12p_1
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12p_1
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h12p_2
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12p_2
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h12p_3
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12p_3
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h12p_4
na - diarrhea: cs private medical

```
        type:  numeric (byte)
        label:  h12p_4
        range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
h12p_5
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12p_5
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12p_6
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12p_6
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12q_1
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12q_1
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12q_2
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12q_2
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12q_3
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12q_3
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

```
h12q_4
na - diarrhea: cs private medical
           type:  numeric (byte)
          label:  h12q_4
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372        .
```

h12q_5
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12q_5
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

h12q_6
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12q_6
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

h12r_1
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12r_1
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

h12r_2
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12r_2
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

h12r_3
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12r_3
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

h12r_4
na - diarrhea: cs private medical

          type:  numeric (byte)
          label:  h12r_4
          range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .

```
h12r_5
na - diarrhea: cs private medical
            type:  numeric (byte)
           label:  h12r_5
           range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
h12r_6
na - diarrhea: cs private medical
            type:  numeric (byte)
           label:  h12r_6
           range:  [.,.]                 units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
h12s_1
diarrhea: traditional healer
            type:  numeric (byte)
           label:  h12s_1
           range:  [0,1]                 units:  1
    unique values:  2              missing .:  8,822/9,372
        tabulation:  Freq.  Numeric  Label
                  549        0  no
                    1        1  yes
                8,822        .
```

```
h12s_2
diarrhea: traditional healer
            type:  numeric (byte)
           label:  h12s_2
           range:  [0,0]                 units:  1
    unique values:  1              missing .:  9,292/9,372
        tabulation:  Freq.  Numeric  Label
                   80        0  no
                9,292        .
```

```
h12s_3
diarrhea: traditional healer
            type:  numeric (byte)
           label:  h12s_3
           range:  [0,0]                 units:  1
    unique values:  1              missing .:  9,365/9,372
        tabulation:  Freq.  Numeric  Label
                    7        0  no
                9,365        .
```

```
h12s_4
diarrhea: traditional healer
            type:  numeric (byte)
           label:  h12s_4
           range:  [.,.]                 units:  .
```

unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
           9,372        .

---

**h12s_5**
diarrhea: traditional healer

          type:  numeric (byte)
         label:  h12s_5
        range:  [.,.]            units:  .
unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
           9,372        .

---

**h12s_6**
diarrhea: traditional healer

          type:  numeric (byte)
         label:  h12s_6
        range:  [.,.]            units:  .
unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
           9,372        .

---

**h12t_1**
diarrhea: midwife

          type:  numeric (byte)
         label:  h12t_1
        range:  [0,0]           units:  1
unique values: 1                missing .: 8,822/9,372
    tabulation: Freq.   Numeric  Label
            550       0  no
          8,822        .

---

**h12t_2**
diarrhea: midwife

          type:  numeric (byte)
         label:  h12t_2
        range:  [0,0]           units:  1
unique values: 1                missing .: 9,292/9,372
    tabulation: Freq.   Numeric  Label
             80       0  no
          9,292        .

---

**h12t_3**
diarrhea: midwife

          type:  numeric (byte)
         label:  h12t_3
        range:  [0,0]           units:  1
unique values: 1                missing .: 9,365/9,372
    tabulation: Freq.   Numeric  Label
              7       0  no
          9,365        .

---

**h12t_4**
diarrhea: midwife

```
          type:  numeric (byte)
          label:  h12t_4
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12t_5                                                                │
│ diarrhea: midwife                                                     │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  h12t_5
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12t_6                                                                │
│ diarrhea: midwife                                                     │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  h12t_6
          range:  [.,.]                units:  .
   unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_1                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  h12u_1
          range:  [0,1]                units:  1
   unique values:  2                 missing .:  8,822/9,372
       tabulation:  Freq.   Numeric  Label
                 517       0  no
                  33       1  yes
               8,822       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_2                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  h12u_2
          range:  [0,1]                units:  1
   unique values:  2                 missing .:  9,292/9,372
       tabulation:  Freq.   Numeric  Label
                  72       0  no
                   8       1  yes
               9,292       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_3                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  h12u_3
          range:  [0,0]                units:  1
   unique values:  1                 missing .:  9,365/9,372
       tabulation:  Freq.   Numeric  Label
```

```
                7      0  no
            9,365       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_4                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12u_4
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_5                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12u_5
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12u_6                                                                │
│ diarrhea: at home                                                     │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12u_6
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12v_1                                                                │
│ na - diarrhea: cs other sector                                        │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12v_1
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12v_2                                                                │
│ na - diarrhea: cs other sector                                        │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12v_2
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h12v_3                                                                │
│ na - diarrhea: cs other sector                                        │
└─────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h12v_3
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
```

tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12v_4**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12v_4
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372
     tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12v_5**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12v_5
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372
     tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12v_6**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12v_6
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372
     tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12w_1**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12w_1
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372
     tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12w_2**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12w_2
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372
     tabulation: Freq.   Numeric   Label
          9,372        .

---

**h12w_3**
na - diarrhea: cs other sector

          type:  numeric (byte)
          label:  h12w_3
          range:  [.,.]                    units:  .
  unique values:  0                   missing .: 9,372/9,372

tabulation: Freq.  Numeric  Label
          9,372        .

h12w_4
na - diarrhea: cs other sector
        type:  numeric (byte)
        label:  h12w_4
        range:  [.,.]              units:  .
  unique values:  0             missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372        .

h12w_5
na - diarrhea: cs other sector
        type:  numeric (byte)
        label:  h12w_5
        range:  [.,.]              units:  .
  unique values:  0             missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372        .

h12w_6
na - diarrhea: cs other sector
        type:  numeric (byte)
        label:  h12w_6
        range:  [.,.]              units:  .
  unique values:  0             missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
          9,372        .

h12x_1
diarrhea: other
        type:  numeric (byte)
        label:  h12x_1
        range:  [0,1]              units:  1
  unique values:  2             missing .:  8,822/9,372
    tabulation: Freq.  Numeric  Label
            547        0  no
              3        1  yes
          8,822        .

h12x_2
diarrhea: other
        type:  numeric (byte)
        label:  h12x_2
        range:  [0,0]              units:  1
  unique values:  1             missing .:  9,292/9,372
    tabulation: Freq.  Numeric  Label
             80        0  no
          9,292        .

h12x_3
diarrhea: other
        type:  numeric (byte)

```
         label:  h12x_3
         range:  [0,0]                units:  1
 unique values:  1                missing .:  9,365/9,372
     tabulation:  Freq.  Numeric  Label
                7      0  no
            9,365         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h12x_4                                                                   │
│ diarrhea: other                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12x_4
         range:  [.,.]                units:  .
 unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h12x_5                                                                   │
│ diarrhea: other                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12x_5
         range:  [.,.]                units:  .
 unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h12x_6                                                                   │
│ diarrhea: other                                                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12x_6
         range:  [.,.]                units:  .
 unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h12y_1                                                                   │
│ diarrhea: no treatment                                                    │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12y_1
         range:  [0,1]                units:  1
 unique values:  2                missing .:  8,822/9,372
     tabulation:  Freq.  Numeric  Label
              353      0  no: received treatment
              197      1  yes: no treatment
            8,822         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h12y_2                                                                   │
│ diarrhea: no treatment                                                    │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h12y_2
         range:  [0,1]                units:  1
 unique values:  2                missing .:  9,292/9,372
     tabulation:  Freq.  Numeric  Label
               49      0  no: received treatment
               31      1  yes: no treatment
```

```
                      9,292        .


  h12y_3
diarrhea: no treatment
            type:  numeric (byte)
           label:  h12y_3
           range:  [0,1]                     units:  1
   unique values:  2                      missing .:  9,365/9,372
       tabulation:  Freq.   Numeric  Label
                       3        0  no: received treatment
                       4        1  yes: no treatment
                    9,365        .


  h12y_4
diarrhea: no treatment
            type:  numeric (byte)
           label:  h12y_4
           range:  [.,.]                     units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .


  h12y_5
diarrhea: no treatment
            type:  numeric (byte)
           label:  h12y_5
           range:  [.,.]                     units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .


  h12y_6
diarrhea: no treatment
            type:  numeric (byte)
           label:  h12y_6
           range:  [.,.]                     units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .


  h12z_1
diarrhea: medical treatment
            type:  numeric (byte)
           label:  h12z_1
           range:  [0,1]                     units:  1
   unique values:  2                      missing .:  8,822/9,372
       tabulation:  Freq.   Numeric  Label
                     235        0  no
                     315        1  yes
                    8,822        .


  h12z_2
diarrhea: medical treatment
            type:  numeric (byte)
```

```
            label:  h12z_2
            range:  [0,1]                   units:  1
    unique values:  2                   missing .:  9,292/9,372
        tabulation:  Freq.  Numeric  Label
                37       0  no
                43       1  yes
             9,292        .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12z_3                                                                │
│ diarrhea: medical treatment                                          │
└─────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h12z_3
            range:  [0,1]                   units:  1
    unique values:  2                   missing .:  9,365/9,372
        tabulation:  Freq.  Numeric  Label
                 4       0  no
                 3       1  yes
             9,365        .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12z_4                                                                │
│ diarrhea: medical treatment                                          │
└─────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h12z_4
            range:  [.,.]                   units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12z_5                                                                │
│ diarrhea: medical treatment                                          │
└─────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h12z_5
            range:  [.,.]                   units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h12z_6                                                                │
│ diarrhea: medical treatment                                          │
└─────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h12z_6
            range:  [.,.]                   units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ h13_1                                                                 │
│ given oral rehydration                                               │
└─────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h13_1
            range:  [0,8]                   units:  1
    unique values:  3                   missing .:  8,822/9,372
        tabulation:  Freq.  Numeric  Label
               281       0  no
```

```
                    264      2  yes: ors - probed
                      5      8  don't know
                  8,822         .


  h13_2
  given oral rehydration
            type:  numeric (byte)
           label:  h13_2
           range:  [0,8]                  units:  1
   unique values:  3                    missing .:  9,292/9,372
      tabulation:  Freq.   Numeric  Label
                     48      0  no
                     31      2  yes: ors - probed
                      1      8  don't know
                  9,292         .


  h13_3
  given oral rehydration
            type:  numeric (byte)
           label:  h13_3
           range:  [0,2]                  units:  1
   unique values:  2                    missing .:  9,365/9,372
      tabulation:  Freq.   Numeric  Label
                      5      0  no
                      2      2  yes: ors - probed
                  9,365         .


  h13_4
  given oral rehydration
            type:  numeric (byte)
           label:  h13_4
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                  9,372         .


  h13_5
  given oral rehydration
            type:  numeric (byte)
           label:  h13_5
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                  9,372         .


  h13_6
  given oral rehydration
            type:  numeric (byte)
           label:  h13_6
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                  9,372         .
```

h13b_1
given pre-packaged ors liquid

           type: numeric (byte)
          label: h13b_1
          range: [0,8]                units: 1
  unique values: 3                missing .: 8,822/9,372
     tabulation: Freq.  Numeric  Label
                 410      0  no
                 133      1  yes
                   7      8  don't know
               8,822         .

h13b_2
given pre-packaged ors liquid

           type: numeric (byte)
          label: h13b_2
          range: [0,8]                units: 1
  unique values: 3                missing .: 9,292/9,372
     tabulation: Freq.  Numeric  Label
                  62      0  no
                  17      1  yes
                   1      8  don't know
               9,292         .

h13b_3
given pre-packaged ors liquid

           type: numeric (byte)
          label: h13b_3
          range: [0,0]                units: 1
  unique values: 1                missing .: 9,365/9,372
     tabulation: Freq.  Numeric  Label
                   7      0  no
               9,365         .

h13b_4
given pre-packaged ors liquid

           type: numeric (byte)
          label: h13b_4
          range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

h13b_5
given pre-packaged ors liquid

           type: numeric (byte)
          label: h13b_5
          range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

h13b_6
given pre-packaged ors liquid

```
        type:  numeric (byte)
        label:  h13b_6
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│ h14_1                                                             │
│ given recommended home solution                                   │
└─────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h14_1
        range:  [0,8]                    units:  1
unique values:  3                    missing .:  8,822/9,372
    tabulation:  Freq.   Numeric  Label
               474        0  no
                71        2  yes: rhs - probed
                 5        8  don't know
             8,822        .
```

┌─────────────────────────────────────────────────────────────────┐
│ h14_2                                                             │
│ given recommended home solution                                   │
└─────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h14_2
        range:  [0,8]                    units:  1
unique values:  3                    missing .:  9,292/9,372
    tabulation:  Freq.   Numeric  Label
                67        0  no
                12        2  yes: rhs - probed
                 1        8  don't know
             9,292        .
```

┌─────────────────────────────────────────────────────────────────┐
│ h14_3                                                             │
│ given recommended home solution                                   │
└─────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h14_3
        range:  [0,0]                    units:  1
unique values:  1                    missing .:  9,365/9,372
    tabulation:  Freq.   Numeric  Label
                 7        0  no
             9,365        .
```

┌─────────────────────────────────────────────────────────────────┐
│ h14_4                                                             │
│ given recommended home solution                                   │
└─────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h14_4
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│ h14_5                                                             │
│ given recommended home solution                                   │
└─────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  h14_5
```

```
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372

         tabulation:  Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h14_6                                                                 │
│ given recommended home solution                                       │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h14_6

            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372

         tabulation:  Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15_1                                                                 │
│ given antibiotic pills or syrups                                      │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15_1

            range:  [0,8]                    units:  1
    unique values:  3                      missing .:  8,822/9,372

         tabulation:  Freq.  Numeric  Label
                        465        0  no
                         83        1  yes
                          2        8  don't know
                      8,822        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15_2                                                                 │
│ given antibiotic pills or syrups                                      │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15_2

            range:  [0,8]                    units:  1
    unique values:  3                      missing .:  9,292/9,372

         tabulation:  Freq.  Numeric  Label
                         64        0  no
                         15        1  yes
                          1        8  don't know
                      9,292        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15_3                                                                 │
│ given antibiotic pills or syrups                                      │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15_3

            range:  [0,1]                    units:  1
    unique values:  2                      missing .:  9,365/9,372

         tabulation:  Freq.  Numeric  Label
                          6        0  no
                          1        1  yes
                      9,365        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15_4                                                                 │
│ given antibiotic pills or syrups                                      │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15_4

            range:  [.,.]                    units:  .
```

unique values: 0           missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label
           9,372       .

---

**h15_5**
given antibiotic pills or syrups

           type:  numeric (byte)
           label:  h15_5
           range:  [.,.]           units:  .
    unique values: 0           missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label
           9,372       .

---

**h15_6**
given antibiotic pills or syrups

           type:  numeric (byte)
           label:  h15_6
           range:  [.,.]           units:  .
    unique values: 0           missing .: 9,372/9,372

     tabulation: Freq.  Numeric  Label
           9,372       .

---

**h15a_1**
given antimotility

           type:  numeric (byte)
           label:  h15a_1
           range:  [0,8]           units:  1
    unique values: 3           missing .: 8,822/9,372

     tabulation: Freq.  Numeric  Label
           542       0  no
             6       1  yes
             2       8  don't know
           8,822       .

---

**h15a_2**
given antimotility

           type:  numeric (byte)
           label:  h15a_2
           range:  [0,8]           units:  1
    unique values: 3           missing .: 9,292/9,372

     tabulation: Freq.  Numeric  Label
            77       0  no
             2       1  yes
             1       8  don't know
           9,292       .

---

**h15a_3**
given antimotility

           type:  numeric (byte)
           label:  h15a_3
           range:  [0,0]           units:  1
    unique values: 1           missing .: 9,365/9,372

     tabulation: Freq.  Numeric  Label
            7       0  no

```
              9,365        .
```

```
  h15a_4
given antimotility
          type:  numeric (byte)
         label:  h15a_4
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
  h15a_5
given antimotility
          type:  numeric (byte)
         label:  h15a_5
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
  h15a_6
given antimotility
          type:  numeric (byte)
         label:  h15a_6
         range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .
```

```
  h15b_1
given antibiotic injection
          type:  numeric (byte)
         label:  h15b_1
         range:  [0,8]                  units:  1
  unique values:  3                    missing .:  8,822/9,372
     tabulation:  Freq.  Numeric  Label
               531       0  no
                17       1  yes
                 2       8  don't know
             8,822        .
```

```
  h15b_2
given antibiotic injection
          type:  numeric (byte)
         label:  h15b_2
         range:  [0,8]                  units:  1
  unique values:  3                    missing .:  9,292/9,372
     tabulation:  Freq.  Numeric  Label
                76       0  no
                 3       1  yes
                 1       8  don't know
             9,292        .
```

h15b_3
given antibiotic injection
            type:  numeric (byte)
           label:  h15b_3
           range:  [0,0]                  units:  1
   unique values:  1                   missing .:  9,365/9,372
       tabulation:  Freq.  Numeric  Label
                  7      0  no
              9,365         .

h15b_4
given antibiotic injection
            type:  numeric (byte)
           label:  h15b_4
           range:  [.,.]                  units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .

h15b_5
given antibiotic injection
            type:  numeric (byte)
           label:  h15b_5
           range:  [.,.]                  units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .

h15b_6
given antibiotic injection
            type:  numeric (byte)
           label:  h15b_6
           range:  [.,.]                  units:  .
   unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .

h15c_1
given intravenous (iv)
            type:  numeric (byte)
           label:  h15c_1
           range:  [0,8]                  units:  1
   unique values:  3                   missing .:  8,822/9,372
       tabulation:  Freq.  Numeric  Label
                546      0  no
                  2      1  yes
                  2      8  don't know
              8,822         .

h15c_2
given intravenous (iv)
            type:  numeric (byte)
           label:  h15c_2
           range:  [0,8]                  units:  1

```
       unique values:  3                    missing .:  9,292/9,372

          tabulation:  Freq.  Numeric  Label
                          78       0  no
                           1       1  yes
                           1       8  don't know
                       9,292       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  h15c_3                                                               │
│ given intravenous (iv)                                                │
└─────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h15c_3
               range:  [0,0]                 units:  1
       unique values:  1                    missing .:  9,365/9,372

          tabulation:  Freq.  Numeric  Label
                           7       0  no
                       9,365       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  h15c_4                                                               │
│ given intravenous (iv)                                                │
└─────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h15c_4
               range:  [.,.]                 units:  .
       unique values:  0                    missing .:  9,372/9,372

          tabulation:  Freq.  Numeric  Label
                       9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  h15c_5                                                               │
│ given intravenous (iv)                                                │
└─────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h15c_5
               range:  [.,.]                 units:  .
       unique values:  0                    missing .:  9,372/9,372

          tabulation:  Freq.  Numeric  Label
                       9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  h15c_6                                                               │
│ given intravenous (iv)                                                │
└─────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h15c_6
               range:  [.,.]                 units:  .
       unique values:  0                    missing .:  9,372/9,372

          tabulation:  Freq.  Numeric  Label
                       9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│  h15d_1                                                               │
│ given home remedy, herbal medicine                                    │
└─────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h15d_1
               range:  [0,8]                 units:  1
       unique values:  3                    missing .:  8,822/9,372

          tabulation:  Freq.  Numeric  Label
                         473       0  no
                          75       1  yes
                           2       8  don't know
```

```
                8,822        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15d_2                                                                    │
│ given home remedy, herbal medicine                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h15d_2
             range:  [0,8]              units:  1
     unique values:  3                missing .:  9,292/9,372
         tabulation:  Freq.   Numeric   Label
                  73        0   no
                   6        1   yes
                   1        8   don't know
               9,292        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15d_3                                                                    │
│ given home remedy, herbal medicine                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h15d_3
             range:  [0,1]              units:  1
     unique values:  2                missing .:  9,365/9,372
         tabulation:  Freq.   Numeric   Label
                   5        0   no
                   2        1   yes
               9,365        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15d_4                                                                    │
│ given home remedy, herbal medicine                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h15d_4
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.   Numeric   Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15d_5                                                                    │
│ given home remedy, herbal medicine                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h15d_5
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.   Numeric   Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15d_6                                                                    │
│ given home remedy, herbal medicine                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h15d_6
             range:  [.,.]              units:  .
     unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.   Numeric   Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h15e_1                                                                    │
│ given zinc                                                                │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_1
       range:  [0,8]                  units:  1
unique values:  2                  missing .:  8,822/9,372
    tabulation:  Freq.  Numeric  Label
               548      0  no
                 2      8  don't know
             8,822        .
```

┌──────────────────────────────────────────────────────────────────┐
│  h15e_2                                                            │
│  given zinc                                                        │
└──────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_2
       range:  [0,8]                  units:  1
unique values:  2                  missing .:  9,292/9,372
    tabulation:  Freq.  Numeric  Label
                79      0  no
                 1      8  don't know
             9,292        .
```

┌──────────────────────────────────────────────────────────────────┐
│  h15e_3                                                            │
│  given zinc                                                        │
└──────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_3
       range:  [0,0]                  units:  1
unique values:  1                  missing .:  9,365/9,372
    tabulation:  Freq.  Numeric  Label
                 7      0  no
             9,365        .
```

┌──────────────────────────────────────────────────────────────────┐
│  h15e_4                                                            │
│  given zinc                                                        │
└──────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_4
       range:  [.,.]                  units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌──────────────────────────────────────────────────────────────────┐
│  h15e_5                                                            │
│  given zinc                                                        │
└──────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_5
       range:  [.,.]                  units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌──────────────────────────────────────────────────────────────────┐
│  h15e_6                                                            │
│  given zinc                                                        │
└──────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h15e_6
       range:  [.,.]                  units:  .
unique values:  0                  missing .:  9,372/9,372
```

tabulation: Freq.  Numeric  Label
          9,372        .

---

**h15f_1**                                                                  given
other (not antibiotic, antimotility, zinc)

            type:  numeric (byte)
           label:  h15f_1
           range:  [0,8]                units:  1
    unique values:  3              missing .:  8,822/9,372
        tabulation:  Freq.  Numeric  Label
                 528       0  no
                  20       1  yes
                   2       8  don't know
               8,822        .

---

**h15f_2**                                                                  given
other (not antibiotic, antimotility, zinc)

            type:  numeric (byte)
           label:  h15f_2
           range:  [0,8]                units:  1
    unique values:  3              missing .:  9,292/9,372
        tabulation:  Freq.  Numeric  Label
                  77       0  no
                   2       1  yes
                   1       8  don't know
               9,292        .

---

**h15f_3**                                                                  given
other (not antibiotic, antimotility, zinc)

            type:  numeric (byte)
           label:  h15f_3
           range:  [0,1]                units:  1
    unique values:  2              missing .:  9,365/9,372
        tabulation:  Freq.  Numeric  Label
                   6       0  no
                   1       1  yes
               9,365        .

---

**h15f_4**                                                                  given
other (not antibiotic, antimotility, zinc)

            type:  numeric (byte)
           label:  h15f_4
           range:  [.,.]                units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .

---

**h15f_5**                                                                  given
other (not antibiotic, antimotility, zinc)

            type:  numeric (byte)
           label:  h15f_5
           range:  [.,.]                units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label

```
         9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h15f_6                                                                 given │
│ other (not antibiotic, antimotility, zinc)                                    │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  h15f_6
            range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h15g_1                                                                       │
│ given unknown pill or syrup                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  h15g_1
            range:  [0,8]                  units:  1
    unique values:  3                    missing .:  8,822/9,372
        tabulation:  Freq.  Numeric  Label
                498        0  no
                 50        1  yes
                  2        8  don't know
              8,822        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h15g_2                                                                       │
│ given unknown pill or syrup                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  h15g_2
            range:  [0,8]                  units:  1
    unique values:  3                    missing .:  9,292/9,372
        tabulation:  Freq.  Numeric  Label
                 73        0  no
                  6        1  yes
                  1        8  don't know
              9,292        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h15g_3                                                                       │
│ given unknown pill or syrup                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  h15g_3
            range:  [0,0]                  units:  1
    unique values:  1                    missing .:  9,365/9,372
        tabulation:  Freq.  Numeric  Label
                  7        0  no
              9,365        .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h15g_4                                                                       │
│ given unknown pill or syrup                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  h15g_4
            range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .
```

h15g_5
given unknown pill or syrup

          type:  numeric (byte)
         label:  h15g_5
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .

h15g_6
given unknown pill or syrup

          type:  numeric (byte)
         label:  h15g_6
         range:  [.,.]                    units:  .
 unique values:  0                      missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
              9,372        .

h15h_1
given non-antibiotic injection

          type:  numeric (byte)
         label:  h15h_1
         range:  [0,8]                    units:  1
 unique values:  3                      missing .:  8,822/9,372
     tabulation:  Freq.  Numeric  Label
                544        0  no
                  4        1  yes
                  2        8  don't know
              8,822        .

h15h_2
given non-antibiotic injection

          type:  numeric (byte)
         label:  h15h_2
         range:  [0,8]                    units:  1
 unique values:  3                      missing .:  9,292/9,372
     tabulation:  Freq.  Numeric  Label
                 78        0  no
                  1        1  yes
                  1        8  don't know
              9,292        .

h15h_3
given non-antibiotic injection

          type:  numeric (byte)
         label:  h15h_3
         range:  [0,0]                    units:  1
 unique values:  1                      missing .:  9,365/9,372
     tabulation:  Freq.  Numeric  Label
                  7        0  no
              9,365        .

h15h_4
given non-antibiotic injection

```
            type:  numeric (byte)
           label:  h15h_4
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│  h15h_5                                                           │
│ given non-antibiotic injection                                   │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h15h_5
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│  h15h_6                                                           │
│ given non-antibiotic injection                                   │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h15h_6
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────┐
│  h15i_1                                                           │
│ given unknown injection                                          │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h15i_1
           range:  [0,8]                units:  1
   unique values:  3                  missing .:  8,822/9,372
      tabulation:  Freq.  Numeric  Label
                    544        0  no
                      4        1  yes
                      2        8  don't know
                  8,822        .
```

┌─────────────────────────────────────────────────────────────────┐
│  h15i_2                                                           │
│ given unknown injection                                          │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h15i_2
           range:  [0,8]                units:  1
   unique values:  3                  missing .:  9,292/9,372
      tabulation:  Freq.  Numeric  Label
                     78        0  no
                      1        1  yes
                      1        8  don't know
                  9,292        .
```

┌─────────────────────────────────────────────────────────────────┐
│  h15i_3                                                           │
│ given unknown injection                                          │
└─────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h15i_3
           range:  [0,0]                units:  1
```

unique values: 1                missing .: 9,365/9,372

   tabulation:  Freq.  Numeric  Label

            7       0  no

       9,365        .

---

**h15i_4**
given unknown injection

       type:  numeric (byte)

      label:  h15i_4

     range:  [.,.]           units:  .

unique values: 0                missing .: 9,372/9,372

   tabulation:  Freq.  Numeric  Label

       9,372       .

---

**h15i_5**
given unknown injection

       type:  numeric (byte)

      label:  h15i_5

     range:  [.,.]           units:  .

unique values: 0                missing .: 9,372/9,372

   tabulation:  Freq.  Numeric  Label

       9,372       .

---

**h15i_6**
given unknown injection

       type:  numeric (byte)

      label:  h15i_6

     range:  [.,.]           units:  .

unique values: 0                missing .: 9,372/9,372

   tabulation:  Freq.  Numeric  Label

       9,372       .

---

**h15j_1**
na - given cs

       type:  numeric (byte)

      label:  h15j_1

     range:  [.,.]           units:  .

unique values: 0                missing .: 9,372/9,372

   tabulation:  Freq.  Numeric  Label

       9,372       .

---

**h15j_2**
na - given cs

       type:  numeric (byte)

      label:  h15j_2

     range:  [.,.]           units:  .

unique values: 0                missing .: 9,372/9,372

   tabulation:  Freq.  Numeric  Label

       9,372       .

---

**h15j_3**
na - given cs

       type:  numeric (byte)

      label:  h15j_3

```
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15j_4                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15j_4
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15j_5                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15j_5
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15j_6                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15j_6
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_1                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15k_1
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_2                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15k_2
          range: [.,.]                  units: .
  unique values: 0               missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_3                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  h15k_3
```

```
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_4                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15k_4
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_5                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15k_5
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15k_6                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15k_6
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15l_1                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15l_1
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15l_2                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15l_2
            range:  [.,.]                  units:  .
    unique values:  0              missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h15l_3                                                                │
│ na - given cs                                                         │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  h15l_3
```

```
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15l_4**
na - given cs

```
              type:  numeric (byte)
             label:  h15l_4
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15l_5**
na - given cs

```
              type:  numeric (byte)
             label:  h15l_5
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15l_6**
na - given cs

```
              type:  numeric (byte)
             label:  h15l_6
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15m_1**
na - given cs

```
              type:  numeric (byte)
             label:  h15m_1
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15m_2**
na - given cs

```
              type:  numeric (byte)
             label:  h15m_2
             range:  [.,.]                    units:  .
     unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h15m_3**
na - given cs

```
              type:  numeric (byte)
             label:  h15m_3
```

```
           range: [.,.]                 units: .
   unique values: 0             missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
             9,372        .
```

```
  h15m_4
  na - given cs
            type:  numeric (byte)
           label:  h15m_4
           range: [.,.]                 units: .
   unique values: 0             missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
             9,372        .
```

```
  h15m_5
  na - given cs
            type:  numeric (byte)
           label:  h15m_5
           range: [.,.]                 units: .
   unique values: 0             missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
             9,372        .
```

```
  h15m_6
  na - given cs
            type:  numeric (byte)
           label:  h15m_6
           range: [.,.]                 units: .
   unique values: 0             missing .: 9,372/9,372
       tabulation: Freq.  Numeric  Label
             9,372        .
```

```
  h20_1
  given other treatment
            type:  numeric (byte)
           label:  h20_1
           range: [0,8]                 units: 1
   unique values: 3             missing .: 8,822/9,372
       tabulation: Freq.  Numeric  Label
               543       0  no
                 5       1  yes
                 2       8  don't know
             8,822        .
```

```
  h20_2
  given other treatment
            type:  numeric (byte)
           label:  h20_2
           range: [0,8]                 units: 1
   unique values: 2             missing .: 9,292/9,372
       tabulation: Freq.  Numeric  Label
                79       0  no
                 1       8  don't know
             9,292        .
```

h20_3
given other treatment

```
        type:  numeric (byte)
        label:  h20_3
        range:  [0,0]                 units:  1
unique values:  1                missing .:  9,365/9,372
    tabulation:  Freq.  Numeric  Label
               7       0  no
           9,365          .
```

h20_4
given other treatment

```
        type:  numeric (byte)
        label:  h20_4
        range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372          .
```

h20_5
given other treatment

```
        type:  numeric (byte)
        label:  h20_5
        range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372          .
```

h20_6
given other treatment

```
        type:  numeric (byte)
        label:  h20_6
        range:  [.,.]                 units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372          .
```

h21a_1
given no treatment

```
        type:  numeric (byte)
        label:  h21a_1
        range:  [0,8]                 units:  1
unique values:  3                missing .:  8,822/9,372
    tabulation:  Freq.  Numeric  Label
             235       0  no: received treatment
             313       1  yes: no treatment
               2       8  don't know
           8,822          .
```

h21a_2
given no treatment

```
        type:  numeric (byte)
        label:  h21a_2
```

range: [0,8]                      units: 1
        unique values: 3                       missing .: 9,292/9,372
           tabulation: Freq.  Numeric  Label
                        34       0  no: received treatment
                        45       1  yes: no treatment
                         1       8  don't know
                     9,292         .

---

**h21a_3**
given no treatment

                 type:  numeric (byte)
                label:  h21a_3
                range:  [0,1]                     units: 1
        unique values:  2                       missing .: 9,365/9,372
           tabulation: Freq.  Numeric  Label
                         4       0  no: received treatment
                         3       1  yes: no treatment
                     9,365         .

---

**h21a_4**
given no treatment

                 type:  numeric (byte)
                label:  h21a_4
                range:  [.,.]                     units: .
        unique values:  0                       missing .: 9,372/9,372
           tabulation: Freq.  Numeric  Label
                     9,372         .

---

**h21a_5**
given no treatment

                 type:  numeric (byte)
                label:  h21a_5
                range:  [.,.]                     units: .
        unique values:  0                       missing .: 9,372/9,372
           tabulation: Freq.  Numeric  Label
                     9,372         .

---

**h21a_6**
given no treatment

                 type:  numeric (byte)
                label:  h21a_6
                range:  [.,.]                     units: .
        unique values:  0                       missing .: 9,372/9,372
           tabulation: Freq.  Numeric  Label
                     9,372         .

---

**h21_1**
received any treatment

                 type:  numeric (byte)
                label:  h21_1
                range:  [0,1]                     units: 1
        unique values:  2                       missing .: 8,823/9,372
           tabulation: Freq.  Numeric  Label
                       104       0  no

```
                      445       1  yes
                    8,823        .


  h21_2
  received any treatment
           type:  numeric (byte)
          label:  h21_2
          range:  [0,1]                 units:  1
   unique values:  2                  missing .:  9,292/9,372
       tabulation:  Freq.  Numeric  Label
                      20       0  no
                      60       1  yes
                    9,292        .


  h21_3
  received any treatment
           type:  numeric (byte)
          label:  h21_3
          range:  [0,1]                 units:  1
   unique values:  2                  missing .:  9,365/9,372
       tabulation:  Freq.  Numeric  Label
                       2       0  no
                       5       1  yes
                    9,365        .


  h21_4
  received any treatment
           type:  numeric (byte)
          label:  h21_4
          range:  [.,.]                 units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .


  h21_5
  received any treatment
           type:  numeric (byte)
          label:  h21_5
          range:  [.,.]                 units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .


  h21_6
  received any treatment
           type:  numeric (byte)
          label:  h21_6
          range:  [.,.]                 units:  .
   unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .


  h22_1
  had fever in last two weeks
```

```
          type:  numeric (byte)
          label:  h22_1
          range:  [0,8]                 units:  1
  unique values:  3                      missing .:  6,477/9,372
     tabulation:  Freq.  Numeric  Label
                  2,175      0  no
                    707      1  yes
                     13      8  don't know
                  6,477         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h22_2                                                                     │
│ had fever in last two weeks                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h22_2
          range:  [0,8]                 units:  1
  unique values:  3                      missing .:  8,732/9,372
     tabulation:  Freq.  Numeric  Label
                    510      0  no
                    111      1  yes
                     19      8  don't know
                  8,732         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h22_3                                                                     │
│ had fever in last two weeks                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h22_3
          range:  [0,8]                 units:  1
  unique values:  3                      missing .:  9,306/9,372
     tabulation:  Freq.  Numeric  Label
                     50      0  no
                     13      1  yes
                      3      8  don't know
                  9,306         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h22_4                                                                     │
│ had fever in last two weeks                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h22_4
          range:  [0,0]                 units:  1
  unique values:  1                      missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                      4      0  no
                  9,368         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h22_5                                                                     │
│ had fever in last two weeks                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h22_5
          range:  [.,.]                 units:  .
  unique values:  0                      missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

h22_6
had fever in last two weeks

```
        type:  numeric (byte)
        label:  h22_6
        range:  [.,.]                units:  .
unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h31_1
had cough in last two weeks

```
        type:  numeric (byte)
        label:  h31_1
        range:  [0,8]                units:  1
unique values:  3              missing .:  6,477/9,372
    tabulation:  Freq.  Numeric  Label
              2,050        0  no
                829        2  yes, last two weeks
                 16        8  don't know
              6,477        .
```

h31_2
had cough in last two weeks

```
        type:  numeric (byte)
        label:  h31_2
        range:  [0,8]                units:  1
unique values:  3              missing .:  8,733/9,372
    tabulation:  Freq.  Numeric  Label
                469        0  no
                154        2  yes, last two weeks
                 16        8  don't know
              8,733        .
```

h31_3
had cough in last two weeks

```
        type:  numeric (byte)
        label:  h31_3
        range:  [0,8]                units:  1
unique values:  3              missing .:  9,306/9,372
    tabulation:  Freq.  Numeric  Label
                 46        0  no
                 16        2  yes, last two weeks
                  4        8  don't know
              9,306        .
```

h31_4
had cough in last two weeks

```
        type:  numeric (byte)
        label:  h31_4
        range:  [0,0]                units:  1
unique values:  1              missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
                  4        0  no
              9,368        .
```

h31_5
had cough in last two weeks

           type:  numeric (byte)
          label:  h31_5
          range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric   Label
            9,372        .

h31_6
had cough in last two weeks

           type:  numeric (byte)
          label:  h31_6
          range:  [.,.]                    units:  .
  unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.   Numeric   Label
            9,372        .

h31b_1
short, rapid breaths

           type:  numeric (byte)
          label:  h31b_1
          range:  [0,8]                    units:  1
  unique values:  3                 missing .:  8,546/9,372
      tabulation:  Freq.   Numeric   Label
              335        0   no
              488        1   yes
                3        8   don't know
            8,546        .

h31b_2
short, rapid breaths

           type:  numeric (byte)
          label:  h31b_2
          range:  [0,1]                    units:  1
  unique values:  2                 missing .:  9,219/9,372
      tabulation:  Freq.   Numeric   Label
               64        0   no
               89        1   yes
            9,219        .

h31b_3
short, rapid breaths

           type:  numeric (byte)
          label:  h31b_3
          range:  [0,1]                    units:  1
  unique values:  2                 missing .:  9,356/9,372
      tabulation:  Freq.   Numeric   Label
               12        0   no
                4        1   yes
            9,356        .

h31b_4
short, rapid breaths

```
        type:  numeric (byte)
        label:  h31b_4
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

h31b_5
short, rapid breaths

```
        type:  numeric (byte)
        label:  h31b_5
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

h31b_6
short, rapid breaths

```
        type:  numeric (byte)
        label:  h31b_6
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372        .
```

h31c_1
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_1
        range:  [1,8]                    units:  1
unique values:  5                    missing .:  8,885/9,372
   tabulation:  Freq.  Numeric  Label
                  133        1  chest only
                  172        2  nose only
                  178        3  both
                    2        6  other
                    2        8  don't know
                8,885        .
```

h31c_2
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_2
        range:  [1,8]                    units:  1
unique values:  4                    missing .:  9,283/9,372
   tabulation:  Freq.  Numeric  Label
                   24        1  chest only
                   27        2  nose only
                   36        3  both
                    2        8  don't know
                9,283        .
```

h31c_3
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_3
        range:  [1,3]                units:  1
unique values:  3                 missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
               2       1  chest only
               1       2  nose only
               1       3  both
           9,368        .
```

h31c_4
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_4
        range:  [.,.]               units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

h31c_5
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_5
        range:  [.,.]               units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

h31c_6
problem in the chest or blocked or running nose

```
        type:  numeric (byte)
        label:  h31c_6
        range:  [.,.]               units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

h31d_1                                                           had fever/
cough in last 2 weeks: amount offered to drink

```
        type:  numeric (byte)
        label:  h31d_1
        range:  [0,8]               units:  1
unique values:  6                 missing .:  8,270/9,372
    tabulation:  Freq.  Numeric  Label
              10       0  nothing to drink
              53       2  much less
             224       3  somewhat less
             559       4  about the same
             249       5  more
               7       8  don't know
           8,270        .
```

| h31d_2 | had fever/ |
|---|---|
| cough in last 2 weeks: amount offered to drink | |

```
        type:  numeric (byte)
        label:  h31d_2
        range:  [2,8]              units:  1
unique values:  5                missing .:  9,182/9,372
    tabulation:  Freq.  Numeric  Label
                   7       2  much less
                  43       3  somewhat less
                 102       4  about the same
                  36       5  more
                   2       8  don't know
               9,182          .
```

| h31d_3 | had fever/ |
|---|---|
| cough in last 2 weeks: amount offered to drink | |

```
        type:  numeric (byte)
        label:  h31d_3
        range:  [2,5]              units:  1
unique values:  4                missing .:  9,353/9,372
    tabulation:  Freq.  Numeric  Label
                   1       2  much less
                   5       3  somewhat less
                  12       4  about the same
                   1       5  more
               9,353          .
```

| h31d_4 | had fever/ |
|---|---|
| cough in last 2 weeks: amount offered to drink | |

```
        type:  numeric (byte)
        label:  h31d_4
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372          .
```

| h31d_5 | had fever/ |
|---|---|
| cough in last 2 weeks: amount offered to drink | |

```
        type:  numeric (byte)
        label:  h31d_5
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372          .
```

| h31d_6 | had fever/ |
|---|---|
| cough in last 2 weeks: amount offered to drink | |

```
        type:  numeric (byte)
        label:  h31d_6
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372          .
```

| h31e_1 | had |
|---|---|
| fever/cough in last 2 weeks: amount offered to eat | |

```
      type:  numeric (byte)
     label:  h31e_1
     range:  [0,8]              units:  1
unique values:  7               missing .:  8,270/9,372
 tabulation:  Freq.   Numeric  Label
               31        0  stopped food
               47        1  never gave food
              100        2  much less
              368        3  somewhat less
              477        4  about the same
               73        5  more
                6        8  don't know
            8,270        .
```

| h31e_2 | had |
|---|---|
| fever/cough in last 2 weeks: amount offered to eat | |

```
      type:  numeric (byte)
     label:  h31e_2
     range:  [0,8]              units:  1
unique values:  7               missing .:  9,183/9,372
 tabulation:  Freq.   Numeric  Label
                1        0  stopped food
                2        1  never gave food
               21        2  much less
               61        3  somewhat less
               93        4  about the same
                9        5  more
                2        8  don't know
            9,183        .
```

| h31e_3 | had |
|---|---|
| fever/cough in last 2 weeks: amount offered to eat | |

```
      type:  numeric (byte)
     label:  h31e_3
     range:  [2,5]              units:  1
unique values:  4               missing .:  9,353/9,372
 tabulation:  Freq.   Numeric  Label
                2        2  much less
                4        3  somewhat less
               11        4  about the same
                2        5  more
            9,353        .
```

| h31e_4 | had |
|---|---|
| fever/cough in last 2 weeks: amount offered to eat | |

```
      type:  numeric (byte)
     label:  h31e_4
     range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
 tabulation:  Freq.   Numeric  Label
            9,372        .
```

| h31e_5 | had |
|---|---|

fever/cough in last 2 weeks: amount offered to eat

      type:  numeric (byte)
      label:  h31e_5
      range:  [.,.]          units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372      .

| h31e_6 | had |
|---|---|

fever/cough in last 2 weeks: amount offered to eat

      type:  numeric (byte)
      label:  h31e_6
      range:  [.,.]          units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372      .

h32a_1

fever/cough: government hospital

      type:  numeric (byte)
      label:  h32a_1
      range:  [0,1]         units:  1
  unique values:  2         missing .:  8,270/9,372
    tabulation:  Freq.  Numeric  Label
          720     0  no
          382     1  yes
       8,270     .

h32a_2

fever/cough: government hospital

      type:  numeric (byte)
      label:  h32a_2
      range:  [0,1]         units:  1
  unique values:  2         missing .:  9,184/9,372
    tabulation:  Freq.  Numeric  Label
          126     0  no
           62     1  yes
       9,184     .

h32a_3

fever/cough: government hospital

      type:  numeric (byte)
      label:  h32a_3
      range:  [0,1]         units:  1
  unique values:  2         missing .:  9,353/9,372
    tabulation:  Freq.  Numeric  Label
           15     0  no
            4     1  yes
       9,353     .

h32a_4

fever/cough: government hospital

      type:  numeric (byte)

```
         label:  h32a_4
         range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372

     tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32a_5                                                                   │
│ fever/cough: government hospital                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32a_5
         range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372

     tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32a_6                                                                   │
│ fever/cough: government hospital                                          │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32a_6
         range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372

     tabulation:  Freq.  Numeric  Label
                 9,372      .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32b_1                                                              fever/│
│ cough: militar hospital/ social security (idss)                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32b_1
         range:  [0,1]                 units:  1
  unique values:  2                    missing .:  8,270/9,372

     tabulation:  Freq.  Numeric  Label
                 1,096      0  no
                     6      1  yes
                 8,270      .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32b_2                                                              fever/│
│ cough: militar hospital/ social security (idss)                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32b_2
         range:  [0,0]                 units:  1
  unique values:  1                    missing .:  9,184/9,372

     tabulation:  Freq.  Numeric  Label
                   188      0  no
                 9,184      .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32b_3                                                              fever/│
│ cough: militar hospital/ social security (idss)                           │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32b_3
         range:  [0,0]                 units:  1
  unique values:  1                    missing .:  9,353/9,372

     tabulation:  Freq.  Numeric  Label
                    19      0  no
                 9,353      .
```

| h32b_4 | fever/ |
|---|---|
| cough: militar hospital/ social security (idss) | |

```
        type:  numeric (byte)
        label:  h32b_4
        range:  [.,.]                  units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372       .
```

| h32b_5 | fever/ |
|---|---|
| cough: militar hospital/ social security (idss) | |

```
        type:  numeric (byte)
        label:  h32b_5
        range:  [.,.]                  units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372       .
```

| h32b_6 | fever/ |
|---|---|
| cough: militar hospital/ social security (idss) | |

```
        type:  numeric (byte)
        label:  h32b_6
        range:  [.,.]                  units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372       .
```

| h32c_1 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
        type:  numeric (byte)
        label:  h32c_1
        range:  [0,1]                  units:  1
  unique values:  2                  missing .:  8,270/9,372
     tabulation:  Freq.  Numeric  Label
              946       0  no
              156       1  yes
            8,270       .
```

| h32c_2 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
        type:  numeric (byte)
        label:  h32c_2
        range:  [0,1]                  units:  1
  unique values:  2                  missing .:  9,184/9,372
     tabulation:  Freq.  Numeric  Label
              165       0  no
               23       1  yes
            9,184       .
```

| h32c_3 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
        type:  numeric (byte)
        label:  h32c_3
```

```
                    range: [0,1]                    units: 1
            unique values: 2                    missing .: 9,353/9,372

               tabulation: Freq.  Numeric  Label
                            16       0  no
                             3       1  yes
                         9,353          .
```

| h32c_4 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
                     type:  numeric (byte)
                    label:  h32c_4
                    range: [.,.]                    units: .
            unique values: 0                    missing .: 9,372/9,372

               tabulation: Freq.  Numeric  Label
                          9,372          .
```

| h32c_5 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
                     type:  numeric (byte)
                    label:  h32c_5
                    range: [.,.]                    units: .
            unique values: 0                    missing .: 9,372/9,372

               tabulation: Freq.  Numeric  Label
                          9,372          .
```

| h32c_6 | fever/ |
|---|---|
| cough: rural clinic/ primary health center | |

```
                     type:  numeric (byte)
                    label:  h32c_6
                    range: [.,.]                    units: .
            unique values: 0                    missing .: 9,372/9,372

               tabulation: Freq.  Numeric  Label
                          9,372          .
```

| h32d_1 |
|---|
| na - fever/cough: cs public sector |

```
                     type:  numeric (byte)
                    label:  h32d_1
                    range: [.,.]                    units: .
            unique values: 0                    missing .: 9,372/9,372

               tabulation: Freq.  Numeric  Label
                          9,372          .
```

| h32d_2 |
|---|
| na - fever/cough: cs public sector |

```
                     type:  numeric (byte)
                    label:  h32d_2
                    range: [.,.]                    units: .
            unique values: 0                    missing .: 9,372/9,372

               tabulation: Freq.  Numeric  Label
                          9,372          .
```

| h32d_3 |
|---|
| na - fever/cough: cs public sector |

```
          type:  numeric (byte)
         label:  h32d_3
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32d_4                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32d_4
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32d_5                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32d_5
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32d_6                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32d_6
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32e_1                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32e_1
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32e_2                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32e_2
         range:  [.,.]                  units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32e_3                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
             label:  h32e_3
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32e_4
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32e_4
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32e_5
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32e_5
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32e_6
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32e_6
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32f_1
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32f_1
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32f_2
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32f_2
             range:  [.,.]                units:  .
     unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372       .
```

h32f_3
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32f_3
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32f_4
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32f_4
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32f_5
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32f_5
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32f_6
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32f_6
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32g_1
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32g_1
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32g_2
na - fever/cough: cs public sector

```
            type:  numeric (byte)
           label:  h32g_2
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                  9,372        .
```

h32g_3
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32g_3
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32g_4
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32g_4
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32g_5
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32g_5
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32g_6
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32g_6
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32h_1
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32h_1
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32h_2
na - fever/cough: cs public sector

```
        type:  numeric (byte)
       label:  h32h_2
       range:  [.,.]                 units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
             9,372        .
```

h32h_3
na - fever/cough: cs public sector

```
          type: numeric (byte)
         label: h32h_3
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32h_4
na - fever/cough: cs public sector
```
          type: numeric (byte)
         label: h32h_4
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32h_5
na - fever/cough: cs public sector
```
          type: numeric (byte)
         label: h32h_5
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32h_6
na - fever/cough: cs public sector
```
          type: numeric (byte)
         label: h32h_6
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32i_1
na - fever/cough: cs public sector
```
          type: numeric (byte)
         label: h32i_1
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32i_2
na - fever/cough: cs public sector
```
          type: numeric (byte)
         label: h32i_2
         range: [.,.]                  units: .
 unique values: 0                    missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
               9,372        .
```

h32i_3
na - fever/cough: cs public sector

```
              type:  numeric (byte)
             label:  h32i_3
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32i_4                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h32i_4
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32i_5                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h32i_5
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32i_6                                                                   │
│ na - fever/cough: cs public sector                                        │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h32i_6
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32j_1                                                                na │
│ - fever/cough: private hospital/ clinic                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h32j_1
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32j_2                                                                na │
│ - fever/cough: private hospital/ clinic                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  h32j_2
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
                     9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h32j_3                                                                na │
│ - fever/cough: private hospital/ clinic                                   │
└─────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  h32j_3
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h32j_4                                                                     na │
│ - fever/cough: private hospital/ clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32j_4
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h32j_5                                                                     na │
│ - fever/cough: private hospital/ clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32j_5
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h32j_6                                                                     na │
│ - fever/cough: private hospital/ clinic                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32j_6
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h32k_1                                                                        │
│ fever/cough: private pharmacy                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32k_1
         range:  [0,1]                units:  1
 unique values:  2                    missing .:  8,270/9,372
     tabulation:  Freq.  Numeric  Label
                 1,072      0  no
                    30      1  yes
                 8,270       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h32k_2                                                                        │
│ fever/cough: private pharmacy                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  h32k_2
         range:  [0,1]                units:  1
 unique values:  2                    missing .:  9,184/9,372
     tabulation:  Freq.  Numeric  Label
                   184      0  no
                     4      1  yes
```

```
                9,184        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32k_3                                                                    │
│ fever/cough: private pharmacy                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32k_3
           range:  [0,1]                    units:  1
   unique values:  2               missing .:  9,353/9,372
      tabulation:  Freq.  Numeric  Label
                     18       0  no
                      1       1  yes
                  9,353        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32k_4                                                                    │
│ fever/cough: private pharmacy                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32k_4
           range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32k_5                                                                    │
│ fever/cough: private pharmacy                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32k_5
           range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32k_6                                                                    │
│ fever/cough: private pharmacy                                             │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32k_6
           range:  [.,.]                    units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32l_1                                                                    │
│ fever/cough: private doctor                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32l_1
           range:  [0,1]                    units:  1
   unique values:  2               missing .:  8,270/9,372
      tabulation:  Freq.  Numeric  Label
                    954       0  no
                    148       1  yes
                  8,270        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32l_2                                                                    │
│ fever/cough: private doctor                                               │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
```

```
          label:  h32l_2
          range:  [0,1]                 units:  1
  unique values:  2                    missing .:  9,184/9,372
      tabulation:  Freq.  Numeric  Label
                    171      0  no
                     17      1  yes
                  9,184       .
```

```
  h32l_3
  fever/cough: private doctor
           type:  numeric (byte)
          label:  h32l_3
          range:  [0,1]                 units:  1
  unique values:  2                    missing .:  9,353/9,372
      tabulation:  Freq.  Numeric  Label
                     17      0  no
                      2      1  yes
                  9,353       .
```

```
  h32l_4
  fever/cough: private doctor
           type:  numeric (byte)
          label:  h32l_4
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
  h32l_5
  fever/cough: private doctor
           type:  numeric (byte)
          label:  h32l_5
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
  h32l_6
  fever/cough: private doctor
           type:  numeric (byte)
          label:  h32l_6
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
  h32m_1
  fever/cough: health worker
           type:  numeric (byte)
          label:  h32m_1
          range:  [0,1]                 units:  1
  unique values:  2                    missing .:  8,270/9,372
      tabulation:  Freq.  Numeric  Label
                  1,098      0  no
```

```
                4    1  yes
            8,270       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32m_2                                                                    │
│ fever/cough: health worker                                                │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32m_2
           range:  [0,0]                units:  1
    unique values:  1                 missing .:  9,184/9,372
       tabulation:  Freq.  Numeric  Label
                188      0  no
             9,184        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32m_3                                                                    │
│ fever/cough: health worker                                                │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32m_3
           range:  [0,0]                units:  1
    unique values:  1                 missing .:  9,353/9,372
       tabulation:  Freq.  Numeric  Label
                 19      0  no
             9,353        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32m_4                                                                    │
│ fever/cough: health worker                                                │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32m_4
           range:  [.,.]                units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32m_5                                                                    │
│ fever/cough: health worker                                                │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32m_5
           range:  [.,.]                units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32m_6                                                                    │
│ fever/cough: health worker                                                │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32m_6
           range:  [.,.]                units:  .
    unique values:  0                 missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ h32n_1                                                                    │
│ fever/cough: other private sector                                         │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h32n_1
```

```
          range:  [0,1]                 units:  1
  unique values:  2                    missing .:  8,270/9,372
      tabulation:  Freq.   Numeric  Label
                   1,086      0  no
                      16      1  yes
                   8,270         .
```

```
 h32n_2
 fever/cough: other private sector
            type:  numeric (byte)
           label:  h32n_2
           range:  [0,1]                 units:  1
  unique values:  2                    missing .:  9,184/9,372
      tabulation:  Freq.   Numeric  Label
                     185      0  no
                       3      1  yes
                   9,184         .
```

```
 h32n_3
 fever/cough: other private sector
            type:  numeric (byte)
           label:  h32n_3
           range:  [0,0]                 units:  1
  unique values:  1                    missing .:  9,353/9,372
      tabulation:  Freq.   Numeric  Label
                      19      0  no
                   9,353         .
```

```
 h32n_4
 fever/cough: other private sector
            type:  numeric (byte)
           label:  h32n_4
           range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372         .
```

```
 h32n_5
 fever/cough: other private sector
            type:  numeric (byte)
           label:  h32n_5
           range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372         .
```

```
 h32n_6
 fever/cough: other private sector
            type:  numeric (byte)
           label:  h32n_6
           range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372         .
```

```
h32o_1
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_1
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
h32o_2
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_2
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
h32o_3
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_3
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
h32o_4
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_4
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
h32o_5
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_5
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
h32o_6
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32o_6
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

## h32p_1
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_1
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

## h32p_2
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_2
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

## h32p_3
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_3
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

## h32p_4
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_4
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

## h32p_5
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_5
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

## h32p_6
na - fever/cough: cs private medical

```
        type:  numeric (byte)
       label:  h32p_6
       range:  [.,.]                  units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372       .
```

h32q_1
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_1
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

h32q_2
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_2
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

h32q_3
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_3
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

h32q_4
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_4
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

h32q_5
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_5
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

h32q_6
na - fever/cough: cs private medical

            type:  numeric (byte)
           label:  h32q_6
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372         .

```
h32r_1
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_1
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
h32r_2
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_2
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
h32r_3
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_3
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
h32r_4
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_4
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
h32r_5
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_5
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

```
h32r_6
na - fever/cough: cs private medical
            type:  numeric (byte)
           label:  h32r_6
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                   9,372        .
```

h32s_1
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_1 |        |
|        | range: | [0,0] | units: 1 |
| unique values: | 1 |        | missing .: 8,270/9,372 |

tabulation: Freq. Numeric Label
1,102    0  no
8,270       .

h32s_2
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_2 |        |
|        | range: | [0,0] | units: 1 |
| unique values: | 1 |        | missing .: 9,184/9,372 |

tabulation: Freq. Numeric Label
188    0  no
9,184       .

h32s_3
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_3 |        |
|        | range: | [0,0] | units: 1 |
| unique values: | 1 |        | missing .: 9,353/9,372 |

tabulation: Freq. Numeric Label
19    0  no
9,353       .

h32s_4
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_4 |        |
|        | range: | [.,.] | units: . |
| unique values: | 0 |        | missing .: 9,372/9,372 |

tabulation: Freq. Numeric Label
9,372       .

h32s_5
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_5 |        |
|        | range: | [.,.] | units: . |
| unique values: | 0 |        | missing .: 9,372/9,372 |

tabulation: Freq. Numeric Label
9,372       .

h32s_6
fever/cough: traditional healer

|        | type: | numeric (byte) |        |
|---|---|---|---|
|        | label: | h32s_6 |        |
|        | range: | [.,.] | units: . |

unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372      .

---

h32t_1
fever/cough: midwife

         type:  numeric (byte)
        label:  h32t_1
        range:  [0,0]                 units:  1
unique values:  1                   missing .:  8,270/9,372
   tabulation:  Freq.  Numeric  Label
                1,102      0  no
                8,270      .

---

h32t_2
fever/cough: midwife

         type:  numeric (byte)
        label:  h32t_2
        range:  [0,0]                 units:  1
unique values:  1                   missing .:  9,184/9,372
   tabulation:  Freq.  Numeric  Label
                  188      0  no
                9,184      .

---

h32t_3
fever/cough: midwife

         type:  numeric (byte)
        label:  h32t_3
        range:  [0,0]                 units:  1
unique values:  1                   missing .:  9,353/9,372
   tabulation:  Freq.  Numeric  Label
                   19      0  no
                9,353      .

---

h32t_4
fever/cough: midwife

         type:  numeric (byte)
        label:  h32t_4
        range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372      .

---

h32t_5
fever/cough: midwife

         type:  numeric (byte)
        label:  h32t_5
        range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
                9,372      .

---

h32t_6
fever/cough: midwife

```
                type:  numeric (byte)
               label:  h32t_6
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                       9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_1                                                                       │
│ fever/cough: at home                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h32u_1
               range:  [0,1]                    units:  1
       unique values:  2                       missing .:  8,270/9,372
          tabulation:  Freq.   Numeric  Label
                       1,064       0  no
                          38       1  yes
                       8,270          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_2                                                                       │
│ fever/cough: at home                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h32u_2
               range:  [0,1]                    units:  1
       unique values:  2                       missing .:  9,184/9,372
          tabulation:  Freq.   Numeric  Label
                         176       0  no
                          12       1  yes
                       9,184          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_3                                                                       │
│ fever/cough: at home                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h32u_3
               range:  [0,1]                    units:  1
       unique values:  2                       missing .:  9,353/9,372
          tabulation:  Freq.   Numeric  Label
                          17       0  no
                           2       1  yes
                       9,353          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_4                                                                       │
│ fever/cough: at home                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h32u_4
               range:  [.,.]                    units:  .
       unique values:  0                       missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                       9,372          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_5                                                                       │
│ fever/cough: at home                                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                type:  numeric (byte)
               label:  h32u_5
               range:  [.,.]                    units:  .
```

```
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32u_6                                                                       │
│  fever/cough: at home                                                         │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32u_6
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32v_1                                                                       │
│  na - fever/cough: cs other sector                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32v_1
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32v_2                                                                       │
│  na - fever/cough: cs other sector                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32v_2
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32v_3                                                                       │
│  na - fever/cough: cs other sector                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32v_3
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32v_4                                                                       │
│  na - fever/cough: cs other sector                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32v_4
               range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h32v_5                                                                       │
│  na - fever/cough: cs other sector                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
                type:  numeric (byte)
               label:  h32v_5
               range:  [.,.]                 units:  .
```

unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32v_6
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32v_6
           range:  [.,.]              units:  .
unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32w_1
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32w_1
           range:  [.,.]              units:  .
unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32w_2
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32w_2
           range:  [.,.]              units:  .
unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32w_3
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32w_3
           range:  [.,.]              units:  .
unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32w_4
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32w_4
           range:  [.,.]              units:  .
unique values:  0                 missing .: 9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372       .

---

h32w_5
na - fever/cough: cs other sector

           type:  numeric (byte)
           label:  h32w_5
           range:  [.,.]              units:  .

unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372       .

---

**h32w_6**
na - fever/cough: cs other sector

          type:  numeric (byte)
         label:  h32w_6
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372       .

---

**h32x_1**
fever/cough: other

          type:  numeric (byte)
         label:  h32x_1
         range:  [0,1]                units:  1
  unique values:  2                    missing .:  8,270/9,372
    tabulation:  Freq.  Numeric  Label
                 1,099       0  no
                     3       1  yes
                 8,270       .

---

**h32x_2**
fever/cough: other

          type:  numeric (byte)
         label:  h32x_2
         range:  [0,0]                units:  1
  unique values:  1                    missing .:  9,184/9,372
    tabulation:  Freq.  Numeric  Label
                   188       0  no
                 9,184       .

---

**h32x_3**
fever/cough: other

          type:  numeric (byte)
         label:  h32x_3
         range:  [0,0]                units:  1
  unique values:  1                    missing .:  9,353/9,372
    tabulation:  Freq.  Numeric  Label
                    19       0  no
                 9,353       .

---

**h32x_4**
fever/cough: other

          type:  numeric (byte)
         label:  h32x_4
         range:  [.,.]                units:  .
  unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                 9,372       .

```
h32x_5
fever/cough: other
          type:  numeric (byte)
         label:  h32x_5
         range:  [.,.]                   units:  .
 unique values:  0                       missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
h32x_6
fever/cough: other
          type:  numeric (byte)
         label:  h32x_6
         range:  [.,.]                   units:  .
 unique values:  0                       missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
                 9,372        .
```

```
h32y_1
fever/cough: no treatment
          type:  numeric (byte)
         label:  h32y_1
         range:  [0,1]                   units:  1
 unique values:  2                       missing .:  8,270/9,372
     tabulation:  Freq.   Numeric  Label
                   769        0  no: received treatment
                   333        1  yes: no treatment
                 8,270        .
```

```
h32y_2
fever/cough: no treatment
          type:  numeric (byte)
         label:  h32y_2
         range:  [0,1]                   units:  1
 unique values:  2                       missing .:  9,184/9,372
     tabulation:  Freq.   Numeric  Label
                   120        0  no: received treatment
                    68        1  yes: no treatment
                 9,184        .
```

```
h32y_3
fever/cough: no treatment
          type:  numeric (byte)
         label:  h32y_3
         range:  [0,1]                   units:  1
 unique values:  2                       missing .:  9,353/9,372
     tabulation:  Freq.   Numeric  Label
                    12        0  no: received treatment
                     7        1  yes: no treatment
                 9,353        .
```

```
h32y_4
fever/cough: no treatment
          type:  numeric (byte)
```

```
            label:  h32y_4
            range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h32y_5**
fever/cough: no treatment

```
             type:  numeric (byte)
            label:  h32y_5
            range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h32y_6**
fever/cough: no treatment

```
             type:  numeric (byte)
            label:  h32y_6
            range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                     9,372        .
```

---

**h32z_1**
fever/cough: medical treatment

```
             type:  numeric (byte)
            label:  h32z_1
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  8,270/9,372
        tabulation:  Freq.   Numeric  Label
                       401        0  no
                       701        1  yes
                     8,270        .
```

---

**h32z_2**
fever/cough: medical treatment

```
             type:  numeric (byte)
            label:  h32z_2
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  9,184/9,372
        tabulation:  Freq.   Numeric  Label
                        84        0  no
                       104        1  yes
                     9,184        .
```

---

**h32z_3**
fever/cough: medical treatment

```
             type:  numeric (byte)
            label:  h32z_3
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  9,353/9,372
        tabulation:  Freq.   Numeric  Label
                        10        0  no
```

```
                   9        1  yes
                9,353         .


┌─────────────────────────────────────────────────────────────────────────────┐
│ h32z_4                                                                        │
│ fever/cough: medical treatment                                                │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h32z_4
             range:  [.,.]                  units:  .
      unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .


┌─────────────────────────────────────────────────────────────────────────────┐
│ h32z_5                                                                        │
│ fever/cough: medical treatment                                                │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h32z_5
             range:  [.,.]                  units:  .
      unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .


┌─────────────────────────────────────────────────────────────────────────────┐
│ h32z_6                                                                        │
│ fever/cough: medical treatment                                                │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h32z_6
             range:  [.,.]                  units:  .
      unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .


┌─────────────────────────────────────────────────────────────────────────────┐
│ h33_1                                                                         │
│ received vitamin a1 (most recent)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h33_1
             range:  [0,8]                  units:  1
      unique values:  5                   missing .:  6,479/9,372
         tabulation:  Freq.  Numeric  Label
                1,821        0  no
                   91        1  vaccination date on card
                  927        2  reported by mother
                    1        3  vaccination marked on card
                   53        8  don't know
                6,479         .


┌─────────────────────────────────────────────────────────────────────────────┐
│ h33_2                                                                         │
│ received vitamin a1 (most recent)                                             │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h33_2
             range:  [0,8]                  units:  1
      unique values:  4                   missing .:  8,734/9,372
         tabulation:  Freq.  Numeric  Label
                  397        0  no
                   21        1  vaccination date on card
                  204        2  reported by mother
```

```
              16      8  don't know
           8,734       .


  h33_3
  received vitamin a1 (most recent)
              type:  numeric (byte)
              label:  h33_3
              range:  [0,8]              units:  1
      unique values:  4                  missing .:  9,306/9,372
          tabulation:  Freq.   Numeric  Label
                  43      0  no
                   3      1  vaccination date on card
                  16      2  reported by mother
                   4      8  don't know
               9,306       .


  h33_4
  received vitamin a1 (most recent)
              type:  numeric (byte)
              label:  h33_4
              range:  [0,0]              units:  1
      unique values:  1                  missing .:  9,368/9,372
          tabulation:  Freq.   Numeric  Label
                   4      0  no
               9,368       .


  h33_5
  received vitamin a1 (most recent)
              type:  numeric (byte)
              label:  h33_5
              range:  [.,.]              units:  .
      unique values:  0                  missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372       .


  h33_6
  received vitamin a1 (most recent)
              type:  numeric (byte)
              label:  h33_6
              range:  [.,.]              units:  .
      unique values:  0                  missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
               9,372       .


  h33d_1
  vitamin a1 day
              type:  numeric (byte)
              label:  h33d_1, but 30 nonmissing values are not labeled
              range:  [1,31]             units:  1
      unique values:  30                 missing .:  9,281/9,372
            examples:  .
                       .
                       .
                       .
```

h33d_2
vitamin a1 day

          type:  numeric (byte)
         label:  h33d_2, but 15 nonmissing values are not labeled
         range:  [1,31]               units:  1
  unique values:  15                  missing .:  9,351/9,372
       examples:  .
                  .
                  .
                  .

h33d_3
vitamin a1 day

          type:  numeric (byte)
         label:  h33d_3, but 3 nonmissing values are not labeled
         range:  [5,9]                units:  1
  unique values:  3                   missing .:  9,369/9,372
     tabulation:  Freq.  Numeric  Label
                     1        5
                     1        8
                     1        9
                 9,369        .

h33d_4
vitamin a1 day

          type:  numeric (byte)
         label:  h33d_4
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372        .

h33d_5
vitamin a1 day

          type:  numeric (byte)
         label:  h33d_5
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372        .

h33d_6
vitamin a1 day

          type:  numeric (byte)
         label:  h33d_6
         range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372        .

h33m_1
vitamin a1 month

          type:  numeric (byte)

label: h33m_1, but 12 nonmissing values are not labeled
range: [1,12]                   units: 1
unique values: 12                 missing .: 9,281/9,372
examples: .
.
.
.

---

h33m_2
vitamin a1 month

type: numeric (byte)
label: h33m_2, but 11 nonmissing values are not labeled
range: [1,12]                   units: 1
unique values: 11                 missing .: 9,351/9,372
examples: .
.
.
.

---

h33m_3
vitamin a1 month

type: numeric (byte)
label: h33m_3, but 3 nonmissing values are not labeled
range: [5,12]                   units: 1
unique values: 3                  missing .: 9,369/9,372
tabulation: Freq.  Numeric  Label
              1        5
              1        7
              1       12
          9,369        .

---

h33m_4
vitamin a1 month

type: numeric (byte)
label: h33m_4
range: [.,.]                    units: .
unique values: 0                  missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
          9,372        .

---

h33m_5
vitamin a1 month

type: numeric (byte)
label: h33m_5
range: [.,.]                    units: .
unique values: 0                  missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
          9,372        .

---

h33m_6
vitamin a1 month

type: numeric (byte)
label: h33m_6
range: [.,.]                    units: .

```
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                  9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h33y_1                                                                │
│ vitamin a1 year                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (int)
                 label:  h33y_1, but 5 nonmissing values are not labeled
                 range:  [2009,2013]              units:  1
         unique values:  5                     missing .:  9,281/9,372
            tabulation:  Freq.   Numeric  Label
                     4     2009
                     7     2010
                    11     2011
                    44     2012
                    25     2013
                  9,281         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h33y_2                                                                │
│ vitamin a1 year                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (int)
                 label:  h33y_2, but 5 nonmissing values are not labeled
                 range:  [2009,2013]              units:  1
         unique values:  5                     missing .:  9,351/9,372
            tabulation:  Freq.   Numeric  Label
                     1     2009
                     7     2010
                     2     2011
                     8     2012
                     3     2013
                  9,351         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h33y_3                                                                │
│ vitamin a1 year                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (int)
                 label:  h33y_3, but 2 nonmissing values are not labeled
                 range:  [2010,2012]              units:  1
         unique values:  2                     missing .:  9,369/9,372
            tabulation:  Freq.   Numeric  Label
                     2     2010
                     1     2012
                  9,369         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h33y_4                                                                │
│ vitamin a1 year                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  h33y_4
                 range:  [.,.]                    units:  .
         unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                  9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h33y_5                                                                │
│ vitamin a1 year                                                       │
└─────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  h33y_5
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**h33y_6**
vitamin a1 year

```
        type:  numeric (byte)
       label:  h33y_6
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

---

**h34_1**
vitamin a in last 6 months

```
        type:  numeric (byte)
       label:  h34_1
       range:  [0,8]                units:  1
unique values:  3                missing .:  6,479/9,372
    tabulation:  Freq.  Numeric  Label
              1,865       0  no
                974       1  yes
                 54       8  don't know
              6,479        .
```

---

**h34_2**
vitamin a in last 6 months

```
        type:  numeric (byte)
       label:  h34_2
       range:  [0,8]                units:  1
unique values:  3                missing .:  8,734/9,372
    tabulation:  Freq.  Numeric  Label
                409       0  no
                213       1  yes
                 16       8  don't know
              8,734        .
```

---

**h34_3**
vitamin a in last 6 months

```
        type:  numeric (byte)
       label:  h34_3
       range:  [0,8]                units:  1
unique values:  3                missing .:  9,306/9,372
    tabulation:  Freq.  Numeric  Label
                 44       0  no
                 18       1  yes
                  4       8  don't know
              9,306        .
```

---

**h34_4**
vitamin a in last 6 months

```
         type: numeric (byte)
         label: h34_4
         range: [0,0]                units: 1
  unique values: 1                   missing .: 9,368/9,372
      tabulation: Freq.  Numeric  Label
               4       0  no
           9,368         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h34_5                                                                        │
│  vitamin a in last 6 months                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type: numeric (byte)
         label: h34_5
         range: [.,.]                units: .
  unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
           9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h34_6                                                                        │
│  vitamin a in last 6 months                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type: numeric (byte)
         label: h34_6
         range: [.,.]                units: .
  unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
           9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h35_1                                                              na - any   │
│  vaccinations in last 2 years part of campaign                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type: numeric (byte)
         label: h35_1
         range: [.,.]                units: .
  unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
           9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h35_2                                                              na - any   │
│  vaccinations in last 2 years part of campaign                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type: numeric (byte)
         label: h35_2
         range: [.,.]                units: .
  unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
           9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h35_3                                                              na - any   │
│  vaccinations in last 2 years part of campaign                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type: numeric (byte)
         label: h35_3
         range: [.,.]                units: .
  unique values: 0                   missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
           9,372         .
```

| h35_4 | na - any |
|---|---|

vaccinations in last 2 years part of campaign

```
        type:  numeric (byte)
        label:  h35_4
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| h35_5 | na - any |
|---|---|

vaccinations in last 2 years part of campaign

```
        type:  numeric (byte)
        label:  h35_5
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| h35_6 | na - any |
|---|---|

vaccinations in last 2 years part of campaign

```
        type:  numeric (byte)
        label:  h35_6
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| h36a_1 |
|---|

na - vaccinated during campaign a

```
        type:  numeric (byte)
        label:  h36a_1
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| h36a_2 |
|---|

na - vaccinated during campaign a

```
        type:  numeric (byte)
        label:  h36a_2
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| h36a_3 |
|---|

na - vaccinated during campaign a

```
        type:  numeric (byte)
        label:  h36a_3
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

```
h36a_4
na - vaccinated during campaign a
          type:  numeric (byte)
          label:  h36a_4
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
h36a_5
na - vaccinated during campaign a
          type:  numeric (byte)
          label:  h36a_5
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
h36a_6
na - vaccinated during campaign a
          type:  numeric (byte)
          label:  h36a_6
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
h36b_1
na - vaccinated during campaign b
          type:  numeric (byte)
          label:  h36b_1
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
h36b_2
na - vaccinated during campaign b
          type:  numeric (byte)
          label:  h36b_2
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

```
h36b_3
na - vaccinated during campaign b
          type:  numeric (byte)
          label:  h36b_3
          range:  [.,.]                    units:  .
   unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
              9,372        .
```

## h36b_4
na - vaccinated during campaign b

```
        type:  numeric (byte)
        label:  h36b_4
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36b_5
na - vaccinated during campaign b

```
        type:  numeric (byte)
        label:  h36b_5
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36b_6
na - vaccinated during campaign b

```
        type:  numeric (byte)
        label:  h36b_6
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36c_1
na - vaccinated during campaign c

```
        type:  numeric (byte)
        label:  h36c_1
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36c_2
na - vaccinated during campaign c

```
        type:  numeric (byte)
        label:  h36c_2
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36c_3
na - vaccinated during campaign c

```
        type:  numeric (byte)
        label:  h36c_3
        range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

## h36c_4
na - vaccinated during campaign c

```
        type:  numeric (byte)
       label:  h36c_4
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

## h36c_5
na - vaccinated during campaign c

```
        type:  numeric (byte)
       label:  h36c_5
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

## h36c_6
na - vaccinated during campaign c

```
        type:  numeric (byte)
       label:  h36c_6
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

## h36d_1
na - vaccinated during campaign d

```
        type:  numeric (byte)
       label:  h36d_1
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

## h36d_2
na - vaccinated during campaign d

```
        type:  numeric (byte)
       label:  h36d_2
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

## h36d_3
na - vaccinated during campaign d

```
        type:  numeric (byte)
       label:  h36d_3
       range:  [.,.]                 units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
            9,372          .
```

```
  h36d_4
na - vaccinated during campaign d
            type:  numeric (byte)
           label:  h36d_4
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

```
  h36d_5
na - vaccinated during campaign d
            type:  numeric (byte)
           label:  h36d_5
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

```
  h36d_6
na - vaccinated during campaign d
            type:  numeric (byte)
           label:  h36d_6
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

```
  h36e_1
na - vaccinated during campaign e
            type:  numeric (byte)
           label:  h36e_1
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

```
  h36e_2
na - vaccinated during campaign e
            type:  numeric (byte)
           label:  h36e_2
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

```
  h36e_3
na - vaccinated during campaign e
            type:  numeric (byte)
           label:  h36e_3
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372       .
```

h36e_4
na - vaccinated during campaign e

```
        type:  numeric (byte)
        label:  h36e_4
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36e_5
na - vaccinated during campaign e

```
        type:  numeric (byte)
        label:  h36e_5
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36e_6
na - vaccinated during campaign e

```
        type:  numeric (byte)
        label:  h36e_6
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36f_1
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_1
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36f_2
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_2
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36f_3
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_3
        range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

h36f_4
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_4
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

h36f_5
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_5
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

h36f_6
na - vaccinated during campaign f

```
        type:  numeric (byte)
        label:  h36f_6
        range:  [.,.]                    units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
             9,372        .
```

h37a_1
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
        label:  h37a_1
        range:  [0,1]                    units:  1
unique values:  2                      missing .:  8,271/9,372
    tabulation:  Freq.   Numeric  Label
             1,064        0   no
                37        1   yes
             8,271        .
```

h37a_2
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
        label:  h37a_2
        range:  [0,1]                    units:  1
unique values:  2                      missing .:  9,184/9,372
    tabulation:  Freq.   Numeric  Label
               183        0   no
                 5        1   yes
             9,184        .
```

h37a_3
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
        label:  h37a_3
        range:  [0,1]                    units:  1
```

unique values: 2                missing .: 9,353/9,372
```
tabulation:  Freq.   Numeric  Label
                18       0     no
                 1       1     yes
             9,353       .
```

---

**h37a_4**
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
       label:  h37a_4
       range:  [.,.]             units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
               9,372     .
```

---

**h37a_5**
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
       label:  h37a_5
       range:  [.,.]             units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
               9,372     .
```

---

**h37a_6**
sp/fansidar taken for fever/cough

```
        type:  numeric (byte)
       label:  h37a_6
       range:  [.,.]             units:  .
unique values:  0                missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
               9,372     .
```

---

**h37b_1**
chloroquine taken for fever/cough

```
        type:  numeric (byte)
       label:  h37b_1
       range:  [0,1]             units:  1
unique values:  2                missing .:  8,271/9,372
  tabulation:  Freq.  Numeric  Label
               1,095     0     no
                   6     1     yes
               8,271     .
```

---

**h37b_2**
chloroquine taken for fever/cough

```
        type:  numeric (byte)
       label:  h37b_2
       range:  [0,0]             units:  1
unique values:  1                missing .:  9,184/9,372
  tabulation:  Freq.  Numeric  Label
                 188     0     no
               9,184     .
```

```
h37b_3
chloroquine taken for fever/cough
        type:  numeric (byte)
        label:  h37b_3
        range:  [0,0]                  units:  1
  unique values:  1                missing .:  9,353/9,372
    tabulation:  Freq.  Numeric  Label
              19       0  no
           9,353        .
```

```
h37b_4
chloroquine taken for fever/cough
        type:  numeric (byte)
        label:  h37b_4
        range:  [.,.]                  units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

```
h37b_5
chloroquine taken for fever/cough
        type:  numeric (byte)
        label:  h37b_5
        range:  [.,.]                  units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

```
h37b_6
chloroquine taken for fever/cough
        type:  numeric (byte)
        label:  h37b_6
        range:  [.,.]                  units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372        .
```

```
h37c_1
amodiaquine taken for fever/cough
        type:  numeric (byte)
        label:  h37c_1
        range:  [0,1]                  units:  1
  unique values:  2                missing .:  8,271/9,372
    tabulation:  Freq.  Numeric  Label
           1,085       0  no
              16       1  yes
           8,271        .
```

```
h37c_2
amodiaquine taken for fever/cough
        type:  numeric (byte)
        label:  h37c_2
        range:  [0,1]                  units:  1
  unique values:  2                missing .:  9,184/9,372
```

```
tabulation: Freq.  Numeric  Label
             187      0  no
               1      1  yes
           9,184       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37c_3                                                                │
│ amodiaquine taken for fever/cough                                     │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37c_3
        range:  [0,0]              units:  1
unique values:  1                missing .:  9,353/9,372
    tabulation: Freq.  Numeric  Label
                  19      0  no
               9,353       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37c_4                                                                │
│ amodiaquine taken for fever/cough                                     │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37c_4
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37c_5                                                                │
│ amodiaquine taken for fever/cough                                     │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37c_5
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37c_6                                                                │
│ amodiaquine taken for fever/cough                                     │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37c_6
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
               9,372       .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37d_1                                                                │
│ quinine taken for fever/cough                                         │
└─────────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37d_1
        range:  [0,1]              units:  1
unique values:  2                missing .:  8,271/9,372
    tabulation: Freq.  Numeric  Label
                 958      0  no
                 143      1  yes
               8,271       .
```

h37d_2
quinine taken for fever/cough

        type: numeric (byte)
        label: h37d_2
        range: [0,1]                units: 1
    unique values: 2               missing .: 9,184/9,372
      tabulation: Freq.  Numeric  Label
              172       0  no
               16       1  yes
            9,184          .

h37d_3
quinine taken for fever/cough

        type: numeric (byte)
        label: h37d_3
        range: [0,1]                units: 1
    unique values: 2               missing .: 9,353/9,372
      tabulation: Freq.  Numeric  Label
               16       0  no
                3       1  yes
            9,353          .

h37d_4
quinine taken for fever/cough

        type: numeric (byte)
        label: h37d_4
        range: [.,.]                units: .
    unique values: 0               missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372          .

h37d_5
quinine taken for fever/cough

        type: numeric (byte)
        label: h37d_5
        range: [.,.]                units: .
    unique values: 0               missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372          .

h37d_6
quinine taken for fever/cough

        type: numeric (byte)
        label: h37d_6
        range: [.,.]                units: .
    unique values: 0               missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372          .

h37e_1
combination with artemisinin taken for fever/cough

        type: numeric (byte)
        label: h37e_1
        range: [0,1]                units: 1

unique values:  2                    missing .:  8,271/9,372
            tabulation:  Freq.   Numeric   Label
                  1,086       0   no
                     15       1   yes
                  8,271        .

---

  h37e_2
combination with artemisinin taken for fever/cough
                type:  numeric (byte)
               label:  h37e_2
               range:  [0,1]                  units:  1
          unique values:  2                    missing .:  9,184/9,372
            tabulation:  Freq.   Numeric   Label
                    185       0   no
                      3       1   yes
                  9,184        .

---

  h37e_3
combination with artemisinin taken for fever/cough
                type:  numeric (byte)
               label:  h37e_3
               range:  [0,0]                  units:  1
          unique values:  1                    missing .:  9,353/9,372
            tabulation:  Freq.   Numeric   Label
                     19       0   no
                  9,353        .

---

  h37e_4
combination with artemisinin taken for fever/cough
                type:  numeric (byte)
               label:  h37e_4
               range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric   Label
                  9,372        .

---

  h37e_5
combination with artemisinin taken for fever/cough
                type:  numeric (byte)
               label:  h37e_5
               range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric   Label
                  9,372        .

---

  h37e_6
combination with artemisinin taken for fever/cough
                type:  numeric (byte)
               label:  h37e_6
               range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric   Label
                  9,372        .

| h37f_1 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_1
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

| h37f_2 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_2
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

| h37f_3 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_3
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

| h37f_4 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_4
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

| h37f_5 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_5
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

| h37f_6 | na |
|---|---|
| - cs antimalarial taken for fever/cough | |

```
      type:  numeric (byte)
     label:  h37f_6
     range:  [.,.]              units: .
unique values: 0                missing .: 9,372/9,372
  tabulation: Freq.  Numeric  Label
          9,372       .
```

```
  h37g_1                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_1
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .


  h37g_2                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_2
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .


  h37g_3                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_3
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .


  h37g_4                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_4
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .


  h37g_5                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_5
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .


  h37g_6                                                                          na
  - cs antimalarial taken for fever/cough

             type:  numeric (byte)
            label:  h37g_6
            range:  [.,.]                    units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

h37h_1
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
       label:  h37h_1
       range:  [0,1]              units:  1
unique values:  2                missing .:  8,271/9,372
   tabulation:  Freq.  Numeric  Label
              1,088      0  no
                 13      1  yes
              8,271         .
```

h37h_2
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
       label:  h37h_2
       range:  [0,1]              units:  1
unique values:  2                missing .:  9,184/9,372
   tabulation:  Freq.  Numeric  Label
                187      0  no
                  1      1  yes
              9,184         .
```

h37h_3
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
       label:  h37h_3
       range:  [0,1]              units:  1
unique values:  2                missing .:  9,353/9,372
   tabulation:  Freq.  Numeric  Label
                 18      0  no
                  1      1  yes
              9,353         .
```

h37h_4
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
       label:  h37h_4
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372         .
```

h37h_5
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
       label:  h37h_5
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372         .
```

h37h_6
other antimalarial taken for fever/cough

```
        type:  numeric (byte)
```

```
            label:  h37h_6
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372

        tabulation:  Freq.  Numeric  Label
                     9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  h37i_1                                                                    │
│ antibiotic pill/syrup taken for fever/cough                                │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h37i_1
            range:  [0,1]                    units:  1
    unique values:  2                      missing .:  8,271/9,372

        tabulation:  Freq.  Numeric  Label
                       677       0  no
                       424       1  yes
                     8,271       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  h37i_2                                                                    │
│ antibiotic pill/syrup taken for fever/cough                                │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h37i_2
            range:  [0,1]                    units:  1
    unique values:  2                      missing .:  9,184/9,372

        tabulation:  Freq.  Numeric  Label
                       108       0  no
                        80       1  yes
                     9,184       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  h37i_3                                                                    │
│ antibiotic pill/syrup taken for fever/cough                                │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h37i_3
            range:  [0,1]                    units:  1
    unique values:  2                      missing .:  9,353/9,372

        tabulation:  Freq.  Numeric  Label
                        14       0  no
                         5       1  yes
                     9,353       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  h37i_4                                                                    │
│ antibiotic pill/syrup taken for fever/cough                                │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h37i_4
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372

        tabulation:  Freq.  Numeric  Label
                     9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  h37i_5                                                                    │
│ antibiotic pill/syrup taken for fever/cough                                │
└─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h37i_5
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
```

tabulation: Freq.   Numeric  Label
        9,372        .

---

h37i_6
antibiotic pill/syrup taken for fever/cough

        type:  numeric (byte)
       label:  h37i_6
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372        .

---

h37j_1
antibiotic injection taken for fever/cough

        type:  numeric (byte)
       label:  h37j_1
       range:  [0,1]                units:  1
unique values:  2                missing .:  8,271/9,372
    tabulation: Freq.   Numeric  Label
            1,072        0  no
               29        1  yes
            8,271        .

---

h37j_2
antibiotic injection taken for fever/cough

        type:  numeric (byte)
       label:  h37j_2
       range:  [0,1]                units:  1
unique values:  2                missing .:  9,184/9,372
    tabulation: Freq.   Numeric  Label
              187        0  no
                1        1  yes
            9,184        .

---

h37j_3
antibiotic injection taken for fever/cough

        type:  numeric (byte)
       label:  h37j_3
       range:  [0,0]                units:  1
unique values:  1                missing .:  9,353/9,372
    tabulation: Freq.   Numeric  Label
               19        0  no
            9,353        .

---

h37j_4
antibiotic injection taken for fever/cough

        type:  numeric (byte)
       label:  h37j_4
       range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.   Numeric  Label
            9,372        .

### h37j_5
antibiotic injection taken for fever/cough

```
        type:  numeric (byte)
        label:  h37j_5
        range:  [.,.]                    units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

### h37j_6
antibiotic injection taken for fever/cough

```
        type:  numeric (byte)
        label:  h37j_6
        range:  [.,.]                    units:  .
unique values:  0                   missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372        .
```

### h37k_1
aspirin taken for fever/cough

```
        type:  numeric (byte)
        label:  h37k_1
        range:  [0,1]                    units:  1
unique values:  2                   missing .:  8,271/9,372
    tabulation:  Freq.  Numeric  Label
              1,100        0  no
                  1        1  yes
              8,271        .
```

### h37k_2
aspirin taken for fever/cough

```
        type:  numeric (byte)
        label:  h37k_2
        range:  [0,1]                    units:  1
unique values:  2                   missing .:  9,184/9,372
    tabulation:  Freq.  Numeric  Label
                187        0  no
                  1        1  yes
              9,184        .
```

### h37k_3
aspirin taken for fever/cough

```
        type:  numeric (byte)
        label:  h37k_3
        range:  [0,0]                    units:  1
unique values:  1                   missing .:  9,353/9,372
    tabulation:  Freq.  Numeric  Label
                 19        0  no
              9,353        .
```

### h37k_4
aspirin taken for fever/cough

```
        type:  numeric (byte)
        label:  h37k_4
```

```
      range:  [.,.]                 units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37k_5                                                                │
│ aspirin taken for fever/cough                                         │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  h37k_5
        range:  [.,.]                 units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37k_6                                                                │
│ aspirin taken for fever/cough                                         │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  h37k_6
        range:  [.,.]                 units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37l_1                                                                │
│ acetaminophen/paracetamol/panadol taken for fever/cough               │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  h37l_1
        range:  [0,1]                 units:  1
unique values:  2                     missing .:  8,271/9,372
   tabulation:  Freq.  Numeric  Label
             470        0  no
             631        1  yes
           8,271        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37l_2                                                                │
│ acetaminophen/paracetamol/panadol taken for fever/cough               │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  h37l_2
        range:  [0,1]                 units:  1
unique values:  2                     missing .:  9,184/9,372
   tabulation:  Freq.  Numeric  Label
              95        0  no
              93        1  yes
           9,184        .
```

┌─────────────────────────────────────────────────────────────────────┐
│ h37l_3                                                                │
│ acetaminophen/paracetamol/panadol taken for fever/cough               │
└─────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  h37l_3
        range:  [0,1]                 units:  1
unique values:  2                     missing .:  9,353/9,372
   tabulation:  Freq.  Numeric  Label
              11        0  no
               8        1  yes
```

```
                9,353        .
```

```
 h37l_4
 acetaminophen/paracetamol/panadol taken for fever/cough
            type:  numeric (byte)
            label:  h37l_4
            range:  [.,.]                units:  .
     unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
 h37l_5
 acetaminophen/paracetamol/panadol taken for fever/cough
            type:  numeric (byte)
            label:  h37l_5
            range:  [.,.]                units:  .
     unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
 h37l_6
 acetaminophen/paracetamol/panadol taken for fever/cough
            type:  numeric (byte)
            label:  h37l_6
            range:  [.,.]                units:  .
     unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
 h37m_1
 ibuprofen taken for fever/cough
            type:  numeric (byte)
            label:  h37m_1
            range:  [0,1]               units:  1
     unique values:  2                 missing .:  8,271/9,372
        tabulation:  Freq.  Numeric  Label
                 1,074       0  no
                    27       1  yes
                 8,271        .
```

```
 h37m_2
 ibuprofen taken for fever/cough
            type:  numeric (byte)
            label:  h37m_2
            range:  [0,1]               units:  1
     unique values:  2                 missing .:  9,184/9,372
        tabulation:  Freq.  Numeric  Label
                   186       0  no
                     2       1  yes
                 9,184        .
```

```
 h37m_3
 ibuprofen taken for fever/cough
            type:  numeric (byte)
```

label: h37m_3

        range: [0,0]             units: 1

unique values: 1            missing .: 9,353/9,372

   tabulation: Freq.  Numeric  Label

           19     0  no

       9,353      .

---

h37m_4

ibuprofen taken for fever/cough

         type:  numeric (byte)

         label:  h37m_4

        range: [.,.]          units: .

unique values: 0           missing .: 9,372/9,372

   tabulation: Freq.  Numeric  Label

       9,372      .

---

h37m_5

ibuprofen taken for fever/cough

         type:  numeric (byte)

         label:  h37m_5

        range: [.,.]          units: .

unique values: 0           missing .: 9,372/9,372

   tabulation: Freq.  Numeric  Label

       9,372      .

---

h37m_6

ibuprofen taken for fever/cough

         type:  numeric (byte)

         label:  h37m_6

        range: [.,.]          units: .

unique values: 0           missing .: 9,372/9,372

   tabulation: Freq.  Numeric  Label

       9,372      .

---

h37n_1

na - cs other taken for fever/cough

         type:  numeric (byte)

         label:  h37n_1

        range: [.,.]          units: .

unique values: 0           missing .: 9,372/9,372

   tabulation: Freq.  Numeric  Label

       9,372      .

---

h37n_2

na - cs other taken for fever/cough

         type:  numeric (byte)

         label:  h37n_2

        range: [.,.]          units: .

unique values: 0           missing .: 9,372/9,372

   tabulation: Freq.  Numeric  Label

       9,372      .

---

h37n_3

na - cs other taken for fever/cough

```
        type:  numeric (byte)
       label:  h37n_3
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37n_4**
na - cs other taken for fever/cough

```
        type:  numeric (byte)
       label:  h37n_4
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37n_5**
na - cs other taken for fever/cough

```
        type:  numeric (byte)
       label:  h37n_5
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37n_6**
na - cs other taken for fever/cough

```
        type:  numeric (byte)
       label:  h37n_6
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37o_1**
na - cs other for fever/cough

```
        type:  numeric (byte)
       label:  h37o_1
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37o_2**
na - cs other for fever/cough

```
        type:  numeric (byte)
       label:  h37o_2
       range:  [.,.]                  units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372        .
```

---

**h37o_3**
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37o_3
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37o_4
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37o_4
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37o_5
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37o_5
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37o_6
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37o_6
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37p_1
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37p_1
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37p_2
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37p_2
        range:  [.,.]                  units:  .
unique values:  0                      missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
               9,372        .
```

h37p_3
na - cs other for fever/cough

```
        type:  numeric (byte)
        label:  h37p_3
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372       .
```

┌─────────────────────────────────────────────────────────────────┐
│ h37p_4                                                            │
│ na - cs other for fever/cough                                     │
└─────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37p_4
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372       .
```

┌─────────────────────────────────────────────────────────────────┐
│ h37p_5                                                            │
│ na - cs other for fever/cough                                     │
└─────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37p_5
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372       .
```

┌─────────────────────────────────────────────────────────────────┐
│ h37p_6                                                            │
│ na - cs other for fever/cough                                     │
└─────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37p_6
        range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372       .
```

┌─────────────────────────────────────────────────────────────────┐
│ h37x_1                                                            │
│ other taken for fever/cough                                       │
└─────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37x_1
        range:  [0,1]                 units:  1
unique values:  2                 missing .:  8,271/9,372
    tabulation:  Freq.  Numeric  Label
            1,087       0  no
               14       1  yes
            8,271       .
```

┌─────────────────────────────────────────────────────────────────┐
│ h37x_2                                                            │
│ other taken for fever/cough                                       │
└─────────────────────────────────────────────────────────────────┘
```
        type:  numeric (byte)
        label:  h37x_2
        range:  [0,1]                 units:  1
unique values:  2                 missing .:  9,184/9,372
    tabulation:  Freq.  Numeric  Label
              187       0  no
                1       1  yes
```

9,184        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37x_3                                                               │
│ other taken for fever/cough                                           │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37x_3
           range:  [0,0]                  units:  1
   unique values:  1                    missing .:  9,353/9,372
      tabulation:  Freq.  Numeric  Label
                      19       0  no
                   9,353        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37x_4                                                               │
│ other taken for fever/cough                                           │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37x_4
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37x_5                                                               │
│ other taken for fever/cough                                           │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37x_5
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37x_6                                                               │
│ other taken for fever/cough                                           │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37x_6
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37y_1                                                               │
│ nothing taken for fever/cough                                         │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37y_1
           range:  [0,1]                  units:  1
   unique values:  2                    missing .:  8,271/9,372
      tabulation:  Freq.  Numeric  Label
                   1,034       0  no
                      67       1  yes, nothing taken
                   8,271        .

┌─────────────────────────────────────────────────────────────────────┐
│  h37y_2                                                               │
│ nothing taken for fever/cough                                         │
└─────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h37y_2

```
                  range:  [0,1]                  units:  1
          unique values:  2                    missing .:  9,184/9,372

              tabulation:  Freq.   Numeric  Label
                            170       0   no
                             18       1   yes, nothing taken
                          9,184       .
```

---

h37y_3
nothing taken for fever/cough

```
                   type:  numeric (byte)
                  label:  h37y_3

                  range:  [0,1]                  units:  1
          unique values:  2                    missing .:  9,353/9,372

              tabulation:  Freq.   Numeric  Label
                             14       0   no
                              5       1   yes, nothing taken
                          9,353       .
```

---

h37y_4
nothing taken for fever/cough

```
                   type:  numeric (byte)
                  label:  h37y_4

                  range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372

              tabulation:  Freq.   Numeric  Label
                          9,372       .
```

---

h37y_5
nothing taken for fever/cough

```
                   type:  numeric (byte)
                  label:  h37y_5

                  range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372

              tabulation:  Freq.   Numeric  Label
                          9,372       .
```

---

h37y_6
nothing taken for fever/cough

```
                   type:  numeric (byte)
                  label:  h37y_6

                  range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372

              tabulation:  Freq.   Numeric  Label
                          9,372       .
```

---

h37z_1                                                                    don't
know if or what was taken for fever/cough

```
                   type:  numeric (byte)
                  label:  h37z_1

                  range:  [0,1]                  units:  1
          unique values:  2                    missing .:  8,271/9,372

              tabulation:  Freq.   Numeric  Label
                          1,095       0   no
                              6       1   yes, don't know
```

```
        8,271         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h37z_2                                                                    don't │
│ know if or what was taken for fever/cough                                       │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h37z_2
          range:  [0,1]                units:  1
    unique values:  2                missing .:  9,184/9,372
      tabulation:  Freq.  Numeric  Label
             187      0  no
               1      1  yes, don't know
           9,184         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h37z_3                                                                    don't │
│ know if or what was taken for fever/cough                                       │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h37z_3
          range:  [0,0]                units:  1
    unique values:  1                missing .:  9,353/9,372
      tabulation:  Freq.  Numeric  Label
              19      0  no
           9,353         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h37z_4                                                                    don't │
│ know if or what was taken for fever/cough                                       │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h37z_4
          range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
           9,372         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h37z_5                                                                    don't │
│ know if or what was taken for fever/cough                                       │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h37z_5
          range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
           9,372         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h37z_6                                                                    don't │
│ know if or what was taken for fever/cough                                       │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h37z_6
          range:  [.,.]                units:  .
    unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
           9,372         .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│ h38_1                                                                           │
│ diarrhea in last 2 weeks: amount offered to drink                               │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  h38_1
```

```
         range:  [0,8]                   units:  1
 unique values:  6                     missing .:  8,823/9,372
    tabulation:  Freq.  Numeric  Label
                    6        0  nothing to drink
                   27        2  much less
                  106        3  somewhat less
                  261        4  about the same
                  145        5  more
                    4        8  don't know
                8,823        .
```

---

h38_2
diarrhea in last 2 weeks: amount offered to drink

```
          type:  numeric (byte)
         label:  h38_2
         range:  [0,8]                   units:  1
 unique values:  6                     missing .:  9,292/9,372
    tabulation:  Freq.  Numeric  Label
                    1        0  nothing to drink
                    1        2  much less
                   11        3  somewhat less
                   47        4  about the same
                   19        5  more
                    1        8  don't know
                9,292        .
```

---

h38_3
diarrhea in last 2 weeks: amount offered to drink

```
          type:  numeric (byte)
         label:  h38_3
         range:  [3,5]                   units:  1
 unique values:  3                     missing .:  9,365/9,372
    tabulation:  Freq.  Numeric  Label
                    1        3  somewhat less
                    4        4  about the same
                    2        5  more
                9,365        .
```

---

h38_4
diarrhea in last 2 weeks: amount offered to drink

```
          type:  numeric (byte)
         label:  h38_4
         range:  [.,.]                   units:  .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372        .
```

---

h38_5
diarrhea in last 2 weeks: amount offered to drink

```
          type:  numeric (byte)
         label:  h38_5
         range:  [.,.]                   units:  .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
```

```
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h38_6                                                                    │
│ diarrhea in last 2 weeks: amount offered to drink                         │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
            label:  h38_6
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h39_1                                                                    │
│ diarrhea in last 2 weeks: amount offered to eat                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
            label:  h39_1
            range:  [0,8]                    units:  1
    unique values:  7                        missing .:  8,822/9,372
        tabulation:  Freq.   Numeric  Label
                     5        0  stopped food
                    31        1  never gave food
                    43        2  much less
                   165        3  somewhat less
                   253        4  about the same
                    48        5  more
                     5        8  don't know
                  8,822        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h39_2                                                                    │
│ diarrhea in last 2 weeks: amount offered to eat                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
            label:  h39_2
            range:  [0,8]                    units:  1
    unique values:  7                        missing .:  9,292/9,372
        tabulation:  Freq.   Numeric  Label
                     1        0  stopped food
                     2        1  never gave food
                     4        2  much less
                    23        3  somewhat less
                    39        4  about the same
                    10        5  more
                     1        8  don't know
                  9,292        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  h39_3                                                                    │
│ diarrhea in last 2 weeks: amount offered to eat                           │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
            label:  h39_3
            range:  [2,5]                    units:  1
    unique values:  4                        missing .:  9,365/9,372
        tabulation:  Freq.   Numeric  Label
                     1        2  much less
                     2        3  somewhat less
                     3        4  about the same
                     1        5  more
```

9,365        .

---

h39_4
diarrhea in last 2 weeks: amount offered to eat

          type:  numeric (byte)
         label:  h39_4
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .

---

h39_5
diarrhea in last 2 weeks: amount offered to eat

          type:  numeric (byte)
         label:  h39_5
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .

---

h39_6
diarrhea in last 2 weeks: amount offered to eat

          type:  numeric (byte)
         label:  h39_6
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .

---

h40_1                                                                    na
- received vitamin a2 (2nd most recent)

          type:  numeric (byte)
         label:  h40_1
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .

---

h40_2                                                                    na
- received vitamin a2 (2nd most recent)

          type:  numeric (byte)
         label:  h40_2
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372        .

---

h40_3                                                                    na
- received vitamin a2 (2nd most recent)

          type:  numeric (byte)
         label:  h40_3
         range:  [.,.]                    units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label

```
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40_4                                                                     na │
│ - received vitamin a2 (2nd most recent)                                       │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40_4
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40_5                                                                     na │
│ - received vitamin a2 (2nd most recent)                                       │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40_5
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40_6                                                                     na │
│ - received vitamin a2 (2nd most recent)                                       │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40_6
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_1                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40d_1
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_2                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40d_2
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_3                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
              type:  numeric (byte)
             label:  h40d_3
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
```

```
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_4                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40d_4
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_5                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40d_5
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40d_6                                                                       │
│ na - vitamin a2 day                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40d_6
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40m_1                                                                       │
│ na - vitamin a2 month                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40m_1
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40m_2                                                                       │
│ na - vitamin a2 month                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40m_2
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  h40m_3                                                                       │
│ na - vitamin a2 month                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
             label:  h40m_3
             range:  [.,.]                 units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.   Numeric  Label
```

9,372        .

```
  h40m_4
na - vitamin a2 month
          type:  numeric (byte)
          label:  h40m_4
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  h40m_5
na - vitamin a2 month
          type:  numeric (byte)
          label:  h40m_5
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  h40m_6
na - vitamin a2 month
          type:  numeric (byte)
          label:  h40m_6
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  h40y_1
na - vitamin a2 year
          type:  numeric (byte)
          label:  h40y_1
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  h40y_2
na - vitamin a2 year
          type:  numeric (byte)
          label:  h40y_2
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  h40y_3
na - vitamin a2 year
          type:  numeric (byte)
          label:  h40y_3
          range:  [.,.]                  units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
```

9,372        .

---

h40y_4
na - vitamin a2 year

            type:  numeric (byte)
            label:  h40y_4
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .

---

h40y_5
na - vitamin a2 year

            type:  numeric (byte)
            label:  h40y_5
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .

---

h40y_6
na - vitamin a2 year

            type:  numeric (byte)
            label:  h40y_6
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .

---

h41a_1                                                                    na -
received vitamin a after most recent in card

            type:  numeric (byte)
            label:  h41a_1
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .

---

h41a_2                                                                    na -
received vitamin a after most recent in card

            type:  numeric (byte)
            label:  h41a_2
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .

---

h41a_3                                                                    na -
received vitamin a after most recent in card

            type:  numeric (byte)
            label:  h41a_3
            range:  [.,.]                  units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label

```
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41a_4                                                                    na -   │
│ received vitamin a after most recent in card                                     │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41a_4
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41a_5                                                                    na -   │
│ received vitamin a after most recent in card                                     │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41a_5
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41a_6                                                                    na -   │
│ received vitamin a after most recent in card                                     │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41a_6
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41b_1                                                                           │
│ na - ever received vitamin a dose                                                 │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41b_1
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41b_2                                                                           │
│ na - ever received vitamin a dose                                                 │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41b_2
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                  9,372       .
```

```
┌─────────────────────────────────────────────────────────────────────────────────┐
│  h41b_3                                                                           │
│ na - ever received vitamin a dose                                                 │
└─────────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  h41b_3
           range:  [.,.]                   units:  .
   unique values:  0                     missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
```

```
            9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h41b_4                                                                        │
│ na - ever received vitamin a dose                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h41b_4
           range:  [.,.]                 units: .
   unique values:  0                    missing .: 9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h41b_5                                                                        │
│ na - ever received vitamin a dose                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h41b_5
           range:  [.,.]                 units: .
   unique values:  0                    missing .: 9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h41b_6                                                                        │
│ na - ever received vitamin a dose                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h41b_6
           range:  [.,.]                 units: .
   unique values:  0                    missing .: 9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h42_1                                                                         │
│ taking iron pills, sprinkles or syrup                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h42_1
           range:  [0,8]                 units: 1
   unique values:  3                    missing .: 6,477/9,372
       tabulation:  Freq.  Numeric  Label
            1,895        0  no
              966        1  yes
               34        8  don't know
            6,477        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ h42_2                                                                         │
│ taking iron pills, sprinkles or syrup                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  h42_2
           range:  [0,8]                 units: 1
   unique values:  3                    missing .: 8,732/9,372
       tabulation:  Freq.  Numeric  Label
              437        0  no
              183        1  yes
               20        8  don't know
            8,732        .
```

h42_3
taking iron pills, sprinkles or syrup
           type: numeric (byte)
          label: h42_3
          range: [0,8]                units: 1
  unique values: 3                missing .: 9,306/9,372
      tabulation: Freq.  Numeric  Label
                  46      0  no
                  15      1  yes
                   5      8  don't know
               9,306        .

h42_4
taking iron pills, sprinkles or syrup
           type: numeric (byte)
          label: h42_4
          range: [0,1]                units: 1
  unique values: 2                missing .: 9,368/9,372
      tabulation: Freq.  Numeric  Label
                   2      0  no
                   2      1  yes
               9,368        .

h42_5
taking iron pills, sprinkles or syrup
           type: numeric (byte)
          label: h42_5
          range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372        .

h42_6
taking iron pills, sprinkles or syrup
           type: numeric (byte)
          label: h42_6
          range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372        .

h43_1                                                                                drugs
for intestinal parasites in last 6 months
           type: numeric (byte)
          label: h43_1
          range: [0,8]                units: 1
  unique values: 3                missing .: 6,478/9,372
      tabulation: Freq.  Numeric  Label
               1,488      0  no
               1,383      1  yes
                  23      8  don't know
               6,478        .

| h43_2 | drugs |
|---|---|

for intestinal parasites in last 6 months

```
        type:  numeric (byte)
        label:  h43_2
        range:  [0,8]              units:  1
unique values:  3                missing .:  8,733/9,372
    tabulation:  Freq.  Numeric  Label
                 288      0   no
                 335      1   yes
                  16      8   don't know
               8,733          .
```

| h43_3 | drugs |
|---|---|

for intestinal parasites in last 6 months

```
        type:  numeric (byte)
        label:  h43_3
        range:  [0,8]              units:  1
unique values:  3                missing .:  9,306/9,372
    tabulation:  Freq.  Numeric  Label
                  34      0   no
                  28      1   yes
                   4      8   don't know
               9,306          .
```

| h43_4 | drugs |
|---|---|

for intestinal parasites in last 6 months

```
        type:  numeric (byte)
        label:  h43_4
        range:  [0,1]              units:  1
unique values:  2                missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
                   3      0   no
                   1      1   yes
               9,368          .
```

| h43_5 | drugs |
|---|---|

for intestinal parasites in last 6 months

```
        type:  numeric (byte)
        label:  h43_5
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372          .
```

| h43_6 | drugs |
|---|---|

for intestinal parasites in last 6 months

```
        type:  numeric (byte)
        label:  h43_6
        range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372          .
```

h44a_1
place first sought treatment for diarrhea

            type:  numeric (byte)
            label:  h44a_1
            range:  [11,96]            units:  1
    unique values:  10            missing .:  9,019/9,372
         examples:  .
                    .
                    .
                    .

h44a_2
place first sought treatment for diarrhea

            type:  numeric (byte)
            label:  h44a_2
            range:  [11,33]            units:  1
    unique values:  6            missing .:  9,323/9,372
        tabulation:  Freq.   Numeric  Label
                       25      11  government hospital
                        1      12  militar hospital
                        9      13  rural clinic
                        6      21  private hospital, clinic
                        1      26  other private
                        7      33  at home
                    9,323        .

h44a_3
place first sought treatment for diarrhea

            type:  numeric (byte)
            label:  h44a_3
            range:  [11,13]            units:  1
    unique values:  2            missing .:  9,369/9,372
        tabulation:  Freq.   Numeric  Label
                        2      11  government hospital
                        1      13  rural clinic
                    9,369        .

h44a_4
place first sought treatment for diarrhea

            type:  numeric (byte)
            label:  h44a_4
            range:  [.,.]            units:  .
    unique values:  0            missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                    9,372        .

h44a_5
place first sought treatment for diarrhea

            type:  numeric (byte)
            label:  h44a_5
            range:  [.,.]            units:  .
    unique values:  0            missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                    9,372        .

h44a_6

place first sought treatment for diarrhea

        type:  numeric (byte)
       label:  h44a_6
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_1                       na -

days after diarrhea sought advice or treatment

        type:  numeric (byte)
       label:  h44b_1
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_2                       na -

days after diarrhea sought advice or treatment

        type:  numeric (byte)
       label:  h44b_2
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_3                       na -

days after diarrhea sought advice or treatment

        type:  numeric (byte)
       label:  h44b_3
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_4                       na -

days after diarrhea sought advice or treatment

        type:  numeric (byte)
       label:  h44b_4
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_5                       na -

days after diarrhea sought advice or treatment

        type:  numeric (byte)
       label:  h44b_5
       range:  [.,.]           units:  .
  unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
         9,372       .

h44b_6                                                                      na -

days after diarrhea sought advice or treatment

            type:  numeric (byte)
           label:  h44b_6
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h44c_1

na - still has diarrhea

            type:  numeric (byte)
           label:  h44c_1
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h44c_2

na - still has diarrhea

            type:  numeric (byte)
           label:  h44c_2
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h44c_3

na - still has diarrhea

            type:  numeric (byte)
           label:  h44c_3
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h44c_4

na - still has diarrhea

            type:  numeric (byte)
           label:  h44c_4
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

h44c_5

na - still has diarrhea

            type:  numeric (byte)
           label:  h44c_5
           range:  [.,.]                    units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372        .

```
h44c_6
na - still has diarrhea
            type:  numeric (byte)
           label:  h44c_6
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

```
h45_1
na - times zinc was given
            type:  numeric (byte)
           label:  h45_1
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

```
h45_2
na - times zinc was given
            type:  numeric (byte)
           label:  h45_2
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

```
h45_3
na - times zinc was given
            type:  numeric (byte)
           label:  h45_3
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

```
h45_4
na - times zinc was given
            type:  numeric (byte)
           label:  h45_4
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

```
h45_5
na - times zinc was given
            type:  numeric (byte)
           label:  h45_5
           range:  [.,.]                   units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .
```

h45_6
na - times zinc was given

            type: numeric (byte)
           label: h45_6
           range: [.,.]                 units: .
    unique values: 0                  missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                  9,372        .

---

h46a_1
place first sought treatment for fever

            type: numeric (byte)
           label: h46a_1
           range: [11,96]               units: 1
    unique values: 9                  missing .: 8,603/9,372
        tabulation: Freq.  Numeric  Label
                   378      11  government hospital
                     6      12  militar hospital
                   154      13  rural clinic
                   143      21  private hospital, clinic
                    30      22  pharmacy
                     4      23  health worker
                    16      26  other private
                    35      33  at home
                     3      96  other
                  8,603        .

---

h46a_2
place first sought treatment for fever

            type: numeric (byte)
           label: h46a_2
           range: [11,33]               units: 1
    unique values: 6                  missing .: 9,252/9,372
        tabulation: Freq.  Numeric  Label
                    62      11  government hospital
                    23      13  rural clinic
                    16      21  private hospital, clinic
                     4      22  pharmacy
                     3      26  other private
                    12      33  at home
                  9,252        .

---

h46a_3
place first sought treatment for fever

            type: numeric (byte)
           label: h46a_3
           range: [11,33]               units: 1
    unique values: 5                  missing .: 9,360/9,372
        tabulation: Freq.  Numeric  Label
                     4      11  government hospital
                     3      13  rural clinic
                     2      21  private hospital, clinic
                     1      22  pharmacy

```
                     2    33  at home
               9,360      .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46a_4                                                                    │
 │ place first sought treatment for fever                                    │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46a_4
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46a_5                                                                    │
 │ place first sought treatment for fever                                    │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46a_5
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46a_6                                                                    │
 │ place first sought treatment for fever                                    │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46a_6
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46b_1                                                              na -   │
 │ days after fever sought advice or treatment                               │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46b_1
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46b_2                                                              na -   │
 │ days after fever sought advice or treatment                               │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46b_2
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .


 ┌─────────────────────────────────────────────────────────────────────────┐
 │ h46b_3                                                              na -   │
 │ days after fever sought advice or treatment                               │
 └─────────────────────────────────────────────────────────────────────────┘
             type:  numeric (byte)
            label:  h46b_3
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
```

tabulation: Freq.  Numeric  Label
        9,372        .

---

**h46b_4**                                                                    na -

days after fever sought advice or treatment

        type:  numeric (byte)
        label:  h46b_4
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372        .

---

**h46b_5**                                                                    na -

days after fever sought advice or treatment

        type:  numeric (byte)
        label:  h46b_5
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372        .

---

**h46b_6**                                                                    na -

days after fever sought advice or treatment

        type:  numeric (byte)
        label:  h46b_6
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372        .

---

**h47_1**                                                                     na -

blood taken from child's finger/heel for testing

        type:  numeric (byte)
        label:  h47_1
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372        .

---

**h47_2**                                                                     na -

blood taken from child's finger/heel for testing

        type:  numeric (byte)
        label:  h47_2
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372
      tabulation: Freq.  Numeric  Label
            9,372        .

---

**h47_3**                                                                     na -

blood taken from child's finger/heel for testing

        type:  numeric (byte)
        label:  h47_3
        range:  [.,.]                    units:  .
    unique values:  0                 missing .:  9,372/9,372

tabulation: Freq.  Numeric  Label
          9,372       .

---

h47_4                                                                            na -
blood taken from child's finger/heel for testing

          type:  numeric (byte)
         label:  h47_4
         range:  [.,.]                units: .
 unique values:  0                    missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
          9,372       .

---

h47_5                                                                            na -
blood taken from child's finger/heel for testing

          type:  numeric (byte)
         label:  h47_5
         range:  [.,.]                units: .
 unique values:  0                    missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
          9,372       .

---

h47_6                                                                            na -
blood taken from child's finger/heel for testing

          type:  numeric (byte)
         label:  h47_6
         range:  [.,.]                units: .
 unique values:  0                    missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
          9,372       .

---

hwidx_1
index to birth history

          type:  numeric (byte)
         range:  [1,1]                units: 1
 unique values:  1                    missing .:  6,409/9,372
     tabulation: Freq.  Value
          2,963  1
          6,409  .

---

hwidx_2
index to birth history

          type:  numeric (byte)
         range:  [2,2]                units: 1
 unique values:  1                    missing .:  8,692/9,372
     tabulation: Freq.  Value
            680  2
          8,692  .

---

hwidx_3
index to birth history

          type:  numeric (byte)
         range:  [3,3]                units: 1
 unique values:  1                    missing .:  9,305/9,372
     tabulation: Freq.  Value

```
                       67  3
                    9,305  .


┌─────────────────────────────────────────────────────────────────────────────┐
│ hwidx_4                                                                       │
│ index to birth history                                                        │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [4,4]                    units:  1
   unique values:  1                      missing .:  9,368/9,372
       tabulation:  Freq.  Value
                       4  4
                    9,368  .


┌─────────────────────────────────────────────────────────────────────────────┐
│ hwidx_5                                                                       │
│ index to birth history                                                        │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Value
                    9,372  .


┌─────────────────────────────────────────────────────────────────────────────┐
│ hwidx_6                                                                       │
│ index to birth history                                                        │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Value
                    9,372  .


┌─────────────────────────────────────────────────────────────────────────────┐
│ hw1_1                                                                         │
│ child's age in months                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [0,59]                   units:  1
   unique values:  60                     missing .:  6,606/9,372
            mean:  26.2444
        std. dev:  16.8405
      percentiles:      10%     25%     50%     75%     90%
                        5      12      24      40      51


┌─────────────────────────────────────────────────────────────────────────────┐
│ hw1_2                                                                         │
│ child's age in months                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [4,59]                   units:  1
   unique values:  51                     missing .:  8,811/9,372
            mean:  41.9127
        std. dev:  11.861
      percentiles:      10%     25%     50%     75%     90%
                       25      33      44      51      57


┌─────────────────────────────────────────────────────────────────────────────┐
│ hw1_3                                                                         │
│ child's age in months                                                         │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           range:  [23,59]                  units:  1
   unique values:  26                     missing .:  9,316/9,372
            mean:  48.875
```

```
          std. dev:  8.88525
        percentiles:     10%      25%      50%      75%      90%
                          36       45       52       56       58
```

```
 hw1_4
 child's age in months
              type:  numeric (byte)
             range:  [52,59]                units:  1
     unique values:  4                    missing .:  9,368/9,372
         tabulation:  Freq.  Value
                        1   52
                        1   56
                        1   57
                        1   59
                    9,368   .
```

```
 hw1_5
 child's age in months
              type:  numeric (byte)
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Value
                    9,372   .
```

```
 hw1_6
 child's age in months
              type:  numeric (byte)
             range:  [.,.]                  units:  .
     unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Value
                    9,372   .
```

```
 hw2_1
 child's weight in kilograms (1 decimal)
              type:  numeric (int)
             label:  hw2_1, but 224 nonmissing values are not labeled
             range:  [17,9996]             units:  1
     unique values:  227                  missing .:  6,606/9,372
          examples:  144
                      .
                      .
                      .
```

```
 hw2_2
 child's weight in kilograms (1 decimal)
              type:  numeric (int)
             label:  hw2_2, but 137 nonmissing values are not labeled
             range:  [56,9996]             units:  1
     unique values:  140                  missing .:  8,811/9,372
          examples:  .
                      .
                      .
                      .
```

hw2_3
child's weight in kilograms (1 decimal)

                  type:  numeric (int)
                  label:  hw2_3, but 43 nonmissing values are not labeled
                  range:  [99,9996]              units:  1
          unique values:  46              missing .:  9,316/9,372
            examples:  .
                       .
                       .
                       .

hw2_4
child's weight in kilograms (1 decimal)

                  type:  numeric (int)
                  label:  hw2_4, but 4 nonmissing values are not labeled
                  range:  [148,200]              units:  1
          unique values:  4              missing .:  9,368/9,372
            tabulation:  Freq.  Numeric  Label
                           1      148
                           1      155
                           1      180
                           1      200
                       9,368       .

hw2_5
child's weight in kilograms (1 decimal)

                  type:  numeric (byte)
                  label:  hw2_5
                  range:  [.,.]              units:  .
          unique values:  0              missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                       9,372       .

hw2_6
child's weight in kilograms (1 decimal)

                  type:  numeric (byte)
                  label:  hw2_6
                  range:  [.,.]              units:  .
          unique values:  0              missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                       9,372       .

hw3_1
child's height in centimeters (1 decimal)

                  type:  numeric (int)
                  label:  hw3_1, but 622 nonmissing values are not labeled
                  range:  [366,9996]              units:  1
          unique values:  625              missing .:  6,606/9,372
            examples:  950
                       .
                       .
                       .

hw3_2
child's height in centimeters (1 decimal)

                type: numeric (int)
               label: hw3_2, but 269 nonmissing values are not labeled
               range: [614,9996]            units: 1
       unique values: 272              missing .: 8,811/9,372
            examples: .
                      .
                      .
                      .

hw3_3
child's height in centimeters (1 decimal)

                type: numeric (int)
               label: hw3_3, but 47 nonmissing values are not labeled
               range: [798,9996]            units: 1
       unique values: 50               missing .: 9,316/9,372
            examples: .
                      .
                      .
                      .

hw3_4
child's height in centimeters (1 decimal)

                type: numeric (int)
               label: hw3_4, but 4 nonmissing values are not labeled
               range: [1002,1123]           units: 1
       unique values: 4                missing .: 9,368/9,372
           tabulation: Freq.  Numeric  Label
                          1     1002
                          1     1031
                          1     1087
                          1     1123
                      9,368       .

hw3_5
child's height in centimeters (1 decimal)

                type: numeric (byte)
               label: hw3_5
               range: [.,.]                 units: .
       unique values: 0                missing .: 9,372/9,372
           tabulation: Freq.  Numeric  Label
                      9,372       .

hw3_6
child's height in centimeters (1 decimal)

                type: numeric (byte)
               label: hw3_6
               range: [.,.]                 units: .
       unique values: 0                missing .: 9,372/9,372
           tabulation: Freq.  Numeric  Label
                      9,372       .

hw4_1
height/age percentile

           type:  numeric (int)
          label:  hw4_1, but 2223 nonmissing values are not labeled
          range:  [0,9998]             units:  1
  unique values:  2,224               missing .:  6,731/9,372
       examples:  6666
                  .
                  .
                  .


hw4_2
height/age percentile

           type:  numeric (int)
          label:  hw4_2, but 515 nonmissing values are not labeled
          range:  [0,9998]             units:  1
  unique values:  516                 missing .:  8,830/9,372
       examples:  .
                  .
                  .
                  .


hw4_3
height/age percentile

           type:  numeric (int)
          label:  hw4_3, but 51 nonmissing values are not labeled
          range:  [11,9918]            units:  1
  unique values:  51                  missing .:  9,321/9,372
       examples:  .
                  .
                  .
                  .


hw4_4
height/age percentile

           type:  numeric (int)
          label:  hw4_4, but 4 nonmissing values are not labeled
          range:  [1633,8172]          units:  1
  unique values:  4                   missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                      1    1633
                      1    2193
                      1    5549
                      1    8172
                  9,368        .


hw4_5
height/age percentile

           type:  numeric (byte)
          label:  hw4_5
          range:  [.,.]                units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .

```
hw4_6
height/age percentile
            type:  numeric (byte)
            label:  hw4_6
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .
```

```
hw5_1
height/age standard deviation
            type:  numeric (int)
            label:  hw5_1, but 549 nonmissing values are not labeled
            range:  [-570,9998]              units:  1
    unique values:  550                      missing .:  6,731/9,372
        examples:  43
                    .
                    .
                    .
```

```
hw5_2
height/age standard deviation
            type:  numeric (int)
            label:  hw5_2, but 299 nonmissing values are not labeled
            range:  [-560,9998]              units:  1
    unique values:  300                      missing .:  8,830/9,372
        examples:  .
                    .
                    .
                    .
```

```
hw5_3
height/age standard deviation
            type:  numeric (int)
            label:  hw5_3, but 48 nonmissing values are not labeled
            range:  [-305,240]               units:  1
    unique values:  48                       missing .:  9,321/9,372
        examples:  .
                    .
                    .
                    .
```

```
hw5_4
height/age standard deviation
            type:  numeric (byte)
            label:  hw5_4, but 4 nonmissing values are not labeled
            range:  [-98,90]                 units:  1
    unique values:  4                        missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                    1      -98
                    1      -77
                    1       14
                    1       90
```

9,368        .

┌─────────────────────────────────────────────────────────────────────────┐
│  hw5_5                                                                    │
│  height/age standard deviation                                            │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  hw5_5
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  hw5_6                                                                    │
│  height/age standard deviation                                            │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
            label:  hw5_6
            range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .

┌─────────────────────────────────────────────────────────────────────────┐
│  hw6_1                                                                    │
│  height/age percent of ref. median                                        │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (long)
            label:  hw6_1, but 1332 nonmissing values are not labeled
            range:  [7837,99998]            units:  1
    unique values:  1,333                missing .:  6,731/9,372
         examples:  10170
                       .
                       .
                       .

┌─────────────────────────────────────────────────────────────────────────┐
│  hw6_2                                                                    │
│  height/age percent of ref. median                                        │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (long)
            label:  hw6_2, but 453 nonmissing values are not labeled
            range:  [7793,99998]            units:  1
    unique values:  454                  missing .:  8,830/9,372
         examples:  .
                       .
                       .
                       .

┌─────────────────────────────────────────────────────────────────────────┐
│  hw6_3                                                                    │
│  height/age percent of ref. median                                        │
└─────────────────────────────────────────────────────────────────────────┘
            type:  numeric (int)
            label:  hw6_3, but 50 nonmissing values are not labeled
            range:  [8779,10965]            units:  1
    unique values:  50                   missing .:  9,321/9,372
         examples:  .
                       .
                       .
                       .

hw6_4
height/age percent of ref. median

            type:  numeric (int)
            label:  hw6_4, but 4 nonmissing values are not labeled
            range:  [9608,10378]          units:  1
    unique values:  4                 missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                    1     9608
                    1     9688
                    1     10056
                    1     10378
                9,368       .

hw6_5
height/age percent of ref. median

            type:  numeric (byte)
            label:  hw6_5
            range:  [.,.]              units:  .
    unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372       .

hw6_6
height/age percent of ref. median

            type:  numeric (byte)
            label:  hw6_6
            range:  [.,.]              units:  .
    unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372       .

hw7_1
weight/age percentile

            type:  numeric (int)
            label:  hw7_1, but 2213 nonmissing values are not labeled
            range:  [0,9998]            units:  1
    unique values:  2,214             missing .:  6,731/9,372
        examples:  7073
                    .
                    .
                    .

hw7_2
weight/age percentile

            type:  numeric (int)
            label:  hw7_2, but 516 nonmissing values are not labeled
            range:  [0,9998]            units:  1
    unique values:  517               missing .:  8,830/9,372
        examples:  .
                    .
                    .
                    .

hw7_3
weight/age percentile

          type:  numeric (int)
         label:  hw7_3, but 51 nonmissing values are not labeled
        range:  [43,9969]          units:  1
unique values:  51          missing .:  9,321/9,372
    examples:  .
            .
            .
            .

hw7_4
weight/age percentile

          type:  numeric (int)
         label:  hw7_4, but 4 nonmissing values are not labeled
        range:  [1546,7875]       units:  1
unique values:  4          missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
             1     1546
             1     1868
             1     5593
             1     7875
       9,368       .

hw7_5
weight/age percentile

          type:  numeric (byte)
         label:  hw7_5
        range:  [.,.]          units:  .
unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
       9,372       .

hw7_6
weight/age percentile

          type:  numeric (byte)
         label:  hw7_6
        range:  [.,.]          units:  .
unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
       9,372       .

hw8_1
weight/age standard deviation

          type:  numeric (int)
         label:  hw8_1, but 559 nonmissing values are not labeled
        range:  [-505,9998]      units:  1
unique values:  560         missing .:  6,731/9,372
    examples:  55
            .
            .
            .

hw8_2
weight/age standard deviation

         type:  numeric (int)
         label:  hw8_2, but 300 nonmissing values are not labeled
         range:  [-393,9998]              units:  1
  unique values:  301                 missing .:  8,830/9,372
      examples:  .
                 .
                 .
                 .

hw8_3
weight/age standard deviation

         type:  numeric (int)
         label:  hw8_3, but 48 nonmissing values are not labeled
         range:  [-262,273]              units:  1
  unique values:  48                  missing .:  9,321/9,372
      examples:  .
                 .
                 .
                 .

hw8_4
weight/age standard deviation

         type:  numeric (byte)
         label:  hw8_4, but 4 nonmissing values are not labeled
         range:  [-102,80]               units:  1
  unique values:  4                   missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                      1     -102
                      1      -89
                      1       15
                      1       80
                  9,368       .

hw8_5
weight/age standard deviation

         type:  numeric (byte)
         label:  hw8_5
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .

hw8_6
weight/age standard deviation

         type:  numeric (byte)
         label:  hw8_6
         range:  [.,.]                   units:  .
  unique values:  0                   missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372       .

```
  hw9_1
weight/age percent of ref. median

          type:  numeric (long)
          label:  hw9_1, but 2021 nonmissing values are not labeled
          range:  [4484,99998]          units:  1
  unique values:  2,022                missing .:  6,731/9,372
       examples:  10699
                   .
                   .
                   .


  hw9_2
weight/age percent of ref. median

          type:  numeric (long)
          label:  hw9_2, but 507 nonmissing values are not labeled
          range:  [5810,99998]          units:  1
  unique values:  508                  missing .:  8,830/9,372
       examples:  .
                   .
                   .
                   .


  hw9_3
weight/age percent of ref. median

          type:  numeric (int)
          label:  hw9_3, but 51 nonmissing values are not labeled
          range:  [7015,14205]          units:  1
  unique values:  51                   missing .:  9,321/9,372
       examples:  .
                   .
                   .
                   .


  hw9_4
weight/age percent of ref. median

          type:  numeric (int)
          label:  hw9_4, but 4 nonmissing values are not labeled
          range:  [8908,11011]          units:  1
  unique values:  4                    missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                      1     8908
                      1     9037
                      1    10234
                      1    11011
                  9,368        .


  hw9_5
weight/age percent of ref. median

          type:  numeric (byte)
          label:  hw9_5
          range:  [.,.]                 units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

```
hw9_6
weight/age percent of ref. median
          type:  numeric (byte)
         label:  hw9_6
         range:  [.,.]                      units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
hw10_1
weight/height percentile
          type:  numeric (int)
         label:  hw10_1, but 2192 nonmissing values are not labeled
         range:  [0,9998]                   units:  1
 unique values:  2,193                 missing .:  6,731/9,372
       examples:  7516
                    .
                    .
                    .
```

```
hw10_2
weight/height percentile
          type:  numeric (int)
         label:  hw10_2, but 519 nonmissing values are not labeled
         range:  [0,9998]                   units:  1
 unique values:  520                   missing .:  8,830/9,372
       examples:  .
                    .
                    .
                    .
```

```
hw10_3
weight/height percentile
          type:  numeric (int)
         label:  hw10_3, but 51 nonmissing values are not labeled
         range:  [10,9557]                  units:  1
 unique values:  51                    missing .:  9,321/9,372
       examples:  .
                    .
                    .
                    .
```

```
hw10_4
weight/height percentile
          type:  numeric (int)
         label:  hw10_4, but 4 nonmissing values are not labeled
         range:  [3112,6226]                units:  1
 unique values:  4                     missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                    1     3112
                    1     3240
                    1     5346
                    1     6226
```

9,368        .

```
hw10_5
weight/height percentile
```
          type:  numeric (byte)
          label:  hw10_5
          range:  [.,.]                  units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

```
hw10_6
weight/height percentile
```
          type:  numeric (byte)
          label:  hw10_6
          range:  [.,.]                  units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

```
hw11_1
weight/height standard deviation
```
          type:  numeric (int)
          label:  hw11_1, but 542 nonmissing values are not labeled
          range:  [-389,9998]            units:  1
   unique values:  543                missing .:  6,731/9,372
        examples:  68
                   .
                   .
                   .

```
hw11_2
weight/height standard deviation
```
          type:  numeric (int)
          label:  hw11_2, but 288 nonmissing values are not labeled
          range:  [-391,9998]            units:  1
   unique values:  289                missing .:  8,830/9,372
        examples:  .
                   .
                   .
                   .

```
hw11_3
weight/height standard deviation
```
          type:  numeric (int)
          label:  hw11_3, but 49 nonmissing values are not labeled
          range:  [-308,170]             units:  1
   unique values:  49                 missing .:  9,321/9,372
        examples:  .
                   .
                   .
                   .

hw11_4
weight/height standard deviation

```
              type:  numeric (byte)
              label:  hw11_4, but 4 nonmissing values are not labeled
              range:  [-49,31]              units:  1
      unique values:  4              missing .:  9,368/9,372
         tabulation:  Freq.  Numeric  Label
                        1      -49
                        1      -46
                        1       9
                        1      31
                    9,368       .
```

hw11_5
weight/height standard deviation

```
              type:  numeric (byte)
              label:  hw11_5
              range:  [.,.]              units:  .
      unique values:  0              missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                    9,372       .
```

hw11_6
weight/height standard deviation

```
              type:  numeric (byte)
              label:  hw11_6
              range:  [.,.]              units:  .
      unique values:  0              missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                    9,372       .
```

hw12_1
weight/height percent of ref. median

```
              type:  numeric (long)
              label:  hw12_1, but 1863 nonmissing values are not labeled
              range:  [6398,99998]          units:  1
      unique values:  1,864          missing .:  6,731/9,372
           examples:  10691
                         .
                         .
                         .
```

hw12_2
weight/height percent of ref. median

```
              type:  numeric (long)
              label:  hw12_2, but 483 nonmissing values are not labeled
              range:  [6596,99998]          units:  1
      unique values:  484          missing .:  8,830/9,372
           examples:  .
                       .
                       .
                       .
```

```
hw12_3
weight/height percent of ref. median
            type:  numeric (int)
            label:  hw12_3, but 51 nonmissing values are not labeled
            range:  [7275,11901]            units:  1
    unique values:  51                   missing .:  9,321/9,372
         examples:  .
                    .
                    .
                    .
```

```
hw12_4
weight/height percent of ref. median
            type:  numeric (int)
            label:  hw12_4, but 4 nonmissing values are not labeled
            range:  [9564,10304]            units:  1
    unique values:  4                   missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                        1     9564
                        1     9597
                        1    10093
                        1    10304
                    9,368        .
```

```
hw12_5
weight/height percent of ref. median
            type:  numeric (byte)
            label:  hw12_5
            range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
hw12_6
weight/height percent of ref. median
            type:  numeric (byte)
            label:  hw12_6
            range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
hw13_1
result of measurement - height/weight
            type:  numeric (byte)
            label:  hw13_1
            range:  [0,7]                  units:  1
    unique values:  6                   missing .:  6,409/9,372
        tabulation:  Freq.  Numeric  Label
                    2,641        0  measured
                       68        1  dead
                       82        3  not present
                        6        4  refused
                       37        6  other
```

|       |   |                              |
|------:|---|------------------------------|
|   129 | 7 | no measurement found in household |
| 6,409 | . |                              |

---

**hw13_2**
result of measurement - height/weight

```
        type:  numeric (byte)
       label:  hw13_2
       range:  [0,7]              units:  1
unique values:  6                 missing .:  8,692/9,372
   tabulation:  Freq.   Numeric  Label
                 542      0  measured
                  39      1  dead
                  13      3  not present
                   1      4  refused
                   5      6  other
                  80      7  no measurement found in
                             household
               8,692       .
```

---

**hw13_3**
result of measurement - height/weight

```
        type:  numeric (byte)
       label:  hw13_3
       range:  [0,7]              units:  1
unique values:  6                 missing .:  9,305/9,372
   tabulation:  Freq.   Numeric  Label
                  51      0  measured
                   1      1  dead
                   3      3  not present
                   1      4  refused
                   1      6  other
                  10      7  no measurement found in
                             household
               9,305       .
```

---

**hw13_4**
result of measurement - height/weight

```
        type:  numeric (byte)
       label:  hw13_4
       range:  [0,0]              units:  1
unique values:  1                 missing .:  9,368/9,372
   tabulation:  Freq.   Numeric  Label
                   4      0  measured
               9,368       .
```

---

**hw13_5**
result of measurement - height/weight

```
        type:  numeric (byte)
       label:  hw13_5
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372       .
```

hw13_6
result of measurement - height/weight

      type: numeric (byte)
      label: hw13_6
      range: [.,.]                  units: .
unique values: 0                 missing .: 9,372/9,372
   tabulation: Freq.  Numeric  Label
          9,372        .

hw15_1
height: lying or standing

      type: numeric (byte)
      label: hw15_1
      range: [1,2]                  units: 1
unique values: 2                 missing .: 6,727/9,372
   tabulation: Freq.  Numeric  Label
          1,311      1  lying
          1,334      2  standing
          6,727        .

hw15_2
height: lying or standing

      type: numeric (byte)
      label: hw15_2
      range: [1,2]                  units: 1
unique values: 2                 missing .: 8,830/9,372
   tabulation: Freq.  Numeric  Label
             57      1  lying
            485      2  standing
          8,830        .

hw15_3
height: lying or standing

      type: numeric (byte)
      label: hw15_3
      range: [1,2]                  units: 1
unique values: 2                 missing .: 9,319/9,372
   tabulation: Freq.  Numeric  Label
              1      1  lying
             52      2  standing
          9,319        .

hw15_4
height: lying or standing

      type: numeric (byte)
      label: hw15_4
      range: [2,2]                  units: 1
unique values: 1                 missing .: 9,368/9,372
   tabulation: Freq.  Numeric  Label
              4      2  standing
          9,368        .

hw15_5
height: lying or standing

       type:  numeric (byte)
      label:  hw15_5
      range:  [.,.]          units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

hw15_6
height: lying or standing

       type:  numeric (byte)
      label:  hw15_6
      range:  [.,.]          units:  .
  unique values:  0          missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .

hw16_1
day of birth of child

       type:  numeric (byte)
      label:  hw16_1, but 31 nonmissing values are not labeled
      range:  [1,98]        units:  1
  unique values:  32         missing .:  6,659/9,372
    examples:  20
             .
             .
             .

hw16_2
day of birth of child

       type:  numeric (byte)
      label:  hw16_2, but 31 nonmissing values are not labeled
      range:  [1,98]        units:  1
  unique values:  32         missing .:  8,821/9,372
    examples:  .
             .
             .
             .

hw16_3
day of birth of child

       type:  numeric (byte)
      label:  hw16_3, but 24 nonmissing values are not labeled
      range:  [1,31]        units:  1
  unique values:  24         missing .:  9,319/9,372
    examples:  .
             .
             .
             .

hw16_4
day of birth of child

       type:  numeric (byte)

label: hw16_4, but 4 nonmissing values are not labeled
range: [2,24]                   units: 1
unique values: 4                missing .: 9,368/9,372
  tabulation: Freq.  Numeric  Label
              1       2
              1       3
              1       7
              1       24
          9,368       .

---

**hw16_5**
day of birth of child

type:  numeric (byte)
label:  hw16_5
range:  [.,.]                   units:  .
unique values:  0               missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
          9,372       .

---

**hw16_6**
day of birth of child

type:  numeric (byte)
label:  hw16_6
range:  [.,.]                   units:  .
unique values:  0               missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
          9,372       .

---

**hw17_1**
date measured (day)

type:  numeric (byte)
range:  [1,31]                  units:  1
unique values:  31              missing .:  6,606/9,372
  mean:  15.3619
  std. dev:  8.7449
  percentiles:    10%     25%     50%     75%     90%
                   3       8      15      23      27

---

**hw17_2**
date measured (day)

type:  numeric (byte)
range:  [1,31]                  units:  1
unique values:  31              missing .:  8,811/9,372
  mean:  14.934
  std. dev:  9.03847
  percentiles:    10%     25%     50%     75%     90%
                   2       7      14      23      27

---

**hw17_3**
date measured (day)

type:  numeric (byte)
range:  [1,31]                  units:  1
unique values:  22              missing .:  9,316/9,372
  mean:  14.4821

std. dev:  8.11954
             percentiles:     10%     25%     50%     75%     90%
                             4       7    14.5      20      26

| hw17_4 |
| date measured (day) |

            type:  numeric (byte)
           range:  [16,22]            units:  1
   unique values:  4             missing .:  9,368/9,372
       tabulation:  Freq.  Value
                 1   16
                 1   20
                 1   21
                 1   22
             9,368   .

| hw17_5 |
| date measured (day) |

            type:  numeric (byte)
           range:  [.,.]              units:  .
   unique values:  0             missing .:  9,372/9,372
       tabulation:  Freq.  Value
             9,372   .

| hw17_6 |
| date measured (day) |

            type:  numeric (byte)
           range:  [.,.]              units:  .
   unique values:  0             missing .:  9,372/9,372
       tabulation:  Freq.  Value
             9,372   .

| hw18_1 |
| date measured (month) |

            type:  numeric (byte)
           range:  [7,10]             units:  1
   unique values:  4             missing .:  6,606/9,372
       tabulation:  Freq.  Value
               546   7
             1,029   8
               811   9
               380   10
             6,606   .

| hw18_2 |
| date measured (month) |

            type:  numeric (byte)
           range:  [7,10]             units:  1
   unique values:  4             missing .:  8,811/9,372
       tabulation:  Freq.  Value
               106   7
               231   8
               133   9
                91   10

8,811 .

---

**hw18_3**
date measured (month)

       type:  numeric (byte)
      range:  [7,10]          units:  1
   unique values:  4         missing .:  9,316/9,372
    tabulation:  Freq.  Value
          13  7
          27  8
           9  9
           7  10
      9,316  .

---

**hw18_4**
date measured (month)

       type:  numeric (byte)
      range:  [7,9]          units:  1
   unique values:  3         missing .:  9,368/9,372
    tabulation:  Freq.  Value
           2  7
           1  8
           1  9
      9,368  .

---

**hw18_5**
date measured (month)

       type:  numeric (byte)
      range:  [.,.]          units:  .
   unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Value
      9,372  .

---

**hw18_6**
date measured (month)

       type:  numeric (byte)
      range:  [.,.]          units:  .
   unique values:  0         missing .:  9,372/9,372
    tabulation:  Freq.  Value
      9,372  .

---

**hw19_1**
date measured (year)

       type:  numeric (int)
      range:  [2013,2013]      units:  1
   unique values:  1         missing .:  6,606/9,372
    tabulation:  Freq.  Value
      2,766  2013
      6,606  .

---

**hw19_2**
date measured (year)

       type:  numeric (int)
      range:  [2013,2013]      units:  1

```
          unique values:  1              missing .:  8,811/9,372
             tabulation:  Freq.  Value
                    561  2013
                  8,811  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw19_3                                                                        │
│ date measured (year)                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (int)
                  range:  [2013,2013]           units:  1
          unique values:  1              missing .:  9,316/9,372
             tabulation:  Freq.  Value
                     56  2013
                  9,316  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw19_4                                                                        │
│ date measured (year)                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (int)
                  range:  [2013,2013]           units:  1
          unique values:  1              missing .:  9,368/9,372
             tabulation:  Freq.  Value
                      4  2013
                  9,368  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw19_5                                                                        │
│ date measured (year)                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  range:  [.,.]               units:  .
          unique values:  0              missing .:  9,372/9,372
             tabulation:  Freq.  Value
                  9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw19_6                                                                        │
│ date measured (year)                                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  range:  [.,.]               units:  .
          unique values:  0              missing .:  9,372/9,372
             tabulation:  Freq.  Value
                  9,372  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw51_1                                                                        │
│ na - line number of parent/caretaker                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  hw51_1
                  range:  [.,.]               units:  .
          unique values:  0              missing .:  9,372/9,372
             tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw51_2                                                                        │
│ na - line number of parent/caretaker                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  hw51_2
                  range:  [.,.]               units:  .
          unique values:  0              missing .:  9,372/9,372
```

```
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw51_3
 na - line number of parent/caretaker
           type:  numeric (byte)
          label:  hw51_3
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw51_4
 na - line number of parent/caretaker
           type:  numeric (byte)
          label:  hw51_4
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw51_5
 na - line number of parent/caretaker
           type:  numeric (byte)
          label:  hw51_5
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw51_6
 na - line number of parent/caretaker
           type:  numeric (byte)
          label:  hw51_6
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw52_1
 na - read consent statement - hemoglobin
           type:  numeric (byte)
          label:  hw52_1
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
       tabulation: Freq.   Numeric  Label
            9,372        .
```

```
 hw52_2
 na - read consent statement - hemoglobin
           type:  numeric (byte)
          label:  hw52_2
          range:  [.,.]                units: .
   unique values:  0                 missing .: 9,372/9,372
```

```
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw52_3
  na - read consent statement - hemoglobin
                      type:  numeric (byte)
                     label:  hw52_3
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw52_4
  na - read consent statement - hemoglobin
                      type:  numeric (byte)
                     label:  hw52_4
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw52_5
  na - read consent statement - hemoglobin
                      type:  numeric (byte)
                     label:  hw52_5
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw52_6
  na - read consent statement - hemoglobin
                      type:  numeric (byte)
                     label:  hw52_6
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw53_1
  na - hemoglobin level (g/dl - 1 decimal)
                      type:  numeric (byte)
                     label:  hw53_1
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
                 tabulation:  Freq.   Numeric  Label
                        9,372         .
```

```
  hw53_2
  na - hemoglobin level (g/dl - 1 decimal)
                      type:  numeric (byte)
                     label:  hw53_2
                     range:  [.,.]                units:  .
            unique values:  0                  missing .:  9,372/9,372
```

```
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw53_3                                                                   │
│ na - hemoglobin level (g/dl - 1 decimal)                                  │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw53_3
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw53_4                                                                   │
│ na - hemoglobin level (g/dl - 1 decimal)                                  │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw53_4
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw53_5                                                                   │
│ na - hemoglobin level (g/dl - 1 decimal)                                  │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw53_5
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw53_6                                                                   │
│ na - hemoglobin level (g/dl - 1 decimal)                                  │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw53_6
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw55_1                                                                   │
│ na - result of measurement - hemoglobin                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw55_1
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  hw55_2                                                                   │
│ na - result of measurement - hemoglobin                                   │
└─────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw55_2
           range:  [.,.]                 units:  .
   unique values:  0                    missing .:  9,372/9,372
```

```
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw55_3                                                                        │
│ na - result of measurement - hemoglobin                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw55_3
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw55_4                                                                        │
│ na - result of measurement - hemoglobin                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw55_4
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw55_5                                                                        │
│ na - result of measurement - hemoglobin                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw55_5
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw55_6                                                                        │
│ na - result of measurement - hemoglobin                                       │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw55_6
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_1                                                                  na -  │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw56_1
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_2                                                                  na -  │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  hw56_2
            range:  [.,.]                units:  .
    unique values:  0                  missing .:  9,372/9,372
```

```
tabulation:  Freq.   Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_3                                                                 na - │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw56_3
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_4                                                                 na - │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw56_4
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_5                                                                 na - │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw56_5
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw56_6                                                                 na - │
│ hemoglobin level adjusted for altitude (g/dl - 1 decimal)                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw56_6
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw57_1                                                                       │
│ na - anemia level                                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw57_1
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw57_2                                                                       │
│ na - anemia level                                                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  hw57_2
       range:  [.,.]                units:  .
unique values:  0                  missing .:  9,372/9,372
```

tabulation: Freq.  Numeric  Label
            9,372        .

---

**hw57_3**
na - anemia level

          type:  numeric (byte)
          label:  hw57_3
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

**hw57_4**
na - anemia level

          type:  numeric (byte)
          label:  hw57_4
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

**hw57_5**
na - anemia level

          type:  numeric (byte)
          label:  hw57_5
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

**hw57_6**
na - anemia level

          type:  numeric (byte)
          label:  hw57_6
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

**hw58_1**
na - agrees to referral - anemia

          type:  numeric (byte)
          label:  hw58_1
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
            9,372        .

---

**hw58_2**
na - agrees to referral - anemia

          type:  numeric (byte)
          label:  hw58_2
          range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372

tabulation: Freq. Numeric Label
9,372 .

---

**hw58_3**
na - agrees to referral - anemia
       type: numeric (byte)
      label: hw58_3
      range: [.,.]            units: .
  unique values: 0           missing .: 9,372/9,372
    tabulation: Freq. Numeric Label
9,372 .

---

**hw58_4**
na - agrees to referral - anemia
       type: numeric (byte)
      label: hw58_4
      range: [.,.]            units: .
  unique values: 0           missing .: 9,372/9,372
    tabulation: Freq. Numeric Label
9,372 .

---

**hw58_5**
na - agrees to referral - anemia
       type: numeric (byte)
      label: hw58_5
      range: [.,.]            units: .
  unique values: 0           missing .: 9,372/9,372
    tabulation: Freq. Numeric Label
9,372 .

---

**hw58_6**
na - agrees to referral - anemia
       type: numeric (byte)
      label: hw58_6
      range: [.,.]            units: .
  unique values: 0           missing .: 9,372/9,372
    tabulation: Freq. Numeric Label
9,372 .

---

**hw70_1**
height/age standard deviation (new who)
       type: numeric (int)
      label: hw70_1, but 560 nonmissing values are not labeled
      range: [-568,9998]     units: 1
  unique values: 562        missing .: 6,731/9,372
    examples: 33
          .
          .
          .

---

**hw70_2**
height/age standard deviation (new who)
       type: numeric (int)
      label: hw70_2, but 296 nonmissing values are not labeled

```
              range:  [-529,9998]              units:  1
      unique values:  297                  missing .:  8,830/9,372
           examples:  .
                      .
                      .
                      .
```

---

**hw70_3**
height/age standard deviation (new who)

```
               type:  numeric (int)
              label:  hw70_3, but 47 nonmissing values are not labeled
              range:  [-308,213]              units:  1
      unique values:  47                   missing .:  9,321/9,372
           examples:  .
                      .
                      .
                      .
```

---

**hw70_4**
height/age standard deviation (new who)

```
               type:  numeric (byte)
              label:  hw70_4, but 4 nonmissing values are not labeled
              range:  [-116,89]              units:  1
      unique values:  4                    missing .:  9,368/9,372
           tabulation:  Freq.  Numeric  Label
                          1     -116
                          1      -95
                          1       -9
                          1       89
                      9,368        .
```

---

**hw70_5**
height/age standard deviation (new who)

```
               type:  numeric (byte)
              label:  hw70_5
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                      9,372        .
```

---

**hw70_6**
height/age standard deviation (new who)

```
               type:  numeric (byte)
              label:  hw70_6
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.  Numeric  Label
                      9,372        .
```

---

**hw71_1**
weight/age standard deviation (new who)

```
               type:  numeric (int)
              label:  hw71_1, but 534 nonmissing values are not labeled
              range:  [-473,9998]             units:  1
```

```
         unique values:  536              missing .:  6,731/9,372
            examples:  65
                          .
                          .
                          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw71_2                                                                        │
│ weight/age standard deviation (new who)                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
                 type:  numeric (int)
                label:  hw71_2, but 298 nonmissing values are not labeled
                range:  [-425,9998]              units:  1
         unique values:  299              missing .:  8,830/9,372
            examples:  .
                          .
                          .
                          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw71_3                                                                        │
│ weight/age standard deviation (new who)                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
                 type:  numeric (int)
                label:  hw71_3, but 49 nonmissing values are not labeled
                range:  [-260,214]              units:  1
         unique values:  49               missing .:  9,321/9,372
            examples:  .
                          .
                          .
                          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw71_4                                                                        │
│ weight/age standard deviation (new who)                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
                 type:  numeric (byte)
                label:  hw71_4, but 4 nonmissing values are not labeled
                range:  [-95,86]              units:  1
         unique values:  4                missing .:  9,368/9,372
            tabulation:  Freq.  Numeric  Label
                          1      -95
                          1      -89
                          1       -5
                          1       86
                      9,368        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw71_5                                                                        │
│ weight/age standard deviation (new who)                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
                 type:  numeric (byte)
                label:  hw71_5
                range:  [.,.]              units:  .
         unique values:  0                missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                      9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ hw71_6                                                                        │
│ weight/age standard deviation (new who)                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
                 type:  numeric (byte)
                label:  hw71_6
```

```
          range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
              9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw72_1                                                                       │
│  weight/height standard deviation (new who)                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           label:  hw72_1, but 560 nonmissing values are not labeled
           range:  [-443,9998]              units:  1
    unique values:  562                     missing .:  6,731/9,372
        examples:  92
                    .
                    .
                    .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw72_2                                                                       │
│  weight/height standard deviation (new who)                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           label:  hw72_2, but 293 nonmissing values are not labeled
           range:  [-471,9998]              units:  1
    unique values:  294                     missing .:  8,830/9,372
        examples:  .
                    .
                    .
                    .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw72_3                                                                       │
│  weight/height standard deviation (new who)                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (int)
           label:  hw72_3, but 50 nonmissing values are not labeled
           range:  [-363,192]               units:  1
    unique values:  50                      missing .:  9,321/9,372
        examples:  .
                    .
                    .
                    .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw72_4                                                                       │
│  weight/height standard deviation (new who)                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  hw72_4, but 4 nonmissing values are not labeled
           range:  [-46,36]                 units:  1
    unique values:  4                       missing .:  9,368/9,372
       tabulation:  Freq.   Numeric  Label
                  1      -46
                  1      -35
                  1       -6
                  1       36
              9,368        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  hw72_5                                                                       │
│  weight/height standard deviation (new who)                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
```

```
            label: hw72_5
            range: [.,.]                    units: .
    unique values: 0                         missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

```
 hw72_6
 weight/height standard deviation (new who)
             type: numeric (byte)
            label: hw72_6
            range: [.,.]                    units: .
    unique values: 0                         missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                9,372         .
```

```
 hw73_1
 bmi standard deviation (new who)
             type: numeric (int)
            label: hw73_1, but 558 nonmissing values are not labeled
            range: [-475,9998]             units: 1
    unique values: 560                       missing .: 6,731/9,372
         examples: 94
                   .
                   .
                   .
```

```
 hw73_2
 bmi standard deviation (new who)
             type: numeric (int)
            label: hw73_2, but 292 nonmissing values are not labeled
            range: [-494,9998]             units: 1
    unique values: 293                       missing .: 8,830/9,372
         examples: .
                   .
                   .
                   .
```

```
 hw73_3
 bmi standard deviation (new who)
             type: numeric (int)
            label: hw73_3, but 48 nonmissing values are not labeled
            range: [-379,208]              units: 1
    unique values: 48                        missing .: 9,321/9,372
         examples: .
                   .
                   .
                   .
```

```
 hw73_4
 bmi standard deviation (new who)
             type: numeric (byte)
            label: hw73_4, but 4 nonmissing values are not labeled
            range: [-48,47]                units: 1
    unique values: 4                         missing .: 9,368/9,372
```

```
tabulation: Freq.  Numeric  Label
            1       -48
            1       -36
            1        -3
            1        47
        9,368        .
```

┌─────────────────────────────────────────────────────────────┐
│ hw73_5                                                        │
│ bmi standard deviation (new who)                              │
└─────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  hw73_5
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ hw73_6                                                        │
│ bmi standard deviation (new who)                              │
└─────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  hw73_6
        range:  [.,.]                units:  .
unique values:  0                missing .:  9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ v501                                                          │
│ current marital status                                        │
└─────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v501
        range:  [0,5]                units:  1
unique values:  6                missing .:  0/9,372
    tabulation: Freq.  Numeric  Label
            2,128        0  never in union
            1,182        1  married
            4,037        2  living with partner
              115        3  widowed
              116        4  divorced
            1,794        5  no longer living
                            together/separated
```

┌─────────────────────────────────────────────────────────────┐
│ v502                                                          │
│ currently/formerly/never in union                             │
└─────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v502
        range:  [0,2]                units:  1
unique values:  3                missing .:  0/9,372
    tabulation: Freq.  Numeric  Label
            2,128        0  never in union
            5,219        1  currently in union/living with a
                            man
            2,025        2  formerly in union/living with a
                            man
```

v503
number of unions

```
        type:  numeric (byte)
       label:  v503
       range:  [1,2]              units:  1
unique values:  2               missing .:  2,144/9,372
    tabulation:  Freq.  Numeric  Label
              4,349       1  once
              2,879       2  more than once
              2,144       .
```

v504
currently residing with husband/partner

```
        type:  numeric (byte)
       label:  v504
       range:  [1,2]              units:  1
unique values:  2               missing .:  4,160/9,372
    tabulation:  Freq.  Numeric  Label
              4,709       1  living with her
                503       2  staying elsewhere
              4,160       .
```

v505
na - number of other wives

```
        type:  numeric (byte)
       label:  v505
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372       .
```

v506
na - respondent's rank among wives

```
        type:  numeric (byte)
       label:  v506
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
              9,372       .
```

v507
month of first cohabitation

```
        type:  numeric (byte)
       range:  [1,12]             units:  1
unique values:  12              missing .:  2,128/9,372
        mean:  6.63473
    std. dev:  3.66891
  percentiles:     10%     25%     50%     75%     90%
                     2       3       7      10      12
```

v508
year of first cohabitation

```
        type:  numeric (int)
       range:  [1974,2013]        units:  1
```

```
        unique values:  40                 missing .:  2,128/9,372
                 mean:  1998.59
             std. dev:  9.19652
          percentiles:       10%     25%     50%     75%     90%
                            1986    1991    1999    2007    2010
```

```
  v509
date of first cohabitation (cmc)
                 type:  numeric (int)
                range:  [895,1366]            units:  1
        unique values:  450                missing .:  2,128/9,372
                 mean:  1189.72
             std. dev:  110.239
          percentiles:       10%     25%     50%     75%     90%
                            1036    1102    1198    1287    1332
```

```
  v510
completeness of date information in v509
                 type:  numeric (byte)
                label:  v510
                range:  [1,8]                 units:  1
        unique values:  6                  missing .:  2,128/9,372
            tabulation:  Freq.   Numeric  Label
                         5,129        1  month and year - information
                                         complete
                            23        2  month and age - year imputed
                         1,688        5  year - age/month imputed
                           393        6  age - year/month imputed
                             1        7  month - age/year imputed
                            10        8  none - all imputed
                         2,128        .
```

```
  v511
age at first cohabitation
                 type:  numeric (byte)
                range:  [10,46]               units:  1
        unique values:  35                 missing .:  2,128/9,372
                 mean:  18.1636
             std. dev:  4.35903
          percentiles:       10%     25%     50%     75%     90%
                              14      15      17      20      24
```

```
  v512
years since first cohabitation
                 type:  numeric (byte)
                range:  [0,39]                units:  1
        unique values:  40                 missing .:  2,128/9,372
                 mean:  14.0816
             std. dev:  9.18681
          percentiles:       10%     25%     50%     75%     90%
                               2       6      13      21      27
```

```
  v513
cohabitation duration (grouped)
```

```
        type:  numeric (byte)
       label:  v513
       range:  [0,7]                    units:  1
unique values:  8                  missing .:  0/9,372
   tabulation:  Freq.   Numeric  Label
              2,128        0  never married
              1,406        1  0-4
              1,235        2  5-9
              1,245        3  10-14
              1,181        4  15-19
              1,028        5  20-24
                756        6  25-29
```

---

**v525**

**age at first sex**

```
        type:  numeric (byte)
       label:  v525, but 35 nonmissing values are not labeled
       range:  [0,98]                   units:  1
unique values:  38                 missing .:  5/9,372
     examples:  13
               16
               19
               96    at first union
```

---

**v527**

**time since last sex**

```
        type:  numeric (int)
       label:  v527, but 74 nonmissing values are not labeled
       range:  [100,499]                units:  1
unique values:  80                 missing .:  1,342/9,372
     examples:  102
               106
               301   months: 1
               402
```

---

**v528**

**time since last sex (in days)**

```
        type:  numeric (byte)
       label:  v528, but 29 nonmissing values are not labeled
       range:  [0,31]                   units:  1
unique values:  30                 missing .:  1,345/9,372
     examples:  2
                6
```

---

**v529**

**time since last sex (in months)**

```
        type:  numeric (int)
       label:  v529, but 32 nonmissing values are not labeled
       range:  [0,997]                  units:  1
unique values:  34                 missing .:  1,344/9,372
     examples:  0
                0
                1
               36
```

v530
flag for v529

       type:  numeric (byte)
      label:  v530
      range:  [0,9]           units:  1
  unique values:  6          missing .:  1,335/9,372

| tabulation: | Freq. | Numeric | Label |
|---|---|---|---|
| | 7,783 | 0 | no flag |
| | 21 | 1 | n > interval since birth |
| | 67 | 3 | n, but sex not res. |
| | 8 | 7 | n, last sex before pregnancy |
| | 145 | 9 | n, sex before last birth |
| | 1,335 | . | |

v531
age at first sex (imputed)

       type:  numeric (byte)
      label:  v531, but 36 nonmissing values are not labeled
      range:  [0,98]         units:  1
  unique values:  39        missing .:  5/9,372
    examples:  13
           15
           17
           19

v532
flag for v531

       type:  numeric (byte)
      label:  v532
      range:  [0,6]          units:  1
  unique values:  4         missing .:  0/9,372

| tabulation: | Freq. | Numeric | Label |
|---|---|---|---|
| | 8,355 | 0 | no flag |
| | 77 | 3 | after conception < 1 year |
| | 203 | 5 | at marriage, but after conception |
| | 737 | 6 | after marriage |

v535
ever been married or in union

       type:  numeric (byte)
      label:  v535
      range:  [0,2]          units:  1
  unique values:  3         missing .:  5,219/9,372

| tabulation: | Freq. | Numeric | Label |
|---|---|---|---|
| | 2,128 | 0 | no |
| | 307 | 1 | formerly married |
| | 1,718 | 2 | lived with a man |
| | 5,219 | . | |

v536
recent sexual activity

       type:  numeric (byte)

label: v536
range: [0,3]                    units: 1
unique values: 4               missing .: 10/9,372
tabulation:  Freq.   Numeric  Label
            1,335      0  never had sex
            5,418      1  active in last 4 weeks
              192      2  not active in last 4 weeks -
                          postpartum abstinence
            2,417      3  not active in last 4 weeks - not
                          postpartum abstinence
               10      .

---

v537                                                                                          
months of abstinence

        type:  numeric (byte)
        label:  v537, but 43 nonmissing values are not labeled
        range:  [0,97]                units: 1
unique values: 46              missing .: 6,763/9,372
     examples:  12
                .
                .
                .

---

v538                                                                                      na
- how previous marriage or union ended

        type:  numeric (byte)
        label:  v538
        range:  [.,.]                 units: .
unique values: 0               missing .: 9,372/9,372
   tabulation:  Freq.   Numeric  Label
            9,372       .

---

v539                                                                              na - person
who received most of late husband's property

        type:  numeric (byte)
        label:  v539
        range:  [.,.]                 units: .
unique values: 0               missing .: 9,372/9,372
   tabulation:  Freq.   Numeric  Label
            9,372       .

---

v540                                                                          na - respondent
received any of late husband's assets or valuables

        type:  numeric (byte)
        label:  v540
        range:  [.,.]                 units: .
unique values: 0               missing .: 9,372/9,372
   tabulation:  Freq.   Numeric  Label
            9,372       .

---

v541                                                                                     na -
intends to wait until marriage to have sex

        type:  numeric (byte)
        label:  v541

```
                  range:  [.,.]                    units:  .
          unique values:  0                        missing .:  9,372/9,372

             tabulation:  Freq.   Numeric  Label
                          9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v602                                                                             │
│  fertility preference                                                             │
└─────────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  v602
                  range:  [1,5]                     units:  1
          unique values:  5                         missing .:  11/9,372

             tabulation:  Freq.   Numeric  Label
                          4,470        1  have another
                            164        2  undecided
                          1,602        3  no more
                          2,931        4  sterilized (respondent or
                                          partner)
                            194        5  declared infecund
                             11        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v603                                                                   preferred │
│  waiting time for birth of a/another child                                        │
└─────────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (int)
                  label:  v603, but 33 nonmissing values are not labeled
                  range:  [101,998]                 units:  1
          unique values:  39                        missing .:  4,903/9,372

               examples:  204
                          993  after marriage
                           .
                           .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v604                                                                   preferred │
│  waiting time for birth of a/another child (grouped)                              │
└─────────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  v604
                  range:  [0,8]                      units:  1
          unique values:  9                         missing .:  4,903/9,372

             tabulation:  Freq.   Numeric  Label
                            622        0  <12 months
                            447        1  1 year
                            609        2  2 years
                            570        3  3 years
                            429        4  4 years
                            655        5  5 years
                            161        7  non-numeric
                             54        8  don't know
                          4,903        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v605                                                                             │
│  desire for more children                                                         │
└─────────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  v605
                  range:  [1,7]                      units:  1
          unique values:  7                         missing .:  11/9,372
```

```
  tabulation: Freq.  Numeric  Label
             1,069       1  wants within 2 years
               216       3  wants, unsure timing
               164       4  undecided
             1,602       5  wants no more
             2,931       6  sterilized (respondent or
                             partner)
               194       7  declared infecund
                11       .
```

---

**v613**
ideal number of children

```
        type:  numeric (byte)
       label:  v613, but 19 nonmissing values are not labeled
       range:  [0,96]              units:  1
unique values:  20                missing .:  0/9,372
    examples:  2
               2
               3
               4
```

---

**v614**
ideal number of children (grouped)

```
        type:  numeric (byte)
       label:  v614, but 6 nonmissing values are not labeled
       range:  [0,7]               units:  1
unique values:  8                 missing .:  0/9,372
  tabulation: Freq.  Numeric  Label
               276       0
               633       1
             3,053       2
             3,308       3
             1,168       4
               378       5
                17       7  non-numeric response
```

---

**v616**
time for future birth

```
        type:  numeric (int)
       label:  v616, but 33 nonmissing values are not labeled
       range:  [101,998]           units:  1
unique values:  40                missing .:  4,886/9,372
    examples:  204
               993   after marriage
               .
               .
```

---

**v621**
na - husband's desire for children

```
        type:  numeric (byte)
       label:  v621
       range:  [.,.]               units:  .
unique values:  0                 missing .:  9,372/9,372
  tabulation: Freq.  Numeric  Label
```

```
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v623                                                                          │
│ exposure                                                                      │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v623
           range:  [0,3]                  units:  1
   unique values:  4                    missing .:  0/9,372
       tabulation:  Freq.   Numeric  Label
                7,737      0  fecund
                  513      1  pregnant
                  229      2  postpartum amenorrheic
                  893      3  infecund, menopausal
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v624                                                                          │
│ unmet need                                                                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v624
           range:  [0,9]                  units:  1
   unique values:  8                    missing .:  22/9,372
       tabulation:  Freq.   Numeric  Label
                1,316      0  never had sex
                  527      1  unmet need for spacing
                  231      2  unmet need for limiting
                1,572      3  using for spacing
                3,675      4  using for limiting
                  707      7  no unmet need
                  931      8  not married and no sex in last
                              30 days
                  391      9  infecund, menopausal
                   22       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v625                                                                          │
│ exposure (definition 2)                                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v625
           range:  [0,3]                  units:  1
   unique values:  4                    missing .:  0/9,372
       tabulation:  Freq.   Numeric  Label
                7,606      0  fecund
                  513      1  pregnant
                  229      2  postpartum amenorrheic
                1,024      3  infecund, menopausal
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v626                                                                          │
│ unmet need (definition 2)                                                     │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  v626
           range:  [0,9]                  units:  1
   unique values:  8                    missing .:  0/9,372
       tabulation:  Freq.   Numeric  Label
                1,309      0  never had sex
                  522      1  unmet need for spacing
                  211      2  unmet need for limiting
```

| 1,572 | 3 using for spacing |
|---|---|
| 3,675 | 4 using for limiting |
| 666 | 7 no unmet need |
| 897 | 8 not married and no sex in last 30 days |
| 520 | 9 infecund, menopausal |

---

**v625a**
exposure to need for contraception (definition 3)

        type: numeric (byte)
       label: v625a
      range: [0,3]          units: 1
  unique values: 4         missing .: 0/9,372
    tabulation: Freq. Numeric Label

| 7,689 | 0 fecund |
|---|---|
| 513 | 1 pregnant |
| 225 | 2 postpartum amenorrheic |
| 945 | 3 infecund, menopausal |

---

**v626a**
unmet need for contraception (definition 3)

        type: numeric (byte)
       label: v626a
      range: [0,9]          units: 1
  unique values: 8         missing .: 3/9,372
    tabulation: Freq. Numeric Label

| 1,309 | 0 never had sex |
|---|---|
| 580 | 1 unmet need for spacing |
| 224 | 2 unmet need for limiting |
| 1,572 | 3 using for spacing |
| 3,675 | 4 using for limiting |
| 703 | 7 no unmet need |
| 865 | 8 not married and no sex in last 30 days |
| 441 | 9 infecund, menopausal |
| 3 | . |

---

**v627**
ideal number of boys

        type: numeric (byte)
       label: v627, but 10 nonmissing values are not labeled
      range: [0,96]        units: 1
  unique values: 11       missing .: 0/9,372
     examples: 0
            1
            1
            2

---

**v628**
ideal number of girls

        type: numeric (byte)
       label: v628, but 13 nonmissing values are not labeled
      range: [0,96]        units: 1
  unique values: 14       missing .: 0/9,372

```
          examples:  1
                     1
                     2
                     2
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v629                                                                          │
│ ideal number of either sex                                                    │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v629, but 14 nonmissing values are not labeled
             range:  [0,96]              units:  1
     unique values:  15                  missing .:  0/9,372
          examples:  0
                     0
                     0
                     0
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v631                                                                          │
│ na - problem if became pregnant                                               │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v631
             range:  [.,.]               units:  .
     unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372     .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v632                                                                     na -  │
│ decision maker for using contraception                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v632
             range:  [.,.]               units:  .
     unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372     .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v633a                                                                    na -  │
│ reason for not having sex: husband has sti                                    │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v633a
             range:  [.,.]               units:  .
     unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                       9,372     .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v633b                                                                   reason │
│ for not having sex: husband has other women                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v633b
             range:  [0,8]               units:  1
     unique values:  3                   missing .:  8/9,372
          tabulation:  Freq.  Numeric  Label
                         359     0  no
                       8,887     1  yes
                         118     8  don't know
                           8     .
```

```
  v633c                                                                        na -
reason for not having sex: recent birth
              type:  numeric (byte)
             label:  v633c
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v633d                                                                        na -
reason for not having sex: tired, not in mood
              type:  numeric (byte)
             label:  v633d
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v633e
na - reason for not having sex: cs
              type:  numeric (byte)
             label:  v633e
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v633f
na - reason for not having sex: cs
              type:  numeric (byte)
             label:  v633f
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v633g
na - reason for not having sex: cs
              type:  numeric (byte)
             label:  v633g
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  v634                                                              na - husband
knows that respondent is using contraception
              type:  numeric (byte)
             label:  v634
             range:  [.,.]                  units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
               9,372       .
```

v701
husband/partner's education level

          type:  numeric (byte)
         label:  v701
         range:  [0,8]                units:  1
  unique values:  5                missing .:  2,142/9,372
      tabulation:  Freq.  Numeric  Label
              327      0  no education
            2,920      1  primary
            2,454      2  secondary
            1,144      3  higher
              385      8  don't know
            2,142      .

v702                                                                    husband/
partner's highest year of education (at level in v701)

          type:  numeric (byte)
         label:  v702, but 8 nonmissing values are not labeled
         range:  [0,98]               units:  1
  unique values:  10               missing .:  2,859/9,372
       examples:  3
                  4
                  8
                  .

v704
husband/partner's occupation

          type:  numeric (int)
         label:  v704
         range:  [11,998]             units:  1
  unique values:  98               missing .:  2,369/9,372
       examples:  522  vendedores y demostradores de tiendas y almacenes
                  714  pintores, limpiadores de fachadas y afines
                  911  vendedores ambulantes y afines
                  .

v705
husband/partner's occupation (grouped)

          type:  numeric (byte)
         label:  v705
         range:  [1,98]               units:  1
  unique values:  9                missing .:  2,369/9,372
      tabulation:  Freq.  Numeric  Label
              986      1  professional/technical/manageria
                          l
              174      2  clerical
              713      3  sales
              901      4  agricultural - self employed
               55      6  household and domestic
              589      7  services
            2,213      8  skilled manual
            1,355      9  unskilled manual
               17     98  don't know

```
         2,369        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
v714
respondent currently working
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v714
        range:  [0,1]                 units:  1
   unique values:  2                  missing .:  10/9,372
      tabulation:  Freq.  Numeric  Label
            5,138     0  no
            4,224     1  yes
              10      .
```

┌─────────────────────────────────────────────────────────────────────────────┐
v714a
respondent has a job, but currently absent
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v714a
        range:  [0,1]                 units:  1
   unique values:  2                  missing .:  4,129/9,372
      tabulation:  Freq.  Numeric  Label
            5,138     0  no
             105      1  yes
            4,129     .
```

┌─────────────────────────────────────────────────────────────────────────────┐
v715                                                                  husband/
partner's total number of years of education
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v715, but 21 nonmissing values are not labeled
        range:  [0,98]                units:  1
   unique values:  22                 missing .:  2,147/9,372
      examples:  6
            10
            12
            .
```

┌─────────────────────────────────────────────────────────────────────────────┐
v716
respondent's occupation
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (int)
        label:  v716
        range:  [0,998]               units:  1
   unique values:  88                 missing .:  66/9,372
      examples:  0    not working
             0    not working
            421   cajeros, taquilleros y afines
            523   vendedores de quioscos y de puestos de mercado
```

┌─────────────────────────────────────────────────────────────────────────────┐
v717
respondent's occupation (grouped)
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v717
        range:  [0,98]                units:  1
   unique values:  10                 missing .:  66/9,372
      examples:  0    not working
             0    not working
```

2    clerical
        6    household and domestic

| v719 |
| --- |
| respondent works for family, others, self |

            type:  numeric (byte)
           label:  v719
           range:  [1,3]                  units:  1
    unique values:  3                   missing .:  4,253/9,372
       tabulation:  Freq.   Numeric  Label
              331      1  for family member
            3,059      2  for someone else
            1,729      3  self-employed
            4,253      .

| v721 |
| --- |
| na - respondent works at home or away |

            type:  numeric (byte)
           label:  v721
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
            9,372      .

| v729 |
| --- |
| husband/partner's educational attainment |

            type:  numeric (byte)
           label:  v729
           range:  [0,8]                  units:  1
    unique values:  7                   missing .:  2,142/9,372
       tabulation:  Freq.   Numeric  Label
              327      0  no education
            2,119      1  incomplete primary
              801      2  complete primary
            1,267      3  incomplete secondary
            1,187      4  complete secondary
            1,144      5  higher
              385      8  don't know
            2,142      .

| v730 |
| --- |
| husband/partner's age |

            type:  numeric (byte)
           label:  v730, but 69 nonmissing values are not labeled
           range:  [15,84]                units:  1
    unique values:  69                  missing .:  4,158/9,372
         examples:  33
                    45
                     .
                     .

| v731 |
| --- |
| respondent worked in last 12 months |

            type:  numeric (byte)

label: v731
range: [0,3]                    units: 1
unique values: 4                missing .: 4/9,372

tabulation: Freq.   Numeric  Label
            4,248      0  no
              896      1  in the past year
            4,119      2  currently working
              105      3  have a job, but on leave last 7
                          days
                4       .

---

v732
respondent employed all year/seasonal

        type:  numeric (byte)
       label:  v732
       range:  [1,3]                    units: 1
unique values:  3                missing .: 4,253/9,372

tabulation: Freq.   Numeric  Label
            3,966      1  all year
              634      2  seasonal
              519      3  occasional
            4,253       .

---

v739                                                    person who
usually decides how to spend respondent's earnings

        type:  numeric (byte)
       label:  v739
       range:  [1,5]                    units: 1
unique values:  4                missing .: 6,593/9,372

tabulation: Freq.   Numeric  Label
            1,360      1  respondent alone
            1,315      2  respondent and husband/partner
              102      4  husband/partner alone
                2      5  someone else
            6,593       .

---

v740                                                           na
- type of land where respondent works

        type:  numeric (byte)
       label:  v740
       range:  [.,.]                    units: .
unique values:  0                missing .: 9,372/9,372

tabulation: Freq.   Numeric  Label
            9,372       .

---

v741
type of earnings from respondent's work

        type:  numeric (byte)
       label:  v741
       range:  [0,3]                    units: 1
unique values:  4                missing .: 4,253/9,372

tabulation: Freq.   Numeric  Label
              138      0  not paid
            4,582      1  cash only

```
    366      2  cash and in-kind
     33      3  in-kind only
  4,253         .
```

| v743a | person |
|---|---|
| who usually decides on respondent's health care | |

```
        type:  numeric (byte)
        label:  v743a
        range:  [1,6]             units:  1
  unique values:  5             missing .:  4,162/9,372
     tabulation:  Freq.  Numeric  Label
            2,084      1  respondent alone
            2,551      2  respondent and husband/partner
              555      4  husband/partner alone
               18      5  someone else
                2      6  other
            4,162         .
```

| v743b | person |
|---|---|
| who usually decides on large household purchases | |

```
        type:  numeric (byte)
        label:  v743b
        range:  [1,6]             units:  1
  unique values:  5             missing .:  4,163/9,372
     tabulation:  Freq.  Numeric  Label
            1,226      1  respondent alone
            3,216      2  respondent and husband/partner
              712      4  husband/partner alone
               53      5  someone else
                2      6  other
            4,163         .
```

| v743c | na - person who |
|---|---|
| usually decides on household purchases for daily needs | |

```
        type:  numeric (byte)
        label:  v743c
        range:  [.,.]             units:  .
  unique values:  0             missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372         .
```

| v743d | person who |
|---|---|
| usually decides on visits to family or relatives | |

```
        type:  numeric (byte)
        label:  v743d
        range:  [1,6]             units:  1
  unique values:  5             missing .:  4,163/9,372
     tabulation:  Freq.  Numeric  Label
            1,672      1  respondent alone
            3,149      2  respondent and husband/partner
              377      4  husband/partner alone
                8      5  someone else
                3      6  other
            4,163         .
```

| v743e | na - person |
|---|---|

who usually decides on food to be cooked each day

```
        type:  numeric (byte)
        label:  v743e
        range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372        .
```

| v743f | person who |
|---|---|

usually decides what to do with money husband earns

```
        type:  numeric (byte)
        label:  v743f
        range:  [1,7]              units:  1
  unique values:  5              missing .:  4,202/9,372
      tabulation:  Freq.  Numeric  Label
            679      1  respondent alone
          3,271      2  respondent and husband/partner
          1,182      4  husband/partner alone
              3      6  other
             35      7  husband/partner has no earnings
          4,202        .
```

| v744a | beating |
|---|---|

justified if wife goes out without telling husband

```
        type:  numeric (byte)
        label:  v744a
        range:  [0,8]              units:  1
  unique values:  3              missing .:  3/9,372
      tabulation:  Freq.  Numeric  Label
          9,249      0  no
             87      1  yes
             33      8  don't know
              3        .
```

| v744b |
|---|

beating justified if wife neglects the children

```
        type:  numeric (byte)
        label:  v744b
        range:  [0,8]              units:  1
  unique values:  3              missing .:  3/9,372
      tabulation:  Freq.  Numeric  Label
          9,160      0  no
            170      1  yes
             39      8  don't know
              3        .
```

| v744c |
|---|

beating justified if wife argues with husband

```
        type:  numeric (byte)
        label:  v744c
        range:  [0,8]              units:  1
  unique values:  3              missing .:  3/9,372
```

```
     tabulation: Freq.  Numeric  Label
            9,265      0  no
               70      1  yes
               34      8  don't know
                3         .
```

```
  v744d                                                                            beating
  justified if wife refuses to have sex with husband
           type:  numeric (byte)
          label:  v744d
          range:  [0,8]                  units:  1
  unique values:  3                    missing .:  3/9,372
     tabulation: Freq.  Numeric  Label
            9,294      0  no
               43      1  yes
               32      8  don't know
                3         .
```

```
  v744e
  beating justified if wife burns the food
           type:  numeric (byte)
          label:  v744e
          range:  [0,8]                  units:  1
  unique values:  3                    missing .:  3/9,372
     tabulation: Freq.  Numeric  Label
            9,284      0  no
               67      1  yes
               18      8  don't know
                3         .
```

```
  v745a
  owns a house alone or jointly
           type:  numeric (byte)
          label:  v745a
          range:  [0,3]                  units:  1
  unique values:  4                    missing .:  8/9,372
     tabulation: Freq.  Numeric  Label
            6,344      0  does not own
              906      1  alone only
            1,836      2  jointly only
              278      3  both alone and jointly
                8         .
```

```
  v745b
  owns land alone or jointly
           type:  numeric (byte)
          label:  v745b
          range:  [0,3]                  units:  1
  unique values:  4                    missing .:  3/9,372
     tabulation: Freq.  Numeric  Label
            8,501      0  does not own
              241      1  alone only
              517      2  jointly only
              110      3  both alone and jointly
```

---

v746
respondent earns more than husband/partner

       type: numeric (byte)
      label: v746
      range: [1,8]          units: 1
  unique values: 5         missing .: 6,593/9,372

    tabulation: Freq.  Numeric  Label
          505      1  more than him
        1,777     2  less than him
          450      3  about the same
           36      4  husband/partner doesn't bring in
                         money
           11      8  don't know
       6,593     .

---

v750                                ever
heard of a sexually transmitted infection (sti)

       type: numeric (byte)
      label: v750
      range: [0,1]          units: 1
  unique values: 2         missing .: 0/9,372

    tabulation: Freq.  Numeric  Label
           41      0  no
       9,331     1  yes

---

v751
ever heard of aids

       type: numeric (byte)
      label: v751
      range: [0,1]          units: 1
  unique values: 2         missing .: 0/9,372

    tabulation: Freq.  Numeric  Label
           56      0  no
       9,316     1  yes

---

v754bp                            na -
reduce risk of getting hiv: do not have sex at all

       type: numeric (byte)
      label: v754bp
      range: [.,.]         units: .
  unique values: 0         missing .: 9,372/9,372

    tabulation: Freq.  Numeric  Label
       9,372     .

---

v754cp                         reduce risk
of getting hiv: always use condoms during sex

       type: numeric (byte)
      label: v754cp
      range: [0,8]         units: 1
  unique values: 3         missing .: 57/9,372

    tabulation: Freq.  Numeric  Label
          957      0  no

```
          8,143      1  yes
            215      8  don't know
             57       .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v754dp                                                        reduce risk of getting │
│  hiv: have 1 sex partner only, who has no other partners                          │
└─────────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  v754dp
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  57/9,372
    tabulation:  Freq.  Numeric  Label
              684      0  no
            8,497      1  yes
              134      8  don't know
               57       .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v754jp                                                                            │
│  can get hiv from mosquito bites                                                   │
└─────────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  v754jp
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  57/9,372
    tabulation:  Freq.  Numeric  Label
            6,030      0  no
            2,403      1  yes
              882      8  don't know
               57       .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v754wp                                                                   can get │
│  hiv by sharing food with person who has aids                                      │
└─────────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  v754wp
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  59/9,372
    tabulation:  Freq.  Numeric  Label
            7,354      0  no
            1,478      1  yes
              481      8  don't know
               59       .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v756                                                                              │
│  a healthy looking person can have hiv                                             │
└─────────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  v756
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  64/9,372
    tabulation:  Freq.  Numeric  Label
              383      0  no
            8,815      1  yes
              110      8  don't know
               64       .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  v761                                                                     condom │
│  used during last sex with most recent partner                                    │
└─────────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
       label:  v761
       range:  [0,1]                  units:  1
unique values:  2                  missing .:  2,189/9,372
   tabulation:  Freq.  Numeric  Label
            6,141      0  no
            1,042      1  yes
            2,189       .
```

| v761b | condom used |
|---|---|
| during last sex with 2nd to most recent partner | |

```
        type:  numeric (byte)
       label:  v761b
       range:  [0,1]                  units:  1
unique values:  2                  missing .:  8,970/9,372
   tabulation:  Freq.  Numeric  Label
              173      0  no
              229      1  yes
            8,970       .
```

| v761c | condom used |
|---|---|
| during last sex with 3rd to most recent partner | |

```
        type:  numeric (byte)
       label:  v761c
       range:  [0,1]                  units:  1
unique values:  2                  missing .:  9,320/9,372
   tabulation:  Freq.  Numeric  Label
               25      0  no
               27      1  yes
            9,320       .
```

| v762aa |
|---|
| source for condoms: government hospital (moh) |

```
        type:  numeric (byte)
       label:  v762aa
       range:  [0,1]                  units:  1
unique values:  2                  missing .:  2/9,372
   tabulation:  Freq.  Numeric  Label
            5,303      0  no
            4,067      1  yes
                2       .
```

| v762ab | source |
|---|---|
| for condoms: social security hospital (idss) | |

```
        type:  numeric (byte)
       label:  v762ab
       range:  [0,1]                  units:  1
unique values:  2                  missing .:  2/9,372
   tabulation:  Freq.  Numeric  Label
            9,276      0  no
               94      1  yes
                2       .
```

| v762ac | source |
|---|---|
| for condoms: militar hospital (ff.aa/p.n.) | |

```
      type:  numeric (byte)
     label:  v762ac
     range:  [0,1]              units:  1
unique values:  2               missing .:  2/9,372
  tabulation:  Freq.  Numeric  Label
              9,293      0  no
                 77      1  yes
                  2         .
```

| v762ad |
|---|
| source for condoms: rural clinic/unap |

```
      type:  numeric (byte)
     label:  v762ad
     range:  [0,1]              units:  1
unique values:  2               missing .:  2/9,372
  tabulation:  Freq.  Numeric  Label
              7,757      0  no
              1,613      1  yes
                  2         .
```

| v762ae |
|---|
| source for condoms: health worker |

```
      type:  numeric (byte)
     label:  v762ae
     range:  [0,1]              units:  1
unique values:  2               missing .:  2/9,372
  tabulation:  Freq.  Numeric  Label
              8,996      0  no
                374      1  yes
                  2         .
```

| v762af |
|---|
| source for condoms: other public sector |

```
      type:  numeric (byte)
     label:  v762af
     range:  [0,1]              units:  1
unique values:  2               missing .:  2/9,372
  tabulation:  Freq.  Numeric  Label
              9,312      0  no
                 58      1  yes
                  2         .
```

| v762ag |
|---|
| na - source for condoms: cs public |

```
      type:  numeric (byte)
     label:  v762ag
     range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
              9,372         .
```

v762ah
na - source for condoms: cs public

```
        type:  numeric (byte)
        label:  v762ah
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

v762ai
na - source for condoms: cs public

```
        type:  numeric (byte)
        label:  v762ai
        range:  [.,.]                    units:  .
unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

v762aj
source for condoms: private hospital/clinic

```
        type:  numeric (byte)
        label:  v762aj
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  2/9,372
    tabulation:  Freq.  Numeric  Label
            8,558        0  no
              812        1  yes
                2        .
```

v762ak
source for condoms: pharmacy

```
        type:  numeric (byte)
        label:  v762ak
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  2/9,372
    tabulation:  Freq.  Numeric  Label
            2,810        0  no
            6,560        1  yes
                2        .
```

v762al
source for condoms: private doctor

```
        type:  numeric (byte)
        label:  v762al
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  2/9,372
    tabulation:  Freq.  Numeric  Label
            9,232        0  no
              138        1  yes
                2        .
```

v762am
source for condoms: profamilia clinic

```
        type:  numeric (byte)
```

```
                label: v762am
                range: [0,1]                   units: 1
         unique values: 2                    missing .: 2/9,372
            tabulation: Freq.  Numeric  Label
                     8,845      0  no
                       525      1  yes
                         2         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v762an                                                               │
│ source for condoms: private health worker                            │
└─────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v762an
                range:  [0,1]                   units: 1
         unique values: 2                    missing .: 2/9,372
            tabulation: Freq.  Numeric  Label
                     9,184      0  no
                       186      1  yes
                         2         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v762ao                                                               │
│ source for condoms: other private sector                             │
└─────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v762ao
                range:  [0,1]                   units: 1
         unique values: 2                    missing .: 2/9,372
            tabulation: Freq.  Numeric  Label
                     9,355      0  no
                        15      1  yes
                         2         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v762ap                                                               │
│ na - source for condoms: cs private                                  │
└─────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v762ap
                range:  [.,.]                   units: .
         unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
                     9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v762aq                                                               │
│ na - source for condoms: cs private                                  │
└─────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v762aq
                range:  [.,.]                   units: .
         unique values: 0                    missing .: 9,372/9,372
            tabulation: Freq.  Numeric  Label
                     9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v762ar                                                               │
│ na - source for condoms: cs private                                  │
└─────────────────────────────────────────────────────────────────────┘
```
                 type:  numeric (byte)
                label:  v762ar
                range:  [.,.]                   units: .
         unique values: 0                    missing .: 9,372/9,372
```

```
        tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 v762as
 source for condoms: grocery store/supermarket
```
```
            type:  numeric (byte)
           label:  v762as
           range:  [0,1]                units:  1
   unique values:  2                  missing .:  2/9,372
        tabulation:  Freq.   Numeric  Label
                4,999      0  no
                4,371      1  yes
                    2        .
```

```
 v762at
 source for condoms: hotel/motel
```
```
            type:  numeric (byte)
           label:  v762at
           range:  [0,1]                units:  1
   unique values:  2                  missing .:  2/9,372
        tabulation:  Freq.   Numeric  Label
                8,521      0  no
                  849      1  yes
                    2        .
```

```
 v762au
 source for condoms: friends/ relatives
```
```
            type:  numeric (byte)
           label:  v762au
           range:  [0,1]                units:  1
   unique values:  2                  missing .:  2/9,372
        tabulation:  Freq.   Numeric  Label
                9,155      0  no
                  215      1  yes
                    2        .
```

```
 v762av
 na - source for condoms: cs other
```
```
            type:  numeric (byte)
           label:  v762av
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 v762aw
 na - source for condoms: cs other
```
```
            type:  numeric (byte)
           label:  v762aw
           range:  [.,.]                units:  .
   unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
v762ax
source for condoms: other
          type:  numeric (byte)
         label:  v762ax
         range:  [0,1]                units:  1
  unique values:  2                missing .:  2/9,372
     tabulation:  Freq.  Numeric  Label
                  9,263      0  no
                    107      1  yes
                      2         .
```

```
v762az
don't know any source for condoms
          type:  numeric (byte)
         label:  v762az
         range:  [0,1]                units:  1
  unique values:  2                missing .:  2/9,372
     tabulation:  Freq.  Numeric  Label
                  8,662      0  no: source known
                    708      1  yes: no source known
                      2         .
```

```
v762ba                                                                      na -
source for female condoms: government hospital
          type:  numeric (byte)
         label:  v762ba
         range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
v762bb
na - source for female condoms: cs public
          type:  numeric (byte)
         label:  v762bb
         range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
v762bc
na - source for female condoms: cs public
          type:  numeric (byte)
         label:  v762bc
         range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                  9,372         .
```

```
v762bd
na - source for female condoms: cs public
          type:  numeric (byte)
         label:  v762bd
         range:  [.,.]                units:  .
```

unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762be                                                                   │
│  na - source for female condoms: cs public                                │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762be
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762bf                                                                   │
│  na - source for female condoms: cs public                                │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762bf
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762bg                                                                   │
│  na - source for female condoms: cs public                                │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762bg
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762bh                                                                   │
│  na - source for female condoms: cs public                                │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762bh
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762bi                                                                                       na │
│  - source for female condoms: cs public                                   │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762bi
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372

                  tabulation:  Freq.   Numeric  Label
                              9,372         .

┌─────────────────────────────────────────────────────────────────────────┐
│  v762bj                                                                            na - source │
│  for female condoms: private hospital/clinic                              │
└─────────────────────────────────────────────────────────────────────────┘
                        type:  numeric (byte)
                       label:  v762bj
                       range:  [.,.]                   units:  .

```
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bk
  na - source for female condoms: pharmacy
```
```
                      type:  numeric (byte)
                     label:  v762bk
                     range:  [.,.]                 units:  .
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bl                                                                       na -
  source for female condoms: private doctor
```
```
                      type:  numeric (byte)
                     label:  v762bl
                     range:  [.,.]                 units:  .
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bm
  na - source for female condoms: cs private
```
```
                      type:  numeric (byte)
                     label:  v762bm
                     range:  [.,.]                 units:  .
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bn                                                                       na
  - source for female condoms: cs private
```
```
                      type:  numeric (byte)
                     label:  v762bn
                     range:  [.,.]                 units:  .
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bo                                                                       na
  - source for female condoms: cs private
```
```
                      type:  numeric (byte)
                     label:  v762bo
                     range:  [.,.]                 units:  .
              unique values:  0                    missing .:  9,372/9,372
                tabulation:  Freq.   Numeric  Label
                       9,372         .
```

```
  v762bp                                                                       na
  - source for female condoms: cs private
```
```
                      type:  numeric (byte)
                     label:  v762bp
                     range:  [.,.]                 units:  .
```

unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762bq**                                                                                      na
- source for female condoms: cs private

            type:  numeric (byte)
            label:  v762bq
            range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762br**                                                                                      na
- source for female condoms: cs private

            type:  numeric (byte)
            label:  v762br
            range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762bs**
na - source for female condoms: cs other

            type:  numeric (byte)
            label:  v762bs
            range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762bt**
na - source for female condoms: cs other

            type:  numeric (byte)
            label:  v762bt
            range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762bu**
na - source for female condoms: cs other

            type:  numeric (byte)
            label:  v762bu
            range:  [.,.]                  units:  .
          unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                    9,372        .

---

**v762bv**
na - source for female condoms: cs other

            type:  numeric (byte)
            label:  v762bv
            range:  [.,.]                  units:  .

```
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v762bw                                                                        │
│ na - source for female condoms: cs other                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v762bw
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v762bx                                                                        │
│ na - source for female condoms: other                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v762bx
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v762bz                                                                   na - │
│ don't know any source for female condoms                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v762bz
             range:  [.,.]                 units:  .
     unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
               9,372          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v763a                                                                         │
│ had any sti in last 12 months                                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v763a
             range:  [0,8]                 units:  1
     unique values:  3                    missing .:  17/9,372
        tabulation:  Freq.   Numeric  Label
               9,211       0  no
                 140       1  yes
                   4       8  don't know
                  17          .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v763b                                                                         │
│ had genital sore/ulcer in last 12 months                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
              type:  numeric (byte)
             label:  v763b
             range:  [0,8]                 units:  1
     unique values:  3                    missing .:  4/9,372
        tabulation:  Freq.   Numeric  Label
               9,294       0  no
                  73       1  yes
                   1       8  don't know
                   4          .
```

v763c
had genital discharge in last 12 months

            type: numeric (byte)
           label: v763c
           range: [0,8]                 units: 1
    unique values: 3                    missing .: 4/9,372
      tabulation: Freq.  Numeric  Label
               8,625      0  no
                 737      1  yes
                   6      8  don't know
                   4         .

v763d
na - had cs sti in last 12 months

            type: numeric (byte)
           label: v763d
           range: [.,.]                 units: .
    unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372         .

v763e
na - had cs sti in last 12 months

            type: numeric (byte)
           label: v763e
           range: [.,.]                 units: .
    unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372         .

v763f
na - had cs sti in last 12 months

            type: numeric (byte)
           label: v763f
           range: [.,.]                 units: .
    unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372         .

v763g
na - had cs sti in last 12 months

            type: numeric (byte)
           label: v763g
           range: [.,.]                 units: .
    unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
               9,372         .

v766a                                                              number of
sex partners, excluding spouse, in last 12 months

            type: numeric (byte)
           label: v766a, but 13 nonmissing values are not labeled
           range: [0,15]                units: 1

```
      unique values: 13                missing .: 7/9,372
         examples: 0
                  0
                  0
                  1
```

```
  v766b                                                            number of
  sex partners, including spouse, in last 12 months
             type:  numeric (byte)
            label:  v766b, but 13 nonmissing values are not labeled
            range:  [0,15]              units:  1
      unique values: 13                missing .: 7/9,372
         examples: 0
                  1
                  1
                  1
```

```
  v767a
  relationship with most recent sex partner
             type:  numeric (byte)
            label:  v767a
            range:  [1,96]              units:  1
      unique values: 6                 missing .:  2,189/9,372
         tabulation:  Freq.   Numeric  Label
                    1,258      1  spouse
                    1,547      2  boyfriend not living with
                                  respondent
                       42      4  casual acquaintance
                        3      6  commercial sex worker
                    4,170      7  live-in partner
                      163     96  other
                    2,189       .
```

```
  v767b
  relationship with 2nd to most recent sex partner
             type:  numeric (byte)
            label:  v767b
            range:  [1,96]              units:  1
      unique values: 6                 missing .:  8,970/9,372
         tabulation:  Freq.   Numeric  Label
                        9      1  spouse
                      223      2  boyfriend not living with
                                  respondent
                       64      4  casual acquaintance
                        9      6  commercial sex worker
                       43      7  live-in partner
                       54     96  other
                    8,970       .
```

```
  v767c
  relationship with 3rd to most recent sex partner
             type:  numeric (byte)
            label:  v767c
            range:  [1,96]              units:  1
```

```
        unique values:  6                    missing .:  9,320/9,372
          tabulation:  Freq.  Numeric  Label
                        1       1  spouse
                       22       2  boyfriend not living with
                                   respondent
                       11       4  casual acquaintance
                        4       6  commercial sex worker
                        5       7  live-in partner
                        9      96  other
                    9,320        .
```

```
  v768a
  na - length of time knows last partner
              type:  numeric (byte)
             label:  v768a
             range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  v768b                                                              na
  - length of time knows other partner (1)
              type:  numeric (byte)
             label:  v768b
             range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  v768c                                                              na -
  length of time knows other partner (2)
              type:  numeric (byte)
             label:  v768c
             range:  [.,.]                 units:  .
        unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                    9,372        .
```

```
  v769
  can get a condom
              type:  numeric (byte)
             label:  v769
             range:  [0,8]                 units:  1
        unique values:  3                    missing .:  723/9,372
          tabulation:  Freq.  Numeric  Label
                      736       0  no
                    7,735       1  yes
                      178       8  don't know
                      723        .
```

```
  v769a
  na - can get a female condom
              type:  numeric (byte)
             label:  v769a
```

```
           range: [.,.]                    units: .
   unique values: 0                      missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
             9,372        .
```

```
 v770
 sought advice/treatment for last sti infection
            type:  numeric (byte)
           label:  v770
           range:  [0,1]                    units:  1
   unique values:  2                     missing .:  8,577/9,372
      tabulation:  Freq.   Numeric  Label
              130       0  no
              665       1  yes
            8,577        .
```

```
 v770a                                                         sought sti
 advice/treatment from: government hospital (moh)
            type:  numeric (byte)
           label:  v770a
           range:  [0,1]                    units:  1
   unique values:  2                     missing .:  8,577/9,372
      tabulation:  Freq.   Numeric  Label
              425       0  no
              370       1  yes
            8,577        .
```

```
 v770b                                                  sought sti advice/
 treatment from: social security hospital (idss)
            type:  numeric (byte)
           label:  v770b
           range:  [0,1]                    units:  1
   unique values:  2                     missing .:  8,577/9,372
      tabulation:  Freq.   Numeric  Label
              789       0  no
                6       1  yes
            8,577        .
```

```
 v770c                                                         sought sti
 advice/treatment from: militar hospital (ff.aa./p.n.)
            type:  numeric (byte)
           label:  v770c
           range:  [0,1]                    units:  1
   unique values:  2                     missing .:  8,577/9,372
      tabulation:  Freq.   Numeric  Label
              790       0  no
                5       1  yes
            8,577        .
```

```
 v770d                                                         sought sti
 advice/treatment from: intergral atenttion unit
            type:  numeric (byte)
           label:  v770d
           range:  [0,1]                    units:  1
```

```
        unique values:  2                  missing .:  8,577/9,372
           tabulation:  Freq.   Numeric  Label
                  775        0  no
                   20        1  yes
                8,577         .
```

```
 ┌─────────────────────────────────────────────────────────────────────────────┐
 │ v770e                                                                         │
 │ sought sti advice/treatment from: laboratory                                  │
 └─────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  v770e
                range:  [0,1]               units:  1
        unique values:  2                  missing .:  8,577/9,372
           tabulation:  Freq.   Numeric  Label
                  789        0  no
                    6        1  yes
                8,577         .
```

```
 ┌─────────────────────────────────────────────────────────────────────────────┐
 │ v770f                                                                sought sti│
 │ advice/treatment from: other public sector                                    │
 └─────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  v770f
                range:  [0,1]               units:  1
        unique values:  2                  missing .:  8,577/9,372
           tabulation:  Freq.   Numeric  Label
                  788        0  no
                    7        1  yes
                8,577         .
```

```
 ┌─────────────────────────────────────────────────────────────────────────────┐
 │ v770g                                                                     na - │
 │ sought sti advice/treatment from: cs public                                   │
 └─────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  v770g
                range:  [.,.]               units:  .
        unique values:  0                  missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                9,372         .
```

```
 ┌─────────────────────────────────────────────────────────────────────────────┐
 │ v770h                                                                     na - │
 │ sought sti advice/treatment from: cs public                                   │
 └─────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  v770h
                range:  [.,.]               units:  .
        unique values:  0                  missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                9,372         .
```

```
 ┌─────────────────────────────────────────────────────────────────────────────┐
 │ v770i                                                                     na - │
 │ sought sti advice/treatment from: cs public                                   │
 └─────────────────────────────────────────────────────────────────────────────┘
                 type:  numeric (byte)
                label:  v770i
                range:  [.,.]               units:  .
        unique values:  0                  missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                9,372         .
```

| v770j | na - |
|---|---|
| sought sti advice/treatment from: cs public | |

```
        type:  numeric (byte)
        label:  v770j
        range:  [.,.]              units:  .
 unique values:  0               missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
            9,372        .
```

| v770k | sought sti |
|---|---|
| advice/treatment from: private hospital/clinic/doctor | |

```
        type:  numeric (byte)
        label:  v770k
        range:  [0,1]              units:  1
 unique values:  2               missing .:  8,577/9,372
    tabulation:  Freq.  Numeric  Label
              578        0  no
              217        1  yes
            8,577        .
```

| v770l | sought sti advice/ |
|---|---|
| treatment from: independent center for councelling and test | |

```
        type:  numeric (byte)
        label:  v770l
        range:  [0,1]              units:  1
 unique values:  2               missing .:  8,577/9,372
    tabulation:  Freq.  Numeric  Label
              793        0  no
                2        1  yes
            8,577        .
```

| v770m |
|---|
| sought sti advice/treatment from: pharmacy |

```
        type:  numeric (byte)
        label:  v770m
        range:  [0,1]              units:  1
 unique values:  2               missing .:  8,577/9,372
    tabulation:  Freq.  Numeric  Label
              784        0  no
               11        1  yes
            8,577        .
```

| v770n |
|---|
| sought sti advice/treatment from: ngo clinic |

```
        type:  numeric (byte)
        label:  v770n
        range:  [0,1]              units:  1
 unique values:  2               missing .:  8,577/9,372
    tabulation:  Freq.  Numeric  Label
              778        0  no
               17        1  yes
            8,577        .
```

```
  v770o                                                                    sought sti
  advice/treatment from: other private sector
              type:  numeric (byte)
             label:  v770o
             range:  [0,1]                   units:  1
     unique values:  2                     missing .:  8,577/9,372
         tabulation:  Freq.  Numeric  Label
                       788      0  no
                         7      1  yes
                     8,577         .


  v770p                                                                         na -
  sought sti advice/treatment from: cs private
              type:  numeric (byte)
             label:  v770p
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                     9,372         .


  v770q                                                                         na -
  sought sti advice/treatment from: cs private
              type:  numeric (byte)
             label:  v770q
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                     9,372         .


  v770r                                                                         na -
  sought sti advice/treatment from: cs private
              type:  numeric (byte)
             label:  v770r
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                     9,372         .


  v770s                                                                         na -
  sought sti advice/treatment from: cs private
              type:  numeric (byte)
             label:  v770s
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                     9,372         .


  v770t                                                                         na -
  sought sti advice/treatment from: cs other
              type:  numeric (byte)
             label:  v770t
             range:  [.,.]                   units:  .
     unique values:  0                     missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
```

```
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v770u                                                                  na -  │
│ sought sti advice/treatment from: cs other                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  v770u
          range:  [.,.]                  units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v770v                                                                  na -  │
│ sought sti advice/treatment from: cs other                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  v770v
          range:  [.,.]                  units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v770w                                                                  na -  │
│ sought sti advice/treatment from: cs other                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  v770w
          range:  [.,.]                  units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v770x                                                                        │
│ sought sti advice/treatment from: other                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  v770x
          range:  [0,1]                  units:  1
   unique values:  2                missing .:  8,577/9,372
      tabulation:  Freq.  Numeric  Label
            787       0  no
              8       1  yes
          8,577       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v774a                                                                        │
│ hiv transmitted during pregnancy                                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  v774a
          range:  [0,8]                  units:  1
   unique values:  3                missing .:  56/9,372
      tabulation:  Freq.  Numeric  Label
          1,688       0  no
          6,994       1  yes
            634       8  don't know
             56       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  v774b                                                                        │
│ hiv transmitted during delivery                                              │
└─────────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v774b
        range:  [0,8]                units:  1
  unique values:  3                missing .:  56/9,372
     tabulation:  Freq.  Numeric  Label
           1,067      0  no
           7,368      1  yes
             881      8  don't know
              56       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ v774c                                                                     │
│ hiv transmitted by breastfeeding                                          │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v774c
        range:  [0,8]                units:  1
  unique values:  3                missing .:  56/9,372
     tabulation:  Freq.  Numeric  Label
             945      0  no
           7,523      1  yes
             848      8  don't know
              56       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ v775                                                          na - knows  │
│ someone who has, or is suspected of having, hiv                           │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v775
        range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
           9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ v777                                                             would    │
│ want hiv infection in family to remain secret                             │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v777
        range:  [0,8]                units:  1
  unique values:  3                missing .:  65/9,372
     tabulation:  Freq.  Numeric  Label
           5,142      0  no
           3,150      1  yes
           1,015      8  don't know
              65       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ v778                                                                      │
│ willing to care for relative with aids                                    │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  v778
        range:  [0,8]                units:  1
  unique values:  3                missing .:  57/9,372
     tabulation:  Freq.  Numeric  Label
             710      0  no
           8,276      1  yes
             329      8  don't know
              57       .
```

v779                                                                      a female teacher infected
with hiv, but is not sick, should be allowed to contin

          type:  numeric (byte)
          label:  v779
          range:  [0,8]                  units:  1
   unique values:  3                 missing .:  58/9,372
      tabulation:  Freq.  Numeric  Label
              2,475      0  no
              6,345      1  yes
                494      8  don't know
                 58      .

v780                                                                                children
should be taught about condoms to avoid aids

          type:  numeric (byte)
          label:  v780
          range:  [0,8]                  units:  1
   unique values:  3                 missing .:  67/9,372
      tabulation:  Freq.  Numeric  Label
                891      0  no
              8,195      1  yes
                219      8  don't know
                 67      .

v781
ever been tested for hiv

          type:  numeric (byte)
          label:  v781
          range:  [0,1]                  units:  1
   unique values:  2                 missing .:  5/9,372
      tabulation:  Freq.  Numeric  Label
              2,306      0  no
              7,061      1  yes
                  5      .

v783
know a place to get hiv test

          type:  numeric (byte)
          label:  v783
          range:  [0,1]                  units:  1
   unique values:  2                 missing .:  61/9,372
      tabulation:  Freq.  Numeric  Label
                327      0  no
              8,984      1  yes
                 61      .

v784a                                                                                  place
for hiv test: government hospital (moh)

          type:  numeric (byte)
          label:  v784a
          range:  [0,1]                  units:  1
   unique values:  2                 missing .:  7,122/9,372
      tabulation:  Freq.  Numeric  Label

```
                  533      0  no
                1,717      1  yes
                7,122         .
```

| v784b | place for |
| --- | --- |

hiv test: social security hospital (idss)

```
        type:  numeric (byte)
        label:  v784b
        range:  [0,1]                    units:  1
 unique values:  2                    missing .:  7,122/9,372
    tabulation:  Freq.  Numeric  Label
                2,229      0  no
                   21      1  yes
                7,122         .
```

| v784c | place |
| --- | --- |

for hiv test: militar hospital (ff.aa./p.n.)

```
        type:  numeric (byte)
        label:  v784c
        range:  [0,1]                    units:  1
 unique values:  2                    missing .:  7,122/9,372
    tabulation:  Freq.  Numeric  Label
                2,244      0  no
                    6      1  yes
                7,122         .
```

| v784d |
| --- |

place for hiv test: integral attention unit

```
        type:  numeric (byte)
        label:  v784d
        range:  [0,1]                    units:  1
 unique values:  2                    missing .:  7,122/9,372
    tabulation:  Freq.  Numeric  Label
                2,204      0  no
                   46      1  yes
                7,122         .
```

| v784e |
| --- |

place for hiv test: laboratory

```
        type:  numeric (byte)
        label:  v784e
        range:  [0,1]                    units:  1
 unique values:  2                    missing .:  7,122/9,372
    tabulation:  Freq.  Numeric  Label
                1,870      0  no
                  380      1  yes
                7,122         .
```

| v784f |
| --- |

place for hiv test: other public

```
        type:  numeric (byte)
        label:  v784f
        range:  [0,1]                    units:  1
 unique values:  2                    missing .:  7,122/9,372
```

tabulation: Freq.  Numeric  Label
               2,235        0  no
                  15        1  yes
               7,122         .

v784g
na - place for hiv test: cs public
          type:  numeric (byte)
         label:  v784g
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

v784h
na - place for hiv test: cs public
          type:  numeric (byte)
         label:  v784h
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

v784i
na - place for hiv test: cs public
          type:  numeric (byte)
         label:  v784i
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

v784j
na - place for hiv test: cs public
          type:  numeric (byte)
         label:  v784j
         range:  [.,.]                units:  .
  unique values:  0              missing .:  9,372/9,372
     tabulation: Freq.  Numeric  Label
               9,372         .

v784k                                                                        place
for hiv test: private hospital/clinic/doctor
          type:  numeric (byte)
         label:  v784k
         range:  [0,1]                units:  1
  unique values:  2              missing .:  7,122/9,372
     tabulation: Freq.  Numeric  Label
               1,363        0  no
                 887        1  yes
               7,122         .

v784l                                                                place for hiv test:
independent centre for counselling and test

```
           type:  numeric (byte)
          label:  v784l
          range:  [0,1]                 units:  1
   unique values:  2                 missing .:  7,122/9,372
     tabulation:  Freq.   Numeric  Label
              2,191      0  no
                 59      1  yes
              7,122         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v784m                                                                │
│  place for hiv test: pharmacy                                         │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v784m
          range:  [0,1]                 units:  1
   unique values:  2                 missing .:  7,122/9,372
     tabulation:  Freq.   Numeric  Label
              2,243      0  no
                  7      1  yes
              7,122         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v784n                                                                │
│  place for hiv test: ngo clinic                                       │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v784n
          range:  [0,1]                 units:  1
   unique values:  2                 missing .:  7,122/9,372
     tabulation:  Freq.   Numeric  Label
              2,186      0  no
                 64      1  yes
              7,122         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v784o                                                                │
│  place for hiv test: other private                                    │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v784o
          range:  [0,1]                 units:  1
   unique values:  2                 missing .:  7,122/9,372
     tabulation:  Freq.   Numeric  Label
              2,238      0  no
                 12      1  yes
              7,122         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v784p                                                                │
│  na - place for hiv test: cs private                                  │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v784p
          range:  [.,.]                 units:  .
   unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
              9,372         .
```

┌─────────────────────────────────────────────────────────────────────┐
│  v784q                                                                │
│  na - place for hiv test: cs private                                  │
└─────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
```

label: v784q
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784r
 na - place for hiv test: cs private
        type: numeric (byte)
        label: v784r
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784s
 na - place for hiv test: cs private
        type: numeric (byte)
        label: v784s
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784t
 na - place for hiv test: cs other
        type: numeric (byte)
        label: v784t
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784u
 na - place for hiv test: cs other
        type: numeric (byte)
        label: v784u
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784v
 na - place for hiv test: cs other
        type: numeric (byte)
        label: v784v
        range: [.,.]                  units: .
  unique values: 0                    missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
            9,372       .

 v784x
 place for hiv test: other
        type: numeric (byte)

```
          label:  v784x
          range:  [0,1]                    units:  1
   unique values:  2                    missing .:  7,122/9,372
       tabulation:  Freq.  Numeric  Label
              2,248      0  no
                  2      1  yes
              7,122         .
```

---

**v785**
heard about other stis

```
           type:  numeric (byte)
          label:  v785
          range:  [0,1]                    units:  1
   unique values:  2                    missing .:  17/9,372
       tabulation:  Freq.  Numeric  Label
                856      0  no
              8,499      1  yes
                 17         .
```

---

**v820**
na - condom used at first sex

```
           type:  numeric (byte)
          label:  v820
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v821a**                                                                      na - most
recent sex partner younger, the same age or older

```
           type:  numeric (byte)
          label:  v821a
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v821b**                                                                na - 2nd to most
recent sex partner younger, the same age or older

```
           type:  numeric (byte)
          label:  v821b
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .
```

---

**v821c**                                                                na - 3rd to most
recent sex partner younger, the same age or older

```
           type:  numeric (byte)
          label:  v821c
          range:  [.,.]                    units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
              9,372         .
```

v822                                                                    wife justified
asking husband to use condom if he has sti

          type: numeric (byte)
          label: v822
          range: [0,8]                    units: 1
    unique values: 3                 missing .: 5/9,372
       tabulation: Freq.  Numeric  Label
              199      0  no
            9,073      1  yes
               95      8  don't know
                5       .

v823                                                                          can
get hiv by witchcraft or supernatural means

          type: numeric (byte)
          label: v823
          range: [0,8]                    units: 1
    unique values: 3                 missing .: 57/9,372
       tabulation: Freq.  Numeric  Label
            8,323      0  no
              537      1  yes
              455      8  don't know
               57       .

v824                                                                       drugs to
avoid hiv transmission to baby during pregnancy

          type: numeric (byte)
          label: v824
          range: [0,8]                    units: 1
    unique values: 3                 missing .: 775/9,372
       tabulation: Freq.  Numeric  Label
            1,105      0  no
            5,789      1  yes
            1,703      8  don't know
              775       .

v825
would buy vegetables from vendor with hiv

          type: numeric (byte)
          label: v825
          range: [0,8]                    units: 1
    unique values: 3                 missing .: 63/9,372
       tabulation: Freq.  Numeric  Label
            4,456      0  no
            4,500      1  yes
              353      8  don't know
               63       .

v826
na - last time tested for hiv

          type: numeric (byte)
          label: v826
          range: [.,.]                    units: .

```
       unique values:  0                 missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
 v826a
 months ago most recent hiv test
                type:  numeric (byte)
               label:  v826a, but 24 nonmissing values are not labeled
               range:  [0,95]             units:  1
       unique values:  25                 missing .:  2,314/9,372
            examples:  7
                    95    two or more years
                    95    two or more years
                    .
```

```
 v827                                                                                na - last
 hiv test: on your own, offered or required
                type:  numeric (byte)
               label:  v827
               range:  [.,.]              units:  .
       unique values:  0                  missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372        .
```

```
 v828
 received result from last hiv test
                type:  numeric (byte)
               label:  v828
               range:  [0,1]              units:  1
       unique values:  2                  missing .:  2,782/9,372
          tabulation:  Freq.  Numeric  Label
                   336      0  no
                 6,254      1  yes
                 2,782        .
```

```
 v829
 place where last hiv test was taken
                type:  numeric (byte)
               label:  v829
               range:  [11,96]            units:  1
       unique values:  12                 missing .:  2,315/9,372
            examples:  11    government hospital (moh)
                    11    government hospital (moh)
                    21    private hospital, clinic or doctor
                    .
```

```
 v830
 na - age of first sex partner
                type:  numeric (byte)
               label:  v830
               range:  [.,.]              units:  .
       unique values:  0                  missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372        .
```

v831                                                                                            na -
first sex partner younger, same age or older
            type:  numeric (byte)
            label:  v831
            range:  [.,.]                     units:  .
    unique values:  0                  missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
                9,372        .

v832b                                                                                           time
since last sex with 2nd to most recent partner
            type:  numeric (int)
            label:  v832b, but 29 nonmissing values are not labeled
            range:  [101,311]               units:  1
    unique values:  32                 missing .:  8,973/9,372
        examples:  .
                   .
                   .
                   .

v832c                                                                                           time
since last sex with 3rd to most recent partner
            type:  numeric (int)
            label:  v832c, but 13 nonmissing values are not labeled
            range:  [101,311]               units:  1
    unique values:  16                 missing .:  9,320/9,372
        examples:  .
                   .
                   .
                   .

v833a                                                                              used condom every
time had sex with most recent partner in last 12 months
            type:  numeric (byte)
            label:  v833a
            range:  [0,1]                     units:  1
    unique values:  2                  missing .:  8,333/9,372
        tabulation:  Freq.  Numeric  Label
                  261        0  no
                  778        1  yes
                8,333        .

v833b                                                                         used condom every time
had sex with 2nd to most recent partner in last 12 months
            type:  numeric (byte)
            label:  v833b
            range:  [0,1]                     units:  1
    unique values:  2                  missing .:  9,144/9,372
        tabulation:  Freq.  Numeric  Label
                   30        0  no
                  198        1  yes
                9,144        .

| v833c | used condom every time |
|---|---|
| had sex with 3rd to most recent partner in last 12 months | |

```
        type:  numeric (byte)
       label:  v833c
       range:  [0,1]              units:  1
unique values:  2                missing .:  9,345/9,372
   tabulation:  Freq.  Numeric  Label
                   3      0  no
                  24      1  yes
               9,345         .
```

| v834a | |
|---|---|
| age of most recent partner | |

```
        type:  numeric (byte)
       label:  v834a, but 66 nonmissing values are not labeled
       range:  [15,98]            units:  1
unique values:  67               missing .:  2,189/9,372
     examples:  28
                36
                46
                 .
```

| v834b | |
|---|---|
| age of 2nd to most recent partner | |

```
        type:  numeric (byte)
       label:  v834b, but 47 nonmissing values are not labeled
       range:  [17,98]            units:  1
unique values:  48               missing .:  8,971/9,372
     examples:  .
                .
                .
                .
```

| v834c | |
|---|---|
| age of 3rd to most recent partner | |

```
        type:  numeric (byte)
       label:  v834c, but 22 nonmissing values are not labeled
       range:  [18,98]            units:  1
unique values:  23               missing .:  9,320/9,372
     examples:  .
                .
                .
                .
```

| v835a | na - alcohol |
|---|---|
| consumption at last sex with most recent partner | |

```
        type:  numeric (byte)
       label:  v835a
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

| v835b | na - alcohol |
|---|---|
| consumption at last sex with 2nd to most recent partner | |

```
        type:  numeric (byte)
       label:  v835b
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

| v835c | na - alcohol |
|---|---|
| consumption at last sex with 3rd to most recent partner | |

```
        type:  numeric (byte)
       label:  v835c
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

| v836 | |
|---|---|
| total lifetime number of sex partners | |

```
        type:  numeric (byte)
       label:  v836, but 29 nonmissing values are not labeled
       range:  [1,98]             units:  1
unique values:  31              missing .:  1,345/9,372
     examples:  1
               2
               3
               5
```

| v837 | na - heard of |
|---|---|
| drugs to help hiv infected people live longer | |

```
        type:  numeric (byte)
       label:  v837
       range:  [.,.]              units:  .
unique values:  0               missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372      .
```

| v838a | during antenatal |
|---|---|
| visit talked about: hiv transmitted mother to child | |

```
        type:  numeric (byte)
       label:  v838a
       range:  [0,8]              units:  1
unique values:  3               missing .:  7,572/9,372
   tabulation:  Freq.  Numeric  Label
                 642      0  no
               1,146      1  yes
                  12      8  don't know
               7,572      .
```

| v838b | during antenatal visit |
|---|---|
| talked about: things to do to prevent getting hiv | |

```
        type:  numeric (byte)
       label:  v838b
```

```
            range: [0,8]                units: 1
    unique values: 3                missing .: 7,572/9,372
       tabulation: Freq.  Numeric  Label
                    542      0  no
                  1,249      1  yes
                      9      8  don't know
                  7,572      .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ v838c                                                                      during │
│ antenatal visit talked about: getting tested for hiv                              │
└─────────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v838c
            range: [0,8]                units: 1
    unique values: 3                missing .: 7,572/9,372
       tabulation: Freq.  Numeric  Label
                    272      0  no
                  1,518      1  yes
                     10      8  don't know
                  7,572      .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ v839                                                                              │
│ offered hiv test as part of antenatal visit                                       │
└─────────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v839
            range: [0,1]                units: 1
    unique values: 2                missing .: 7,571/9,372
       tabulation: Freq.  Numeric  Label
                     59      0  no
                  1,742      1  yes
                  7,571      .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ v839a                                                       offered hiv test between │
│ the time went for delivery and before baby was born                               │
└─────────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v839a
            range: [0,1]                units: 1
    unique values: 2                missing .: 9,328/9,372
       tabulation: Freq.  Numeric  Label
                     29      0  no
                     15      1  yes
                  9,328      .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│ v840                                                                              │
│ tested for hiv as part of antenatal visit                                         │
└─────────────────────────────────────────────────────────────────────────────────┘

```
             type:  numeric (byte)
            label:  v840
            range: [0,1]                units: 1
    unique values: 2                missing .: 7,571/9,372
       tabulation: Freq.  Numeric  Label
                     47      0  no
                  1,754      1  yes
                  7,571      .
```

```
  v840a                                                                      tested for hiv between
  the time went for delivery and before baby was born
            type:  numeric (byte)
            label:  v840a
            range:  [0,1]              units:  1
     unique values:  2                 missing .:  9,327/9,372
        tabulation:  Freq.  Numeric  Label
               30      0  no
               15      1  yes
            9,327       .


  v841                                                                                  na - got
  results of hiv test as part of antenatal visit
            type:  numeric (byte)
            label:  v841
            range:  [.,.]              units:  .
     unique values:  0                 missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       .


  v841a                                                                               got results
  of hiv test when tested before baby was born
            type:  numeric (byte)
            label:  v841a
            range:  [0,1]              units:  1
     unique values:  2                 missing .:  9,357/9,372
        tabulation:  Freq.  Numeric  Label
                4      0  no
               11      1  yes
            9,357       .


  v842                                                                                 place were
  hiv test was taken as part of antenatal visit
            type:  numeric (byte)
            label:  v842
            range:  [11,25]            units:  1
     unique values:  11                missing .:  7,618/9,372
          examples:  .
                     .
                     .
                     .


  v843
  tested for hiv since antenatal visit test
            type:  numeric (byte)
            label:  v843
            range:  [0,1]              units:  1
     unique values:  2                 missing .:  7,606/9,372
        tabulation:  Freq.  Numeric  Label
            1,298      0  no
              468      1  yes
            7,606       .
```

| v844 | na - knows someone denied |
|---|---|

health services for having, or suspected of having, hi

          type:  numeric (byte)
         label:  v844
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

| v845 | na - knows someone denied |
|---|---|

social events for having, or suspected of having, hiv;

          type:  numeric (byte)
         label:  v845
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

| v846 | na - knows someone |
|---|---|

verbally abused for having, or suspected of having, hiv; in l

          type:  numeric (byte)
         label:  v846
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

| v847 | na - |
|---|---|

people with hiv should be ashamed of themselves

          type:  numeric (byte)
         label:  v847
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

| v848 | na - people with hiv |
|---|---|

should be blamed for bringing disease to community

          type:  numeric (byte)
         label:  v848
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

| v849 | na - children 12-14 |
|---|---|

should be taught to wait for sex until marriage

          type:  numeric (byte)
         label:  v849
         range:  [.,.]                     units:  .
  unique values:  0                  missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
             9,372        .

```
 v850a
 respondent can refuse sex
            type:  numeric (byte)
            label:  v850a
            range:  [0,8]                units:  1
       unique values:  3                missing .:  4,160/9,372
         tabulation:  Freq.  Numeric  Label
                  207      0  no
                4,937      1  yes
                   68      8  don't know/not sure/depends
                4,160         .
```

```
 v850b
 respondent can ask partner to use a condom
            type:  numeric (byte)
            label:  v850b
            range:  [0,8]                units:  1
       unique values:  3                missing .:  4,160/9,372
         tabulation:  Freq.  Numeric  Label
                  295      0  no
                4,808      1  yes
                  109      8  don't know/not sure/depends
                4,160         .
```

```
 v851a                                                              na -
 young men should wait for sex until marriage
            type:  numeric (byte)
            label:  v851a
            range:  [.,.]                units:  .
       unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
 v851b                                                              na -
 most young men wait for sex until marriage
            type:  numeric (byte)
            label:  v851b
            range:  [.,.]                units:  .
       unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
 v851c                                              na - unmarried sexually
 active men should only having sex with one partner
            type:  numeric (byte)
            label:  v851c
            range:  [.,.]                units:  .
       unique values:  0                missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                9,372         .
```

```
 v851d                                                       na - most
 unmarried sexually active men have only one partner
            type:  numeric (byte)
```

```
        label: v851d
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851e                                                                  na -    │
│ married men should only have sex with their wives                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
        label: v851e
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851f                                                              na - most   │
│ married men only have sex with their wives                                    │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
        label: v851f
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851g                                                                  na -    │
│ young women should wait for sex until marriage                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
        label: v851g
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851h                                                                  na -    │
│ most young women wait for sex until marriage                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
        label: v851h
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851i                                                          na - unmarried  │
│ sexually active women should have only one partner                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
        label: v851i
        range: [.,.]                    units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v851j                                                              na - most   │
│ unmarried sexually active women have only one partner                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
```

```
        label:  v851j
        range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .
```

<table>
<tr><td>v851k</td><td>na - married</td></tr>
</table>

women should only have sex with their husbands

```
         type:  numeric (byte)
        label:  v851k
        range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .
```

<table>
<tr><td>v851l</td><td>na - most</td></tr>
</table>

married women only have sex with their husbands

```
         type:  numeric (byte)
        label:  v851l
        range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372      .
```

<table>
<tr><td>v852a</td><td>how</td></tr>
</table>

long ago first had sex with most recent partner

```
         type:  numeric (int)
        label:  v852a, but 78 nonmissing values are not labeled
        range:  [101,499]            units:  1
  unique values:  83               missing .:  3,350/9,372
      examples:  402
             407
             422
               .
```

<table>
<tr><td>v852b</td><td>how long</td></tr>
</table>

ago first had sex with 2nd most recent partner

```
         type:  numeric (int)
        label:  v852b, but 36 nonmissing values are not labeled
        range:  [102,437]            units:  1
  unique values:  39               missing .:  8,972/9,372
      examples:  .
               .
               .
               .
```

<table>
<tr><td>v852c</td><td>how long</td></tr>
</table>

ago first had sex with 3rd most recent partner

```
         type:  numeric (int)
        label:  v852c, but 17 nonmissing values are not labeled
        range:  [301,408]            units:  1
  unique values:  19               missing .:  9,321/9,372
      examples:  .
               .
```

.
.

---

v853a                                                                    times in last
12 months had sex with most recent partner
          type:  numeric (byte)
         label:  v853a, but 82 nonmissing values are not labeled
         range:  [1,98]                 units:  1
 unique values:  84               missing .:  2,202/9,372
      examples:  36
                 .

---

v853b                                                                    times in last
12 months had sex with 2nd most recent partner
          type:  numeric (byte)
         label:  v853b, but 33 nonmissing values are not labeled
         range:  [1,98]                 units:  1
 unique values:  35               missing .:  8,971/9,372
      examples:  .
                 .
                 .
                 .

---

v853c                                                                 times in last 12
months had sex with 3rd most recent partner
          type:  numeric (byte)
         label:  v853c, but 18 nonmissing values are not labeled
         range:  [1,95]                 units:  1
 unique values:  19               missing .:  9,320/9,372
      examples:  .
                 .
                 .
                 .

---

v854a
point concurrent sexual partners
          type:  numeric (byte)
         label:  v854a
         range:  [0,1]                  units:  1
 unique values:  2                missing .:  8,970/9,372
     tabulation:  Freq.  Numeric  Label
                   284     0  no
                   118     1  yes
                 8,970     .

---

v854b
cumulative concurrent sexual partners
          type:  numeric (byte)
         label:  v854b
         range:  [0,1]                  units:  1
 unique values:  2                missing .:  8,970/9,372
     tabulation:  Freq.  Numeric  Label
                   127     0  no
                   275     1  yes

8,970　　　.

---

v855　　　　　　　　　　　　　　　　　　　　　　　　　　received
counseling after tested for aids during antenatal care

          type:  numeric (byte)
         label:  v855
         range:  [0,8]                 units:  1
 unique values:  3                 missing .:  7,620/9,372
     tabulation:  Freq.   Numeric  Label
               944      0  no
               806      1  yes
                 2      8  don't know
             7,620      .

---

v801　　　　　　　　　　　　　　　　　　　　　　　　　　time
interview started (hhmm - 24 hour clock)

          type:  numeric (int)
         range:  [610,2230]              units:  1
 unique values:  789                 missing .:  10/9,372
          mean:  1470.19
       std. dev:  318.466
    percentiles:      10%     25%     50%     75%     90%
                1045    1202    1459    1735    1912

---

v802　　　　　　　　　　　　　　　　　　　　　　　　　　time
interview ended (hhmm - 24 hour clock)

          type:  numeric (int)
         range:  [700,2259]              units:  1
 unique values:  784                 missing .:  24/9,372
          mean:  1534.56
       std. dev:  320.081
    percentiles:      10%     25%     50%     75%     90%
                1122    1240    1538    1813.5    1952

---

v803
length of interview in minutes

          type:  numeric (byte)
         label:  v803, but 93 nonmissing values are not labeled
         range:  [0,96]                 units:  1
 unique values:  95                 missing .:  20/9,372
       examples:  25
                32
                41
                59

---

v804
number of visits

          type:  numeric (byte)
         range:  [1,8]                 units:  1
 unique values:  8                 missing .:  0/9,372
     tabulation:  Freq.  Value
             8,493  1
               525  2
               226  3

```
                  51  4
                  32  5
                  16  6
                  13  7
                  16  8
```

---

v805

interviewer identification

```
        type:  numeric (int)
       range:  [15,128]              units:  1
unique values:  69            missing .:  0/9,372
        mean:  71.3797
    std. dev:  35.1263
  percentiles:     10%      25%      50%      75%      90%
                    25       38       68       98      118
```

---

v806

keyer identification

```
        type:  numeric (byte)
       range:  [1,12]               units:  1
unique values:  12            missing .:  0/9,372
        mean:  6.52326
    std. dev:  3.54747
  percentiles:     10%      25%      50%      75%      90%
                     2        3        7       10       11
```

---

v811                                                     presence of

children < 10 for 'wife beating justified' questions

```
        type:  numeric (byte)
       label:  v811
       range:  [0,2]               units:  1
unique values:  3             missing .:  6/9,372
    tabulation:  Freq.   Numeric  Label
              8,960       0  no
                 90       1  yes - listening
                316       2  yes - not listening
                  6       .
```

---

v812                                                     presence of

husband for 'wife beating justified' questions

```
        type:  numeric (byte)
       label:  v812
       range:  [0,2]               units:  1
unique values:  3             missing .:  4/9,372
    tabulation:  Freq.   Numeric  Label
              9,190       0  no
                 12       1  yes - listening
                166       2  yes - not listening
                  4       .
```

---

v813                                                     presence of

other males for 'wife beating justified' questions

```
        type:  numeric (byte)
       label:  v813
```

```
         range:  [0,2]                 units:  1
  unique values:  3              missing .:  4/9,372

     tabulation:  Freq.   Numeric  Label
                  9,085       0  no
                     17       1  yes - listening
                    266       2  yes - not listening
                      4        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v814                                                       presence of other  │
│ females for 'wife beating justified' questions                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v814
          range:  [0,2]                 units:  1
  unique values:  3              missing .:  5/9,372

     tabulation:  Freq.   Numeric  Label
                  9,019       0  no
                     54       1  yes - listening
                    294       2  yes - not listening
                      5        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v815a                                                          presence of    │
│ children < 10 during sexual activity section                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v815a
          range:  [0,1]                 units:  1
  unique values:  2              missing .:  7/9,372

     tabulation:  Freq.   Numeric  Label
                  9,191       0  no
                    174       1  yes
                      7        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v815b                                                             presence    │
│ of male adults during sexual activity section                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v815b
          range:  [0,1]                 units:  1
  unique values:  2              missing .:  7/9,372

     tabulation:  Freq.   Numeric  Label
                  9,326       0  no
                     39       1  yes
                      7        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ v815c                                                          presence of    │
│ female adults during sexual activity section                                  │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  v815c
          range:  [0,1]                 units:  1
  unique values:  2              missing .:  8/9,372

     tabulation:  Freq.   Numeric  Label
                  9,260       0  no
                    104       1  yes
                      8        .
```

```
d005
weight for domestic violence (6 decimals)
          type:  numeric (long)
          range:  [46300,16875936]        units:  1
  unique values:  1,303              missing .:  2,376/9,372
    percentiles:    10%    25%    50%    75%    90%
```

```
d101a                                                              husband/
partner jealous if respondent talks with other men
          type:  numeric (byte)
          label:  d101a
          range:  [0,8]              units:  1
  unique values:  3              missing .:  3,571/9,372
      tabulation:  Freq.  Numeric  Label
              3,493      0  no
              2,294      1  yes
                 14      8  don't know
              3,571       .
```

```
d101b
husband/partner accuses respondent of unfaithfulness
          type:  numeric (byte)
          label:  d101b
          range:  [0,8]              units:  1
  unique values:  3              missing .:  3,571/9,372
      tabulation:  Freq.  Numeric  Label
              4,788      0  no
              1,012      1  yes
                  1      8  don't know
              3,571       .
```

```
d101c                                                        husband/partner
does not permit respondent to meet female friends
          type:  numeric (byte)
          label:  d101c
          range:  [0,8]              units:  1
  unique values:  3              missing .:  3,571/9,372
      tabulation:  Freq.  Numeric  Label
              4,271      0  no
              1,526      1  yes
                  4      8  don't know
              3,571       .
```

```
d101d                                                              husband/
partner tries to limit respondent's contact with family
          type:  numeric (byte)
          label:  d101d
          range:  [0,8]              units:  1
  unique values:  3              missing .:  3,572/9,372
      tabulation:  Freq.  Numeric  Label
              5,193      0  no
                606      1  yes
                  1      8  don't know
              3,572       .
```

```
 d101e                                                                          husband/
partner insists on knowing where respondent is
              type:  numeric (byte)
             label:  d101e
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  3,573/9,372

        tabulation:  Freq.   Numeric   Label
                     3,917        0   no
                     1,880        1   yes
                         2        8   don't know
                     3,573        .
```

```
 d101f
husband/partner doesn't trust respondent with money
              type:  numeric (byte)
             label:  d101f
             range:  [0,8]                 units:  1
     unique values:  3                   missing .:  3,574/9,372

        tabulation:  Freq.   Numeric   Label
                     4,148        0   no
                     1,632        1   yes
                        18        8   don't know
                     3,574        .
```

```
 d101g
na - cs control issue
              type:  numeric (byte)
             label:  d101g
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372

        tabulation:  Freq.   Numeric   Label
                     9,372        .
```

```
 d101h
na - cs control issue
              type:  numeric (byte)
             label:  d101h
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372

        tabulation:  Freq.   Numeric   Label
                     9,372        .
```

```
 d101i
na - cs control issue
              type:  numeric (byte)
             label:  d101i
             range:  [.,.]                 units:  .
     unique values:  0                   missing .:  9,372/9,372

        tabulation:  Freq.   Numeric   Label
                     9,372        .
```

```
 d101j
na - cs control issue
```

```
          type: numeric (byte)
         label: d101j
         range: [.,.]                    units: .
 unique values: 0                      missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
                9,372        .
```

```
 d102                                                                    number of
control issues answered 'yes'  (d101x = 1)***
          type: numeric (byte)
         range: [0,6]                    units: 1
 unique values: 7                      missing .: 3,569/9,372
    tabulation: Freq.  Value
                2,277  0
                  995  1
                  975  2
                  687  3
                  496  4
                  278  5
                   95  6
                3,569  .
```

```
 d103a
ever been humiliated by husband/partner
          type: numeric (byte)
         label: d103a
         range: [0,4]                    units: 1
 unique values: 5                      missing .: 3,572/9,372
    tabulation: Freq.  Numeric  Label
                4,822        0  never
                  266        1  often
                  559        2  sometimes
                  150        3  yes, but not in the last 12
                                months
                    3        4  yes, but frequency in last 12
                                months missing
                3,572        .
```

```
 d103b                                                                        ever
been threatened with harm by husband/partner
          type: numeric (byte)
         label: d103b
         range: [0,4]                    units: 1
 unique values: 5                      missing .: 3,573/9,372
    tabulation: Freq.  Numeric  Label
                5,241        0  never
                  150        1  often
                  292        2  sometimes
                  113        3  yes, but not in the last 12
                                months
                    3        4  yes, but frequency in last 12
                                months missing
                3,573        .
```

| d103c | ever been |
|---|---|

insulted or made to feel bad by husband/partner

```
        type:  numeric (byte)
       label:  d103c
       range:  [0,4]              units:  1
unique values:  5                missing .:  3,572/9,372

   tabulation:  Freq.   Numeric  Label
                4,317      0  never
                  416      1  often
                  858      2  sometimes
                  203      3  yes, but not in the last 12
                              months
                    6      4  yes, but frequency in last 12
                              months missing
                3,572       .
```

| d103d | na - |
|---|---|

ever cs emotional abuse by husband/partner

```
        type:  numeric (byte)
       label:  d103d
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372

   tabulation:  Freq.   Numeric  Label
                9,372       .
```

| d103e | na - |
|---|---|

ever cs emotional abuse by husband/partner

```
        type:  numeric (byte)
       label:  d103e
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372

   tabulation:  Freq.   Numeric  Label
                9,372       .
```

| d103f | na - |
|---|---|

ever cs emotional abuse by husband/partner

```
        type:  numeric (byte)
       label:  d103f
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372

   tabulation:  Freq.   Numeric  Label
                9,372       .
```

| d104 |
|---|

experienced any emotional violence (d103x series)***

```
        type:  numeric (byte)
       label:  d104
       range:  [0,1]              units:  1
unique values:  2                missing .:  3,572/9,372

   tabulation:  Freq.   Numeric  Label
                4,145      0  no
                1,655      1  yes
                3,572       .
```

| d105a | ever been pushed, |
|---|---|
| shook or had something thrown by husband/partner | |

```
        type:  numeric (byte)
        label:  d105a
        range:  [0,4]              units:  1
 unique values:  5                missing .:  3,572/9,372
    tabulation:  Freq.   Numeric  Label
             5,033      0  never
               135      1  often
               459      2  sometimes
               172      3  yes, but not in the last 12
                           months
                 1      4  yes, but frequency in last 12
                           months missing
             3,572      .
```

| d105b |  |
|---|---|
| ever been slapped by husband/partner | |

```
        type:  numeric (byte)
        label:  d105b
        range:  [0,4]              units:  1
 unique values:  5                missing .:  3,572/9,372
    tabulation:  Freq.   Numeric  Label
             5,145      0  never
               110      1  often
               384      2  sometimes
               159      3  yes, but not in the last 12
                           months
                 2      4  yes, but frequency in last 12
                           months missing
             3,572      .
```

| d105c | ever been punched with |
|---|---|
| fist or hit by something harmful by husband/partner | |

```
        type:  numeric (byte)
        label:  d105c
        range:  [0,4]              units:  1
 unique values:  5                missing .:  3,572/9,372
    tabulation:  Freq.   Numeric  Label
             5,393      0  never
                87      1  often
               216      2  sometimes
               103      3  yes, but not in the last 12
                           months
                 1      4  yes, but frequency in last 12
                           months missing
             3,572      .
```

| d105d | ever |
|---|---|
| been kicked or dragged by husband/partner | |

```
        type:  numeric (byte)
        label:  d105d
        range:  [0,4]              units:  1
 unique values:  5                missing .:  3,572/9,372
```

```
tabulation: Freq.  Numeric  Label
         5,596      0  never
            49      1  often
           101      2  sometimes
            53      3  yes, but not in the last 12
                       months
             1      4  yes, but frequency in last 12
                       months missing
         3,572      .
```

---

<b>d105e</b>                                                                                          ever

been strangled or burnt by husband/partner

```
        type:  numeric (byte)
       label:  d105e
       range:  [0,3]                units:  1
unique values:  4                   missing .:  3,572/9,372
   tabulation: Freq.  Numeric  Label
         5,629      0  never
            38      1  often
            97      2  sometimes
            36      3  yes, but not in the last 12
                       months
         3,572      .
```

---

<b>d105f</b>                                                                           ever been threatened

with knife/gun or other weapon by husband/partner

```
        type:  numeric (byte)
       label:  d105f
       range:  [0,3]                units:  1
unique values:  4                   missing .:  3,574/9,372
   tabulation: Freq.  Numeric  Label
         5,572      0  never
            45      1  often
           119      2  sometimes
            62      3  yes, but not in the last 12
                       months
         3,574      .
```

---

<b>d105g</b>                                                                                          na -

ever cs physical violence by husband/partner

```
        type:  numeric (byte)
       label:  d105g
       range:  [.,.]                units:  .
unique values:  0                   missing .:  9,372/9,372
   tabulation: Freq.  Numeric  Label
         9,372      .
```

---

<b>d105h</b>                                                                                     ever been

physically forced into unwanted sex by husband/partner

```
        type:  numeric (byte)
       label:  d105h
       range:  [0,3]                units:  1
unique values:  4                   missing .:  3,572/9,372
   tabulation: Freq.  Numeric  Label
```

```
        5,520      0  never
           67      1  often
          160      2  sometimes
           53      3  yes, but not in the last 12
                      months
        3,572      .
```

| d105i | ever been forced |
| --- | --- |

into other unwanted sexual acts by husband/partner

```
          type:  numeric (byte)
          label:  d105i
          range:  [0,3]              units:  1
   unique values:  4                missing .:  3,572/9,372
      tabulation:  Freq.  Numeric  Label
                   5,635      0  never
                      39      1  often
                      94      2  sometimes
                      32      3  yes, but not in the last 12
                                 months
                   3,572      .
```

| d105j | ever had |
| --- | --- |

arm twisted or hair pulled by husband/partner

```
          type:  numeric (byte)
          label:  d105j
          range:  [0,4]              units:  1
   unique values:  5                missing .:  3,573/9,372
      tabulation:  Freq.  Numeric  Label
                   5,328      0  never
                      90      1  often
                     272      2  sometimes
                     108      3  yes, but not in the last 12
                                 months
                       1      4  yes, but frequency in last 12
                                 months missing
                   3,573      .
```

| d105k | na - ever been physically |
| --- | --- |

forced to perform sexual acts respondent didn't want t

```
          type:  numeric (byte)
          label:  d105k
          range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372      .
```

| d105l | na - |
| --- | --- |

ever cs physical violence by husband/partner

```
          type:  numeric (byte)
          label:  d105l
          range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372      .
```

| d105m | na - |
|---|---|
| ever cs physical violence by husband/partner | |

```
        type:  numeric (byte)
       label:  d105m
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

| d105n | na - |
|---|---|
| ever cs physical violence by husband/partner | |

```
        type:  numeric (byte)
       label:  d105n
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372        .
```

| d106 | experienced any |
|---|---|
| less severe violence (d105a-c,j) by husband/partner | |

```
        type:  numeric (byte)
       label:  d106
       range:  [0,1]                 units:  1
unique values:  2              missing .:  3,573/9,372
   tabulation:  Freq.  Numeric  Label
               4,786      0  no
               1,013      1  yes
               3,573        .
```

| d107 | experienced |
|---|---|
| any severe violence (d105d-f) by husband/partner | |

```
        type:  numeric (byte)
       label:  d107
       range:  [0,1]                 units:  1
unique values:  2              missing .:  3,574/9,372
   tabulation:  Freq.  Numeric  Label
               5,405      0  no
                 393      1  yes
               3,574        .
```

| d108 | experienced any |
|---|---|
| sexual violence (d105h-i,k) by husband/partner | |

```
        type:  numeric (byte)
       label:  d108
       range:  [0,1]                 units:  1
unique values:  2              missing .:  3,572/9,372
   tabulation:  Freq.  Numeric  Label
               5,499      0  no
                 301      1  yes
               3,572        .
```

| d109 | timing of first |
|---|---|
| event (from d105 series) in years after marriage | |

```
             type:  numeric (byte)
             label:  d109, but 31 nonmissing values are not labeled
             range:  [0,95]              units:  1
     unique values:  32                  missing .:  8,274/9,372
          examples:  .
                     .
                     .
                     .
```

| d110a | ever had |
|-------|----------|
| bruises because of husband/partner's actions | |

```
             type:  numeric (byte)
             label:  d110a
             range:  [0,1]               units:  1
     unique values:  2                   missing .:  8,274/9,372
         tabulation:  Freq.  Numeric  Label
                       622      0   no
                       476      1   yes
                     8,274          .
```

| d110b | ever had eye injuries, |
|-------|------------------------|
| sprains, dislocations or burns because of husband/partner | |

```
             type:  numeric (byte)
             label:  d110b
             range:  [0,1]               units:  1
     unique values:  2                   missing .:  8,274/9,372
         tabulation:  Freq.  Numeric  Label
                       943      0   no
                       155      1   yes
                     8,274          .
```

| d110c | na - ever went to |
|-------|-------------------|
| health facility because of husband/partner's actions | |

```
             type:  numeric (byte)
             label:  d110c
             range:  [.,.]               units:  .
     unique values:  0                   missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
                     9,372          .
```

| d110d | ever had wounds, broken |
|-------|-------------------------|
| bones, broken teeth or other serious injury because of h | |

```
             type:  numeric (byte)
             label:  d110d
             range:  [0,1]               units:  1
     unique values:  2                   missing .:  8,275/9,372
         tabulation:  Freq.  Numeric  Label
                     1,011      0   no
                        86      1   yes
                     8,275          .
```

| d110e | na - |
|-------|------|
| cs because of husband/partner's actions | |

```
             type:  numeric (byte)
```

```
        label: d110e
        range: [.,.]                units: .
 unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 d110f                                                           na -
cs because of husband/partner's actions
         type:  numeric (byte)
        label: d110f
        range: [.,.]                units: .
 unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 d110g                                                           na -
cs because of husband/partner's actions
         type:  numeric (byte)
        label: d110g
        range: [.,.]                units: .
 unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 d110h                                                           na -
cs because of husband/partner's actions
         type:  numeric (byte)
        label: d110h
        range: [.,.]                units: .
 unique values: 0                missing .: 9,372/9,372
    tabulation: Freq.  Numeric  Label
            9,372       .
```

```
 d111                                                 experienced any of
listed husband/partner's actions (d110x series)***
         type:  numeric (byte)
        label: d111
        range: [0,1]                units: 1
 unique values: 2                missing .: 3,572/9,372
    tabulation: Freq.  Numeric  Label
            5,304       0  no
              496       1  yes
            3,572       .
```

```
 d112                                                   respondent ever
physically hurt husband/partner when he was not hurting her
         type:  numeric (byte)
        label: d112
        range: [0,1]                units: 1
 unique values: 2                missing .: 3,575/9,372
    tabulation: Freq.  Numeric  Label
            4,903       0  no
              894       1  yes
            3,575       .
```

## d112a        frequency of
physically hurting husband/partner in last 12 months

```
        type:  numeric (byte)
       label:  d112a
       range:  [0,2]                 units:  1
unique values:  3               missing .:  8,479/9,372
   tabulation:  Freq.  Numeric  Label
                 279      0  not at all in last 12 months
                  68      1  often
                 546      2  sometimes
               8,479       .
```

## d113
husband/partner drinks alcohol

```
        type:  numeric (byte)
       label:  d113
       range:  [0,1]                 units:  1
unique values:  2               missing .:  3,572/9,372
   tabulation:  Freq.  Numeric  Label
               1,942      0  no
               3,858      1  yes
               3,572       .
```

## d114
frequency of husband/partner being drunk

```
        type:  numeric (byte)
       label:  d114
       range:  [0,2]                 units:  1
unique values:  3               missing .:  5,520/9,372
   tabulation:  Freq.  Numeric  Label
                 789      0  never
                 696      1  often
               2,367      2  sometimes
               5,520       .
```

## d115b        mother:
person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115b
       range:  [0,1]                 units:  1
unique values:  2               missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
               6,888      0  no
                 104      1  yes
               2,380       .
```

## d115c        father:
person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115c
       range:  [0,1]                 units:  1
unique values:  2               missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
```

```
            6,877        0  no
              115        1  yes
            2,380           .
```

| d115d | daughter/son: |
|---|---|

person who has ever physically hurt respondent

```
           type:  numeric (byte)
          label:  d115d
          range:  [0,1]              units:  1
   unique values:  2                missing .:  2,380/9,372
      tabulation:  Freq.  Numeric  Label
            6,991        0  no
                1        1  yes
            2,380           .
```

| d115e | na - son: |
|---|---|

person who has ever physically hurt respondent

```
           type:  numeric (byte)
          label:  d115e
          range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372           .
```

| d115f | sister/brother: |
|---|---|

person who has ever physically hurt respondent

```
           type:  numeric (byte)
          label:  d115f
          range:  [0,1]              units:  1
   unique values:  2                missing .:  2,380/9,372
      tabulation:  Freq.  Numeric  Label
            6,945        0  no
               47        1  yes
            2,380           .
```

| d115g | other relative: |
|---|---|

person who has ever physically hurt respondent

```
           type:  numeric (byte)
          label:  d115g
          range:  [0,1]              units:  1
   unique values:  2                missing .:  2,380/9,372
      tabulation:  Freq.  Numeric  Label
            6,952        0  no
               40        1  yes
            2,380           .
```

| d115h | na - other female |
|---|---|

family: person who has ever physically hurt respondent

```
           type:  numeric (byte)
          label:  d115h
          range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372           .
```

| d115i | na - other male |
|---|---|

family: person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115i
        range:  [.,.]              units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372          .
```

| d115j | na - former |
|---|---|

partner: person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115j
        range:  [.,.]              units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372          .
```

| d115k | current |
|---|---|

boyfriend: person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115k
        range:  [0,1]              units:  1
   unique values:  2               missing .:  2,380/9,372
      tabulation:  Freq.  Numeric  Label
            6,987       0  no
                5       1  yes
            2,380          .
```

| d115l | former boyfriend: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115l
        range:  [0,1]              units:  1
   unique values:  2               missing .:  2,380/9,372
      tabulation:  Freq.  Numeric  Label
            6,920       0  no
               72       1  yes
            2,380          .
```

| d115m | na - step- |
|---|---|

mother: person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115m
        range:  [.,.]              units:  .
   unique values:  0               missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372          .
```

| d115n | na - step-father: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
        label:  d115n
```

```
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115o                                                          na - mother-in- │
│ law: person who has ever physically hurt respondent                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  d115o
        range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115p                                                       na - father-in-law: │
│ person who has ever physically hurt respondent                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  d115p
        range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115q                                                             other in-law: │
│ person who has ever physically hurt respondent                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  d115q
        range:  [0,1]                 units:  1
unique values:  2              missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
         6,988       0  no
             4       1  yes
         2,380       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115r                                                        na - other male in- │
│ law: person who has ever physically hurt respondent                            │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  d115r
        range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115s                                                         na - female friend: │
│ person who has ever physically hurt respondent                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  d115s
        range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
         9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d115t                                                           na - male friend: │
│ person who has ever physically hurt respondent                                 │
└─────────────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
         label:  d115t
         range:  [.,.]                   units: .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│  d115u                                                          na - neighbor:  │
│ person who has ever physically hurt respondent                                 │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  d115u
         range:  [.,.]                   units: .
 unique values:  0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
               9,372       .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│  d115v                                                                teacher:  │
│ person who has ever physically hurt respondent                                 │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  d115v
         range:  [0,0]                   units: 1
 unique values:  1                     missing .:  2,380/9,372
    tabulation:  Freq.  Numeric  Label
               6,992       0  no
               2,380       .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│  d115w                                                               employer:  │
│ person who has ever physically hurt respondent                                 │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  d115w
         range:  [0,1]                   units: 1
 unique values:  2                     missing .:  2,380/9,372
    tabulation:  Freq.  Numeric  Label
               6,989       0  no
                   3       1  yes
               2,380       .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│  d115x                                                                   other:  │
│ person who has ever physically hurt respondent                                 │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  d115x
         range:  [0,1]                   units: 1
 unique values:  2                     missing .:  2,380/9,372
    tabulation:  Freq.  Numeric  Label
               6,910       0  no
                  82       1  yes
               2,380       .
```

┌──────────────────────────────────────────────────────────────────────────────┐
│  d115y                                                           no person other │
│ than husband/partner ever physically hurt respondent                           │
└──────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  d115y
         range:  [0,6]                   units: 1
 unique values:  3                     missing .:  2,378/9,372
```

```
tabulation: Freq.  Numeric  Label
            464        0  someone physically hurt
                          respondent
          6,529        1  none of these people ever
                          physically hurt respondent
              1        6  no response to question
          2,378        .
```

---

**d115xa**                                                                                      na - stranger:
person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xa
       range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**d115xb**                                                                          na - other female in-law/
family: person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xb
       range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**d115xc**                                                                            na - other male in-law/
family: person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xc
       range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**d115xd**                                                                                        na - friend:
person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xd
       range:  [.,.]                    units:  .
unique values:  0                     missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
            9,372        .
```

---

**d115xe**                                                                                             police:
person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xe
       range:  [0,1]                    units:  1
unique values:  2                     missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
            6,991        0  no
                1        1  yes
            2,380        .
```

| d115xf | na - religious leader: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xf
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

| d115xg | na - lawyer: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xg
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

| d115xh | na - doctor: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xh
       range:  [.,.]                 units:  .
unique values:  0              missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .
```

| d115xi | former date: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xi
       range:  [0,1]                 units:  1
unique values:  2              missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
              6,979        0  no
                 13        1  yes
              2,380        .
```

| d115xj | cs: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xj
       range:  [0,0]                 units:  1
unique values:  1              missing .:  2,380/9,372
   tabulation:  Freq.  Numeric  Label
              6,992        0  no
              2,380        .
```

| d115xk | na - cs: |
|---|---|

person who has ever physically hurt respondent

```
        type:  numeric (byte)
       label:  d115xk
       range:  [.,.]                 units:  .
```

unique values: 0                    missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                 9,372        .

---

  d116                                                                              na
  - person who hurt respondent most often

          type:  numeric (byte)
          label:  d116
          range:  [.,.]                  units:  .
        unique values: 0                    missing .: 9,372/9,372
          tabulation: Freq.  Numeric  Label
                 9,372        .

---

  d117a                                                              frequency of being
  hit in last 12 months by other than husband/partner

          type:  numeric (byte)
          label:  d117a
          range:  [0,2]                  units:  1
        unique values: 3                    missing .: 8,909/9,372
          tabulation: Freq.  Numeric  Label
                  343      0  not at all
                   19      1  often
                  101      2  sometimes
                 8,909        .

---

  d118a                                                                       husband/
  partner: person who hurt respondent during a pregnancy

          type:  numeric (byte)
          label:  d118a
          range:  [0,1]                  units:  1
        unique values: 2                    missing .: 3,766/9,372
          tabulation: Freq.  Numeric  Label
                 5,515      0  no
                   91      1  yes
                 3,766        .

---

  d118b                                                                        mother:
  person who hurt respondent during a pregnancy

          type:  numeric (byte)
          label:  d118b
          range:  [0,1]                  units:  1
        unique values: 2                    missing .: 3,766/9,372
          tabulation: Freq.  Numeric  Label
                 5,599      0  no
                    7      1  yes
                 3,766        .

---

  d118c                                                                    father/step-
  father: person who hurt respondent during a pregnancy

          type:  numeric (byte)
          label:  d118c
          range:  [0,1]                  units:  1
        unique values: 2                    missing .: 3,766/9,372
          tabulation: Freq.  Numeric  Label

```
           5,601      0  no
               5      1  yes
           3,766         .
```

```
 d118d                                                                              daughter/
 son: person who hurt respondent during a pregnancy
            type:  numeric (byte)
            label:  d118d
            range:  [0,0]              units:  1
    unique values:  1               missing .:  3,766/9,372
       tabulation:  Freq.  Numeric  Label
               5,606      0  no
               3,766         .
```

```
 d118e                                                                          na - son alone:
 person who hurt respondent during a pregnancy
            type:  numeric (byte)
            label:  d118e
            range:  [.,.]              units:  .
    unique values:  0               missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372         .
```

```
 d118f                                                                          sister/brother:
 person who hurt respondent during a pregnancy
            type:  numeric (byte)
            label:  d118f
            range:  [0,1]              units:  1
    unique values:  2               missing .:  3,766/9,372
       tabulation:  Freq.  Numeric  Label
               5,597      0  no
                   9      1  yes
               3,766         .
```

```
 d118g                                                                           other relative:
 person who hurt respondent during a pregnancy
            type:  numeric (byte)
            label:  d118g
            range:  [0,1]              units:  1
    unique values:  2               missing .:  3,766/9,372
       tabulation:  Freq.  Numeric  Label
               5,600      0  no
                   6      1  yes
               3,766         .
```

```
 d118h                                                                        na - other female
 family: person who hurt respondent during a pregnancy
            type:  numeric (byte)
            label:  d118h
            range:  [.,.]              units:  .
    unique values:  0               missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372         .
```

| d118i | na - other male |
| --- | --- |

family: person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118i
      range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| d118j | former husband/ |
| --- | --- |

partner: person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118j
      range:  [0,1]              units:  1
unique values:  2                missing .:  3,766/9,372
   tabulation:  Freq.  Numeric  Label
               5,361       0  no
                 245       1  yes
               3,766       .
```

| d118k | current |
| --- | --- |

boyfriend: person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118k
      range:  [0,0]              units:  1
unique values:  1                missing .:  3,766/9,372
   tabulation:  Freq.  Numeric  Label
               5,606       0  no
               3,766       .
```

| d118l | former |
| --- | --- |

boyfriend: person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118l
      range:  [0,1]              units:  1
unique values:  2                missing .:  3,766/9,372
   tabulation:  Freq.  Numeric  Label
               5,601       0  no
                   5       1  yes
               3,766       .
```

| d118m | na - step- |
| --- | --- |

mother: person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118m
      range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

| d118n | na - step-father: |
| --- | --- |

person who hurt respondent during a pregnancy

```
       type:  numeric (byte)
      label:  d118n
```

range: [.,.]            units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372      .

---

| d118o | mother-in- |
|---|---|

law: person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118o
range: [0,1]           units: 1
unique values: 2          missing .: 3,766/9,372
tabulation: Freq.  Numeric  Label
      5,605    0  no
         1    1  yes
      3,766      .

---

| d118p | father-in-law: |
|---|---|

person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118p
range: [0,0]           units: 1
unique values: 1          missing .: 3,766/9,372
tabulation: Freq.  Numeric  Label
      5,606    0  no
      3,766      .

---

| d118q | other in-law: |
|---|---|

person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118q
range: [0,1]           units: 1
unique values: 2          missing .: 3,766/9,372
tabulation: Freq.  Numeric  Label
      5,601    0  no
        5    1  yes
      3,766      .

---

| d118r | na - other female/male |
|---|---|

in-law: person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118r
range: [.,.]            units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372      .

---

| d118s | na - female friend: |
|---|---|

person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118s
range: [.,.]            units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372      .

| d118t | na - male friend: |
|---|---|

person who hurt respondent during a pregnancy

```
        type:  numeric (byte)
        label:  d118t
        range:  [.,.]               units:  .
 unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| d118u | na - neighbor: |
|---|---|

person who hurt respondent during a pregnancy

```
        type:  numeric (byte)
        label:  d118u
        range:  [.,.]               units:  .
 unique values:  0              missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
          9,372       .
```

| d118v | teacher: |
|---|---|

person who hurt respondent during a pregnancy

```
        type:  numeric (byte)
        label:  d118v
        range:  [0,0]               units:  1
 unique values:  1              missing .:  3,766/9,372
    tabulation:  Freq.  Numeric  Label
          5,606       0  no
          3,766       .
```

| d118w | employer: |
|---|---|

person who hurt respondent during a pregnancy

```
        type:  numeric (byte)
        label:  d118w
        range:  [0,1]               units:  1
 unique values:  2              missing .:  3,766/9,372
    tabulation:  Freq.  Numeric  Label
          5,604       0  no
              2       1  yes
          3,766       .
```

| d118x | other: |
|---|---|

person who hurt respondent during a pregnancy

```
        type:  numeric (byte)
        label:  d118x
        range:  [0,1]               units:  1
 unique values:  2              missing .:  3,766/9,372
    tabulation:  Freq.  Numeric  Label
          5,583       0  no
             23       1  yes
          3,766       .
```

| d118y |
|---|

respondent was not hurt by anyone during a pregnancy

```
        type:  numeric (byte)
```

label: d118y
range: [0,1]        units: 1
unique values: 2        missing .: 3,766/9,372
tabulation: Freq.  Numeric  Label
         395     0  someone hurt respondent during
                           pregnancy
      5,211     1  no one hurt respondent during
                           pregnancy
      3,766     .

---

**d118xa**                                      na - stranger:
person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118xa
range: [.,.]        units: .
unique values: 0        missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372     .

---

**d118xb**                                 na - other female in-law/
family: person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118xb
range: [.,.]        units: .
unique values: 0        missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372     .

---

**d118xc**                                 na - other male in-law/
family: person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118xc
range: [.,.]        units: .
unique values: 0        missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372     .

---

**d118xd**                                      na - friend:
person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118xd
range: [.,.]        units: .
unique values: 0        missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
      9,372     .

---

**d118xe**                                           police:
person who hurt respondent during a pregnancy

type: numeric (byte)
label: d118xe
range: [0,0]        units: 1
unique values: 1        missing .: 3,766/9,372
tabulation: Freq.  Numeric  Label
      5,606     0  no

3,766        .

---

d118xf                                                                                  na - religious
leader: person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xf
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

---

d118xg                                                                                  na - lawyer:
person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xg
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

---

d118xh                                                                                  na - doctor:
person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xh
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

---

d118xi                                                                                  na - cs:
person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xi
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

---

d118xj                                                                                  na - cs:
person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xj
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
          9,372        .

---

d118xk                                                                                  na - cs:
person who hurt respondent during a pregnancy

        type:  numeric (byte)
        label:  d118xk
        range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label

```
        9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119a                                                                  na -   │
│ husband/partner: person respondent went to seek help                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119a
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119b                                                                  na -   │
│ mother: person respondent went to seek help                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119b
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119c                                                                  na -   │
│ father: person respondent went to seek help                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119c
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119d                                                                  na -   │
│ daughter: person respondent went to seek help                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119d
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119e                                                                  na -   │
│ son: person respondent went to seek help                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119e
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
              9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d119f                                                                  na -   │
│ sister: person respondent went to seek help                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  d119f
           range:  [.,.]                  units:  .
    unique values:  0                    missing .:  9,372/9,372
         tabulation:  Freq.  Numeric  Label
```

9,372       .

| d119g | na - |
|---|---|
| brother: person respondent went to seek help | |

            type:  numeric (byte)
           label:  d119g
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
            9,372       .

| d119h | own |
|---|---|
| family: person respondent went to seek help | |

            type:  numeric (byte)
           label:  d119h
           range:  [0,1]                   units:  1
    unique values:  2                    missing .:  7,438/9,372
        tabulation:  Freq.  Numeric  Label
            1,524       0  no
              410       1  yes
            7,438       .

| d119i | husband/ |
|---|---|
| partner family: person respondent went to seek help | |

            type:  numeric (byte)
           label:  d119i
           range:  [0,1]                   units:  1
    unique values:  2                    missing .:  7,438/9,372
        tabulation:  Freq.  Numeric  Label
            1,867       0  no
               67       1  yes
            7,438       .

| d119j | current/former |
|---|---|
| husband/partner: person respondent went to seek help | |

            type:  numeric (byte)
           label:  d119j
           range:  [0,1]                   units:  1
    unique values:  2                    missing .:  7,438/9,372
        tabulation:  Freq.  Numeric  Label
            1,921       0  no
               13       1  yes
            7,438       .

| d119k | current/ |
|---|---|
| former boyfriend: person respondent went to seek help | |

            type:  numeric (byte)
           label:  d119k
           range:  [0,1]                   units:  1
    unique values:  2                    missing .:  7,438/9,372
        tabulation:  Freq.  Numeric  Label
            1,932       0  no
                2       1  yes
            7,438       .

| d119l | na - former |
|---|---|

boyfriend alone: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119l
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119m | na - step- |
|---|---|

mother: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119m
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119n | na - step- |
|---|---|

father: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119n
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119o | na - |
|---|---|

mother-in-law: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119o
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119p | na - father- |
|---|---|

in-law: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119p
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119q | na - other |
|---|---|

female in-law: person respondent went to seek help

```
      type:  numeric (byte)
     label:  d119q
     range:  [.,.]              units:  .
unique values:  0          missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
         9,372         .
```

| d119r | na - other |
|---|---|
| male in-law: person respondent went to seek help | |

type: numeric (byte)
label: d119r
range: [.,.]                     units: .
unique values: 0               missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
              9,372        .

| d119s | na - female |
|---|---|
| friend: person respondent went to seek help | |

type: numeric (byte)
label: d119s
range: [.,.]                     units: .
unique values: 0               missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
              9,372        .

| d119t | na - male |
|---|---|
| friend: person respondent went to seek help | |

type: numeric (byte)
label: d119t
range: [.,.]                     units: .
unique values: 0               missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
              9,372        .

| d119u | na - |
|---|---|
| neighbor: person respondent went to seek help | |

type: numeric (byte)
label: d119u
range: [.,.]                     units: .
unique values: 0               missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
              9,372        .

| d119v | na - |
|---|---|
| teacher: person respondent went to seek help | |

type: numeric (byte)
label: d119v
range: [.,.]                     units: .
unique values: 0               missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
              9,372        .

| d119w | |
|---|---|
| employer: person respondent went to seek help | |

type: numeric (byte)
label: d119w
range: [0,1]                     units: 1
unique values: 2               missing .: 7,438/9,372
tabulation: Freq.  Numeric  Label
              1,933        0  no

```
                 1      1  yes
             7,438       .
```

```
  d119x
  other: person respondent went to seek help
            type:  numeric (byte)
           label:  d119x
           range:  [0,1]                  units:  1
   unique values:  2                    missing .:  7,438/9,372
       tabulation:  Freq.  Numeric  Label
               1,905       0  no
                  29       1  yes
               7,438       .
```

```
  d119y
  respondent did not seek help from anyone
            type:  numeric (byte)
           label:  d119y
           range:  [0,1]                  units:  1
   unique values:  2                    missing .:  7,435/9,372
       tabulation:  Freq.  Numeric  Label
                 783       0  sought help from someone
               1,154       1  no help was sought
               7,435       .
```

```
  d119xa                                                            na -
  stranger: person respondent went to seek help
            type:  numeric (byte)
           label:  d119xa
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
  d119xb                                                  social service
  organization: person respondent went to seek help
            type:  numeric (byte)
           label:  d119xb
           range:  [0,1]                  units:  1
   unique values:  2                    missing .:  7,438/9,372
       tabulation:  Freq.  Numeric  Label
               1,893       0  no
                  41       1  yes
               7,438       .
```

```
  d119xc                                                            na -
  cs: person respondent went to seek help
            type:  numeric (byte)
           label:  d119xc
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
               9,372       .
```

<br>

d119xd
friend: person respondent went to seek help

```
        type:  numeric (byte)
       label:  d119xd
       range:  [0,1]                 units:  1
unique values:  2              missing .:  7,438/9,372
    tabulation:  Freq.  Numeric  Label
              1,849      0  no
                 85      1  yes
              7,438      .
```

d119xe
police: person respondent went to seek help

```
        type:  numeric (byte)
       label:  d119xe
       range:  [0,1]                 units:  1
unique values:  2              missing .:  7,438/9,372
    tabulation:  Freq.  Numeric  Label
              1,708      0  no
                226      1  yes
              7,438      .
```

d119xf                                                              religious
leader: person respondent went to seek help

```
        type:  numeric (byte)
       label:  d119xf
       range:  [0,1]                 units:  1
unique values:  2              missing .:  7,438/9,372
    tabulation:  Freq.  Numeric  Label
              1,922      0  no
                 12      1  yes
              7,438      .
```

d119xg
lawyer: person respondent went to seek help

```
        type:  numeric (byte)
       label:  d119xg
       range:  [0,1]                 units:  1
unique values:  2              missing .:  7,438/9,372
    tabulation:  Freq.  Numeric  Label
              1,930      0  no
                  4      1  yes
              7,438      .
```

d119xh
doctor: person respondent went to seek help

```
        type:  numeric (byte)
       label:  d119xh
       range:  [0,1]                 units:  1
unique values:  2              missing .:  7,438/9,372
    tabulation:  Freq.  Numeric  Label
              1,896      0  no
                 38      1  yes
              7,438      .
```

```
  d119xi                                                                    na -
cs: person respondent went to seek help

           type:  numeric (byte)
           label:  d119xi
           range:  [.,.]                    units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .


  d119xj                                                                    na -
cs: person respondent went to seek help

           type:  numeric (byte)
           label:  d119xj
           range:  [.,.]                    units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .


  d119xk                                                                    na -
cs: person respondent went to seek help

           type:  numeric (byte)
           label:  d119xk
           range:  [.,.]                    units:  .
    unique values:  0                missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
              9,372        .


  d120
main reason never sought help

           type:  numeric (byte)
           label:  d120
           range:  [1,96]                   units:  1
    unique values:  9                missing .:  8,965/9,372
        tabulation:  Freq.  Numeric  Label
                 48       1  don't know where to go to
                133       2  no use
                 26       3  part of life
                 18       4  afraid of divorce
                 59       5  afraid of further beatings
                 36       6  afraid of getting the person in
                              trouble
                 46       7  embarrassed
                  2       8  don't want to disgrace family
                 39      96  other
              8,965        .


  d121
respondent's father ever beat her mother

           type:  numeric (byte)
           label:  d121
           range:  [0,8]                    units:  1
    unique values:  3                missing .:  2,378/9,372
        tabulation:  Freq.  Numeric  Label
```

```
        5,841      0  no
        1,034      1  yes
          119      8  don't know
        2,378         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d122a                                                                         │
│ interview interrupted: husband's presence                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d122a
          range:  [0,2]                 units:  1
   unique values:  3                  missing .:  2,396/9,372
      tabulation:  Freq.  Numeric  Label
               6,727      0  no
                 133      1  yes, once
                 116      2  yes, more than once
               2,396         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d122b                                                                         │
│ interview interrupted: other adult male's presence                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d122b
          range:  [0,2]                 units:  1
   unique values:  3                  missing .:  2,396/9,372
      tabulation:  Freq.  Numeric  Label
               6,503      0  no
                 229      1  yes, once
                 244      2  yes, more than once
               2,396         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d122c                                                                         │
│ interview interrupted: adult female's presence                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d122c
          range:  [0,2]                 units:  1
   unique values:  3                  missing .:  2,396/9,372
      tabulation:  Freq.  Numeric  Label
               6,397      0  no
                 236      1  yes, once
                 343      2  yes, more than once
               2,396         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d123                                                                          │
│ na - first sex was wanted or forced                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d123
          range:  [.,.]                 units:  .
   unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d124                                                       ever forced to have sex by │
│ anyone other than husband/partner in last 12 months                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d124
```

```
          range: [0,1]                units: 1
  unique values: 2                  missing .: 9,044/9,372
     tabulation: Freq.  Numeric  Label
               311      0  no
                17      1  yes
             9,044       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d125                                                                      ever │
│ forced to perform unwanted sexual acts                                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d125
          range: [0,6]                units: 1
  unique values: 3                  missing .: 2,386/9,372
     tabulation: Freq.  Numeric  Label
             6,653      0  no
               329      1  yes
                 4      6  refused to answer/no response
             2,386       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d126                                                                          │
│ age at first forced sexual act                                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d126, but 41 nonmissing values are not labeled
          range: [5,98]               units: 1
  unique values: 42                 missing .: 8,846/9,372
       examples:  .
                  .
                  .
                  .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d127                                                                na - person │
│ who forced respondent into first sexual act                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d127
          range: [.,.]                units: .
  unique values: 0                  missing .: 9,372/9,372
     tabulation: Freq.  Numeric  Label
             9,372       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d128                                                                          │
│ ever told anyone else about violence                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d128
          range: [0,1]                units: 1
  unique values: 2                  missing .: 8,220/9,372
     tabulation: Freq.  Numeric  Label
               606      0  no
               546      1  yes
             8,220       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ d129                                                        respondent afraid of │
│ husband/partner most of the time, sometimes or never                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
           type:  numeric (byte)
          label:  d129
```

```
          range:  [0,2]                    units:  1
  unique values:  3                    missing .:  3,585/9,372
      tabulation:  Freq.  Numeric  Label
                  4,995      0  never afraid
                    249      1  most of the time afraid
                    543      2  sometimes afraid
                  3,585       .
```

---

```
 d130a                                              previous husband:
ever hit, slap, kick or physically hurt respondent
            type:  numeric (byte)
           label:  d130a
           range:  [0,4]                    units:  1
  unique values:  5                    missing .:  7,013/9,372
      tabulation:  Freq.  Numeric  Label
                  1,752      0  never
                     35      1  0-11 months ago
                    127      3  yes, but don't remember when
                      6      4  yes, but frequency in last 12
                               months missing
                  7,013       .
```

---

```
 d130b                                              previous husband:
physically forced to have sex or to perform sexual acts
            type:  numeric (byte)
           label:  d130b
           range:  [0,4]                    units:  1
  unique values:  5                    missing .:  7,012/9,372
      tabulation:  Freq.  Numeric  Label
                  2,100      0  never
                     21      1  0-11 months ago
                     59      3  yes, but don't remember when
                      2      4  yes, but frequency in last 12
                               months missing
                  7,012       .
```

---

```
 sprovin
province
            type:  numeric (byte)
           label:  sprovin
           range:  [1,32]                   units:  1
  unique values:  32                   missing .:  0/9,372
        examples:  6    duarte
                   14    maria trinidad sánchez
                   21    san cristóbal
                   27    valverde
```

---

```
 sestr
structure number
            type:  numeric (byte)
           range:  [.,.]                    units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Value
                  9,372  .
```

```
smunic
na - municipality
           type:  numeric (byte)
          range:  [.,.]                   units:  .
  unique values:  0                missing .:  9,372/9,372
      tabulation:  Freq.  Value
              9,372  .
```

```
seduc
education
           type:  numeric (byte)
          label:  seduc
          range:  [0,4]                   units:  1
  unique values:  5                missing .:  0/9,372
      tabulation:  Freq.  Numeric  Label
                 313      0  no education
                 837      1  primary 1-4
               2,206      2  primary 5-8
               3,817      3  secondary
               2,199      4  higher
```

```
s106b
currently attending school
           type:  numeric (byte)
          label:  s106b
          range:  [0,1]                   units:  1
  unique values:  2                missing .:  4,541/9,372
      tabulation:  Freq.  Numeric  Label
               2,480      0  no
               2,351      1  yes
               4,541         .
```

```
s106c                                                          how do you
consider the quality of the education you are receiving?
           type:  numeric (byte)
          label:  s106c
          range:  [1,5]                   units:  1
  unique values:  5                missing .:  7,022/9,372
      tabulation:  Freq.  Numeric  Label
                 460      1  very good
               1,653      2  good
                 229      3  regular
                   7      4  bad
                   1      5  very bad
               7,022         .
```

```
s106d
reason why not attending school
           type:  numeric (byte)
          label:  s106d
          range:  [1,96]                  units:  1
  unique values:  13               missing .:  6,901/9,372
       examples:  10    didn't want to continue studying
```

.
.
.

s108b
which literacy program are you participating?

          type:  numeric (byte)
         label:  s108b
         range:  [1,6]                units:  1
  unique values:  2                   missing .:  9,015/9,372
     tabulation:  Freq.   Numeric  Label
                    309      1  quisqueya aprende contigo
                     48      6  other
                  9,015       .

s117
have you travel in the last 12 months

          type:  numeric (byte)
         label:  s117
         range:  [0,1]                units:  1
  unique values:  2                   missing .:  2/9,372
     tabulation:  Freq.   Numeric  Label
                  9,058      0  no
                    312      1  yes
                      2       .

s118                                                              where did you go
the last time you traveled out of the country?

          type:  numeric (byte)
         label:  s118
         range:  [1,8]                units:  1
  unique values:  5                   missing .:  9,060/9,372
     tabulation:  Freq.   Numeric  Label
                    105      1  united state
                     13      2  puerto rico
                     20      3  spain
                    117      4  haití
                     57      8  other
                  9,060       .

s119
main purpose of your trip

          type:  numeric (byte)
         label:  s119
         range:  [1,8]                units:  1
  unique values:  4                   missing .:  9,060/9,372
     tabulation:  Freq.   Numeric  Label
                     44      1  work/business
                    231      2  vacation
                     13      3  study
                     24      8  other
                  9,060       .

| s901a | received |
|---|---|
| information about hiv last 6 months on: tv | |

        type:  numeric (byte)
       label:  s901a
       range:  [0,8]                 units:  1
unique values:  3                 missing .:  57/9,372
   tabulation:  Freq.   Numeric  Label
                2,787      0  no
                6,522      1  yes
                    6      8  don't know
                   57       .

| s901b | received |
|---|---|
| information about hiv last 6 months on: radio | |

        type:  numeric (byte)
       label:  s901b
       range:  [0,8]                 units:  1
unique values:  3                 missing .:  59/9,372
   tabulation:  Freq.   Numeric  Label
                4,390      0  no
                4,919      1  yes
                    4      8  don't know
                   59       .

| s901c | received |
|---|---|
| information about hiv last 6 months on: newspaper | |

        type:  numeric (byte)
       label:  s901c
       range:  [0,8]                 units:  1
unique values:  3                 missing .:  68/9,372
   tabulation:  Freq.   Numeric  Label
                5,609      0  no
                3,688      1  yes
                    7      8  don't know
                   68       .

| s901d | received |
|---|---|
| information about hiv last 6 months on: pamphlets | |

        type:  numeric (byte)
       label:  s901d
       range:  [0,8]                 units:  1
unique values:  3                 missing .:  64/9,372
   tabulation:  Freq.   Numeric  Label
                4,842      0  no
                4,463      1  yes
                    3      8  don't know
                   64       .

| s901e | received |
|---|---|
| information about hiv last 6 months on: posters | |

        type:  numeric (byte)
       label:  s901e
       range:  [0,8]                 units:  1
unique values:  3                 missing .:  66/9,372

```
  tabulation:  Freq.  Numeric  Label
               5,388      0  no
               3,913      1  yes
                   5      8  don't know
                  66       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s901f                                                               received │
│ information about hiv last 6 months on: school                                │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  s901f
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  67/9,372
  tabulation:  Freq.  Numeric  Label
               5,749      0  no
               3,551      1  yes
                   5      8  don't know
                  67       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s901g                                                               received │
│ information about hiv last 6 months on: conference                            │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  s901g
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  65/9,372
  tabulation:  Freq.  Numeric  Label
               3,528      0  no
               5,778      1  yes
                   1      8  don't know
                  65       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s901h                                                               received │
│ information about hiv last 6 months on: text messages                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  s901h
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  58/9,372
  tabulation:  Freq.  Numeric  Label
               7,726      0  no
               1,585      1  yes
                   3      8  don't know
                  58       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s901i                                                               received │
│ information about hiv last 6 months on: social network                        │
└─────────────────────────────────────────────────────────────────────────────┘
```
         type:  numeric (byte)
        label:  s901i
        range:  [0,8]                  units:  1
 unique values:  3                  missing .:  61/9,372
  tabulation:  Freq.  Numeric  Label
               6,899      0  no
               2,408      1  yes
                   4      8  don't know
                  61       .
```

| s901j | received |
|---|---|
| information about hiv last 6 months on: internet | |

```
       type:  numeric (byte)
      label:  s901j
      range:  [0,8]              units:  1
unique values:  3               missing .:  59/9,372
   tabulation:  Freq.  Numeric  Label
              6,603      0  no
              2,705      1  yes
                  5      8  don't know
                 59      .
```

| s910a | can you avoid |
|---|---|
| transmitting the hiv/aids to the baby by doing c-section? | |

```
       type:  numeric (byte)
      label:  s910a
      range:  [0,8]              units:  1
unique values:  3               missing .:  774/9,372
   tabulation:  Freq.  Numeric  Label
                987      0  no
              6,526      1  yes
              1,085      8  don't know
                774      .
```

| s910b | can you avoid |
|---|---|
| transmitting the hiv/aids to the baby by not breastfeeding? | |

```
       type:  numeric (byte)
      label:  s910b
      range:  [0,8]              units:  1
unique values:  3               missing .:  774/9,372
   tabulation:  Freq.  Numeric  Label
                754      0  no
              7,113      1  yes
                731      8  don't know
                774      .
```

| s914d | talk during |
|---|---|
| antenatal visit: syphilis transmitted mother to child | |

```
       type:  numeric (byte)
      label:  s914d
      range:  [0,8]              units:  1
unique values:  3               missing .:  7,572/9,372
   tabulation:  Freq.  Numeric  Label
                936      0  no
                772      1  yes
                 92      8  don't know
              7,572      .
```

| s914e | talk during |
|---|---|
| antenatal visit: getting tested for syphilis virus | |

```
       type:  numeric (byte)
      label:  s914e
      range:  [0,8]              units:  1
unique values:  3               missing .:  7,572/9,372
```

```
     tabulation: Freq.  Numeric  Label
              888      0  no
              795      1  yes
              117      8  don't know
            7,572         .
```

```
 s918                                                                        number
 of months of pregnancy when tested for hiv
         type:  numeric (byte)
         label:  s918, but 10 nonmissing values are not labeled
         range:  [0,98]                units:  1
 unique values:  13                missing .:  7,619/9,372
      examples:  .
                 .
                 .
                 .
```

```
 s919                                                                        before
 doing the hiv test did you receive counseling?
         type:  numeric (byte)
         label:  s919
         range:  [0,8]                units:  1
 unique values:  3                 missing .:  7,619/9,372
     tabulation: Freq.  Numeric  Label
              553      0  no
            1,198      1  yes
                2      8  don't know
            7,619         .
```

```
 s928a                                                                       before
 doing the hiv test did you receive counseling?
         type:  numeric (byte)
         label:  s928a
         range:  [0,8]                units:  1
 unique values:  3                 missing .:  2,783/9,372
     tabulation: Freq.  Numeric  Label
            2,692      0  no
            3,881      1  yes
               16      8  don't know
            2,783         .
```

```
 s928b                                                                        after
 doing the hiv test did you receive counseling?
         type:  numeric (byte)
         label:  s928b
         range:  [0,8]                units:  1
 unique values:  3                 missing .:  2,790/9,372
     tabulation: Freq.  Numeric  Label
            3,951      0  no
            2,615      1  yes
               16      8  don't know
            2,790         .
```

| s931a | | | knows of any |
| --- | --- | --- | --- |

organization that provide free hiv test to pregnant women?

```
        type:  numeric (byte)
       label:  s931a
       range:  [0,8]              units:  1
unique values:  3              missing .:  56/9,372
   tabulation:  Freq.  Numeric  Label
               1,562     0  no
               6,314     1  yes
               1,440     8  don't know
                  56        .
```

| s931b | | | knows of any |
| --- | --- | --- | --- |

organization that provide free hiv test to any person?

```
        type:  numeric (byte)
       label:  s931b
       range:  [0,8]              units:  1
unique values:  3              missing .:  58/9,372
   tabulation:  Freq.  Numeric  Label
               1,778     0  no
               5,988     1  yes
               1,548     8  don't know
                  58        .
```

| s931c | | | knows of the |
| --- | --- | --- | --- |

country has hiv treatment available for rape cases?

```
        type:  numeric (byte)
       label:  s931c
       range:  [0,8]              units:  1
unique values:  3              missing .:  60/9,372
   tabulation:  Freq.  Numeric  Label
               2,608     0  no
               3,829     1  yes
               2,875     8  don't know
                  60        .
```

| s931d | | | know where to |
| --- | --- | --- | --- |

get free treatment for people living with hiv/aids?

```
        type:  numeric (byte)
       label:  s931d
       range:  [0,8]              units:  1
unique values:  3              missing .:  62/9,372
   tabulation:  Freq.  Numeric  Label
               1,703     0  no
               5,864     1  yes
               1,743     8  don't know
                  62        .
```

| s936a | | | have you heard |
| --- | --- | --- | --- |

of a disease that affects people living with hiv?

```
        type:  numeric (byte)
       label:  s936a
       range:  [0,1]              units:  1
unique values:  2              missing .:  58/9,372
```

```
tabulation: Freq.  Numeric  Label
          3,792     0  no
          5,522     1  yes
             58        .
```

s936ba
have you heard of tuberculosis?
```
        type:  numeric (byte)
        label:  s936ba
        range:  [0,1]              units:  1
unique values:  2                missing .:  3/9,372
    tabulation: Freq.  Numeric  Label
          7,022     0  no
          2,347     1  yes
              3        .
```

s936bb
have you heard of pneumonia?
```
        type:  numeric (byte)
        label:  s936bb
        range:  [0,1]              units:  1
unique values:  2                missing .:  3/9,372
    tabulation: Freq.  Numeric  Label
          8,603     0  no
            766     1  yes
              3        .
```

s936bc
have you heard of cancer?
```
        type:  numeric (byte)
        label:  s936bc
        range:  [0,1]              units:  1
unique values:  2                missing .:  3/9,372
    tabulation: Freq.  Numeric  Label
          8,670     0  no
            699     1  yes
              3        .
```

s936bd
have you heard of diabetes?
```
        type:  numeric (byte)
        label:  s936bd
        range:  [0,1]              units:  1
unique values:  2                missing .:  3/9,372
    tabulation: Freq.  Numeric  Label
          9,137     0  no
            232     1  yes
              3        .
```

s936be                                                                   have
you heard of human papillomavirus (hpv)?
```
        type:  numeric (byte)
        label:  s936be
        range:  [0,1]              units:  1
```

```
    unique values: 2                 missing .: 3/9,372
      tabulation: Freq.  Numeric  Label
              8,547      0  no
                822      1  yes
                  3         .
```

┌──────────────────────────────────────────────────────────────────┐
│ s936bf                                                             │
│ have you heard of gonorrhea?                                       │
└──────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  s936bf
           range:  [0,1]              units:  1
    unique values: 2                 missing .: 3/9,372
      tabulation: Freq.  Numeric  Label
              9,161      0  no
                208      1  yes
                  3         .
```

┌──────────────────────────────────────────────────────────────────┐
│ s936bg                                                             │
│ have you heard of flu?                                             │
└──────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  s936bg
           range:  [0,1]              units:  1
    unique values: 2                 missing .: 3/9,372
      tabulation: Freq.  Numeric  Label
              8,962      0  no
                407      1  yes
                  3         .
```

┌──────────────────────────────────────────────────────────────────┐
│ s936bh                                                             │
│ have you heard of hepatitis?                                       │
└──────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  s936bh
           range:  [0,1]              units:  1
    unique values: 2                 missing .: 3/9,372
      tabulation: Freq.  Numeric  Label
              9,168      0  no
                201      1  yes
                  3         .
```

┌──────────────────────────────────────────────────────────────────┐
│ s936bi                                                             │
│ have you heard of sífilis?                                         │
└──────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  s936bi
           range:  [0,1]              units:  1
    unique values: 2                 missing .: 3/9,372
      tabulation: Freq.  Numeric  Label
              9,159      0  no
                210      1  yes
                  3         .
```

┌──────────────────────────────────────────────────────────────────┐
│ s936bx                                                             │
│ have you heard of other diseases?                                  │
└──────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
           label:  s936bx
```

```
                 range:  [0,1]                    units:  1
          unique values:  2                    missing .:  3/9,372
             tabulation:  Freq.  Numeric  Label
                         8,985      0  no
                           384      1  yes
                             3         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s936bz                                                                       │
│ have you heard of none diseases?                                              │
└─────────────────────────────────────────────────────────────────────────────┘

```
                   type:  numeric (byte)
                  label:  s936bz
                  range:  [0,1]                    units:  1
          unique values:  2                    missing .:  3/9,372
             tabulation:  Freq.  Numeric  Label
                         9,233      0  no
                           136      1  yes
                             3         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s951                                                                         │
│ do you know the law about aids?                                               │
└─────────────────────────────────────────────────────────────────────────────┘

```
                   type:  numeric (byte)
                  label:  s951
                  range:  [0,1]                    units:  1
          unique values:  2                    missing .:  2/9,372
             tabulation:  Freq.  Numeric  Label
                         5,382      0  no
                         3,988      1  yes
                             2         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s1001                                                                        │
│ how tb is transmitted?                                                        │
└─────────────────────────────────────────────────────────────────────────────┘

```
                   type:  numeric (byte)
                  label:  s1001
                  range:  [1,98]                   units:  1
          unique values:  8                    missing .:  451/9,372
             tabulation:  Freq.  Numeric  Label
                         1,127      1  shaking hand
                         3,545      2  through air, coughing or
                                         sneezinge
                         1,737      3  sharing utensils like plates,
                                         glass, etc.
                           280      4  eating from the same plate of a
                                         person with tb
                            55      5  touching items in public places
                           445      6  sexual relation
                            81     96  other
                         1,651     98  don't know
                           451         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│  s1002a                                                              cough for │
│ more than 15 days: main signs and symptoms of tb                              │
└─────────────────────────────────────────────────────────────────────────────┘

```
                   type:  numeric (byte)
                  label:  s1002a
                  range:  [0,1]                    units:  1
```

```
unique values:  2                    missing .:  1/9,372

   tabulation:  Freq.   Numeric  Label
               3,153        0  no
               6,218        1  yes
                   1        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002b                                                                        │
│ weight loss: main signs and symptoms of tb                                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  s1002b

        range:  [0,1]                 units:  1
unique values:  2                    missing .:  1/9,372

   tabulation:  Freq.   Numeric  Label
               7,574        0  no
               1,797        1  yes
                   1        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002c                                                                        │
│ fever: main signs and symptoms of tb                                          │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  s1002c

        range:  [0,1]                 units:  1
unique values:  2                    missing .:  1/9,372

   tabulation:  Freq.   Numeric  Label
               7,296        0  no
               2,075        1  yes
                   1        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002d                                                                        │
│ severe headache: main signs and symptoms of tb                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  s1002d

        range:  [0,1]                 units:  1
unique values:  2                    missing .:  1/9,372

   tabulation:  Freq.   Numeric  Label
               8,469        0  no
                 902        1  yes
                   1        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002e                                                                difficult│
│ breathing: main signs and symptoms of tb                                      │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  s1002e

        range:  [0,1]                 units:  1
unique values:  2                    missing .:  1/9,372

   tabulation:  Freq.   Numeric  Label
               9,028        0  no
                 343        1  yes
                   1        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002f                                                                        │
│ chest pain: main signs and symptoms of tb                                     │
└─────────────────────────────────────────────────────────────────────────────┘

```
         type:  numeric (byte)
        label:  s1002f
```

```
                  range:  [0,1]                      units:  1
          unique values:  2                     missing .:  1/9,372
             tabulation:  Freq.   Numeric  Label
                          8,697      0  no
                            674      1  yes
                              1         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002g                                                                        │
│ tiredness: main signs and symptoms of tb                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  s1002g
                  range:  [0,1]                      units:  1
          unique values:  2                     missing .:  1/9,372
             tabulation:  Freq.   Numeric  Label
                          8,828      0  no
                            543      1  yes
                              1         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002h                                                                        │
│ dizziness: main signs and symptoms of tb                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  s1002h
                  range:  [0,1]                      units:  1
          unique values:  2                     missing .:  1/9,372
             tabulation:  Freq.   Numeric  Label
                          9,045      0  no
                            326      1  yes
                              1         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002i                                                                        │
│ rash: main signs and symptoms of tb                                           │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  s1002i
                  range:  [0,1]                      units:  1
          unique values:  2                     missing .:  1/9,372
             tabulation:  Freq.   Numeric  Label
                          9,193      0  no
                            178      1  yes
                              1         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002x                                                                        │
│ other: main signs and symptoms of tb                                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
                  label:  s1002x
                  range:  [0,1]                      units:  1
          unique values:  2                     missing .:  1/9,372
             tabulation:  Freq.   Numeric  Label
                          8,860      0  no
                            511      1  yes
                              1         .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1002z                                                                        │
│ don't know: main signs and symptoms of tb                                     │
└─────────────────────────────────────────────────────────────────────────────┘
```
                   type:  numeric (byte)
```

```
            label:  s1002z
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  1/9,372

        tabulation:  Freq.   Numeric  Label
                     7,548      0  no
                     1,823      1  yes
                         1         .
```

---

```
 s1004
how tb can be cure?
             type:  numeric (byte)
            label:  s1004
            range:  [1,8]                  units:  1
    unique values:  6                    missing .:  4,278/9,372

        tabulation:  Freq.   Numeric  Label
                       108      1  home remedies
                       202      2  staying home without medication
                     4,414      3  using medication from health
                                   center
                        78      4  good eating practice
                         7      6  other
                       285      8  don't know
                     4,278         .
```

---

```
 s1006a                                                              feel
sorry: what do you think about people with tb?
             type:  numeric (byte)
            label:  s1006a
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  1/9,372

        tabulation:  Freq.   Numeric  Label
                     4,339      0  no
                     5,032      1  yes
                         1         .
```

---

```
 s1006b                                             feel sorry but prefer to
keep them far from me: what do you think about people w
             type:  numeric (byte)
            label:  s1006b
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  1/9,372

        tabulation:  Freq.   Numeric  Label
                     8,829      0  no
                       542      1  yes
                         1         .
```

---

```
 s1006c                                                it's a problem and i
can't get tb: what do you think about people with tb?
             type:  numeric (byte)
            label:  s1006c
            range:  [0,1]                  units:  1
    unique values:  2                    missing .:  1/9,372

        tabulation:  Freq.   Numeric  Label
                     9,272      0  no
```

```
                        99    1  yes
                         1       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1006d                                                         i'm afraid to get │
│ infected: what do you think about people with tb?                              │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
            label: s1006d
            range: [0,1]                    units: 1
    unique values: 2                      missing .: 1/9,372
        tabulation: Freq.  Numeric  Label
               8,969    0  no
                 402    1  yes
                   1       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1006e                                                           i don't have any │
│ particular feeling: what do you think about people with tb?                    │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
            label: s1006e
            range: [0,1]                    units: 1
    unique values: 2                      missing .: 1/9,372
        tabulation: Freq.  Numeric  Label
               7,086    0  no
               2,285    1  yes
                   1       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1006x                                                                          │
│ other: what do you think about people with tb?                                 │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
            label: s1006x
            range: [0,1]                    units: 1
    unique values: 2                      missing .: 1/9,372
        tabulation: Freq.  Numeric  Label
               9,025    0  no
                 346    1  yes
                   1       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1006z                                                               don't know/ │
│ don't answer: what do you think about people with tb?                          │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
            label: s1006z
            range: [0,1]                    units: 1
    unique values: 2                      missing .: 1/9,372
        tabulation: Freq.  Numeric  Label
               8,876    0  no
                 495    1  yes
                   1       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1007                                                        in your municipality, are │
│ there places that offer free treatment to people with                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
            type:  numeric (byte)
            label: s1007
            range: [0,3]                    units: 1
    unique values: 3                      missing .: 439/9,372
        tabulation: Freq.  Numeric  Label
```

```
                      2,467      0  no
                      4,211      1  yes
                      2,255      3  don't know
                        439       .
```

```
 s1013                                                          actualmente
 fuma o utiliza cualquier (otro) tipo de tabaco
            type:  numeric (byte)
            label:  s1013
            range:  [0,1]                  units:  1
    unique values:  2                   missing .:  5/9,372
       tabulation:  Freq.  Numeric  Label
                    9,291      0  no
                       76      1  yes
                        5       .
```

```
 s1015                                                                 have
 you had alcohol drinks during last 30 days?
            type:  numeric (byte)
            label:  s1015
            range:  [0,1]                  units:  1
    unique values:  2                   missing .:  1/9,372
       tabulation:  Freq.  Numeric  Label
                    5,618      0  no
                    3,753      1  yes
                        1       .
```

```
 s1016                                                          during last 30
 days, on how many occasion did you drink alcohol?
            type:  numeric (byte)
            label:  s1016, but 22 nonmissing values are not labeled
            range:  [1,98]                 units:  1
    unique values:  23                  missing .:  5,620/9,372
         examples:  2
                    30
                     .
                     .
```

```
 s1017                                                    during last 30 days, how
 many times did you have 4 or more alcoholic drink?
            type:  numeric (byte)
            label:  s1017, but 22 nonmissing values are not labeled
            range:  [0,98]                 units:  1
    unique values:  23                  missing .:  5,620/9,372
         examples:  1
                    98   don't know
                     .
                     .
```

```
 s1017a
 have you used drugs?
            type:  numeric (byte)
            label:  s1017a
            range:  [0,8]                  units:  1
```

unique values:  3                    missing .:  9/9,372
   tabulation:  Freq.   Numeric  Label
            9,251      0  no
              103      1  yes
                9      8  unsure
                9       .

---

**s1017b**
have you used drugs during last 6 months?
          type:  numeric (byte)
         label:  s1017b
         range:  [0,1]              units:  1
  unique values:  2                  missing .:  9,269/9,372
   tabulation:  Freq.   Numeric  Label
               83      0  no
               20      1  yes
            9,269       .

---

**s1017c**
have you used injected drugs?
          type:  numeric (byte)
         label:  s1017c
         range:  [0,1]              units:  1
  unique values:  2                  missing .:  9,270/9,372
   tabulation:  Freq.   Numeric  Label
              101      0  no
                1      1  yes
            9,270       .

---

**s1017d**                                                      have
you used injected drugs during last 6 months?
          type:  numeric (byte)
         label:  s1017d
         range:  [.,.]              units:  .
  unique values:  1                  missing .:  9,371/9,372
   tabulation:  Freq.   Numeric  Label
                1      0  no
            9,371       .

---

**s1018**                                                        in a
regular week, how many days do you eat fruits?
          type:  numeric (byte)
         label:  s1018, but 7 nonmissing values are not labeled
         range:  [0,7]              units:  1
  unique values:  8                  missing .:  1/9,372
   tabulation:  Freq.   Numeric  Label
            1,370      0  none
            1,227      1
            1,954      2
            1,745      3
              582      4
              690      5
              416      6
            1,387      7

1        .

---

**s1019**                                                                    how many
portions of fruits do you eat one of  these days?

        type:  numeric (byte)
       range:  [0,20]                 units:  1
  unique values:  14                  missing .:  1,370/9,372
        mean:  1.95289
     std. dev:  1.29584
   percentiles:      10%      25%      50%      75%      90%
                      1        1        2        2        3

---

**s1020**                                                                    in a regular
week, how many days do you eat salad or vegetable?

        type:  numeric (byte)
       label:  s1020, but 7 nonmissing values are not labeled
       range:  [0,7]                  units:  1
  unique values:  8                   missing .:  2/9,372
    tabulation:  Freq.  Numeric  Label
              1,627       0  none
              1,530       1
              2,014       2
              1,698       3
                652       4
                569       5
                303       6
                977       7
                  2       .

---

**s1021**                                                                    how many
portions of salad do you eat one of  these days?

        type:  numeric (byte)
       range:  [0,14]                 units:  1
  unique values:  11                  missing .:  1,630/9,372
        mean:  1.53694
     std. dev:  1.02462
   percentiles:      10%      25%      50%      75%      90%
                      1        1        1        2        3

---

**s1022**
type of oil used for cooking?

        type:  numeric (byte)
       label:  s1022
       range:  [1,8]                  units:  1
  unique values:  6                   missing .:  3/9,372
    tabulation:  Freq.  Numeric  Label
              9,328       1  vegetable oil
                 17       2  lard
                  2       4  margarine
                 15       5  none
                  1       6  other
                  6       8  don't know
                  3       .

s1023                                                                                          in a
regular week, how many days do you exercise?

                type:  numeric (byte)
               label:  s1023, but 7 nonmissing values are not labeled
               range:  [0,7]                    units:  1
       unique values:  8                      missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                       7,110       0  none
                         181       1
                         401       2
                         414       3
                         169       4
                         663       5
                         112       6
                         322       7

s1024u                                                                                        one of
these days, for how long do you exercise: units?

                type:  numeric (byte)
               label:  s1024u
               range:  [1,9]                    units:  1
       unique values:  3                      missing .:  7,110/9,372
          tabulation:  Freq.   Numeric  Label
                       1,104       1  minutes
                       1,157       2  hours
                           1       9  special answer
                       7,110        .

s1024n                                                                                        one of
these days, for how long do you exercise: number?

                type:  numeric (byte)
               range:  [1,90]                   units:  1
       unique values:  30                     missing .:  7,111/9,372
                mean:  23.9447
            std. dev:  26.4792
         percentiles:      10%     25%     50%     75%     90%
                            1       2       5      50      60

s1025                                                                                   a professional
health provider has measured your blood pressure?

                type:  numeric (byte)
               label:  s1025
               range:  [0,1]                    units:  1
       unique values:  2                      missing .:  0/9,372
          tabulation:  Freq.   Numeric  Label
                       1,372       0  no
                       8,000       1  yes

s1026                                                                               a professional health
provider has told you that you have high blood pressure

                type:  numeric (byte)
               label:  s1026
               range:  [0,1]                    units:  1
       unique values:  2                      missing .:  1,374/9,372

```
tabulation: Freq.  Numeric  Label
             6,276     0  no
             1,722     1  yes
             1,374      .
```

s1027                                                                    have been
told about high blood pressure last 12 months?

```
       type:  numeric (byte)
      label:  s1027
      range:  [0,1]                 units:  1
unique values:  2                   missing .:  7,661/9,372
   tabulation: Freq.  Numeric  Label
                618     0  no
              1,093     1  yes
              7,661      .
```

s1028a                                                                   treatment
for blood pressure: medication last 2 weeks?

```
       type:  numeric (byte)
      label:  s1028a
      range:  [0,1]                 units:  1
unique values:  2                   missing .:  7,656/9,372
   tabulation: Freq.  Numeric  Label
                961     0  no
                755     1  yes
              7,656      .
```

s1028b
treatment for blood pressure: eating salt?

```
       type:  numeric (byte)
      label:  s1028b
      range:  [0,1]                 units:  1
unique values:  2                   missing .:  7,656/9,372
   tabulation: Freq.  Numeric  Label
                905     0  no
                811     1  yes
              7,656      .
```

s1028c
treatment for blood pressure: loss weight?

```
       type:  numeric (byte)
      label:  s1028c
      range:  [0,1]                 units:  1
unique values:  2                   missing .:  7,656/9,372
   tabulation: Freq.  Numeric  Label
              1,188     0  no
                528     1  yes
              7,656      .
```

s1028d
treatment for blood pressure: stop smoking?

```
       type:  numeric (byte)
      label:  s1028d
      range:  [0,1]                 units:  1
```

```
      unique values:  2                missing .:  7,657/9,372
         tabulation:  Freq.  Numeric  Label
                1,509      0  no
                  206      1  yes
                7,657       .
```

```
 s1028e
 treatment for blood pressure: do more exercise?
               type:  numeric (byte)
              label:  s1028e
              range:  [0,1]              units:  1
      unique values:  2                missing .:  7,656/9,372
         tabulation:  Freq.  Numeric  Label
                1,163      0  no
                  553      1  yes
                7,656       .
```

```
 s1029                                                              a professional
 health provider has tested your glucose level?
               type:  numeric (byte)
              label:  s1029
              range:  [0,3]              units:  1
      unique values:  3                missing .:  1/9,372
         tabulation:  Freq.  Numeric  Label
                4,443      0  no
                4,876      1  yes
                   52      3  don't know
                    1       .
```

```
 s1030                                                         a professional health
 provider has told you that your glucose lever is high?
               type:  numeric (byte)
              label:  s1030
              range:  [0,1]              units:  1
      unique values:  2                missing .:  4,497/9,372
         tabulation:  Freq.  Numeric  Label
                4,490      0  no
                  385      1  yes
                4,497       .
```

```
 s1031                                                              have been told
 about high glucose level during last 12 months?
               type:  numeric (byte)
              label:  s1031
              range:  [0,1]              units:  1
      unique values:  2                missing .:  8,990/9,372
         tabulation:  Freq.  Numeric  Label
                  150      0  no
                  232      1  yes
                8,990       .
```

```
 s1032a
 treatment for glucose: currently using insulin?
               type:  numeric (byte)
```

label: s1032a
range: [0,1]                    units: 1
unique values: 2               missing .: 8,990/9,372
tabulation: Freq.  Numeric  Label
             340      0  no
              42      1  yes
           8,990       .

---

s1032b

treatment for glucose: pills last 2 weeks?

type: numeric (byte)
label: s1032b
range: [0,1]                    units: 1
unique values: 2               missing .: 8,988/9,372
tabulation: Freq.  Numeric  Label
             271      0  no
             113      1  yes
           8,988       .

---

s1032c                                                              treatment

for glucose: special diet prescribe by a doctor

type: numeric (byte)
label: s1032c
range: [0,1]                    units: 1
unique values: 2               missing .: 8,988/9,372
tabulation: Freq.  Numeric  Label
             253      0  no
             131      1  yes
           8,988       .

---

s1032d

treatment for glucose: treatment to lose weight

type: numeric (byte)
label: s1032d
range: [0,1]                    units: 1
unique values: 2               missing .: 8,988/9,372
tabulation: Freq.  Numeric  Label
             290      0  no
              94      1  yes
           8,988       .

---

s1032e

treatment for glucose: stop smoking

type: numeric (byte)
label: s1032e
range: [0,1]                    units: 1
unique values: 2               missing .: 8,989/9,372
tabulation: Freq.  Numeric  Label
             347      0  no
              36      1  yes
           8,989       .

---

s1032f

treatment for glucose: do more exercise

```
        type:  numeric (byte)
        label:  s1032f
        range:  [0,1]              units:  1
 unique values:  2                missing .:  8,988/9,372
    tabulation:  Freq.  Numeric  Label
              269      0  no
              115      1  yes
            8,988       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s1033                                                    a professional  │
│ health provider has measured your cholesterol?                            │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  s1033
        range:  [0,8]              units:  1
 unique values:  3                missing .:  1/9,372
    tabulation:  Freq.  Numeric  Label
            5,762       0  no
            3,530       1  yes
               79       8  don't know
                1         .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s1034                                               a professional health │
│ provider has told you that your cholesterol level is high?                │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  s1034
        range:  [0,1]              units:  1
 unique values:  2                missing .:  5,842/9,372
    tabulation:  Freq.  Numeric  Label
            2,822       0  no
              708       1  yes
            5,842        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s1035                                                    have been told  │
│ about high cholesterol level during last 12 months?                       │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  s1035
        range:  [0,1]              units:  1
 unique values:  2                missing .:  8,666/9,372
    tabulation:  Freq.  Numeric  Label
              249      0  no
              457      1  yes
            8,666       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s1036a                                                                   │
│ treatment for cholesterol: pills during last 2 weeks                      │
└─────────────────────────────────────────────────────────────────────────┘

```
        type:  numeric (byte)
        label:  s1036a
        range:  [0,1]              units:  1
 unique values:  2                missing .:  8,664/9,372
    tabulation:  Freq.  Numeric  Label
              477      0  no
              231      1  yes
            8,664       .
```

s1036b                                                                                    treatment for
cholesterol: special diet prescribe by a doctor

```
        type:  numeric (byte)
       label:  s1036b
       range:  [0,1]                  units:  1
unique values:  2                   missing .:  8,664/9,372
    tabulation:  Freq.  Numeric  Label
               368      0  no
               340      1  yes
             8,664       .
```

s1036c
treatment for cholesterol: loss weight

```
        type:  numeric (byte)
       label:  s1036c
       range:  [0,1]                  units:  1
unique values:  2                   missing .:  8,664/9,372
    tabulation:  Freq.  Numeric  Label
               431      0  no
               277      1  yes
             8,664       .
```

s1036d
treatment for cholesterol: stop smoking

```
        type:  numeric (byte)
       label:  s1036d
       range:  [0,1]                  units:  1
unique values:  2                   missing .:  8,664/9,372
    tabulation:  Freq.  Numeric  Label
               638      0  no
                70      1  yes
             8,664       .
```

s1036e
treatment for cholesterol: more exercise

```
        type:  numeric (byte)
       label:  s1036e
       range:  [0,1]                  units:  1
unique values:  2                   missing .:  8,664/9,372
    tabulation:  Freq.  Numeric  Label
               415      0  no
               293      1  yes
             8,664       .
```

s1037                                                                                             when
was the last time you had a breast exam?

```
        type:  numeric (byte)
       label:  s1037
       range:  [1,8]                  units:  1
unique values:  5                   missing .:  2/9,372
    tabulation:  Freq.  Numeric  Label
             1,504      1  less than 12 months ago
               703      2  12-23 months ago
             6,346      4  never
```

```
                    22      8  don't know
                     2       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1038                                                                         │
│ when was the last time you had a mammogram?                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s1038
          range:  [1,8]                  units:  1
   unique values:  5                   missing .:  6,354/9,372
      tabulation:  Freq.  Numeric  Label
                    883      1  less than 12 months ago
                    452      2  12-23 months ago
                  1,148      4  never
                     16      8  don't know
                  6,354       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1039                                                                         │
│ when was the last time you had papanicolou?                                   │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s1039
          range:  [1,8]                  units:  1
   unique values:  5                   missing .:  0/9,372
      tabulation:  Freq.  Numeric  Label
                  3,519      1  less than 12 months ago
                  1,439      2  12-23 months ago
                  3,166      4  never
                     40      8  don't know
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1043                                                          during last 12 │
│ months, have you been involved in a car accident?                             │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s1043
          range:  [0,1]                  units:  1
   unique values:  2                   missing .:  4/9,372
      tabulation:  Freq.  Numeric  Label
                  9,089      0  no
                    279      1  yes
                     4        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1044a                                                                        │
│ were you the driver on that accident?                                         │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s1044a
          range:  [0,1]                  units:  1
   unique values:  2                   missing .:  5/9,372
      tabulation:  Freq.  Numeric  Label
                  9,279      0  no
                     88      1  yes
                      5        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1044b                                                                        │
│ were you the passenger on that accident?                                      │
└─────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s1044b
```

range: [0,1]                    units: 1
unique values: 2                missing .: 5/9,372
tabulation: Freq.  Numeric  Label
              9,205      0  no
                162      1  yes
                  5        .

---

**s1044c**
were you the pedestrian on that accident?
         type:  numeric (byte)
         label: s1044c
         range: [0,1]                    units: 1
unique values: 2                missing .: 5/9,372
tabulation: Freq.  Numeric  Label
              9,345      0  no
                 22      1  yes
                  5        .

---

**s1044d**
were you the cyclist on that accident?
         type:  numeric (byte)
         label: s1044d
         range: [0,1]                    units: 1
unique values: 2                missing .: 5/9,372
tabulation: Freq.  Numeric  Label
              9,361      0  no
                  6      1  yes
                  5        .

---

**s1044x**
were you "other" on that accident?
         type:  numeric (byte)
         label: s1044x
         range: [0,1]                    units: 1
unique values: 2                missing .: 5/9,372
tabulation: Freq.  Numeric  Label
              9,365      0  no
                  2      1  yes
                  5        .

---

**s1045**                                                      have you suffered
any injure that have to receive medical assistance?
         type:  numeric (byte)
         label: s1045
         range: [0,1]                    units: 1
unique values: 2                missing .: 9,094/9,372
tabulation: Freq.  Numeric  Label
                110      0  no
                168      1  yes
              9,094        .

---

**s1046**                                                      in the last 12
months has been the victim of a severe accident?
         type:  numeric (byte)

```
              label: s1046
              range: [0,1]                  units: 1
      unique values: 2                   missing .: 0/9,372
         tabulation: Freq.  Numeric  Label
                 9,286      0  no
                    86      1  yes
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1047                                                                         │
│ how many times?                                                               │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type: numeric (byte)
              label: s1047, but 6 nonmissing values are not labeled
              range: [1,95]                units: 1
      unique values: 7                   missing .: 9,286/9,372
         tabulation: Freq.  Numeric  Label
                    64       1
                     9       2
                     4       3
                     3       4
                     4       5
                     1      10
                 9,286       .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1048a                                                                        │
│ type of accident: shot gun?                                                   │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type: numeric (byte)
              label: s1048a
              range: [0,1]                 units: 1
      unique values: 2                   missing .: 9,286/9,372
         tabulation: Freq.  Numeric  Label
                    83      0  no
                     3      1  yes
                 9,286      .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1048b                                                                        │
│ type of accident: stabbing                                                    │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type: numeric (byte)
              label: s1048b
              range: [0,1]                 units: 1
      unique values: 2                   missing .: 9,286/9,372
         tabulation: Freq.  Numeric  Label
                    72      0  no
                    14      1  yes
                 9,286      .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1048c                                                                        │
│ type of accident: other type of weapon?                                       │
└─────────────────────────────────────────────────────────────────────────────┘

```
               type: numeric (byte)
              label: s1048c
              range: [0,1]                 units: 1
      unique values: 2                   missing .: 9,286/9,372
         tabulation: Freq.  Numeric  Label
                    78      0  no
                     8      1  yes
                 9,286      .
```

```
s1048d
type of accident: bumps or jostling?
         type: numeric (byte)
         label: s1048d
         range: [0,1]              units: 1
  unique values: 2                missing .: 9,286/9,372
     tabulation: Freq.  Numeric  Label
               25      0  no
               61      1  yes
            9,286       .
```

```
s1104a1
ever been humiliated by husband/partner
         type: numeric (byte)
         label: s1104a1
         range: [0,1]              units: 1
  unique values: 2                missing .: 3,572/9,372
     tabulation: Freq.  Numeric  Label
            4,822      0  no
              978      1  yes
            3,572       .
```

```
s1104a2                                                          how many times in the
last 12 months ever been humiliated by husband/partner
         type: numeric (byte)
         label: s1104a2
         range: [1,4]              units: 1
  unique values: 4                missing .: 8,397/9,372
     tabulation: Freq.  Numeric  Label
              266      1  many times
              389      2  sometimes
              170      3  seldom
              150      4  never
            8,397       .
```

```
s1104b1                                                                      ever
been threatened with harm by husband/partner
         type: numeric (byte)
         label: s1104b1
         range: [0,1]              units: 1
  unique values: 2                missing .: 3,573/9,372
     tabulation: Freq.  Numeric  Label
            5,241      0  no
              558      1  yes
            3,573       .
```

```
s1104b2                                                          how many times in the last
12 months ever been threatened with harm by husband/p
         type: numeric (byte)
         label: s1104b2
         range: [1,4]              units: 1
  unique values: 4                missing .: 8,817/9,372
     tabulation: Freq.  Numeric  Label
```

```
        150      1  many times
        204      2  sometimes
         88      3  seldom
        113      4  never
      8,817        .
```

| s1104c1 | ever been |
| --- | --- |

insulted or made to feel bad by husband/partner

```
        type:  numeric (byte)
        label:  s1104c1
        range:  [0,1]            units:  1
  unique values:  2              missing .:  3,572/9,372
    tabulation:  Freq.  Numeric  Label
              4,317      0  no
              1,483      1  yes
              3,572        .
```

| s1104c2 | how many times in the last |
| --- | --- |

12 months ever been insulted or made to feel bad by h

```
        type:  numeric (byte)
        label:  s1104c2
        range:  [1,4]            units:  1
  unique values:  4              missing .:  7,895/9,372
    tabulation:  Freq.  Numeric  Label
                416      1  many times
                589      2  sometimes
                269      3  seldom
                203      4  never
              7,895        .
```

| s1105a1 | ever been pushed, |
| --- | --- |

shook or had something thrown by husband/partner

```
        type:  numeric (byte)
        label:  s1105a1
        range:  [0,1]            units:  1
  unique values:  2              missing .:  3,572/9,372
    tabulation:  Freq.  Numeric  Label
              5,033      0  no
                767      1  yes
              3,572        .
```

| s1105a2 | how many times in the last |
| --- | --- |

12 months ever been pushed, shook or had something th

```
        type:  numeric (byte)
        label:  s1105a2
        range:  [1,4]            units:  1
  unique values:  4              missing .:  8,606/9,372
    tabulation:  Freq.  Numeric  Label
                135      1  many times
                295      2  sometimes
                164      3  seldom
                172      4  never
              8,606        .
```

s1105b1
ever been slapped by husband/partner

```
       type:  numeric (byte)
      label:  s1105b1
      range:  [0,1]                units:  1
unique values:  2             missing .:  3,572/9,372
  tabulation:  Freq.  Numeric  Label
             5,145      0  no
               655      1  yes
             3,572       .
```

s1105b2                                                        how many times in
the last 12 months ever been slapped by husband/partner

```
       type:  numeric (byte)
      label:  s1105b2
      range:  [1,4]                units:  1
unique values:  4             missing .:  8,719/9,372
  tabulation:  Freq.  Numeric  Label
               110      1  many times
               214      2  sometimes
               170      3  seldom
               159      4  never
             8,719       .
```

s1105c1                                                                ever had
arm twisted or hair pulled by husband/partner

```
       type:  numeric (byte)
      label:  s1105c1
      range:  [0,1]                units:  1
unique values:  2             missing .:  3,573/9,372
  tabulation:  Freq.  Numeric  Label
             5,328      0  no
               471      1  yes
             3,573       .
```

s1105c2                                                  how many times in the last
12 months ever had arm twisted or hair pulled by husb

```
       type:  numeric (byte)
      label:  s1105c2
      range:  [1,4]                units:  1
unique values:  4             missing .:  8,902/9,372
  tabulation:  Freq.  Numeric  Label
                90      1  many times
               180      2  sometimes
                92      3  seldom
               108      4  never
             8,902       .
```

s1105d1                                                          ever been punched
with fist or hit by something harmful by husband/partner

```
       type:  numeric (byte)
      label:  s1105d1
      range:  [0,1]                units:  1
unique values:  2             missing .:  3,572/9,372
```

```
tabulation: Freq.  Numeric  Label
            5,393     0  no
              407     1  yes
            3,572        .
```

| s1105d2 | how many times in the last |
| --- | --- |
| 12 months ever been punched with fist or hit by somet | |

```
        type:  numeric (byte)
        label:  s1105d2
        range:  [1,4]              units:  1
unique values:  4                missing .:  8,966/9,372
    tabulation: Freq.  Numeric  Label
                  87     1  many times
                 138     2  sometimes
                  78     3  seldom
                 103     4  never
               8,966        .
```

| s1105e1 | ever |
| --- | --- |
| been kicked or dragged by husband/partner | |

```
        type:  numeric (byte)
        label:  s1105e1
        range:  [0,1]              units:  1
unique values:  2                missing .:  3,572/9,372
    tabulation: Freq.  Numeric  Label
               5,596     0  no
                 204     1  yes
               3,572        .
```

| s1105e2 | how many times in the last |
| --- | --- |
| 12 months ever been kicked or dragged by husband/part | |

```
        type:  numeric (byte)
        label:  s1105e2
        range:  [1,4]              units:  1
unique values:  4                missing .:  9,169/9,372
    tabulation: Freq.  Numeric  Label
                  49     1  many times
                  60     2  sometimes
                  41     3  seldom
                  53     4  never
               9,169        .
```

| s1105f1 | ever |
| --- | --- |
| been strangled or burnt by husband/partner | |

```
        type:  numeric (byte)
        label:  s1105f1
        range:  [0,1]              units:  1
unique values:  2                missing .:  3,572/9,372
    tabulation: Freq.  Numeric  Label
               5,629     0  no
                 171     1  yes
               3,572        .
```

| s1105f2 | | | how many times in the last |
|---|---|---|---|

12 months ever been strangled or burnt by husband/par

```
        type:  numeric (byte)
       label:  s1105f2
       range:  [1,4]              units:  1
unique values:  4               missing .:  9,201/9,372
   tabulation:  Freq.  Numeric  Label
               38       1   many times
               51       2   sometimes
               46       3   seldom
               36       4   never
            9,201       .
```

| s1105g1 | | | ever been |
|---|---|---|---|

threatened with knife/gun or other weapon by husband/partner

```
        type:  numeric (byte)
       label:  s1105g1
       range:  [0,1]              units:  1
unique values:  2               missing .:  3,574/9,372
   tabulation:  Freq.  Numeric  Label
            5,572       0   no
              226       1   yes
            3,574       .
```

| s1105g2 | | | how many times in the last |
|---|---|---|---|

12 months ever been threatened with knife/gun or othe

```
        type:  numeric (byte)
       label:  s1105g2
       range:  [1,4]              units:  1
unique values:  4               missing .:  9,146/9,372
   tabulation:  Freq.  Numeric  Label
               45       1   many times
               63       2   sometimes
               56       3   seldom
               62       4   never
            9,146       .
```

| s1105h1 | | | ever been |
|---|---|---|---|

physically forced into unwanted sex by husband/partner

```
        type:  numeric (byte)
       label:  s1105h1
       range:  [0,1]              units:  1
unique values:  2               missing .:  3,572/9,372
   tabulation:  Freq.  Numeric  Label
            5,520       0   no
              280       1   yes
            3,572       .
```

| s1105h2 | | | how many times in the last |
|---|---|---|---|

12 months ever been physically forced into unwanted s

```
        type:  numeric (byte)
       label:  s1105h2
       range:  [1,4]              units:  1
unique values:  4               missing .:  9,092/9,372
```

```
     tabulation:  Freq.   Numeric  Label
                    67        1   many times
                    97        2   sometimes
                    63        3   seldom
                    53        4   never
                 9,092        .
```

| s1105i1 | ever been forced |
|---|---|

into other unwanted sexual acts by husband/partner

```
            type:  numeric (byte)
           label:  s1105i1
           range:  [0,1]                units:  1
   unique values:  2                  missing .:  3,572/9,372
     tabulation:  Freq.   Numeric  Label
                 5,635        0   no
                   165        1   yes
                 3,572        .
```

| s1105i2 | how many times in the last |
|---|---|

12 months ever been forced into other unwanted sexual

```
            type:  numeric (byte)
           label:  s1105i2
           range:  [1,4]                units:  1
   unique values:  4                  missing .:  9,207/9,372
     tabulation:  Freq.   Numeric  Label
                    39        1   many times
                    65        2   sometimes
                    29        3   seldom
                    32        4   never
                 9,207        .
```

| s1110 | how many times |
|---|---|

in the last 12 months ever beaten husband/partner

```
            type:  numeric (byte)
           label:  s1110
           range:  [1,4]                units:  1
   unique values:  4                  missing .:  8,479/9,372
     tabulation:  Freq.   Numeric  Label
                    68        1   many times
                   241        2   sometimes
                   305        3   seldom
                   279        4   never
                 8,479        .
```

| s1118 | how many |
|---|---|

times in the last 12 months been beaten since age 15

```
            type:  numeric (byte)
           label:  s1118
           range:  [1,4]                units:  1
   unique values:  4                  missing .:  8,909/9,372
     tabulation:  Freq.   Numeric  Label
                    19        1   many times
                    40        2   sometimes
                    61        3   seldom
```

```
            343      4  never
          8,909        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1123a                                                                        │
│ current husband: forced you for sex                                           │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s1123a
           range:  [0,1]                 units:  1
    unique values:  2                  missing .:  9,044/9,372
        tabulation:  Freq.  Numeric  Label
                     312      0  no
                      16      1  yes
                   9,044        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1123b                                                                        │
│ ex-husband: forced you for sex                                                │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s1123b
           range:  [0,1]                 units:  1
    unique values:  2                  missing .:  9,044/9,372
        tabulation:  Freq.  Numeric  Label
                     269      0  no
                      59      1  yes
                   9,044        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1123c                                                                        │
│ mother/stepmother: forced you for sex                                         │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s1123c
           range:  [0,1]                 units:  1
    unique values:  2                  missing .:  9,044/9,372
        tabulation:  Freq.  Numeric  Label
                     327      0  no
                       1      1  yes
                   9,044        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1123d                                                                        │
│ father/stepfather: forced you for sex                                         │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s1123d
           range:  [0,1]                 units:  1
    unique values:  2                  missing .:  9,044/9,372
        tabulation:  Freq.  Numeric  Label
                     307      0  no
                      21      1  yes
                   9,044        .
```

┌─────────────────────────────────────────────────────────────────────────────┐
│ s1123e                                                                        │
│ brother/sister : forced you for sex                                           │
└─────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s1123e
           range:  [0,1]                 units:  1
    unique values:  2                  missing .:  9,044/9,372
        tabulation:  Freq.  Numeric  Label
```

```
               319        0  no
                 9        1  yes
             9,044           .
```

s1123f
son/daughter: forced you for sex

```
            type:  numeric (byte)
           label:  s1123f
           range:  [0,0]                units:  1
    unique values:  1                  missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
               328        0  no
             9,044           .
```

s1123g
other relative: forced you for sex

```
            type:  numeric (byte)
           label:  s1123g
           range:  [0,1]                units:  1
    unique values:  2                  missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
               288        0  no
                40        1  yes
             9,044           .
```

s1123h
current boyfriend: forced you for sex

```
            type:  numeric (byte)
           label:  s1123h
           range:  [0,1]                units:  1
    unique values:  2                  missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
               327        0  no
                 1        1  yes
             9,044           .
```

s1123i
ex-boyfriend: forced you for sex

```
            type:  numeric (byte)
           label:  s1123i
           range:  [0,1]                units:  1
    unique values:  2                  missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
               302        0  no
                26        1  yes
             9,044           .
```

s1123j
father-in-law: forced you for sex

```
            type:  numeric (byte)
           label:  s1123j
           range:  [0,0]                units:  1
    unique values:  1                  missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
```

```
              328      0  no
            9,044        .
```

```
  s1123k
  mother-in-law: forced you for sex
            type:  numeric (byte)
           label:  s1123k
           range:  [0,0]              units:  1
   unique values:  1            missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
              328      0  no
            9,044        .
```

```
  s1123l
  other in-law: forced you for sex
            type:  numeric (byte)
           label:  s1123l
           range:  [0,1]              units:  1
   unique values:  2            missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
              321      0  no
                7      1  yes
            9,044        .
```

```
  s1123m
  teacher: forced you for sex
            type:  numeric (byte)
           label:  s1123m
           range:  [0,0]              units:  1
   unique values:  1            missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
              328      0  no
            9,044        .
```

```
  s1123n
  employer/employee: forced you for sex
            type:  numeric (byte)
           label:  s1123n
           range:  [0,1]              units:  1
   unique values:  2            missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
              323      0  no
                5      1  yes
            9,044        .
```

```
  s1123o
  police man: forced you for sex
            type:  numeric (byte)
           label:  s1123o
           range:  [0,1]              units:  1
   unique values:  2            missing .:  9,044/9,372
       tabulation:  Freq.  Numeric  Label
              327      0  no
                1      1  yes
```

```
             9,044          .
```

---

**s1123x**
other: forced you for sex

```
        type:  numeric (byte)
        label:  s1123x
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  9,044/9,372
   tabulation:  Freq.  Numeric  Label
               180      0  no
               148      1  yes
             9,044         .
```

---

**s1123aa**                                                              did you report
the violation to any organization or a person?

```
        type:  numeric (byte)
        label:  s1123aa
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  9,043/9,372
   tabulation:  Freq.  Numeric  Label
               223      0  no
               106      1  yes
             9,043         .
```

---

**s1123bb**                                                              did any organization
offer you medication to avoid the risk of getting hiv?

```
        type:  numeric (byte)
        label:  s1123bb
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  9,045/9,372
   tabulation:  Freq.  Numeric  Label
               304      0  no
                23      1  yes
             9,045         .
```

---

**s1127**
sought for help

```
        type:  numeric (byte)
        label:  s1127
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  7,435/9,372
   tabulation:  Freq.  Numeric  Label
             1,154      0  no
               783      1  yes
             7,435         .
```

---

**s1128aa**
women protection organization: seek for help

```
        type:  numeric (byte)
        label:  s1128aa
        range:  [0,1]                    units:  1
unique values:  2                    missing .:  2,401/9,372
   tabulation:  Freq.  Numeric  Label
             6,892      0  no
```

|       |   |                            |
|------:|---|----------------------------|
|    79 | 1 | institución de protección a la mujer |
| 2,401 | . |                            |

---

**s1128ab**
ngo: seek for help

```
      type:  numeric (byte)
     label:  s1128ab
     range:  [0,1]              units:  1
unique values:  2               missing .:  2,401/9,372
 tabulation:  Freq.  Numeric  Label
             6,970     0  no
                 1     1  ong
             2,401     .
```

---

**s1128ac**
police: seek for help

```
      type:  numeric (byte)
     label:  s1128ac
     range:  [0,1]              units:  1
unique values:  2               missing .:  2,401/9,372
 tabulation:  Freq.  Numeric  Label
             6,718     0  no
               253     1  policia
             2,401     .
```

---

**s1128ad**
civil office: seek for help

```
      type:  numeric (byte)
     label:  s1128ad
     range:  [0,1]              units:  1
unique values:  2               missing .:  2,401/9,372
 tabulation:  Freq.  Numeric  Label
             6,848     0  no
               123     1  fiscalia
             2,401     .
```

---

**s1128ax**
other organization: seek for help

```
      type:  numeric (byte)
     label:  s1128ax
     range:  [0,1]              units:  1
unique values:  2               missing .:  2,401/9,372
 tabulation:  Freq.  Numeric  Label
             6,961     0  no
                10     1  otro
             2,401     .
```

---

**s1128az**
never sought for help

```
      type:  numeric (byte)
     label:  s1128az
     range:  [0,1]              units:  1
unique values:  2               missing .:  2,401/9,372
```

```
tabulation: Freq.  Numeric  Label
          6,593      0  no
            378      1  nunca ha buscado ayuda
          2,401       .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ s1128c                                                                        did you │
│ received effective answers from organizations                                        │
└─────────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         label:  s1128c
         range:  [0,1]              units:  1
  unique values:  2                 missing .:  9,018/9,372
    tabulation: Freq.  Numeric  Label
            121      0  no
            233      1  yes
          9,018       .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ idx94_1                                                                               │
│ index to birth history                                                                │
└─────────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         range:  [1,1]              units:  1
  unique values:  1                 missing .:  6,409/9,372
    tabulation: Freq.  Value
          2,963  1
          6,409  .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ idx94_2                                                                               │
│ index to birth history                                                                │
└─────────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         range:  [2,2]              units:  1
  unique values:  1                 missing .:  8,692/9,372
    tabulation: Freq.  Value
            680  2
          8,692  .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ idx94_3                                                                               │
│ index to birth history                                                                │
└─────────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         range:  [3,3]              units:  1
  unique values:  1                 missing .:  9,305/9,372
    tabulation: Freq.  Value
             67  3
          9,305  .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ idx94_4                                                                               │
│ index to birth history                                                                │
└─────────────────────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
         range:  [4,4]              units:  1
  unique values:  1                 missing .:  9,368/9,372
    tabulation: Freq.  Value
              4  4
          9,368  .
```

┌─────────────────────────────────────────────────────────────────────────────────────┐
│ idx94_5                                                                               │
│ index to birth history                                                                │
└─────────────────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
       tabulation:  Freq.  Value
                9,372   .
```

┌─────────────────────────────────────────────────────────────┐
│ idx94_6                                                        │
│ index to birth history                                         │
└─────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
       tabulation:  Freq.  Value
                9,372   .
```

┌─────────────────────────────────────────────────────────────┐
│ s412a_1                                                        │
│ syphilis test offered during pregnancy                         │
└─────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s412a_1
           range:  [0,8]              units:  1
   unique values:  3                missing .:  6,433/9,372
       tabulation:  Freq.  Numeric  Label
                1,383      0  no
                1,101      1  yes
                  455      8  don't know
                6,433      .
```

┌─────────────────────────────────────────────────────────────┐
│ s412a_2                                                        │
│ syphilis test offered during pregnancy                         │
└─────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s412a_2
           range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ s412a_3                                                        │
│ syphilis test offered during pregnancy                         │
└─────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s412a_3
           range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────┐
│ s412a_4                                                        │
│ syphilis test offered during pregnancy                         │
└─────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  s412a_4
           range:  [.,.]              units:  .
   unique values:  0                missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                9,372        .
```

s412a_5
syphilis test offered during pregnancy

```
            type:  numeric (byte)
           label:  s412a_5
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

s412a_6
syphilis test offered during pregnancy

```
            type:  numeric (byte)
           label:  s412a_6
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

s412b_1
syphilis test as part of prenatal check

```
            type:  numeric (byte)
           label:  s412b_1
           range:  [0,8]                    units:  1
    unique values:  3                      missing .:  8,271/9,372
       tabulation:  Freq.   Numeric  Label
                       35        0  no
                    1,057        1  yes
                        9        8  don't know
                    8,271        .
```

s412b_2
syphilis test as part of prenatal check

```
            type:  numeric (byte)
           label:  s412b_2
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

s412b_3
syphilis test as part of prenatal check

```
            type:  numeric (byte)
           label:  s412b_3
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

s412b_4
syphilis test as part of prenatal check

```
            type:  numeric (byte)
           label:  s412b_4
           range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
```

tabulation: Freq. Numeric Label
          9,372         .

---

s412b_5
syphilis test as part of prenatal check
          type: numeric (byte)
          label: s412b_5
          range: [.,.]                units: .
   unique values: 0                missing .: 9,372/9,372
       tabulation: Freq. Numeric Label
          9,372         .

---

s412b_6
syphilis test as part of prenatal check
          type: numeric (byte)
          label: s412b_6
          range: [.,.]                units: .
   unique values: 0                missing .: 9,372/9,372
       tabulation: Freq. Numeric Label
          9,372         .

---

s412c_1
months of pregnancy when tested for syphilis
          type: numeric (byte)
          label: s412c_1, but 10 nonmissing values are not labeled
          range: [0,99]              units: 1
   unique values: 12              missing .: 8,315/9,372
        examples: .
                  .
                  .
                  .

---

s412c_2
months of pregnancy when tested for syphilis
          type: numeric (byte)
          label: s412c_2
          range: [.,.]                units: .
   unique values: 0                missing .: 9,372/9,372
       tabulation: Freq. Numeric Label
          9,372         .

---

s412c_3
months of pregnancy when tested for syphilis
          type: numeric (byte)
          label: s412c_3
          range: [.,.]                units: .
   unique values: 0                missing .: 9,372/9,372
       tabulation: Freq. Numeric Label
          9,372         .

---

s412c_4
months of pregnancy when tested for syphilis
          type: numeric (byte)
          label: s412c_4

```
                 range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412c_5                                                                  │
│  months of pregnancy when tested for syphilis                             │
└─────────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  s412c_5
                 range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412c_6                                                                  │
│  months of pregnancy when tested for syphilis                             │
└─────────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  s412c_6
                 range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412d_1                                                                  │
│  did you get the result of syphilis test?                                 │
└─────────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  s412d_1
                 range:  [0,1]                    units:  1
        unique values:  2                    missing .:  8,317/9,372
            tabulation:  Freq.  Numeric  Label
                    43        0  no
                 1,012        1  yes
                 8,317        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412d_2                                                                  │
│  did you get the result of syphilis test?                                 │
└─────────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  s412d_2
                 range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412d_3                                                                  │
│  did you get the result of syphilis test?                                 │
└─────────────────────────────────────────────────────────────────────────┘

```
                  type:  numeric (byte)
                 label:  s412d_3
                 range:  [.,.]                    units:  .
        unique values:  0                    missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                 9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  s412d_4                                                                  │
│  did you get the result of syphilis test?                                 │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s412d_4
             range: [.,.]              units: .
     unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                    9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ s412d_5                                                                   │
│ did you get the result of syphilis test?                                  │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s412d_5
             range: [.,.]              units: .
     unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                    9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ s412d_6                                                                   │
│ did you get the result of syphilis test?                                  │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s412d_6
             range: [.,.]              units: .
     unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                    9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ s413a_1                                                                   │
│ antenatal care: weighted                                                  │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s413a_1, but 34 nonmissing values are not labeled
             range: [0,98]             units: 1
     unique values: 35                missing .: 6,433/9,372
          examples: 10
                        .
                        .
                        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ s413a_2                                                                   │
│ antenatal care: weighted                                                  │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s413a_2
             range: [.,.]              units: .
     unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                    9,372       .
```

┌─────────────────────────────────────────────────────────────────────────┐
│ s413a_3                                                                   │
│ antenatal care: weighted                                                  │
└─────────────────────────────────────────────────────────────────────────┘

```
              type: numeric (byte)
             label: s413a_3
             range: [.,.]              units: .
     unique values: 0                 missing .: 9,372/9,372
        tabulation: Freq.  Numeric  Label
                    9,372       .
```

s413a_4
antenatal care: weighted

            type:  numeric (byte)
           label:  s413a_4
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372         .

s413a_5
antenatal care: weighted

            type:  numeric (byte)
           label:  s413a_5
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372         .

s413a_6
antenatal care: weighted

            type:  numeric (byte)
           label:  s413a_6
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372         .

s413b_1
antenatal care: blood pressure

            type:  numeric (byte)
           label:  s413b_1, but 36 nonmissing values are not labeled
           range:  [0,98]                 units:  1
    unique values:  37                  missing .:  6,434/9,372
         examples:  10
                      .
                      .
                      .

s413b_2
antenatal care: blood pressure

            type:  numeric (byte)
           label:  s413b_2
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                9,372         .

s413b_3
antenatal care: blood pressure

            type:  numeric (byte)
           label:  s413b_3
           range:  [.,.]                  units:  .
    unique values:  0                   missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label

9,372        .

---

s413b_4
antenatal care: blood pressure

                type:  numeric (byte)
                label:  s413b_4
                range:  [.,.]                 units:  .
        unique values:  0                 missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                9,372        .

---

s413b_5
antenatal care: blood pressure

                type:  numeric (byte)
                label:  s413b_5
                range:  [.,.]                 units:  .
        unique values:  0                 missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                9,372        .

---

s413b_6
antenatal care: blood pressure

                type:  numeric (byte)
                label:  s413b_6
                range:  [.,.]                 units:  .
        unique values:  0                 missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                9,372        .

---

s413c_1
antenatal care: urine test

                type:  numeric (byte)
                label:  s413c_1, but 21 nonmissing values are not labeled
                range:  [0,98]                units:  1
        unique values:  22                missing .:  6,433/9,372
            examples:  3
                       .
                       .
                       .

---

s413c_2
antenatal care: urine test

                type:  numeric (byte)
                label:  s413c_2
                range:  [.,.]                 units:  .
        unique values:  0                 missing .:  9,372/9,372
            tabulation:  Freq.  Numeric  Label
                9,372        .

---

s413c_3
antenatal care: urine test

                type:  numeric (byte)
                label:  s413c_3
                range:  [.,.]                 units:  .

```
                unique values:  0                      missing .:  9,372/9,372
                  tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
  s413c_4
  antenatal care: urine test
                        type:  numeric (byte)
                       label:  s413c_4
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372
                  tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
  s413c_5
  antenatal care: urine test
                        type:  numeric (byte)
                       label:  s413c_5
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372
                  tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
  s413c_6
  antenatal care: urine test
                        type:  numeric (byte)
                       label:  s413c_6
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372
                  tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
  s413d_1
  antenatal care: blood test
                        type:  numeric (byte)
                       label:  s413d_1, but 20 nonmissing values are not labeled
                       range:  [0,98]                  units:  1
                unique values:  21                     missing .:  6,435/9,372
                    examples:  3
                               .
                               .
                               .
```

```
  s413d_2
  antenatal care: blood test
                        type:  numeric (byte)
                       label:  s413d_2
                       range:  [.,.]                   units:  .
                unique values:  0                      missing .:  9,372/9,372
                  tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
  s413d_3
  antenatal care: blood test
                        type:  numeric (byte)
```

```
        label:  s413d_3
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
s413d_4
antenatal care: blood test
         type:  numeric (byte)
        label:  s413d_4
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
s413d_5
antenatal care: blood test
         type:  numeric (byte)
        label:  s413d_5
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
s413d_6
antenatal care: blood test
         type:  numeric (byte)
        label:  s413d_6
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
s413e_1
antenatal care: measured your belly
         type:  numeric (byte)
        label:  s413e_1, but 36 nonmissing values are not labeled
        range:  [0,98]               units:  1
unique values:  37                   missing .:  6,433/9,372
     examples:  9
                .
                .
                .
```

```
s413e_2
antenatal care: measured your belly
         type:  numeric (byte)
        label:  s413e_2
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372       .
```

```
 s413e_3
antenatal care: measured your belly

          type:  numeric (byte)
         label:  s413e_3
         range:  [.,.]                  units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 s413e_4
antenatal care: measured your belly

          type:  numeric (byte)
         label:  s413e_4
         range:  [.,.]                  units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 s413e_5
antenatal care: measured your belly

          type:  numeric (byte)
         label:  s413e_5
         range:  [.,.]                  units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 s413e_6
antenatal care: measured your belly

          type:  numeric (byte)
         label:  s413e_6
         range:  [.,.]                  units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
               9,372       .
```

```
 s413f_1
antenatal care: listen to baby's hart beaten

          type:  numeric (byte)
         label:  s413f_1, but 35 nonmissing values are not labeled
         range:  [0,98]                 units:  1
 unique values:  36                    missing .:  6,434/9,372
      examples:  9
                 .
                 .
                 .
```

```
 s413f_2
antenatal care: listen to baby's hart beaten

          type:  numeric (byte)
         label:  s413f_2
         range:  [.,.]                  units:  .
 unique values:  0                     missing .:  9,372/9,372
     tabulation:  Freq.   Numeric  Label
```

```
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s413f_3                                                                          │
│  antenatal care: listen to baby's hart beaten                                     │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s413f_3
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s413f_4                                                                          │
│  antenatal care: listen to baby's hart beaten                                     │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s413f_4
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s413f_5                                                                          │
│  antenatal care: listen to baby's hart beaten                                     │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s413f_5
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s413f_6                                                                          │
│  antenatal care: listen to baby's hart beaten                                     │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s413f_6
              range:  [.,.]                 units:  .
      unique values:  0                    missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                9,372        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s422a_1                                                                          │
│  during pregnancy drink calcium pills                                             │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s422a_1
              range:  [0,8]                 units:  1
      unique values:  3                    missing .:  6,409/9,372
          tabulation:  Freq.  Numeric  Label
                  346        0  no
                2,600        1  yes
                   17        8  don't know
                6,409        .
```

┌─────────────────────────────────────────────────────────────────────────────────┐
│  s422a_2                                                                          │
│  during pregnancy drink calcium pills                                             │
└─────────────────────────────────────────────────────────────────────────────────┘

```
              type:  numeric (byte)
              label:  s422a_2
```

```
                range:  [.,.]                   units:  .
        unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**s422a_3**
during pregnancy drink calcium pills

```
                 type:  numeric (byte)
                label:  s422a_3
                range:  [.,.]                   units:  .
        unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**s422a_4**
during pregnancy drink calcium pills

```
                 type:  numeric (byte)
                label:  s422a_4
                range:  [.,.]                   units:  .
        unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**s422a_5**
during pregnancy drink calcium pills

```
                 type:  numeric (byte)
                label:  s422a_5
                range:  [.,.]                   units:  .
        unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**s422a_6**
during pregnancy drink calcium pills

```
                 type:  numeric (byte)
                label:  s422a_6
                range:  [.,.]                   units:  .
        unique values:  0                     missing .:  9,372/9,372
            tabulation:  Freq.   Numeric  Label
                 9,372        .
```

---

**s422b_1**
for how many days drank calcium?

```
                 type:  numeric (int)
                label:  s422b_1, but 102 nonmissing values are not labeled
                range:  [1,998]                 units:  1
        unique values:  103                   missing .:  6,774/9,372
             examples:  210
                            .
                            .
                            .
```

---

**s422b_2**
for how many days drank calcium?

```
          type:  numeric (byte)
          label:  s422b_2
          range:  [.,.]                units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  s422b_3                                                              │
│ for how many days drank calcium?                                     │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s422b_3
          range:  [.,.]                units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  s422b_4                                                              │
│ for how many days drank calcium?                                     │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s422b_4
          range:  [.,.]                units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  s422b_5                                                              │
│ for how many days drank calcium?                                     │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s422b_5
          range:  [.,.]                units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  s422b_6                                                              │
│ for how many days drank calcium?                                     │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s422b_6
          range:  [.,.]                units:  .
  unique values:  0                     missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
               9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  s460c_1                                                             │
│ baby was circumcised                                                 │
└─────────────────────────────────────────────────────────────────────┘
```
          type:  numeric (byte)
          label:  s460c_1
          range:  [0,8]                units:  1
  unique values:  3                     missing .:  8,022/9,372
      tabulation:  Freq.   Numeric  Label
               1,200        0  no
                 142        1  yes
                   8        8  don't know
               8,022        .
```

## s460c_2
baby was circumcised

```
        type:  numeric (byte)
       label:  s460c_2
       range:  [0,8]                units:  1
unique values:  3                 missing .:  9,056/9,372
   tabulation:  Freq.  Numeric  Label
                 272      0  no
                  42      1  yes
                   2      8  don't know
               9,056         .
```

## s460c_3
baby was circumcised

```
        type:  numeric (byte)
       label:  s460c_3
       range:  [0,8]                units:  1
unique values:  3                 missing .:  9,342/9,372
   tabulation:  Freq.  Numeric  Label
                  27      0  no
                   2      1  yes
                   1      8  don't know
               9,342         .
```

## s460c_4
baby was circumcised

```
        type:  numeric (byte)
       label:  s460c_4
       range:  [.,.]                units:  .
unique values:  1                 missing .:  9,371/9,372
   tabulation:  Freq.  Numeric  Label
                   1      0  no
               9,371         .
```

## s460c_5
baby was circumcised

```
        type:  numeric (byte)
       label:  s460c_5
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

## s460c_6
baby was circumcised

```
        type:  numeric (byte)
       label:  s460c_6
       range:  [.,.]                units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
               9,372         .
```

| idx95_1 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [1,1]                 units:  1
unique values:  1                 missing .:  6,409/9,372
   tabulation:  Freq.  Value
               2,963  1
               6,409  .
```

| idx95_2 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [2,2]                 units:  1
unique values:  1                 missing .:  8,692/9,372
   tabulation:  Freq.  Value
                 680  2
               8,692  .
```

| idx95_3 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [3,3]                 units:  1
unique values:  1                 missing .:  9,305/9,372
   tabulation:  Freq.  Value
                  67  3
               9,305  .
```

| idx95_4 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [4,4]                 units:  1
unique values:  1                 missing .:  9,368/9,372
   tabulation:  Freq.  Value
                   4  4
               9,368  .
```

| idx95_5 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

| idx95_6 |
| --- |
| index to birth history |

```
        type:  numeric (byte)
       range:  [.,.]                 units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

| hp1_1 |
| --- |
| received hepatitis at birth |

```
          type:  numeric (byte)
         label:  hp1_1
         range:  [0,3]                   units:  1
 unique values:  4                    missing .:  6,477/9,372
    tabulation:  Freq.   Numeric  Label
                1,195        0  no
                1,676        1  vaccination date on card
                   12        2  reported by mother
                   12        3  vaccination marked on card
                6,477        .
```

```
 hp1_2
 received hepatitis at birth
          type:  numeric (byte)
         label:  hp1_2
         range:  [0,3]                   units:  1
 unique values:  4                    missing .:  8,731/9,372
    tabulation:  Freq.   Numeric  Label
                  329        0  no
                  306        1  vaccination date on card
                    2        2  reported by mother
                    4        3  vaccination marked on card
                8,731        .
```

```
 hp1_3
 received hepatitis at birth
          type:  numeric (byte)
         label:  hp1_3
         range:  [0,3]                   units:  1
 unique values:  4                    missing .:  9,306/9,372
    tabulation:  Freq.   Numeric  Label
                   37        0  no
                   27        1  vaccination date on card
                    1        2  reported by mother
                    1        3  vaccination marked on card
                9,306        .
```

```
 hp1_4
 received hepatitis at birth
          type:  numeric (byte)
         label:  hp1_4
         range:  [0,0]                   units:  1
 unique values:  1                    missing .:  9,368/9,372
    tabulation:  Freq.   Numeric  Label
                    4        0  no
                9,368        .
```

```
 hp1_5
 received hepatitis at birth
          type:  numeric (byte)
         label:  hp1_5
         range:  [.,.]                   units:  .
 unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.   Numeric  Label
```

9,372          .

---

**hp1_6**
received hepatitis at birth

            type:  numeric (byte)
           label:  hp1_6
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372          .

---

**hp1d_1**
hepatitis day

            type:  numeric (byte)
           label:  hp1d_1, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  31                   missing .:  7,696/9,372
        examples:  .
                   .
                   .
                   .

---

**hp1d_2**
hepatitis day

            type:  numeric (byte)
           label:  hp1d_2, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  31                   missing .:  9,066/9,372
        examples:  .
                   .
                   .
                   .

---

**hp1d_3**
hepatitis day

            type:  numeric (byte)
           label:  hp1d_3, but 16 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  16                   missing .:  9,345/9,372
        examples:  .
                   .
                   .
                   .

---

**hp1d_4**
hepatitis day

            type:  numeric (byte)
           label:  hp1d_4
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372          .

hp1d_5
hepatitis day

          type:  numeric (byte)
          label:  hp1d_5
          range:  [.,.]          units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
         9,372       .

hp1d_6
hepatitis day

          type:  numeric (byte)
          label:  hp1d_6
          range:  [.,.]          units:  .
   unique values:  0          missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
         9,372       .

hp1m_1
hepatitis month

          type:  numeric (byte)
          label:  hp1m_1, but 12 nonmissing values are not labeled
          range:  [1,12]         units:  1
   unique values:  12         missing .:  7,696/9,372
      examples:  .
               .
               .
               .

hp1m_2
hepatitis month

          type:  numeric (byte)
          label:  hp1m_2, but 12 nonmissing values are not labeled
          range:  [1,12]         units:  1
   unique values:  12         missing .:  9,066/9,372
      examples:  .
                .
               .
               .

hp1m_3
hepatitis month

          type:  numeric (byte)
          label:  hp1m_3, but 11 nonmissing values are not labeled
          range:  [1,12]         units:  1
   unique values:  11         missing .:  9,345/9,372
      examples:  .
                .
               .
               .

hp1m_4
hepatitis month

          type:  numeric (byte)

```
         label: hp1m_4
         range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .
```

---

**hp1m_5**
hepatitis month

```
          type:  numeric (byte)
         label:  hp1m_5
         range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .
```

---

**hp1m_6**
hepatitis month

```
          type:  numeric (byte)
         label:  hp1m_6
         range: [.,.]                units: .
  unique values: 0                missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
              9,372        .
```

---

**hp1y_1**
hepatitis year

```
          type:  numeric (int)
         label:  hp1y_1, but 6 nonmissing values are not labeled
         range: [2008,2013]          units: 1
  unique values: 6                missing .: 7,696/9,372
      tabulation: Freq.  Numeric  Label
                67     2008
               219     2009
               271     2010
               344     2011
               459     2012
               316     2013
              7,696        .
```

---

**hp1y_2**
hepatitis year

```
          type:  numeric (int)
         label:  hp1y_2, but 6 nonmissing values are not labeled
         range: [2008,2013]          units: 1
  unique values: 6                missing .: 9,066/9,372
      tabulation: Freq.  Numeric  Label
                40     2008
               109     2009
                88     2010
                56     2011
                10     2012
                 3     2013
              9,066        .
```

hp1y_3
hepatitis year

            type:  numeric (int)
            label:  hp1y_3, but 4 nonmissing values are not labeled
            range:  [2008,2011]            units:  1
    unique values:  4                      missing .:  9,345/9,372
       tabulation:  Freq.  Numeric  Label
                       7     2008
                      12     2009
                       4     2010
                       4     2011
                   9,345       .

hp1y_4
hepatitis year

            type:  numeric (byte)
            label:  hp1y_4
            range:  [.,.]                  units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372       .

hp1y_5
hepatitis year

            type:  numeric (byte)
            label:  hp1y_5
            range:  [.,.]                  units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372       .

hp1y_6
hepatitis year

            type:  numeric (byte)
            label:  hp1y_6
            range:  [.,.]                  units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                   9,372       .

pt1_1
received penta 1

            type:  numeric (byte)
            label:  pt1_1
            range:  [0,8]                  units:  1
    unique values:  5                      missing .:  6,477/9,372
       tabulation:  Freq.  Numeric  Label
                     508     0  no
                   1,588     1  vaccination date on card
                     785     2  reported by mother
                       4     3  vaccination marked on card
                      10     8  don't know
                   6,477       .

pt1_2
received penta 1

          type:  numeric (byte)
         label:  pt1_2
         range:  [0,8]                units:  1
  unique values:  5                missing .:  8,731/9,372
     tabulation:  Freq.  Numeric  Label
              106      0  no
              310      1  vaccination date on card
              218      2  reported by mother
                2      3  vaccination marked on card
                5      8  don't know
            8,731        .

pt1_3
received penta 1

          type:  numeric (byte)
         label:  pt1_3
         range:  [0,8]                units:  1
  unique values:  5                missing .:  9,306/9,372
     tabulation:  Freq.  Numeric  Label
               11      0  no
               28      1  vaccination date on card
               24      2  reported by mother
                1      3  vaccination marked on card
                2      8  don't know
            9,306        .

pt1_4
received penta 1

          type:  numeric (byte)
         label:  pt1_4
         range:  [0,2]                units:  1
  unique values:  2                missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                3      0  no
                1      2  reported by mother
            9,368        .

pt1_5
received penta 1

          type:  numeric (byte)
         label:  pt1_5
         range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
            9,372        .

pt1_6
received penta 1

          type:  numeric (byte)
         label:  pt1_6
         range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372

tabulation: Freq.  Numeric  Label
            9,372        .

---

pt1d_1
penta 1 day

        type:  numeric (byte)
       label:  pt1d_1, but 31 nonmissing values are not labeled
       range:  [1,31]              units:  1
unique values:  31                 missing .:  7,784/9,372
     examples:  .
                .
                .
                .

---

pt1d_2
penta 1 day

        type:  numeric (byte)
       label:  pt1d_2, but 31 nonmissing values are not labeled
       range:  [1,31]              units:  1
unique values:  31                 missing .:  9,062/9,372
     examples:  .
                .
                .
                .

---

pt1d_3
penta 1 day

        type:  numeric (byte)
       label:  pt1d_3, but 18 nonmissing values are not labeled
       range:  [1,30]              units:  1
unique values:  18                 missing .:  9,344/9,372
     examples:  .
                .
                .
                .

---

pt1d_4
penta 1 day

        type:  numeric (byte)
       label:  pt1d_4
       range:  [.,.]               units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

---

pt1d_5
penta 1 day

        type:  numeric (byte)
       label:  pt1d_5
       range:  [.,.]               units:  .
unique values:  0                  missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
              9,372        .

```
pt1d_6
penta 1 day
                type:  numeric (byte)
               label:  pt1d_6
               range:  [.,.]                    units:  .
       unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
pt1m_1
penta 1 month
                type:  numeric (byte)
               label:  pt1m_1, but 12 nonmissing values are not labeled
               range:  [1,97]                   units:  1
       unique values:  13                  missing .:  7,784/9,372
            examples:  .
                       .
                       .
                       .
```

```
pt1m_2
penta 1 month
                type:  numeric (byte)
               label:  pt1m_2, but 12 nonmissing values are not labeled
               range:  [1,12]                   units:  1
       unique values:  12                  missing .:  9,062/9,372
            examples:  .
                       .
                       .
                       .
```

```
pt1m_3
penta 1 month
                type:  numeric (byte)
               label:  pt1m_3, but 10 nonmissing values are not labeled
               range:  [1,12]                   units:  1
       unique values:  10                  missing .:  9,344/9,372
            examples:  .
                       .
                       .
                       .
```

```
pt1m_4
penta 1 month
                type:  numeric (byte)
               label:  pt1m_4
               range:  [.,.]                    units:  .
       unique values:  0                   missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                        9,372        .
```

```
pt1m_5
penta 1 month
                type:  numeric (byte)
```

label:  pt1m_5
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
     tabulation:  Freq.   Numeric   Label
                  9,372       .

┌─────────────────────────────────────────────────────────────────────┐
│ pt1m_6                                                                │
│ penta 1 month                                                         │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (byte)
          label:  pt1m_6
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
     tabulation:  Freq.   Numeric   Label
                  9,372       .

┌─────────────────────────────────────────────────────────────────────┐
│ pt1y_1                                                                │
│ penta 1 year                                                          │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (int)
          label:  pt1y_1, but 6 nonmissing values are not labeled
          range:  [2008,2013]              units:  1
  unique values:  6                      missing .:  7,784/9,372
     tabulation:  Freq.   Numeric   Label
                     24     2008
                    216     2009
                    287     2010
                    301     2011
                    425     2012
                    335     2013
                  7,784        .

┌─────────────────────────────────────────────────────────────────────┐
│ pt1y_2                                                                │
│ penta 1 year                                                          │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (int)
          label:  pt1y_2, but 6 nonmissing values are not labeled
          range:  [2008,2013]              units:  1
  unique values:  6                      missing .:  9,062/9,372
     tabulation:  Freq.   Numeric   Label
                     18     2008
                    110     2009
                     94     2010
                     63     2011
                     21     2012
                      4     2013
                  9,062        .

┌─────────────────────────────────────────────────────────────────────┐
│ pt1y_3                                                                │
│ penta 1 year                                                          │
└─────────────────────────────────────────────────────────────────────┘
           type:  numeric (int)
          label:  pt1y_3, but 5 nonmissing values are not labeled
          range:  [2008,2012]              units:  1
  unique values:  5                      missing .:  9,344/9,372
     tabulation:  Freq.   Numeric   Label
                      5     2008
                     12     2009

```
                    6    2010
                    4    2011
                    1    2012
                9,344      .
```

┌──────────────────────────────────────────────────────────────────────┐
│ pt1y_4                                                                 │
│ penta 1 year                                                           │
└──────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  pt1y_4
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                9,372      .
```

┌──────────────────────────────────────────────────────────────────────┐
│ pt1y_5                                                                 │
│ penta 1 year                                                           │
└──────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  pt1y_5
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                9,372      .
```

┌──────────────────────────────────────────────────────────────────────┐
│ pt1y_6                                                                 │
│ penta 1 year                                                           │
└──────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  pt1y_6
          range:  [.,.]                units:  .
  unique values:  0                  missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                9,372      .
```

┌──────────────────────────────────────────────────────────────────────┐
│ pt2_1                                                                  │
│ received penta 2                                                       │
└──────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  pt2_1
          range:  [0,8]                units:  1
  unique values:  5                  missing .:  6,477/9,372
      tabulation:  Freq.  Numeric  Label
                  763     0  no
                1,428     1  vaccination date on card
                  689     2  reported by mother
                    5     3  vaccination marked on card
                   10     8  don't know
                6,477      .
```

┌──────────────────────────────────────────────────────────────────────┐
│ pt2_2                                                                  │
│ received penta 2                                                       │
└──────────────────────────────────────────────────────────────────────┘

```
          type:  numeric (byte)
          label:  pt2_2
          range:  [0,8]                units:  1
  unique values:  5                  missing .:  8,731/9,372
      tabulation:  Freq.  Numeric  Label
                  141     0  no
```

```
           300      1  vaccination date on card
           194      2  reported by mother
             1      3  vaccination marked on card
             5      8  don't know
         8,731       .
```

---

**pt2_3**
received penta 2

```
        type:  numeric (byte)
       label:  pt2_3
       range:  [0,8]              units:  1
unique values:  4                missing .:  9,306/9,372
   tabulation:  Freq.  Numeric  Label
              18      0  no
              25      1  vaccination date on card
              21      2  reported by mother
               2      8  don't know
           9,306       .
```

---

**pt2_4**
received penta 2

```
        type:  numeric (byte)
       label:  pt2_4
       range:  [0,2]              units:  1
unique values:  2                missing .:  9,368/9,372
   tabulation:  Freq.  Numeric  Label
               3      0  no
               1      2  reported by mother
           9,368       .
```

---

**pt2_5**
received penta 2

```
        type:  numeric (byte)
       label:  pt2_5
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372       .
```

---

**pt2_6**
received penta 2

```
        type:  numeric (byte)
       label:  pt2_6
       range:  [.,.]              units:  .
unique values:  0                missing .:  9,372/9,372
   tabulation:  Freq.  Numeric  Label
           9,372       .
```

---

**pt2d_1**
penta 2 day

```
        type:  numeric (byte)
       label:  pt2d_1, but 31 nonmissing values are not labeled
       range:  [1,31]             units:  1
unique values:  31               missing .:  7,944/9,372
```

examples: .
.
.
.

---

**pt2d_2**
penta 2 day

```
          type:  numeric (byte)
         label:  pt2d_2, but 31 nonmissing values are not labeled
         range:  [1,31]              units:  1
 unique values:  31                missing .:  9,072/9,372
      examples:  .
                 .
                 .
                 .
```

---

**pt2d_3**
penta 2 day

```
          type:  numeric (byte)
         label:  pt2d_3, but 18 nonmissing values are not labeled
         range:  [2,30]              units:  1
 unique values:  18                missing .:  9,347/9,372
      examples:  .
                 .
                 .
                 .
```

---

**pt2d_4**
penta 2 day

```
          type:  numeric (byte)
         label:  pt2d_4
         range:  [.,.]               units:  .
 unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**pt2d_5**
penta 2 day

```
          type:  numeric (byte)
         label:  pt2d_5
         range:  [.,.]               units:  .
 unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

---

**pt2d_6**
penta 2 day

```
          type:  numeric (byte)
         label:  pt2d_6
         range:  [.,.]               units:  .
 unique values:  0                 missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
               9,372        .
```

| pt2m_1 |
| --- |
| penta 2 month |

```
        type:  numeric (byte)
       label:  pt2m_1, but 12 nonmissing values are not labeled
       range:  [1,12]              units:  1
unique values:  12                missing .:  7,944/9,372
    examples:  .
               .
               .
               .
```

| pt2m_2 |
| --- |
| penta 2 month |

```
        type:  numeric (byte)
       label:  pt2m_2, but 12 nonmissing values are not labeled
       range:  [1,12]              units:  1
unique values:  12                missing .:  9,072/9,372
    examples:  .
               .
               .
               .
```

| pt2m_3 |
| --- |
| penta 2 month |

```
        type:  numeric (byte)
       label:  pt2m_3, but 7 nonmissing values are not labeled
       range:  [2,12]              units:  1
unique values:  7                 missing .:  9,347/9,372
   tabulation:  Freq.   Numeric  Label
                   4       2
                   7       3
                   2       5
                   2       8
                   1       9
                   5      10
                   4      12
               9,347       .
```

| pt2m_4 |
| --- |
| penta 2 month |

```
        type:  numeric (byte)
       label:  pt2m_4
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
               9,372       .
```

| pt2m_5 |
| --- |
| penta 2 month |

```
        type:  numeric (byte)
       label:  pt2m_5
       range:  [.,.]              units:  .
unique values:  0                 missing .:  9,372/9,372
   tabulation:  Freq.   Numeric  Label
```

```
                   9,372        .
```

```
  pt2m_6
penta 2 month
```
```
            type:  numeric (byte)
           label:  pt2m_6
           range:  [.,.]                    units:  .
    unique values:  0                       missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372        .
```

```
  pt2y_1
penta 2 year
```
```
            type:  numeric (int)
           label:  pt2y_1, but 6 nonmissing values are not labeled
           range:  [2008,2013]              units:  1
    unique values:  6                       missing .:  7,944/9,372
       tabulation:  Freq.   Numeric  Label
                        1      2008
                      172      2009
                      276      2010
                      277      2011
                      360      2012
                      342      2013
                    7,944        .
```

```
  pt2y_2
penta 2 year
```
```
            type:  numeric (int)
           label:  pt2y_2, but 6 nonmissing values are not labeled
           range:  [2008,2013]              units:  1
    unique values:  6                       missing .:  9,072/9,372
       tabulation:  Freq.   Numeric  Label
                        3      2008
                       95      2009
                      101      2010
                       68      2011
                       30      2012
                        3      2013
                    9,072        .
```

```
  pt2y_3
penta 2 year
```
```
            type:  numeric (int)
           label:  pt2y_3, but 5 nonmissing values are not labeled
           range:  [2008,2012]              units:  1
    unique values:  5                       missing .:  9,347/9,372
       tabulation:  Freq.   Numeric  Label
                        1      2008
                       11      2009
                        9      2010
                        2      2011
                        2      2012
                    9,347        .
```

```
 pt2y_4
penta 2 year
          type:  numeric (byte)
         label:  pt2y_4
         range:  [.,.]                   units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
 pt2y_5
penta 2 year
          type:  numeric (byte)
         label:  pt2y_5
         range:  [.,.]                   units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
 pt2y_6
penta 2 year
          type:  numeric (byte)
         label:  pt2y_6
         range:  [.,.]                   units:  .
  unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
            9,372       .
```

```
 pt3_1
received penta 3
          type:  numeric (byte)
         label:  pt3_1
         range:  [0,8]                   units:  1
  unique values:  5                    missing .:  6,477/9,372
      tabulation:  Freq.  Numeric  Label
            1,107       0  no
            1,285       1  vaccination date on card
              490       2  reported by mother
                3       3  vaccination marked on card
               10       8  don't know
            6,477       .
```

```
 pt3_2
received penta 3
          type:  numeric (byte)
         label:  pt3_2
         range:  [0,8]                   units:  1
  unique values:  5                    missing .:  8,731/9,372
      tabulation:  Freq.  Numeric  Label
              212       0  no
              273       1  vaccination date on card
              149       2  reported by mother
                2       3  vaccination marked on card
                5       8  don't know
```

8,731        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  pt3_3                                                                        │
│ received penta 3                                                              │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  pt3_3
           range:  [0,8]                    units:  1
   unique values:  4                      missing .:  9,306/9,372
      tabulation:  Freq.   Numeric  Label
                      26       0  no
                      24       1  vaccination date on card
                      14       2  reported by mother
                       2       8  don't know
                   9,306        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  pt3_4                                                                        │
│ received penta 3                                                              │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  pt3_4
           range:  [0,2]                    units:  1
   unique values:  2                      missing .:  9,368/9,372
      tabulation:  Freq.   Numeric  Label
                       3       0  no
                       1       2  reported by mother
                   9,368        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  pt3_5                                                                        │
│ received penta 3                                                              │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  pt3_5
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  pt3_6                                                                        │
│ received penta 3                                                              │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  pt3_6
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.   Numeric  Label
                   9,372        .

┌─────────────────────────────────────────────────────────────────────────────┐
│  pt3d_1                                                                       │
│ penta 3 day                                                                   │
└─────────────────────────────────────────────────────────────────────────────┘
            type:  numeric (byte)
           label:  pt3d_1, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
   unique values:  31                     missing .:  8,087/9,372
        examples:  .
                   .
                   .
                   .

| pt3d_2 |
| --- |
| penta 3 day |

                type:  numeric (byte)
               label:  pt3d_2, but 31 nonmissing values are not labeled
               range:  [1,31]                 units:  1
       unique values:  31                   missing .:  9,099/9,372
            examples:  .
                       .
                       .
                       .

| pt3d_3 |
| --- |
| penta 3 day |

                type:  numeric (byte)
               label:  pt3d_3, but 17 nonmissing values are not labeled
               range:  [1,31]                 units:  1
       unique values:  17                   missing .:  9,348/9,372
            examples:  .
                       .
                       .
                       .

| pt3d_4 |
| --- |
| penta 3 day |

                type:  numeric (byte)
               label:  pt3d_4
               range:  [.,.]                   units:  .
       unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372         .

| pt3d_5 |
| --- |
| penta 3 day |

                type:  numeric (byte)
               label:  pt3d_5
               range:  [.,.]                   units:  .
       unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372         .

| pt3d_6 |
| --- |
| penta 3 day |

                type:  numeric (byte)
               label:  pt3d_6
               range:  [.,.]                   units:  .
       unique values:  0                    missing .:  9,372/9,372
           tabulation:  Freq.   Numeric  Label
                        9,372         .

| pt3m_1 |
| --- |
| penta 3 month |

                type:  numeric (byte)
               label:  pt3m_1, but 12 nonmissing values are not labeled

range: [1,97]                units: 1
unique values: 13           missing .: 8,087/9,372
examples: .
.
.
.

---

**pt3m_2**
penta 3 month

type: numeric (byte)
label: pt3m_2, but 12 nonmissing values are not labeled
range: [1,12]           units: 1
unique values: 12          missing .: 9,099/9,372
examples: .
.
.
.

---

**pt3m_3**
penta 3 month

type: numeric (byte)
label: pt3m_3, but 11 nonmissing values are not labeled
range: [2,12]           units: 1
unique values: 11          missing .: 9,348/9,372
examples: .
.
.
.

---

**pt3m_4**
penta 3 month

type: numeric (byte)
label: pt3m_4
range: [.,.]           units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
9,372      .

---

**pt3m_5**
penta 3 month

type: numeric (byte)
label: pt3m_5
range: [.,.]           units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label
9,372      .

---

**pt3m_6**
penta 3 month

type: numeric (byte)
label: pt3m_6
range: [.,.]           units: .
unique values: 0          missing .: 9,372/9,372
tabulation: Freq.  Numeric  Label

```
                    9,372        .
```

```
 pt3y_1
 penta 3 year
```
```
            type:  numeric (int)
           label:  pt3y_1, but 5 nonmissing values are not labeled
           range:  [2009,2013]             units:  1
   unique values:  5                    missing .:  8,087/9,372
      tabulation:  Freq.  Numeric  Label
                    128     2009
                    230     2010
                    262     2011
                    340     2012
                    325     2013
                  8,087      .
```

```
 pt3y_2
 penta 3 year
```
```
            type:  numeric (int)
           label:  pt3y_2, but 6 nonmissing values are not labeled
           range:  [2008,2013]             units:  1
   unique values:  6                    missing .:  9,099/9,372
      tabulation:  Freq.  Numeric  Label
                      1     2008
                     71     2009
                     96     2010
                     60     2011
                     37     2012
                      8     2013
                  9,099      .
```

```
 pt3y_3
 penta 3 year
```
```
            type:  numeric (int)
           label:  pt3y_3, but 3 nonmissing values are not labeled
           range:  [2009,2011]             units:  1
   unique values:  3                    missing .:  9,348/9,372
      tabulation:  Freq.  Numeric  Label
                      9     2009
                     12     2010
                      3     2011
                  9,348      .
```

```
 pt3y_4
 penta 3 year
```
```
            type:  numeric (byte)
           label:  pt3y_4
           range:  [.,.]                  units:  .
   unique values:  0                    missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372      .
```

```
 pt3y_5
 penta 3 year
```

```
           type:  numeric (byte)
          label:  pt3y_5
          range:  [.,.]                units: .
   unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
             9,372        .
```

```
 pt3y_6
 penta 3 year
           type:  numeric (byte)
          label:  pt3y_6
          range:  [.,.]                units: .
   unique values: 0                    missing .: 9,372/9,372
      tabulation: Freq.  Numeric  Label
             9,372        .
```

```
 sr1_1
 received tripleviral
           type:  numeric (byte)
          label:  sr1_1
          range:  [0,8]                units: 1
   unique values: 5                    missing .: 6,480/9,372
      tabulation: Freq.  Numeric  Label
             1,247       0  no
               968       1  vaccination date on card
               617       2  reported by mother
                 1       3  vaccination marked on card
                59       8  don't know
             6,480        .
```

```
 sr1_2
 received tripleviral
           type:  numeric (byte)
          label:  sr1_2
          range:  [0,8]                units: 1
   unique values: 5                    missing .: 8,732/9,372
      tabulation: Freq.  Numeric  Label
               172       0  no
               253       1  vaccination date on card
               192       2  reported by mother
                 2       3  vaccination marked on card
                21       8  don't know
             8,732        .
```

```
 sr1_3
 received tripleviral
           type:  numeric (byte)
          label:  sr1_3
          range:  [0,8]                units: 1
   unique values: 4                    missing .: 9,307/9,372
      tabulation: Freq.  Numeric  Label
                22       0  no
                21       1  vaccination date on card
                19       2  reported by mother
```

```
                    3       8  don't know
                9,307        .
```

```
 sr1_4
received tripleviral
            type:  numeric (byte)
           label:  sr1_4
           range:  [0,2]                    units:  1
   unique values:  2                      missing .:  9,368/9,372
        tabulation:  Freq.   Numeric  Label
                    3       0  no
                    1       2  reported by mother
                9,368        .
```

```
 sr1_5
received tripleviral
            type:  numeric (byte)
           label:  sr1_5
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 sr1_6
received tripleviral
            type:  numeric (byte)
           label:  sr1_6
           range:  [.,.]                    units:  .
   unique values:  0                      missing .:  9,372/9,372
        tabulation:  Freq.   Numeric  Label
                9,372        .
```

```
 sr1d_1
tripleviral day
            type:  numeric (byte)
           label:  sr1d_1, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
   unique values:  31                     missing .:  8,404/9,372
         examples:  .
                    .
                    .
                    .
```

```
 sr1d_2
tripleviral day
            type:  numeric (byte)
           label:  sr1d_2, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
   unique values:  31                     missing .:  9,119/9,372
         examples:  .
                    .
                    .
                    .
```

sr1d_3
tripleviral day

         type:  numeric (byte)
         label:  sr1d_3, but 17 nonmissing values are not labeled
         range:  [1,29]              units:  1
  unique values:  17              missing .:  9,351/9,372
       examples:  .
                    .
                    .
                    .

sr1d_4
tripleviral day

         type:  numeric (byte)
         label:  sr1d_4
         range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .

sr1d_5
tripleviral day

         type:  numeric (byte)
         label:  sr1d_5
         range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .

sr1d_6
tripleviral day

         type:  numeric (byte)
         label:  sr1d_6
         range:  [.,.]              units:  .
  unique values:  0              missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
               9,372       .

sr1m_1
tripleviral month

         type:  numeric (byte)
         label:  sr1m_1, but 12 nonmissing values are not labeled
         range:  [1,12]              units:  1
  unique values:  12              missing .:  8,404/9,372
       examples:  .
                    .
                    .
                    .

sr1m_2
tripleviral month

         type:  numeric (byte)
         label:  sr1m_2, but 12 nonmissing values are not labeled
         range:  [1,12]              units:  1

unique values: 12                    missing .:  9,119/9,372
    examples:  .
             .
             .
             .

---

**sr1m_3**
tripleviral month

        type:  numeric (byte)
       label:  sr1m_3, but 11 nonmissing values are not labeled
       range:  [1,12]              units:  1
unique values: 11                    missing .:  9,351/9,372
    examples:  .
             .
             .
             .

---

**sr1m_4**
tripleviral month

        type:  numeric (byte)
       label:  sr1m_4
       range:  [.,.]              units:  .
unique values: 0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372      .

---

**sr1m_5**
tripleviral month

        type:  numeric (byte)
       label:  sr1m_5
       range:  [.,.]              units:  .
unique values: 0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372      .

---

**sr1m_6**
tripleviral month

        type:  numeric (byte)
       label:  sr1m_6
       range:  [.,.]              units:  .
unique values: 0                     missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
           9,372      .

---

**sr1y_1**
tripleviral year

        type:  numeric (int)
       label:  sr1y_1, but 5 nonmissing values are not labeled
       range:  [2009,2013]     units:  1
unique values: 5                     missing .:  8,404/9,372
    tabulation:  Freq.  Numeric  Label
           37    2009
        178    2010
        232    2011

```
              317     2012
              204     2013
            8,404        .
```

| sr1y_2 |
|---|
| tripleviral year |

```
        type:  numeric (int)
        label:  sr1y_2, but 5 nonmissing values are not labeled
        range:  [2009,2013]            units:  1
 unique values:  5                missing .:  9,119/9,372
    tabulation:  Freq.  Numeric  Label
                  25     2009
                  86     2010
                  79     2011
                  50     2012
                  13     2013
                9,119       .
```

| sr1y_3 |
|---|
| tripleviral year |

```
        type:  numeric (int)
        label:  sr1y_3, but 4 nonmissing values are not labeled
        range:  [2010,2013]            units:  1
 unique values:  4                missing .:  9,351/9,372
    tabulation:  Freq.  Numeric  Label
                  10     2010
                   5     2011
                   4     2012
                   2     2013
                9,351       .
```

| sr1y_4 |
|---|
| tripleviral year |

```
        type:  numeric (byte)
        label:  sr1y_4
        range:  [.,.]                 units:  .
 unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

| sr1y_5 |
|---|
| tripleviral year |

```
        type:  numeric (byte)
        label:  sr1y_5
        range:  [.,.]                 units:  .
 unique values:  0                missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .
```

| sr1y_6 |
|---|
| tripleviral year |

```
        type:  numeric (byte)
        label:  sr1y_6
        range:  [.,.]                 units:  .
```

```
       unique values:  0                  missing .:  9,372/9,372
          tabulation:  Freq.   Numeric  Label
                       9,372        .
```

```
 rv1_1
received rotavirus 1
                type:  numeric (byte)
               label:  rv1_1
               range:  [0,8]                 units:  1
       unique values:  5                  missing .:  6,479/9,372
          tabulation:  Freq.   Numeric  Label
                       1,848       0  no
                         441       1  vaccination date on card
                         480       2  reported by mother
                           2       3  vaccination marked on card
                         122       8  don't know
                       6,479        .
```

```
 rv1_2
received rotavirus 1
                type:  numeric (byte)
               label:  rv1_2
               range:  [0,8]                 units:  1
       unique values:  4                  missing .:  8,731/9,372
          tabulation:  Freq.   Numeric  Label
                         452       0  no
                          17       1  vaccination date on card
                         135       2  reported by mother
                          37       8  don't know
                       8,731        .
```

```
 rv1_3
received rotavirus 1
                type:  numeric (byte)
               label:  rv1_3
               range:  [0,8]                 units:  1
       unique values:  4                  missing .:  9,307/9,372
          tabulation:  Freq.   Numeric  Label
                          44       0  no
                           4       1  vaccination date on card
                          14       2  reported by mother
                           3       8  don't know
                       9,307        .
```

```
 rv1_4
received rotavirus 1
                type:  numeric (byte)
               label:  rv1_4
               range:  [0,8]                 units:  1
       unique values:  2                  missing .:  9,368/9,372
          tabulation:  Freq.   Numeric  Label
                           3       0  no
                           1       8  don't know
                       9,368        .
```

rv1_5
received rotavirus 1

            type:  numeric (byte)
           label:  rv1_5
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .

rv1_6
received rotavirus 1

            type:  numeric (byte)
           label:  rv1_6
           range:  [.,.]                    units:  .
    unique values:  0                    missing .:  9,372/9,372
        tabulation:  Freq.  Numeric  Label
               9,372       .

rv1d_1
rotavirus 1 day

            type:  numeric (byte)
           label:  rv1d_1, but 31 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  31                   missing .:  8,931/9,372
        examples:  .
                   .
                   .
                   .

rv1d_2
rotavirus 1 day

            type:  numeric (byte)
           label:  rv1d_2, but 15 nonmissing values are not labeled
           range:  [1,31]                   units:  1
    unique values:  15                   missing .:  9,355/9,372
        examples:  .
                   .
                   .
                   .

rv1d_3
rotavirus 1 day

            type:  numeric (byte)
           label:  rv1d_3, but 4 nonmissing values are not labeled
           range:  [4,23]                   units:  1
    unique values:  4                    missing .:  9,368/9,372
        tabulation:  Freq.  Numeric  Label
                   1       4
                   1       7
                   1      22
                   1      23
               9,368       .

```
 rv1d_4
rotavirus 1 day
              type:  numeric (byte)
             label:  rv1d_4
             range:  [.,.]                units:  .
      unique values:  0                missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
 rv1d_5
rotavirus 1 day
              type:  numeric (byte)
             label:  rv1d_5
             range:  [.,.]                units:  .
      unique values:  0                missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
 rv1d_6
rotavirus 1 day
              type:  numeric (byte)
             label:  rv1d_6
             range:  [.,.]                units:  .
      unique values:  0                missing .:  9,372/9,372
          tabulation:  Freq.  Numeric  Label
                 9,372       .
```

```
 rv1m_1
rotavirus 1 month
              type:  numeric (byte)
             label:  rv1m_1, but 12 nonmissing values are not labeled
             range:  [1,97]               units:  1
      unique values:  13               missing .:  8,931/9,372
           examples:  .
                      .
                      .
                      .
```

```
 rv1m_2
rotavirus 1 month
              type:  numeric (byte)
             label:  rv1m_2, but 9 nonmissing values are not labeled
             range:  [1,12]               units:  1
      unique values:  9                missing .:  9,355/9,372
          tabulation:  Freq.  Numeric  Label
                    2       1
                    4       2
                    2       3
                    1       4
                    2       5
                    2       7
                    1       8
                    1      11
                    2      12
```

```
                 9,355        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  rv1m_3                                                                   │
│ rotavirus 1 month                                                         │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  rv1m_3, but 3 nonmissing values are not labeled
           range:  [5,12]              units:  1
   unique values:  3                 missing .:  9,368/9,372
      tabulation:  Freq.  Numeric  Label
                      1       5
                      1       9
                      2      12
                  9,368        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  rv1m_4                                                                   │
│ rotavirus 1 month                                                         │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  rv1m_4
           range:  [.,.]              units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  rv1m_5                                                                   │
│ rotavirus 1 month                                                         │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  rv1m_5
           range:  [.,.]              units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  rv1m_6                                                                   │
│ rotavirus 1 month                                                         │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (byte)
           label:  rv1m_6
           range:  [.,.]              units:  .
   unique values:  0                 missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                  9,372        .
```

┌─────────────────────────────────────────────────────────────────────────┐
│  rv1y_1                                                                   │
│ rotavirus 1 year                                                          │
└─────────────────────────────────────────────────────────────────────────┘

```
            type:  numeric (int)
           label:  rv1y_1, but 5 nonmissing values are not labeled
           range:  [2009,2013]          units:  1
   unique values:  5                 missing .:  8,931/9,372
      tabulation:  Freq.  Numeric  Label
                      1     2009
                      2     2010
                      5     2011
                    143     2012
                    290     2013
                  8,931        .
```

rv1y_2
rotavirus 1 year

          type:  numeric (int)
         label:  rv1y_2, but 5 nonmissing values are not labeled
         range:  [2009,2013]          units:  1
 unique values:  5                    missing .:  9,355/9,372
    tabulation:  Freq.  Numeric  Label
                    1    2009
                    1    2010
                    3    2011
                    5    2012
                    7    2013
                9,355       .

rv1y_3
rotavirus 1 year

          type:  numeric (int)
         label:  rv1y_3, but 2 nonmissing values are not labeled
         range:  [2009,2011]          units:  1
 unique values:  2                    missing .:  9,368/9,372
    tabulation:  Freq.  Numeric  Label
                    3    2009
                    1    2011
                9,368       .

rv1y_4
rotavirus 1 year

          type:  numeric (byte)
         label:  rv1y_4
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .

rv1y_5
rotavirus 1 year

          type:  numeric (byte)
         label:  rv1y_5
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .

rv1y_6
rotavirus 1 year

          type:  numeric (byte)
         label:  rv1y_6
         range:  [.,.]                units:  .
 unique values:  0                    missing .:  9,372/9,372
    tabulation:  Freq.  Numeric  Label
                9,372       .

rv2_1
received rotavirus 2

          type:  numeric (byte)
         label:  rv2_1
         range:  [0,8]               units:  1
  unique values:  5                 missing .:  6,483/9,372
    tabulation:  Freq.   Numeric  Label
              2,173      0  no
                277      1  vaccination date on card
                314      2  reported by mother
                  1      3  vaccination marked on card
                124      8  don't know
              6,483         .

rv2_2
received rotavirus 2

          type:  numeric (byte)
         label:  rv2_2
         range:  [0,8]               units:  1
  unique values:  4                 missing .:  8,731/9,372
    tabulation:  Freq.   Numeric  Label
                520      0  no
                  3      1  vaccination date on card
                 81      2  reported by mother
                 37      8  don't know
              8,731         .

rv2_3
received rotavirus 2

          type:  numeric (byte)
         label:  rv2_3
         range:  [0,8]               units:  1
  unique values:  3                 missing .:  9,307/9,372
    tabulation:  Freq.   Numeric  Label
                 55      0  no
                  7      2  reported by mother
                  3      8  don't know
              9,307         .

rv2_4
received rotavirus 2

          type:  numeric (byte)
         label:  rv2_4
         range:  [0,8]               units:  1
  unique values:  2                 missing .:  9,368/9,372
    tabulation:  Freq.   Numeric  Label
                  3      0  no
                  1      8  don't know
              9,368         .

rv2_5
received rotavirus 2

          type:  numeric (byte)
         label:  rv2_5

```
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  rv2_6                                                                 │
│ received rotavirus 2                                                   │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  rv2_6
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  rv2d_1                                                                │
│ rotavirus 2 day                                                        │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  rv2d_1, but 31 nonmissing values are not labeled
            range:  [1,31]                   units:  1
    unique values:  31                     missing .:  9,095/9,372
         examples:  .
                    .
                    .
                    .
```

┌─────────────────────────────────────────────────────────────────────┐
│  rv2d_2                                                                │
│ rotavirus 2 day                                                        │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  rv2d_2, but 3 nonmissing values are not labeled
            range:  [3,13]                   units:  1
    unique values:  3                      missing .:  9,369/9,372
       tabulation:  Freq.  Numeric  Label
                        1        3
                        1        9
                        1       13
                    9,369        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  rv2d_3                                                                │
│ rotavirus 2 day                                                        │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  rv2d_3
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

┌─────────────────────────────────────────────────────────────────────┐
│  rv2d_4                                                                │
│ rotavirus 2 day                                                        │
└─────────────────────────────────────────────────────────────────────┘
```
             type:  numeric (byte)
            label:  rv2d_4
            range:  [.,.]                    units:  .
    unique values:  0                      missing .:  9,372/9,372
       tabulation:  Freq.  Numeric  Label
                    9,372        .
```

rv2d_5
rotavirus 2 day

   type: numeric (byte)
   label: rv2d_5
   range: [.,.]     units: .
  unique values: 0     missing .: 9,372/9,372
   tabulation: Freq.  Numeric Label
     9,372  .

---

rv2d_6
rotavirus 2 day

   type: numeric (byte)
   label: rv2d_6
   range: [.,.]     units: .
  unique values: 0     missing .: 9,372/9,372
   tabulation: Freq.  Numeric Label
     9,372  .

---

rv2m_1
rotavirus 2 month

   type: numeric (byte)
   label: rv2m_1, but 12 nonmissing values are not labeled
   range: [1,12]    units: 1
  unique values: 12    missing .: 9,095/9,372
   examples: .
       .
       .
       .

---

rv2m_2
rotavirus 2 month

   type: numeric (byte)
   label: rv2m_2, but 3 nonmissing values are not labeled
   range: [1,9]     units: 1
  unique values: 3     missing .: 9,369/9,372
   tabulation: Freq.  Numeric Label
      1   1
      1   4
      1   9
     9,369  .

---

rv2m_3
rotavirus 2 month

   type: numeric (byte)
   label: rv2m_3
   range: [.,.]     units: .
  unique values: 0     missing .: 9,372/9,372
   tabulation: Freq.  Numeric Label
     9,372  .

---

rv2m_4
rotavirus 2 month

   type: numeric (byte)

```
            label:  rv2m_4
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372       .
```

```
 rv2m_5
 rotavirus 2 month
            type:  numeric (byte)
            label:  rv2m_5
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372       .
```

```
 rv2m_6
 rotavirus 2 month
            type:  numeric (byte)
            label:  rv2m_6
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
                    9,372       .
```

```
 rv2y_1
 rotavirus 2 year
            type:  numeric (int)
            label:  rv2y_1, but 3 nonmissing values are not labeled
            range:  [2011,2013]              units:  1
    unique values:  3                        missing .:  9,095/9,372
       tabulation:  Freq.   Numeric  Label
                       4      2011
                      41      2012
                     232      2013
                    9,095       .
```

```
 rv2y_2
 rotavirus 2 year
            type:  numeric (int)
            label:  rv2y_2, but 2 nonmissing values are not labeled
            range:  [2012,2013]              units:  1
    unique values:  2                        missing .:  9,369/9,372
       tabulation:  Freq.   Numeric  Label
                       1      2012
                       2      2013
                    9,369       .
```

```
 rv2y_3
 rotavirus 2 year
            type:  numeric (byte)
            label:  rv2y_3
            range:  [.,.]                    units:  .
    unique values:  0                        missing .:  9,372/9,372
       tabulation:  Freq.   Numeric  Label
```

9,372        .

---

rv2y_4
rotavirus 2 year

          type:  numeric (byte)
          label:  rv2y_4
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

---

rv2y_5
rotavirus 2 year

          type:  numeric (byte)
          label:  rv2y_5
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

---

rv2y_6
rotavirus 2 year

          type:  numeric (byte)
          label:  rv2y_6
          range:  [.,.]                    units:  .
  unique values:  0                      missing .:  9,372/9,372
      tabulation:  Freq.  Numeric  Label
                   9,372        .

---

rv3_1
received rotavirus 3

          type:  numeric (byte)
          label:  rv3_1
          range:  [0,8]                    units:  1
  unique values:  4                      missing .:  6,483/9,372
      tabulation:  Freq.  Numeric  Label
                   2,606        0  no
                      21        1  vaccination date on card
                     138        2  reported by mother
                     124        8  don't know
                   6,483        .

---

rv3_2
received rotavirus 3

          type:  numeric (byte)
          label:  rv3_2
          range:  [0,8]                    units:  1
  unique values:  4                      missing .:  8,731/9,372
      tabulation:  Freq.  Numeric  Label
                     564        0  no
                       1        1  vaccination date on card
                      39        2  reported by mother
                      37        8  don't know
                   8,731        .

rv3_3
received rotavirus 3

```
          type:  numeric (byte)
         label:  rv3_3
         range:  [0,8]                units:  1
  unique values:  3               missing .:  9,307/9,372
     tabulation:  Freq.  Numeric  Label
                    59      0  no
                     3      2  reported by mother
                     3      8  don't know
                 9,307       .
```

rv3_4
received rotavirus 3

```
          type:  numeric (byte)
         label:  rv3_4
         range:  [0,8]                units:  1
  unique values:  2               missing .:  9,368/9,372
     tabulation:  Freq.  Numeric  Label
                     3      0  no
                     1      8  don't know
                 9,368       .
```

rv3_5
received rotavirus 3

```
          type:  numeric (byte)
         label:  rv3_5
         range:  [.,.]                units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

rv3_6
received rotavirus 3

```
          type:  numeric (byte)
         label:  rv3_6
         range:  [.,.]                units:  .
  unique values:  0               missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                 9,372       .
```

rv3d_1
rotavirus 3 day

```
          type:  numeric (byte)
         label:  rv3d_1, but 16 nonmissing values are not labeled
         range:  [1,26]               units:  1
  unique values:  16              missing .:  9,351/9,372
       examples:  .
                  .
                  .
                  .
```

rv3d_2
rotavirus 3 day

          type:  numeric (byte)
          label:  rv3d_2, but 1 nonmissing value is not labeled
          range:  [29,29]              units:  1
  unique values:  1                missing .:  9,371/9,372
     tabulation:  Freq.  Numeric  Label
                    1       29
                9,371        .

rv3d_3
rotavirus 3 day

          type:  numeric (byte)
          label:  rv3d_3
          range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .

rv3d_4
rotavirus 3 day

          type:  numeric (byte)
          label:  rv3d_4
          range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .

rv3d_5
rotavirus 3 day

          type:  numeric (byte)
          label:  rv3d_5
          range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .

rv3d_6
rotavirus 3 day

          type:  numeric (byte)
          label:  rv3d_6
          range:  [.,.]                units:  .
  unique values:  0                missing .:  9,372/9,372
     tabulation:  Freq.  Numeric  Label
                9,372        .

rv3m_1
rotavirus 3 month

          type:  numeric (byte)
          label:  rv3m_1, but 11 nonmissing values are not labeled
          range:  [1,12]               units:  1
  unique values:  11               missing .:  9,351/9,372
       examples:  .
                  .

.
.

rv3m_2
rotavirus 3 month

      type:  numeric (byte)
      label:  rv3m_2, but 1 nonmissing value is not labeled
      range:  [11,11]         units:  1
unique values:  1         missing .:  9,371/9,372
  tabulation:  Freq.  Numeric  Label
          1     11
     9,371     .

rv3m_3
rotavirus 3 month

      type:  numeric (byte)
      label:  rv3m_3
      range:  [.,.]         units:  .
unique values:  0         missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
     9,372     .

rv3m_4
rotavirus 3 month

      type:  numeric (byte)
      label:  rv3m_4
      range:  [.,.]         units:  .
unique values:  0         missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
     9,372     .

rv3m_5
rotavirus 3 month

      type:  numeric (byte)
      label:  rv3m_5
      range:  [.,.]         units:  .
unique values:  0         missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
     9,372     .

rv3m_6
rotavirus 3 month

      type:  numeric (byte)
      label:  rv3m_6
      range:  [.,.]         units:  .
unique values:  0         missing .:  9,372/9,372
  tabulation:  Freq.  Numeric  Label
     9,372     .

rv3y_1
rotavirus 3 year

      type:  numeric (int)
      label:  rv3y_1, but 4 nonmissing values are not labeled
      range:  [2010,2013]      units:  1

unique values: 4                missing .: 9,351/9,372

        tabulation: Freq.  Numeric  Label
                     1      2010
                     2      2011
                     4      2012
                    14      2013
                 9,351         .

---

rv3y_2
rotavirus 3 year

              type:  numeric (int)
             label:  rv3y_2, but 1 nonmissing value is not labeled
             range:  [2010,2010]              units:  10
     unique values:  1                missing .: 9,371/9,372

        tabulation: Freq.  Numeric  Label
                     1      2010
                 9,371         .

---

rv3y_3
rotavirus 3 year

              type:  numeric (byte)
             label:  rv3y_3
             range:  [.,.]                   units:  .
     unique values:  0                missing .: 9,372/9,372

        tabulation: Freq.  Numeric  Label
                 9,372         .

---

rv3y_4
rotavirus 3 year

              type:  numeric (byte)
             label:  rv3y_4
             range:  [.,.]                   units:  .
     unique values:  0                missing .: 9,372/9,372

        tabulation: Freq.  Numeric  Label
                 9,372         .

---

rv3y_5
rotavirus 3 year

              type:  numeric (byte)
             label:  rv3y_5
             range:  [.,.]                   units:  .
     unique values:  0                missing .: 9,372/9,372

        tabulation: Freq.  Numeric  Label
                 9,372         .

---

rv3y_6
rotavirus 3 year

              type:  numeric (byte)
             label:  rv3y_6
             range:  [.,.]                   units:  .
     unique values:  0                missing .: 9,372/9,372

        tabulation: Freq.  Numeric  Label
                 9,372         .

x510_1
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [1,8]                units:  1
unique values:  3                    missing .:  8,528/9,372
   tabulation:  Freq.  Value
                 794  1
                  44  2
                   6  8
               8,528  .
```

x510_2
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [1,8]                units:  1
unique values:  3                    missing .:  9,134/9,372
   tabulation:  Freq.  Value
                 225  1
                   9  2
                   4  8
               9,134  .
```

x510_3
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [1,8]                units:  1
unique values:  3                    missing .:  9,345/9,372
   tabulation:  Freq.  Value
                  24  1
                   1  2
                   2  8
               9,345  .
```

x510_4
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [1,1]                units:  1
unique values:  1                    missing .:  9,371/9,372
   tabulation:  Freq.  Value
                   1  1
               9,371  .
```

x510_5
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [.,.]                units:  .
unique values:  0                    missing .:  9,372/9,372
   tabulation:  Freq.  Value
               9,372  .
```

x510_6
number of penta+dpt from mother

```
         type:  numeric (byte)
        range:  [.,.]                units:  .
```

unique values: 0                  missing .: 9,372/9,372
tabulation: Freq. Value
9,372 .

---

x510u_1
number of penta+dpt from mother

```
       type:  numeric (byte)
      range:  [1,8]              units:  1
unique values:  5                missing .:  8,528/9,372
  tabulation:  Freq.  Value
             379  1
             401  2
              14  3
              44  4
               6  8
           8,528  .
```

---

x510u_2
number of penta+dpt from mother

```
       type:  numeric (byte)
      range:  [1,8]              units:  1
unique values:  5                missing .:  9,134/9,372
  tabulation:  Freq.  Value
             102  1
             115  2
               8  3
               9  4
               4  8
           9,134  .
```

---

x510u_3
number of penta+dpt from mother

```
       type:  numeric (byte)
      range:  [1,8]              units:  1
unique values:  4                missing .:  9,345/9,372
  tabulation:  Freq.  Value
               8  1
              16  2
               1  4
               2  8
           9,345  .
```

---

x510u_4
number of penta+dpt from mother

```
       type:  numeric (byte)
      range:  [2,2]              units:  1
unique values:  1                missing .:  9,371/9,372
  tabulation:  Freq.  Value
               1  2
           9,371  .
```

---

x510u_5
number of penta+dpt from mother

```
       type:  numeric (byte)
```

```
        range: [.,.]                 units: .
unique values: 0                missing .: 9,372/9,372
   tabulation: Freq.  Value
          9,372  .
```

```
 x510u_6
number of penta+dpt from mother
        type:  numeric (byte)
        range: [.,.]                 units: .
unique values: 0                missing .: 9,372/9,372
   tabulation: Freq.  Value
          9,372  .
```

```
 x510n_1
number of penta+dpt from mother
        type:  numeric (byte)
        range: [1,6]                 units: 1
unique values: 6                missing .: 8,578/9,372
   tabulation: Freq.  Value
             49  1
            108  2
            335  3
            115  4
             74  5
            113  6
          8,578  .
```

```
 x510n_2
number of penta+dpt from mother
        type:  numeric (byte)
        range: [1,6]                 units: 1
unique values: 6                missing .: 9,147/9,372
   tabulation: Freq.  Value
             16  1
             27  2
             99  3
             34  4
             17  5
             32  6
          9,147  .
```

```
 x510n_3
number of penta+dpt from mother
        type:  numeric (byte)
        range: [1,6]                 units: 1
unique values: 6                missing .: 9,348/9,372
   tabulation: Freq.  Value
              2  1
              3  2
             12  3
              2  4
              2  5
              3  6
          9,348  .
```

x510n_4

number of penta+dpt from mother

type: numeric (byte)

range: [3,3]          units: 1

unique values: 1          missing .: 9,371/9,372

tabulation: Freq. Value

1  3

9,371  .

x510n_5

number of penta+dpt from mother

type: numeric (byte)

range: [.,.]          units: .

unique values: 0          missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .

x510n_6

number of penta+dpt from mother

type: numeric (byte)

range: [.,.]          units: .

unique values: 0          missing .: 9,372/9,372

tabulation: Freq. Value

9,372  .