

IERG3840 Web Application Development Project (2025-26 Term 1)

Lab 3 Report

Name: Yeung Man
Student ID: 1155203181


Declaration for Academic Honesty

I declare that: (i) the assignment here submitted is original except for source material explicitly acknowledged; (ii) the piece of work, or a part of the piece of work has not been submitted for more than one purpose (e.g. to satisfy the requirements in two different courses) without declaration; and (iii) the submitted soft copy with details listed in the lab report is identical to the hard copy(ies), if any, which has(have) been / is(are) going to be submitted. I also acknowledge that I am aware of the University's policy and regulations on honesty in academic work, and of the disciplinary guidelines and procedures applicable to breaches of such policy and regulations, as contained in the University website <http://www.cuhk.edu.hk/policy/academichonesty/>.

I declare that I have not distributed/ shared/ copied any teaching materials without the consent of the course teacher(s) to gain unfair academic advantage in the assignment/ course.

I declare that I have read and understood the University's policy on the use of AI for academic work. I confirm that I have complied with the instructions given by my course teacher(s) regarding the use of AI tools for this assignment and consent to the use of AI content detection software to review my submission.

I also understand that assignments without a properly signed declaration by the student concerned and in the case of a group project, by all members of the group concerned, will not be graded by the teacher(s).



_____16/10/2025_____

Signature(s)

Date

I used the following external references:

-


I consulted generative AI tools with the following issues:

-

Report Content

Start the application:

Screenshot(s) for the terminal:



```
● (base) CU-Tomato@apples-MacBook-Air Lab 3 % cd frontend
○ (base) CU-Tomato@apples-MacBook-Air frontend % npm run dev

> frontend@0.0.0 dev
> vite

VITE v7.1.9 ready in 454 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help
█

● (base) CU-Tomato@apples-MacBook-Air Lab 3 % cd backend
○ (base) CU-Tomato@apples-MacBook-Air backend % node app.mjs
Pinged your deployment. You successfully connected to MongoDB!
█
```

App.js (show your student name clearly):

Screenshot(s) for the VSCode:

```

1  import { useState } from 'react'
2  import {Routes,Route} from 'react-router'
3  import Login from './components/Login'
4  import Logout from './components/Logout'
5  import Register from './components/Register'
6  import './App.css'
7
8  function App() {
9      const [count, setCount] = useState(0)
10
11      return (
12          <>
13              <div className='card'>
14                  <h1 className='Name'>Yeung Man</h1>
15                  <h1 className='title'>Login System</h1>
16                  <Routes>
17                      <Route path="/" element={<Login />} />
18                      <Route path="/logout" element={<Logout />} />
19                      <Route path="/register" element={<Register />} />
20                  </Routes>
21              </div>
22          </>
23      )
24  }
25
26  export default App

```

Web service:

Screenshots for the web browser (home page, login page, registration page, logout page):

Yeung Man Login System

Yeung Man Login System Login Successful

Yeung Man Login System

[Login](#)[Register Page](#)

Screenshots for the two error messages in the login page:


localhost:5173 說

User not exists


[確定](#)


Yeung Man Login System

[Login](#)[Register Page](#)



Screenshots for the four (or even more) error messages in the registration page:





Backend:

Screenshot(s) for the code segment to check whether the user email already exists during the registration part:


```
try {
  const existing = await users.findOne({ email });

  if (!existing) {
    await users.insertOne({
      email,
      password,
      Phonenum,
      verify: false,
      verificationEmailSentAt: null,
    });

    return res.status(200).send({
      message: 'success',
      status: 'Successfully registered.',
      ver: false,
      verificationEmailJustSent: false,
    });
  }

  return res.status(200).send({
    message: 'fail',
    status: 'User already exists.',
    alreadyVerified: !!existing.verify
  });
} catch (err) {
  console.error('Insert/update error:', err);
  return res.status(500).send({ message: 'fail', status: 'Something wrong.' });
}
```

Screenshot(s) for the MongoDB Atlas on your user collection:



Bonus part: (Remove this part, if you did not attempt the bonus)

Screenshot(s) for the verification email:



Screenshot(s) for the code segment related to the verification in the frontend:



Screenshot(s) for the code segment related to the verification in the backend:

