

AI PLAYGROUND 3.2.x User Guide

Welcome to AI Playground v.3.2. This application provides a full suite of generative AI features for chat, image generation, video generation, code assistance, and more. All features can run offline and are powered by your PC's hardware OR you can choose our hybrid cloud mode to run your favorite frontier models from ChatGPT, Claude, Gemini, Grok and more. Additionally you can choose to keep your PC at home and access its AI functionality from your mobile phone. You manage models, costs and control of your data.



Quick Links

Installing AI Playground	Overview of AI Playground	Using AI Playground	Chat Assistant Chat Tools & MCP
Home Agent Game Agent	Audio Mode	Visual Gen Modes	Using ComfyUI App Settings

Minimum Specifications

AI Playground is currently available as a packaged installer, or available as source code from our Github repository. To run AI Playground, you must have a PC that meets the following specifications

Operating System: Windows OS or Linux Ubuntu

Hardware Installation Options

- AI Playground essentials: Intel Core Series 3 with 12GB of system memory
- AI Playground studio: Intel Core Ultra Processors (Series 3, Series 2 V/H, or Series 1H) or an Intel Arc discrete GPU (Series A or B) with at least 8GB of VRAM.
- AI Playground studio - NVIDIA CUDA: PC with Nvidia RTX discrete GPU with 8GB+ of vRAM
- 82GB+ of Hard Disk Space: AI Playground application takes up roughly 6GB of space. Models will take up additional space.

Installing AI Playground

Packaged Installer: AI Playground 3.2 has a single installer for all currently supported hardware. The installer will create the runtime application needed to run AI Playground and will also install the necessary backend components and models. After running the installer, you will be asked to launch AI Playground which, at first run, will launch the AI Playground Set Up manager to install all needed versions and backend components.


AI Playground Set Up: You will be presented with installation options, at first run of the application. Installation is a simple mouse click operation allowing you to install and manage all backend components without using a command line interface. This portion of the app does require an open connection to the internet. *NOTE: Running this installation from inside a corporate network or from a home connection while connected to corporate VPN connection will likely cause it to fail. For this portion, be sure to have a clear and unfiltered Internet connection.*


Set Up Guidance: It is recommended that you keep the default hardware settings and enable all components. Then, click **Install and Continue**. All components and settings should be set to you your hardware and once completed you are ready to go

Understanding these options

Hardware Installation Modes: AI Playground provides alternative installations that curate and target features, models, and backend components best for the hardware of the device.

AI Playground Essentials vs AI Playground Studio. AI Playground Essentials is a specific installation for Intel Core Series 3 Processors with a curated set of features and models to run on this hardware, while AI Playground Studio has the full set of features.





AI Playground Essentials Subset of features: Basic Chat, RAG Chat, Basic Image Gen and Editing

Studio: Studio supports all features mentioned in this user guide for Intel Core Ultra PCs and systems with Intel Arc discrete GPUs

Studio for NVIDIA CUDA: An experimental feature, installing specific dependencies to run AI Playground using Nvidia RTX GPUs. This version does not support OpenVINO

Components: AI Playground uses several open-source backend components such as Llamac.cpp, OpenVINO, PyTorch/ComfyUI. These backends are available to both the Essentials and Studio versions. If these features are not installed, you can still run AI Playground however you will be prompted to install needed backends when trying certain features.

- **AI Playground Components:** AI Playground has optional components allowing you to install **Home Agent**, for access to AI Playground remotely from a smart phone app, and **Hybrid Cloud**, which gives you access to frontier models through an API call
- **Audio:** Audio generation components are optional, allowing you to convert speech to text, and text to speech
- **Llama.CPP** provides access to latest GGUF models in various quantizations, often providing smaller sized model of high parameter models.
- **ComfyUI:** Installs PyTorch plus ComfyUI. These backends are required for visual generation such as image and video generation
- **OpenVINO:** This is Intel's optimized model framework.
- **Phison Llama.cpp:** If you have Phison aiDAPTIV SSD caching storage on your PC, AI Playground gives you the option to use Phisons Llama.cpp rather along with their middleware. This feature will allow you to run models 4-5 times larger than normal and allow you to search and analyze documents faster.
- **Gears:** The gear icons to the right of each backend component allows you to repair, install and set the version of installation. If you desire to change or set the version of components you can do this here. Changing the version may create instability or break some features.


Overview of AI Playground 3.2

AI Playground is a locally run Generative AI application suite that acts as an offline alternative to cloud tools such as Gemini, ChatGPT, and Grok. AI Playground is intended to give consumers and AI enthusiasts easy and intuitive tool to run a wide variety of generative AI features using their Intel powered AI PC. This means you can be offline, without loading sensitive or personal data to 3rd party sites, for free, in a single app without having to know how to install and manage multiple AI backend frameworks.

Built On Open Source: AI Playground is a free to download and use application. It is open source allowing developers to contribute and fork it

Modes: Gen AI Modes allow you to specify a specific type of generation, however it is possible to do all features directly from Chat mode. These are the key various modes

Chat Mode: Chat can support all modes of AI Playground. Broadly Chat gives you access to many dozen open-source models where you prompt with text to get answers, content and more.



- **Assistant: Vision, Reasoning and Tool calling. Document Search:** This single mode will give you access to a variety of models to do different types of tasks or combine with additional tools to write prompts for use with other models or control applications through MCP.
- **Game Agent and Quick Coder: NEW** These features allow you to easily create games using AI. Game Agent supports coding, debugging, thumbnail creation and more. While Quick Coder, focused on getting code out quickly. For Acer systems this feature has an additional Acer Arcade option, allows you to save your favorite created games to an Arcade page. For Acer PCs, these features are renamed Acer Game Agent and Acer Quick Coder. In addition to generating game code Acer systems can save and launch games to and from an Arcade gallery.
- **Home Agent** is the mode your system will use when you are remote and away. These chats are prompted from your phone and able to run features all across AI Playground

Audio Mode: NEW Generate voice files or convert voice to written text with these audio generation tools




Image Gen Mode: While you can generate images from Chat or Home Agent, these presets are a direct mode for image creation. From Draft mode for fast generation of low res images, to Pro 3 for high-resolution high-quality images with text and strong prompt adherence, you have access to create any type of image that you can imagine.







Image Editing Mode: Start with a reference image then take it to another level with Image Editing. Upscale Resolution, editing features, style control or even converting to 3D.



Video Generation Mode: Best on workstations and desktops with discrete GPUs, these features allow you to generate amazing video clips from text or images.



User Interface Overview

Unified Prompt: AI Playground has a familiar prompt focused user interface. The single prompt area feature is used to for any type of content and modality similar to popular online AI services. Simply type a prompt and generate!

The UI is broken down into the following functional areas:

- **Heading:** Minimize and Maximize or Close AI Playground.
- **Footer** The bottom portion of the app which includes information on the version and links to terms and disclosures. This section can now be hidden or shows to maximize your screen space
- **Prompt Viewport:** This is the central mid-section of the app that contains the prompt. This is the single prompt tool for all features. New mode buttons are available, which provide context switching for both the history and settings panels
- **History Panel:** The history panel, hidden by default, can be made visible by clicking History in the upper left. The history is in context to the selected mode and will switch content depending which mode is selected. History items will have a submenu for additional information and actions for those items

- **Prompt Settings Panel:** The Prompt Settings panel will show on the right whenever the Settings button from the Prompt field is clicked. The panel will provide access to prompt presets and their adjustable settings
- **App Settings:** The app settings is selectable from the gear icon on the lower left above the Footer. When selected it will take the left panel space. From app settings you can access the Backend installation manager, Voice mode option, language settings and more

Resizing can be done using the CTRL + mouse wheel to zoom in out. As well as hot keys, Zoom In: Ctrl++, Zoom Out: Ctrl+-, Reset Zoom: Ctrl+0




Figure 1: Screenshot of user interface with the light color theme and Chat History Panel and Footer Panel exposed




Figure 2: Screenshot of user interface using the default color theme, with the App Settings Panel and Prompt Settings Panel exposed

Using AI Playground

Using AI Playground is simple. Simply type a request in the main prompt and click the generate arrow button. When you are in a chat discussion, all of the history of this discussion is used along with your prompt. This way the AI remembers what you've been discussing. Below are ways you can use this prompt tool to control the output.

Selecting Modes and Presets: Select a Mode, either Chat, Audio, Image Gen, Image Edit or Video Gen. Then click a preset icon for the feature you wish to run. For many targeted usages from Chat, Game Agent, Inpainting, we have Presets where models, settings and input options for dozens of usages are predefined. After selecting, type a prompt and go. See Generative AI Presets below. NOTE, in previous version of AI Playground these preset icons were located in the Settings menu. They are the same features as before but now brought to the prompt interface for faster selection.



Input prompt to generate image

Chat
Audio
Image Gen
Image Edit
Video
Image Gen Settings
→

Using the Prompt: The prompt is your main interface for AI Playground. With the prompt area you have information to assist you in using AI Playground:

- Above the prompt** shows information on: **Preset selected** (Assistant), **Model** (Qwen3.5-9B-Q\$ _K_M), **Features Icons** (Vision, Reasoning Tool Calling), **Backend:** (Llama.cpp), **Device:** (GPU), **Token Usage**, and **Decrease and Enlarge Font Tools**
- In the prompt:** Attached Documents, Prompt Input
- Below the Prompt:** + Document Button, **Mode** Buttons (Chat Mode Selected), Open **Webcam** icon, **Mic** on Icon, **Settings** Button, and **Generate** Button

Context Usage	Tokens
Max Context for Model	262K
Configured Context Size	33K
Used Context	0

Assistant · Qwen3.5-9B-Q4_K_M · GPU · 0/33K

Invasion-Penitent-Race2.pdf

Input prompt to generate chat response

+

Chat
Audio
Image Gen
Image Edit
Video
Webcam
Microphone
Chat Settings
→

Agentic Multi-Modal: This refers to a way to use the Chat Assistant preset where you can use chat and image generation and access to 3rd party apps in a single discussion. This allows you to use Chat to do any of the other features. See information below on ADVANCED CHAT with Built-In Tools selected

Voice Mode: You can also use AI Playground by speaking to it. Select the Settings gear to open the App Settings Panel. Select "Speech To Text". At first run a model option will be provided to download. After it is installed and checked on you can now click the microphone in the prompt area to turn on listening mode. Speak your prompt then click the microphone when done. When speaking to prompt in Home Agent, AI Playground will automatically send a voice file of the chat response back to your phone. This feature can be turn on or off in App Settings.

Remote Home Agent: AI Playground can also be used remotely from your smart phone, similar to how you might use ChatGPT or Gemini. See the Home Agent section for more details

Installing Models: AI Playground **does not ship with Generative AI models**, however we have made the model process easy, and flexible for you to download and install models for any function of AI Playground.

- Automated Model Downloads:** When you first run any task on AI Playground requiring a model that is not present, AI Playground will provide an option to download a model for that task. To download you must first visit the site for the model, then confirm you acknowledge the terms of use for the model. After downloading the process to run the task will continue. Alternatively, you can cancel and install a model of your choice.
- Model Manager:** Click the cylinder icon in the title bar to access the Model Manager. See the **Model Manager** information in the chat settings section below


Chat Mode




Chat Assistant:

Chat Assistant is the single most powerful feature in AI Playground because it can do all features when tool calling, even control other applications using MCP. To use simply select a model from the settings and type a question you want answered. There's a lot you can do here, **so lets look at the settings** to understand what's possible


- **Backend Selector:** The backend selector allows you to choose from using OpenVINO or Llama.cpp models. Llama.cpp models will give you more current models with different sizes. OpenVINO will provide you more optimized models for Intel hardware. Selecting these options will impact the rest of the settings below. New to v3.2 is a Cloud option. This option if installed and set up allows you to install Cloud services such from Anthropic, OpenAI, xAI, Google and more. See the next section for more information



- **Hybrid Cloud:** **NEW** Cloud features needs to be first set up on the Set Up Wizard. This feature is optional. AI Playground features run without it. This feature allows you to, on occasion use frontier models from top AI providers. See Cloud set up in Advanced Chat features
- **Model Selector:** **NEW** After selecting a backend, you will be given a list of models. Not all models do the same thing. In AI Playground we've provided a model search and filter feature.. Our filter features, allows you to search by model name or by feature such as: Reasoning, Vision, Tool Calling, and Coding. In the Model Manager you can also favorite models and filter the list by models you have favorited




Model Selector with Search Filtered by "gemma"




Model Selector with Filter of Vision models

- **Model Manager:** **NEW** Next to the Model filter is a gear tool This opens the Model Manager.
 - **Filters:** Here you can also search and filter using a key word, icon feature filter, as well as by backend model type and status if installed.
 - **Download:** Select any one model or set of models from the list not on disk and select the Download icon (arrow down) to download to your PC
 - **Add Model:** Click the Plus icon to add a model. Provide the Huggingface path
 - **Delete:** Select models and click the red trash icon to delete and remove from your model list




Model Manager Llama.cpp models filtered and showing favorited models sorted at top




Add model tool, set for OpenVINO LLM with Huggingface path added and features identified

- **Setting Context and Tokens:** Models tend to have a limit on how much content they can remember when doing a task. This limit is a Context Max. You can use the info icon in the model selector to see the max context. The prompt area will give you a status of your total context usage. If you get close to running out of context it is good to start a new discussion



- **Adding Documents (RAG):** The Embedding section allows you to select an embedding model for against documents. This feature is often referred to as RAG or Retrieval Augmented Generation. The allows you to add documents to search or analyze using AI. Once added you can turn on or off these from a prompt query, by checking them on or off.


Embeddings




searching
document icon
documents

Chat Tools & MPC: The following are settings you can use when you are leveraging a model with additional tools and applications.


- **Tool Calling:** Some AI models have the ability to call and operate other tools outside of the just answering questions. AI Playground has enabled a number of tools to be used directly from chat.
- **Built-in Tools:** These tools support a variety of features. They are grouped where they can be turned on or off by group or you can choose to turn on or off tools within a group.
 - **Generate media tools:** These tools refer to the built-in image, and video generation features in AI Playground usually accessible from the other modes. Generate media lists the tools where you use text to generate content. You can choose to turn off some of these should you want to limit the models choices
 - **Transform image:** These are tools that can take an image and edit it, or transform it into other types of content like 3D meshes or video content
 - **Visualize detections:** This can be used along with a vision model to create bounding boxes around specific categories or classifications of content in an image
 - **Capture Screenshot:** This can be used to capture screenshots of other windows and applications running on the PC
 - **Browse the Web:** Use this to get information directly from websites
 - **Speech:** This is a set of speech generation tools.



Example Tool Calling to Image Edit: Example of using chat to generate an image. Have Transform image on. Load an image into the prompt then prompt a change to the image



- **MCP Tools:** MCP tools allow you to add an MCP servers to AI Playground. MCP servers act as an API where a chat model in AI Playground can talk to, evaluate, or even control an application from an AI Playground prompt. The Add Server feature opens up the Server Configuration. Check with the MCP Served application for the settings to add here. You can also edit the mcp.json that gets created when adding a server. Once added Click the Start button to start the server. Once started you can use your chat prompt to get information and even control the application connected to via MCP



MCP tools showing DateTimeMCP on

```


1  "mcpServers": {
2    "datetime": {
3      "displayName": "DateTime MCP",
4      "description": "Gives the assistant the real current date and ti
5      "command": "uvx",
6      "args": ["-with", "mcp<2.0.0", "mcp-server-time"]
7    },
8  },

```

mcp.json file



MCP Add tool



Example of MCP session with Blender

- **System Prompt:** The system prompt feature allows you to create a prompt that will be used with every prompt you generate. This helps guide the model on recurring parameters, so you don't have to repeat them in every prompt.


Home Agent Preset:



Home Agent is a special feature in AI Playground that allows you to run any AI Playground features while away from your AI PC, using a chat tool from a smart phone such as Telegram or Slack

Setup

1. **Install the backend:** In App Settings -> Setup Wizard, install Home Agent (or complete it during first-time setup).
2. **Open setup:** Click the gear next to Home Agent in the title bar (or follow the wizard after install).
3. **Pick a channel:** LAN chat, Telegram, or Slack. Work through the steps on the right (bot tokens, detect account, verify, or LAN port/password and Save & start).
4. **Enable the channel:** When status is Verified, turn on that channel's switch in the left sidebar.
5. **Turn Home Agent on** — Turn the Home Agent toggle switch to On. The PC must stay on with AI Playground running.




Guidance

- **Plain messages:** The agent can reply in text or start image generation at your request.
- **Slash commands:** Send `/help` in Telegram, Slack, or Lan Chat for the full list of available slash commands.
Common ones:
 - `/imgGen` – Pick a preset, then send a prompt.
 - `/new` – Start a new chat thread.
 - `/cancel` – Cancel a pending image flow.
 - `/reset` – Restore Home Agent settings to defaults.
- **Attachments:** Photos (vision model required), audio file for speech-to-text, and documents
- **Model & tools:** Choose the chat model and options in Chat settings on the PC, you could also send a message in Telegram/Slack/LAN chat to ask to switch to different models

History: Home Agent keeps separate chat threads per channel

- `/history` - List saved chat threads.
- `/load` – open a menu to pick a recent chat.
- `/load [id]` – Resume a chat thread using the id from `/history`.
- `/new` – start a fresh new chat thread.

Video Example: See Home Agent in action <https://www.youtube.com/watch?v=YDhrlOLoKRA>




Game Agent and Quick Coder Presets: NEW

These are special agentic features in AI Playground. This feature will perform several actions with the intent to generate a video game using HTML. Game Agent will do more task such as play test your game, debug issues, take screenshots and generate a thumbnail. Quick coder will think through creating a game but not debug, test play and generate creative assets.

Settings: Many of the settings are the same as they would be for Chat Assistance: Select the appropriate Backend, Device, Model and Context. The following are additional settings:

- **New Game: use this to create a new Game Making sessions**
- **Think Before Acting:** Recommended you keep this checked, but if you want to reduce thinking time you can uncheck. Unchecking will reduce time but could reduce quality
- **Reasoning only during planning:** Recommended you keep this checked. This reduces reasoning that might be duplication. Unchecking will cause take longer and more tokens
- **Web debugging:** This feature will test play and debug the game. This is on by default for Game Agent but off by default for Quick Coder
- **Media generation:** This feature will use AI Playgrounds Image Gen features to generate a game icon. This is on by default for Game Agent but off by default for Quick Coder
- **Persistent Memory:** This will remember what you did in previous sessions. This is off by default. Turning on can increase time to generate games



Guidance: Games will be created using HTML by default, and playable in your browser. Best to describe games that can be drawn with vector graphics (Asteroids, Breakout, style games). Highly suggested you use Qwen 3.6 35B A3B Q2 or Q3 in order to fit in 16GB of memory (ie Intel Core Ultra 32GB PC). **Sample prompt:** “Modern Asteroids: Code a game of Asteroids but make it colorful with modern effects like particles”

Hybrid Cloud: NEW This feature allows you to, on occasion use frontier models from top AI providers. It is, optional, as all AI Playground features run without it. Cloud features first need to be configured in Set Up Wizard, **Select SetUp Wizard from App Settings then follow the information below** You will need an API key from these services. NOTE: Typically API services are subscriptions that may have a token limit or charge for token use. Be sure to check with each service provider to know these requirements and costs

1. From App Settings select Setup Wizard, then select the **Gear for Cloud Mode** and then **Go to Setup**

2. Click **New Provider** then select a provider from the list

Cloud Mode Setup

Compatible provider. Models are fetched from the provider and become selectable in chat under the Cloud Mode backend.

PROVIDER SETTINGS

Prefill from a known provider: Select...




Name:

Base URL:

Authentication: Bearer — Authorization header

API Key:


3. Enter a Name, then add the and API Key from your provider. Then Select Fetch models to get a list of models from the provider

Example of Grok-4.5 used in Chat Assistant:**Audio Mode**


Text To Speech: **NEW** This preset allows you to generate speech audio files. Simply type words you want spoken and generate. A wave file is generated and playable from the viewport. Download files to save them to disk.

Settings:

- **Model:** Choose from a model to use.
- **Inference Device:** Select which processor to use
- **Voice:** Pick from a list of voices provided. Voices you create and save will be here
- **Custom Voice options:** Here you can create your own voice files.
 - Name a voice
 - Describe how it should sound
 - Select the language for that voice,
 - Click **Save & Preview** to generate the voice and hear it.
 - Seed: A seed will auto generate for this voice. If you want a different version of the voice, click the dice icon to get a new seed to hear a different take on the voice.
- **Your Voices:** Voices you saved are listed below in a gallery, allowing you to hear them, edit the voice name or description, or seed, or delete them.

**Create a custom voice**


Describe a voice in words — timbre, age, accent, tone, and pace (e.g. "Authoritative American female voice speaking at a natural, brisk pace"). Saving previews the voice and adds it to your Voice list, so you can use it in chat by name. The preview is kept as the voice's reference recording, so it sounds the same whatever it goes on to say. The seed only decides which speaker the description draws right now: roll it for a different one.



Speech To Text: **NEW** Use this feature to covert speech to text, either by uploading an audio file or pressing record and speaking into your microphone.

Settings:

- **Backend:** Choose a backend to use
- **Model:** Choose a model.
- **Inference Device:** Select which processor to use



Visual Generation Modes:

In AI Playground Image Gen, Image Edit and Video Gen features are all powered by ComfyUI. We have made using ComfyUI workflows in AI Playground simple. By hard-coding the optimal models, nodes, and values, we ensure quality results while still exposing key settings for you to adjust.

Core Settings: Image generation prompt settings are accessible by clicking the Image Settings button in the Prompt area. Below is a description of these core settings.

Backend

ComfyUI

Device

0: Intel(R) Arc(TM) B390 GPU

Megapixels

0.25 MP

Aspect Ratio

21/9

16/9

3/2

4/3

1/1

3/4

2/3

9/16

9/21

Resolution

512 x 512

Steps

4

Batch Count

1

Neg. Prompt

nsfw

Seed

-1

Show Preview

☒

Safety Check

0.5

Reset Preset Settings

Open ComfyUI

Backend: Choose either ComfyUI, which will use your GPU, or OpenVINO. Note OpenVINO has a limited number of models supported but can produce content faster

Device Selector: Choose which processor to run this workload. This may be restricted or filtered by the preset. For example, NPU will limit the hardware to the AI Boost hardware on Intel Core Ultra processors

Megapixel Selector: Set the resolution mode from 0.25 up to 1.5 megapixel. Options will be limited by the preset, where Draft images use Stable Diffusion 1.5 and thus are limited to 0.25 and 0.5 megapixel.

Aspect Ratio: Use this to set the specific shape and aspect ratio of the image from ultra-wide, to square to tall portrait images

Resolution: This primarily serves to show you the resolution you have set, but it can also be used to define a specific resolution not available from the aspect ratio tool

Steps: Set the number of steps this generation will take to produce the image. Recommends not to change

Batch Count: The count of images it should generate before finishing

Negative Prompt: An alternative prompt you can add to some Presets where you call out things that should not be in the image

Seed: This is a number that represents a noise pattern used to generate the image. You can use this to regenerate images exactly as they were before

Show Preview: Usually enabled, if available (not on OpenVINO). This will show you the images in process. Turn this off if want a safe and controlled experience

SafetyChecker: Turn this on to censor output that might be overtly suggestive, inappropriate or NSFW.

Reset Settings: Check this to return to AI Playground Default settings

Open ComfyUI: Launch ComfyUI and try build your own workflows, drag in images from AI Playground and edit parameters not available in AI Playground

Image Gen Presets: The following table helps explain each of the preset for Image Gen, and how to use

Preset	Description	Preset Specific Features	Models
Draft Image 	Rapidly generate images using Stable Diffusion 1.5 up to 720x720 pixels [Fast and Standard] Essentials and Studio	- Variant Selector – Fast or Standard mode - Device selector to target processor - Megapixel – for 0.25 and 0.5 megapixel - Aspect ratio to set the shape/ratio of the image - Resolution – display & manually set resolution - Steps: Manually enter generation steps - Batch Count: # of images to generate - Negative Prompt: Enter things not to see - Seed: Set seed, randomly generate - Show Preview: ON as default - Safety Checker: Moderation set to 0.5	Dreamshaper 8 (SD1.5)
HD Image 	Generate high quality images using SDXL up to 1024x1024 pixels [Fast and Standard] Essentials and Studio	Same As Draft Except: - Variant Selector – Fast or Quality mode - Megapixel – 0.25, 0.5, 0.8, 1.0 megapixel	JuggernautXL (SDXL)

Pro Image 	Precisely generate images, with text and adherence to prompt using Flux.1-Schnell and Z-image Turbo at 1 to 1.5 Megapixel [Standard and Quality] Studio only	Same As Draft Except: - Variant Selector – Standard or Quality mode - Megapixel – 0.25, 0.5, 0.8, 1.0, 1.2, 1.5 megapixel - No Negative Prompt	Flux.1-Schnell Q4, Q8
Pro 2 Image 	Generate extremely high quality images using the Z-image-turbo model Studio only	Same As Draft Except: - No Variants Selector - Megapixel – 0.25, 0.5, 0.8, 1.0 megapixel - No Negative Prompt	Z-Image-Turbo
Pro 3 Image 	Generate extremely high quality images using the Ernie-Image Model Studio only	Same As Draft Except: - Variants: Turbo, Standard - Megapixel – 0.25, 0.5, 0.8, 1.0 megapixel - No Negative Prompt	ERNIE Image Model
Control Face 	Generate HD images where you control its likeness. Load an image with a face to guide the likeness, then describe the character to generate Studio only	Same As Draft Except: - No Variants Selector - Megapixel – 0.25, 0.5, 0.8, 1.0 megapixel - No Negative Prompt - Active FaceSwap checkbox - Load Image input	JuggernautXL (SDXL), Inswapper
Manual 	Advanced mode to manually control the model, CFG, sampler and more. But be sure resolution and settings fit the model selected Essentials and Studio	Same As Draft Except: - Variant Selector – Fast or Quality mode - Megapixel – 0.25, 0.5, 0.8, 1.0 megapixel - Model Selector - Sampler Selector - Scheduler Selector - CFG Scale Slider	User defined

Viewport icons: When generating an image, the viewport provides you with information tools for that image.




Image Viewport Icons

Send To Edit: Send image to Image Edit History, making it draggable to Image Edit presets

Send To Video: Send image to Vide History, making it draggable to Image To Video presets

Info: Get info on the image generation details such as prompt, seed, model and more

Zoom: Opens the image up in the Photo Viewer application

Copy: Copies the image to the clipboard

Folder: Opens the Folder where the image is stored and saved

Delete: Removes the image from history and the viewer

Image Edit:

Reference Images: Image edit mode first requires a reference images to work. The history in Image Gen or Image Edit is a good place to get these. Select any image in history. The Click the Send to Edit icon. It will be loaded for any preset ready to go. As well, Image Histories now hold any reference image added. Selecting a reference image at any time automatically loads it to the viewport and sets it as the loaded image for an Image Edit Preset





Image Edit Preset Table: Use these presets to edit an image.

Preset	Description	Preset Specific Features	Models
Upscale 	Load an image and set a scale up to 4X to increase the resolution of that image Essentials and Studio	• Device selector to target processor • Load Image • Upscale Factor Slider	ESRGAN
Edit By Prompt MAKE EYES BLUE 	Add,remove, edit, or combine elements in photos by describing what to change [Fast and Standard] (for Studio only)	• Variants: Fast, Quality • Device selector to target processor • Megapixel – for 0.25,0.5, 0.8, 1.0 megapixel • Aspect ratio to set the shape/ratio of the image • Resolution – display & manually set resolution • Steps: Manually enter generation steps • Seed: Set seed, randomly generate • Use Resolution of Reference Checkbox • Load Image (Left) • Use Second Reference Checkbox • Load Image (Right)	Flux.1-Kontext
Sketch To Photo 	Turn rough sketches into stunning photos. Load a sketch and describe the location, weather and environment [Fast and Quality] Essentials and Studio	Same as EditByPrompt Except • Batch Count Slider • Canny Low Setting Slider • Canny High Setting Slider • Control Net Strength • Load Reference Image (one image only)	JuggernautXL (SDXL), Canny-ControlNet
Change Face 	Edit an image to have a likeness you control. Load image with a face you want to change, then load a reference face to guide the likeness (for Studio only)	Same as EditByPrompt Except • No resolution, aspect ratio settings, steps, or Seed • Load Image (Original) • Load Image (New Face)	Inswapper

Inpaint 	Regenerate portions of an image by masking an area that will change based on your prompt [Draft and HD] Essentials and Studio	Same as EditByPrompt Except • Variants: Draft, HD modes • Batch Count Slider • Negative Prompt • Show Preview: ON as default • Safety Checker: Moderation set to 0.5 • Load Image (Original) • Mask editor, Inpainting	SD1.5_inpaint, JuggernautXL-inpaint
Outpaint 	Extend an image beyond its borders by sizing and positioning an image in a new space, then generate new content around it [Draft and HD] Essentials and Studio	Same as EditByPrompt Except • Variants: Draft, HD modes • Batch Count Slider • Negative Prompt • Show Preview: ON as default • Safety Checker: Moderation set to 0.5 • Load Image (Original) • Mask editor, Outpainting	SD1.5_inpaint, JuggernautXL-inpaint
Image To 3D Model 	Create a 3D mesh from a 2D image ready for 3D tools like Blender [Preview and Standard] (for Studio only)	Same as EditByPrompt Except • Variants: Preview, Standard • No resolution, aspect ratio settings, steps, or Seed • Load Image (Reference) • Number of Chunks • Octree Slider • CFG Scale • Voxel Algorithm	Hunyuan3d 2.0


Video Gen Mode

Generate video clips using text and images to guide the output. This feature is recommended for discrete GPUs or at minimum Intel Core Ultra Series 3 with 32GB of memory

Preset	Description	Preset Specific Features
LTX Text To Video  LTX-2.3	Generate high-quality video clips with audio and speech generation, from a text prompt. Describe a video clip and explain details of the main focus of the video. Describe the setting and environment is, then explain the action, and camera movement Studio Only	• Total Frames • Frame Rate
LTX Image To Video  LTX-2.3-i2v	Generate high-quality video clips with audio and speech generation, from a starting reference image with a text prompt. Describe a video clip and explain details of the main focus of the video. Describe the setting and environment is, then explain the action, and camera movement Studio Only	• Total Frames • Frame Rate • Reference Image
LTX Legacy Video  LTX-Video	For systems that have trouble using LTX 2.3 this is an alternative that can generate shorter 2-4 second clips. No audio support Studio Only	Variants: Text2Video, Image2Video, StartEnd • Total Frames • Frame Rate • Reference Image (Image2Video, StartEnd) • Reference Image 2 (StartEnd)
WAN 2.2 Video  Wan2.2-14B-...	Generate very high quality video clips, without audio with a starting reference image and text. Describe a video clip and explain details of the main focus of the video. Describe the setting and environment is, then explain the action, and camera movement. This requires high memory discrete GPUs Studio Only	Variants: Fast, Quality • Total Frames • Frame Rate • Reference Image
WAN 2.1 Video  Wan2.1-VACE	For systems that have trouble using WAN 2.2 this is an alternative that can generate shorter 2-4 second clips. No audio support, but can generate a video based on an image, and mimic the movement from another video reference. Studio Only	Variants: Fast, Video2Video • Total Frames • Frame Rate • Reference Image • Video Reference (Video2Video)

Specialty Features for Visual Gen Modes :

Image Gen Manual Mode: Use the Manual Mode in Image Gen to select Checkpoints and LoRA models based on either Stable Diffusion 1.5 or SDXL. To do this first, download models from Huggingface or CivitAI. Place these models in the appropriate folder in Ai Playground/resources/models/comfyui (ie checkpoint or loras folders). These models are now available from the Manual Image Gen settings: (NOTE: Be sure to select the appropriate resolution for the model being used.)



Example Outputs using different Checkpoint Models


Lykon/dreamshaper-8	realisticVisionV51_v51VAE.safetensors	counterfeitV30_v30.safetensors
		
Prompt: close up of an adorable anime bobble head character, detailed eyes, animated film, atomic space age hero, excited, open mouth, swanky, cute, funny, brown hair, wide angle, action pose, fantastic landscape, rocket, red, gold, space, planets purple glow Seed: 3027545586 Scheduler: Euler		

Where to find models for Manual Mode: These websites host models you can models and use in AI Playground.

- **Huggingface:** Huggingface is a website that hosts AI models for both AI chat and image generation. You can search huggingface for specific types of models or if you have a model ID you can use that to find a model. <https://huggingface.co/>
For LLM models, AI Playground v2.0a current supports PyTorch models supporting Transformers 4.39.
- **CivitAI:** CivitAI is a website with community defined and refined models for image generation. Here you can find models that are fine tuned to create outputs for specific styles – illustration, photography, anime, game design, architecture, etc. You will find models that work in AI Playground such as checkpoints for Stable Diffusion 1.5 (our standard mode), SDXL (our HD mode), LoRAs used to stylize or adhere output to a specific feature, inpainting models and more. <https://civitai.com/models>


Using ComfyUI

ComfyUI: A key feature of AI Playground is the ability to extend far beyond the features of AI Playground and leverage the many workflow templates or custom workflows you build in ComfyUI. See Using ComfyUI section. To access ComfyUI select OpenComfyUI from the bottom of either the Image Gen or Image Edit Settings



Browse and Try New Workflows: ComfyUI comes with dozens of generative AI workflows. Select the main ComfyUI menu then select Browse Templates. Note some templates require specific nodes, and models not already installed by ComfyUI or AI Playground. See ComfyUI website and online documentation for assistance. <https://www.comfy.org/>

Tweak and Edit AI Playground Images: Simply drag any image created from AI Playground 3.1 to the ComfyUI workspace. This will read the data on that image and create the node structure, allowing you to generate new images using the same settings directly from ComfyUI. While in ComfyUI you have access to all the values not normally exposed in AI Playground. You can also add or delete nodes, use different models, and change default settings to create a new workflow built off the AI Playground preset.



App Settings

App settings are accessible by click the gear icon at the bottom left of the app interface. If you do not see the gear, it's likely that you have history open and it is blocking access to this gear. Close the history panel to make App Settings accessible.

Below is a description of each feature

- **Language:** Set the language that AI Playground uses and defaults to in the app interface
- **Theme:** Choose from different looks, from the default dark theme, the product themes for Intel Core Ultra, or Arc Graphics, or the light theme
- **HuggingFace API:** Occasionally a model you attempt to download requires that you have an account registered with Huggingface. When you have an account you can get access to an API token from Huggingface. Put that token here and you will be permitted to download models that require you are registered with Huggingface
- **Mirror URL:** Huggingface is the default repository for accessing and downloading models, and AI Playgrounds model download system is based on the Huggingface API. In certain geographies access to Huggingface is not a good experience, thus there are 3rd party model repositories that mirror Huggingface's API. You can put in that mirror URL and it will be used instead of Huggingface.
- **Backend Status:** This will tell you the status of any of the backends installed.
- **Speech end point:** Enable for AI Playground to generate speech audio files of the output in chat. Will automatically generate speech file back to Home Agent client when speech is used for the prompt.
- **Speech to Text endpoint:** Will generate text from speech input, when microphone is used
- **Developer Console:** If you are interested in seeing the console details when generating content, this options will automatically show the console log window rather than hiding it
- **Keep Models loaded:** This feature will keep models loaded when a prompt requires more than one model to complete a task. This is only recommended if you have high vRAM.
- **Agent Preset:** Unhides the experimental Agent preset, for chat leveraging the Pi.dev agentic harness.
- **Presets Management:** Should a preset icon or json file get updated you can click to refresh and get those loaded without restarting. Also you can click the cloud button to get the latest and updated presets from Intel, which may happen between releases
- **Setup Wizard.** This will open the installation manager and set up wizard, allowing to update, turn on or off components

Language

English

Theme

Light

HuggingFace Settings

API Token

https://huggingface.co

Verify Mirror Apply & Restart Backends

Backend Status

AI Playground	Running
Home Agent	Running
Text To Speech (Qwen3-TTS)	Running
Speech To Text (Standalone Whisper)	Running
OpenVINO	Running
ComfyUI	Running
Llama.cpp - GGUF	Running
Cloud Mode	Running

External speech endpoints

Text to Speech endpoint ☒

Speech to Text endpoint ☒

Developer

Open Developer Console on Startup ☒

Keep Models Loaded ☒


Agent preset ☐

Presets Management ☒

Setup Wizard

Help and Information In AI Playground

- **Info Icons and Expanded:** Added descriptions and Info icon details added to prompt settings. Hover over these icons to get more details and descriptions on features of AI Playground




- **Help Mode** NEW



This feature, toggles on a help mode, where additional information is made available to guide you on the features.


1. To use, simply click on the Question Mark Icon to enable Help Mode.
2. Then click on any of the core areas of the application and you will be given guidance on how to use that feature.
3. Click "Exit help mode" to leave this mode



- **Demo Mode:** AI Playground supports a Demo mode, for environments where you want to ensure content generated is safe while allowing anyone to be guided through a successful experience using AI Playground. Like Help Mode, Demo mode provides interactive help and guidance to use the application, however it allows you to use the app while this guidance is on and creates a separate history for the demo user. Demo users can step through instruction and try out sample prompts. This mode also increase safety checker and disables preview of visual content, keeping the environment safe and clean. Demo mode also runs with a timer on. If the app is unused for an amount of time Demo mode will clear and refresh the content ready for someone else to demo. If you leave Demo mode you are back in standard user mode will all your files and history.

To enable Demo mode, open the settings.json file from the AI Playground/Resources folder. Then set the IsDemoModeEnabled value true. Optionally set the timer in seconds and the passcode to leave demo mode without having to edit this file,

```
{
  "debug": false,
  "availableThemes": ["dark", "lnl", "bmg", "light"],
  "currentTheme": "light",
  "productMode": "essentials",
  "demoModePresetsDir": "presets_essentials_demo",
  "isDemoModeEnabled": true,
  "demoModeResetInSeconds": 60,
  "demoModePasscode": "1111"
}
```



Model Index

For information on models see the Model Manager in AI Playground. Get access models by selecting the disk shaped cylinder in the title bar.

Mode	Name	Type / Preset	Model Card	License	Variants
Chat	DeepSeek-R1-Distill-Qwen 1.5B	Reasoning	Model Card	MIT License	Q4_K_S
Chat	DeepSeek-R1-Distill-Qwen 1.5B (OV)	Reasoning	Model Card	MIT License	int4-ov, int4-gg-ov
Chat	DeepSeek-R1-Distill-Qwen 7B	Reasoning	Model Card	MIT License	Q8_0
Chat	DeepSeek-R1-Distill-Qwen 7B (OV)	Reasoning	Model Card	MIT License	int4-ov, nf4-ov (NPU)
Chat	Gemma 3 4B IT (Unsloth)	Agentic, Vision	Model Card	Gemma License	Q5_K_S
Chat	Gemma 4 12B IT (Unsloth)	Agentic, Vision	Model Card	Apache 2.0	Q5_K_M
Chat	Gemma 4 26B A4B IT (Unsloth)	Agentic	Model Card	Apache 2.0	UD-Q4_K_M
Chat	Gemma 4 26B A4B IT QAT (Unsloth)	Agentic	Model Card	Apache 2.0	UD-Q4_K_XL
Chat	Gemma 4 E4B IT (Unsloth)	Agentic, Vision	Model Card	Apache 2.0	UD-Q4_K_XL
Chat	GPT-OSS 20B	Agentic, Reasoning	Model Card	Apache 2.0	Q8_0 (Unsloth), mxfp4 (ggml-org)
Chat	GPT-OSS 20B (OV)	Agentic, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	GPT-OSS 120B	Agentic, Reasoning	Model Card	Apache 2.0	Q5_K_M (Unsloth), mxfp4 (ggml-org)
Chat	InternVL2 4B (OV)	Vision	Model Card	MIT License	int4-ov
Chat	LFM2 24B A2B	Agentic	Model Card	LFM Open License v1.0	Q4_K_M
Chat	Llama 3.2 3B Instruct	Text Only	Model Card	Llama 3.2 License	Q4_K_S, Q8_0
Chat	Meta-Llama 3.1 8B Instruct	Text Only	Model Card	Llama 3.1 License	Q5_K_S
Chat	Mistral 7B Instruct v0.3	Agentic	Model Card	Apache 2.0	Q4_K_S
Chat	Mistral 7B Instruct v0.3 (OV)	Agentic	Model Card	Apache 2.0	int4-cw-ov (NPU)
Chat	Phi-3 Mini 4k Instruct (OV)	Text Only	Model Card	MIT License	int4-ov
Chat	Phi-3.5 Mini Instruct (OV)	Text Only	Model Card	MIT License	int4-ov, int4-gg-ov (NPU)
Chat	Phi-3.5 MoE Instruct	Agentic	Model Card	MIT License	Q4_K_M
Chat	Qwen2-VL 7B Instruct (OV)	Vision	Model Card	Apache 2.0	int4-ov
Chat	Qwen2.5-VL 7B Instruct (OV)	Agentic, Vision	Model Card	Apache 2.0	int4-ov
Chat	Qwen3 4B (Unsloth)	Agentic, Reasoning	Model Card	Apache 2.0	Q5_K_S
Chat	Qwen3 4B (OV)	Agentic, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	Qwen3 4B Instruct 2507 (Unsloth)	Agentic	Model Card	Apache 2.0	Q5_K_S
Chat	Qwen3 8B (OV)	Agentic, Reasoning	Model Card	Apache 2.0	int4-ov, int4-cw-ov (NPU)
Chat	Qwen3 30B A3B Instruct 2507 (Unsloth)	Agentic	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3-Next 80B A3B Instruct (Unsloth)	Agentic	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3-Next 80B A3B Thinking	Agentic, Reasoning	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3-VL 4B Instruct (Unsloth)	Agentic, Vision	Model Card	Apache 2.0	Q5_K_S
Chat	Qwen3-VL 8B Instruct (OV)	Agentic, Vision	Model Card	Apache 2.0	int4-ov
Chat	Qwen3-VL 30B A3B Instruct	Agentic, Vision	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3.5 4B (Unsloth)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3.5 4B (OV)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	Qwen3.5 9B (Unsloth)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	Q4_K_M; MTP UD-Q4_K_XL
Chat	Qwen3.5 9B (OV)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	Qwen3.5 35B A3B (Unsloth)	Agentic, Reasoning	Model Card	Apache 2.0	Q4_K_M
Chat	Qwen3.5 122B A10B (Unsloth)	Agentic, Reasoning	Model Card	Apache 2.0	Q4_K_M, Q5_K_M
Chat	Qwen3.6 27B (Unsloth)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	UD-Q4_K_XL; MTP UD-Q4_K_XL
Chat	Qwen3.6 27B (OV)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	Qwen3.6 35B A3B (Unsloth)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	UD-Q3_K_XL, UD-Q4_K_XL, UD-Q5_K_M; same three as MTP
Chat	Qwen3.6 35B A3B (OV)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	Qwen3.8 27B (Unsloth)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	UD-IQ2_XXS, UD-IQ3_XXS, UD-Q4_K_XL, Q4_K_M (MTP in GGUF)
Chat	Qwen3.8 27B (OV)	Agentic, Vision, Reasoning	Model Card	Apache 2.0	int4-ov
Chat	SmolLM2 1.7B Instruct	Text Only	Model Card	Apache 2.0	Q4_K_M
Chat	TinyLlama 1.1B Chat (OV)	Text Only	Model Card	Apache 2.0	int4-ov
Chat	BGE Small EN v1.5 (GGUF)	Embedding	Model Card	MIT License	Q8_0
Chat	BGE Base EN v1.5 (OV)	Embedding	Model Card	MIT License	fp16-ov
Chat	Nomic Embed Text v1 (GGUF)	Embedding	Model Card	Apache 2.0	Q8_0
Chat	Nomic Embed Text v1.5 (GGUF)	Embedding	Model Card	Apache 2.0	Q8_0
Chat	Qwen3 Embedding 0.6B (GGUF)	Embedding	Model Card	Apache 2.0	Q8_0
Chat	Qwen3 Embedding 0.6B (OV)	Embedding	Model Card	Apache 2.0	int4-cw-ov
Media	AdamCodd/vit-base-nswf-detector	Change Face, Control Face, Draft Image, Edit By Prompt, Edit by Prompt 2, HD Image, Inpaint, Manual, Outpaint, Pro Image, Pro 2 Image, Pro 3 Image, Sketch to Photo	Model Card	Apache 2.0	config.json, model.safetensors, preprocessor_config.json
Media	Aitrepneur/insightface/inswapper_128.onnx	Change Face, Control Face	Model Card	Non-Commercial	also ReActor terms
Media	alimama-creative/FLUX.1-Turbo-Alpha/diffusion_pytorch_model.safetensors	Edit By Prompt	Model Card	FLUX.1-dev License	
Media	black-forest-labs/FLUX.2-klein-4b-fp8/flux-2-klein-4b-fp8.safetensors	Pro Image	Model Card	Apache 2.0	
Media	black-forest-labs/FLUX.2-klein-4b/flux-2-klein-4b.safetensors	Edit by Prompt 2	Model Card	Apache 2.0	
Media	city96/FLUX.1-schnell-gguf/flux1-schnell-Q4_K_S.gguf	Acer VisionArt	Model Card	Apache 2.0	Q4_K_S
Media	city96/t5-v1_1-xxl-encoder-gguf/t5-v1_1-xxl-encoder.gguf	Acer VisionArt, LTX-Video	Model Card	Apache 2.0	Q3_K_M (Acer VisionArt), Q4_K_M (LTX-Video)
Media	city96/umt5-xxl-encoder-gguf/umt5-xxl-encoder-Q4_K_M.gguf	Wan2.1-VACE	Model Card	Apache 2.0	Q4_K_M
Media	Comfy-Org/ERNIE-Image/diffusion_models/ernie-image-turbo.safetensors	Pro 3 Image	Model Card	Apache 2.0	
Media	Comfy-Org/ERNIE-Image/diffusion_models/ernie-image.safetensors	Pro 3 Image	Model Card	Apache 2.0	
Media	Comfy-Org/ERNIE-Image/text_encoders/ministral-3-3b.safetensors	Pro 3 Image	Model Card	Apache 2.0	
Media	Comfy-Org/ERNIE-Image/vae/flux2-vae.safetensors	Pro 3 Image	Model Card	Apache 2.0	
Media	Comfy-Org/flux1-kontext-dev_ComfyUI/.../flux1-dev-kontext_fp8_scaled.safetensors	Edit By Prompt	Model Card	FLUX.1-dev License	
Media	Comfy-Org/Lumina_Image_2.0_Repackaged/.../ae.safetensors	Acer VisionArt, Edit By Prompt	Model Card	Apache 2.0	
Media	Comfy-Org/Real-ESRGAN_repackaged/RealESRGAN_x4plus.safetensors	Upscale	Model Card	BSD-3-Clause	
Media	Comfy-Org/vae-text-encoder-for-flux-klein-4b/.../qwen_3_4b_fp4_flux2.safetensors	Edit by Prompt 2, Pro Image	Model Card	Apache 2.0	

Media	Comfy-Org/vae-text-encoder-for-flux-klein-4b/.../flux2-vae.safetensors	Edit by Prompt 2, Pro Image	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.1_ComfyUI_repackaged/.../umt5_xxl_fp8_e4m3fn_scaled.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.1_ComfyUI_repackaged/.../wan_2.1_vae.safetensors	Wan2.1-VACE	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.2_ComfyUI_Repackaged/.../wan2.2_i2v_high_noise_14B_fp8_scaled.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.2_ComfyUI_Repackaged/.../wan2.2_i2v_low_noise_14B_fp8_scaled.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.2_ComfyUI_Repackaged/.../wan2.2_i2v_lig_hx2v_4steps_lora_v1_high_noise.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.2_ComfyUI_Repackaged/.../wan2.2_i2v_lig_hx2v_4steps_lora_v1_low_noise.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/Wan_2.2_ComfyUI_Repackaged/.../wan_2.1_vae.safetensors	Wan2.2-14B-i2v	Model Card	Apache 2.0	
Media	Comfy-Org/z_image_turbo/.../z_image_turbo_bf16.safetensors	Control Face, Pro 2 Image	Model Card	Apache 2.0	
Media	Comfy-Org/z_image_turbo/.../qwen_3_4b.safetensors	Control Face, Pro 2 Image	Model Card	Apache 2.0	
Media	Comfy-Org/z_image_turbo/.../ae.safetensors	Control Face, Pro 2 Image	Model Card	Apache 2.0	
Media	comfyanonymous/flux_text_encoders/clip_l.safetensors	Acer VisionArt, Edit By Prompt	Model Card	Apache 2.0	
Media	comfyanonymous/flux_text_encoders/t5xxl_fp8_e4m3fn.safetensors	LTX-Video	Model Card	Apache 2.0	
Media	comfyanonymous/flux_text_encoders/t5xxl_fp8_e4m3fn_scaled.safetensors	Edit By Prompt	Model Card	Apache 2.0	
Media	gm123/GFPGAN/GFPGANv1.4.pth	Change Face, Control Face	Model Card	Apache 2.0	
Media	Kijai/WanVideo_comfy/Wan21_CausVid_14B_T2V_lora_rank32.safetensors	Wan2.1-VACE	Model Card	Apache 2.0	CausVid LoRA variant
Media	latent-consistency/lcm-lora-sdv1-5/pytorch_lora_weights.safetensors	Draft Image	Model Card	OpenRAIL++	
Media	latent-consistency/lcm-lora-sdxl/pytorch_lora_weights.safetensors	Control Face, HD Image, Sketch to Photo	Model Card	OpenRAIL++	
Media	Lightricks/LTX-Video/ltv-2b-0.9.8-distilled-fp8.safetensors	LTX-Video	Model Card	LTX-Video License	was 0.9.6 in v3.1a
Media	llyasviel/foocus_inpaint/foocus_inpaint_head.pth	Inpaint, Outpaint	Model Card	OpenRAIL	
Media	llyasviel/foocus_inpaint/inpaint_v26.foocus.patch	Inpaint, Outpaint	Model Card	OpenRAIL	
Media	Lykon/DreamShaper/DreamShaper_8_pruned.safetensors	Draft Image, Manual	Model Card	OpenRAIL-M	
Media	Lykon/dreamshaper-8-inpainting/text_encoder/model.safetensors	Inpaint, Outpaint	Model Card	OpenRAIL-M	
Media	Lykon/dreamshaper-8-inpainting/UNET/diffusion_pytorch_model.safetensors	Inpaint, Outpaint	Model Card	OpenRAIL-M	
Media	Lykon/dreamshaper-8-inpainting/vae/diffusion_pytorch_model.safetensors	Inpaint, Outpaint	Model Card	OpenRAIL-M	
Media	OpenVINO/dreamshaper-8-inpainting-int8-ov	Inpaint, Outpaint	Model Card	OpenRAIL-M	int8-ov
Media	OpenVINO/Juggernaut-XL-v9-int8-ov	HD Image, Inpaint, Outpaint	Model Card	OpenRAIL-M	int8-ov
Media	OpenVINO/LCM_Dreamshaper_v7-int8-ov	Draft Image	Model Card	MIT License	int8-ov
Media	QuantStack/Wan2.1_14B_VACE-GGUF/Wan2.1_14B_VACE-Q8_0.gguf	Wan2.1-VACE	Model Card	Apache 2.0	Q8_0
Media	RunDiffusion/Juggernaut-XL-v9/.../Juggernaut-XL_v9_RunDiffusionPhoto_v2.safetensors	Control Face, HD Image, Inpaint, Manual, Outpaint, Sketch to Photo	Model Card	OpenRAIL-M	
Media	stabilityai/control-lora/.../control-lora-canny-rank128.safetensors	Sketch to Photo	Model Card	SAI Community	
Media	tencent/Hunyuan3D-2/hunyuan3d-dit-v2-0/model.fp16.safetensors	Image To 3D Model	Model Card	Hunyuan3D License	Standard variant
Media	tencent/Hunyuan3D-2mini/hunyuan3d-dit-v2-mini-turbo/model.fp16.safetensors	Image To 3D Model	Model Card	Hunyuan3D License	Preview variant
Media	unsloth/gemma-3-12b-it-GGUF/gemma-3-12b-it-Q3_K_M.gguf	LTX-2.3, LTX-2.3-i2v	Model Card	Gemma License	Q3_K_M
Media	unsloth/LTX-2.3-GGUF/distilled-1.1/tx-2.3-22b-distilled-1.1-Q4_K_S.gguf	LTX-2.3, LTX-2.3-i2v	Model Card	LTX-2.3 License	Q4_K_S
Media	unsloth/LTX-2.3-GGUF/text_encoders/tx-2.3-22b-distilled_embeddings_connectors.safetensors	LTX-2.3, LTX-2.3-i2v	Model Card	LTX-2.3 License	
Media	unsloth/LTX-2.3-GGUF/vae/tx-2.3-22b-distilled_audio_vae.safetensors	LTX-2.3, LTX-2.3-i2v	Model Card	LTX-2.3 License	
Media	unsloth/LTX-2.3-GGUF/vae/tx-2.3-22b-distilled_video_vae.safetensors	LTX-2.3, LTX-2.3-i2v	Model Card	LTX-2.3 License	
Speech	Whisper (OV)	Speech to Text	Model Card	Apache 2.0	tiny, base, small (int8); large-v3-turbo is MIT
Speech	Whisper (standalone)	Speech to Text	Model Card	Apache 2.0	base, small; large-v3-turbo is MIT
Speech	Qwen3-TTS 0.6B Custom Voice	Text to Speech	Model Card	Apache 2.0	preset speakers
Speech	Qwen3-TTS 1.7B Voice Design	Text to Speech	Model Card	Apache 2.0	describe a speaker
Speech	Qwen3-TTS 1.7B Base	Text to Speech	Model Card	Apache 2.0	voice clone / saved voices
Speech	Kokoro 82M (OV)	Text to Speech	Model Card	Apache 2.0	int8-ov; OpenVINO only

Notices and Disclaimers:

For information on AI Playground terms, license and disclaimers, visit the project and files on GitHub repo:

[License](#) | [Notices & Disclaimers](#)

The software may include third party components with separate legal notices or governed by other agreements, as may be described in the Third Party Notices file accompanying the software.