

**Canada**

Plumbing | Pipe and Tubing | PVC Tubing | TUBING, CLEAR, 1/4 IN INSIDE DIA, 3/8 IN OUTSID...

Email

Print



Roll over image to zoom.

## TUBING, CLEAR, 1/4 IN INSIDE DIA, 3/8 IN OUTSIDE DIA, 2 FT, 70A, SILICONE

**USA SEALING****Web Price ⓘ:**  
**\$7.53 / EACH**

1

**Add to Cart**☐ **Compare****Availability**☐ Pick Up☒ Shipping**⚠ Backordered, expected to arrive between Tue. Nov 14 - Tue. Nov 28. ⓘ****New Postal Code**

B3H0B2

**Apply**

Item # <b>USSZUSA-HT1638</b>	Mfr. Model # <b>ZUSA-HT-1638</b>	UNSPSC # <b>40183001</b>
------------------------------	----------------------------------	--------------------------

CATALOGUE PAGE # N/A	Shipping Weight <b>1.0 lbs</b>
-------------------------	-----------------------------------

### Product Details

This clear FDA/NSF-certified silicone tubing is two feet long with tube bend radius of one inch and wall thickness of 1/16 inch. The inside diameter of this tube is 1/4 inch and the outside diameter is 3/8 inch. It has a temperature range between -120 Degrees F and 480 Degrees F with maximum pressure of 40 PSI. This tubing is used in air, chemicals, water, food and beverage applications.

### Technical Specs

Item	Tubing	Application	Beverages, Food, Water
Colour	Clear	Food Application	Dairy, Food, and Beverage
Hardness	Shore A 70	Inside Diameter	1/4 in
Jacket Colour	No Jacket	Jacket Material	No Jacket
Material	Silicone	Material Trade Name	Not Applicable
Material Trade Number	Not Applicable	Maximum Operating Pressure	40 psi
Maximum Operating Temperature	480 Degrees F	Outside Diameter	3/8 in
Overall Length	2 ft	Peristaltic Pump Compatible	Yes
PEX Type	Not Applicable	Resistance Properties	High Temperature Resistant
Reinforcement	Not Reinforced	Standards	FDA, NSF 51
Wall Thickness	0.625 in	Food and Beverage Compatibility	Beer, Citric Acid, Distilled Water, Glycerin, Linseed Oil, Milk, Non-Potable Water, Orange Juice, Potable Water, Salt Water, Soft Drinks, Vinegar
Petroleum Product Compatibility	Mineral Oil	Chemical Compatibility	Acetic Acid 10%, Calcium Chloride, Hydrogen Peroxide, Potassium Sulfate, Sodium Chloride, Sodium Hypochlorite 5.5%, Zinc Chloride
Autoclavable	Yes	Bend Radius	1 in
Clarity	Semi-Clear	Does Not Contain	Not Applicable
Fitting Compatibility	Barbed	Flexibility	Semi-Flexible
Stripe Colour	No Stripe	System of Measurement	Inch
Tube Form	Coil	Vacuum Rated	Not Rated for Vacuum
Flow Application	Dairy, Food and Beverage, Pharmaceutical	For Environment	High Temperature
For Fluid Type	Beverages	Minimum Operating Temperature	-120 Degrees F
Tensile Strength	1,450 psi		

---

## Compliance and Restrictions

None

[Back to Top](#)