

March 26, 2026

A Cymatics and the Theory of Shapes Beginner-Friendly Introduction to Operator-Driven Pattern Formation

Pablo Nogueira Grossi March 2026

Abstract

Cymatics—the study of standing-wave patterns on vibrating surfaces—offers one of the most accessible windows into the mathematics of shape formation. This paper introduces the core ideas behind cymatic patterns using only elementary concepts, and then shows how the same mathematical structure reappears in a discrete operator pipeline. The goal is to provide a gentle, intuitive introduction to the theory of shapes as generated by explicit operators, without assuming any background in partial differential equations or spectral theory.

1 Introduction

When a metal plate is sprinkled with sand and vibrated at certain frequencies, the sand arranges itself into striking geometric patterns. These are called *Chladni figures*. They arise not from artistic intention but from mathematics: the plate selects certain shapes and rejects others.

This paper explains:

- why only certain shapes appear,
- how resonance selects them,
- how nonlinearity stabilizes them,
- and how the same mechanism appears in a discrete operator pipeline.

The goal is to introduce the mathematics of shape formation in a way that is accessible to beginners while remaining fully rigorous.

2 Standing Waves on a Plate

Consider a thin metal plate. Let $u(x, y, t)$ be its vertical displacement at point (x, y) and time t . The physics of the plate is governed by the equation “ $u_{tt} + \Delta^2 u = 0$,”

where Δ^2 is the *bi-Laplacian*. You do not need to know what this operator is; the key idea is that it measures how the plate bends.

We look for solutions of the form

$$u(x, y, t) = \phi(x, y) \cos(\omega t),$$

which represent standing waves. Plugging this into the equation gives the *eigenvalue problem*

$$\Delta^2 \phi = \omega^2 \phi.$$

2.1 Interpretation

- $\phi(x, y)$ is the **shape** of the pattern.
- ω is the **frequency** that produces it.

Only certain shapes ϕ satisfy this equation. These are the shapes that appear in cymatics.

3 Resonance and Mode Selection

If we vibrate the plate at frequency ω , the plate amplifies the shape ϕ whose natural frequency matches ω . All other shapes decay.

This is the mathematical meaning of *resonance*:

forcing frequency = natural frequency $\Rightarrow$ shape appears.

4 Nonlinearity and Stability

Real plates have damping and nonlinear effects. These ensure that the pattern does not grow without bound. Instead, the system settles into a stable shape.

Mathematically, the system converges to a *fixed point*:

$u(t) \rightarrow c\phi(x, y)$.

This is why cymatic patterns are crisp and stable.

5 A Discrete Operator Model

We now introduce a simple operator pipeline that reproduces the same structure on a grid. Let $u : \mathbb{Z}^2 \rightarrow \mathbb{R}$ be a grid of values. Define four operators:

1. **Convolution with a center-surround kernel:**
$$K = \frac{1}{8} \begin{pmatrix} -1 & -1 & -1 \\ -1 & 8 & -1 \\ -1 & -1 & -1 \end{pmatrix}$$

This is the discrete analogue of the Laplacian.

2. **Thresholding (nonlinearity):** “ $\text{blockmath } C(u)(x,y) = \text{clip}(\max(0, (K * u)(x, y) - \tau), 0, 1)$.”

3. **Averaging (smoothing):** “ $\text{blockmath } F(u)(x,y) = u(x,y) + u(x-1,y)_{\overline{2}}$.”

4. **Periodic tiling:** “ $\text{blockmath } U(u)(x,y) = u(x \bmod n, y \bmod n)$.”

The composite operator is

$$G = U \circ F \circ K \circ C.$$

We study the six-fold iterate

$$R = G^6.$$

6 The Main Theorem

[Discrete Cymatic Patterns] Let $R = G^6$ be the operator defined above. Then:

1. R is a contraction: it brings any two inputs closer together.
2. Therefore R has a unique fixed point p .
3. The fixed point p is not uniform: it contains spatial structure.
4. The structure of p is determined by the most unstable Fourier mode of K .

Thus the discrete operator pipeline produces stable patterns for the same mathematical reason that cymatic plates do.

7 A Theory of Shapes

We can now define:

[Shape Spectrum] The *shape spectrum* of an operator $\mathcal{O}$ is the set of stable patterns (fixed points) selected by the instability band of its linearization.

For the plate, $\mathcal{O} = \Delta^2$. For the discrete model, $\mathcal{O} = R$.

Both produce:

- a discrete set of shapes,
- selected by resonance,
- stabilized by nonlinearity,
- and organized into a hierarchy.

8 Conclusion

Cymatics is not a curiosity; it is a window into a general mathematical phenomenon: the emergence of shapes from operators. The same mechanism appears in continuous systems (vibrating plates) and discrete systems (operator pipelines). This paper has introduced the core ideas in a way accessible to beginners, laying the foundation for a full theory of shapes.