
TIC HACKATHON · PROJECT PITCH

AI agents need to know what's real before they act.

Token Intelligence Layer is a live evidence service for AI agents — starting with newly launched crypto tokens.

• HACKATHON PROTOTYPE

SOURCED · TIMESTAMPED · AGENT-READY



02 — PROBLEM

Online information moves faster than anyone can check it.

People struggle to keep up. AI agents acting on their own may not check at all.



Fragmented

Evidence is scattered across chains, exchanges, social feeds and websites.



Fast-moving

A token can be created, traded and promoted within minutes. Older data goes stale fast.




Sometimes misleading

Copycat names, paid promotion and coordinated posts can be designed to look legitimate.

Token names and times are illustrative.

03 — WHY NOW

AI agents are moving from answering to acting.



SIGNALS WE CAN POINT TO

A standard way to plug in tools

MCP is an open protocol for connecting AI applications to external data and tools.

Crypto data is already agent-facing

CoinGecko, Nansen and GoPlus each publish MCP servers for AI agents.

Agents can hold wallets and transact

Toolkits such as Coinbase AgentKit let agents take onchain actions.

Sources: modelcontextprotocol.io · docs.coingecko.com · docs.nansen.ai · github.com/GoPlusSecurity/goplus-mcp · github.com/coinbase/agentkit (checked Oct 2026).
No market-size or adoption statistics are shown; we will add figures only with credible sources.

04 — SOLUTION

A live intelligence layer agents can check before they act.

Token Intelligence Layer monitors newly launched tokens, keeps every piece of evidence with its source and timestamp, and returns structured risk flags.

Sourced
Every claim links back to where it was observed.

Timestamped
Agents can see how fresh each signal is.

Agent-ready
Structured JSON via API and webhooks. MCP planned.

`GET /v1/tokens/{address}/evidence` ILLUSTRATIVE SCHEMA

```
{
  "token": "$FERN",
  "age_minutes": 14,
  "last_updated": "14:16:09Z",
  "flags": [{
    "rule": "liquidity_not_locked",
    "severity": "high",
    "evidence": ["ev_01", "ev_02"],
    "observed_at": "14:02:48Z"
  }],
  "unverified": ["social_mentions"]
}
```

05 — HOW IT WORKS

From launch to alert in five steps.

01

Discover

Detect new tokens and liquidity pools as they appear.

`pool_created`

02

Collect

Pull market data and public social signals.

`price · holders · posts`

03

Preserve

Store each item with its source, hash and timestamp.

`sha256 · observed_at`

04

Analyse

Run transparent rules that flag risk patterns.

`rule → flag`

05

Deliver

Push alerts and serve evidence to agents via API.

`webhook · REST`

EVERY OUTPUT TRACES BACK TO ITS INPUTS

• SIMULATED EXAMPLE

SOURCE	→	EVIDENCE	→	RISK FLAG	→	ALERT
DEX event · 14:02:48Z		ev_02 · LP not locked		liquidity_not_locked		$FERN · high · 14:05:31

06 — PRODUCT CONCEPT

CONCEPT MOCKUP · SIMULATED DATA

What's new, what's verified, and what isn't.

Token Intelligence Layer / Monitor

Simulated feed | Last sync 14:16:09 UTC

New tokens 5 | Watchlist 3 | Alerts 1 | API

TOKEN	AGE	FIRST SEEN	UPDATED	EVIDENCE	RISK FLAGS
$FERN 0x8f3…a1c	14m	DEX pool	14:16:09	4 items	Liquidity not locked
$KILN 0x2b7…90e	22m	Contract	14:15:51	5 items	Holder concentration
$MOSSY 0xc41…7d2	31m	Social post	14:15:40	3 items	Unverified claims
$QUILL 0x9e0…b43	47m	DEX pool	14:14:58	6 items	No flags yet
$SLATE 0x51d…e08	58m	Contract	14:12:30	2 items	Lookalike name

$FERN

High

0x8f3…a1c · evidence trail

Token age	Updated	Sources
14m	14:16:09	3

14:02:11 **Contract deployed**
ev_01 · chain tx 0x8f…a1

14:02:48 **Pool created, LP not locked**
ev_02 · DEX event

14:03:40 **First social mention**
ev_03 · public post · unverified

14:05:22 **Top 10 wallets hold 64%**
ev_04 · holder snapshot

Flags are risk indicators, not verdicts.

07 — USERS

For teams whose software makes decisions about new tokens.

AI-agent developers

Teams building agents that research, trade or recommend.

NEED

A check their agent can call before acting on a new token.

PRE-ACTION API CALL

Crypto research platforms

Analysts and data products that cover new tokens.

NEED

Faster coverage of new tokens, with sources attached.

EVIDENCE FEED + ALERTS

Web3 applications

Wallets, trading apps and DEX interfaces.

NEED

Risk context to show users before they interact with a token.

RISK FLAGS IN THE UI

Target segments to validate. No customers, pilots or partnerships yet.

08 — VALUE

Every decision leaves an evidence trail.

Better visibility

Market, onchain and social signals in one record, each with its source.

Earlier warnings

Designed to flag risk patterns as they emerge, not after the fact.

Reviewable decisions

See what an agent knew, and when, after it acted.

We flag risk. We don’t guarantee safety.

DECISION RECORD — SIMULATED

Action	Trade declined by agent
Time	14:16:10 UTC
Reason	liquidity_not_locked · high

EVIDENCE USED

ev_01	Contract deployed	14:02:11Z
ev_02	LP not locked	14:02:48Z
ev_03	Social mention	unverified

Stored with source, hash and timestamp, so it can be replayed.

09 — COMPETITION

Crypto data is already agent-ready. Reviewable evidence is the gap we'll test.

EXISTING CATEGORY	STRONG AT	AGENT ACCESS
Market-data APIs e.g. CoinGecko, CoinMarketCap	Prices, volume and broad coverage, including new pools	API + MCP CoinGecko
New-pair trackers e.g. DEX Screener, GeckoTerminal	Fast discovery of new pairs, charts and token profiles	Public API DEX Screener
Token security scanners e.g. GoPlus, RugCheck	Contract-level risk checks before a transaction	API + MCP GoPlus
Onchain analytics e.g. Nansen, Arkham	Wallet labels, fund flows and smart-money analysis	API + MCP Nansen

THE GAP WE INTEND TO TEST

One reviewable record per new token: every signal with its source, time observed and freshness.

HYPOTHESIS

Agent developers prefer this to stitching APIs together and keeping their own logs.

HONEST RISK

Incumbents have more coverage and could add this. Several may be our **data sources**.

Based on public product documentation, checked Oct 2026. Not an exhaustive market map.

10 — BUSINESS MODEL

Free to build with.
Paid when it runs in production.

01 · DEVELOPER

Free

For prototyping agents and testing the data.

- ✓ Rate-limited API
- ✓ Simulated sandbox feed
- ✓ Public documentation

02 · USAGE

Pay per call

For agents running in production.

- ✓ Metered API and webhooks
- ✓ Higher rate limits
- ✓ Standard evidence retention

03 · PREMIUM MONITORING

Subscription

For teams that need continuous coverage.

- ✓ Custom watchlists
- ✓ Priority alerts
- ✓ Longer evidence history
- ✓ Team audit logs

LAND WITH DEVELOPERS → GROW WITH USAGE → EXPAND TO TEAMS

No revenue yet. Prices set after testing with developers.

11 — MVP SCOPE · 24-HOUR BUILD

What's real, what's simulated, what's next.

24-HOUR BUILD PLAN

REAL DATA | SIMULATED

0h – 4h	4h – 9h	9h – 15h	15h – 20h	20h – 24h
Token discovery feed	Evidence store + hashing	Risk rules + REST API	Dashboard + watchlist	Simulated alerts + demo

Working · real data

- ✓ Discovery from one public source
- ✓ Price, liquidity, holder snapshot
- ✓ Evidence store: source, time, hash
- ✓ Rule-based risk flags + REST API
- ✓ Dashboard and watchlist

Simulated · labelled

- Social signals (seeded sample posts)
- Alert delivery via a mock webhook
- Replayed events for a reliable demo

Not in the MVP

- – Multi-chain coverage
- – ML-based pattern detection
- – MCP server (stretch goal)
- – Accuracy evaluation (no claims yet)
- – Auth, billing, SLAs

Planned scope for the 24-hour build. Confirm each status against the final build before presenting.

12 — DEMO

STORYBOARD · SIMULATED DATA

From new token to alert in four steps.

01 · DISCOVERY 14:02:48

NEW TOKEN SIM

$FERN

0x8f3…a1c

First seen	14:02:48
Source	DEX pool event
Token age	37s

Discovery. A new pool appears. The token is recorded with its source and time.

02 · EVIDENCE CHECK 14:05:22

EVIDENCE SIM

- ✓ Contract found onchain
  ev_01 · 14:02:11
- ✕ LP tokens not locked
  ev_02 · 14:02:48
- ? Social claim
  ev_03 · unverified

Evidence check. Each finding links to its source. Unverified items stay marked.

03 · WATCHLIST 14:05:30

WATCHLIST SIM

$FERN NEW	updated 14:05:30	High
$KILN	updated 14:04:51	Med
$QUILL	updated 14:03:58	None

Watchlist update. $FERN is added with its flag and update time.

04 · ALERT 14:05:31

ALERT SIM

SIMULATED ALERT

$FERN: liquidity not locked

High-severity risk flag · 2 evidence items

via mock webhook

agent: hold for review

Alert. The agent gets the flag and its evidence — a signal to review, not a verdict.

Live walkthrough follows. Anything simulated is labelled on screen.

13 — VISION

Start with tokens. Become the evidence layer for AI agents.



Before any agent acts, it should be able to ask:

01 What’s the evidence?

02 Where did it come from?

03 How fresh is it?

Thank you.

Questions welcome.