FRONTEND SIMPLIFIED


HTML Cheat Sheet

Every tag from the HTML lessons in one place, with examples. Keep it open next to VS Code: less note-taking, more building.

1 · Basics 2 · Text, Links & Images 3 · Structure & Lists 4 · Forms

01 The golden rule: open it, fill it, close it

Most HTML tags come in pairs. The closing tag is the same tag with a forward slash: <h1> opens, </h1> closes.



Think sandwich: top bread (opening tag), filling (content), bottom bread (closing tag). That's how the

Opening tag + content + closing tag = one element

02 Self-closing tags

A few tags hold no content, so they never get a closing tag. One tag, done.

Tag	What it does
<img>	Shows an image
 	Line break inside text
<input>	A form field or button
<hr>	Horizontal divider line
<meta> BONUS	Page info in the head
<link> BONUS	Page info in the head

You'll also see them written with a slash, like
 . Both styles work. Never write </img> .

04 Nesting: elements inside elements

```
<div>
  <h2>Hobbies</h2>
  <div>
    <p>Reading</p>
    <p>Cooking</p>
  </div>
</div>
```

browser knows where each element starts and ends.

✗ `<p>Hello!` Forgot the `</p>` closing tag

✓ `<p>Hello!</p>` Opened and closed. Perfect.

03 Attributes

Extra instructions for a tag. They go **inside the opening tag** as `name="value"`, separated by spaces.

```
<a href="https://nasa.gov" target="_blank">
  Visit NASA
</a>
```

Attribute	What it does
`href`	Where an <a> link goes
`src` `alt`	Image URL + description
`type`	What kind of <input> field

Nesting means placing one element inside another, like a `<p>` inside a `<div>`. **Close in reverse order:** last opened, first closed.

✗ `<p><b>Hi!</p></b>` Tags cross over each other

✓ `<p><b>Hi!</b></p>` Inner tag closes first

Indent nested tags 2 spaces so you can see what lives inside what.

1 / 4

browser knows where each element starts and ends.

Hello! Forgot the closing tag

Hello! Opened and closed. Perfect.

03 Attributes

Extra instructions for a tag. They go inside the opening tag as name="value" , separated by spaces.

 Visit NASA

Attribute What it does

href Where an <a> link goes

src alt Image URL + description

type What kind of <input> field

Nesting means placing one element inside another, like a inside a . Close in reverse order: last opened, first closed.

Hi! Tags cross over each other

Hi! Inner tag closes first

Indent nested tags 2 spaces so you can see what lives inside what.

BONUS Not covered in the lessons yet, but good to know. 1 / 4

ext tags

	Use it for	Example
>	Main page title. One per page	`<h1>Top 3 Coffee Spots</h1>`
>	Major sections	`<h2>1. James Coffee Co.</h2>`
>	Sub-sections	`<h3>Opening hours</h3>`
> to <h6>	Smaller headings. Rarely used	`<h4>Fine print</h4>`
	A paragraph of normal text	`<p>This is a paragraph.</p>`
>	Line break inside a paragraph	`<p>Never stop. Keep going.</p>`
	Bold: the main idea stands out	`<b>Local favorite</b>`
	Italic: a softer side note	`<i>open until 9pm</i>`
rong> BONUS	Bold that marks text as important	`<strong>Warning!</strong>`
> BONUS	Italic that adds spoken emphasis	`I <em>love</em> this place`
- --> BONUS	A note for you, hidden on the page	`<!-- TODO: add photo -->`

≈ 32px
≈ 24px
≈ 19px

Default sizes, set by the browser. Pick headings by **importance, not size**: `<h1>` tells the browser (and Google) "this is the most important text here." CSS changes sizes later.

inks & images

e	What it does	Example
href="">	A link. Its text is what you click	`<a href="https://google.com">Search</a>`
get="_blank"	Opens the link in a new tab	`<a href="..." target="_blank">`
f="#"	Placeholder link, goes nowhere yet	`<a href="#">About</a>`
g>	Shows an image. No closing tag	`<img src="cat.jpg" alt="A cat">`
alt	Image link + description for screen readers	`alt="Orange cat on a sofa"`

able image: nest <img> inside <a>

```
href="https://www.nintendo.com">
img src="https://.../Nintendo.svg"
    alt="Nintendo">
>
```

Code, images in your project folder work too:
"images/me.jpg"

How to grab an image URL

1. Right-click an image, then **Copy image address** (Chrome), **Copy image link** (Edge) or **Copy Image Location** (Firefox)

2. Paste it between the quotes in `src=""`

Watch out: "Copy link address" copies the page, not the picture. The built-in editor can't see files on your computer, so use a URL there.

05 Text tags

Tag Use it for Example

<h1> Main page title. One per page <h1>Top 3 Coffee Spots</h1> <h2> Major sections <h2>1. James Coffee Co.</h2> <h3> Sub-sections <h3>Opening hours</h3> <h4> to <h6> Smaller headings. Rarely used <h4>Fine print</h4> A paragraph of normal text This is a paragraph.
 Line break inside a paragraph Never stop.
Keep going. Bold: the main idea stands out Local favorite Italic: a softer side note open until 9pm BONUS Bold that marks text as important Warning! BONUS Italic that adds spoken emphasis I love this place <!--> BONUS A note for you, hidden on the page <!-- TODO: add photo -->

h1 32px h2 24px h3 19px
Default sizes, set by the browser. Pick headings by importance, not size: <h1> tells the browser (and Google) "this is the most important text here." CSS changes sizes later.

06 Links & images

Code What it does Example

<a href=""> A link. Its text is what you click Search target="_blank" Opens the link in a new tab <a href="…" target="_blank"> href="#" Placeholder link, goes nowhere yet About

<img> Shows an image. No closing tag <img src="cat.jpg" alt="A cat"> src alt Image link + description for screen readers alt="Orange cat on a sofa"

Clickable image: nest <img> inside <a>

```
<a href="https://www.nintendo.com"> <img
      src="https://.../Nintendo.svg"
           alt="Nintendo">
</a>
```

In VS Code, images in your project folder work too:
src="images/me.jpg"

How to grab an image URL

1. Right-click an image, then Copy image address (Chrome), Copy image link (Edge) or Copy Image Location (Firefox)
2. Paste it between the quotes in src=""

Watch out: "Copy link address" copies the page, not the picture. The built-in editor can't see files on your computer, so use a URL there.

STRUCTURE & LISTS 07 Every page has the same skeleton

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8">
    <meta name="viewport"
      content="width=device-width,
      initial-scale=1.0">
    <title>Page Title</title>
  </head>
  <body>
    <h1>Hello, world!</h1>
    <p>This is my website.</p>
  </body>
</html>
```

08 Layout tags: from content to page

Tag	Like the	Holds
`<html>`	Skin	The whole page
`<head>`	Brain	Title, fonts, settings
`<body>`	Body	Everything you see
`<title>`	Name tag	Text in the browser tab

`<!DOCTYPE>` and `<meta>` BONUS mean "modern HTML," set up text characters, and fit the page to phones.

Shortcut: in a new `.html` file in VS Code, type `!` + **Tab** for this whole skeleton. BONUS
See it live: right-click any site, then **Inspect**.

<html> Skin The whole page <head> Brain Title, fonts, settings <body> Body Everything you see <title> Name tag Text in the browser tab

<!DOCTYPE> and <meta> BONUS mean "modern HTML," set up text characters, and fit the page to phones.

Shortcut: in a new .html file in VS Code, type ! + Tab for this whole skeleton. BONUS
See it live: right-click any site, then Inspect.

e

	Use it for
	An invisible box that groups elements. No special meaning
	Top of the site: title, logo, greeting
	Your main links. Often inside the header
	The primary content, the heart of the page
	A themed chunk inside main, like "About" or "Goals"
	Bottom of the page, where the site signs off

? Layout tags add *meaning*, not looks. Screen readers can jump to the
nows what matters.

<header>
<nav>

<main>
<section> <section>

<footer>

umbers) `<li>` list item, **must** live inside a ul or ol

ESTED LIST

```
<ul>
  <li>Fruits
    <ul>
      <li>Apples</li>
    </ul>
  </li>
</ul>
```

MENU OF LINKS

```
<ul>
  <li>
    <a href="#">Blog</a>
  </li>
</ul>
```

Nesting: an inner list goes *inside* an `<li>`

09 Lists

Tag Use it for

 An invisible box that groups elements. No special meaning <header> Top of the site: title, logo, greeting

<nav> Your main links. Often inside the header

<main> The primary content, the heart of the page

<section> A themed chunk inside main, like "About" or "Goals" <footer> Bottom of the page, where the site signs off

Why not just divs? Layout tags add meaning, not looks. Screen readers can jump to the nav and Google knows what matters.

Tag Like the Holds

 unordered list (bullets) ordered list (numbers) list item, must live inside a ul or ol

BULLETS <ul> HTML CSS JS NUMBERS

NESTED LIST

```
<ol>
<li>Learn</li>
<li>Build</li>
<li>Launch</li> </ol>
```

```
<ul>

<li>Fruits
```

```
<ul>
<li>Apples</li>
</ul>
</li>
</ul>
```

MENU OF LINKS

```
<ul>
<li>
<a href="#">Blog</a> </li>
</ul>
```

Avoid: an <li> outside a list, or bare text inside <ul> Nesting: an inner list goes inside an <li> 3 / 4

10 Forms let users talk back

Picture a form at the dentist's office. Every web form is built from the same three pieces:

<form>

The sheet itself. Wraps everything.

11 Inputs and choices

The printed question, like "Name:"

<label>

<input>

The blank space where you answer.

Code	What it does	Example
type="text"	Short answers like names	<input type="text">
type="email"	Needs an @ to be accepted	<input type="email">
type="password"	Hides what the user types	<input type="password">
type="submit"	A button. value is its text	<input type="submit" value="Sign Up">
type="radio"	Pick one. Group with name	<input type="radio" name="shift"> AM
type="checkbox"	Pick as many as you like	<input type="checkbox"> Music
<textarea>	Big box for long messages	<textarea rows="4"></textarea>
<select> <option>	A dropdown menu of choices	<option>Red</option>
for + id	Connects a label to its input	<label for="email">
placeholder BONUS	Gray hint text in an empty field	placeholder="you@mail.com"
required BONUS	Must be filled in to submit	<input type="text" required>

All together: a Contact Me form

```
<form>
  <label for="name">Name:</label>
  <input id="name" type="text"> <label
  for="email">Email:</label> <input
  id="email" type="email"> <select>
    <option>Work</option>
    <option>Just saying hi</option>
  </select>
  <textarea rows="4"></textarea> <input
type="submit" value="Send"> </form>
```

Stuck? Check these first

- Every opening tag has a closing tag (except self-closing ones)
- Nested tags close in reverse order
- Attribute values are in "quotes", with no typos in the tag name
- Every `<li>` sits inside a `<ul>` or `<ol>`
- Every `<img>` has an `alt` description
- Radio buttons in one group share the same `name`
- Squiggly red lines in VS Code? Hover them, or open the **Problems** panel
- Saved the file? Refresh the browser to see changes

Every opening tag has a closing tag (except self-closing ones)

Nested tags close in reverse order

Attribute values are in "quotes", with no typos in the tag name

Every <li> sits inside a <ul> or

Every <img> has an alt description

Radio buttons in one group share the same name

Squiggly red lines in VS Code? Hover them, or open the Problems panel

Saved the file? Refresh the browser to see changes

Stuck? Check these first