

```
HP@DESKTOP-7DFC10D MINGW64 ~
$ cd Desktop

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop
$ mkdir learn_git

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop
$ cd learn_git

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
$ touch third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
$ git init
Initialized empty Git repository in C:/Users/HP/Desktop/learn_git/.git/

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
(master)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .' ?
hint: Disable this message with "git config advice.addEmptyPathsSpec false"

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git add .

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
    new file:   third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git commit -m "adding tiers.txt"
[master (root-commit) f6bd665] adding tiers.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
```

```
HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git log
commit f6bd6655eff23a43cb65d54ff27c9e7158907966 (HEAD -> master)
Author: TRA2810 <serignemansourtraore1@gmail.com>
Date: Mon Nov 25 16:42:12 2024 +0000

    adding tiers.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ touch Fourth.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git add .

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git commit -m "adding Fourth.txt"
[master 4e63a66] adding Fourth.txt
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Fourth.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ rm third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git add .

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git commit -m "removing tiers.txt"
[master b9e1a7e] removing tiers.txt
1 file changed, 0 insertions(+), 0 deletions(-)
delete mode 100644 third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git (master)
$ git log
commit b9e1a7e857976fbecd26fdbba3b47045f2d3837a (HEAD -> master)
Author: TRA2810 <serignemansourtraore1@gmail.co
```

```
)
delete mode 100644 third.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
(master)
$ git log
commit b9e1a7e857976fbecd26fdbba3b47045f2d3837a
(HEAD -> master)
Author: TRA2810 <serignemansourtraorel@gmail.co
m>
Date: Mon Nov 25 16:52:31 2024 +0000

    removing tiers.txt

commit 4e63a66bbca205e401f02bbc158335b25d302641
Author: TRA2810 <serignemansourtraorel@gmail.co
m>
Date: Mon Nov 25 16:48:55 2024 +0000

    adding Fourth.txt

commit f6bd6655eff23a43cb65d54ff27c9e7158907966
Author: TRA2810 <serignemansourtraorel@gmail.co
m>
Date: Mon Nov 25 16:42:12 2024 +0000

    adding tiers.txt

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
(master)
$ git config --global core.pager cat

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
(master)
$ git config --global --list
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
user.name=TRA2810
user.email=serignemansourtraorel@gmail.com
core.pager=cat

HP@DESKTOP-7DFC10D MINGW64 ~/Desktop/learn_git
(master)
$ |
```