

BIZNORYX

Business Performance Memory & Intelligence Platform

Connect the business. Understand how it works. Remember its history. Detect change early. Guide better focus.

Redesigned product concept, Business Understanding Engine, data architecture, dashboard, intelligence model, development roadmap and Codex implementation specification.

Version 5.0 | September 2026

1. Brand Direction and Name

Working name: Biznoryx

Biznoryx is a coined name intended to suggest business knowledge, memory and intelligence without describing the product too literally. A preliminary exact-name web search performed for this blueprint returned no results for Biznoryx as a company, app, software product or trademark search term. That makes it a stronger working candidate than Clario.

Important: this is not a legal trademark clearance. Search engines cannot prove worldwide trademark availability. Before filing, the final name should be checked in the trademark databases and company registries for the countries where the product will operate, plus domain and app-store availability. A trademark professional should review confusingly similar marks in the relevant software/service classes.

Suggested brand line: Biznoryx - Understand your business as it grows.

2. The Product in One Sentence

Biznoryx is a persistent business-performance system that connects to a company's data, builds a living understanding of how that specific business works, remembers its performance history, detects important change, and turns verified evidence into areas of focus and measurable action.

The product should not feel like a generic AI chatbot. Intelligence operates behind the product. The customer experiences a professional system that becomes more familiar with the company as more approved data, definitions, events and outcomes accumulate.

3. The Problem Being Solved

Most businesses create data long before they create a reliable system for understanding it. Orders may live in an e-commerce platform, customers in a CRM, expenses in accounting software, inventory in a POS or ERP, surveys in documents, and local reports in spreadsheets. Management can see pieces of the company, but not always the connected story.

- Fragmented evidence: important business signals live across unrelated systems and files.
- Weak memory: reports are often analyzed as isolated periods instead of one continuous company history.
- Inconsistent definitions: 'revenue,' 'customer,' 'sale,' 'active user' or 'margin' may be calculated differently across teams.
- Late detection: decline may be noticed after it has persisted for several periods.
- Generic analytics: a normal dashboard may know the numbers but not the company's products, operating model, goals, locations, seasonality or past decisions.
- No learning loop: companies often receive recommendations but do not measure whether later performance changed.

Biznoryx solves this by creating both a performance history and a Business Understanding Model for each company.

4. The New Core Feature: Business Understanding Engine

This is the defining feature of the redesigned product. Biznoryx should not merely store a company's data. It should build an explicit, governed model of the company so analysis becomes specific to that business.

The Business Understanding Engine should learn six layers:

- Identity: what the company is, industry, business model, markets, locations, currencies and fiscal calendar.
- Structure: products, services, branches, departments, sales channels, customer segments, suppliers and teams when relevant.
- Economics: how the company makes money, important costs, pricing model, recurring vs one-time revenue and margin logic when supplied.
- Metrics: the company's approved definitions for revenue, customer, order, booking, churn, margin, utilization and other KPIs.
- Behavior: normal seasonality, recurring patterns, product mix, customer behavior, location differences and operational rhythms learned from verified history.
- Intent: goals, targets, priorities, management decisions, planned launches and business events.

Together these layers form a Business Model Graph: a structured map of entities and relationships that Biznoryx can use when analyzing new information.

5. How the System Becomes Conversant With a Business

Biznoryx should combine explicit onboarding with evidence learned from connected data. It should never silently 'guess' critical business definitions.

Stage 1 - Owner-confirmed business profile

- Collect business type, description, website if provided, operating locations, products/services, channels, currency, reporting cycle and goals.
- Ask how the business earns revenue and which outcomes matter most.

Stage 2 - Data discovery

- Inspect connected sources and uploads to discover recurring entities such as products, services, customers, locations, channels, campaigns and transaction types.
- Suggest relationships and mappings for user confirmation.

Stage 3 - Metric dictionary

- Create approved KPI definitions with formulas, sources, owners, units and version history.

Stage 4 - Historical behavior profile

- Learn normal ranges, seasonality, recurring peaks/troughs, segment behavior and relationships from verified history.

Stage 5 - Business event memory

- Record price changes, campaigns, product launches, branch openings, staffing changes and other management events.

Stage 6 - Action/outcome memory

- Remember recommendations the company accepted and later measure the linked KPI. Preserve association without claiming causation unless supported.

Stage 7 - Continuous refinement

- When new data contradicts an existing assumption, flag the conflict and ask for confirmation rather than silently rewriting the business model.

6. Business Understanding Architecture

Raw Business Evidence -> Canonical Business Data -> Semantic Definitions -> Business Model Graph -> Historical Behavior Profile -> Current State -> Findings & Actions

Business Model Graph nodes

Business • product • service • customer segment • location • channel • supplier • campaign • team • KPI • goal • data source • event • action

Typical relationships

Business SELLS Product • Product BELONGS_TO Category • Sale OCCURS_AT Location • Customer ACQUIRED_BY Channel • KPI MEASURES BusinessArea • Goal TARGETS KPI • Action INTENDS_TO_CHANGE KPI • Event MAY_AFFECT Metric • Metric DERIVED_FROM DataSource

This graph gives the reasoning layer context. If sales decline, Biznoryx can investigate the relevant products, sites, channels, customer groups and recent events instead of returning a generic explanation.

7. Memory Design: What Biznoryx Should Remember

Memory must be controlled and auditable. Store different types separately rather than placing everything into one long AI conversation.

- Configuration memory: business profile, locations, products/services, fiscal rules and approved settings.
- Semantic memory: KPI definitions, source mappings, business terminology and entity relationships.
- Performance memory: verified metric values by reporting period and dimension.
- Event memory: campaigns, launches, pricing changes and other dated business events.
- Decision memory: accepted actions, owner, target KPI, expected result and due date.
- Outcome memory: later KPI measurements connected to those actions.
- Analytical memory: past findings, evidence and confidence so the system can identify whether a warning is new, recurring or resolved.

User-confirmed facts should outrank inferred facts. Inferred relationships need confidence and provenance. Critical definitions must be editable and versioned.

8. How Biznoryx Collects Data

The product should support businesses at different levels of maturity. A small business may begin with files and forms; a larger company may connect live systems.

Method	Use	Design rule
File uploads	CSV, XLSX, JSON, PDF reports	Named recurring streams; preserve raw file; reuse approved mappings.
OAuth/API connectors	Commerce, CRM, accounting, marketing, support	Initial backfill + incremental sync + revocable scopes.
Webhooks	Orders, customers, payments, events	Queue first; deduplicate; retry; reconcile periodically.
CDC/event streams	High-volume enterprise systems	Consume changes rather than full extracts where supported.
Read-only databases	Postgres/MySQL/SQL Server/warehouses	Least privilege; incremental queries; private networking later.
Private gateway	On-premises/private network sources	Customer-side agent initiates outbound encrypted connection.
Object-storage drop	Nightly ERP/POS exports	Detect new approved files and process automatically.
Ingestion API/SDK	Custom internal apps	Authenticated events/batches with idempotency keys.
Simple forms	New businesses with no digital system	Daily sales, expenses, leads, bookings or stock counts.

9. End-to-End Data Pipeline

Source -> Connector/Gateway -> Queue -> Immutable Raw Zone -> Validation/Profile -> Entity Resolution -> Mapping/Semantic Layer -> Normalized Business Model -> Metric Engine -> Historical Store -> Business Understanding Engine -> Analysis -> Dashboard/Reports/Alerts

- Entity resolution: identify when 'Store 01,' 'Lagos Branch' and a location ID refer to the same approved entity.
- Schema drift detection: stop or request confirmation when a recurring source changes meaning or structure.
- Data freshness: show last successful sync and stale/partial states.
- Lineage: every major metric and finding links back to source records, transformations and calculation logic.

10. Personalized Analysis Flow

When new data arrives, analysis should follow a business-aware sequence:

- 1. Identify the relevant business area and reporting period.
- 2. Validate data quality and freshness.
- 3. Calculate approved KPIs using deterministic code/SQL.
- 4. Compare with prior period, baseline, target and longer history.
- 5. Compare behavior with the company's learned normal ranges and seasonality.
- 6. Decompose movement by relevant products, services, locations, channels or customer groups.
- 7. Check recent business events and unresolved prior warnings.
- 8. Produce evidence-backed findings with confidence and limitations.

- 9. Recommend focused actions or questions to investigate.
- 10. Save the analysis so future periods know whether the issue is new, recurring, worsening or resolved.

11. Example of Business Understanding

Suppose a multi-location retailer has used Biznoryx for 12 months. The system knows that Branch North normally contributes 28-32% of revenue, Product Group A has a seasonal peak in November, repeat customers have higher average order value, and management increased the price of Product B six weeks ago.

A new monthly sync shows total revenue down 5%. A generic dashboard stops there. Biznoryx can calculate that most of the decline came from Branch North, identify that traffic stayed stable while conversion fell, show that Product B contributed a large part of the conversion decline, connect the timing to the recorded price change, and recommend investigating price sensitivity and competitor/customer feedback. It should state that the timing is an association, not proof that the price change caused the decline.

12. Dashboard Redesign

- Business Pulse: current state, reporting period, data freshness and short management summary.
- Performance Scoreboard: current KPI, prior period, baseline, target, change and trend.
- Business Map: products/services/locations/channels with contribution and direction.
- Change Drivers: what explains the largest positive and negative movements.
- Business Memory Timeline: performance plus launches, campaigns, price changes and saved actions.
- Focus Center: risks, anomalies, missed targets, opportunities and unresolved issues.
- Action & Outcome: accepted actions with linked KPIs and later measurements.
- Ask Biznoryx: natural-language questions answered from verified business context and calculations.
- Understanding Panel: a transparent view of what Biznoryx currently knows about the company, what is confirmed, what is inferred, and what needs clarification.

13. Intelligence Boundaries

The system must distinguish calculation, inference and explanation.

- Verified fact: produced by code/SQL from approved data.
- Statistical signal: produced by a documented model or test.
- Inference: a possible explanation supported by evidence but not proven.
- Recommendation: a proposed action or experiment, not a guaranteed outcome.

The language model can explain, summarize and choose analytical tools. It must not be the source of KPI values. This protects the credibility of the product.

14. System Architecture

Layer	Recommended implementation
Web application	Next.js + TypeScript; dashboard, Data Hub, Business Understanding, reports, actions and admin.
Core API	Auth, organizations, permissions, configuration, orchestration and audit.
Analytics service	Python FastAPI; profiling, metrics, statistics, change decomposition, forecasting.
Connector service	OAuth/API sync, webhooks, CDC consumers, DB/gateway connections and sync health.
Business Understanding service	Entity graph, semantic dictionary, confirmed/inferred facts, business events, memory retrieval and context assembly.
Operational database	PostgreSQL for tenant data, definitions, streams, periods, graph metadata, findings and actions.
Analytics engine	DuckDB + Polars/Pandas initially; warehouse/lakehouse path at larger scale.
Object storage	Private S3-compatible raw, normalized and report storage.
Vector/search index	Optional retrieval index for approved documents, definitions and historical findings; not the source of numeric truth.
Queue/workers	Durable jobs for ingestion, sync, analysis, report generation, retries and alerts.
Model layer	Provider abstraction with structured tool calls and business-context assembly.

15. Core Data Model Additions

organizations • business_profiles • business_entities • entity_aliases • entity_relationships • confirmed_facts • inferred_facts • business_terms • metric_definitions • metric_versions • goals • locations • products • services • customer_segments • data_sources • connector_accounts • data_streams • reporting_periods • metric_values • business_events • findings • evidence_refs • actions • action_measurements • sync_runs • audit_events

The Business Understanding Engine should never rely on chat history alone. Its knowledge must be stored as structured, permissioned, versioned records with provenance.

16. Development Roadmap

Phase 0 - Naming, product design and business ontology

- Finalize legal name after trademark/domain clearance. Define business entities, metric model, confirmed/inferred fact rules and sample industries.

Phase 1 - Baseline product

- Auth, organization, onboarding, KPI definitions, CSV/XLSX upload, data profiling, mapping and baseline dashboard.

Phase 2 - Historical performance

- Recurring streams, second-period upload, schema drift, trend history and period comparisons.

Phase 3 - Business Understanding Engine v1

- Business entity graph, terminology, confirmed facts, products/services/locations, event timeline and context assembly.

Phase 4 - Personalized diagnosis

- Change decomposition, anomaly detection, context-aware findings, Understanding Panel and evidence cards.

Phase 5 - Actions and outcome memory

- Recommendation tracking, linked KPIs, later measurement and recurring/resolved issue states.

Phase 6 - Live connectors

- First high-value OAuth/API connectors, backfill, incremental sync, connector health and reconciliation.

Phase 7 - Proactive monitoring

- Webhooks/events, alerts, scheduled management reports and recurring performance reviews.

Phase 8 - Forecasting and enterprise

- Forecast/scenario engine, database/gateway connectivity, SSO, advanced governance and scale architecture.

17. Codex Master Build Brief

Build a production-minded SaaS platform called Biznoryx (working name pending formal trademark clearance). **PRODUCT PURPOSE** Biznoryx connects to a company's recurring data, builds a governed understanding of that specific business, maintains its historical performance record, detects meaningful change, explains what is driving it, and helps management choose measurable areas of focus. **THE DEFINING FEATURE: BUSINESS UNDERSTANDING ENGINE** Do not treat each company as a generic dataset. Build a structured Business Model Graph for each organization. Store confirmed and inferred facts separately. Model business identity, products/services, locations, channels, customer segments, goals, KPI definitions, business events, data sources and relationships. Every fact needs provenance, confidence when inferred, and version history when changed. **MEMORY** Use structured memory, not chat history, for critical business knowledge: - configuration memory - semantic/KPI memory - performance memory - business event memory - action memory - outcome memory - analytical finding memory **DATA FLOW** Source -> Connector/Gateway -> Queue -> Immutable Raw Zone -> Validation/Profile -> Entity Resolution -> Semantic Mapping -> Normalized Business Model -> Metric Engine -> Historical Store -> Business Understanding Engine -> Analysis -> Dashboard/Reports/Alerts. **ANALYSIS FLOW** For each new period: validate freshness -> calculate approved KPIs -> compare against prior/baseline/target/history -> compare against learned normal behavior -> decompose change -> inspect relevant business entities/events -> create evidence-backed findings -> recommend measurable actions -> save the analysis for future comparison. **TRUTH RULES** Numeric KPI truth comes from deterministic code/SQL/statistical models. The language model may select tools, explain results and form hypotheses. It must not invent values. Clearly distinguish verified facts, statistical signals, inferences and recommendations. **FIRST ACCEPTANCE TEST** Create a multi-location business with products and goals. Upload Month 1 and Month 2 sales. Confirm that Biznoryx understands the business entities and KPI definitions. Record a price change event. Upload Month 3. The system must update the same historical series, identify the segments driving the change, use the stored business event as relevant context without claiming unsupported causation, show its evidence, and preserve the finding for comparison with Month 4.

18. Naming and Trademark Note

The exact term Biznoryx returned no results in the preliminary web searches performed for this revision. That is useful for brainstorming, but it is not enough to claim the name is legally available or trademarkable. Trademark rights can exist without strong search-engine visibility, and similarity matters as well as exact spelling.

Before launch, perform formal clearance in each target jurisdiction, check relevant Nice classes for software/SaaS and business analytics services, search company registries, domains and app stores, then file the mark if counsel confirms it is suitable.

19. Final Product Definition

Biznoryx is not merely software that reads company data. It is a business performance memory system that learns the approved structure and language of each company, connects that understanding to verified historical data, and uses it to make every future analysis more relevant to that specific business.

Its long-term moat is the combination of connected data, governed business understanding, consistent metric definitions, historical memory, evidence-backed diagnosis, and action/outcome tracking. The longer a company uses it, the richer and more useful its private business model becomes.