**Project Name:** 2019 Prototype 7320ft2 Prop Elec

**Calculation Date/Time:** 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD

Input File Name: instance.ribd22

| GENER | AL INFORMATION                               |   |   |                               |                       |  |  |  |  |  |  |
|-------|--|---|---|-------------------------------|-----------------------|--|--|--|--|--|--|
| 01    | Project Name                                 | 2019 Prototype 7320ft2 Prop Elec        | 019 Prototype 7320ft2 Prop Elec           |                               |                       |  |  |  |  |  |  |
| 02    | Run Title                                    | TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVS | STD                                       |                               |                       |  |  |  |  |  |  |
| 03    | Project Location                             | 1516 Ninth St                           |   |                               |                       |  |  |  |  |  |  |
| 04    | City   | CTZ01S22A                               | 05  | Standards Version             | 2022                  |  |  |  |  |  |  |
| 06    | Zip code                                     | 95814                                   | 07  | Software Version              | CBECC-Res 2022.0.2 RV |  |  |  |  |  |  |
| 08    | Climate Zone                                 | 1                                       | 09 Front Orientation (deg/ Cardinal) 0    |                               |                       |  |  |  |  |  |  |
| 10    | Building Type                                | Multifamily                             | Iultifamily 11 Number of Dwelling Units 8 |                               |                       |  |  |  |  |  |  |
| 12    | Project Scope                                | NewConstruction                         | 13  | Number of Bedrooms            | 12                    |  |  |  |  |  |  |
| 14    | Addition Cond. Floor Area (ft <sup>2</sup> ) | 0                                       | 15  | Number of Stories             | 2                     |  |  |  |  |  |  |
| 16    | Existing Cond. Floor Area (ft <sup>2</sup> ) | n/a                                     | 17  | Fenestration Average U-factor | 0.3                   |  |  |  |  |  |  |
| 18    | Total Cond. Floor Area (ft <sup>2</sup> )    | 7320                                    | 19  | Glazing Percentage (%)        | 11.21%                |  |  |  |  |  |  |
| 20    | ADU Bedroom Count                            | n/a                                     | /a ADU Conditioned Floor Area n/a         |                               |                       |  |  |  |  |  |  |
| 22    | Is Natural Gas Available?                    | Yes                                     |   |                               |                       |  |  |  |  |  |  |
|       | _  |   |   | _                             |                       |  |  |  |  |  |  |

| COMPLIANCE RE | SULTS   |
|---------------|---|
| 01            | Building Does Not Comply  |
| 02            | This building incorporates features that require field testing and/or verification by a certified HERS rater under the supervision of a CEC-approved HERS provider. |
| 03            | This building incorporates one or more Special Features shown below   |

Registration Number: Registration Date/Time: HERS Provider:

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.108
Schema Version: rev 20200101

(Page 1 of 14)

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

65.3

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| ENERGY DESIGN RATING  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|
| Energy Design Ratings Compliance Margins                      |  |  |  |  |  |  |  |  |  |
| Efficiency¹ (EDR) Total² (EDR) Efficiency¹ (EDR) Total² (EDR) |  |  |  |  |  |  |  |  |  |
| Standard Design 58.7 36.6                                     |  |  |  |  |  |  |  |  |  |

# **RESULT: 3: DOES NOT COMPLY**

42.9

- 1: Efficiency EDR includes improvements to the building envelope and more efficient equipment
- 2: Total EDR includes efficiency and demand response measures such as photovoltaic (PV) systems and batteries
- 3: Building complies when efficiency and total compliance margins are greater than or equal to zero
- Standard Design PV Capacity: 17.37 kWdc

**Proposed Design** 

PV System resized to 17.37 kWdc (a factor of 17.366) to achieve 'Standard Design PV' PV scaling

|                                       | ENERGY USE SUMMARY |                 |                   |                     |  |  |  |  |  |  |  |  |
|---------------------------------------|--------------------|-----------------|-------------------|---------------------|--|--|--|--|--|--|--|--|
| Energy Use (kTDV/ft <sup>2</sup> -yr) | Standard Design    | Proposed Design | Compliance Margin | Percent Improvement |  |  |  |  |  |  |  |  |
| Space Heating                         | 36.79              | 42.85           | -6.06             | -16.5               |  |  |  |  |  |  |  |  |
| Space Cooling                         | 0                  | 0               | 0                 |                     |  |  |  |  |  |  |  |  |
| IAQ Ventilation                       | 7.17               | 7.17            | 0                 | 0                   |  |  |  |  |  |  |  |  |
| Water Heating                         | 15.01              | 25.86           | -10.85            | -72.3               |  |  |  |  |  |  |  |  |
| Self Utilization Credit               | n/a                | 0               | 0                 | n/a                 |  |  |  |  |  |  |  |  |
| Compliance Energy Total               | 58.97              | 75.88           | -16.91            | -28.7               |  |  |  |  |  |  |  |  |

| REQUIRED PV SYST         | QUIRED PV SYSTEMS - SIMPLIFIED |             |                       |                   |      |                  |               |                      |                 |                      |                               |  |  |
|--------------------------|--------------------------------|-------------|-----------------------|-------------------|------|------------------|---------------|----------------------|-----------------|----------------------|-------------------------------|--|--|
| 01                       | 02                             | 03          | 04                    | 05                | 06   | 07               | 08            | 09                   | 10              | 11                   | 12                            |  |  |
| DC System Size<br>(kWdc) | Exception                      | Module Type | Array Type            | Power Electronics | CFI  | Azimuth<br>(deg) | Tilt<br>Input | Array Angle<br>(deg) | Tilt: (x in 12) | Inverter Eff.<br>(%) | Annual<br>Solar Access<br>(%) |  |  |
| 17.37                    | NA                             | Standard    | Fixed (roof<br>mount) | none              | true | 150-270          | n/a           | n/a                  | <=7:12          | 96                   | 100                           |  |  |

Registration Number: Registration Date/Time: HERS Provider:

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.108
Schema Version: rev 20200101

Report Generated: 2020-03-10 20:06:40

-6.6

CF1R-PRF-01E

(Page 2 of 14)

-6.3

CERTIFICATE OF COMPLIANCE CF1R-PRF-01E

(Page 3 of 14)

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

#### REQUIRED SPECIAL FEATURES

The following are features that must be installed as condition for meeting the modeled energy performance for this computer analysis.

- PV System: 17.37 kWdc
- Indoor air quality, balanced fan
- Cool roof
- Insulation below roof deck
- Non-standard duct location (any location other than attic)
- Multifamily: Recirculating demand control
- Northwest Energy Efficiency Alliance (NEEA) rated heat pump water heater; specific brand/model, or equivalent, must be installed

#### HERS FEATURE SUMMARY

The following is a summary of the features that must be field-verified by a certified HERS Rater as a condition for meeting the modeled energy performance for this computer analysis. Additional detail is provided in the building tables below. Registered CF2Rs and CF3Rs are required to be completed in the HERS Registry

#### **Building-level Verifications:**

- Quality insulation installation (QII)
- Indoor air quality ventilation
- Kitchen range hood

### Cooling System Verifications:

- Minimum Airflow
- Verified Refrigerant Charge
- Fan Efficacy Watts/CFM

#### **Heating System Verifications:**

-- None --

## **HVAC Distribution System Verifications:**

- Duct leakage testing
- Ducts located entirely in conditioned space confirmed by duct leakage testing

Domestic Hot Water System Verifications:

-- None --

| BUILDING - FEATURES INFORMA         | UILDING - FEATURES INFORMATION            |                             |                    |                 |  |                                    |  |  |  |  |  |  |
|-------------------------------------|---|-----------------------------|--------------------|-----------------|--|------------------------------------|--|--|--|--|--|--|
| 01                                  | 02  | 03                          | 04                 | 05              | 06                                       | 07                                 |  |  |  |  |  |  |
| Project Name                        | Conditioned Floor Area (ft <sup>2</sup> ) | Number of Dwelling<br>Units | Number of Bedrooms | Number of Zones | Number of Ventilation<br>Cooling Systems | Number of Water<br>Heating Systems |  |  |  |  |  |  |
| 2019 Prototype 7320ft2 Prop<br>Elec | 7320                                      | 8                           | 12                 | 2               | 0  | 8                                  |  |  |  |  |  |  |

Registration Number: Registration Date/Time: HERS Provider:

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| ZONE INFORMATION |             |                                    |                     |                           |  |  |  |  |  |  |  |
|------------------|-------------|------------------------------------|---------------------|---------------------------|--|--|--|--|--|--|--|
| 01               | 02          | 03                                 | 04                  | 05                        |  |  |  |  |  |  |  |
| Zone Name        | Zone Type   | Zone Floor Area (ft <sup>2</sup> ) | Avg. Ceiling Height | Number of Dweilling Units |  |  |  |  |  |  |  |
| Zone1            | Conditioned | 3660                               | 8                   | 4                         |  |  |  |  |  |  |  |
| Zone2            | Conditioned | 3660                               | 8                   | 4                         |  |  |  |  |  |  |  |

CF1R-PRF-01E

(Page 4 of 14)

| DWELLING UNIT INFORMATION       |                    |       |  |  |  |  |  |  |  |
|---------------------------------|--------------------|-------|--|--|--|--|--|--|--|
| 01                              | 03                 |       |  |  |  |  |  |  |  |
| Dwelling Unit Name              | Dwelling Unit Type | Zone  |  |  |  |  |  |  |  |
| OneBedroomDownstairsZone1-(1/2) | OneBedroom         | Zone1 |  |  |  |  |  |  |  |
| OneBedroomDownstairsZone1-(2/2) | OneBedroom         | Zone1 |  |  |  |  |  |  |  |
| TwoBedroomDownstairsZone1-(1/2) | TwoBedroom         | Zone1 |  |  |  |  |  |  |  |
| TwoBedroomDownstairsZone1-(2/2) | TwoBedroom         | Zone1 |  |  |  |  |  |  |  |
| OneBedroomUpstairsZone1-(1/2)   | OneBedroom         | Zone2 |  |  |  |  |  |  |  |
| OneBedroomUpstairsZone1-(2/2)   | OneBedroom         | Zone2 |  |  |  |  |  |  |  |
| TwoBedroomUpstairsZone1-(1/2)   | TwoBedroom         | Zone2 |  |  |  |  |  |  |  |
| TwoBedroomUpstairsZone1-(2/2)   | TwoBedroom         | Zone2 |  |  |  |  |  |  |  |

| DWELLING UNIT TYP | PES       |                       |                       | 0.0  |                    |                             |
|-------------------|-----------|-----------------------|-----------------------|--|--------------------|-----------------------------|
| 01                | 02        | 03                    | 04                    | 05   | 06                 | 07                          |
| Name              | CFA (ft2) | Number of<br>Bedrooms | Number in<br>Building | Space Conditioning Systems Assigned  | DHW System<br>Name | IAQ Vent Fan Name           |
| OneBedroom        | 750       | 1                     | 4                     | OneBedroomUpstairsZone1 1/2   CoolingComponent:HeatingComponent:AirDistributionSyste | DHWHeatpump        | Specify Individual IAQ Fans |

Registration Number: Registration Date/Time: HERS Provider:

Calculation Date/Time: 2020-03-10T20:05:21-07:00

CF1R-PRF-01E

(Page 5 of 14)

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

**Project Name:** 2019 Prototype 7320ft2 Prop Elec

| OWELLING UNIT TYPES |           |                       |                       |  |                    |                             |  |  |  |  |
|---------------------|-----------|-----------------------|-----------------------|--|--------------------|-----------------------------|--|--|--|--|
| 01                  | 02        | 03                    | 04                    | 05   | 06                 | 07                          |  |  |  |  |
| Name                | CFA (ft2) | Number of<br>Bedrooms | Number in<br>Building | Space Conditioning Systems Assigned  | DHW System<br>Name | IAQ Vent Fan Name           |  |  |  |  |
| TwoBedroom          | 1080      | 2                     | 4                     | TwoBedroomUpstairsZone1 1/2   CoolingComponent:HeatingComponent:AirDistributionSyste | DHWHeatpump        | Specify Individual IAQ Fans |  |  |  |  |

| OPAQUE SURFACES               |       |                          |         | O           |                               |                               |            |
|-------------------------------|-------|--------------------------|---------|-------------|-------------------------------|-------------------------------|------------|
| 01                            | 02    | 03                       | 04      | 05          | 06                            | 07                            | 08         |
| Name                          | Zone  | Construction             | Azimuth | Orientation | Gross Area (ft <sup>2</sup> ) | Window and Door<br>Area (ft2) | Tilt (deg) |
| Zone1WallFront                | Zone1 | Exterior Wall Cons       | 0       | Front       | 1037                          | 244.7                         | 90         |
| Zone1WallLeft                 | Zone1 | Exterior Wall Cons       | 90      | Left        | 255                           | 40.5                          | 90         |
| Zone1WallBack                 | Zone1 | Exterior Wall Cons       | 180     | Back        | 1037                          | 164.7                         | 90         |
| Zone1WallRight                | Zone1 | Exterior Wall Cons       | 270     | Right       | 255                           | 40.5                          | 90         |
| Zone2WallFront                | Zone2 | Exterior Wall Cons       | 0       | Front       | 1037                          | 244.7                         | 90         |
| Zone2WallLeft                 | Zone2 | Exterior Wall Cons       | 90      | Left        | 255                           | 40.5                          | 90         |
| Zone2WallBack                 | Zone2 | Exterior Wall Cons       | 180     | Back        | 1037                          | 164.7                         | 90         |
| Zone2WallRight                | Zone2 | Exterior Wall Cons       | 270     | Right       | 255                           | 40.5                          | 90         |
| Zone2ToAtticCeiling           | Zone2 | Ceiling Below Attic Cons | n/a     | n/a         | 3660                          | n/a                           | n/a        |
| Zone2ToZone1InteriorF<br>loor | Zone2 | Interior Floor           | n/a     | n/a         | 3660                          | n/a                           | n/a        |

| ATTIC |                 |            |                     |                  |                |                 |           |  |
|-------|-----------------|------------|---------------------|------------------|----------------|-----------------|-----------|--|
| 01    | 02              | 03         | 04                  | 05               | 06             | 07              | 08        |  |
| Name  | Construction    | Туре       | Roof Rise (x in 12) | Roof Reflectance | Roof Emittance | Radiant Barrier | Cool Roof |  |
| Attic | Attic Roof Cons | Ventilated | 5                   | 0.2              | 0.85           | No              | Yes       |  |

Registration Number: Registration Date/Time: HERS Provider:

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| FENESTRATION / GLAZING |        |                |             |         |               |                |       |               |          |                    |      |                    |                     |
|------------------------|--------|----------------|-------------|---------|---------------|----------------|-------|---------------|----------|--------------------|------|--------------------|---------------------|
| 01                     | 02     | 03             | 04          | 05      | 06            | 07             | 08    | 09            | 10       | 11                 | 12   | 13                 | 14                  |
| Name                   | Туре   | Surface        | Orientation | Azimuth | Width<br>(ft) | Height<br>(ft) | Mult. | Area<br>(ft²) | U-factor | U-factor<br>Source | SHGC | SHGC<br>Sourc<br>e | Exterior<br>Shading |
| Zone1WinFront          | Window | Zone1WallFront | Front       | 0       | 3             | 5              | 10    | 164.7         | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone1WinLeft           | Window | Zone1WallLeft  | Left        | 90      | 3             | 5              | 2     | 40.5          | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone1WinBack           | Window | Zone1WallBack  | Back        | 180     | 3             | 5              | 10    | 164.7         | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone1WinRight          | Window | Zone1WallRight | Right       | 270     | 3             | 5              | 2     | 40.5          | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone2WinFront          | Window | Zone2WallFront | Front       | 0       | 3             | 5              | 10    | 164.7         | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone2WinLeft           | Window | Zone2WallLeft  | Left        | 90      | 3             | 5              | 2     | 40.5          | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone2WinBack           | Window | Zone2WallBack  | Back        | 180     | 3             | 5              | 10    | 164.7         | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |
| Zone2WinRight          | Window | Zone2WallRight | Right       | 270     | 3             | 5              | 2     | 40.5          | 0.3      | NFRC               | 0.23 | NFRC               | Bug Screen          |

CF1R-PRF-01E

(Page 6 of 14)

| OPAQUE DOORS   | - 3              |                         |          |
|----------------|------------------|-------------------------|----------|
| 01             | 02               | 03                      | 04       |
| Name           | Side of Building | Area (ft <sup>2</sup> ) | U-factor |
| Zone1DoorFront | Zone1WallFront   | 80                      | 0.2      |
| Zone2DoorFront | Zone2WallFront   | 80                      | 0.2      |
|                | 40               |                         |          |

| SLAB FLOORS |       |            |                |                               |                   |        |
|-------------|-------|------------|----------------|-------------------------------|-------------------|--------|
| 01          | 02    | 03         | 04             | 05                            | 06                | 07     |
| Name        | Zone  | Area (ft2) | Perimeter (ft) | Edge Insul. R-value and Depth | Carpeted Fraction | Heated |
| Zone1Slab   | Zone1 | 3660       | 304            | None                          | 80%               | No     |

Registration Number: Registration Date/Time: HERS Provider:

**Project Name:** 2019 Prototype 7320ft2 Prop Elec

**Calculation Date/Time:** 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD

Input File Name: instance.ribd22

| OPAQUE SURFACE CONSTR    | RUCTIONS               |                        |   |                         |  |          |   |
|--------------------------|------------------------|------------------------|---|-------------------------|--|----------|---|
| 01                       | 02                     | 03                     | 04  | 05                      | 06   | 07       | 08  |
| Construction Name        | Surface Type           | Construction Type      | Framing                                     | Total Cavity<br>R-value | Interior / Exterior<br>Continuous<br>R-value | U-factor | Assembly Layers   |
| Exterior Wall Cons       | Exterior Walls         | Wood Framed Wall       | 2x6 @ 16 in. O. C.                          | R-21                    | None / R-4                                   | 0.051    | Inside Finish: Gypsum Board<br>Cavity / Frame: R-21 / 2x6<br>Sheathing / Insulation: R-4 Sheathing<br>Exterior Finish: Synthetic Stucco             |
| Attic Roof Cons          | Attic Roofs            | Wood Framed<br>Ceiling | 2x4 @ 24 in. O. C.                          | R-19                    | None / None                                  | 0.055    | Roofing: 10 PSF (RoofTile) Tile Gap: present Roof Deck: Wood Siding/sheathing/decking Cavity / Frame: R-13.0 / 2x4 Around Roof Joists: R-6.0 insul. |
| Ceiling Below Attic Cons | Ceilings (below attic) | Wood Framed<br>Ceiling | 2x4 Bottom Chord of Truss<br>@ 24 in. O. C. | R-38                    | None / None                                  | 0.025    | Over Ceiling Joists: R-28.9 insul.<br>Cavity / Frame: R-9.1 / 2x4 Btm Chrd<br>Inside Finish: Gypsum Board   |
| Interior Floor           | Interior Floors        | Wood Framed Floor      | 2x12 @ 16 in. O. C.                         | R-0                     | None / None                                  | 0.196    | Floor Surface: Carpeted Floor Deck: Wood Siding/sheathing/decking Cavity / Frame: no insul. / 2x12 Ceiling Below Finish: Gypsum Board               |

| BUILDING ENVELOPE - HERS VERIFICATION | ~ 0   |                               |       |
|---------------------------------------|---|-------------------------------|-------|
| 01                                    | 02  | 03                            | 04    |
| Quality Insulation Installation (QII) | Quality Installation of Spray Foam Insulation | Building Envelope Air Leakage | CFM50 |
| Required                              | Not Required                                  | Not Required                  | n/a   |

| WATER HEATING SYS | I EIVIS | \$ |    |    |    |    |    |    |
|-------------------|---------|----|----|----|----|----|----|----|
| 01                | 02      | 03 | 04 | 05 | 06 | 07 | 08 | 09 |

Registration Number:

Registration Date/Time:

HERS Provider:

CA Building Energy Efficiency Standards - 2019 Residential Compliance

Report Version: 2019.1.108 Schema Version: rev 20200101 Report Generated: 2020-03-10 20:06:40

CF1R-PRF-01E

(Page 7 of 14)

**Calculation Date/Time:** 2020-03-10T20:05:21-07:00

CF1R-PRF-01E

(Page 8 of 14)

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

**Project Name:** 2019 Prototype 7320ft2 Prop Elec

| Name        | System Type                 | Number of<br>Systems in<br>Building | Multi-Family<br>Distribution Type                | Dwelling Unit<br>Distribution Type | Water Heater Name (#)     | Solar Heating System | Compact<br>Distribution | HERS<br>Verification |
|-------------|-----------------------------|-------------------------------------|--|------------------------------------|---------------------------|----------------------|-------------------------|----------------------|
| DHWHeatpump | Domestic Hot<br>Water (DHW) | 1                                   | Multi-family:<br>Recirculating<br>demand control | Standard Distribution<br>System    | DHWHeatpump-heater<br>(1) | n/a                  | None                    | n/a                  |

| WATER HEATERS |                            |           |            |                       |                                   |                       |  |                                     |                                |                                  |                                       |
|---------------|----------------------------|-----------|------------|-----------------------|-----------------------------------|-----------------------|--|-------------------------------------|--------------------------------|----------------------------------|---------------------------------------|
| 01            | 02                         | 03        | 04         | 05                    | 06                                | 07                    | 08   | 09                                  | 10                             | 11                               | 12                                    |
| Name          | Heating<br>Element<br>Type | Tank Type | #<br>Units | Tank<br>Vol.<br>(gal) | Energy<br>Factor or<br>Efficiency | Input Rating or Pilot | Tank<br>Insulation<br>R-value<br>(Int/Ext) | Standby Loss<br>or Recovery<br>Eff. | 1st Hr. Rating<br>or Flow Rate | NEEA Heat Pump<br>Brand or Model | Tank Location or<br>Ambient Condition |
| Heatpump      | Heat Pump                  | n/a       | 16         | 83                    | NEEA                              | n/a                   | n/a  | n/a                                 | n/a                            | Sanden\SandenGU<br>S_SAN83SSAQA  | Outside                               |

| WATER HEATERS - CHPWH |                      |                       |                        |                               |                              |                              |
|-----------------------|----------------------|-----------------------|------------------------|-------------------------------|------------------------------|------------------------------|
| 01                    | 02                   | 03                    | 04                     | 05                            | 06                           | 07                           |
| Name                  | HPWH Compressor Type | Number of Compressors | Loop Tank Volume (gal) | Loop Tank Heater Type         | Primary Tank Volume<br>(gal) | Recirc Pump Power<br>(Watts) |
| DHWHeatpump           | Sanden               | 2                     | 80                     | Commercial Elec<br>Resistance | 67.5                         | 10                           |

| WATER HEATING - HERS                               | VERIFICATION    |                 |                      |                           |                       |                             |                                     |
|--|-----------------|-----------------|----------------------|---------------------------|-----------------------|-----------------------------|-------------------------------------|
| 01   | 02              | 03              | 04                   | 05                        | 06                    | 07                          | 08                                  |
| Name   | Pipe Insulation | Parallel Piping | Compact Distribution | Compact Distribution Type | Recirculation Control | Central DHW<br>Distribution | Shower Drain Water<br>Heat Recovery |
| OneBedroomDownstai<br>rsZone1 1/2  <br>DHWHeatpump | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| OneBedroomDownstai<br>rsZone1 2/2  <br>DHWHeatpump | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |

Registration Number: Registration Date/Time: HERS Provider:

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| WATER HEATING - HERS                               | VERIFICATION    |                 |                      |                           |                       |                             |                                     |
|--|-----------------|-----------------|----------------------|---------------------------|-----------------------|-----------------------------|-------------------------------------|
| 01   | 02              | 03              | 04                   | 05                        | 06                    | 07                          | 08                                  |
| Name   | Pipe Insulation | Parallel Piping | Compact Distribution | Compact Distribution Type | Recirculation Control | Central DHW<br>Distribution | Shower Drain Water<br>Heat Recovery |
| TwoBedroomDownstai<br>rsZone1 1/2  <br>DHWHeatpump | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| TwoBedroomDownstai<br>rsZone1 2/2  <br>DHWHeatpump | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| OneBedroomUpstairsZ<br>one1 1/2  <br>DHWHeatpump   | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| OneBedroomUpstairsZ<br>one1 2/2  <br>DHWHeatpump   | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| TwoBedroomUpstairsZ<br>one1 1/2  <br>DHWHeatpump   | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |
| TwoBedroomUpstairsZ<br>one1 2/2  <br>DHWHeatpump   | Not Required    | Not Required    | Not Required         | None                      | Not Required          | Not Required                | Not Required                        |

CF1R-PRF-01E

(Page 9 of 14)

| SPACE CONDITIONING SYSTEM  | 15                               | 4.0                  |                      |                     |                           |                                |        |                                   |                               |                               |
|--|----------------------------------|----------------------|----------------------|---------------------|---------------------------|--------------------------------|--------|-----------------------------------|-------------------------------|-------------------------------|
| 01   | 02                               | 03                   | 04                   | 05                  | 06                        | 07                             | 08     | 09                                | 10                            | 11                            |
| Name   | System Type                      | Heating Unit<br>Name | Cooling Unit<br>Name | Fan Name            | Distribution<br>Name      | Required<br>Thermostat<br>Type | Status | Verified<br>Existing<br>Condition | Heating<br>Equipment<br>Count | Cooling<br>Equipment<br>Count |
| OneBedroomDownstairsZon<br>e1 1/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3 | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |

Registration Number: Registration Date/Time: HERS Provider:

**Project Name:** 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

# SPACE CONDITIONING SYSTEMS

| 01   | 02                               | 03                   | 04                   | 05                  | 06                        | 07                             | 08     | 09                                | 10                            | 11                            |
|--|----------------------------------|----------------------|----------------------|---------------------|---------------------------|--------------------------------|--------|-----------------------------------|-------------------------------|-------------------------------|
| Name   | System Type                      | Heating Unit<br>Name | Cooling Unit<br>Name | Fan Name            | Distribution<br>Name      | Required<br>Thermostat<br>Type | Status | Verified<br>Existing<br>Condition | Heating<br>Equipment<br>Count | Cooling<br>Equipment<br>Count |
| OneBedroomDownstairsZon<br>e1 2/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3 | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |
| TwoBedroomDownstairsZon<br>e1 1/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3 | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |
| TwoBedroomDownstairsZon<br>e1 2/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3 | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |
| OneBedroomUpstairsZone1<br>1/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3    | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |
| OneBedroomUpstairsZone1<br>2/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3    | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |
| TwoBedroomUpstairsZone1<br>1/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3    | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |

Registration Number: Registration Date/Time: **HERS Provider:** 

CA Building Energy Efficiency Standards - 2019 Residential Compliance

Report Version: 2019.1.108 Schema Version: rev 20200101 Report Generated: 2020-03-10 20:06:40

CF1R-PRF-01E

(Page 10 of 14)

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| SPACE CONDITIONING SYSTEMS  |                                  |                      |                      |                     |                           |                                |        |                                   |                               |                               |
|---|----------------------------------|----------------------|----------------------|---------------------|---------------------------|--------------------------------|--------|-----------------------------------|-------------------------------|-------------------------------|
| 01  | 02                               | 03                   | 04                   | 05                  | 06                        | 07                             | 08     | 09                                | 10                            | 11                            |
| Name  | System Type                      | Heating Unit<br>Name | Cooling Unit<br>Name | Fan Name            | Distribution<br>Name      | Required<br>Thermostat<br>Type | Status | Verified<br>Existing<br>Condition | Heating<br>Equipment<br>Count | Cooling<br>Equipment<br>Count |
| TwoBedroomUpstairsZone1<br>2/2  <br>CoolingComponent:Heating<br>Component:AirDistributionS<br>ystem:HVACFan-Furnace:1:3 | Heating and cooling system other | HeatingCom<br>ponent | CoolingCom<br>ponent | HVACFan-<br>Furnace | AirDistributi<br>onSystem | Setback                        | New    | NA                                | 1                             | 1                             |

CF1R-PRF-01E

(Page 11 of 14)

| HVAC - HEATING UNIT TYPES |                     |                 |                    |
|---------------------------|---------------------|-----------------|--------------------|
| 01                        | 02                  | 03              | 04                 |
| Name                      | System Type         | Number of Units | Heating Efficiency |
| HeatingComponent          | Central gas furnace | 8               | AFUE-80            |

| HVAC - COOLING UNIT 1 | TYPES            |                 |                |                 |                    |                           |                                |
|-----------------------|------------------|-----------------|----------------|-----------------|--------------------|---------------------------|--------------------------------|
| 01                    | 02               | 03              | 04             | 05              | 06                 | 07                        | 08                             |
| Name                  | System Type      | Number of Units | Efficiency EER | Efficiency SEER | Zonally Controlled | Mulit-speed<br>Compressor | HERS Verification              |
| CoolingComponent      | Central split AC | 8               | 11.7           | 14              | Not Zonal          | Single Speed              | CoolingComponent-<br>hers-cool |

| HVAC COOLING - HERS VERIFICA | ATION            |                |              |               |                             |
|------------------------------|------------------|----------------|--------------|---------------|-----------------------------|
| 01                           | 02               | 03             | 04           | 05            | 06                          |
| Name                         | Verified Airflow | Airflow Target | Verified EER | Verified SEER | Verified Refrigerant Charge |
| CoolingComponent-hers-cool   | Required         | 350            | Not Required | Not Required  | Required                    |

Registration Number: Registration Date/Time: HERS Provider:

CF1R-PRF-01E

**Project Name:** 2019 Prototype 7320ft2 Prop Elec

Calculation Date/Time: 2020-03-10T20:05:21-07:00

(Page 12 of 14)

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD

Input File Name: instance.ribd22

| HVAC - DISTRIBUTIO        | ON SYSTEMS                 |              |          |           |                      |                      |        |        |                      |                      |   |
|---------------------------|----------------------------|--------------|----------|-----------|----------------------|----------------------|--------|--------|----------------------|----------------------|---|
| 01                        | 02                         | 03           | 04       | 05        | 06                   | 07                   | 08     | 09     | 10                   | 11                   | 12                                      |
|                           |                            |              | Duct Ins | . R-value | Duct Lo              | ocation              | Surfac | e Area |                      |                      |   |
| Name                      | Туре                       | Design Type  | Supply   | Return    | Supply               | Return               | Supply | Return | Bypass<br>Duct       | Duct Leakage         | HERS<br>Verification                    |
| AirDistributionSy<br>stem | Conditioned space-entirely | Non-Verified | R-4.2    | R-4.2     | Conditio<br>ned Zone | Conditio<br>ned Zone | n/a    | n/a    | No<br>Bypass<br>Duct | Sealed and<br>Tested | AirDistributio<br>nSystem-<br>hers-dist |

| HVAC DISTRIBUTION                   | - HERS VERIFICATION          |   |                           |                         |              |                        |                            |  |
|-------------------------------------|------------------------------|---|---------------------------|-------------------------|--------------|------------------------|----------------------------|--|
| 01                                  | 02                           | 03  | 04                        | 05                      | 06           | 07                     | 08                         | 09   |
| Name                                | Duct Leakage<br>Verification | Duct Leakage<br>Target (%)                                | Verified Duct<br>Location | Verified Duct<br>Design | Buried Ducts | Deeply Buried<br>Ducts | Low-leakage Air<br>Handler | Low Leakage<br>Ducts Entirely in<br>Conditioned<br>Space |
| AirDistributionSyst<br>em-hers-dist | Yes                          | total leakage <=<br>12.0 or leakage to<br>outdoors <= 6.0 | Required                  | Not Required            | Not Required | Credit not taken       | Not Required               | No   |

| HVAC - FAN SYSTEMS |          |                       |                          |
|--------------------|----------|-----------------------|--------------------------|
| 01                 | 02       | 03                    | 04                       |
| Name               | Туре     | Fan Power (Watts/CFM) | Name                     |
| HVACFan-Furnace    | HVAC Fan | 0.45                  | HVACFan-Furnace-hers-fan |

| HVAC FAN SYSTEMS - HERS VERIFICATION |                        |                                   |
|--------------------------------------|------------------------|-----------------------------------|
| 01                                   | 02                     | 03                                |
| Name                                 | Verified Fan Watt Draw | Required Fan Efficacy (Watts/CFM) |
| HVACFan-Furnace-hers-fan             | Required               | 0.45                              |

Registration Number:

Registration Date/Time:

**HERS Provider:** 

CA Building Energy Efficiency Standards - 2019 Residential Compliance

Report Version: 2019.1.108 Schema Version: rev 20200101 Report Generated: 2020-03-10 20:06:40

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00 (Page 13 of 14)

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| IAQ (INDOOR AIR QUALITY) FAN                     | IAQ (INDOOR AIR QUALITY) FANS |               |              |                                |  |  |  |
|--|-------------------------------|---------------|--------------|--------------------------------|--|--|--|
| 01   | 02                            | 03            | 04           | 05                             | 06   |  |  |
| Dwelling Unit                                    | IAQ CFM                       | IAQ Watts/CFM | IAQ Fan Type | IAQ Recovery Effectiveness (%) | IAQ Recovery Effectiveness -<br>SREIAQ Recovery Effectiveness<br>- SRE |  |  |
| OneBedroomDownstairsZone1<br>1/2 fan 1/1 cnt 1/1 | 38                            | 0.6           | Balanced     |                                | n/a  |  |  |
| OneBedroomDownstairsZone1<br>2/2 fan 1/1 cnt 1/1 | 38                            | 0.6           | Balanced     |                                | n/a  |  |  |
| TwoBedroomDownstairsZone1<br>1/2 fan 1/1 cnt 1/1 | 55                            | 0.6           | Balanced     |                                | n/a  |  |  |
| TwoBedroomDownstairsZone1<br>2/2 fan 1/1 cnt 1/1 | 55                            | 0.6           | Balanced     |                                | n/a  |  |  |
| OneBedroomUpstairsZone1<br>1/2 fan 1/1 cnt 1/1   | 38                            | 0.6           | Balanced     |                                | n/a  |  |  |
| OneBedroomUpstairsZone1<br>2/2 fan 1/1 cnt 1/1   | 38                            | 0.6           | Balanced     |                                | n/a  |  |  |
| TwoBedroomUpstairsZone1<br>1/2 fan 1/1 cnt 1/1   | 55                            | 0.6           | Balanced     |                                | n/a  |  |  |
| TwoBedroomUpstairsZone1<br>2/2 fan 1/1 cnt 1/1   | 55                            | 0.6           | Balanced     |                                | n/a  |  |  |

Registration Number: Registration Date/Time:

Report Version: 2019.1.108 Report Generated: 2020-03-10 20:06:40 Schema Version: rev 20200101

**HERS Provider:** 

CF1R-PRF-01E

CA Building Energy Efficiency Standards - 2019 Residential Compliance

CERTIFICATE OF COMPLIANCE CF1R-PRF-01E

Project Name: 2019 Prototype 7320ft2 Prop Elec Calculation Date/Time: 2020-03-10T20:05:21-07:00

Calculation Description: TDSv30 V19R12 V19 R12 UGLASS15 ELEC PVSTD Input File Name: instance.ribd22

| DOCUMENTATION AUTHOR'S DECLARATION STATEMENT   |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|
| I. I certify that this Certificate of Compliance documentation is accurate and complete. |  |  |  |  |  |  |  |
| Documentation Author Name:   | Documentation Author Signature:  |  |  |  |  |  |  |
| Company:   | Signature Date:  |  |  |  |  |  |  |
|  |  |  |  |  |  |  |  |
| Address:   | CEA/ HERS Certification Identification (If applicable):  |  |  |  |  |  |  |
| City/State/Zip:  | Phone:   |  |  |  |  |  |  |
| RESPONSIBLE PERSON'S DECLARATION STATEMENT   | O  |  |  |  |  |  |  |
| , , , , , ,  | ompliance conform to the requirements of Title 24, Part 1 and Part 6 of the California Code of Regulations. are consistent with the information provided on other applicable compliance documents, worksheets, |  |  |  |  |  |  |
| Responsible Designer Name:   | Responsible Designer Signature:  |  |  |  |  |  |  |
| Company:   | Date Signed:   |  |  |  |  |  |  |
| Address:   | License:   |  |  |  |  |  |  |
| City/State/Zip:  | Phone:   |  |  |  |  |  |  |

Registration Number: Registration Date/Time: HERS Provider:

CA Building Energy Efficiency Standards - 2019 Residential Compliance Report Version: 2019.1.108
Schema Version: rev 20200101

Report Generated: 2020-03-10 20:06:40

(Page 14 of 14)