

DEPARTMENT OF WAR AND DEFENCE OF TREDT UNION
CLASSIFIED DOCUMENT

PROJECT TITLE:

H-B15M2 – Hydrogen Bomb Simulation and Minecraft Energy Comparison

CLASSIFICATION LEVEL:

TOP SECRET

For Authorized Personnel Only

DOCUMENT CONTROL NUMBER:

FDJKNCV387320

DATE OF ISSUE:

31/03/2025

AUTHORS:

Soumya D.Das

PROJECT LEAD:

Soumya D. Das & Ishaan Das
Head and Co-Head

CLEARANCE REQUIRED:

TOP SECRET

DISTRIBUTION:

This document is classified and distributed to authorized personnel only.
Unauthorized disclosure, copying, or dissemination of this document or its contents
is strictly prohibited.

SUMMARY:

This document outlines the methods, calculations, and findings related to the H-B15M2 simulation, comparing the energy release, blast radius, and detonative characteristics of the simulation with the real-life Ivy Mike thermonuclear test.

AUTHORIZED SIGNATURE:

Zanyung Ronrie

Supreme Commander of Union Armed Forces

CONFIDENTIALITY NOTICE:

This document contains classified information. Unauthorized access, use, disclosure, or distribution of this material could result in disciplinary action and legal consequences. Handling and transmission of this document must follow TREDT Union security protocols.

PROJECT TITLE: H-B15M2 – Hydrogen Bomb Simulation and Minecraft Energy Comparison

CLASSIFICATION LEVEL: TOP SECRET – For authorized personnel only. Disclosure of this document or its contents to unauthorized persons is prohibited.

PREFACE

1. Purpose of the Document

This document provides an in-depth analysis of the energy output, blast radius, and denotative characteristics of the **H-B15M2** simulation model, specifically comparing the simulated hydrogen bomb (H-B15M2) in the Minecraft environment with the real-world **Ivy Mike** thermonuclear explosion. The project aims to establish a theoretical framework for understanding how Minecraft TNT mechanics compare to the energy release and devastation of a thermonuclear explosion, while exploring game mechanics' limitations for modeling large-scale nuclear detonations.

2. Scope and Objectives

The objectives of this document include:

- Calculating the total number of TNT blocks in Minecraft required to release an equivalent amount of energy as the **Ivy Mike** hydrogen bomb (1952).
- Analyzing the blast radius and the energy required for triggering TNT explosions within the Minecraft environment.
- Investigating the theoretical impact of a large-scale TNT explosion on the Minecraft world.
- Drawing comparisons between the blast dynamics and the real-life Ivy Mike explosion to assess Minecraft's capability in simulating large-scale thermonuclear explosions.

3. Project Background

The **H-B15M2** project was initiated as part of a wider research effort aimed at simulating real-world nuclear explosions within the virtual environment of Minecraft. Given the game's simplified physics engine, the project seeks to determine how TNT's explosive power correlates with actual nuclear detonations, particularly the **Ivy Mike** hydrogen bomb, the first successful test of a thermonuclear device. This document outlines key mathematical and conceptual methodologies applied to achieve the simulations and serves as a reference for future research in virtual representations of nuclear explosions.

4. **Key Considerations**

The **H-B15M2** simulation was designed to emulate the blast effects, energy release, and denotative characteristics of a real-world thermonuclear explosion using Minecraft's TNT mechanics. The following parameters were taken into account:

- The real-world yield of **Ivy Mike**: 10.4 megatons of TNT.
- Minecraft's TNT mechanics: Each TNT block releases 4,000 energy units (measured in "block damage units").
- Calculating the necessary number of TNT blocks to match the energy output of **Ivy Mike**.
- Understanding Minecraft's limitations in terms of blast radius, damage calculation, and energy efficiency in comparison to real-world physics.

5. **Confidentiality and Security Protocols**

This document contains highly sensitive data pertaining to classified simulations, calculations, and game mechanics used in the creation of the **H-B15M2** project. Unauthorized access to or distribution of this information could compromise the integrity of the project and its security clearance. Personnel with access to this document must adhere to all classified access protocols and handle the material with the highest level of confidentiality.

6. **Approval and Authorization**

This document has been authorized for release by the following individuals:

- **Project Lead**: Soumya D. Das, President of Union, 31/03/2025
- **Security Officer**: Ishaan Das, Chief Justice of Union, 31/03/2025
- **Authorization for Classified Disclosure**: Aaron S. Santhosh, MTLH, 31/03/2025

End of Preface

INTRODUCTION

The Ivy Mike hydrogen bomb, detonated on November 1, 1952, was the first successful test of a thermonuclear weapon. It was a key milestone in the development of nuclear weapons, as it demonstrated the concept of fusion-based bombs (hydrogen bombs), which were far more powerful than fission bombs like the ones dropped on Hiroshima and Nagasaki.

The bomb was tested at Enewetak Atoll in the Pacific Ocean and had a yield of 10.4 megatons of TNT. Here's a breakdown of the basic calculations and considerations for understanding Ivy Mike's design:

1. Basic Design:

Ivy Mike was a **thermonuclear device** that used a combination of **fission** and **fusion** reactions.

- **Fission Stage:** The device began with a fission bomb, similar to the "Little Boy" design, to initiate the reaction. The fission bomb served as a "trigger" for the next stage.
- **Fusion Stage:** This was the critical part of the bomb and used deuterium and tritium (hydrogen isotopes) as fuel. In the core of the device, these isotopes fused together under extreme heat and pressure, releasing a tremendous amount of energy.

2. Yield and Energy Output:

- The yield of the bomb was **10.4 megatons of TNT** (equivalent to 10,400,000 tons of TNT).
- This energy output is roughly **435 petajoules (PJ)** or **4.35×10^{17} joules**.

To put that into perspective, the explosion released enough energy to power the entire world for several days.

3. Fusion and Fission Reactions:

- The fission bomb in the core of the Ivy Mike device would have involved uranium-235 or plutonium-239.
- The fusion part utilized isotopes of hydrogen:
 - **Deuterium (2H)** and **Tritium (3H)** were used as fuel in the fusion reaction. These isotopes combine to form helium and release energy.

- The reaction can be expressed as:
 $D+T\rightarrow He+n+17.6MeV$
- Where D is deuterium, T is tritium, He is helium, and n is a neutron. The energy released per fusion event is about **17.6 MeV**.

4. Heat and Pressure:

- The core of the bomb reached **tens of millions of degrees** in temperature, much hotter than the surface of the sun. The temperatures necessary for fusion (on the order of 100 million K) were achieved by using a fission explosion to compress and heat the fusion fuel.

5. Size and Scale:

- The device was enormous, weighing about **82 tons**.
- It was too large to be a deployable weapon at the time, designed instead for testing the thermonuclear principles rather than for use in warfare.

6. Radiation and Fallout:

- The explosion released not only thermal energy but also significant radiation, including gamma rays and neutrons. These radiation effects are responsible for the destructive power of a hydrogen bomb.
- The fallout produced radioactive materials that posed long-term environmental hazards.

Summary:

- The Ivy Mike test was crucial in proving that fusion could be used to significantly increase the power of nuclear weapons. The calculations involved in the bomb's energy output, fusion processes, and radiation effects demonstrated the immense destructive potential of thermonuclear weapons.

1. Energy Released by Ivy Mike (Real Life)

As mentioned earlier, Ivy Mike released about **10.4 megatons of TNT** (equivalent to **4.35×10^{17} joules**) in terms of energy.

2. Energy Released by TNT in Minecraft

- In Minecraft, **1 TNT block** produces **4,000** explosive power, which is measured in "block damage units."
- TNT in Minecraft does not directly correlate to real-world units like joules or tons of TNT, but it is used to simulate explosions.

3. Minecraft TNT Energy Comparison to Ivy Mike

Let's use a conversion to compare the energy output of Minecraft TNT and Ivy Mike.

1. Minecraft TNT Explosion Energy:

- Each TNT block releases **4,000** energy units (let's assume each unit represents the energy equivalent of **1 joule** for simplicity, though it's not directly accurate).

2. Ivy Mike Energy:

- **Ivy Mike** releases **4.35×10^{17} joules**.

3. Using this, we can find how many Minecraft TNT blocks would be needed to release the same amount of energy as Ivy Mike:

Number of TNTs needed = 4.35×10^{17} joules / 4,000 joules per TNT = 1.0875×10^{14} TNT blocks

So, about **1.09×10^{14} TNT blocks** would be required in Minecraft to match the energy released by Ivy Mike.

4. Blast Radius of TNT in Minecraft

The blast radius of TNT in Minecraft is determined by its **explosive power**. A single TNT explosion in Minecraft has a blast radius of **7 blocks** for a standard TNT block in survival mode, though this radius can be affected by factors such as the terrain or any other interactions in the game. This blast radius is relatively small compared to the real-world explosion of Ivy Mike.

To get a rough idea, let's scale it up by the energy released:

- **Ivy Mike** had a blast radius of several miles, with destruction extending to tens of kilometers.
- In Minecraft, TNT doesn't have an exponential increase in blast radius with the number of TNT blocks, so even using a large number of TNT blocks (such as the required **1.09×10^{14}**), the blast radius would still be limited to the **maximum of 7 blocks per TNT**.

5. Energy Required to Detonate TNT in Minecraft

In Minecraft, **TNT blocks** are ignited either by an external redstone signal or by being struck by lightning. The energy used for triggering TNT in Minecraft is quite minimal (a redstone signal has almost negligible energy requirements compared to real-world energy scales).

For real-world comparison, we can assume it takes a very small amount of energy to ignite a single TNT block (less than 1 joule of energy).

So, if you were to somehow create a scenario where all the TNT blocks were detonated simultaneously (as in a chain reaction), the energy required to trigger them is **negligible** compared to the energy released by the explosion.

6. Real-life vs. Minecraft Scaling:

Since the energy released by a Minecraft TNT block is so much smaller than that of Ivy Mike, it would take an **astronomical number of TNT blocks** to match the energy of Ivy Mike's hydrogen explosion. The blast radius of these blocks would still be **quite limited** by the constraints of Minecraft.

Summary of Calculations:

1. **Energy Output of Ivy Mike:** 4.35×10^{17} joules
2. **Energy Output of 1 Minecraft TNT block:** 4,000 energy units (considered equivalent to 4,000 joules for simplicity)
3. **Total TNT Required to Match Ivy Mike's Energy:** 1.09×10^{14} TNT blocks
4. **Blast Radius of TNT in Minecraft:** 7 blocks
5. **Energy Required to Ignite TNT:** Minimal (less than 1 joule per TNT block)

Even with a **massive number of TNT blocks** in Minecraft, the explosion would still be relatively localized in terms of blast radius and damage, and the **energy required to detonate** would not compare to the vast energy involved in real-life nuclear detonations.