

Document Style Guide

Page Content

- [Scope](#)
- [Rules](#)
- [Guidelines](#)
- [To be Discussed](#)

Scope

This page collects rules and guidelines used for the TRENTOS documentation.

Rules

1. Copy-Paste from other pages (not in edit-mode) is dangerous because it might insert undesired HTML-tags that brake the formatting. **Only paste plain-text!**
2. Sometimes the visual output seems weird which is caused by undesired HTML structure (e.g. span-tags). **If this is the case, clear the formatting and redo instead of tweaking it!**

Guidelines

The following rules have been followed (in a best-effort approach) for the 1.1 documentation.

Rule	Description
English language	If in doubt, use American English (AE) instead of British English (BE).
Font colors	For normal text the default Confluence font color shall be used. Warning: Default Confluence font color is not black (e.g. BLACK vs. DEFAULT). To reset the color use "Clear formatting" instead of selecting black.
Capitalization: ▪ headings ▪ captions (figures, code blocks)	Start words with capital letters except for short words (e.g. articles, prepositions, ...). See APA/MLA/Chicago or https://www.webucator.com/how-to/how-capitalize-headings-titles.cfm .
Code blocks	Language of the code block: ▪ Bash: bash commands ▪ C++: C code ▪ Plain text: console output Note: Since it shall be possible to copy-paste bash commands from documentation to bash take care of proper line-breaks.
Path, file, script, executable	Use monospace + bold formatting (e.g. sdk/somefolder/somefile). Note: No quotation marks.
Code parts or command line arguments within running text	Use monospace + bold formatting (e.g. #define SOME_DEFINE) Note: No quotation marks.
Keyboard shortcuts	Use in the following way: <Ctrl-A> and <X>
Links	Inserted links shall not be formatted. Per default Confluence will display hyperlinks in blue color. WHY: Additional formatting breaks possibility to set a different displayed link text.

Internal links / references	▪ In general, only references to Confluence pages. This means: ▪ Only type Confluence links (e.g. "Insert link" "Search"/"Recently viewed", or just copy-paste the URL into the page). ▪ No type web-links (for external links, see below). ▪ No references to headings/anchors within Confluence pages. ▪ No (references to) anchors. ▪ APIs: Reference the page, remove "TRENTOS" from the displayed text (e.g. CertParser API). ▪ Components: Reference the page, remove "TRENTOS" from the displayed text, use "component" in plain text (e.g. Network Stack_PicoTcp component). ▪ Component Interfaces: No references, text in bold-monospace, use "interface" in plain text (e.g. if_OS_Socket interface). ▪ Platforms: Reference the page and remove "TRENTOS" and "Platform" from displayed text (e.g. Raspberry Pi 3 Model B+). ▪ Demos, Tools: Reference the page and remove "TRENTOS" from the displayed text (e.g. Demo IoT App for QEMU). Note: References to Confluence pages outside the current "document" (e.g. Handbook) are not available in the exported document. Warning: Before pages are renamed, the ingoing links in the page information have to be checked. Since the displayed text of references might be outdated, all links have to be updated as well.																												
External links	The full URL of the external link shall be displayed (i.e. no different displayed link text shall be used).																												
Platforms	Platform names shall be used consistently in plain text: ▪ Raspberry Pi 3 Model B+ (abbr. RPi3B+) ▪ Nitrogen6_SoloX ▪ BD-SL-i.MX6																												
Docker containers	Docker container names and formatting shall be used consistently: trentos_build docker container trentos_test docker container																												
Info/note/warning text	For info, note or warning text the category in bold shall precede the text. No boxes shall be used due to a Word export issue. Info: This is an info. Note: This is a note. Warning: This is a warning.																												
Memory units	For values of bits / bytes the correct unit shall be used: • https://en.wikipedia.org/wiki/Bit#Multiple_bits • https://en.wikipedia.org/wiki/Byte#Multiple-byte_units <table><tr><th colspan="2">Decimal</th><th colspan="2">Binary</th></tr><tr><td colspan="4">1 bit, 2 bits, ...</td></tr><tr><td colspan="4">1 byte, 2 bytes, ...</td></tr><tr><td>1000 bits</td><td>1 kbit (kilobit)</td><td>1024 bits</td><td>1 Kibit (kibibit)</td></tr><tr><td>1000² bits</td><td>1 Mbit (megabit)</td><td>1024² bits</td><td>1 Mibit (mebibit)</td></tr><tr><td>1000 bytes</td><td>1 kB (kilobyte)</td><td>1024 bytes</td><td>1 KiB (kibibyte)</td></tr><tr><td>1000² bytes</td><td>1 MB (megabyte)</td><td>1024² bytes</td><td>1 MiB (mebibyte)</td></tr></table> Note: For unit symbols (e.g. Mibit, MiB) no plural form is used.	Decimal		Binary		1 bit, 2 bits, ...				1 byte, 2 bytes, ...				1000 bits	1 kbit (kilobit)	1024 bits	1 Kibit (kibibit)	1000² bits	1 Mbit (megabit)	1024² bits	1 Mibit (mebibit)	1000 bytes	1 kB (kilobyte)	1024 bytes	1 KiB (kibibyte)	1000² bytes	1 MB (megabyte)	1024² bytes	1 MiB (mebibyte)
Decimal		Binary																											
1 bit, 2 bits, ...																													
1 byte, 2 bytes, ...																													
1000 bits	1 kbit (kilobit)	1024 bits	1 Kibit (kibibit)																										
1000² bits	1 Mbit (megabit)	1024² bits	1 Mibit (mebibit)																										
1000 bytes	1 kB (kilobyte)	1024 bytes	1 KiB (kibibyte)																										
1000² bytes	1 MB (megabyte)	1024² bytes	1 MiB (mebibyte)																										

To be Discussed

The following points have not been considered for the 1.1 documentation.

Rule	Description
Lists and bullet points	- Colon: yes or no? - When are bullet points full sentences (starting with a capital letter and ending with correct punctuation)?

Platform	▪ Use unified name instead platform, board, target, target board, HW platform, ...
Document names	▪ "Getting Started" or "Getting Started Document SDK"? ▪ "Handbook" or "The TRENTOS Handbook"? ▪ Align names with Confluence page names? ▪ How to refer to the other document?
Code examples	Consistent naming of exemplary types and instances, e.g. MyType, myInstance.