



HYBEC HAPPY, HYBEC BRIGHT, HYBEC YOU, HYBEC THE LIGHT.

INDOOR LED LIGHTS | PROFILE LIGHTS | ARCHITECTURAL WALL & HANGING LIGHTS | OUTDOOR LIGHTS

CATALOGUE 2020

INDOOR LED LIGHTING

CATEGORY	PAGE
LED MODULE LIGHT	01
HOUSING RING	01
LED RECESSED DOWNLIGHT - SMD	02-03
LED COLOUR CHANGING DOWNLIGHT - SMD	04
LED RECESSED DOWNLIGHT - SMD	04-05
LED RECESSED DOWNLIGHT - WALL WASHERS	05-06
LED CABINET SPOT LIGHT	06-07
LED RECESSED DOWNLIGHT - COB'S	08-13
LED FOOT LIGHT	14
<u>LED HUB</u>	15-22
LED MODULE LIGHT	
LED CABINET SPOT LIGHT	
LED RECESSED DOWNLIGHT (ANTIGLARE ROUND)	
LED RECESSED DOWNLIGHT (FIXED ROUND)	
LED RECESSED DOWNLIGHT (EYEBALL)	
LED RECESSED DOWNLIGHT (EYEBALL SQUARE)	
LED RECESSED DOWNLIGHT (DIMMABLE)	
LED RECESSED DOWNLIGHT (MINI LASER)	
LED RECESSED DOWNLIGHT (COB+SMD 2 IN 1)	
LED RECESSED DOWNLIGHT (ANTIGLARE SMD)	
LED RECESSED DOWNLIGHT (FIXED SMD)	
LED SURFACE DOWNLIGHT (LASER + ACRYLIC)	
LED RECESSED PANEL (ARMSTRONG CEILING)	
LED RECESSED PANEL (CEILING WITH TOGGLE)	
LED TRACK LIGHT (COB TRACK)	
LED HIGH-BAY LIGHT (COB WITH LENSE)	
LED RECESSED DOWNLIGHT - COB'S - REFLECTOR SERIES	23-28
- WALL WASHER SERIES	
- EYE-BALL SERIES	
- GRILLE LIGHT SERIES	
LED TRACK LIGHT	29
TRACK PATTI 1MTR & 2MTR	30
2 WIRE 1 PHASE & 3 WIRE 1 PHASE TRACK PATTI	
LED TRACK LIGHT	30-33
TRACK PATTI 1MTR & 2MTR	34
3 WIRE 1 PHASE & 4 WIRE 3 PHASE TRACK PATTI	
LED SURFACE SPOT LIGHT	35-38
LED ARCHITECTURAL WALL & HANGING LIGHT	39-57
LED ARCHITECTURAL SURFACE CEILING LIGHT	58

LED STRIP & PROFILE LIGHTING

CATEGORY	PAGE
LED STRIP LIGHT	59-62
EMPTY PROFILE & LED PROFILE LIGHT	63-113

ARCHITECTURAL LIGHTING & DRIVERS

CATEGORY	PAGE
LED HANGING & CEILING SURFACE LIGHT	113-118
LED DRIVERS	119-120

OUTDOOR LED LIGHTING

CATEGORY	PAGE
LED GATE, BOLLARD & WALL LIGHT	121-127
LED SURFACE CEILING LIGHT	128
LED SURFACE WALL LIGHT	129-135
LED FOOT / STEP LIGHT & GARDEN SPIKE LIGHT	135-137
LED CONCEALED FOOT / STEP LIGHT	137-138
LED UNDERWATER CONCEALED LIGHT	139
LED UNDERWATER SURFACE LIGHT	139
LED RECESSED CANOPY LIGHT	139
LED LANDSCAPE PATH LIGHT	140-141
LED LINEAR WALL WASHER	141
LED STREET LIGHT & FOOT LIGHT	141-142

NON-LED OUTDOOR LIGHTING

CATEGORY	PAGE
GATE, BOLLARD & WALL LIGHT	143-145
BULK-HEAD LIGHT	146
UP-DOWN LIGHT	147
GARDEN SPIKE LIGHT	147
T-5 LINKABLE TUBE LIGHT	148
T-5 ANGULAR TUBE LIGHT	148

NEW ARRIVAL

Elite Series

HYBEC®
lighting the future

NEW GOODS ARRIVED

NEW



HLR-2441 (12W)



HLR-2442 (20W)



HLR-2443 (35W)



HLR-2505 (9W)



HLR-2506 (12W)



HLR-2508 (22W)



HLR-2602 (8W)



HLR-2603 (8W)



HLR-2655 (5W)
Body Colour Available : White / Black



HLR-2667 (9W)
Body Colour Available : White / Black



HLR-2668 (15W)
Body Colour Available : White / Black



HLR-2687 (12W)
Body Colour Available : White / Black



HLR-2688 (2x12W)
Body Colour Available : White / Black




HLR-2721 (5W)




HLR-2725 (5W)



HLR-2726 (2x5W)



HLS-3261 (5W)
Body Colour Available : White / Black



HLS-3264 (15W)
Body Colour Available : White / Black



HLS-3265 (30W)
Body Colour Available : White / Black



HLA-3454 (3W)



HLO-5006 (30W)



HLO-5331 (6W)



HLO-5332 (6W)



HLO-5372 (6W)



HLO-5373 (2x6W)



HLR-2500 (9W)
Body Colour Available : White / Black



HLR-2501 (9W)
Body Colour Available : White / Black



HLR-2502 (2x9W)
Body Colour Available : White / Black



HLT-4006 (10W)
Body Colour Available : White / Black



HLS-3004 (3W)



HLF-3315 (1W)



HLF-3316 (1W)
Body Colour Available : White / Black




HLF-3317 (1W)



HLF-3318 (3W)



HLO-5485 (27W)



HLO-6029 (3W)



HLO-6030 (3W)



HLA-3933 (20W)



HLA-3934 (54W)



HLA-3900 (28W)

Elite Series

HYBEC®
lighting the future

LED MODULE LIGHT



HLM-2007 (10W)
Size : Ø50mmx60mm



HLM-2010 (20W)
Size : Ø111mmx74mm



HLM-2011 (30W) - AR111
Size : Ø111mmx89.5mm

HOUSING RING FOR MR-16 - LED MODULE



F-301
Size : Ø100mmx75mm
Cut-Out : Ø92mm



F-302
Size : Ø100mmx90mm
Cut-Out : Ø92mm



F-305
Size : Ø80mmx40mm
Cut-Out : Ø70mm



F-306
Size : Ø85mmx50mm
Cut-Out : Ø80mm



F-309
Size : Ø110mmx90mm
Cut-Out : Ø90mm



F-310
Size : Ø86mmx44mm
Cut-Out : Ø72mm



F-331
Size : 90x90mmx80mm
Cut-Out : 75x75mm



F-332
Size : 160x90mmx80mm
Cut-Out : 145x75mm



F-333
Size : 230x90mmx80mm
Cut-Out : 217x75mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - ROUND SMD



HLR-2252 (4W)
Size : Ø70mmx20mm
Cut-Out : Ø63mm



HLR-2253 (8W)
Size : Ø110mmx24mm
Cut-Out : Ø95mm



HLR-2254 (11W)
Size : Ø140mmx25mm
Cut-Out : Ø125mm

PLEASE NOTE THE CHANGE IN SIZE



HLR-2255L (15W)
Size : Ø160mmx28mm
Cut-Out : Ø140mm



HLR-2256 - 22W
Size : Ø200mmx28mm
Cut-Out : Ø180mm



HLR-2257 - 23W
Size : Ø230mmx28mm
Cut-Out : Ø200mm

LED RECESSED DOWNLIGHT - SQUARE SMD



HLR-2262 (4W)
Size : 70x70mmx22mm
Cut-Out : 63x63mm



HLR-2263 (8W)
Size : 110x110mmx24mm
Cut-Out : 95x95mm



HLR-2264 (11W)
Size : 140x140mmx25mm
Cut-Out : 125x125mm

PLEASE NOTE THE CHANGE IN SIZE



HLR-2265L (15W)
Size : 160x160mmx28mm
Cut-Out : 140x140mm



HLR-2266 (22W)
Size : 200x200mmx28mm
Cut-Out : 180x180mm



HLR-2267 (23W)
Size : 230x230mmx28mm
Cut-Out : 200x200mm



HLR-2269 (30W)
Size : 300x300x30mm
Cut-Out : 265x265mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - ROUND SMD



HLR-2972 (8W)
Size : Ø110mmx36mm
Cut-Out : Ø95mm



HLR-2973 (12W)
Size : Ø140mmx36mm
Cut-Out : Ø125mm



HLR-2974 (18W)
Size : Ø160mmx36mm
Cut-Out : Ø140mm



HLR-2975 (22W)
Size : Ø200mmx40mm
Cut-Out : Ø180mm

LED RECESSED DOWNLIGHT - SQUARE SMD



HLR-2982 (8W)
Size : 110x110mmx36mm
Cut-Out : 95x95mm



HLR-2983 (12W)
Size : 140x140mmx36mm
Cut-Out : 125x125mm



HLR-2984 (18W)
Size : 160x160mmx36mm
Cut-Out : 140x140mm



HLR-2985 (22W)
Size : 200x200mmx40mm
Cut-Out : 180x180mm

Elite Series

HYBEC®
lighting the future

LED COLOUR CHANGING DOWNLIGHT - SMD



HLR-2272 (12W)
Size : Ø120mmx87mm
Cut-Out : Ø100mm




HLR-2274 (15W)
Size : Ø159mmx101mm
Cut-Out : Ø140mm





HLR-2276 (22W)
Size : Ø181mmx105mm
Cut-Out : Ø155mm



HLR-2277 (Remote)



COLOUR DIM TECHNOLOGY



LED RECESSED DOWNLIGHT - SMD



HLR-2282 (6W)
Size : Ø112mmx44mm
Cut-Out : Ø85mm



HLR-2283 (9W)
Size : Ø148mmx56.5mm
Cut-Out : Ø110-129mm



HLR-2284 (15W)
Size : Ø177mmx58.5mm
Cut-Out : Ø149-163mm



HLR-2287 (19W)
Size : Ø192mmx62mm
Cut-Out : Ø160-172mm



HLR-2301 (10W)
Size : Ø160mmx90mm
Cut-Out : Ø145mm



HLR-2302 (18W)
Size : Ø180mmx90mm
Cut-Out : Ø170mm



HLR-2303 (25W)
Size : Ø200mmx90mm
Cut-Out : Ø190mm



HLR-2314 (11W)
Size : Ø92mmx39mm
Cut-Out : Ø80mm



HLR-2315 (16W)
Size : Ø115mmx77.6mm
Cut-Out : Ø105mm



HLR-2316 (9W)
Size : Ø78mmx51mm
Cut-Out : Ø65mm

IP54

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - SMD (IP54)



HLR-2317 (15W)
Size : Ø110mmx37mm
Cut-Out : Ø95mm



HLR-2318 (25W)
Size : Ø162mmx64mm
Cut-Out : Ø145mm



HLR-2319 (35W)
Size : Ø230mmx88mm
Cut-Out : Ø200mm

LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



HLR-2422 (9W)
Size : Ø96mmx58mm
Cut-Out : Ø82-85mm



HLR-2423 (15W)
Size : Ø105mmx82mm
Cut-Out : Ø90mm



HLR-2426 (27W)
Size : Ø140mmx114.5mm
Cut-Out : 125mm



HLR-2424 (33W)
Size : Ø158mmx130mm
Cut-Out : Ø145mm



HLR-2425 (40W)
Size : Ø188mmx159mm
Cut-Out : Ø170mm



HLR-2428 (15W)
Size : 100x100x67mm
Cut-Out : 85x85mm



HLR-2430 (35W)
Size : 235x145x116mm
Cut-Out : 220x130mm
SMD LED WITH BRIGHT REFLECTOR & WOVEN GLASS



HLR-2433 (10W)
Size : Ø75mmx100mm
Cut-Out : Ø80mm



HLR-2434 (15W)
Size : Ø84mmx106mm
Cut-Out : Ø89mm



HLR-2435 (20W)
Size : Ø106mmx145mm
Cut-Out : Ø110mm



HLR-2441 (12W)
Size : Ø85mmx70mm
Cut-Out : Ø75mm



HLR-2442 (20W)
Size : Ø108mmx85mm
Cut-Out : Ø95mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - WALL WASHER (ZOOM)



HLR-2443 (35W)
Size : Ø135mmx97mm
Cut-Out : Ø125mm

LED RECESSED CABINET SPOT LIGHT



Body Colour Available : SS / White
HLR-2451 (1W)
Size : Ø30mmx22mm
Cut-Out : Ø25mm



Body Colour Available : SS / White
HLR-2452 (3W)
Size : Ø45mmx28mm
Cut-Out : Ø40mm



Body Colour Available : SS / White
HLR-2453 (1W)
Size : 30x30mmx22mm
Cut-Out : Ø25mm



Body Colour Available : SS / White
HLR-2454 (3W)
Size : 45x45mmx28mm
Cut-Out : Ø40mm



HLR-2461 (1x3W)
Size : Ø15mmx240mm



HLR-2462 (1x2W)
Size : Ø15mmx280mm




ADJUSTABLE BEAM ANGLE
HLR-2463 (3W)
Size : Ø58x52mm
Cut-Out : Ø50mm



HLR-2464 (3W)
Size : Ø40mmx51mm
Cut-Out : Ø35mm



HLR-2465 (3W)
Size : Ø35mmx49mm
Cut-Out : Ø31mm



HLR-2466 (3W)
Size : Ø56mmx48mm
Cut-Out : Ø46mm



Body Colour Available : SS / White
HLR-2467 (5W)
Size : Ø65mmx30mm
Cut-Out : Ø55mm



Body Colour Available : SS / White
HLR-2469 (5W)
Size : Ø55mmx41mm
Cut-Out : Ø48mm

Elite Series

HYBEC®
lighting the future

LED RECESSED CABINET SPOT LIGHT



Body Colour Available : SS / White

HLR-2470 (5W)
Size : 55x55mmx41mm
Cut-Out : Ø48mm



Body Colour Available : White / Black

HLR-2471 (2W)
Size : 44x44x47mm
Cut-Out : 38x38mm



Body Colour Available : White / Black

HLR-2472 (2x2W)
Size : 73x44x47mm
Cut-Out : 65x38mm



Body Colour Available : White / Black

HLR-2473 (5x2W)
Size : 148x44x56mm
Cut-Out : 137x35mm



Body Colour Available : White / Black

HLR-2474 (5x2W)
Size : 169x87x97mm
Cut-Out : 152x72mm



Body Colour Available : White / Black

HLR-2475 (10x2W)
Size : 281x44x56mm
Cut-Out : 271x35mm



Body Colour Available : White / Black

HLR-2478 (5x2W)
Size : 148x44x56mm
Cut-Out : 137x35mm



Body Colour Available : White / Black

HLR-2479 (10x2W)
Size : 281x44x56mm
Cut-Out : 271x35mm



HLR-2480 (5W)
Size : Ø60mmx61mm
Cut-Out : Ø54mm

LED RECESSED DOWNLIGHT - COB'S

Housing and heatsink inseparable



HLR-2481 (10W)
Size : Ø62mmx62mm
Cut-Out : Ø53mm



HLR-2482 (9W)
Size : Ø70mmx60mm
Cut-Out : Ø60mm



HLR-2485 (10W)
Size : Ø88mmx64mm
Cut-Out : Ø75-80mm



HLR-2486 (10W)
Size : Ø88mmx85mm
Cut-Out : Ø75-80mm



HLR-2488 (15W)
Size : Ø88mmx98mm
Cut-Out : Ø75-80mm



HLR-2491 (8W)
Size : Ø70mmx63mm
Cut-Out : Ø60mm




HLR-2492 (9W)
Size : Ø80mmx80mm
Cut-Out : Ø70mm




HLR-2493 (9W)
Size : 80x80mmx80mm
Cut-Out : Ø70mm



HLR-2495 (9W)
Size : Ø82mmx72mm
Cut-Out : Ø70mm



HLR-2496 (9W)
Size : 82x82mmx72mm
Cut-Out : Ø70mm



HLR-2497 (15W)
Size : Ø105mmx95mm
Cut-Out : Ø90mm



HLR-2498 (15W)
Size : 105x105mmx95mm
Cut-Out : Ø90mm




Body Colour Available : White / Black

HLR-2500 (9W)
Size : Ø78mmx90mm
Cut-Out : Ø70mm



Body Colour Available : White / Black

HLR-2501 (9W)
Size : 80x80mmx90mm
Cut-Out : 70x70mm



Body Colour Available : White / Black

HLR-2502 (2x9W)
Size : 148x80mmx90mm
Cut-Out : 140x70mm



HLR-2505 (9W)
Size : Ø63mmx56mm
Cut-Out : Ø55mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S



HLR-2506 (12W)
Size : Ø73mmx64mm
Cut-Out : Ø65mm



HLR-2508 (22W)
Size : Ø105mmx82mm
Cut-Out : Ø90mm



HLR-2511 (9W)
Size : Ø88mmx74.5mm
Cut-Out : Ø75mm



HLR-2512 (9W)
Size : Ø88mmx79mm
Cut-Out : Ø75mm



HLR-2513 (9W)
Size : Ø88mmx83mm
Cut-Out : Ø75mm



HLR-2514 (15W)
Size : Ø88mmx118mm
Cut-Out : Ø75mm



HLR-2520 (10W)
Size : Ø99mmx105mm
Cut-Out : Ø90-95mm



HLR-2521 (15W)
Size : Ø99mmx128mm
Cut-Out : Ø90-95mm



HLR-2541 (12W)
Size : 85x85x105mm
Cut-Out : 75x75mm




HLR-2543 (9W)
Size : Ø75mmx81mm
Cut-Out : Ø65mm



HLR-2544 (15W)
Size : Ø90x110mm
Cut-Out : Ø80mm



HLR-2545 (25W)
Size : Ø110x136mm
Cut-Out : Ø100mm



Body Colour Available : White / Black
HLR-2547 (6W)
Size : Ø70x125mm
Cut-Out : Ø60mm



Body Colour Available : White / Black
HLR-2548 (6W)
Size : Ø100x145mm
Cut-Out : Ø95mm



Fire Rated
IP65
HLR-2549 (12W)
Size : Ø88x89mm
Cut-Out : Ø65mm



IP54
HLR-2552 (15W)
Size : Ø140x53mm
Cut-Out : Ø125mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S



HLR-2553 (22W)
Size : Ø162x64mm
Cut-Out : Ø145mm



HLR-2554 (30W)
Size : Ø193x75mm
Cut-Out : Ø165mm



HLR-2555 (40W)
Size : Ø230x88mm
Cut-Out : Ø200mm



HLR-2558 (30W)
Size : Ø170mmx145mm
Cut-Out : Ø155mm



HLR-2602 (8W)
Size : Ø90mmx113mm
Cut-Out : Ø75mm



HLR-2603 (8W)
Size : Ø90mmx113mm
Cut-Out : Ø75mm



HLR-2611 (9W)
Size : Ø85mmx91mm
Cut-Out : Ø75mm



HLR-2612 (9W)
Size : Ø85mmx91mm
Cut-Out : Ø75mm



HLR-2615 (15W)
Size : Ø115mmx116mm
Cut-Out : Ø100mm



HLR-2616 (15W)
Size : Ø115mmx116mm
Cut-Out : Ø100mm



HLR-2619 (24W)
Size : Ø140mmx147mm
Cut-Out : Ø125mm



HLR-2620 (24W)
Size : Ø140mmx147mm
Cut-Out : Ø125mm



HLR-2622 (24W)
Size : Ø124mmx147mm
Cut-Out : Ø125mm



HLR-2623 (24W)
Size : Ø124mmx147mm
Cut-Out : Ø125mm



HLR-2641 (3W)
Size : Ø35mmx50mm
Cut-Out : Ø26mm



HLR-2643 (6W)
Size : Ø55mmx60mm
Cut-Out : Ø46mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S



HLR-2645 (12W)
Size : Ø64mmx75mm
Cut-Out : Ø55mm



HLR-2648 (12W)
Size : Ø90mmx46mm
Cut-Out : Ø80mm



HLR-2651 (12W)
Size : Ø90mmx99mm
Cut-Out : Ø84mm



HLR-2653 (12W)
Size : 90x90mmx99mm
Cut-Out : 84x84mm



HLR-2654 (2x12W)
Size : 175x90mmx99mm
Cut-Out : 168x84mm



HLR-2655 (5W)
Size : Ø40mmx55mm
Cut-Out : Ø35mm



HLR-2656 (9W)
Size : Ø68mmx65mm
Cut-Out : Ø60mm



HLR-2657 (15W)
Size : Ø85mmx80mm
Cut-Out : Ø76mm



Body Colour Available : White / Black
HLR-2659 (30W)
Size : Ø120mmx110mm
Cut-Out : Ø110mm



HLR-2661 (12W)
Size : 84x84mmx75mm
Cut-Out : 75x75mm



HLR-2662 (12W)
Size : Ø108mmx70mm
Cut-Out : Ø100mm



HLR-2665 (9W)
Size : Ø64mmx65mm
Cut-Out : Ø55mm



Body Colour Available : White / Black
HLR-2666 (15W)
Size : Ø75mmx77mm
Cut-Out : Ø65mm



HLR-2667 (9W)
Size : Ø70mmx59mm
Cut-Out : Ø65mm



HLR-2668 (15W)
Size : Ø85mmx70mm
Cut-Out : Ø70mm



Body Col.: White / Black with Inside Col:
COPPER / MATT GOLD / BLACK CHROME
HLR-2669 (9W)
Size : Ø74mmx65mm
Cut-Out : Ø68mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S



Body Col.: White / Black with Inside Col:
COPPER / MATT GOLD / BLACK CHROME

HLR-2670 (15W)
Size : Ø85mmx78mm
Cut-Out : Ø78mm



Body Colour Available : White / Black

HLR-2673 (9W)
Size : Ø93mmx82mm
Cut-Out : Ø85mm



Body Colour Available : White / Black

HLR-2674 (15W)
Size : Ø105mmx96mm
Cut-Out : Ø98mm



Body Colour Available : White / Black

HLR-2675 (30W)
Size : Ø135mmx128mm
Cut-Out : Ø128mm



HLR-2677 (12W)
Size : Ø78mmx72mm
Cut-Out : Ø70mm



HLR-2678 (12W)
Size : Ø85mmx108mm
Cut-Out : Ø80mm



HLR-2679 (18W)
Size : Ø106mmx140mm
Cut-Out : Ø100mm



HLR-2681 (3W)
Size : Ø58mmx75mm
Cut-Out : Ø55mm



Body Colour Available : White / Black

HLR-2682 (7W)
Size : Ø84mmx87mm
Cut-Out : Ø75mm



Body Colour Available : White / Black

HLR-2683 (12W)
Size : Ø100mmx117mm
Cut-Out : Ø92mm



Body Colour Available : White / Black

HLR-2684 (25W)
Size : Ø155mmx136mm
Cut-Out : Ø140mm



Body Colour Available : White / Black

HLR-2686 (12W)
Size : 181x112mmx117mm
Cut-Out : Ø120mm



Body Colour Available : White / Black

HLR-2687 (12W)
Size : 117x117mmx117mm
Cut-Out : 100x100mm



Body Colour Available : White / Black

HLR-2688 (2x12W)
Size : 208x117mmx117mm
Cut-Out : 190x100mm



HLR-2689 (7W)
Size : Ø119.5mmx36mm
Cut-Out : Ø95mm



HLR-2690 (2x7W)
Size : 220x120mmx36mm
Cut-Out : Ø195x95mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S



HLR-2693 (12W)
Size : Ø85mmx60mm
Cut-Out : Ø75mm



HLR-2701 (5W)
Size : 55x55mmx45mm
Cut-Out : 50x50mm



HLR-2703 (12W)
Size : 130x55mmx45mm
Cut-Out : 125x50mm



HLR-2704 (16W)
Size : 93x93mmx45mm
Cut-Out : 88x88mm



HLR-2705 (20W)
Size : 205x55mmx45mm
Cut-Out : 200x50mm



HLR-2709 (36W)
Size : 130x130mmx45mm
Cut-Out : 125x125mm



HLR-2710 (40W)
Size : 395x55mmx45mm
Cut-Out : 390x50mm



HLR-2721 (5W)
Size : Ø6' mmx70mm
Cut-Out : Ø58mm



HLR-2725 (5W)
Size : 62x62mmx70mm
Cut-Out : 55x55mm



HLR-2726 (2x5W)
Size : 60x114mmx70mm
Cut-Out : 105x50mm

Elite Series

HYBEC®
lighting the future

LED RECESSED FOOT/STEP LIGHT



HLF-3305 (3W)
Size : Ø44mmx30mm
Cut-Out : Ø36mm



HLF-3307 (3W)
Size : Ø44mmx30mm
Cut-Out : Ø22mm



HLF-3308 (3W)
Size : 55x55x42mm
Cut-Out : Ø45mm



HLF-3309 (3W)
Size : 55x55x42mm
Cut-Out : Ø45mm



HLF-3311 (3W)
Size : 70x32x22mm
Cut-Out : 25x65mm



HLF-3312 (3W)
Size : 80x50x37mm
Cut-Out : 42x75mm



HLF-3315 (1W)
Size : 50x50mmx27mm
Cut-Out : Ø45mm



HLF-3316 (1W)
Size : Ø50mmx27mm
Cut-Out : Ø45mm



HLF-3317 (1W)
Size : Ø58mmx37mm
Cut-Out : Ø45mm



HLF-3318 (3W)
Size : Ø50mmx42mm
Cut-Out : Ø45mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED MODULE LIGHT



HLM-2851 (9W)
Size : Ø50mmx67mm



HLM-2852 (3W)
Size : Ø50mmx46mm



HLM-2853 (9W)
Size : Ø50mmx80mm



HLM-2854 (15W)
Size : Ø50mmx110mm



HLM-2858 (9W)
Size : Ø50mmx67mm



HLM-2859 (15W)
Size : Ø50mmx110mm

LED RECESSED CABINET SPOT LIGHT



HLR-2862 (1W)
Size : Ø51.5mmx17.5mm
Cut-Out : Ø41mm



HLR-2863 (1W)
Size : Ø51.5mmx21.5mm
Cut-Out : Ø41mm



HLR-2865 (3W)
Size : Ø63mmx33.5mm
Cut-Out : Ø46mm



HLR-2866 (1W)
Size : 40x40mmx22mm
Cut-Out : Ø28mm



HLR-2867 (1W)
Size : 60x60mmx22mm
Cut-Out : Ø47mm

Elite Series

LED HUB
HYBEC®
lighting the future
LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING

HLR-2871 (4W)
Size : Ø40mmx63mm
Cut-Out : Ø36mm



HLR-2872 (7W)
Size : Ø56mmx75mm
Cut-Out : Ø45mm



HLR-2873 (13W)
Size : Ø75mmx88mm
Cut-Out : Ø65mm



HLR-2874 (20W)
Size : Ø95mmx92mm
Cut-Out : Ø82mm



HLR-2875 (25W)
Size : Ø115mmx117mm
Cut-Out : Ø105mm



HLR-2876 (35W)
Size : Ø128mmx130mm
Cut-Out : Ø113mm



HLR-2877 (15W)
Size : Ø80mmx65mm
Cut-Out : Ø70mm



HLR-2878 (15W)
Size : Ø96.5mmx100mm
Cut-Out : Ø80mm



HLR-2879 (10W)
Size : Ø85mmx70mm
Cut-Out : Ø72mm



HLR-2880 (10W)
Size : Ø100mmx70mm
Cut-Out : Ø86mm



HLR-2881 (18W)
Size : Ø85mmx128mm
Cut-Out : Ø80mm



HLR-2883 (15W)
Size : Ø105mmx85mm
Cut-Out : Ø80mm



HLR-2885 (30W)
Size : Ø190mmx114mm
Cut-Out : Ø150mm



HLR-2886 (42W)
Size : Ø225mmx110mm
Cut-Out : Ø185mm



HLR-2888 (15W)
Size : 72x72mmx95.5mm
Cut-Out : 65x65mm




HLR-2889 (15W)
Size : Ø72mmx97mm
Cut-Out : Ø65mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND - COLOUR CHANGING



HLR-2891 (10W)
Size : Ø113mmx85mm
Cut-Out : Ø83mm



HLR-2892 (15W)
Size : Ø143mmx85mm
Cut-Out : Ø113mm

LED RECESSED DOWNLIGHT - COB'S ANTIGLARE ROUND



HLR-2895 - (15W)
Size : 100mmx80mm
Cut-Out : 90mm



HLR-2896 - (25W)
Size : 160mmx80mm
Cut-Out : 145mm



HLR-2897 - (40W)
Size : 200mmx80mm
Cut-Out : 185mm

LED RECESSED DOWNLIGHT - FIXED ROUND



HLR-2901 (5W)
Size : Ø78mmx35mm
Cut-Out : Ø70mm



HLR-2902 (15W)
Size : Ø78mmx85mm
Cut-Out : Ø64mm



HLR-2904 (6W)
Size : Ø50x70mm
Cut-Out : Ø35mm



HLR-2905 (6W)
Size : Ø77mmx50mm
Cut-Out : Ø63mm

LED RECESSED DOWNLIGHT - COB'S FIXED ROUND



HLR-2906 (7W)
Size : Ø65mmx72mm
Cut-Out : Ø55mm




HLR-2907 (13W)
Size : Ø75mmx100mm
Cut-Out : Ø61mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S EYEBALL ROUND



HLR-2908 (10W)
Size : Ø95mmx35mm
Cut-Out : Ø79mm




HLR-2910 (15W)
Size : Ø98mmx88mm
Cut-Out : Ø81mm



HLR-2911 (15W)
Size : Ø84mmx85.5mm
Cut-Out : Ø75mm



HLR-2912 (13W)
Size : Ø85mmx93.5mm
Cut-Out : Ø80mm



HLR-2913 (22W)
Size : Ø105mmx105mm
Cut-Out : Ø85mm



HLR-2914 (26W)
Size : Ø135mmx135mm
Cut-Out : Ø123mm



HLR-2917 (50W)
Size : Ø165mmx193mm
Cut-Out : Ø155mm



HLR-2919 (15W)
Size : Ø100mmx75mm
Cut-Out : Ø85mm



HLR-2920 (24W)
Size : Ø130mmx90mm
Cut-Out : Ø115mm



HLR-2921 (36W)
Size : Ø160mmx95mm
Cut-Out : Ø140mm

LED RECESSED DOWNLIGHT - COB'S EYEBALL SQUARE



HLR-2923 (10W)
Size : 84x84x81mm
Cut-Out : 65x65mm



HLR-2924 (2x10W)
Size : 150x86x81mm
Cut-Out : 65x130mm



HLR-2926 (15W)
Size : 90x90x85mm
Cut-Out : Ø72mm



HLR-2927 (2x15W)
Size : 180x90x85mm
Cut-Out : 70x160mm

Elite Series

LED HUB



lighting the future

LED RECESSED DOWNLIGHT - DIM TO WARM WHITE - TRAILING EDGE



2000K TO 3000K DIMMABLE
 HLR-2928 (7W)
 Size : Ø56mmx75mm
 Cut-Out : Ø45mm



2000K TO 3000K DIMMABLE
 HLR-2929 (13W)
 Size : Ø75mmx88mm
 Cut-Out : Ø65mm

LED RECESSED DOWNLIGHT - MINI LASER (REFLECTOR 18mmx18mm)



NEW
 HLR-2931 (3W)
 Size : 52x32mmx40mm
 Cut-Out : 48x27mm
 Body Colour Available : White / Black



NEW
 HLR-2932 (5W)
 Size : 62x32mmx40mm
 Cut-Out : 57x27mm
 Body Colour Available : White / Black




NEW
 HLR-2933 (10W)
 Size : 109x32mmx40mm
 Cut-Out : 104x27mm
 Body Colour Available : White / Black



NEW
 HLR-2936 (20W)
 Size : 205x32mmx40mm
 Cut-Out : 200x27mm
 Body Colour Available : White / Black



NEW
 HLR-2937 (7W)
 Size : 52x52mmx40mm
 Cut-Out : 48x48mm



NEW
 HLR-2938 (12W)
 Size : 71x71mmx40mm
 Cut-Out : 68x68mm



With Center Acrylic
 HLR-2939 (20W)
 Size : 131x131mmx27mm
 Cut-Out : 115x115mm



With Center Acrylic
 HLR-2940 (30W)
 Size : 180x180mmx27mm
 Cut-Out : 170x170mm



With Center Acrylic
 HLR-2941 (24W)
 Size : 136x136mmx27mm
 Cut-Out : 122x122mm



With Center Acrylic
 HLR-2942 (36W)
 Size : 212x212mmx27mm
 Cut-Out : 200x200mm



With Center Acrylic
 HLR-2944 (48W)
 Size : 640x250mmx27mm
 Cut-Out : 629x240mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - SMD DOWNLIGHTER WITH COB (2 IN 1)



6W COB & 12W SMD

HLR-2947 (18W)
Size : Ø120x56mm
Cut-Out : Ø110mm



6W COB & 18W SMD

HLR-2948 (24W)
Size : Ø148mmx56mm
Cut-Out : Ø130mm



6W COB & 12W SMD

HLR-2949 (18W)
Size : 110x110mmx56mm
Cut-Out : 100x100mm



6W COB & 18W SMD

HLR-2950 (24W)
Size : 142x142mmx56mm
Cut-Out : 133x133mm

LED RECESSED DOWNLIGHT - ANTIGLARE SMD



HLR-2951 (12W)
Size : Ø100mmx80mm
Cut-Out : Ø90mm



HLR-2952 (24W)
Size : Ø160mmx80mm
Cut-Out : Ø145mm



HLR-2953 (36W)
Size : Ø200mmx80mm
Cut-Out : Ø185mm

LED RECESSED DOWNLIGHT - FIXED SMD



HLR-2955 (10W)
Size : Ø135mmx45mm
Cut-Out : Ø110mm



HLR-2957 (16W)
Size : Ø185mmx45mm
Cut-Out : Ø165mm



HLR-2960 (10W)
Size : Ø147x52mm
Cut-Out : Ø124mm



HLR-2961 (15W)
Size : Ø180x52mm
Cut-Out : Ø156mm



HLR-2962 (10W)
Size : Ø140mmx52mm
Cut-Out : Ø105mm



HLR-2963 (18W)
Size : Ø180mmx55mm
Cut-Out : Ø130mm



HLR-2964 (10W)
Size : 140x140x52mm
Cut-Out : 105x105mm



HLR-2965 (18W)
Size : 175x175x52mm
Cut-Out : 140x140mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED SURFACE DOWNLIGHTER - LASER WITH CENTRE ACRYLIC



HLR-2966 (20W)
Size : 112x112mmx27mm



HLR-2968 (30W)
Size : 180x180mmx27mm



HLR-2970 (24W)
Size : 136x136mmx27mm



HLR-2971 (36W)
Size : 212x212mmx27mm

LED PANEL LIGHT - 595x595 ARMSTRONG CEILING PANEL



HLR-2976 (36W)
Size : 595x595mmx70mm



HLR-2977 (36W)
Size : 595x595mmx70mm



HLR-2978 (54W)
Size : 595x595mmx70mm




HLR-2979 (36W)
Size : 595x595mmx40mm



HLR-2980 (48W)
Size : 595x595mmx40mm



HLR-2981 (48W)
Size : 595x595mmx40mm



HLR-2982 (36W)
Size : 595x595mmx40mm



HLR-2983 (36W)
Size : 595x595mmx40mm

LED RECESSED LIGHT - FALL CEILING LIGHT WITH TOGGLE



HLR-2991 (30W)
Size : 227x227mmx27mm
Cut-Out : 217X217mm



HLR-2992(54W)
Size : 515x515mmx27mm
Cut-Out : 505X505mm



HLR-2994(20W)
Size : 300x300mmx40mm
Cut-Out : 275X275mm



HLR-2996(48W)
Size : 600x600mmx40mm
Cut-Out : 570X570mm

Elite Series

LED HUB

HYBEC®
lighting the future

LED RECESSED PANEL LIGHT - FALSE CEILING LIGHT WITH TOGGLE



HLR-2998 (20W)
Size : 300x300mmx40mm
Cut-Out : 275X275mm



HLR-2990(40W)
Size : 600x600mmx40mm
Cut-Out : 570X570mm

LED TRACK LIGHT - COB TRACK LIGHT



HLT-2999 (25W)
Size : W195mmxH235mm

LED HIGH-BAY LIGHT - COB HIGH-BAY LIGHT WITH LENSE - FULL BLACK



HLR-3001 (50W)
Size : Ø355mm(**Reflector**)
Total Height : 300mm



HLR-3002(100W)
Size : Ø355mm(**Reflector**)
Total Height : 345mm



HLR-3003 (150W)
Size : Ø355mm(**Reflector**)
Total Height : 385mm

Elite Series

HYBEC®
lighting the future


LED RECESSED DOWNLIGHT - COB'S




+



F01




90mm



+



F11




115mm



+



F21




150mm



+



F31



170mm

Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S





+



F02

HLM-2115 (15W)




+



F12

HLM-2125 (25W)




+



F22

HLM-2133 (33W)




+



F32

HLM-2140 (40W)



Elite Series

HYBEC®
lighting the future


LED RECESSED DOWNLIGHT - COB'S



F03




HLM-2115 (15W)



F13




HLM-2125 (25W)



F23




HLM-2133 (33W)



F33



HLM-2140 (40W)




Elite Series

HYBEC®
lighting the future


LED RECESSED DOWNLIGHT - COB'S




HLR-2608 (1x15W)
Size : 110x110x98mm
Cut-Out : 95x95mm



HLR-2609 (2x15W)
Size : 205x110x98mm
Cut-Out : 190x95mm



HLR-2610 (3x15W)
Size : 290x110x98mm
Cut-Out : 275x95mm



Elite Series

HYBEC®
lighting the future


LED RECESSED DOWNLIGHT - COB'S



+




F17



+




F18



+



F19



Elite Series

HYBEC®
lighting the future

LED RECESSED DOWNLIGHT - COB'S




F27

+



HLM-2133 (33W)




F28

+



HLM-2133 (2x33W)




F29

+



HLM-2133 (3x33W)



Elite Series


HYBEC®
lighting the future

LED TRACK LIGHT




HLT-4004 (5W)

Body Colour Available : White / Black




HLT-4005 (8W)

Body Colour Available : White / Black



HLT-4006 (10W)

Body Colour Available : White / Black



HLT-4008 (10W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options




T-41
(COVER WITH HONEYCOMB)



HLT-4009 (18W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



T-51
(COVER WITH HONEYCOMB)



Elite Series

HYBEC®
lighting the future

TRACK PATTI - 2 WIRE SINGLE PHASE (Suitable for EB-9407)



(2 WIRE - 1MTR)

TR-4121

Body Colour Available : White / Black



(2 WIRE - 2MTR)

TR-4122

Body Colour Available : White / Black



(2 WIRE - Straight Connector)

TR-4124

Body Colour Available : White / Black



(2 WIRE - L Connector)

TR-4125

Body Colour Available : White / Black

TRACK PATTI - 3 WIRE SINGLE PHASE

(Suitable for HLT-4004, HLT-4005, HLT-4008, HLT-4009)



(3 WIRE - 1MTR)

TR-4141

Body Colour Available : White / Black



(3 WIRE - 2MTR)

TR-4142

Body Colour Available : White / Black



(3 WIRE - Straight Connector)


TR-4143

Body Colour Available : White / Black


LED TRACK LIGHT



HLT-4011 (12W)



HLT-4013 (12W)



Elite Series

HYBEC®
lighting the future


LED TRACK LIGHT



ADJUSTABLE BEAM ANGLE : 12.5° to 45°

HLT-4016 (12W)



Body Colour Available : White / Black



ADJUSTABLE BEAM ANGLE : 12.5° to 45°



ADJUSTABLE BEAM ANGLE : 12.5° to 45°




HLT-4018 (25W)

Body Colour Available : White / Black



HLT-4023 (15W)

Body Colour Available : White / Black




Professional Glareproof Photomask Options



Model : T-02



Model : T-01




Model : T-11



HLT-4024 (25W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options




Model : T-12



Model : T-13



Model : T-11




Model : T-14

INDOOR - LED LIGHT FIXTURES

Elite Series

HYBEC®
lighting the future


LED TRACK LIGHT



HLT-4025 (33W)

Body Colour Available : White / Black

Professional Glareproof Photomask Options




Model : T-22

Model : T-23

Model : T-21


Model : T-24



HLT-4026 (45W)


Body Colour Available : White / Black

Professional Glareproof Photomask Options



Model : T-32

Model : T-33



HLT-4032 (10W)


Body Colour Available : White / Black

Professional Glareproof Photomask Options



Model : T-02

Model : T-01




HLT-4033 (15W)

Body Colour Available : White / Black

Elite Series

HYBEC®
lighting the future



LED TRACK LIGHT



HLT-4034 (25W)

Body Colour Available : White / Black



Professional Glareproof Photomask Options



HLT-4035 (33W)



Body Colour Available : White / Black

Professional Glareproof Photomask Options




HLT-4038 (12W)

Body Colour Available : White / Black



HLT-4040 (25W)

Body Colour Available : White / Black



HLT-4044 (34W)

Body Colour Available : White / Black

TRACK PATTI - 3 WIRE SINGLE PHASE (Suitable for HLT-4006, HLT-4011, HLT-4013, HLT-4016, HLT-4018, HLT-4023, HLT-4024, HLT-4025, HLT-4026, HLT-4032, HLT-4035, HLT-4038, HLT-4040, HLT-4044)



(3 WIRE - 1 MTR)

TR-4151

Body Colour Available : White / Black



(3 WIRE - 2 MTR)

TR-4152

Body Colour Available : White / Black



(3 WIRE - Straight Connector)

TR-4153

Body Colour Available : White / Black



(3 WIRE - T Connector)

TR-4154

Body Colour Available : White / Black



(3 pin - L Connector)

TR-4155

Body Colour Available : White / Black

TRACK PATTI - 4 WIRE 3 PHASE



(4 WIRE - 3 PHASE - 1 MTR)

TR-4161

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - 2 MTR)

TR-4162

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - Straight Connector)

TR-4163

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - L Connector)

TR-4165

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - T Connector)

TR-4166

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - X Connector)

TR-4167

Body Colour Available : White / Black



(4 WIRE - 3 PHASE - Suspension Kit)

TR-4168

(Suspension Kit with Wire 1.5mtr. Long)

Elite Series

HYBEC®
lighting the future

LED SURFACE SPOT LIGHT



HLS-3004 (3W)
Size : Ø38mmx45mm



HLS-3005 (3W)
Size : Ø63mmx15mm



HLS-3006 (3W)
Size : 63x63mmx15mm



HLS-3007 (5W)
Size : Ø64mmx33mm



HLS-3009 (11W)
Size : Ø130mmx150mm



Available Body Colour : White & Black
HLS-3011 (8W)
Size : Ø90mmx75mm



Available Body Colour : White & Black
HLS-3012 (12W)
Size : Ø120mmx75mm



Available Body Colour : White & Black
HLS-3013 (16W)
Size : Ø140mmx75mm



HLS-3014 (12W)
Size : 76x76mmx90mm

Elite Series

HYBEC®
lighting the future

LED SURFACE SPOT LIGHT



HLS-3018 (7W)
Size : Ø60mmx152mm



Available Body Colour : White & Black
HLS-3019 (2x12W)
Size : 152mmx164mm



Available Body Colour : White & Black
HLS-3022 (12W)
Size : Ø85mmx120mm



HLS-3023 (10W)
Size : Ø50mmx165mm



Available Body Colour : White & Black
HLS-3025 (10W)
Size : Ø55mmx150mm



Available Body Colour : White & Black
HLS-3026 (7W)
Size : Ø100mmx93mm



Available Body Colour : White & Black
HLS-3027 (9W)
Size : Ø90mmx125mm



Available Body Colour : White & Black
HLS-3029 (16W)
Size : Ø120mmx140mm



Available Body Colour : White & Black
HLS-3031 (30W)
Size : Ø140mmx140mm

Elite Series

HYBEC®
lighting the future

LED SURFACE SPOT LIGHT



Available Body Colour : White & Black

HLS-3032 (10W)
Size : Ø52mmx138mm



Available Body Colour : White & Black

HLS-3033 (15W)
Size : Ø65mmx148mm



Available Body Colour : White & Black

HLS-3034 (30W)
Size : Ø95mmx204mm



HLS-3036 (9W)
Size : 95x95mmx120mm



Available Body Colour : White & Black
HLS-3037 (2x11W)
Size : 95x187mmx120mm



Available Body Colour : White & Black
HLS-3039 (20W)
Size : 272mmx77mm



Available Body Colour : White & Black
HLS-3040 (30W)
Size : 381mmx77mm



Available Body Colour : White & Black
HLS-3042 (12W)
Size : Ø52mmx200mm



Available Body Colour : White & Black
HLS-3044 (30W)
Size : Ø65mmx236mm

Elite Series

HYBEC®
lighting the future

LED SURFACE SPOT LIGHT



Available Body Colour : White & Black

HLS-3045 (38W)
Size : Ø105mmx285mm



HLS-3048 (11W)
Size : Ø107mmx120mm



HLS-3252 (5W)
Size : Ø85mmx78mm



HLS-3253 (10W)
Size : Ø150mmx90mm



HLS-3255 (5W)
Size : 90x90mmx70mm



HLS-3256 (15W)
Size : 150x150mmx70mm



HLS-3258 (20W)
Size : 220x110mmx70mm



Available Body Colour : White & Black

HLS-3261 (5W)
Size : 49x49mmx83mm



Available Body Colour : White & Black

HLS-3264 (15W)
Size : 86x86mmx88mm



Available Body Colour : White & Black

HLS-3265 (30W)
Size : 125x125mmx88mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS

Bed Lamp



HLA-3451 (3W)
Size : 65x110x66mm



HLA-3452 (3W)
Size : Ø150x110mm



Available Body Colour : White & Black

HLA-3453 (1x3W)
Size : 100x31x350mm



HLA-3454 (3W)
Size : 85x33x420mm



HLA-3501 (6W)
Size : 80x100x100mm



HLA-3502 (4W)
Size : 180x114x116mm



HLA-3503 (6W)
Size : 245x120x100mm



HLA-3504 (12W)
Size : 410x120x100mm



HLA-3505 (18W)
Size : 575x120x100mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3506 (6W)
Size : 245x100x95mm



HLA-3507 (12W)
Size : 445x100x100mm



HLA-3508 (6W)
Size : 170x50x110mm



HLA-3509 (12W)
Size : 425x50x110mm



HLA-3510 (3W)
Size : 140x45x83mm



HLA-3511 (6W)
Size : 290x45x83mm



HLA-3512 (9W)
Size : 440x45x83mm



HLA-3513 (16W)
Size : 300x76x50mm



HLA-3514 (24W)
Size : 500x76x50mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3517 (4W)
Size : 270x60x122mm



HLA-3518 (8W)
Size : 260x130mm



HLA-3519 (4W)
Size : 240x120x114mm



HLA-3520 (6W)
Size : 140x45x85mm



HLA-3522 (12W)
Size : 250x120x92mm




HLA-3523 (6W)
Size : 400x60x90mm



HLA-3524 (12W)
Size : 375x65x120mm



HLA-3525 (2x4W)
Size : Ø150x45mm




HLA-3527 (8W)
Size : 254x254x54mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3528 (6W)
Size : 200x175x150mm



HLA-3539 (6W)
Size : 250x150x55mm



HLA-3540 (15W)
Size : Ø166x37mm



HLA-3547 (12W)
Size : 380x120x50mm



HLA-3548 (5W)
Size : 50x135mm



HLA-3603 (10W)
Size : 300x75x107mm



HLA-3604 (18W)
Size : 590x60x110mm



HLA-3605 (6W)
Size : 510x30x80mm



HLA-3607 (8W)
Size : 450x45x185mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3608 (12W)
Size : 570x45x185mm



HLA-3609 (12W)
Size : 605x60x108mm



HLA-3610 (24W)
Size : 560x90x109mm



HLA-3611 (12W)
Size : 510x50x105mm



HLA-3612 (20W)
Size : 824x50x106mm



HLA-3614 (8W)
Size : 460x60x140mm



HLA-3615 (12W)
Size : 600x60x140mm



HLA-3617 (8W)
Size : 360x50x150mm



HLA-3618 (12W)
Size : 510x50x150mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3626 (8W)
Size : 270x215x46mm



HLA-3651 (3W)
Size : 170x80x60mm



HLA-3652 (6W)
Size : 190x130x80mm



HLA-3653 (13W)
Size : 265x165x140mm




HLA-3657 (12W)
Size : 400x42x100mm



HLA-3658 (18W)
Size : 500x42x100mm



HLA-3659 (30W)
Size : 925x45x105mm



HLA-3661 (5W)
Size : 130x50x160mm



HLA-3663 (15W)
Size : 530x50x160mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3664 (5W)
Size : 140x70x116mm



HLA-3665 (10W)
Size : 300x70x116mm



HLA-3666 (15W)
Size : 480x70x116mm



HLA-3675 (10W)
Size : 340x160x45mm



HLA-3676 (15W)
Size : 520x160x45mm



HLA-3679 (18W)
Size : 600x90x53mm



HLA-3680 (8.5W)
Size : 365x60x100mm



HLA-3682 (8W)
Size : Ø150x105x190mm



HLA-3683 (16W)
Size : Ø240x58mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS




HLA-3684 (16W)
Size : 240x240x58mm




HLA-3685 (3W)
Size : 100x80x140mm



HLA-3686 (6W)
Size : 250x80x140mm



HLA-3687 (9W)
Size : 400x80x140mm



HLA-3688 (12W)
Size : 550x80x140mm



HLA-3703 (15W)
Size : 520x70x145mm



HLA-3704 (5W)
Size : 125x110xH1200mm



HLA-3705 (6.5W)
Size : Ø185x70x220mm



HLA-3706 (6.5W)
Size : Ø185xH1200mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3709 (3W)
Size : Ø90x230xH3000mm



HLA-3710 (12W)
Size : Ø250x90xH1200mm



HLA-3712 (6W)
Size : Ø125xH1200mm



HLA-3711 (5W)
Size : Ø125x110mm



HLA-3729 (3W)
Size : Ø25x150x54mm



HLA-3718 (30W)
Size : 400x185x110mm



HLA-3713 (28W)
Size : Ø300xH1200mm




HLA-3730 (5W)
Size : 60x50x184mm

Elite Series

HYBEC®
lighting the future


LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3722 (28W)
Size : 980x505xH1800mm



HLA-3724 (7W)
Size : 150xH1200mm



HLA-3804 (5W)
Size : Ø180xH1200mm



HLA-3805 (18W)
Size : 800x90xH1200mm

Elite Series

HYBEC®
lighting the future


LED ARCHITECTURAL WALL & HANGING LIGHTS

Housing Material :
METAL & FOAMING RESIN



HLA-3808
E-14 lamp x 1nos.
Size : Ø180xH1500mm

Housing Material :
METAL & PC & ABS



HLA-3809
E-14 lamp x 1nos.
Size : 230xH1500mm



HLA-3811
E-14 lamp x 1nos.
Size : Ø125xH1270mm



HLA-3812 (ROSE GOLD)
E-14 lamp x 1nos.
Size : Ø125xH1270mm



HLA-3813
E-27 lamp x 1nos.
Size : Ø170xH1260mm



HLA-3814 (CHROME)
E-27 lamp x 1nos.
Size : Ø170xH1260mm



HLA-3815
(GREY BRUSH ANTIQUE)
E-27 lamp x 1nos.
Size : 200x160xH1430mm



HLA-3817
(COFFEE WOOD)
E-27 lamp x 1nos.
Size : Ø225xH1300mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3818
(MATT WHITE)
E-27 lamp x 1nos.
Size : Ø455xH1320mm



HLA-3819
E-27 lamp x 1nos.
Size : Ø295xH1250mm



HLA-3821
(BRONZE / GOLD)
E-27 lamp x 1nos.
Size : Ø320xH1400mm



HLA-3822
(BRONZE / GOLD)
E-27 lamp x 1nos.
Size : Ø260xH1330mm



HLA-3823
(BRONZE / GOLD)
E-27 lamp x 1nos.
Size : Ø455xH1260mm



HLA-3831 (26W)
(NATURAL WOODEN FINISH)
Size : Ø580xH1500mm



HLA-3835 (49W)
(BRASS BROWN)
Size : Ø650xH1500mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3849 (21W)
Size : Ø400xH1200mm



HLA-3850 (36W)
Size : Ø600xH1200mm



HLA-3851 (70W)
Size : 1193x180xH1200mm



HLA-3855 (20W)
(BROWN BRUSH ANODISED)
Size : 540x52x62mm



HLA-3856 (40W)
(BROWN BRUSH ANODISED)
Size : 1070x52x62mm



HLA-3857 (7W)
(WHITE WITH GOLD RING)
Size : Ø60x279mm

Elite Series

HYBEC®
lighting the future


LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3858 (4W)
Size : Ø140xH1200mm



HLA-3859 (8W)
Size : Ø280xH1200mm



HLA-3860 (15W)
Size : Ø250xH1500mm




HLA-3861 (15W)
Size : Ø65xH1200mm



HLA-3862 (30W)
Size : Ø95xH1500mm



HLA-3864 (5W)
Size : Ø130xH800mm



HLA-3865 (15W)
Size : Ø360xH800mm




HLA-3867 (31W)
Size : Ø350xH1200mm


Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3871 (12W)
Size : Ø165mm



HLA-3872 (24W)
Size : Ø300mm



HLA-3873 (48W)
Size : Ø600mm



HLA-3875 (24W)
COPPER FINISH
Size : Ø405xH150mm



HLA-3876 (24W)
COPPER FINISH
Size : Ø405xH855mm




HLA-3877 (35W) - SILVER
Size : Ø350xH700mm


Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3879 (12W)
Size : Ø190xH800mm



HLA-3880 (24W)
Size : Ø400xH890mm




HLA-3881 (27W)
Size : 300x300xH1200mm



HLA-3882 (40W)
Size : 600x300xH1200mm



HLA-3883 (50W)
Size : 600x600xH1200mm



HLA-3884 (27W)
Size : 1200xH1200mm



HLA-3885 (40W)
Size : 1200x150xH1200mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3886 (27W)
Size : Ø400xH1200mm



HLA-3887 (40W)
Size : Ø600xH1200mm



HLA-3888 (20W)
Size : 300x300xH1200mm



HLA-3889 (40W)
Size : 500x500xH1200mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS




HLA-3891 (24.5W)
Size : 325x325xH1200mm



HLA-3892 (39W)
Size : 600x600xH1200mm



HLA-3893 (34W)
Size : 600x200xH1200mm



HLA-3894 (59W)
Size : 1200x200xH1200mm



HLA-3895 (103.5W)
600x600xH1200mm
450x450xH1200mm
300x300xH1200mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL WALL & HANGING LIGHTS



HLA-3896 (31W)
Size : Ø450xH1200mm



HLA-3897 (35W)
Size : Ø600xH1200mm



HLA-3899 (38W)
Size : Ø400xH1200mm



HLA-3898 (86W)
Ø600xH1200mm
Ø450xH1200mm
Ø300xH1200mm



HLA-3900 (28W) - SILVER
Size : 940x120xH1200mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SURFACE CEILING LIGHTS



HLA-3901 (5W)
Size : Ø180x115mm



HLA-3902 (12W)
Size : Ø260x115mm



HLA-3903 (44W)
Size : 300x300x70mm



HLA-3904 (20W)
Size : 300x300x75mm




HLA-3922 (24W)
Size : Ø555xH590mm



HLA-3931 (17W)
Size : 400xH80mm



HLA-3932 (24W)
Size : 500xH140mm



HLA-3933 (20W)
Size : 445x500x55mm



HLA-3934 (54W)
Size : Ø600x48mm

Elite Series

HYBEC®
lighting the future

LED STRIP LIGHTS - NON-WATERPROOF (IP20) - HIGH LUMENS



HLL-4511 - 24V
192 LED/MTR - 2835 - 20W



HLL-4512 - 24V
240 LED/MTR - 2835 - 24W

EMPTY PROFILE - SURFACE PROFILES

EMPTY PROFILE - ALL EMPTY PROFILE WILL COME IN SILVER ANODISING WITH PC END CAPS & METAL CLIPS
ALL SUSPENDED PROFILE PRICE IS WITHOUT HANGING WIRE & MINIMUM ORDER OF ANY EMPTY PROFILE MODEL IS 40 METERS.



HLL-1001 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 10x15mm



HLL-1003 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 17x7mm



HLL-1005 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 17x7mm



HLL-1007 : SURFACE BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 17x14mm



HLL-1009 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 25x27mm



HLL-1011 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 35x35mm



HLL-1013: SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 50x35mm



HLL-1015: SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 65x35mm




HLL-1024 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 26x23mm

EMPTY PROFILE - SURFACE WALL WASHER PROFILES



HLL-1027 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 20x15mm

EMPTY PROFILE - SURFACE CORNER PROFILES



HLL-1030 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 25x15mm



HLL-1034 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 15x15mm



HLL-1036 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 15x15mm



HLL-1044 : CORNER SURFACE - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 30x30mm

EMPTY PROFILE - CONCEALED PROFILES




HLL-1050 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 11xD9mm / CUT-OUT : 7xD8mm




(Thickness 0.7mm)
(LIGHT WEIGHT)
STANDARD LENGTH : 2MTR
SIZE : 25xD7mm / CUT-OUT : 17xD5mm



(Thickness 1.2mm)
(HEAVY WEIGHT)
STANDARD LENGTH : 2MTR
SIZE : 25xD7mm / CUT-OUT : 17xD5mm




HLL-1056 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 23xD15mm / CUT-OUT : 18xD13mm



HLL-1058 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 30xD10mm / CUT-OUT : 23xD8mm



HLL-1060 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 35xD18mm / CUT-OUT : 27xD15mm



HLL-1062 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 50xD33mm / CUT-OUT : 35xD30mm

Elite Series

HYBEC®
lighting the future

EMPTY PROFILE - CONCEALED GROUND FLOORING WALK OVER PROFILES



HLL-1072 : GROUND FLOORING CONCEALD
STANDARD LENGTH : 3MTR
SIZE : 27x11mm



HLL-1074 : GROUND FLOORING CONCEALD
STANDARD LENGTH : 3MTR
SIZE : 21xH26mm

EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES




HLL-1084 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 28xD26mm / CUT-OUT : 20xD24mm



HLL-1086 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 53xD47mm / CUT-OUT : 38xD45mm



HLL-1088 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 50xD53mm / CUT-OUT : 43xD50mm



HLL-1090 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 65xD60mm / CUT-OUT : 50xD58mm



HLL-1092 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 60xD45mm / CUT-OUT : 55xD43mm

EMPTY PROFILE - CONCEALED WALL WASHER PROFILES



HLL-1102 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 30xD15mm / CUT-OUT : 22xD13mm




HLL-1104 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 75xD25mm / CUT-OUT : 62xD23mm


Elite Series

HYBEC®
lighting the future


EMPTY PROFILE - CONCEALED ANTIGLARE PROFILES




HLL-1122 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 32xD13mm




HLL-1124 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 47xD9mm / CUT-OUT : 7xD7mm




HLL-1126 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 73xD16mm / CUT-OUT : 31xD14mm



HLL-1128 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 95xD32mm / CUT-OUT : 35xD30mm



HLL-1130 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 36xD21mm / CUT-OUT : 10xD21mm



HLL-1132 : CONCEALED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 36xD17mm / CUT-OUT : 7xD17mm

EMPTY PROFILE - UP-DOWN SURFACE PROFILES




HLL-1152 : SURFACE BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : 42xD17mm




HLL-1154 : SURFACE BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : 48xD19mm


EMPTY PROFILE - SUSPENDED PROFILES



HLL-1172 : SUSPENDED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : W36xH60mm



HLL-1174 : SUSPENDED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : W50xH60mm



HLL-1176 : SUSPENDED BODY - FULL SET
STANDARD LENGTH : 2MTR
SIZE : W70xH60mm

EMPTY PROFILE - ROUND SUSPENDED PROFILES



HLL-1188 : SUSPENDED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : Ø30mm




HLL-1190 : SUSPENDED BODY - FULL SET
STANDARD LENGTH : 3MTR
SIZE : Ø60mm

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



SIZE : 7MM X 10MM

Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
MAX LENGTH 8FT.

HLL-1202 (7MM)




SIZE : 10MM X 6MM

TUNABLE DIMMABLE

 Intelligent remote control dimmer toning

Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
240Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1204 (10MM)



SIZE : 12MM X 15MM

TUNABLE DIMMABLE

 Intelligent remote control dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
640Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1206 (12MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



HLL-1208 (15MM)

TUNABLE DIMMABLE



Intelligent remote control dimmer toning

Aluminium Extrusion
4W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)


72 LED /ft

3000K/4000K/6500K

240Lumens/ft.

12V (constant Voltage)

MAX LENGTH 8FT.



SIZE : 15MM X 9MM



Thikness 1.2mm

HLL-1210 (17MM)

TUNABLE DIMMABLE



Intelligent remote control dimmer toning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)


39 LED /ft

3000K/4000K/6500K


400Lumens/ft.

12V (constant Voltage)

MAX LENGTH 8FT.



SIZE : 17MM X 8MM



HLL-1212 (17MM)

TUNABLE DIMMABLE



Intelligent remote control dimmer toning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)


39 LED /ft

3000K/4000K/6500K

400Lumens/ft.

12V (constant Voltage)

MAX LENGTH 3FT.



SIZE : 17MM X 14MM

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.




SIZE : 22MM X 18MM

HLL-1214 (22MM)




Intelligent remote control
dimmer tuning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.




SIZE : 25MM X 27MM

HLL-1216 (25MM)



Intelligent remote control
dimmer tuning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED/ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.



SIZE : 35MM X 35MM

HLL-1218 (35MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES



HLL-1220 (40MM)



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.



SIZE : 40MM X 15MM




HLL-1222 (50MM)



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.



SIZE : 50MM X 35MM




HLL-1224 (65MM)



Intelligent remote control
dimmer toning

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
12V (constant Voltage)
MAX LENGTH 8FT.



SIZE : 65MM X 35MM

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WITH DIFFUSER PROFILES




SIZE : 90MM X 35MM



Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED/ft
3000K/4000K/6500K
1200Lumens/ft.
40V (Constant Voltage)
FIXED LENGTH 2FT/4FT/6FT/8FT.

HLL-1226 (90MM)




SIZE : 120MM X 35MM



Aluminium Extrusion
20W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED/ft
3000K/4000K/6500K
1600Lumens/ft.
40V (Constant Voltage)
FIXED LENGTH 2FT/4FT/6FT/8FT.

HLL-1228 (120MM)



SIZE : 36MM X 64MM



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
55 LED/ft
3000K/4000K/6500K
800Lumens/ft.
40V (Constant Voltage)
WITH IN-BUILT DRIVER
FIXED LENGTH 2FT/4FT/6FT/8FT.

HLL-1230 (36MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH TOUCH SENSOR



HLL-1236 (17MM)



SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
IN BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH IR SENSOR



HLL-1240 (17MM)




SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
N BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

LED PROFILE LIGHT - SURFACE CABINET LIGHT WITH MOTION SENSOR



HLL-1244 (17MM)



SIZE : 17MM X 8MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
IN BUILT SENSOR 96W(12V/24V)
MAX LENGTH 8FT.

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - SURFACE WALL WASHER PROFILES



NEW SURFACE WALL WASHER



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 20MM X 15MM

HLL-1248 (20MM)

LED PROFILE LIGHT - CORNER SURFACE PROFILES




ANGULAR CURTAIN PROFILE LIGHT



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.




SIZE : 23MM X 9MM

HLL-1250 (23MM)



NEW



SIZE : 15MM X 12MM



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
72 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1252 (15MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - CORNER SURFACE PROFILES



ANGULAR PROFILE LIGHT



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 25MM X 15MM


HLL-1256 (25MM)



ANGULAR PROFILE LIGHT
COMING SOON



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 15MM X 15MM


HLL-1258 (15MM)



ANGULAR PROFILE LIGHT
COMING SOON



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 15MM X 15MM

HLL-1260 (15MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CORNER SURFACE PROFILES



HLL-1262 (25MM)




SIZE : 25MM X 30MM



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED/ft
3000K/4000K/6500K
1200Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1264 (30MM)




SIZE : 30MM X 30MM



TUNABLE DIMMABLE
Intelligent remote control dimmer toning
Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED/ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1266 (26MM)



SIZE : 26MM X 23MM




TUNABLE DIMMABLE
Intelligent remote control dimmer toning
Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED/ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - 3 SIDE ACRYLIC SURFACE PROFILES



SIZE : 45MM X 25MM




Intelligent remote control
dimmer toning


Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
78 LED /ft.
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1272 (45MM)

LED PROFILE LIGHT - SURFACE WITH LENSE PROFILE LIGHT



max. length of lense - 200mm



SIZE : 15MM X 15MM




Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
81 LED /ft.

3000K/4000K/6500K
400Lumens/ft.
12V
Lens Degree: 15°
Fix Available Length :
200 / 400 / 600 / 800mm

HLL-1280 (15MM SYMMETRIC LENSE 15°)



max. length of lense - 200mm



SIZE : 20MM X 15MM



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
81 LED /ft

3000K/4000K/6500K
400Lumens/ft.
12V
Lens Degree: 35°X105°
Fix Available Length :
200 / 400 / 600 / 800mm


HLL-1282 (20MM ASYMMETRIC LENSE 35°X105°)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WITH FROSTED LENSE PROFILE LIGHT



SIZE : 20MM X 23MM

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

72 LED /ft

3000K/4000K/6500K

400 Lumens/ft.


12V

Lens Degree: 30°

MAX LENGTH 8FT.

Constant Voltage

HLL-1286 (20MM SYMMETRIC LENSE 30°)



SIZE : 20MM X 23MM



Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

72 LED /ft

3000K/4000K/6500K

400 Lumens/ft.


12V

Lens Degree: 60°

MAX LENGTH 8FT.

Constant Voltage

HLL-1288 (20MM SYMMETRIC LENSE 60°)



SIZE : 20MM X 23MM



Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

72 LED /ft

3000K/4000K/6500K

400 Lumens/ft.

12V

Lens Degree: 90°

MAX LENGTH 8FT.

Constant Voltage


HLL-1290 (20MM SYMMETRIC LENSE 90°)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WITH FROSTED LENSE PROFILE LIGHT



SIZE : 20MM X 23MM



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
72 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
12V
Lens Degree: 120°
MAX LENGTH 8FT.
Constant Voltage

HLL-1292 (20MM SYMMETRIC LENSE 120°)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES



SIZE : 5MM X 25MM



Aluminium Extrusion
3W/ft.
EVERLITE
SMD LED 3014 (0.2W)
36 LED /ft
3000K/4000K/6500K
120Lumens/ft.
24V (Constant Voltage)
MAX LENGTH 6FT.

HLL-1306 (5MM GROOVE LIGHT)




SIZE : 9MM X 25MM

CUT-OUT : 6MM X 23MM



Aluminium Extrusion
3W/ft.
EVERLITE
SMD LED 3014(0.2W)
56 LED /ft
3000K/4000K/6500K
120Lumens/ft.
24V (Constant Voltage)
MAX LENGTH 6FT.

HLL-1308 (9MM GROOVE LIGHT WITH SLIM TRIM)



SIZE : 10MM X 9MM

CUT-OUT : 7MM X 8MM(DEPTH)



Aluminium Extrusion
3W/ft.
EVERLITE/EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.


HLL-1310 (10MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES





SIZE : 23MM X 15MM

CUT-OUT : 18MM X 13MM(DEPTH)



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1312 (23MM)




SIZE : 23MM X 14MM

CUT-OUT : 18MM X 13MM(DEPTH)



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1314 (23MM)



SIZE : 25MM X 7MM

CUT-OUT : 17MM X 5MM(DEPTH)



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1316 (25MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES



NEW 30MM RECESSED PROFILE



SIZE : 30MM X 10MM

CUT-OUT : 23MM X 8MM(DEPTH)

TUNABLE **DIMMABLE**



Intelligent remote control dimmer tuning



DIMMABLE

Intelligent remote control dimmer tuning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

39 LED/ft


3000K/4000K/6500K

400Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.

HLL-1320 (30MM)



SIZE : 36MM X 18MM

CUT-OUT : 27MM X 16MM(DEPTH)

TUNABLE **DIMMABLE**



Intelligent remote control dimmer tuning



DIMMABLE

Intelligent remote control dimmer tuning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

39 LED/ft


3000K/4000K/6500K

400Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.

HLL-1322 (36MM)



SIZE : 50MM X 32MM

CUT-OUT : 35MM X 30MM(DEPTH)

TUNABLE **DIMMABLE**



Intelligent remote control dimmer tuning



DIMMABLE

Intelligent remote control dimmer tuning

Aluminium Extrusion
10W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

78 LED/ft

3000K/4000K/6500K

800Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.

HLL-1324 (50MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED WITH DIFFUSER PROFILES



HLL-1326 (80MM)



SIZE : 80MM X 50MM

CUT-OUT : 70MM X 48MM(DEPTH)



Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
117 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



NEW 110MM RECESSED PROFILE



Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
1200Lumens/ft.
36VDC-CONSTANT CURRENT(40V)
FIX LENGTH-2FT, 4FT, 6FT, 8FT

HLL-1328 (110MM)



NEW 140MM RECESSED PROFILE



Aluminium Extrusion
20W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
88 LED /ft
3000K/4000K/6500K
1600Lumens/ft.
36VDC-CONSTANT CURRENT(40V)
FIX LENGTH-2FT, 4FT, 6FT, 8FT


HLL-1330 (140MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEAL WITH DIFFUSER PROFILES




SIZE : 48MM X 70MM

CUT-OUT : 36MM X 68MM(DEPTH)

Aluminium Extrusion
20W/2ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
55 LED /ft
3000K/4000K/6500K
400Lumens/ft.
Constant Current (40V)
MAX LENGTH 2FT/4FT/6FT/8FT.

HLL-1340 (48MM)

LED PROFILE LIGHT - CONCEALED CABINET WITH TOUCH SENSOR




SIZE : 25MM X 8MM

CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
IN BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1342 (25MM)

LED PROFILE LIGHT - CONCEALED CABINET WITH IR SENSOR



SIZE : 25MM X 8MM

CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
N BUILT SENSOR 60W(12V/24V)
MAX LENGTH 8FT.

HLL-1345 (25MM)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED CABINET WITH MOTION SENSOR



HLL-1348 (25MM)




SIZE : 25MM X 8MM

CUT-OUT : 17MM X 5MM(DEPTH)

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft.
12V(Constant Voltage)
IN BUILT SENSOR 96W(12V/24V)
MAX LENGTH 8FT.



HLL-1352 (28MM)



SIZE : 28MM X 26MM

CUT-OUT : 20MM X 24MM(DEPTH)



Intelligent remote control

dimmer toning


TUNABLE DIMMABLE

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400 Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1354 (53MM)

ANTI-GLARE RECESSED PROFILE



SIZE : 53MM X 47MM

CUT-OUT : 38MM X 45MM(DEPTH)



Intelligent remote control

dimmer toning

TUNABLE DIMMABLE

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V
MAX LENGTH 8FT.

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED ANTIGLARE PROFILES



HLL-1356 (50MM)

**DEEP ANTI-GLARE RECESSED PROFILE
WITH SLIM RIM**



SIZE : 50MM X 53MM

CUT-OUT : 43MM X 50MM(DEPTH)




Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1358 (65MM)

**ANTI-GLARE RECESSED PROFILE
CURVE**



SIZE : 65MM X 60MM

CUT-OUT : 50MM X 58MM(DEPTH)




Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



HLL-1360 (60MM)

ANTI-GLARE RECESSED PROFILE



SIZE : 60MM X 45MM

CUT-OUT : 55MM X 43MM(DEPTH)



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 4014 (0.2W)
36 LED /ft
3000K/4000K/6500K
500Lumens/ft.
Constant Current(40V)
MAX LENGTH 2FT/4FT/6FT/8FT.

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED WALL WASHER PROFILES




COMPACT RECESSED WALL-WASHER PROFILE



Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1362 (30MM)



SIZE : 30MM X 15MM

CUT-OUT : 22MM X 13MM(DEPTH)




RECESSED WALL-WASHER PROFILE



Intelligent remote control dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
640Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.

HLL-1364 (55MM)



SIZE : 55MM X 50MM

CUT-OUT : 45MM X 48MM(DEPTH)




RECESSED WALL-WASHER PROFILE



Intelligent remote control dimmer toning

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
800Lumens/ft.
12V (Constant Voltage)
MAX LENGTH 8FT.



SIZE : 75MM X 25MM

CUT-OUT : 62MM X 23MM(DEPTH)

HLL-1366 (75MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - 3 SIDE ACRYLIC CONCEALED PROFILES




HLL-1370 (60MM)


	TUNABLE DIMMABLE Intelligent remote control dimmer tuning
	Aluminium Extrusion
	10W/ft.
	BRIDGELUX / EDISON
	SMD LED 2835 (0.2W)
	78 LED /ft
	3000K/4000K/6500K
	800Lumens/ft.
	12V (Constant Voltage)
	MAX LENGTH 8FT.

SIZE : 60MM X 27MM

CUT-OUT : 50MM X 16MM(DEPTH)



HLL-1382 (32MM)




SIZE : 32MM X 13MM



	DIMMABLE Aluminium Extrusion
	5W/ft.
	BRIDGELUX / EDISON
	SMD LED 2835 (0.2W)
	39 LED /ft
	3000K/4000K/6500K
	400 Lumens/ft.
	12V (Constant Voltage)
	MAX LENGTH 8FT.



HLL-1384 (47MM)



SIZE : 47MM X 9MM

CUT-OUT : 7MM X 7MM(DEPTH)



	DIMMABLE Aluminium Extrusion
	3W/ft.
	BRIDGELUX / EDISON
	SMD LED 2835 (0.2W)
	39 LED /ft
	3000K/4000K/6500K
	240 Lumens/ft.
	12V (Constant Voltage)
	MAX LENGTH 8FT.

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES



HLL-1386 (73MM)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON


SMD LED 2835 (0.2W)

39 LED/ft
3000K/4000K/6500K

400Lumens/ft.

12V(Constant Voltage)

MAX LENGTH 8FT.



SIZE : 73MM X 16MM

CUT-OUT : 31MM X 14MM(DEPTH)



HLL-1388 (95MM)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
5W/ft.

BRIDGELUX / EDISON


SMD LED 2835 (0.2W)

78 LED/ft
3000K/4000K/6500K

400Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.



SIZE : 95MM X 32MM

CUT-OUT : 35MM X 30MM(DEPTH)



HLL-1390 (95MM)

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)


55 LED/ft
3000K/4000K/6500K

800Lumens/ft.

Constant Current (40V)

Driver in built

MAX LENGTH 2FT/4FT/6FT/8FT.



SIZE : 95MM X 62MM

CUT-OUT : 35MM X 60MM(DEPTH)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - TRIMLESS CONCEALED PROFILES



HLL-1392 (36MM)



SIZE : 36MM X 21MM

CUT-OUT : 10MM X 21MM(DEPTH)



Intelligent remote control
dimmer toning

Aluminium Extrusion

3W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

39 LED /ft

3000K/4000K/6500K


240Lumens/ft.

12V (Constant Voltage)

MAX LENGTH 8FT.



HLL-1394 (36MM)



SIZE : 36MM X 17MM

CUT-OUT : 7MM X 17MM(DEPTH)



Intelligent remote control
dimmer toning

Aluminium Extrusion

3W/ft.

BRIDGELUX / EDISON

SMD LED 2835 (0.2W)

39 LED /ft

3000K/4000K/6500K

240Lumens/ft.

12V(Constant Voltage)

MAX LENGTH 8FT.

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - UP-DOWN WALL SURFACE PROFILES





COMING SOON



SIZE : 42MM X 17MM

Aluminium Extrusion
5W/ft
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft
Constant Voltage
MAX LENGTH- 8FT


HLL-1404 (42MM) (ONE WAY)



SIZE : 48MM X 19MM

Aluminium Extrusion
10W/ft
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft
Constant Voltage
MAX LENGTH- 8FT

HLL-1406 (48MM) (TWO WAY)



SIZE : 85MM X 35MM



Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED/ft
3000K/4000K/6500K
400Lumens/ft
96V, 110mA (2FT.)
(Constant Current)
DRIVER IN-BUILD
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1410 (85MM) (TWO WAY)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CABINET AND SELF PROFILE LIGHTS




ACCESSORIES



SIZE : 10MM X 25MM

5W/ft.
Everlite LED, 39LED/ft.
3000K/4000K/6500K
400Lumens/ft
24V
MAX LENGTH 8FT.


HLL-1418 (10MM)



SIZE : 30MM X 20MM

5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.

HLL-1422 (30MM)



SIZE : 18MM X 11MM

5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.


HLL-1428 (18MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SURFACE WALL SKIRTING PROFILE LIGHTS



SIZE : 80MM X 16MM


5W/ft.
BRIDGELUX / EDISON
SMD LED 2835 (0.2W)
39 LED /ft
3000K/4000K/6500K
400Lumens/ft
12V
MAX LENGTH 8FT.

HLL-1434 (80MM)

LED PROFILE LIGHT - WALL WASHER PROFILE LIGHTS



max. length of lense - 200mm



SIZE : 23MM X 20MM

Aluminium Extrusion
5W/ft.
EDISON 2835 LED, 39LED/ft.
3000K/4000K/6500K
400Lumens/ft.
12V
Fix Available Length :
200 / 400 / 600 / 800mm

HLL-1440 (23MM ASYMMETRIC LENSE)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 36MM X 26MM
CUT-OUT : 26MM



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
Constant Current
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1450 (36MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 26MM X 26MM



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
Constant Current
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1452 (26MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
Constant Current
IN-BUILT DRIVER
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1454 (26MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
9W/ft.

BRIDGELUX/OSRAM 1W 6LED

3030LED 6LED


18LED 2835LED/ft

3000K/4000K/6500K

400Lumens/ft.

12V Constant Current

NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.



SIZE : 36MM X 26MM
CUT-OUT : 26MM

HLL-1458 (36MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
9W/ft.

BRIDGELUX/OSRAM 1W 6 LED

3030LED/ft.


39LED 2835LED/ft

3000K/4000K/6500K

400Lumens/ft.

12V Constant Current

NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.




SIZE : 26MM X 26MM

HLL-1462 (26MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 26MM X 66MM

Aluminium Extrusion
9W/ft.

BRIDGELUX /OSRAM 1W 6 LED

3030LED/ft.

3000K/4000K/6500K

400Lumens/ft.

Constant Current

IN-BUILT DRIVER

NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1464 (26MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED



SIZE : 56MM x 26MM
CUT-OUT : 44MM



Intelligent remote control dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.
CONSTANT CURRENT
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1468 (56MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE



SIZE : 44MM X 26MM



Intelligent remote control dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.
CONSTANT CURRENT
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1472 (44MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion
12W/ft.

BRIDGELUX/OSRAM 1W
30LED 3030/ft
3000K/4000K/6500K
700Lumens/ft.

CONSTANT CURRENT
IN-BUILT DRIVER
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1474 (44MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE (UGR 16)
(Reflector : 18mmx18mm)

CONCEALED

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W

12LED 3030/ft


36LED 2835 (0.2W)/ft

3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage /CC

MAX LENGTH 2FT / 4FT / 6FT / 8FT.



SIZE : 56MM x 26MM
CUT-OUT : 44MM

HLL-1480 (56MM CONCEALED)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

SURFACE

TUNABLE DIMMABLE



Intelligent remote control
dimmer toning

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W

12LED 3030/ft


36LED 2835 (0.2W)/ft

3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage /CC

MAX LENGTH 2FT / 4FT / 6FT / 8FT.




SIZE : 44MM X 26MM

HLL-1484 (44MM SURFACE)



MINI LASER PROFILE
(Reflector : 18mmx18mm)

HANGING



SIZE : 44MM X 68MM

Aluminium Extrusion
10W/ft.

BRIDGELUX/OSRAM 1W

12LED 3030/ft

36LED 2835 (0.2W)/ft

3000K/4000K/6500K

600Lumens/ft.

12VConstant Voltage/CC

IN-BUILT DRIVER

MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1488 (44MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)


CONCEALED



SIZE : 37MM X 36MM
CUT-OUT : 25MM


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage (CC)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1494 (37MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 25MM X 36MM


Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage (CC)
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1498 (25MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 25MM X 78MM

Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage (CC)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1500 (25MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)

CONCEALED



SIZE : 88MM X 33MM
CUT-OUT : 73MM



TUNABLE DIMMABLE
Intelligent remote control dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
15LED 3030/ft
78LED 2835 (0.2W)/ft
3000K/4000K/6500K
700Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1506 (88MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 73MM X 33MM



TUNABLE DIMMABLE
Intelligent remote control dimmer toning


Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
15LED 3030/ft
78LED 2835 (0.2W)/ft
3000K/4000K/6500K
700Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1508 (73MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 73MM X 75MM



TUNABLE DIMMABLE
Intelligent remote control dimmer toning

Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W
15LED 3030/ft
78LED 2835 (0.2W)/ft
3000K/4000K/6500K
700Lumens/ft.
12V Constant Voltage/CC
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1510 (73MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MEDIUM LASER PROFILE (UGR 16)
(Reflector : 22mmx22mm)

CONCEALED



SIZE : 88MM x 33MM
CUT-OUT : 73MM




Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1516 (88MM CONCEALED)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

SURFACE



SIZE : 73MM X 33MM




Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1518 (73MM SURFACE)



MEDIUM LASER PROFILE
(Reflector : 22mmx22mm)

HANGING



SIZE : 73MM X 75MM



Intelligent remote control
dimmer toning
Aluminium Extrusion
15W/ft.
BRIDGELUX/OSRAM 1W
30LED 3030/ft
39LED 2835 (0.2W)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1520 (73MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)




BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED

WITH LINEAR SPOTS

- 1W EACH HIGH POWER LED
- 10W/FT CENTER DIFFUSED LIGHT



SIZE : 48MM x 36MM
CUT-OUT : 34MM



Intelligent remote control
dimmer toning

Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH / 8FT.

HLL-1526 (48MM CONCEALED)




BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE

WITH LINEAR SPOTS

- 1W EACH HIGH POWER LED
- 10W/FT CENTER DIFFUSED LIGHT



SIZE : 34MM X 36MM



Intelligent remote control
dimmer toning


Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH / 8FT.

HLL-1528 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
9W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18LED 2835 (0.2W)/ft
3000K/4000K/6500K
400Lumens/ft.
12V Constant Voltage/CC
IN-BUILT DRIVER
MAX LENGTH / 8FT.

HLL-1530 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED



SIZE : 48MM X 36MM
CUT-OUT : 34MM



Intelligent remote control dimmer toning


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1536 (48MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE



SIZE : 34MM X 36MM



Intelligent remote control dimmer toning


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1538 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1540 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED



SIZE : 46MM X 36MM
CUT-OUT : 34MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1546 (46MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE



SIZE : 34MM X 36MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1548 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
5LED 3030/ft
18 LED 2835 (0.2w)/ft
3000K/4000K/6500K
600Lumens/ft.
12V Constant Voltage
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1550 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 30mmx30mm)

CONCEALED



SIZE : 46MM X 36MM
CUT-OUT : 34MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1558 (46MM CONCEALED)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

SURFACE



SIZE : 34MM X 36MM


Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1560 (34MM SURFACE)



BIG LASER PROFILE
(Reflector : 30mmx30mm)

HANGING



SIZE : 34MM X 76MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
(0.2W) 10LED 3030 (0.2)/ft
3000K/4000K/6500K
600Lumens/ft.
40W Constant Current
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1562 (34MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



BIG LASER PROFILE (UGR 16)
(Reflector : 32mmx32mm)

CONCEALED



SIZE : 113MM X 34MM
CUT-OUT : 95MM


Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1592 (113MM CONCEALED)



BIG LASER PROFILE
(Reflector : 32mmx32mm)

SURFACE



SIZE : 95MM X 34MM


Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1594 (95MM SURFACE)



BIG LASER PROFILE
(Reflector : 32mmx32mm)

HANGING



SIZE : 95MM X 74MM

Aluminium Extrusion
15W/ft
BRIDGELUX/OSRAM 1W
9LED 3030/ft
44 LED 2835 (0.2w)/ft
3000K/4000K/6500K
900Lumens/ft.
12V Constant Voltage/CC
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1596 (95MM SUSPENDED)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



MINI LASER PROFILE
(Reflector : 18mmx18mm)




SIZE : 76MM x 26MM
CUT-OUT : 26MM

Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
Constant Current
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1604 (76MM TRIMLESS)



MINI LASER PROFILE
(Reflector : 18mmx18mm)




SIZE : 104MM x 26MM
CUT-OUT : 44MM

Aluminium Extrusion
12W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
700Lumens/ft.
Constant Current
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1606 (104MM TRIMLESS)



MINI LASER PROFILE
(Reflector : 18mmx18mm)



SIZE : 76MM x 26MM
CUT-OUT : 26MM

Aluminium Extrusion
9W/ft.
BRIDGELUX/OSRAM 1W 3030LED
18LED/ft.
3000K/4000K/6500K
400Lumens/ft.
Constant Current
NEAR MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1608 (76MM TRIMLESS)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - CONCEALED / SURFACE / SUSPENDED PROFILES (UGR 16)



SIZE : 104MM x 26MM
CUT-OUT : 44MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
12LED 3030/ft
36LED 2835(0.2W)/FT
3000K/4000K/6500K
600Lumens/ft.
12V Constant Current
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1620 (104MM TRIMLESS)



SIZE : 95MM x 63MM
CUT-OUT : 35MM

Aluminium Extrusion
10W/ft
BRIDGELUX/OSRAM 1W
12LED 3030/ft
36LED 2835(0.2W)/FT
3000K/4000K/6500K
600Lumens/ft.
**12V Constant Current
IN-BUILT DRIVER**
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1625 (95MM TRIMLESS)

LED LASER SUSPENDED PROFILE LIGHTS

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - LASER SUSPENDED PROFILES (UGR 16 REFLECTOR)



WITHOUT CENTER ACRYLIC 1x1FT
MINI LASER PROFILE(UGR 16)




SIZE : 300MM X 300MM X 60MM

Aluminium Extrusion
20W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
1400Lumens
CONSTANT CURRENT
DRIVER IN CANOPY

HLL-1640 (300MM X 300MM)



WITHOUT CENTER ACRYLIC 2x2FT
MINI LASER PROFILE(UGR 16)




SIZE : 600MM X 600MM X 60MM

Aluminium Extrusion
36W.
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
2900Lumens
CONSTANT CURRENT
DRIVER IN CANOPY

HLL-1644 (600MM X 600MM)



WITHOUT CENTER ACRYLIC 2x2FT
MINI LASER PROFILE(UGR 16)



SIZE : 575MM X 575MM X 60MM

Aluminium Extrusion
44W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
3500Lumens.
CONSTANT CURRENT
DRIVER IN CANOPY


HLL-1650 (575MM X 575MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**


HYBEC®
lighting the future

LED PROFILE LIGHT - LASER SUSPENDED PROFILES (UGR 16 REFLECTOR)




Aluminium Extrusion
54W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
3600Lumens
CONSTANT CURRENT
DRIVER IN CANOPY

HLL-1654 (1150MM X 270MM)



Aluminium Extrusion
24W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
1500Lumens
CONSTANT CURRENT
DRIVER IN CANOPY

HLL-1664 (300MM X 300MM)



Aluminium Extrusion
36W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
3000Lumens
CONSTANT CURRENT
DRIVER IN CANOPY


HLL-1666 (600MM X 600MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future


LED PROFILE LIGHT - LASER SUSPENDED PROFILES (UGR 16 REFLECTOR)



SIZE : 575MM X 575MM X 60MM

Aluminium Extrusion
40W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
3200Lumens
CONSTANT CURRENT
DRIVER IN CANOPY

HLL-1668 (575MM X 575MM)



SIZE : 1150MM X 270MM X 60MM

Aluminium Extrusion
54W
BRIDGELUX 3030LED (0.2W)
3000K/4000K/6500K
3600Lumens
CONSTANT CURRENT
DRIVER IN CANOPY



HLL-1670 (1150MM X 270MM)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future



LED PROFILE LIGHT - SUSPENDED PROFILES



SIZE : 7MM X 10MM

Aluminium Extrusion
3W/ft.
BRIDGELUX / EDISON2835 LED,
36LED (0.2W)/ft.
3000K/4000K/6500K
96V,110mA (2FT.)
240 Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1676 (7MM SUSPENDED)



SIZE : 12MM X 15MM

5W/ft.
BRIDGELUX / EDISON 2835 LED,
36LED (0.2W)/ft.
3000K/4000K/6500K
96V,110mA (2FT.)
400Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1678 (12MM SUSPENDED)



SIZE : 10MM X 25MM



5W/ft.
BRIDGELUX / EDISON 2835 LED,
36LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
12V (CONSTANT VOLTAGE)
MAX LENGTH 8FT.


HLL-1680 (10MM SUSPENDED)

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SUSPENDED PROFILES



HLL-1682 (15MM SUSPENDED)



SIZE : 15MM X 25MM



5W/ft.
BRIDGELUX / EDISON 2835 LED,
25LED (0.2W)/ft.
3000K/4000K/6500K
96V,110mA (2FT.)
400Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.




NEW BATTEN TYPE SUSPENDED LIGHT

SIZE : 25MM X 50MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON LED,
25LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
96V,110mA (2FT.)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1686 (25MM SUSPENDED)



SIZE : 17MM X 55MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON LED,
25LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
96V,110mA (2FT.)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1690 (17MM SUSPENDED)


LED HANGING PROFILE LIGHTS

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SUSPENDED PROFILES



Available in 1 WAY Available in 2 WAY



SIZE : 42MM X 72MM




10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1700 (42MM SUSPENDED)



Available in 1 WAY Available in 2 WAY



SIZE : 65MM X 72MM



15W/ft.
BRIDGELUX / EDISON 2835 LED,
84LED (0.2W)/ft.
3000K/4000K/6500K
1200Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1705 (65MM SUSPENDED)



SIZE : 90MM X 35MM

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON 2835 LED,
88LED (0.2W)/ft.
3000K/4000K/6500K
1200Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.



HLL-1710 (90MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SUSPENDED PROFILES




SIZE : 120MM X 35MM

Aluminium Extrusion
20W/ft.
BRIDGELUX / EDISON 2835 LED, 88LED/ft.
3000K/4000K/6500K
1600Lumens/ft.
CONSTANT CURRENT
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1715 (120MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED ANTI-GLARE PROFILES




SIZE : 45MM X 76MM

TUNABLE DIMMABLE

 Intelligent remote control dimmer toning
 Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED, 39LED/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1720 (45MM SUSPENDED)



SIZE : 65MM X 66MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 4014LED, 72LED/ft.
3000K/4000K/6500K
500Lumens/ft.
220 mA/90V/2ft
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1725 (65MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future



LED PROFILE LIGHT - SUSPENDED LOWER ANTI-GLARE PROFILES



SIZE : 45MM X 72MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
40W,1A (4FT.)
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1730 (45MM SUSPENDED)





SIZE : 65MM X 100MM

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON 2835 LED,
110LED (0.2W) /ft.
3000K/4000K/6500K
1200Lumens/ft.
CONSTANT CURRENT IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1732 (65MM SUSPENDED)

LED PROFILE LIGHT - 3SIDE ACRYLIC SUSPENDED PROFILES



SIZE : 45MM X 65MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED(0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1736 (45MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - 3SIDE ACRYLIC SUSPENDED PROFILES




SIZE : 45MM X 45MM

Aluminium Extrusion
15W/ft.
BRIDGELUX / EDISON 2835 LED,
156LED (0.2W)/ft.
3000K/4000K/6500K
1000Lumens/ft.
12V
MAX LENGTH 8FT.

HLL-1738 (45MM SUSPENDED)


LED PROFILE LIGHT - ROUND SUSPENDED PROFILES



SIZE : Ø30MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
400Lumens/ft.
**CONSTANT CURRENT
DRIVER SEPARATE**
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1740 (30MM SUSPENDED)



SIZE : Ø60MM

Aluminium Extrusion
9W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W)/ft.
3000K/4000K/6500K
800Lumens/ft.
**CONSTANT CURRENT
DRIVER SEPARATE**
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1742 (60MM SUSPENDED)

LED HANGING PROFILE LIGHTS

Elite Series


**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - LED ROUND SLIM SUSPENDED POLYCARBONATE TUBE (360° LIGHT)



360° LITE



SIZE : Ø35MM

Aluminium Extrusion
5W/ft.
BRIDGELUX / EDISON 2835 LED,
216LED (0.2W/ft.
3000K/4000K/6500K
400Lumens/ft.
CONSTANT CURRENT
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1746 (35MM SUSPENDED)



360° LITE




SIZE : Ø50MM

Aluminium Extrusion
9W/ft.
BRIDGELUX / EDISON 2835 LED,
216LED (0.2W/ft.
3000K/4000K/6500K
800Lumens/ft.
CONSTANT CURRENT
DRIVER SEPARATE
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1748 (50MM SUSPENDED)

LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES



SIZE : 62MM X 68MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
55LED (0.2W/ft.
3000K/4000K/6500K
1000Lumens/ft.
CONSTANT CURRENT
IN-BUILT DRIVER
MAX LENGTH 2FT / 4FT / 6FT / 8FT.


HLL-1750 (62MM SUSPENDED)

Elite Series

**ALL PROFILES AVAILABLE IN
WHITE & BLACK POWDER COATING**

HYBEC®
lighting the future

LED PROFILE LIGHT - SUSPENDED TRUNKING PROFILES



SIZE : 122MM X 80MM

Aluminium Extrusion
10W/ft.
BRIDGELUX / EDISON 2835 LED,
(0.2W) 55LED/ft.
3000K/4000K/6500K
1000Lumens/ft.
**CONSTANT CURRENT
IN-BUILT DRIVER**
MAX LENGTH 2FT / 4FT / 6FT / 8FT.

HLL-1755 (122MM SUSPENDED)

LED ARCHITECTURAL SLIM SUSPENDED POLYCARBONATE TUBE LIGHT (360°)



360° LITE

HLL-1812 (7W)
Size : Ø35xH300mm



360° LITE

HLL-1814 (7W)
Size : Ø35xH450mm



360° LITE

HLL-1816 (7W)
Size : Ø35xH600mm

LED ARCHITECTURAL SLIM SUSPENDED LIGHT (SS 202)

COLOURS AVAILABLE (White, Black, Shining Gold, Shining Rose Gold, Antique Gold, Antique Rose Gold)



HLL-1818 (7W)
Size : Ø28xH300mm



HLL-1820 (7W)
Size : Ø28xH600mm



HLL-1822 (7W)
Size : Ø28xH900mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SUSPENDED LIGHT - (FULL ALUMINIUM BODY)



HLL-1832 (20W)
Size : Ø450xW30xH27mm



HLL-1834 (40W)
Size : Ø600xW30xH27mm



HLL-1836 (20W)
Size : Ø450xW60xH45mm



HLL-1840 (40W)
Size : Ø600xW60xH45mm



HLL-1842 (20W)
Size : Ø450xW60xH75mm



HLL-1844 (40W)
Size : Ø600xW60xH75mm



HLL-1846 (20W)
Size : Ø450xW60xH45mm



HLL-1848 (40W)
Size : Ø600xW60xH45mm



HLL-1850 (18W)
Size : Ø450x10x15mm

LED HANGING PROFILE LIGHTS

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)



HLL-1852 (24W)
Size : Ø600x10x15mm



HLL-1854 (20W)
Size : Ø300xH45mm



HLL-1856 (30W)
Size : Ø450xH45mm



DRIVER IN CANOPY

HLL-1858 (40W)
Size : Ø600xH45mm



IN-BUILT DRIVER

HLL-1860 (40W)
Size : Ø300xH75mm



IN-BUILT DRIVER

HLL-1862 (20W)
Size : Ø450xH75mm



IN-BUILT DRIVER

HLL-1864 (40W)
Size : Ø600xH75mm



IN-BUILT DRIVER

HLL-1866 (20W)
Size : Ø450xW36xH65mm



IN-BUILT DRIVER

HLL-1868 (40W)
Size : Ø600xW36xH65mm

LED HANGING PROFILE LIGHTS

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)



HLL-1870 (20W)
Size : Ø450xW42xH72mm



HLL-1872 (40W)
Size : Ø600xW42xH72mm



HLL-1880 (20W)
Size : Ø450xH45mm



HLL-1882(40W)
Size : Ø600xH45mm



HLL-1884 (20W)
Size : Ø450xH75mm



HLL-1886 (40W)
Size : Ø600xH75mm



HLL-1890 (20W)
Size : Ø300X300xW60xH45mm



HLL-1892 (30W)
Size : Ø450X450xW60xH45mm



HLL-1894 (40W)
Size : Ø600xW60xH45mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SUSPENDED LIGHT (FULL ALUMINIUM BODY)



HLL-1896 (20W)
Size : ◇300x300xW60xH75mm



HLL-1898 (30W)
Size : ◇450x450xW60xH75mm



HLL-1900 (40W)
Size : ◇600x600xW60xH75mm



HLL-1902 (20W)
Size : ◇300x300xW60xH45mm



HLL-1904 (30W)
Size : ◇450x450xW60xH45mm



HLL-1906 (40W)
Size : ◇600x600xW60xH45mm

Elite Series

HYBEC®
lighting the future

LED ARCHITECTURAL SURFACE CEILING LIGHT - FULL ALUMINIUM BODY (Inbuilt Driver)



HLL-1930 (30W)
Size : Ø450xH75mm



HLL-1932 (40W)
Size : Ø600xH75mm



HLL-1934 (20W)
Size : Ø300xH75mm



HLL-1936 (30W)
Size : Ø450xH75mm



HLL-1938 (40W)
Size : Ø600xH75mm



HLL-1940 (20W)
Size : Ø300xW42xH75mm



HLL-1942 (30W)
Size : Ø450xW42xH75mm



HLL-1944 (40W)
Size : Ø600xW42xH75mm



HLL-1945 (30W)
Size : ◇450x450xW60xH75mm



HLL-1947 (40W)
Size : ◇600x600xW60xH75mm



HLL-1948 (30W)
Size : ◇450x450xH75mm




HLL-1950 (40W)
Size : ◇600x600xH75mm

Elite Series

HYBEC®
lighting the future

LED CONSTANT CURRENT & VOLTAGE TUNEABLE DRIVER FOR SUSPENDED, CONCEALED & SURFACE PROFILE FIXTURES.

CONSTANT CURRENT TUNEABLE DRIVER



HLD-4885 - 20W/40W
30-42V - 500-950Amp

CONSTANT CURRENT TUNEABLE DRIVER



HLD-4892 - 12V
12V - 5Amp



HLD-4895 - 12V
12V - 10Amp

LED STRIP AMPLIFIER / CONTROLLER / DIMMER - 12V/24V



HLD-4801 - 12V/24V
MINI STRIP DIMMER
WITH REMOTE



HLD-4802 - 12V/24V
MINI STRIP DIMMER
REPEATER



HLD-4804 - 12V/24V
HEAVY DIMMER



HLD-4805 - 12V/24V
144W-RGB CONTROLLER



HLD-4806 - 12V/24V
144W-RGB AMPLIFIER

LED CONSTANT CURRENT DIMMABLE DRIVER



HLD-4831 (8W)
DC200mA / 26-42V



HLD-4832 (8W)
DC350mA / 9-24V



HLD-4833 (12W)
DC350mA / 26-42V




HLD-4834 (18W)
DC350mA / 43-60V



HLD-4835 (12W)
DC300mA / 26-42V



HLD-4836 (18W)
DC500mA / 26-42V




HLD-4839 (30W)
DC700mA / 26-42V



HLD-4842 (40W)
DC1000mA / 26-42V

LED CONSTANT VOLTAGE DIMMABLE DRIVER - 12V



HLD-4851 (40W)
DC3.3A - 12V



HLD-4865 (72W)
DC6A - 12V



HLD-4867 (120W)
DC10A - 12V

Elite Series

HYBEC®
lighting the future

LED CONSTANT VOLTAGE DIMMABLE DRIVER - 24V



HLD-4868 (40W)
DC1.6A - 24V



HLD-4870 (72W)
DC3A - 24V



HLD-4871 (120W)
DC5A - 24V

LED CONSTANT VOLTAGE WATERPROOF DRIVER - (IP65) 24V



HLD-4875
60W



HLD-4877
150W

LED CONSTANT VOLTAGE DRIVER (IP20) - 12V



HLD-4900
12V - 1Amp
Size : 70x40x25mm



HLD-4901
12V - 2Amp
Size : 100x50x35mm



HLD-4902
12V - 2Amp (Heavy)
Size : 155x40x35mm



HLD-4903
12V - 3Amp
Size : 165x45x35mm



HLD-4905
12V - 5Amp
Size : 195x50x40mm



HLD-4906
12V - 6.5Amp
Size : 195x55x40mm



HLD-4908
12V - 8Amp
Size : 215x55x50mm



HLD-4909
12V - 10Amp
Size : 140x80x45mm



HLD-4910
12V - 12.5Amp
Size : 170x90x50mm

LED CONSTANT VOLTAGE DRIVER (IP20) - 24V



HLD-4911
24V - 2Amp
Size : 165x45x35mm



HLD-4912
24V - 2.5Amp
Size : 195x55x40mm



HLD-4913
24V - 3.5Amp
Size : 215x55x50mm



HLD-4914
24V - 5.5Amp
Size : 270x75x55mm



HLD-4916
24V - 6.5Amp
Size : 200x100x40mm

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5001 (10W)
Size : Ø205x210mm



HLO-5002 (12W)
Size : 180x180x230mm



HLO-5003 (20W)
Size : 220x220x245mm



HLO-5004 (12W)
Size : 150x150x160mm



HLO-5006 (30W)
Size : Ø400x427mm



HLO-5051 (9W)
Size : 125x101x220mm



HLO-5054 (18W)
Size : 240x240x260mm



HLO-5056 (7W)
Size : 250x70x120mm



HLO-5057 (7W)
Size : 650x70x120mm



HLO-5058 (10W)
Size : 130x154x168mm



HLO-5059 (10W)
Size : 130x154x168mm



HLO-5060 (10W)
Size : 130x130x750mm



HLO-5062 (7W)
Size : Ø90x200mm



HLO-5055 (18W)
Size : 240x240x2200mm

OUTDOOR - LED LIGHT FIXTURES

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



650mm

HLO-5063 (7W)
Size : Ø90x650mm



200mm

HLO-5066 (7W)
Size : 108x108x200mm



650mm

HLO-5067 (7W)
Size : 108x108x650mm



Wall Light

HLO-5072 (4x3W)
Size : 250x110x148mm



650mm

HLO-5073 (4x3W)
Size : 110x110x650mm



Wall Light

HLO-5075 (3x3W)
Size : Ø108x315x164mm



650mm

HLO-5076 (3x3W)
Size : Ø120x650mm



2200mm



Wall Light



HLO-5078 (10W)
Size : Ø210x70mm



220mm

HLO-5079 (10W)
Size : Ø210x220mm



750mm

HLO-5080 (10W)
Size : Ø210x750mm



Wall Light

M

HLO-5082 (6W)
Size : Ø200x225mm



Wall Light

HLO-5086 (5W)
Size : 120x45x145mm



300mm

HLO-5087 (5W)
Size : 160x300x54mm

HLO-5083 (24W)
Size : Ø300x2200mm

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



650mm
HLO-5088 (5W)
Size : 160x650x54mm



300mm
HLO-5091 (8W)
Size : Ø65x300x95mm



500mm
HLO-5092 (8W)
Size : Ø65x500mm



1800mm
HLO-5094 (16W)
Size : Ø65x1800mm



HLO-5101 - (6W)
Size : Ø90x140x135mm



HLO-5102 - (6W)
Size : 198x500mm



HLO-5105 - (6W)
Size : 268x163mm



HLO-5106 - (6W)
Size : 500x239xmm



HLO-5109 (9W)
Size : Ø196x355x280mm

2300mm
HLO-5111 (18W)
Size : Ø196x2300x575mm

1000mm
HLO-5110 (9W)
Size : Ø196x1000x295mm



HLO-5113 - (7W)
Size : Ø90x140



HLO-5114 (7W)
Size : Ø90x250mm

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



650mm

HLO-5115 (7W)
Size : Ø90x650mm



HLO-5117 (3x5W)
Size : Ø120x250mm



HLO-5119 (3x5W)
Size : Ø120x650mm



Wall Light



HLO-5122 (6x1W)
Size : Ø145x110mm



250mm

HLO-5123 (6x1W)
Size : Ø145x250mm



650mm

HLO-5124 (6x1W)
Size : Ø145x650mm



Wall Light



Wall Light

HLO-5131 (8W)
Size : 200x140x70mm



900mm

HLO-5128 - (8W)
Size : 240x900mm



900mm

HLO-5129 - (18W)
Size : Ø200x900mm



2000mm

HLO-5130 - (36W)
Size : Ø320x2000mm



900mm

HLO-5133 (16W)
Size : 108x900mm

Elite Series

HYBEC®
lighting the future


LED BOLLARD & WALL LIGHT (IP54 & IP65)

Wall Light



HLO-5136 (6W)
Size : 151x68x188mm

Wall Light



HLO-5139 (6W)
Size : 125x200x170mm



HLO-5140 (6W)
Size : 125x200mm



HLO-5141 (6W)
Size : 125x800mm

Wall Light



HLO-5142 (9W)
Size : Ø110x240x176mm

Wall Light



HLO-5143 (9W)
Size : Ø110x500mm

Wall Light



HLO-5145 (9W)
Size : 200x80x112mm



HLO-5146 (9W)
Size : 200x80x300mm



HLO-5147 (9W)
Size : 200x80x500mm



HLO-5149 (9W)
Size : Ø145x300



HLO-5151 (9W)
Size : 400x171mm



HLO-5150 (9W)
Size : Ø145x500



HLO-5152 (9W)
Size : Ø80x750mm

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



2000mm
HLO-5154 (27W)
Size : Ø80x2000mm



2500mm
HLO-5155 (3x12W)
Size : Ø269x2500mm



2000mm
HLO-5156 (12W)
Size : Ø120x2000mm



Wall Light
HLO-5157 (6.5W)
Size : 165x225x198mm



HLO-5158 (6.5W)
Size : 165x346mm



985mm
HLO-5159 (6.5W)
Size : 165x985mm



300mm
HLO-5161 (13W)
Size : 166x166x300mm



500mm
HLO-5162 (13W)
Size : 166x166x500mm



800mm
HLO-5163 (13W)
Size : 166x166x800mm



500mm
HLO-5165 (18W)
Size : Ø145x500

Elite Series

HYBEC®
lighting the future

LED BOLLARD & WALL LIGHT (IP54 & IP65)



HLO-5166 (18W)
Size : Ø145x900



HLO-5167 (36W)
Size : Ø145x2000



HLO-5168 (18W)
Size : Ø150x900



HLO-5171 (6W)
Size : 101x131x135mm



HLO-5172 (6W)
Size : 101x101x250mm



HLO-5173 (6W)
Size : 101x101x750mm



HLO-5180 (10W)
Size : Ø188x209



HLO-5181 (10W)
Size : Ø188x350



HLO-5182 (10W)
Size : Ø188x650



HLO-5183 (10W)
Size : Ø188x900

OUTDOOR - LED LIGHT FIXTURES

Elite Series

HYBEC®
lighting the future


LED SURFACE CEILING & WALL LIGHT (IP54 & IP65)



HLO-5301 (4W)
Size : Ø58x14mm



HLO-5302 (5W)
Size : 140x140x65mm



HLO-5303 (5W)
Size : 140x140x56mm



HLO-5304 (6W)
Size : Ø150x55mm



HLO-5305 (18W)
Size : Ø280x63mm



HLO-5307 (9W)
Size : 90x90xH102mm



HLO-5308 (6W)
Size : 90x90x95mm



HLO-5309 (6W)
Size : Ø90x95mm



HLO-5310 (3W)
Size : Ø140x64mm



HLO-5312 (15W)
Size : Ø130x205mm



HLO-5314 (9W)
Size : Ø172x122mm



HLO-5315 (11W)
Size : 200x200x55mm



HLO-5316 (4x7W)
Size : 260x260x74mm



HLO-5319 (20W)
Size : Ø95x105mm



HLO-5320 (20W)
Size : 95x95x105mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5331 (6W)
Size : Ø108x105mm



HLO-5332 (6W)
Size : 110x110x108mm



HLO-5351 (1W)
Size : 100x100x51mm



HLO-5352 (2x1W)
Size : 100x100x51mm



HLO-5353 (2x1W)
Size : 74x74x52mm



HLO-5354 (4x1W)
Size : 100x100x52mm



HLO-5355 (4x1W)
Size : Ø100x52mm



HLO-5356 (4x3W)
Size : 190x190x96mm



HLO-5357 (4x3W)
Size : 200x200x78mm



HLO-5358 (3W)
Size : 65x40x88mm



HLO-5359 (2x3W)
Size : 43x90x125mm



HLO-5360 (9W)
Size : 130x130x30mm



HLO-5361 (1W)
Size : 80x75x66mm



HLO-5362 (2x1W)
Size : 80x141x66mm



HLO-5364 (3x3W)
Size : Ø100x88mm



HLO-5365 (3W)
Size : 60x28x85mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5366 (2x1W)
Size : 60x28x85mm



HLO-5367 (4x2W)
Size : Ø100x94mm




HLO-5368 (2x3W)
Size : Ø100x94mm



HLO-5369 (3W)
Size : Ø70x85x110mm



HLO-5370 (2x3W)
Size : Ø70x110x110mm



HLO-5372 (6W)
Size : Ø90x50mm



HLO-5373 (2x6W)
Size : Ø90x50mm



HLO-5376 (6W)
Size : Ø90x95mm



HLO-5377 (6W)
Size : Ø90x100x135mm



HLO-5378 (2x6W)
Size : Ø90x135x135mm



HLO-5381 (6W)
Size : 90x90x94mm



HLO-5382 (6W)
Size : 90x92x120mm



HLO-5383 (2x6W)
Size : 90x130x120mm



HLO-5386 (12W COB)
Size : Ø90x137mm



HLO-5387 (12W COB)
Size : Ø90x182x133mm



HLO-5388 (2x12W COB)
Size : Ø90x220x133mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5389 (9W)
Size : 68x80x97mm



HLO-5390 (24W)
Size : 106x135x141mm



HLO-5391 (7W)
Size : 95x62x82mm



HLO-5392 (2x7W)
Size : 145x62x82mm



HLO-5397 (3W)
Size : 140x63x195mm



HLO-5398 (2x3W)
Size : 140x71x195mm



HLO-5401 (12W)
Size : 100x100x140mm



HLO-5402 (12W)
Size : 138x100x132mm



HLO-5403 (2x12W)
Size : 220x100x132mm



HLO-5410 (8W)
Size : Ø120x175mm



HLO-5411 (3W)
Size : 148x60x100mm



HLO-5412 (3W)
Size : 56x155x90mm



HLO-5413 (12W)
Size : Ø185x60mm



HLO-5420 (6W)
Size : Ø69x100x151mm



HLO-5421 (2x6W)
Size : Ø69x100x222mm



HLO-5424 (2x6W)
Size : Ø90x90x105mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5428 (2x6W)
Size : 90x90x105mm

CEILING WALL LIGHT



HLO-5430 (6W)
Size : Ø90x125mm



HLO-5431 (6W)
Size : Ø130x120x125mm



HLO-5432 (2x6W)
Size : Ø130x120x185mm



HLO-5435 (6W)
Size : 90x90x127mm



HLO-5436 (6W)
Size : 92x124x127mm



HLO-5437 (2x6W)
Size : 90x124x185mm



HLO-5450 (6W)
Size : 100x100x100mm



Removable
Reflector Inside,

HLO-5451 (2x3W)
Size : 90x90x110mm



HLO-5452 (2x6W)
Size : 150x65x90mm



HLO-5455 (3W)
Size : 122x82x59mm



HLO-5456 (12W)
Size : 120x120x154mm



HLO-5457 (2x5W)
Size : 105x100x119mm



HLO-5458 (7W)
Size : 100x100x100mm



HLO-5459 (2x3W)
Size : 173x109x63mm



HLO-5460 (2x3W)
Size : 150x50x78mm

Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5461 (2x3W)
Size : 150x50x78mm



HLO-5463 (12W)
Size : 207x114x79mm



HLO-5465 (2x3W)
Size : 160x100x65mm



HLO-5467 (3W)
Size : 66x102x131mm



HLO-5470 (6W)
Size : 160x200x50mm



HLO-5471 (5W)
Size : 220x55x130mm



HLO-5472 (6W)
Size : 190x150x110mm



HLO-5474 (9W)
Size : 114x259x84mm



HLO-5475 (36W)
Size : 500x50x49mm



HLO-5476 (15W)
Size : 280x130x215mm



HLO-5480 (9W)
Size : 210x80x160mm



HLO-5481 (16W)
Size : 155x155x162mm



HLO-5482 (36W)
Size : 250x55x190mm



HLO-5484 (12W)
Size : 264x70x134mm



HLO-5485 (27W)
Size : 147x152x145mm



HLO-5486 (18W)
Size : 264x168x170mm


Elite Series

HYBEC®
lighting the future

LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5498 (10W)
Size : Ø240x48mm



HLO-5499 (6W)
Size : Ø135x40mm



HLO-5500 (12W)
Size : Ø180x40mm



HLO-5501 (2W)
Size : 68x80x93mm



HLO-5502 (5W)
Size : 116x117x139mm



HLO-5503 (6W)
Size : 260x106x115mm



HLO-5504 (6W)
Size : 200x160x45mm



HLO-5506 (6W)
Size : 114x89x105mm



HLO-5507 (18W)
Size : 110x250x103mm



HLO-5508 (6W)
Size : 160x100x184mm



HLO-5509 (10W)
Size : 200x200x180mm



HLO-5510 (10W)
Size : 240x120x45mm



HLO-5511 (12W)
Size : 200x70x220mm



HLO-5512 (10W)
Size : 161x75x186mm



HLO-5513 (6W)
Size : 300x70x53mm



HLO-5514 (12W)
Size : 236x114x68mm

Elite Series

HYBEC®
lighting the future


LED SURFACE WALL LIGHT (IP54 & IP65)



HLO-5515 (13W)
Size : 285x110x102mm



HLO-5516 (13W)
Size : 270x90x58mm



HLO-5517 (13W)
Size : 169x55x219mm

LED SURFACE FOOT / STEP LIGHT (IP54 & IP65)



HLO-5551 (3W)
Size : 90x60x38mm



HLO-5552 (5W)
Size : 150x70x38mm



HLO-5553 (4W)
Size : 220x100x60mm



HLO-5554 (9W)
Size : 250x90x31mm



HLO-5555 (9W)
Size : 160x160x31mm



HLO-5556 (3W)
Size : 95x68x32mm



HLO-5557 (2x1W)
Size : 95x100x32mm



HLO-5558 (3W)
Size : 160x101x70mm




HLO-5559 (6W)
Size : Ø130x68mm




HLO-5562 (3W)
Size : 166x173x60mm



HLO-5563 (9W)
Size : Ø235x48mm



HLO-5564 (3W)
Size : Ø160x31mm



NEW
COMING SOON


Elite Series

HYBEC®
lighting the future

LED SURFACE FOOT / STEP LIGHT (IP54 & IP65)



HLO-5565 (3W)
Size : Ø120x52mm



HLO-5568 (3W)
Size : 112x112x35mm

LED GARDEN SPIKE LIGHT (IP65)



HLO-5903 (3W)
Size : Ø95x50x425mm



HLO-5904 (3W)
Size : 50x65x253mm



HLO-5905 (10W)
Size : Ø85x105mm



HLO-5907 (6W)
Size : Ø100x105x350mm



HLO-5908 (6W COB)
Size : Ø73x106x380mm



HLO-5909 (7W)
Size : 66x100x125mm



HLO-5913 (8W)
Size : 117x80x70mm



HLO-5914 (7W COB)
Size : 117x80x70mm



HLO-5917 (12W)
Size : 207x210x384mm



HLO-5921 (12W)
Size : Ø90x173x139mm



HLO-5922 (12W)
Size : Ø88x153x315mm



HLO-5923 (12W)
Size : 200x56x152mm

Elite Series

HYBEC®
lighting the future

LED GARDEN SPIKE LIGHT (IP65)



HLO-5927 (30W)
Size : 208x114x218mm

LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)



HLO-6016 (1.2W)
Size : 145x45x72mm



HLO-6017 (2.2W)
Size : 162x93x65mm



HLO-6018 (3W)
Size : 75x107x65mm



HLO-6019 (3W)
Size : 107x75x65mm




HLO-6021 (3W)
Size : 90x90x40mm



HLO-6022 (6W)
Size : 192x90x48mm



HLO-6024 (5W)
Size : 92x90x73mm



HLO-6025 (5W)
Size : 92x92x73mm



HLO-6026 (5W)
Size : 170x70x58mm



HLO-6028 (6W)
Size : 193.5x238.5x73mm



HLO-6029 (3W)
Size : Ø50x67mm



HLO-6030 (3W)
Size : 60x60x50mm

Elite Series

HYBEC®
lighting the future

LED RECESSED FOOT / STEP LIGHT (IP54 & IP65)



HLO-6031 (3W)
Size : Ø80x60x67mm



HLO-6032 (3W)
Size : 80x80x67mm



HLO-6037 (3W)
Size : 170x70x72mm



HLO-6038 (12W)
Size : 250x98x90mm



HLO-6039 (12W)
Size : 250x98x90mm



HLO-6051 (3W)
Size : 130x85x78mm



HLO-6052 (3W)
Size : 171x66x73mm



HLO-6053 (3W)
Size : 171x66x73mm



HLO-6056 (2W)
Size : 114x114x65mm



HLO-6057 (4W)
Size : 114x170x65mm



HLO-6058 (6W)
Size : 114x226x65mm



HLO-6071 (3W)
Size : Ø115x106mm



HLO-6072 (3W)
Size : 110x110x93mm



HLO-6073 (3W)
Size : 110x110x93mm

Elite Series

HYBEC®
lighting the future

LED UNDERWATER CONCEALED LIGHT (IP68)



HLO-6201 (3W)
Size : Ø68.5x73mm



HLO-6202 (3W) - RGB
Size : Ø68.5x73mm



HLO-6210 (8W)
Size : Ø135x120mm



HLO-6211 (8W) - RGB
Size : Ø135x120mm



HLO-6218 (16W)
Size : Ø180x120mm



HLO-6219 (16W) - RGB
Size : Ø180x120mm



HLO-6314 (21W)
Size : Ø149x61.5mm



HLO-6509 (9W)
Size : Ø297x67mm

LH



FOUNTAIN LIGHT

LED UNDERWATER SURFACE LIGHT (IP68)




HLO-6501 (3W)
Size : Ø68.5x73x132mm



HLO-6502 (3W) - RGB
Size : Ø68.5x73x132mm



HLO-6505 (6W)
Size : Ø95x85x135mm



HLO-6506 (14W)
Size : Ø127x99x167mm



HLO-6508 (12W)
Size : Ø115x32mm


LED RECESSED CANOPY LIGHT (IP65)



HLO-6751 (1W)
Size : Ø25x82mm



HLO-6752 (1W)
Size : Ø27x76mm



HLO-6753 (3W)
Size : Ø37x35mm

OUTDOOR - LED LIGHT FIXTURES

Elite Series

HYBEC®
lighting the future

LED LANDSCAPE PATH LIGHT (IP65)

(Without Driver)



HLO-6801 (1W)

FTG SIZE : Ø43xH53mm

LH (Without Driver)



HLO-6802 (1W)

FTG SIZE : Ø38xH32mm
Cut-Out : Ø28mm

LH (Without Driver)



HLO-6803 (3W)

FTG SIZE: Ø60xH29mm
Cut-Out : Ø40mm

LH (In-Built Driver)



HLO-6805 (3W)

FTG SIZE : Ø56xH65mm
Cut-Out : Ø40mm

LH (Without Driver)



HLO-6806 (3W)

FTG SIZE : Ø80xH40mm
Cut-Out : Ø69mm

LH (In-Built Driver)



HLO-6807 (3W)

FTG SIZE : Ø105xH88mm
Cut-Out : Ø72mm

LH (In-Built Driver)



HLO-6808 (6W)

FTG SIZE : Ø150xH80mm
Cut-Out : Ø94mm

LH (In-Built Driver)



HLO-6809 (9W)

FTG SIZE : Ø108xH83mm
Cut-Out : Ø72mm

LH (In-Built Driver)



HLO-6815 (7W)

FTG SIZE : Ø90xH65mm
Cut-Out : Ø64mm

LH (In-Built Driver)



HLO-6817 (12W)

FTG SIZE : Ø90xH95mm
Cut-Out : Ø67mm

LH (Without Driver)



HLO-6818 (20W)

FTG SIZE : Ø135xH95mm
Cut-Out : Ø109mm

LH (Without Driver)



HLO-6819 (30W)

FTG SIZE : Ø135xH110mm
Cut-Out : Ø109mm

NEW LH (Without Driver)



HLO-6825 (20W)

FTG SIZE : Ø158xH125mm
Cut-Out : Ø140mm

NEW LH (Without Driver)



HLO-6827 (30W)

FTG SIZE : Ø158xH125mm
Cut-Out : Ø140mm

(With Driver)



HLO-6841 (1W)

Size : Ø62x95mm

(With Driver)



HLO-6842 (1W)

Size : Ø62x95mm

Elite Series

HYBEC®
lighting the future

LED LANDSCAPE PATH LIGHT (IP65)



HLO-6844 (1W)
Size : Ø62x95mm



HLO-6855 (7W)
Size : Ø125x140mm



HLO-6856 (7W)
Size : Ø125x140mm



HLO-6857 (7W)
Size : Ø125x140mm



HLO-6871 (15W)
Size : Ø153x170mm



HLO-6881 (3W)
Size : 70x170x74mm



HLO-6882 (5W)
Size : 250x75x89mm

LED LINEAR WALL WASHER (IP65)



Length : 300mm

HLO-7011 (6x2W)
Size : 300x37.5mm



Length : 500mm

HLO-7012 (10x2W)
Size : 500x37.5mm



Length : 1000mm

HLO-7013 (20x2W)
Size : 1000x37.5mm

LED STREET LIGHT



HLO-7112 (18W)
Size : H65xW80xL280mm



HLO-7113 (30W)
Size : H65xW80xL330mm



HLO-7114 (50W)
Size : H80xW122xL400mm



HLO-7115 (60W)
Size : 330x330x90mm

Elite Series

HYBEC®
lighting the future

LED STREET LIGHT - WITH LENSE



HLO-7116 (50W)
Size : H80xW185xL370mm



HLO-7117 (72W)
Size : H80xW185xL370mm



HLO-7118 (100W)
Size : H80xW230xL470mm



HLO-7119 (150W)
Size : H90xW2650xL550mm



HLO-7120 (200W)

LED FLOOD LIGHT - AVAILABLE WITH LENSE IN (10°, 30°, 60°, 90°, 120°)



HLO-7041 (30W)
Size : 185x180x50mm



HLO-7043 (50W)
Size : 250x220x50mm



HLO-7046 (100W)
Size : 280x270x65mm



HLO-7048 (150W)
Size : 280x305x80mm



HLO-7050 (200W)
Size : 325x355x90mm



HLO-7052 (300W)
Size : 670x320x210mm



HLO-7054 (350W)
Size : 670x320x210mm



HLO-7056 (400W)
Size : 670x320x210mm

Elite Series

HYBEC®
lighting the future

GATE, WALL AND BOLLARD LIGHT (IP54)



HLO-8001 - E27
Size : 220x220x270mm



HLO-8002 - E27
Size : 290x290x390mm



HLO-8003 - E27
Size : 225x225x328mm



HLO-8005 - E27
Size : 250x250x265mm



HLO-8006 - E27
Size : Ø268x298mm



HLO-8008 - E27
Size : 240x240x260mm



HLO-8009 - E27
Size : 150x150x160mm



A60 LED LAMP
HLO-8010 - E27
Size : 200x200x245mm



A60 LED LAMP

HLO-8011 - E27
Size : 140x140x350mm



A60 LED LAMP

HLO-8012 - E27
Size : 140x140x500mm



HLO-8016 - E27
Size : 290x290x390mm



HLO-8017 - E27
Size : 226x226x304mm



HLO-8018 - E27
Size : 204x370mm



HLO-8019 - E27
Size : 246x246x491mm



HLO-8020 - E27
Size : Ø244x364mm



HLO-8045 - E27
Size : 160x259x337mm

Elite Series

HYBEC®
lighting the future

GATE, WALL AND BOLLARD LIGHT (IP54)

A60 LED LAMP



HLO-8050 - E27
Size : 176x180x300mm

HLO-8052 - SS-E27
Size : Ø75x450mm

HLO-8056 - E27
Size : 80x145x380mm

450mm

HLO-8057 - SS-E27
Size : 80x145x450mm



650mm

HLO-8058 - SS-E27
Size : 80x145x650mm



HLO-8084 - E27
Size : 200x285mm



HLO-8085 - E27
Size : Ø220x200mm



HLO-8086 - E27
Size : Ø220x900mm



HLO-8088 - CFL
Size : 220x277x200mm



HLO-8089 - E27
Size : 220x220x200mm



HLO-8090 - E27
Size : 220x220x650mm



HLO-8095 - CFL
Size : Ø120x302x178mm



650mm

HLO-8096 - E27
Size : Ø120x650mm



650mm

HLO-8097 - E27
Size : Ø120x650mm



HLO-8099 - E27
Size : 230x448mm



200mm

HLO-8156 - E27
Size : 108x108x200mm

Elite Series

HYBEC®
lighting the future

GATE, WALL AND BOLLARD LIGHT (IP54)



HLO-8157 - E27
Size : 110x110x450mm



HLO-8158 - E27
Size : 120x250mm



HLO-8159 - E27
Size : 120x300mm



HLO-8160 - E27
Size : 120x500mm



HLO-8161 - E27
Size : 108x202x178mm



HLO-8162 - E27
Size : 108x108x200mm



HLO-8164 - E27
Size : 108x108x900mm



HLO-8166 - E27
Size : 108x245x148mm



HLO-8167 - E27
Size : 108x108x650mm



HLO-8170 - E27
Size : Ø108x250mm



HLO-8171 - E27
Size : 175x200mm



HLO-8172 - E27
Size : 175x300mm



HLO-8173 - E27
Size : 175x650mm

Elite Series

HYBEC®
lighting the future

ALUMINIUM DIE-CAST BULK-HEADS (IP44)



HLO-8405 - E27
Size : 220x100x70mm



HLO-8406 - E27
Size : 265x128x118mm



HLO-8407 - E27
Size : 265x128x118mm



HLO-8409 - E27
Size : 218x134x62mm



HLO-8451 (E27)
Size : Ø280x105mm



HLO-8452 - E27
Size : 215x215x118mm



HLO-8455 - T5
Size : Ø270x107mm



HLO-8456 - E27
Size : 185x300x90mm



HLO-8457 - E27
Size : 160x160x167mm



HLO-8459 - E27
Size : Ø300x90mm



HLO-8460 - E27
Size : 220x224x150mm



HLO-8462 - E27
Size : 223x280x90mm

Elite Series

HYBEC®
lighting the future

UP-DOWN LIGHT (IP54)



HLO-8501 - GU10
Size : Ø65x150x115mm



HLO-8502 - GU10
Size : Ø65x260x115mm



HLO-8511 - PAR20
Size : Ø108x203mm



HLO-8512 - PAR20
Size : Ø108x305mm



HLO-8515 - GU10
Size : 63x115x93mm



HLO-8591 - GU10
Size : Ø65x90mm



HLO-8592 - GU10
Size : 65x65x90mm

GARDEN SPIKE LIGHT (IP 65)



HLO-8651 - GU10
Size : Ø65x140x105mm



HLO-8652 - GU10
Size : Ø65x380x105mm



HLO-8661 - GU10
Size : Ø97x320mm



HLO-8662 - GU10
Size : Ø96x344x175mm



HLO-8687 - PAR38
Size : Ø164x391x265mm

Elite Series

HYBEC®
lighting the future

T-5 LINKABLE METAL BODY WITHOUT COVER



HY-8951 (8W)
Size : 312x34mm



HY-8952 (14W)
Size : 573x34mm



HY-8953 (21W)
Size : 873x34mm



HY-8954 (28W)
Size : 1173x34mm

T-5 ANGULAR LIGHT



HY-8956 (8W)
Size : 35x347x85mm



HY-8957 (14W)
Size : 35x575x85mm



HY-8958 (21W)
Size : 35x913x85mm



HY-8959 (28W)
Size : 35x1125x85mm



SCAN THIS QR-CODE
TO LEARN MORE.

www.hybec.net



[www.facebook.com/
hybeclighting](http://www.facebook.com/hybeclighting)



[www.twitter.com/
hybeclighting](http://www.twitter.com/hybeclighting)



[www.youtube.com/
hybec-lighting the future](http://www.youtube.com/hybec-lighting-the-future)