Expense Tracker API — Documentation

1. Overview

A Node.js + Express + MongoDB + Firebase backend for tracking expenses. Features:

- Firebase authentication
- CRUD operations for expenses
- Monthly & category-based reports
- Filtering & sorting
- Swagger documentation available

2. Base URL

http://localhost:5001/api

3. Authentication Routes

3.1 Register User

• Endpoint: /register

Method: POST

Auth Required: No

• Request Body:

```
"email": "testuser@example.com",
"password": "password123"

"email": "testuser1@example.com",
"password": "password123"
"password": "password123"
"email": "testuser1@example.com",
"password": "password123"
```

• Response:

Code	Description	Example
400	Missing or invalid email/password	{ "error": "Email and password are required" }
409	User already exists	{ "error": "User already registered" }
500	Internal server error	{ "error": "Registration failed" }


3.2 Login User

• Endpoint: /login

Method: POST

Auth Required: No

Request Body:



Response:

Code	Description	Example
400	Missing credentials	{ "error": "Email and password are required" }
401	Invalid credentials	{ "error": "INVALID_LOGIN_CREDENTIALS" }
500	Internal server error	{ "error": "Login failed, please try again" }


3.3 Logout User

Endpoint: /logout

Method: POST

Auth Required: Yes

Request Body:



Response:

```
Body Cookies Headers (7) Test Results (9)

[Solve | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (1) | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK | 1.14 s | 281 B | (200 OK |
```

Code	Description	Example
401	Unauthorized or missing token	{ "error": "No token provided" }
403	Invalid token	{ "error": "Invalid or expired token" }
500	Server error	{ "error": "Logout failed" }

4. Expense Routes

4.1 Get all Expenses

Endpoint: /expenses

Method: GET

Auth Required: Yes

Query Parameters (Optional):


o category: Filter by category

o minAmount / maxAmount

o startDate / endDate (YYYY-MM-DD)

o sort (field) & order (asc/desc)

• Request Body:



• Response:

Error Response:

Code	Description	Example
401	Unauthorized	{ "error": "Token missing or invalid" }
404	No expenses found	{ "error": "No expenses found for this user" }
500	Internal server error	{ "error": "Failed to fetch expenses" }


4.2 Get Expense by ID

Endpoint: /expenses/:id

Method: GET

Auth Required: Yes

• Request Body:



• Response:

```
Body Cookies Headers (7) Test Results ← 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Response ∞ 200 OK 592 ms 485 B ⊕ Save Re
```

Error Response:

Code	Description	Example
400	Invalid ID format	{ "error": "Invalid expense ID format" }
401	Unauthorized	{ "error": "Missing or invalid token" }
404	Expense not found	{ "error": "Expense not found" }
500	Server error	{ "error": "Failed to fetch expense" }

4.3 Add Expense

Endpoint: /expenses

• Method: POST

Auth Required: Yes

Request Body:

Response:

```
      Body
      Cookies
      Headers (7)
      Test Results
      ♠

      201 Created
      644 ms
      312 B
      ♠
      ♠
      ♠
      ■
      Save Response
      ●

      1
      ₹
      2
      | "message": "Expense added successfully",
      3
      | "id": "68f730bd599681738e9f26ca"
      4
      }
```

Error Response:

Code	Description	Example
400	Missing required fields	{ "error": "Title, amount, category, and date are required" }
401	Unauthorized	{ "error": "Invalid or missing token" }
422	Validation failed	{ "error": "Amount must be a positive number" }
500	Internal server error	{ "error": "Failed to add expense" }

4.4 Update Expense

Endpoint: /expenses/:id

• Method: PUT

Auth Required: Yes

Request Body: (any field to update)

• Response:

```
Body Cookies Headers (7) Test Results | ① 200 OK 898 ms 277 B ① © Save Response 000 [ ] JSON V Preview Visualize V [ ] "message": "Expense updated successfully" 3 }
```

Error Responses:


Code	Description	Example
400	Invalid or missing data	{ "error": "Provide valid fields to update" }
401	Unauthorized	{ "error": "Invalid or missing token" }
404	Expense not found	{ "error": "Expense not found" }
500	Server error	{ "error": "Failed to update expense" }

4.5 Delete Expense

• Endpoint: /expenses/:id

Method: DELETEAuth Required: Yes

Request Body:



Response:

```
        Body
        Cookies
        Headers (7)
        Test Results
        €
        200 OK
        706 ms
        277 B
        €
        Image: Save Response

        {} JSON ∨
        ▷ Preview
        ☑ Visualize
        ∨
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
        □
```

Code	Description	Example
400	Invalid ID format	{ "error": "Invalid expense ID format" }
401	Unauthorized	{ "error": "Invalid or missing token" }
404	Expense not found	{ "error": "Expense not found" }
500	Internal server error	{ "error": "Failed to delete expense" }

5. Report Routes

5.1 Monthly Report

Endpoint: /reports/monthly

Method: GET


• Auth Required: Yes

Query Parameters:

o month=MM

o year=YYYY

Request Body:



• Response:

```
      Body Cookies
      Headers (7)
      Test Results
      ①
      200 OK
      1.04 s 280 B ②
      ②
      ☑ Save Response

      {} JSON ∨
      ▷ Preview
      ☒ Visualize
      ∨
      ➡ ☐
      ➡ ☐
      ➡ ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
      ☐
```

Code	Description	Example
400	Missing query params	{ "error": "Month and year are required" }
401	Unauthorized	{ "error": "Invalid or missing token" }
404	No expenses found	{ "error": "No data found for selected month" }
500	Server error	{ "error": "Failed to generate report" }

5.2 Category Report


• Endpoint: /reports/category

Method: GET

• Auth Required: Yes

Query Parameter: category=Food

Request Body:



• Response:

Code	Description	Example
400	Missing category param	{ "error": "Category query parameter is required" }
401	Unauthorized	{ "error": "Invalid or missing token" }
404	No expenses found	{ "error": "No expenses found for this category" }
500	Internal server error	{ "error": "Failed to fetch category report" }