


## 1. Download vATIS


You can download vATIS on [GitHub](#).



Click the link and, install the program. Do not change the install path.

## 2. Files to Overwrite


Select the two files in the Sector file\Plugins\vATIS folder and overwrite the files on AppData\Local\vATIS-4.0. You can find the Local folder via writing %localappdata% on find section.



### 3. Starting vATIS

Start vATIS like a normal program, and select the Profile you want.


**!NOTE!: If you are controlling Delivery, Ground or Tower you can't open multiple ATIS's except the airport that you control has Arrival and Departure ATIS profiles (Exp: LTFM, LTAI). So except these two you are not allowed to open multiple ATIS.**



## 4. Airport Configs

### a. Standard Config

Once you select your TMA or Sector, Select the direction of the departures and landings from the bottom list section.




**NOTE!:** Transition levels are now set automatically by the program so you don't need to update it anymore

### b. LTFM Config

LTFM is under the Yesilkoy TMA and there is two different profile for it. LTFM\_A and LTFM\_D.  
LTFM\_A: Arrival ATIS


LTFM\_D: Departure ATIS

There is two different section in Arrival ATIS for each direction; Standard parallel operations and Single Runway Ops.




Same for South config.

For Departures, only thing you **MUST** change is the departure frequency. Every time when an ATC online or offline. For offline it's 122.800., for online you must change it every time when a controller becomes online.



### c. LTAI Config

Everything as same as LTFM except **NEVER** click on Manage Profile button when LTAI\_D profile is selecting. The reason behind is LTAI\_D ATIS frequency is 136.125 is not selectable in the vATIS. We forced the program via editing the .json files. So every time you select the Manage profile button on LTAI\_D is selected, the program will reset the frequency to 118.000. So if this error concur, you must overwrite the config files again in the Plugins\vATIS folder exactly same as the Section 2.



## 5. Support

If you have any questions about vATIS, its profiles or how to use, send a message to #atc-chat.

This document has been prepared by Gursel Alp, Alp Deniz Senyurt and Hazar Melih Uymaz.