



LifeLine — Discovery Evidence Report

Personal Safety & Check-In • *Safety in one tap*

v2 — FINAL • Refined with full methodology, traceability, and architecture justification

Group 39 • Phoenix Cohort • TS Academy PM Capstone

10 May 2026

Prepared by the Research & Discovery squad, reviewed by Product Management.

This document supersedes Discovery Evidence v1 (LifeLine_Discovery_Evidence_Final_update.pdf).

Contents

1. Executive summary
2. Research methodology
3. Phase 1 — Quantitative discovery (n=52)
4. Phase 2 — Qualitative discovery (8 interviews)
5. Verbatim quotes that shaped the product
6. Key insights (top 5)
7. Insight extraction process
8. Traceability matrix (theme → quote → insight → product decision)
9. Product-decision mapping
10. Discovery-to-MVP traceability map
11. Why the final LifeLine architecture was justified
- A. Appendix A — Sample individual quantitative responses
- B. Appendix B — Companion document: Raw qualitative interview notes

1. Executive summary

LifeLine's discovery phase tested a single, focused hypothesis: that Nigerians who travel alone at night already perform manual safety rituals that are fragmented, cognitively burdensome, and unreliable under panic or low-network conditions. We ran a two-phase research design — a deployed quantitative Google Form (n=52) and 8 semi-structured qualitative interviews — over the first 10 days May 2026.

The hypothesis was confirmed. Three numbers do most of the work:

79% Experience severe 2G/3G degradation on night commutes	69% Need 15+ seconds to share GPS in distress	61% Forget the "I've arrived" check-in
--	--	--

These numbers reframe what LifeLine has to be. It cannot be an emergency-response app sitting next to police hotlines — it has to be a prevention-first safety layer that automates the manual rituals users already perform, designed from the start to survive the network and battery conditions of the Nigerian mobile environment.

THE REFRAME

Users are not afraid of danger itself — they are afraid of being alone during danger, and of being forgettable when they get home safely. LifeLine's North Star — % of journeys ending in successful safe-arrival confirmation — follows directly from this.

2. Research methodology

2.1 Two-phase design

We chose a sequenced mixed-methods design to balance scale (Phase 1) with depth (Phase 2):

- ▶ **Phase 1 — Quantitative:** Deployed a Google Form ("Night Travel Safety — Quick Survey") to test scale and frequency of the underlying behaviors. 8 questions, ~2–3 minutes to complete. Distribution via WhatsApp groups (campus and professional), Instagram stories, and direct shares.
- ▶ **Phase 2 — Qualitative:** Conducted 8 semi-structured interviews (40–60 minutes each) using a 4-section script with 10 themed probes. Channels: WhatsApp chat interview (5), voice note (2), Google Meet (1). This phase explored the "why" behind the quantitative patterns.

2.2 Sample

Total participants: 52 (quantitative) + 8 (qualitative). The qualitative sample was drawn from the broader respondent pool plus targeted outreach to ensure persona coverage.

Demographic	Quantitative (n=52)	Qualitative (n=8)
University Students	31 (60%)	3 (Amaka, David, plus 1 composite)
NYSC Corpers / Young Professionals	18 (35%)	4 (Tunde, Blessing, Chioma, Samuel)
Senior Professionals / Parents	3 (5%)	1 composite
Female / Male / Prefer not	34 / 17 / 1	5 / 3 / 0
Geography	Lagos, Abuja, Nsukka, Port Harcourt	Lagos, Nsukka, Abuja
Travel frequency (6:30–11pm, alone)	Daily: 25% • 2–4x/wk: 50% • Rare: 25%	All daily or near-daily

2.3 Ethical and methodological notes

- ▶ **Consent:** All quantitative respondents saw a plain-language purpose statement and confirmed they understood responses were confidential and used only for product research. All qualitative interviewees gave verbal consent and were told they could stop at any point.
- ▶ **Anonymity:** Names in this report are real first-names of consenting interviewees; surnames are abbreviated. Two interviews are clearly labeled as composite syntheses (built from multiple consenting respondents to protect identities and consolidate themes).
- ▶ **Limitations we are honest about:** n=52 is below the 100–300 target the team initially set; data collection time was constrained by the capstone window. We acknowledge selection bias toward urban, smartphone-equipped, university-affiliated respondents — which is exactly LifeLine’s target persona for V1–V3.
- ▶ **Replication:** The Google Form is live at the survey link in the team’s submission folder; the spreadsheet is accessible to judges. The interview script is reproduced in full in Section 4 below.

3. Phase 1 — Quantitative discovery

3.1 Form design

Form title: “Night Travel Safety — Quick Survey” (deployed via Google Forms; live response sheet has the standardised structure: Timestamp, Q1–Q8 columns).

Duration: Open for response collection 1–10 May 2026 (10 days). **Sample achieved:** n=52 confirmed responses against an initial stretch target of 100–300. We treat 52 as the working sample for analysis and have noted the gap honestly in Section-2.3.

3.2 Questions asked

Structured into 3 sections — demographics, behavior, and infrastructure constraints — to keep the form under 3 minutes.

Q	Question	Type
Q1	What is your primary daily occupation?	Multiple choice
Q2	What is your gender?	Multiple choice
Q3	How frequently do you transit alone between 6:30–11 PM?	Multiple choice
Q4	Which methods do you use to provide safety reassurance to family/friends?	Checkboxes (multi-select)
Q5	How often do you arrive safely but forget to send the “I’ve arrived” text?	Linear scale 1–5
Q6	Average duration of your typical evening transit?	Multiple choice
Q7	Which mobile network constraints have you experienced on a night commute?	Checkboxes (multi-select)
Q8	In immediate distress, how long to unlock phone + find contact + share GPS?	Multiple choice

3.3 Findings

Q1 — Occupation. Student-dominant sample, as expected from the distribution channels.

Response	Count	%
University student	31	60%
NYSC corps member	8	15%
Corporate professional (late shift)	10	19%
Other	3	6%

Q2 — Gender. Female respondents over-index versus baseline national smartphone-user demographics — consistent with women being disproportionately exposed to night-travel safety concerns and therefore more responsive to a safety survey.

Response	Count	%
Female	34	65%
Male	17	33%

Response	Count	%
Prefer not to say	1	2%

Q3 — Night-travel frequency (alone, 6:30–11 PM). 75% travel alone at night at least 2–4 times per week — i.e., LifeLine isn't for an edge case, it's for a regular weekly behavior.

Response	Count	%
Daily	13	25%
2–4 times a week	26	50%
Rarely / Never	13	25%

Q4 — Safety methods used (multi-select). Avg 2.6 methods per respondent. Manual fragmentation confirmed — users are stitching multiple unconnected tools together. 72% use ≥ 2 methods; 13% use no method at all (high-risk segment).

Method	Selected by	%
Manual SMS/WhatsApp text updates at milestones	40	78%
WhatsApp Live Location sharing	35	68%
Staying on an active phone call for trip duration	28	54%
Built-in trip sharing in Uber/Bolt	18	35%
Google Maps Share-Trip	9	17%
I do not use any tool	7	13%

Q5 — Forgetfulness of “I’ve arrived” check-in. 61% (32 of 52) reported forgetting at least occasionally (scale value 3, 4, or 5). This is the single most important number in the entire dataset — it directly justifies the North Star metric.

Scale (1=Never → 5=Almost every time)	Count	%
1 — Never	7	13%
2	13	25%
3 — Sometimes	20	38%
4	9	17%
5 — Almost every time	3	6%

Q6 — Trip duration. 76% have trips of 15–60 minutes — long enough to need ETA-based monitoring, short enough that manual check-ins should be feasible (but evidently aren't).

Response	Count	%
Under 15 minutes	5	10%
15 to 30 minutes	20	38%
30 to 60 minutes	20	38%

Response	Count	%
More than 60 minutes	7	13%

Q7 — Network constraints (multi-select). Every infrastructure failure mode listed was experienced by a majority. This is the single strongest justification for the embedded-Leaflet / no-CDN / offline-tolerant architecture.

Constraint experienced	Selected by	%
Severe data degradation (2G/3G/Edge)	41	79%
Location tracking freezes or maps failing to render	38	73%
Total network signal drop / zero bars	37	71%
Rapid battery depletion from background apps	35	67%

Q8 — Time to share GPS under distress. 69% (36 of 52) said it would take 15+ seconds, with 31% saying 30+ seconds or impossible under panic. This justifies the one-tap SOS pattern — specifically the 3-second hold-to-activate with the 2:45 cancellation window.

Response	Count	%
Under 5 seconds	3	6%
5 to 15 seconds	13	25%
15 to 30 seconds	20	38%
Over 30 seconds / impossible under pressure	16	31%

QUANTITATIVE BOTTOM LINE

The survey validates three things simultaneously: (1) the behavior is widespread (75% travel alone at night at least 2–4×/week), (2) the workarounds are fragmented (avg 2.6 manual methods per user), and (3) the infrastructure is hostile (79% experience severe 2G/3G degradation). LifeLine isn't solving a niche problem; it's solving a regular weekly problem with no good existing solution.

4. Phase 2 — Qualitative discovery

4.1 Interview methodology

Semi-structured interviews using a 4-section script (Routine, Forensics, Crisis Micro-actions, Automation Trust) with 10 themed probes. Average duration 47 minutes. Conducted asynchronously via WhatsApp chat (5), as voice notes (2), and one via Google Meet.

Why WhatsApp chat was the dominant channel: respondents could answer in their own time, paste long thoughtful answers, and not feel “on record.” This produced franker responses than a phone call would have.

4.2 Interview script (used verbatim)

Each interview opened with a consent statement: “Hi, thank you for agreeing to help with this short research. I’m trying to better understand people’s experiences and safety concerns during evening or night travel. This is not a test — there are no right or wrong answers. It should take about 10–15 minutes. Can we begin?”

After consent, we followed a 4-section flow:

Section 1 — Warm-up & routine chronology (~5 min). “Walk me through your typical weekly schedule that involves moving after dark. What usually keeps you out late, and what does your journey home normally look like?” With follow-up probes on exact journey stages and peak-anxiety transition points.

Section 2 — Milestone forensics & existing systems (~7 min). “Tell me about the last time someone was expecting you to arrive safely after a late trip. How did they keep track of you, and how did you let them know you arrived safely?” With probes on WhatsApp live location, what part of the process felt stressful or annoying, and times they forgot to check in.

Section 3 — Crisis micro-actions & technical stress testing (~8 min). “Imagine your ride driver suddenly changes route, or you feel someone is following you at night. Walk me through exactly what you would do on your phone in that moment.” With probes on ease of sharing location while panicking, what happens on low battery / poor network.

Section 4 — Automation logic, trust & false-alarm boundaries (~10 min). “Imagine an app where you set an expected arrival time before leaving. If you don’t confirm ‘I’m safe’ after that time, the app automatically alerts selected contacts with your live location. What is your honest reaction to this idea?” With probes on adoption barriers, false-alarm worry, warning time, who should and should not receive alerts.

4.3 Interview summaries

Six real interviews and two clearly-labeled composite syntheses. The composites consolidate themes from multiple respondents into a single representative voice to keep this document concise; the underlying source material is in the companion Raw Qualitative Interview Notes.

I1 — Amaka O. (University Student, 22, female, Nsukka)

Pain point	Feels unsafe during late-night Bolt rides home from campus
Current behavior	Sends live location to two people before entering ride; still anxious until arrival
Key quote	Whenever I’m entering Bolt at night, I always send my live location to at least two people. Even after that, I still feel anxious till I reach home.

I2 — Tunde A. (NYSC Corps Member, 24, male, Lagos)

Pain point	Family panic when unreachable on bike commutes
Current behavior	Constantly updates family during trips; battery anxiety is constant
Key quote	There was one time my phone almost died while I was on a bike home. My sister kept calling because she was scared something happened.

I3 — Blessing E. (Banker, 27, female, Lagos)

Pain point	Fear of walking alone at night from bus stop to her street
Current behavior	Pretends to be on a phone call so she doesn't look alone
Key quote	I hate walking from the bus stop to my street at night. I usually pretend I'm on a call with someone so nobody thinks I'm alone.

I4 — David M. (University Student, 20, male, Lagos)

Pain point	Slow emergency response during panic; cognitive overload
Current behavior	Keeps emergency contacts on speed dial; relies on muscle memory
Key quote	My friend was robbed last semester and couldn't even unlock her phone fast enough to call anyone.

I5 — Chioma K. (Ride-Hailing User, 25, female, Lagos)

Pain point	Anxiety when drivers change routes unexpectedly
Current behavior	Sends trip details to friends before entering car; monitors map in real time
Key quote	Sometimes the driver changes route and I don't know whether I'm overthinking or actually in danger.

I6 — Samuel B. (Young Professional, 29, male, Abuja)

Pain point	Forgets to update loved ones after arrival; family panics
Current behavior	Relies on text check-ins; admits inconsistency
Key quote	I once got home safely but forgot to reply everyone checking on me. My mum almost called the police.

I7 — Funmi (composite) (Senior Nurse, 35, female, Lagos)

[Composite synthesis: built from multiple consenting respondents matching this segment, to protect individual identities and consolidate themes]

Pain point	Late-shift hospital commutes (1–2 AM); low-battery + low-signal compound risk
Current behavior	Calls a sister and stays on the line for the whole trip; finds this exhausting
Key quote	By the time my shift ends, I'm drained. Keeping somebody on the phone the whole trip is stressful — sometimes I just want quiet after a long day.

I8 — Mrs. Adeola (composite) (Mother of UI student, 49, female, Ibadan)

[Composite synthesis: built from multiple consenting respondents matching this segment, to protect individual identities and consolidate themes]

Pain point	Parental anxiety; daughter forgets to text after arriving safely
Current behavior	Calls multiple people from her daughter's circle if a check-in is missed
Key quote	When she doesn't reply by 10 PM I start panicking and calling her friends, her landlord, anyone. Then she'll text me at 11 and say 'Mummy I just slept off.'

5. Verbatim quotes that shaped the product

Of ~80 extracted statements across 8 interviews, these 6 had the most direct architectural consequences.

"The walk after 8 PM is the worst part. I'm always looking behind me."

— Amaka (I1) — isolation transition point

"It's usually when I'm waiting for Bolt alone or when the driver takes a strange turn that my anxiety spikes."

— Chioma (I5) — uncertainty triggers panic

"I usually send my live location to my sister, but honestly nobody keeps checking it."

— Amaka (I1) — manual workarounds are passive on the receiving end

"Keeping somebody on the phone the whole trip is stressful. Sometimes I just want quiet."

— Funmi (I7) — users want reassurance without cognitive burden

"By the time I unlock my phone and find someone, it may already be too late."

— David (I4) — distress reduces cognitive bandwidth

"I'd actually use this because my mum worries too much — but I don't want people panicking just because I forgot to click a button."

— Samuel (I6) — automation is wanted but must preserve user control

6. Key insights (top 5)

Insight 1: Peak anxiety occurs at isolation transition points — not throughout the journey

Users don't feel uniformly unsafe; they feel acutely unsafe at specific micro-moments: waiting alone for a ride, walking from the bus stop to the gate, the stretch between the engineering block and the hostel. This means LifeLine's monitoring needs to be continuous (so it catches the transition moments) but the UI should NOT feel "always on alert" — it should feel like silent companionship.

Insight 2: Forgetfulness is behavioural, not malicious

61% of respondents forget the "I've arrived" check-in at least occasionally. This is not laziness or rudeness — it's post-arrival decompression (showering, sleeping, finally relaxing). Any design that requires the user to remember a final action will fail. The fail-safe must run on a timer, not on a user-initiated event.

Insight 3: Manual workarounds exist but consume cognitive load that should be carried by software

Average 2.6 manual methods per respondent. People are already doing this work; LifeLine's value is consolidation and automation, not new behavior creation. This dramatically lowers the adoption barrier — we're not asking users to do anything new, we're asking them to do less.

Insight 4: Nigerian infrastructure instability is a core product requirement, not an edge case

79% experience severe 2G/3G degradation; 67% experience rapid battery depletion; 73% experience location tracking freezes. Any architecture that assumes good connectivity will fail in production. This is the single most important constraint shaping the MVP's embedded-library / no-CDN / progressive-network-degradation design.

Insight 5: Automation is desired but only with control preservation

Every interviewee who responded positively to the auto-escalation idea also volunteered a control concern. The product cannot be "smart" in a way that removes the user's veto power. The 2:45 cancellation window and 3-second SOS hold-to-activate both come directly from this tension — they're control mechanisms designed to prevent automation from producing false alarms.

7. Insight extraction process

Insights weren't intuited — they were extracted via a 4-step pipeline applied to each interview:

Step 1 — Capture raw response

Full quote written down verbatim, including emotional language and pauses.

Step 2 — Refine extractable quote

Long responses compressed to the most evocative ~15 words, preserving the original meaning. This is the version that may appear in the pitch deck.

Step 3 — Identify the insight

A single-sentence claim about user behavior or psychology that the quote evidences. The insight is not the quote — it's what the quote teaches us about a pattern.

Step 4 — Derive product implication and architecture justification

The concrete feature, flow, or technical decision that follows from the insight. This is where research meets engineering. We then cross-check whether the same product implication is also supported by other interviews / quantitative findings (triangulation). If only one source supports it, we treat it as suggestive but not yet validated.

WHY THIS MATTERS

This is the part of discovery work that startups skip when they stop at Google Forms. Without it, you have data; you don't have direction. Every architectural decision in the LifeLine MVP can be traced through this pipeline back to a specific quote and a specific quantitative finding — see Section-8 below.

8. Traceability matrix

Theme → Quote → Insight → Product implication → Architecture justification. Read row by row.

Theme	Key quote (compressed)	Insight	Product implication	Architecture justification
Routine chronology	"The walk after 8 PM is the worst part." — Amaka	Peak anxiety at isolation transition points	Safe Arrival mode with ETA tracking + passive reassurance	Prevention-first framing rather than police-first response
Vulnerability moment	"It's usually when the driver takes a strange turn." — Chioma	Threat perception spikes during uncertainty / loss of control	Trusted contact alerts, live tracking, route awareness, SOS	Active situational oversight (real-time security shield)
Milestone forensics	"I send live location but nobody keeps checking it." — Amaka	LifeLine automates fragmented manual behavior	Single background process consolidating safety telemetry	Replaces high-friction multi-app coordination with one omnichannel layer
Friction / pain	"Keeping somebody on the phone is stressful." — Funmi	Users want reassurance without active cognitive burden	Automated Safe Arrival flow (no live phone call needed)	Passive proactive safety, not reactive crisis response
Forgetfulness	"I got home, slept off and forgot to text." — Samuel	Failure is behavioural forgetfulness, not negligence	ETA timer + auto-escalation (no user action needed)	Justifies the North Star: % safe-arrival confirmations
Crisis micro-actions	"By the time I unlock and find someone, it's too late." — David	Distress reduces cognitive bandwidth	One-tap SOS (no typing, no navigation, no manual GPS)	Panic-State Interactivity paradigm: zero-friction muscle memory
Location-sharing friction	"You can't be opening maps when you're scared." — David	Manual location sharing fails under panic	Automatic GPS attachment in background session	Autonomous telemetry-ingestion pipeline (no user broadcast needed)
Network battery /	"At that point I just pray I reach home." — Funmi	Nigerian infrastructure instability is a core requirement	Embedded Leaflet + offline tile caching + low-data optimization	Infrastructure-Agnostic safety guarantee (rugged utility, not luxury app)
Automation & trust	"I'd use this, but I don't want people panicking." — Samuel	Automation is valued but must preserve user control	Grace period + 2:45 countdown + cancel option + 3-sec SOS hold	Controlled Automation framework (system accountability + user veto)
Trust equilibrium	"I honestly forget to message anybody." — Samuel/Funmi	Forgetfulness is common behavioral friction	Auto safe-arrival confirmation system with local warnings	Staged escalation buffer prevents accidental social panic

9. Product-decision mapping

Where each MVP feature came from. This is the rubric-rewarded answer to “how do you know this is what users need?”

MVP feature / decision	Driven by	Evidence threshold met?
Safe Arrival flow (ETA timer + I'm Safe button)	Q5 (61% forget check-in) + Insight 2 (forgetfulness is behavioural)	Yes — quant + 5 of 8 interviews
One-tap SOS (no typing, no navigation)	Q8 (69% take 15+ sec to share GPS) + Insight 5 (distress reduces cognitive bandwidth)	Yes — quant + 4 of 8 interviews
3-second hold-to-activate SOS	Automation/trust insight + interview probes on false-alarm worry	Yes — 6 of 8 interviews
2:45 cancellation window before escalation	Same as above; explicit “warning time” probe in Section 4 of interviews	Yes — 5 of 8 interviews
Trusted contact escalation (not 911)	Q4 + Insight 3 (manual workarounds use family/friends, not police)	Yes — quant + 8 of 8 interviews
Embedded Leaflet (no CDN dependency)	Q7 (79% severe 2G/3G; 73% maps fail to render)	Yes — quant + 4 of 8 interviews
Background GPS attachment	Q8 + David quote + Funmi quote (panic + low battery)	Yes — 6 of 8 interviews
Two flows separated visually (Safe Arrival vs SOS)	Insight 1 (different micro-moments need different responses)	Yes — design heuristic + 6 of 8 interviews
Female campus student as primary persona	Q1+Q2 (60% students, 65% female) + Decision D-06	Yes — quant + 3 of 8 interviews
No real-time chat between user and contact (V1)	Interview probe — contacts already use WhatsApp; we don't need to rebuild messaging	Yes — 7 of 8 interviews

10. Discovery-to-MVP traceability map

A reverse view: starting from the 6 most important MVP architectural choices and tracing each one back to its discovery evidence.

MVP architectural choice	Discovery evidence that justifies it
Single-file HTML with embedded Leaflet (~210KB) — no external CDN	Q7 quantitative: 79% experience severe 2G/3G degradation. Funmi qualitative: “At that point I just pray I reach home because location sharing stops working.” Conclusion: depending on a CDN is depending on something users don’t have access to.
OpenStreetMap tiles (free, no API key, progressive loading)	Same as above + cost-of-acquisition concerns voiced in interviews (“I wouldn’t pay for safety” appeared in 5 of 8 interviews).
3-second hold-to-activate for SOS (not single tap)	Samuel qualitative: “I don’t want people panicking just because I forgot to click a button.” Combined with Tunde’s phone-almost-died story — pocket bumps and battery deaths must NOT cause false SOS.
2:45 cancellation window before contact escalation	Section 4 interview probe: “How much warning time would you want before an alert is automatically sent?” Average answer: 2–3 minutes. Long enough to cancel an accidental trigger; short enough to feel urgent.
Demo OTP code = 8484 (memorable + reproducible for judges)	Pure engineering decision, not discovery-driven — logged in Decision Log v2 D-08 (Decisions affecting code & assets).
Pattern 2A two-flow design (Safe Arrival as daily habit, SOS as safety net)	Insight 1 (peak anxiety at transition points, not throughout journey) + Insight 5 (automation must preserve control). The two flows serve different micro-moments and have different cognitive load profiles.

11. Why the final LifeLine architecture was justified

Five architectural commitments — each defended in three sentences.

Prevention-first, not emergency-first

Discovery showed that the dominant pain isn't "danger struck" — it's the constant low-grade anxiety of not being seen during journeys. Building a 911-style SOS button alone would have missed 80% of the actual emotional surface area. The MVP's Safe Arrival flow targets that 80%; the SOS flow handles the remaining 20% (high-stakes safety net).

Two flows, not one super-mode

Insight 1 told us peak anxiety is concentrated at specific transition points, not throughout the journey. A single "safety mode" that tries to handle both daily check-ins and high-panic SOS would have conflated cognitive load profiles. Separating them lets each be optimized: Safe Arrival is calm and habitual; SOS is loud and immediate.

Automation with explicit user veto

The most common reservation across interviews was false-alarm embarrassment. We didn't suppress automation — we layered control mechanisms (3-sec hold, 2:45 cancel window) so the system always defaults toward giving the user a chance to step back. Automation does the heavy lifting; the user keeps the veto.

Infrastructure-agnostic build

Q7's 79% severe-degradation finding made one thing non-negotiable: the app cannot depend on infrastructure that 79% of users will lose at least sometimes during their commute. Hence embedded libraries, no CDN, OpenStreetMap tiles, and an architecture roadmap that adds offline-first PWA in V3.

Trusted contacts → not police, not centralized response

Every single interviewee — even the ones who had personally experienced incidents — reached for friends or family first, never police. This shapes who the alert system contacts (user's chosen trusted circle), how onboarding works (mandatory trusted-contact addition), and what we don't build (no police integration in V1).

BOTTOM LINE

Discovery did three things for LifeLine: (1) it confirmed that our hypothesis about manual safety workarounds being widespread and broken was correct, (2) it surfaced the critical reframe from "emergency-first" to "prevention-first," and (3) it gave us the specific design constraints (3-sec hold, 2:45 window, embedded libraries, two-flow design, trusted-contact escalation) that the MVP now ships. Without this discovery work, we would have built a worse product. We can prove that, row by row, in Section-8 and Section-10 above.

Appendix A — Sample individual quantitative responses

Five representative individual responses from the n=52 set, illustrating the spread. Selected to show the range, not the average. Full response sheet available to judges via the Google Sheet link in the submission folder.

#	Q1 Occupation	Q2 Gender	Q3 Freq	Q5 Forget (1–5)	Q7 Network issues	Q8 Time to GPS
R12	Student	Female	Daily	4	2G/3G, freeze, drop	15–30s
R19	NYSC	Male	2–4/wk	3	2G/3G, battery	Over 30s
R27	Banker	Female	2–4/wk	5	Freeze, signal drop	15–30s
R34	Student	Male	Daily	2	2G/3G	5–15s
R41	Late-shift prof	Female	Daily	4	Battery, freeze, drop	Over 30s

Reading these rows: R34 is a student with low forgetfulness and moderate distress speed — a relatively self-sufficient user. R27 is the opposite — high forgetfulness, slow distress reaction — exactly the persona LifeLine’s automation is designed to protect. The dataset has both, and LifeLine has to serve both.

Appendix B — Companion document

The full raw qualitative interview transcripts — 8 consolidated interviews with verbatim quote extraction, insight tagging, and product-implication notes per interview — are provided in a companion document: **LifeLine_Qualitative_Interview_Notes_v1_FINAL.docx**.

Judges who want to verify any quote in this Discovery Evidence report against its source interview can cross-reference using the interview labels (I1–I8) and the section headers in the companion doc.

*Discovery Evidence v2.0 (FINAL) • 10 May 2026 • Group 39 — Phoenix Cohort — TS Academy PM Capstone
Prepared by the Research & Discovery squad. Reviewed by Product Management. Approved by Group Lead (Faith).*