Multiple choice questions

1. In the following syntax, p is? (A) Selector (B) Property   (C) Value (D) Style.

    p {

       font-size: 18px;

       color: red;

    }

2. Write CSS syntax directly in the HTML file "<style>... </style>" element, indicating that the syntax is? (A) HTML style (B) Inline style (C) External style sheet (D) Internal style sheet.

3. In the following syntax, which CSS is used? (A) HTML style (B) Inline style (C) External style sheet (D) Internal style sheet.

       <h2 style="background-color:green;color:white;text-align:center;

       border:2px #ffcc6e solid; "> wash your hands frequently with a mask</h2>

4. Which of the following statements about CSS selectors is incorrect? (A) The category selector is the addition of the class attribute (B) in HTML. The id selector defines the format for elements that contain a specific id attribute, only for a specific one HTML elements (C) Group selectors can be used to group multiple elements to apply the same style, and elements must be separated by "#" (D) HTML elements are used as selectors, You can redefine the element's preset formatting, giving it new properties.

5. Which of the following statements about CSS selectors is incorrect? (A) Subselectors are separated by "," (B) All selectors on the same level are separated by "~" (C) Virtual category selectors are separated by ":" starts with (D) :: The marker selector can set the style of bullets and numbers.