
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html>←
2. <html lang="en">↔
3. <head>←
        <meta charset="UTF-8">↔
4.
5.
        <!-- X-UA-Compatible meta tag, to render web pages in older versions of
   Internet Explorer-->↔
6.
        <meta http-equiv="X-UA-Compatible" content="ie=edge">←
7.
        <meta name="description" content="Balloon Pop Maths - a fun, interactive</pre>
   maths game.">←
8.
        <meta name="keywords" content="Maths, Game, Interactive">←
        <meta name="author" content="Richard Ash">←
10.
        <meta name="viewport" content="width=device-width, initial-scale=1">↔
11.
        <!-- Link to Balloon Favicon -->↔
12.
        <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"</pre>
    type="image/x-icon">↔
13.
        <!-- Link to Bootstrap 4.4.1 CDN -->↔
        <link rel="stylesheet"</pre>
14.
   href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css
```

```
" integrity="sha384-
    Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
    crossorigin="anonymous">↔
15.
        <!-- Link to Google Fonts -->↔
        <link rel="preconnect" href="https://fonts.gstatic.com">←
16.
17.
        <!-- Link to Nunito font -->↔
18.
        <link href="https://fonts.googleapis.com/css2?</pre>
    family=Nunito:wght@400;600;700&display=swap" rel="stylesheet">←
19.
        <!-- Link to Font Awesome Kit -->↔
20.
        <script src="https://kit.fontawesome.com/7863bec69d.js"</pre>
    crossorigin="anonymous"></script>↔
21.
        <!-- Link to Custom CSS -->↔
        k rel="stylesheet" href="assets/css/style.css">\leftrightarrow<!-- Link to Email JS -->\leftrightarrow
22.
23.
        <script src="https://cdn.jsdelivr.net/npm/emailjs-</pre>
24.
    com@2/dist/email.min.js"></script>↔
25.
        <title>Balloon Pop Maths</title>↔
26. </head>↔
27. <body>←
        <!-- Balloon Pop Maths Home Page, Menu -->↔
28.
29.
        <section id="heading-section" class="container-sm">←
30.
             <!-- Balloon Pop Maths Heading -->↔
             <div class="row">↔
31.
32.
                 <!-- Screens smaller than md -->↔
33.
                 <div class="col-12 d-md-none container-heading-main text-</pre>
    center">↩
34.
                     <a href="index.html">←
35.
                          <h1 class="heading-main">Balloon</h1>↔
36.
                          <h1 class="heading-main">Pop↔
37.
                              <img src="assets/images/balloon-purple-cropped.png"</pre>
    alt="Purple balloon popping"/>←
38.
                          </h1>←
39.
                          <h1 class="heading-main">Maths</h1>↔
40.
                     </a>←
41.
                 </div>←
42.
                 <!-- Screens larger than md -->↔
                 <div class="col-12 d-none d-md-block container-heading-main-large</pre>
43.
    text-center">←
44.
                     <a href="index.html">←
45.
                          <h1 class="heading-main">Balloon Pop<img
    src="assets/images/balloon-purple-cropped.png" alt="Purple balloon popping">
    Maths</h1>↔
46.
                     </a>←
47.
                 </div>←
             </div>↔
48.
49.
        </section>←
50.
        <!-- Options -->↔
        <section id="options-section" class="container-sm" aria-label="Options</pre>
51.
    Section">↩
52.
             <div class="row">↔
53.
                 <div class="col-md-2"></div>↔
                 <div class="col-md-8">↔
54.
55.
                     <!-- Game Mode Options -->↔
56.
                     <div class="btn-group btn-group-toggle d-flex w-100 container-</pre>
    button-group" data-toggle="buttons">↔
57.
                          <label id="multiply" class="btn btn-xl w-100 btn-info btn-</pre>
    text active">↔
58.
                              <input type="radio" aria-label="Multiplication"</pre>
    name="game-mode" checked> x↔
59.
                          </label>↔
                          <label id="divide" class="btn btn-xl w-100 btn-info btn-</pre>
60.
    text">↩
61.
                              <input type="radio" aria-label="Division" name="game-</pre>
    mode"> ÷ ←
62.
                          </label>↩
63.
                          <label id="add" class="btn btn-xl w-100 btn-info btn-
    text">↩
64.
                              <input type="radio" aria-label="Addition" name="game-</pre>
    mode"> +↔
65.
                          </label>↩
```

```
29/03/2021
                                   Showing results for contents of text-input area - Nu Html Checker
    116.
                          </div>←
                          <!-- Multiplication and Division game options -->↔
    117.
    118.
                          <div id="options-multiply-divide">←
                              <div class="row">↔
    119.
    120.
                                  <div class="col d-flex w-100 container-button">←
    121.
                                      <span class="container-button"></span>←
    122.
                                      <button id="btn-mul-div-1" type="button" data-</pre>
         toggle="button" aria-pressed="true"↔
    123.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-toggle active">2x, 5x, 10x</button>↔
    124.
                                      <span class="container-button"></span>←
                                      <button id="btn-mul-div-2" type="button" data-
    125.
         toggle="button"↔
                                          class="btn btn-xl w-100 btn-info btn-text btn-
    126.
         xl-focus-none btn-mul-div-toggle">Mixed 1 to 12</button>←
    127.
                                      <span class="container-button"></span>←
    128.
                                  </div>←
    129.
                              </div>←
    130.
                              <div class="row">←
                                  <div class="col d-flex w-100 container-button">←
    131.
    132.
                                      <span class="container-button"></span>←
    133.
                                      <button id="btn-mul-div-3" type="button" data-
         toggle="button" ↔
    134.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">1x</button>↔
    135.
                                      <span class="container-button"></span>←
    136.
                                      <button id="btn-mul-div-4" type="button" data-</pre>
         toggle="button"↔
    137.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">7x</button>↔
    138.
                                      <span class="container-button"></span>←
    139.
                                  </div>←
    140.
                              </div>↩
    141.
                              <div class="row">↔
    142.
                                  <div class="col d-flex w-100 container-button">←
    143.
                                      <span class="container-button"></span>←
    144.
                                      <button id="btn-mul-div-5" type="button" data-
         toggle="button"↔
                                          class="btn btn-xl w-100 btn-info btn-text btn-
    145.
         xl-focus-none btn-mul-div-sticky">2x</button>↔
    146.
                                      <span class="container-button"></span>←
    147.
                                      <button id="btn-mul-div-6" type="button" data-
         toggle="button"↔
    148.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">8x</button>←
    149.
                                      <span class="container-button"></span>←
    150.
                                  </div>←
    151.
                              </div>←
                              <div class="row">↔
    152.
    153.
                                  <div class="col d-flex w-100 container-button">←
    154.
                                      <span class="container-button"></span>←
                                      <button id="btn-mul-div-7" type="button" data-
    155.
         toggle="button"↔
                                          class="btn btn-xl w-100 btn-info btn-text btn-
    156.
         xl-focus-none btn-mul-div-sticky">3x</button>←
    157.
                                      <span class="container-button"></span>←
                                      <button id="btn-mul-div-8" type="button" data-
    158.
         toggle="button"↔
    159.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">9x</button>←
    160.
                                      <span class="container-button"></span>←
    161.
                                  </div>←
    162.
                              </div>←
                              <div class="row">↔
    163.
    164.
                                  <div class="col d-flex w-100 container-button">←
    165.
                                      <span class="container-button"></span>←
                                      <button id="btn-mul-div-9" type="button" data-
    166.
         toggle="button"↔
    167.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">4x</button>↔
```

```
29/03/2021
                                   Showing results for contents of text-input area - Nu Html Checker
    168.
                                      <span class="container-button"></span>←
    169.
                                      <button id="btn-mul-div-10" type="button" data-
         toggle="button"↔
    170.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">10x</button>↔
    171.
                                      <span class="container-button"></span>←
    172.
    173.
                              </div>←
    174.
                              <div class="row">↔
    175.
                                  <div class="col d-flex w-100 container-button">←
    176.
                                      <span class="container-button"></span>←
    177.
                                      <button id="btn-mul-div-11" type="button" data-
         toggle="button"↔
    178.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">5x</button>↔
    179.
                                      <span class="container-button"></span>←
    180.
                                      <button id="btn-mul-div-12" type="button" data-
         toggle="button"↔
    181.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">11x</button>↔
    182.
                                      <span class="container-button"></span>←
    183.
                                  </div>←
    184.
                              </div>←
    185.
                              <div class="row">↔
    186.
                                  <div class="col d-flex w-100 container-button">←
    187.
                                      <span class="container-button"></span>↔
    188.
                                      <button id="btn-mul-div-13" type="button" data-
         toggle="button" ←
    189.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">6x</button>↔
    190.
                                      <span class="container-button"></span>↔
    191.
                                      <button id="btn-mul-div-14" type="button" data-
         toggle="button" ←
    192.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-mul-div-sticky">12x</button>↔
    193.
                                      <span class="container-button"></span>←
                                  </div>↔
    194.
    195.
                              </div>←
    196.
                          </div>↩
    197.
                          <div id="options-add-subtract">↔
                              <div class="row">↔
    198.
    199.
                                  <div class="col d-flex w-100 container-button">←
                                      <span class="container-button"></span>←
    200.
    201.
                                      <button id="btn-add-sub-1" type="button" data-</pre>
         toggle="button" aria-pressed="true"↔
    202.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-add-sub-toggle active">Mixed to 10</button>↔
    203.
                                      <span class="container-button"></span>←
                                      <button id="btn-add-sub-2" type="button" data-
    204.
         toggle="button" ←
    205.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-add-sub-toggle">Mixed to 20</button>←
    206.
                                      <span class="container-button"></span>←
    207.
                                  </div>←
    208.
                              </div>↔
    209.
                              <div class="row">↔
    210.
                                  <div class="col d-flex w-100 container-button">←
    211.
                                      <span class="container-button"></span>←
    212.
                                      <button id="btn-add-sub-3" type="button" data-
         toggle="button" ←
    213.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-add-sub-toggle">Mixed to 50</button>←
    214.
                                      <span class="container-button"></span>←
    215.
                                      <button id="btn-add-sub-4" type="button" data-</pre>
         toggle="button" ←
    216.
                                          class="btn btn-xl w-100 btn-info btn-text btn-
         xl-focus-none btn-add-sub-toggle">Mixed to 100</button>←
    217.
                                      <span class="container-button"></span>←
    218.
                                  </div>←
    219.
                              </div>←
```

```
</div>↩
220.
221.
                         </div>←
222.
                         <div class="col-md-2"></div>↔
223.
                   </div>←
224.
             </section>↔
225.
             <!-- Information -->↔
226.
             <section id="information-section" class="container-sm" aria-</pre>
       label="Information Section">↔
227.
                   <div class="row">↔
228.
                         <div class="col-md-2"></div>↔
                         <div class="col-md-8">↔
229.
230.
                               <div class="container-button-group d-flex w-100">←
231.
                                    <button type="button" data-toggle="collapse" data-</pre>
       target="#information" aria-expanded="false" aria-controls="information"
       class="btn btn-xl w-100 btn-info btn-text">How To Play</button>↔
232.
                              </div>↩
233.
                         </div>↔
234.
                   </div>↩
235.
                   <!-- Collapsing Information -->↔
236.
                   <div class="row collapse" id="information">←
                         <div class="col-md-2"></div>←
237.
238.
                         <div class="col-md-8">←
239.
                              <!-- Information Text -->↔
240.
                               <div class="container-text-information">←
241.
                                     ←
242.
                                          Balloon Pop Maths is a fun and engaging interactive
       maths game designed to help reinforce maths skills, ←
243.
                                          and to encourage independent learning. Select game
       mode (multiply, divide, add or subtract), ↔
244.
                                          hit play and pop some balloons! \leftarrow
245.
                                          Number of questions and difficulty level may be
       selected in the game options. \leftarrow
246.
                                          Specific groups of questions may also be selected to
       assist with targeted learning. Please feel free to \ensuremath{\boldsymbol{\leftarrow}}
247.
                                          <a href="#modal-contact" data-toggle="modal" data-</pre>
       target="#modal-contact"><strong>contact</strong></a> ↔
248.
                                          me with suggestions on how I can improve Ballon Pop
       Maths, or if you need a developer to make your ideas reality!
249.
                                     ←
                               </div>↩
250.
251.
                         </div>←
252.
                         <div class="col-md-2"></div>↔
253.
                   </div>←
254.
             </section>↔
255.
             <!-- Game Section -->↩
             <section id="game-section" class="container-xl d-none" aria-label="Game</pre>
256.
       Section">↔
257.
                   <!-- Home Button -->↔
258.
                   <div id="game-section-home" class="row container-button-game">←
259.
                         <div class="col text-left pr-0">←
260.
                               <button id="btn-game-section-home" type="button" data-</pre>
       toggle="button" \leftrightarrow
261.
                                    class="btn btn-xl btn-info btn-text btn-xl-focus-
       none">Home↔
262.
                               </button>←
263.
                         </div>↩
264.
                         <div class="col text-right pl-0">
265.
                               <div id="score" class="btn btn-xl-nofill btn-text-score d-</pre>
       none">Score: 0 / 20</div>↔
266.
                         </div>↔
267.
                   </div>←
                   <!-- Game Loader, shown until window has completed loading -->↔
268.
269.
                   <div id="game-loader" class="container-xl text-center">←
270.
                         <div class="container-loader"></div>↔
271.
                         <div class="lds-grid"><div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div>
       <div></div><div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></div></di>
272.
                         <div class="container-loader"></div>↔
273.
274.
                   <!-- Game Div, hidden until window has completed loading -->↔
                   <div id="game-canvas-controls" class="d-none">←
275.
```

```
276.
                  <!-- Game Canvas, 2 panels - stacked on medium and small devices -
     ->←
277.
                  <div class="row game-section-balloons p-0 m-0">←
278.
                      <div class="col-lg-6 p-0 m-0">←
279.
                          <div class="row canvas-balloon p-0 m-0">←
280.
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
281.
                                   <canvas id="canvas-balloon-left-1"></canvas>↔
282.
                                   <div id="balloon-answer-text-left-1"</pre>
     class="balloon-answer-text balloon-answer-text-top">8</div>↔
283.
                               </div>←
284.
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
285.
                                   <canvas id="canvas-balloon-left-2"></canvas>↔
                                   <div id="balloon-answer-text-left-2"</pre>
286.
     class="balloon-answer-text balloon-answer-text-bottom">10</div>↔
287.
                               </div>←
288.
                          </div>←
289.
                          <div class="row canvas-balloon p-0 m-0">←
290.
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
291.
                                   <canvas id="canvas-balloon-left-3"></canvas>↔
292.
                                   <div id="balloon-answer-text-left-3"</pre>
     class="balloon-answer-text balloon-answer-text-top">12</div>↔
293.
                               </div>←
294.
                          </div>←
295.
                      </div>←
296.
                      <div class="col-lg-6 p-0 m-0">↔
297.
                          <div class="row canvas-balloon p-0 m-0">←
298
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
299.
                                   <canvas id="canvas-balloon-right-1"></canvas>↔
300.
                                   <div id="balloon-answer-text-right-1"</pre>
     class="balloon-answer-text balloon-answer-text-top">18</div>↔
301.
                               </div>←
302
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
303.
                                   <canvas id="canvas-balloon-right-2"></canvas>↔
304.
                                   <div id="balloon-answer-text-right-2"</pre>
     class="balloon-answer-text balloon-answer-text-bottom">18</div>↔
305.
                               </div>←
306.
                          </div>←
307.
                          <div class="row canvas-balloon p-0 m-0">←
308.
                               <div class="col d-flex justify-content-center p-0 m-</pre>
     0">←
309.
                                   <canvas id="canvas-balloon-right-3"></canvas>←
310.
                                   <div id="balloon-answer-text-right-3"</pre>
     class="balloon-answer-text balloon-answer-text-top">18</div>↔
311.
                               </div>←
312.
                          </div>←
313.
                      </div>←
314.
                  </div>←
315.
                  <!-- Game Controls - 3 columns, stacked on small devices -->↔
316.
                  <div class="row game-section-controls p-0 m-0">←
                      <div class="col-md-4">↔
317.
318.
                          <div class="row">↔
319.
                               <div id="audio-controls" class="col-2">←
                                   <i id="mute" class="fas fa-volume-up"></i>↔
320.
321.
                               </div>←
322.
                               <div id="health" class="col-8">↔
323.
                                   <i id="heart1" class="fas fa-heart"></i></i>
                                   <i id="heart2" class="fas fa-heart"></i></i>
324.
                                   <i id="heart3" class="fas fa-heart"></i>
<
325.
                                   <i id="heart4" class="fas fa-heart"></i>↔
326.
                                   <i id="heart5" class="fas fa-heart"></i>↔
327.
328.
329.
                               <div class="col-2"></div>↔
330.
                          </div>←
331.
                      </div>←
                      <div class="col-md-4">↔
332.
```

Used the HTML parser.

Total execution time 88 milliseconds.

About this checker • Report an issue • Version: 21.3.21