

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report

Options...

Check by ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <!-- X-UA-Compatible meta tag, to render web pages in older versions of Internet
Explorer-->
  <meta http-equiv="X-UA-Compatible" content="ie=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <!-- Link to Balloon Favicon -->
  <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"
type="image/x-icon">
  <!-- Link to Bootstrap 4.4.1 CDN -->
  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGs03+Hhvx8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. <!DOCTYPE html><↵
2. <html lang="en"><↵
3. <head><↵
4.   <meta charset="UTF-8"><↵
5.   <!-- X-UA-Compatible meta tag, to render web pages in older versions of
Internet Explorer--><↵
6.   <meta http-equiv="X-UA-Compatible" content="ie=edge"><↵
7.   <meta name="viewport" content="width=device-width, initial-scale=1"><↵
8.   <!-- Link to Balloon Favicon --><↵
9.   <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"
type="image/x-icon"><↵
10.  <!-- Link to Bootstrap 4.4.1 CDN --><↵
```

```

11.     <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-
Vkoo8x4CGs03+Hhxxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
crossorigin="anonymous">↵
12.     <!-- Link to Google Fonts -->↵
13.     <link rel="preconnect" href="https://fonts.gstatic.com">↵
14.     <!-- Link to Nunito font -->↵
15.     <link href="https://fonts.googleapis.com/css2?
family=Nunito:wght@400;600;700&display=swap" rel="stylesheet">↵
16.     <!-- Link to Font Awesome Kit -->↵
17.     <script src="https://kit.fontawesome.com/7863bec69d.js"
crossorigin="anonymous"></script>↵
18.     <!-- Link to Custom CSS -->↵
19.     <link rel="stylesheet" href="assets/css/style.css">↵
20.     <!-- Link to Email JS -->↵
21.     <script src="https://cdn.jsdelivr.net/npm/emailjs-com@2/dist/email.min.js">
</script>↵
22.     <title>Balloon Pop Maths</title>↵
23. </head>↵
24. <body>↵
25.     <!-- Balloon Pop Maths Home Page, Menu -->↵
26.     <section id="heading-section" class="container-sm">↵
27.         <!-- Balloon Pop Maths Heading -->↵
28.         <div class="row">↵
29.             <!-- Screens smaller than md -->↵
30.             <div class="col-12 d-md-none container-heading-main text-center">↵
31.                 <a href="index.html">↵
32.                     <h1 class="heading-main">Balloon</h1>↵
33.                     <h1 class="heading-main">Pop↵
34.                         ↵
35.                     </h1>↵
36.                     <h1 class="heading-main">Maths</h1>↵
37.                 </a>↵
38.             </div>↵
39.             <!-- Screens larger than md -->↵
40.             <div class="col-12 d-none d-md-block container-heading-main-large
text-center">↵
41.                 <a href="index.html">↵
42.                     <h1 class="heading-main">Balloon Pop Maths</h1>↵
43.                 </a>↵
44.             </div>↵
45.         </div>↵
46.     </section>↵
47.     <!-- Options -->↵
48.     <section id="options-section" class="container-sm" aria-label="Options
Section">↵
49.         <div class="row">↵
50.             <div class="col-md-2"></div>↵
51.             <div class="col-md-8">↵
52.                 <!-- Game Mode Options -->↵
53.                 <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
54.                     <label id="multiply" class="btn btn-xl w-100 btn-info btn-
text active">↵
55.                         <input type="radio" aria-label="Multiplication"
name="game-mode" checked> x↵
56.                     </label>↵
57.                     <label id="divide" class="btn btn-xl w-100 btn-info btn-
text">↵
58.                         <input type="radio" aria-label="Division" name="game-
mode"> &divide;↵
59.                     </label>↵

```

```

60.         <label id="add" class="btn btn-xl w-100 btn-info btn-text">↵
61.             <input type="radio" aria-label="Addition" name="game-
mode"> +↵
62.         </label>↵
63.         <label id="subtract" class="btn btn-xl w-100 btn-info btn-
text">↵
64.             <input type="radio" aria-label="Subtraction" name="game-
mode"> -↵
65.         </label>↵
66.     </div>↵
67.     <!-- High Score -->↵
68.     <div class="container-button-group d-flex w-100">↵
69.         <span id="highscore" class="btn btn-xl btn-info btn-text-
score">High Score: 0 / 10</span> ↵
70.     </div>↵
71.     <!-- Play Button, hidden until window has finished loading -->↵
72.     <div class="container-button-group d-flex w-100">↵
73.         <button id="play" type="button" class="btn btn-xxl w-100
btn-info btn-text">PLAY</button>↵
74.     </div>↵
75.     <!-- Audio Controls -->↵
76.     <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
77.         <label id="audio-on" class="btn btn-xl w-100 btn-info btn-
text active">↵
78.             <input type="radio" aria-label="Audio On" name="audio-
on" checked><i class="fas fa-volume-up"></i>↵
79.         </label>↵
80.         <label id="audio-off" class="btn btn-xl w-100 btn-info btn-
text">↵
81.             <input type="radio" aria-label="Audio Off" name="audio-
off"><i class="fas fa-volume-mute"></i>↵
82.         </label>↵
83.     </div>↵
84.     <!-- Options Button -->↵
85.     <div class="container-button-group d-flex w-100">↵
86.         <button type="button" data-toggle="collapse" data-
target="#options" aria-expanded="false" aria-controls="options" class="btn btn-
xl w-100 btn-info btn-text">Options</button>↵
87.     </div>↵
88. </div>↵
89. </div>↵
90. <!-- Collapsing Options -->↵
91. <div class="row collapse" id="options">↵
92.     <div class="col-md-2"></div>↵
93.     <div class="col-md-8">↵
94.         <!-- Options applicable to all games -->↵
95.         <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
96.             <label id="10q" class="btn btn-xl w-100 btn-info btn-text
active">↵
97.                 <input type="radio" name="questions" checked> 10
Questions↵
98.             </label>↵
99.             <label id="20q" class="btn btn-xl w-100 btn-info btn-text">↵
100.                 <input type="radio" name="questions"> 20 Questions↵
101.             </label>↵
102.         </div>↵
103.         <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
104.             <label id="easy" class="btn btn-xl w-100 btn-info btn-text
active">↵
105.                 <input type="radio" name="difficulty" checked> Easy↵
106.             </label>↵
107.             <label id="medium" class="btn btn-xl w-100 btn-info btn-
text">↵

```

```

108.         <input type="radio" name="difficulty"> Medium↵
109.     </label>↵
110.     <label id="hard" class="btn btn-xl w-100 btn-info btn-
text">↵
111.         <input type="radio" name="difficulty"> Hard↵
112.     </label>↵
113. </div>↵
114. <!-- Multiplication and Division game options -->↵
115. <div id="options-multiply-divide">↵
116.     <div class="row">↵
117.         <div class="col d-flex w-100 container-button">↵
118.             <span class="container-button"></span>↵
119.             <button id="btn-mul-div-1" type="button" data-
toggle="button" aria-pressed="true"↵
120.                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none active">2x, 5x, 10x</button>↵
121.                 <span class="container-button"></span>↵
122.                 <button id="btn-mul-div-2" type="button" data-
toggle="button"↵
123.                     class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">Mixed 1 to 12</button>↵
124.                     <span class="container-button"></span>↵
125.                 </div>↵
126.             </div>↵
127.             <div class="row">↵
128.                 <div class="col d-flex w-100 container-button">↵
129.                     <span class="container-button"></span>↵
130.                     <button id="btn-mul-div-3" type="button" data-
toggle="button" ↵
131.                         class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">1x</button>↵
132.                         <span class="container-button"></span>↵
133.                         <button id="btn-mul-div-4" type="button" data-
toggle="button"↵
134.                             class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">7x</button>↵
135.                             <span class="container-button"></span>↵
136.                         </div>↵
137.                     </div>↵
138.                     <div class="row">↵
139.                         <div class="col d-flex w-100 container-button">↵
140.                             <span class="container-button"></span>↵
141.                             <button id="btn-mul-div-5" type="button" data-
toggle="button"↵
142.                                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">2x</button>↵
143.                                 <span class="container-button"></span>↵
144.                                 <button id="btn-mul-div-6" type="button" data-
toggle="button"↵
145.                                     class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">8x</button>↵
146.                                     <span class="container-button"></span>↵
147.                                 </div>↵
148.                             </div>↵
149.                             <div class="row">↵
150.                                 <div class="col d-flex w-100 container-button">↵
151.                                     <span class="container-button"></span>↵
152.                                     <button id="btn-mul-div-7" type="button" data-
toggle="button"↵
153.                                         class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">3x</button>↵
154.                                         <span class="container-button"></span>↵
155.                                         <button id="btn-mul-div-8" type="button" data-
toggle="button"↵
156.                                             class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">9x</button>↵

```

```
157.         <span class="container-button"></span><↵
158.     </div><↵
159. </div><↵
160.     <div class="row"><↵
161.         <div class="col d-flex w-100 container-button"><↵
162.             <span class="container-button"></span><↵
163.             <button id="btn-mul-div-9" type="button" data-
toggle="button"<↵
164.                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">4x</button><↵
165.                 <span class="container-button"></span><↵
166.                 <button id="btn-mul-div-10" type="button" data-
toggle="button"<↵
167.                     class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">10x</button><↵
168.                     <span class="container-button"></span><↵
169.                 </div><↵
170.             </div><↵
171.         <div class="row"><↵
172.             <div class="col d-flex w-100 container-button"><↵
173.                 <span class="container-button"></span><↵
174.                 <button id="btn-mul-div-11" type="button" data-
toggle="button"<↵
175.                     class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">5x</button><↵
176.                     <span class="container-button"></span><↵
177.                     <button id="btn-mul-div-12" type="button" data-
toggle="button"<↵
178.                         class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">11x</button><↵
179.                         <span class="container-button"></span><↵
180.                     </div><↵
181.                 </div><↵
182.             <div class="row"><↵
183.                 <div class="col d-flex w-100 container-button"><↵
184.                     <span class="container-button"></span><↵
185.                     <button id="btn-mul-div-13" type="button" data-
toggle="button" <↵
186.                         class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">6x</button><↵
187.                         <span class="container-button"></span><↵
188.                         <button id="btn-mul-div-14" type="button" data-
toggle="button" <↵
189.                             class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">12x</button><↵
190.                             <span class="container-button"></span><↵
191.                         </div><↵
192.                     </div><↵
193.                 </div><↵
194.             <div id="options-add-subtract"><↵
195.                 <div class="row"><↵
196.                     <div class="col d-flex w-100 container-button"><↵
197.                         <span class="container-button"></span><↵
198.                         <button id="btn-add-sub-1" type="button" data-
toggle="button" aria-pressed="true"<↵
199.                             class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none active">Mixed to 10</button><↵
200.                             <span class="container-button"></span><↵
201.                             <button id="btn-add-sub-2" type="button" data-
toggle="button" <↵
202.                                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">Mixed to 20</button><↵
203.                                 <span class="container-button"></span><↵
204.                             </div><↵
205.                         </div><↵
206.                     <div class="row"><↵
```

```

207.         <div class="col d-flex w-100 container-button">↵
208.             <span class="container-button"></span>↵
209.             <button id="btn-add-sub-3" type="button" data-
toggle="button" ↵
210.                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">Mixed to 50</button>↵
211.             <span class="container-button"></span>↵
212.             <button id="btn-add-sub-4" type="button" data-
toggle="button" ↵
213.                 class="btn btn-xl w-100 btn-info btn-text btn-
xl-focus-none">Mixed to 100</button>↵
214.             <span class="container-button"></span>↵
215.         </div>↵
216.     </div>↵
217. </div>↵
218. </div>↵
219. <div class="col-md-2"></div>↵
220. </div>↵
221. </section>↵
222. <!-- Information -->↵
223. <section id="information-section" class="container-sm" aria-
label="Information Section">↵
224.     <div class="row">↵
225.         <div class="col-md-2"></div>↵
226.         <div class="col-md-8">↵
227.             <div class="container-button-group d-flex w-100">↵
228.                 <button type="button" data-toggle="collapse" data-
target="#information" aria-expanded="false" aria-controls="information"
class="btn btn-xl w-100 btn-info btn-text">How To Play</button>↵
229.             </div>↵
230.         </div>↵
231.     </div>↵
232.     <!-- Collapsing Information -->↵
233.     <div class="row collapse" id="information">↵
234.         <div class="col-md-2"></div>↵
235.         <div class="col-md-8">↵
236.             <!-- Information Text -->↵
237.             <div class="container-text-information">↵
238.                 <p class="text-information">↵
239.                     Balloon Pop Maths is a fun and engaging interactive
maths game designed to help reinforce maths skills, ↵
240.                     and to encourage independent learning. Select game mode
(multiply, divide, add or subtract), ↵
241.                     hit play and pop some balloons! ↵
242.                     Number of questions and difficulty level may be selected
in the game options. ↵
243.                     Specific groups of questions may also be selected to
assist with targeted learning. Please feel free to ↵
244.                     <a href="#modal-contact" data-toggle="modal" data-
target="#modal-contact"><strong>contact</strong></a> ↵
245.                     me with suggestions on how I can improve Ballon Pop
Maths, or if you need a developer to make your ideas reality! ↵
246.                 </p>↵
247.             </div>↵
248.         </div>↵
249.     </div class="col-md-2"></div>↵
250. </div>↵
251. </section>↵
252. <!-- Game Section -->↵
253. <section id="game-section" class="container-xl d-none" aria-label="Game
Section">↵
254.     <!-- Home Button -->↵
255.     <div id="game-section-home" class="row container-button-game">↵
256.         <div class="col text-left pr-0">↵
257.             <button id="btn-game-section-home" type="button" data-
toggle="button" ↵

```


[illegible]

```

315.         <div class="row">↵
316.             <div id="audio-controls" class="col-2">↵
317.                 <i id="mute" class="fas fa-volume-up"></i>↵
318.             </div>↵
319.             <div id="health" class="col-8">↵
320.                 <i id="heart1" class="fas fa-heart"></i>↵
321.                 <i id="heart2" class="fas fa-heart"></i>↵
322.                 <i id="heart3" class="fas fa-heart"></i>↵
323.                 <i id="heart4" class="fas fa-heart"></i>↵
324.                 <i id="heart5" class="fas fa-heart"></i>↵
325.             </div>↵
326.         </div>↵
327.     </div>↵
328. </div>↵
329. <div class="col-md-4">↵
330.     <div id="question">10 x 10</div>↵
331. </div>↵
332. <div class="col-md-4">↵
333. </div>↵
334. </div>↵
335. </div>↵
336. </section>↵
337. <!-- Feedback modal -->↵
338. <div id="modal-feedback" class="modal" tabindex="-1" role="dialog">↵
339.     <div class="modal-dialog modal-dialog-centered" role="document">↵
340.         <div class="modal-content">↵
341.             <div class="modal-header">↵
342.                 <h2 id="modal-feedback-heading-text" class="modal-
343. title">Modal Title</h2>↵
344.                 <button type="button" class="close" data-dismiss="modal"
345. aria-label="Close">↵
346.                     <span aria-hidden="true">&times;</span>↵
347.                 </button>↵
348.             </div>↵
349.             <div class="modal-body">↵
350.                 <p id="modal-feedback-body-text">Modal content.</p>↵
351.             </div>↵
352.         </div>↵
353.     </div>↵
354. <!-- Contact modal -->↵
355. <div id="modal-contact" class="modal" tabindex="-1" role="dialog">↵
356.     <div class="modal-dialog modal-dialog-centered" role="document">↵
357.         <div class="modal-content">↵
358.             <div class="modal-header">↵
359.                 <h2 id="modal-contact-heading-text" class="modal-
360. title">Contact Developer</h2>↵
361.                 <button type="button" class="close" data-dismiss="modal"
362. aria-label="Close">↵
363.                     <span aria-hidden="true">&times;</span>↵
364.                 </button>↵
365.             </div>↵
366.             <div class="modal-body">↵
367.                 <!-- sendMail javascript function run on submit -->↵
368.                 <form id="contact" onsubmit="return sendMail(this);">↵
369.                     <p>Please feel free to contact me with suggestions on
370. how I can improve Balloon Pop Maths, or if you need a developer to make your
371. ideas reality! </p>↵
372.                     <div class="form-group">↵
373.                         <input type="text" class="form-control" id="name"
374. name="name" placeholder="Enter name" aria-label="Enter name" required>↵
375.                     </div>↵
376.                     <div class="form-group">↵
377.                         <input type="email" class="form-control" id="email"
378. name="email" placeholder="Enter email" aria-label="Enter email" required>↵
379.                     </div>↵

```



```

373.         <div class="form-group">↵
374.             <textarea class="form-control" id="message"
name="message" placeholder="Enter message" aria-label="Enter message"
maxlength="6000" rows="7" required></textarea>↵
375.         </div>↵
376.         <div id="form-buttons" class="text-right">↵
377.             <button type="button" class="btn btn-lg btn-
secondary" data-dismiss="modal">Close</button>↵
378.             <button type="submit" id="form-submit" class="btn
btn-lg btn-primary">Submit</button>↵
379.         </div>↵
380.     </form>↵
381. </div>↵
382. </div>↵
383. </div>↵
384. </div>↵
385. <!-- Footer -->↵
386. <footer class="container-sm">↵
387.     <div class="container-footer">↵
388.         <a href="#modal-contact" data-toggle="modal" data-target="#modal-
contact">Contact Developer</a>↵
389.         <a href="https://github.com/richardhenyash" target="_blank"><i
class="fab fa-github-square fa-lg"></i></a>↵
390.     </div>↵
391. </footer>↵
392. <!-- JavaScript links -->↵
393. <script src="https://code.jquery.com/jquery-3.2.1.js" integrity="sha256-
DZAnKJ/6XZ9si04HgrsXu/8s717jcIzLy3oi35EouyE=" crossorigin="anonymous"></script>↵
394. <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
integrity="sha384-
Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
crossorigin="anonymous"></script>↵
395. <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
integrity="sha384-
wfSDF2E50Y2D1uUdj003uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl30g8ifwB6"
crossorigin="anonymous"></script>↵
396. <script src="assets/js/initialisation.js"></script>↵
397. <script src="assets/js/audio.js"></script>↵
398. <script src="assets/js/animation.js"></script>↵
399. <script src="assets/js/display.js"></script>↵
400. <script src="assets/js/game-logic.js"></script>↵
401. <script src="assets/js/mail.js"></script>↵
402. <script src="assets/js/math.js"></script>↵
403. <script src="assets/js/events.js"></script>↵
404. </body>↵
405. </html>

```

Used the HTML parser.

Total execution time 36 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 21.3.20