# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source ☐ outline ☐ image report

Options…

Check by [text input ▼] ☐ css

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <!-- X-UA-Compatible meta tag, to render web pages in older versions of Internet
Explorer-->
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <!-- Link to Balloon Favicon -->
    <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"
type="image/x-icon">
    <!-- Link to Bootstrap 4.4.1 CDN -->
    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
integrity="sha384-Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. `<!DOCTYPE html>↵`
2. `<html lang="en">↵`
3. `<head>↵`
4. `    <meta charset="UTF-8">↵`
5. `   <!-- X-UA-Compatible meta tag, to render web pages in older versions of
    Internet Explorer-->↵`
6. `    <meta http-equiv="X-UA-Compatible" content="ie=edge">↵`
7. `    <meta name="viewport" content="width=device-width, initial-scale=1">↵`
8. `    <!-- Link to Balloon Favicon -->↵`
9. `   <link rel="shortcut icon" href="assets/images/balloon-favicon.ico"
    type="image/x-icon">↵`
10. `    <!-- Link to Bootstrap 4.4.1 CDN -->↵`

```
11.        <link rel="stylesheet"
      href="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/css/bootstrap.min.css"
      integrity="sha384-
      Vkoo8x4CGsO3+Hhxv8T/Q5PaXtkKtu6ug5TOeNV6gBiFeWPGFN9MuhOf23Q9Ifjh"
      crossorigin="anonymous">↵
12.        <!-- Link to Google Fonts -->↵
13.        <link rel="preconnect" href="https://fonts.gstatic.com">↵
14.        <!-- Link to Nunito font -->↵
15.        <link href="https://fonts.googleapis.com/css2?
      family=Nunito:wght@400;600;700&display=swap" rel="stylesheet">↵
16.        <!-- Link to Font Awesome Kit -->↵
17.        <script src="https://kit.fontawesome.com/7863bec69d.js"
      crossorigin="anonymous"></script>↵
18.        <!-- Link to Custom CSS -->↵
19.        <link rel="stylesheet" href="assets/css/style.css">↵
20.        <!-- Link to Email JS -->↵
21.        <script src="https://cdn.jsdelivr.net/npm/emailjs-com@2/dist/email.min.js">
      </script>↵
22.        <title>Balloon Pop Maths</title>↵
23.    </head>↵
24.    <body>↵
25.        <!-- Balloon Pop Maths Home Page, Menu -->↵
26.        <section id="heading-section" class="container-sm">↵
27.            <!-- Balloon Pop Maths Heading -->↵
28.            <div class="row">↵
29.                <!-- Screens smaller than md -->↵
30.                <div class="col-12 d-md-none container-heading-main text-center">↵
31.                    <a href="index.html">↵
32.                        <h1 class="heading-main">Balloon</h1>↵
33.                        <h1 class="heading-main">Pop↵
34.                            <img src="assets/images/balloon-purple-cropped.png"
      alt="Purple balloon popping" height="80" width="80"/>↵
35.                        </h1>↵
36.                        <h1 class="heading-main">Maths</h1>↵
37.                    </a>↵
38.                </div>↵
39.                <!-- Screens larger than md -->↵
40.                <div class="col-12 d-none d-md-block container-heading-main-large
      text-center">↵
41.                    <a href="index.html">↵
42.                        <h1 class="heading-main">Balloon Pop<img
      src="assets/images/balloon-purple-cropped.png" alt="Purple balloon popping"
      height="80" width="80"> Maths</h1>↵
43.                    </a>↵
44.                </div>↵
45.            </div>↵
46.        </section>↵
47.        <!-- Options -->↵
48.        <section id="options-section" class="container-sm" aria-label="Options
      Section">↵
49.            <div class="row">↵
50.                <div class="col-md-2"></div>↵
51.                <div class="col-md-8">↵
52.                    <!-- Game Mode Options -->↵
53.                    <div class="btn-group btn-group-toggle d-flex w-100 container-
      button-group" data-toggle="buttons">↵
54.                        <label id="multiply" class="btn btn-xl w-100 btn-info btn-
      text active">↵
55.                            <input type="radio" aria-label="Multiplication"
      name="game-mode" checked> x↵
56.                        </label>↵
57.                        <label id="divide" class="btn btn-xl w-100 btn-info btn-
      text">↵
58.                            <input type="radio" aria-label="Division" name="game-
      mode"> &divide;↵
59.                        </label>↵
```

```
60.                    <label id="add" class="btn btn-xl w-100 btn-info btn-text">↵
61.                        <input type="radio" aria-label="Addition" name="game-
mode"> +↵
62.                    </label>↵
63.                    <label id="subtract" class="btn btn-xl w-100 btn-info btn-
text">↵
64.                        <input type="radio" aria-label="Subtraction" name="game-
mode"> -↵
65.                    </label>↵
66.                </div>↵
67.                <!-- High Score -->↵
68.                <div class="container-button-group d-flex w-100">↵
69.                    <span id="highscore" class="btn-xl-nofill w-100 btn-text-
score">High Score: 0 / 10</span> ↵
70.                </div>↵
71.                 <!-- Play Button, hidden until window has finished loading -->↵
72.                <div class="container-button-group d-flex w-100">↵
73.                    <button id="play" type="button" class="btn btn-xxl w-100
btn-info btn-text">PLAY</button>↵
74.                </div>↵
75.                <!-- Audio Controls -->↵
76.                <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
77.                    <label id="audio-on" class="btn btn-xl w-100 btn-info btn-
text active">↵
78.                        <input type="radio" aria-label="Audio On" name="audio-
on" checked><i class="fas fa-volume-up"></i>↵
79.                    </label>↵
80.                    <label id="audio-off" class="btn btn-xl w-100 btn-info btn-
text">↵
81.                        <input type="radio" aria-label="Audio Off" name="audio-
off"><i class="fas fa-volume-mute"></i>↵
82.                    </label>↵
83.                </div>↵
84.                <!-- Options Button -->↵
85.                <div class="container-button-group d-flex w-100">↵
86.                    <button type="button" data-toggle="collapse" data-
target="#options" aria-expanded="false" aria-controls="options" class="btn btn-
xl w-100 btn-info btn-text">Options</button>↵
87.                </div>↵
88.            </div>↵
89.        </div>↵
90.        <!-- Collapsing Options -->↵
91.        <div class="row collapse" id="options">↵
92.            <div class="col-md-2"></div>↵
93.            <div class="col-md-8">↵
94.                <!-- Options applicable to all games -->↵
95.                <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
96.                    <label id="10q" class="btn btn-xl w-100 btn-info btn-text
active">↵
97.                        <input type="radio" name="questions" checked> 10
Questions↵
98.                    </label>↵
99.                    <label id="20q" class="btn btn-xl w-100 btn-info btn-text">↵
100.                        <input type="radio" name="questions"> 20 Questions↵
101.                    </label>↵
102.                </div>↵
103.                <div class="btn-group btn-group-toggle d-flex w-100 container-
button-group" data-toggle="buttons">↵
104.                    <label id="easy" class="btn btn-xl w-100 btn-info btn-text
active">↵
105.                        <input type="radio" name="difficulty" checked> Easy↵
106.                    </label>↵
107.                    <label id="medium" class="btn btn-xl w-100 btn-info btn-
text">↵
```

```
108.                         <input type="radio" name="difficulty"> Medium↵
109.                     </label>↵
110.                     <label id="hard" class="btn btn-xl w-100 btn-info btn-
     text">↵
111.                         <input type="radio" name="difficulty"> Hard↵
112.                     </label>↵
113.                 </div>↵
114.                 <!-- Multiplication and Division game options -->↵
115.                 <div id="options-multiply-divide">↵
116.                     <div class="row">↵
117.                         <div class="col d-flex w-100 container-button">↵
118.                             <span class="container-button"></span>↵
119.                             <button id="btn-mul-div-1" type="button" data-
     toggle="button" aria-pressed="true"↵
120.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-toggle active">2x, 5x, 10x</button>↵
121.                             <span class="container-button"></span>↵
122.                             <button id="btn-mul-div-2" type="button" data-
     toggle="button"↵
123.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-toggle">Mixed 1 to 12</button>↵
124.                             <span class="container-button"></span>↵
125.                         </div>↵
126.                     </div>↵
127.                     <div class="row">↵
128.                         <div class="col d-flex w-100 container-button">↵
129.                             <span class="container-button"></span>↵
130.                             <button id="btn-mul-div-3" type="button" data-
     toggle="button" ↵
131.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">1x</button>↵
132.                             <span class="container-button"></span>↵
133.                             <button id="btn-mul-div-4" type="button" data-
     toggle="button"↵
134.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">7x</button>↵
135.                             <span class="container-button"></span>↵
136.                         </div>↵
137.                     </div>↵
138.                     <div class="row">↵
139.                         <div class="col d-flex w-100 container-button">↵
140.                             <span class="container-button"></span>↵
141.                             <button id="btn-mul-div-5" type="button" data-
     toggle="button"↵
142.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">2x</button>↵
143.                             <span class="container-button"></span>↵
144.                             <button id="btn-mul-div-6" type="button" data-
     toggle="button"↵
145.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">8x</button>↵
146.                             <span class="container-button"></span>↵
147.                         </div>↵
148.                     </div>↵
149.                     <div class="row">↵
150.                         <div class="col d-flex w-100 container-button">↵
151.                             <span class="container-button"></span>↵
152.                             <button id="btn-mul-div-7" type="button" data-
     toggle="button"↵
153.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">3x</button>↵
154.                             <span class="container-button"></span>↵
155.                             <button id="btn-mul-div-8" type="button" data-
     toggle="button"↵
156.                                 class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">9x</button>↵
```

```
157.                            <span class="container-button"></span>↵
158.                        </div>↵
159.                    </div>↵
160.                    <div class="row">↵
161.                        <div class="col d-flex w-100 container-button">↵
162.                            <span class="container-button"></span>↵
163.                            <button id="btn-mul-div-9" type="button" data-
     toggle="button"↵
164.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">4x</button>↵
165.                            <span class="container-button"></span>↵
166.                            <button id="btn-mul-div-10" type="button" data-
     toggle="button"↵
167.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">10x</button>↵
168.                            <span class="container-button"></span>↵
169.                        </div>↵
170.                    </div>↵
171.                    <div class="row">↵
172.                        <div class="col d-flex w-100 container-button">↵
173.                            <span class="container-button"></span>↵
174.                            <button id="btn-mul-div-11" type="button" data-
     toggle="button"↵
175.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">5x</button>↵
176.                            <span class="container-button"></span>↵
177.                            <button id="btn-mul-div-12" type="button" data-
     toggle="button"↵
178.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">11x</button>↵
179.                            <span class="container-button"></span>↵
180.                        </div>↵
181.                    </div>↵
182.                    <div class="row">↵
183.                        <div class="col d-flex w-100 container-button">↵
184.                            <span class="container-button"></span>↵
185.                            <button id="btn-mul-div-13" type="button" data-
     toggle="button" ↵
186.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">6x</button>↵
187.                            <span class="container-button"></span>↵
188.                            <button id="btn-mul-div-14" type="button" data-
     toggle="button" ↵
189.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-mul-div-sticky">12x</button>↵
190.                            <span class="container-button"></span>↵
191.                        </div>↵
192.                    </div>↵
193.                </div>↵
194.                <div id="options-add-subtract">↵
195.                    <div class="row">↵
196.                        <div class="col d-flex w-100 container-button">↵
197.                            <span class="container-button"></span>↵
198.                            <button id="btn-add-sub-1" type="button" data-
     toggle="button" aria-pressed="true"↵
199.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-add-sub-toggle active">Mixed to 10</button>↵
200.                            <span class="container-button"></span>↵
201.                            <button id="btn-add-sub-2" type="button" data-
     toggle="button" ↵
202.                                class="btn btn-xl w-100 btn-info btn-text btn-
     xl-focus-none btn-add-sub-toggle">Mixed to 20</button>↵
203.                            <span class="container-button"></span>↵
204.                        </div>↵
205.                    </div>↵
206.                    <div class="row">↵
```

```
207.                            <div class="col d-flex w-100 container-button">↵
208.                                <span class="container-button"></span>↵
209.                                <button id="btn-add-sub-3" type="button" data-
      toggle="button" ↵
210.                                    class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle">Mixed to 50</button>↵
211.                                <span class="container-button"></span>↵
212.                                <button id="btn-add-sub-4" type="button" data-
      toggle="button" ↵
213.                                    class="btn btn-xl w-100 btn-info btn-text btn-
      xl-focus-none btn-add-sub-toggle">Mixed to 100</button>↵
214.                                <span class="container-button"></span>↵
215.                            </div>↵
216.                        </div>↵
217.                    </div>↵
218.                </div>↵
219.                <div class="col-md-2"></div>↵
220.            </div>↵
221.        </section>↵
222.        <!-- Information -->↵
223.        <section id="information-section" class="container-sm" aria-
      label="Information Section">↵
224.            <div class="row">↵
225.                <div class="col-md-2"></div>↵
226.                <div class="col-md-8">↵
227.                    <div class="container-button-group d-flex w-100">↵
228.                        <button type="button" data-toggle="collapse" data-
      target="#information" aria-expanded="false" aria-controls="information"
      class="btn btn-xl w-100 btn-info btn-text">How To Play</button>↵
229.                    </div>↵
230.                </div>↵
231.            </div>↵
232.            <!-- Collapsing Information -->↵
233.            <div class="row collapse" id="information">↵
234.                <div class="col-md-2"></div>↵
235.                <div class="col-md-8">↵
236.                    <!-- Information Text -->↵
237.                    <div class="container-text-information">↵
238.                        <p class="text-information">↵
239.                            Balloon Pop Maths is a fun and engaging interactive
      maths game designed to help reinforce maths skills, ↵
240.                            and to encourage independent learning. Select game mode
      (multiply, divide, add or subtract), ↵
241.                            hit play and pop some balloons! ↵
242.                            Number of questions and difficulty level may be selected
      in the game options. ↵
243.                            Specific groups of questions may also be selected to
      assist with targeted learning. Please feel free to ↵
244.                            <a href="#modal-contact" data-toggle="modal" data-
      target="#modal-contact"><strong>contact</strong></a> ↵
245.                            me with suggestions on how I can improve Ballon Pop
      Maths, or if you need a developer to make your ideas reality!              ↵
246.                        </p>↵
247.                    </div>↵
248.                </div>↵
249.                <div class="col-md-2"></div>↵
250.            </div>↵
251.        </section>↵
252.        <!-- Game Section -->↵
253.        <section id="game-section" class="container-xl d-none" aria-label="Game
      Section">↵
254.            <!-- Home Button -->↵
255.            <div id="game-section-home" class="row container-button-game">↵
256.                <div class="col text-left pr-0">↵
257.                    <button id="btn-game-section-home" type="button" data-
      toggle="button" ↵
```

```
258.                      class="btn btn-xl btn-info btn-text btn-xl-focus-none">Home↵
259.                  </button>↵
260.              </div>↵
261.              <div class="col text-right pl-0">              ↵
262.                  <div id="score" class="btn btn-xl-nofill btn-text-score d-
     none">Score: 0 / 20</div>↵
263.              </div>↵
264.          </div>↵
265.          <!-- Game Loader, shown until window has completed loading -->↵
266.          <div id="game-loader" class="container-xl text-center">↵
267.              <div class="container-loader"></div>↵
268.              <div class="lds-grid"><div></div><div></div><div></div><div></div>
     <div></div><div></div><div></div><div></div><div></div></div>↵
269.              <div class="container-loader"></div>↵
270.          </div>↵
271.          <!-- Game Div, hidden until window has completed loading -->↵
272.          <div id="game-canvas-controls" class="d-none">↵
273.              <!-- Game Canvas, 2 panels - stacked on medium and small devices --
     >↵
274.              <div class="row game-section-balloons p-0 m-0">↵
275.                  <div class="col-lg-6 p-0 m-0">↵
276.                      <div class="row canvas-balloon p-0 m-0">↵
277.                          <div class="col d-flex justify-content-center p-0 m-0">↵
278.                              <canvas id="canvas-balloon-left-1"></canvas>↵
279.                              <div id="balloon-answer-text-left-1" class="balloon-
     answer-text balloon-answer-text-top">8</div>↵
280.                          </div>↵
281.                          <div class="col d-flex justify-content-center p-0 m-0">↵
282.                              <canvas id="canvas-balloon-left-2"></canvas>↵
283.                              <div id="balloon-answer-text-left-2" class="balloon-
     answer-text balloon-answer-text-bottom">10</div>↵
284.                          </div>↵
285.                      </div>↵
286.                      <div class="row canvas-balloon p-0 m-0">↵
287.                          <div class="col d-flex justify-content-center p-0 m-0">↵
288.                              <canvas id="canvas-balloon-left-3"></canvas>↵
289.                              <div id="balloon-answer-text-left-3" class="balloon-
     answer-text balloon-answer-text-top">12</div>↵
290.                          </div>↵
291.                      </div>↵
292.                  </div>↵
293.                  <div class="col-lg-6 p-0 m-0">↵
294.                      <div class="row canvas-balloon p-0 m-0">↵
295.                          <div class="col d-flex justify-content-center p-0 m-0">↵
296.                              <canvas id="canvas-balloon-right-1"></canvas>↵
297.                              <div id="balloon-answer-text-right-1"
     class="balloon-answer-text balloon-answer-text-top">18</div>↵
298.                          </div>↵
299.                          <div class="col d-flex justify-content-center p-0 m-0">↵
300.                              <canvas id="canvas-balloon-right-2"></canvas>↵
301.                              <div id="balloon-answer-text-right-2"
     class="balloon-answer-text balloon-answer-text-bottom">18</div>↵
302.                          </div>↵
303.                      </div>↵
304.                      <div class="row canvas-balloon p-0 m-0">↵
305.                          <div class="col d-flex justify-content-center p-0 m-0">↵
306.                              <canvas id="canvas-balloon-right-3"></canvas>↵
307.                              <div id="balloon-answer-text-right-3"
     class="balloon-answer-text balloon-answer-text-top">18</div>↵
308.                          </div>↵
309.                      </div>↵
310.                  </div>↵
311.              </div>↵
312.              <!-- Game Controls - 3 columns, stacked on small devices -->↵
313.              <div class="row game-section-controls p-0 m-0">↵
314.                  <div class="col-md-4">↵
```

```
315.                     <div class="row">↵
316.                         <div id="audio-controls" class="col-2">↵
317.                             <i id="mute" class="fas fa-volume-up"></i>↵
318.                         </div>↵
319.                         <div id="health" class="col-8">↵
320.                             <i id="heart1" class="fas fa-heart"></i>↵
321.                             <i id="heart2" class="fas fa-heart"></i>↵
322.                             <i id="heart3" class="fas fa-heart"></i>↵
323.                             <i id="heart4" class="fas fa-heart"></i>↵
324.                             <i id="heart5" class="fas fa-heart"></i>↵
325.                         </div>↵
326.                         <div class="col-2"></div>↵
327.                     </div>↵
328.                 </div>↵
329.                 <div class="col-md-4">↵
330.                     <div id="question">10 x 10</div>                   ↵
331.                 </div>↵
332.                 <div class="col-md-4">↵
333.                 </div>↵
334.             </div>↵
335.         </div>↵
336.     </section>↵
337.     <!-- Feedback modal -->↵
338.     <div id="modal-feedback" class="modal" tabindex="-1" role="dialog">↵
339.         <div class="modal-dialog modal-dialog-centered" role="document">↵
340.             <div class="modal-content">↵
341.                 <div class="modal-header">↵
342.                     <h2 id="modal-feedback-heading-text" class="modal-
    title">Modal Title</h2>↵
343.                     <button type="button" class="close" data-dismiss="modal"
    aria-label="Close">↵
344.                         <span aria-hidden="true">&times;</span>↵
345.                     </button>↵
346.                 </div>↵
347.                 <div class="modal-body">↵
348.                     <p id="modal-feedback-body-text">Modal content.</p>↵
349.                 </div>↵
350.             </div>↵
351.         </div>↵
352.     </div>↵
353.     <!-- Contact modal -->↵
354.     <div id="modal-contact" class="modal" tabindex="-1" role="dialog">↵
355.         <div class="modal-dialog modal-dialog-centered" role="document">↵
356.             <div class="modal-content">↵
357.                 <div class="modal-header">↵
358.                     <h2 id="modal-contact-heading-text" class="modal-
    title">Contact Developer</h2>↵
359.                     <button type="button" class="close" data-dismiss="modal"
    aria-label="Close">↵
360.                         <span aria-hidden="true">&times;</span>↵
361.                     </button>↵
362.                 </div>↵
363.                 <div class="modal-body">↵
364.                     <!-- sendMail javascript function run on submit -->↵
365.                     <form id="contact" onsubmit="return sendMail(this);">↵
366.                         <p>Please feel free to contact me with suggestions on
    how I can improve Balloon Pop Maths, or if you need a developer to make your
    ideas reality! </p>↵
367.                         <div class="form-group">↵
368.                             <input type="text" class="form-control" id="name"
    name="name" placeholder="Enter name" aria-label="Enter name" required>↵
369.                         </div>↵
370.                         <div class="form-group">↵
371.                             <input type="email" class="form-control" id="email"
    name="email" placeholder="Enter email" aria-label="Enter email" required>↵
372.                         </div>↵
```

```
373.                              <div class="form-group">↵
374.                                  <textarea class="form-control" id="message"
     name="message" placeholder="Enter message" aria-label="Enter message"
     maxlength="6000" rows="7" required></textarea>↵
375.                              </div>↵
376.                              <div id="form-buttons" class="text-right">↵
377.                                  <button type="button" class="btn btn-lg btn-
     secondary" data-dismiss="modal">Close</button>↵
378.                                  <button type="submit" id="form-submit" class="btn
     btn-lg btn-primary">Submit</button>↵
379.                              </div>↵
380.                          </form>↵
381.                      </div>↵
382.                  </div>↵
383.              </div>↵
384.          </div>↵
385.          <!-- Footer -->↵
386.          <footer class="container-sm">↵
387.              <div class="container-footer">↵
388.                  <a href="#modal-contact" data-toggle="modal" data-target="#modal-
     contact">Contact Developer</a>↵
389.                  <a href="https://github.com/richardhenyash" target="_blank"><i
     class="fab fa-github-square fa-lg"></i></a>↵
390.              </div>↵
391.          </footer>↵
392.          <!-- JavaScript links -->↵
393.          <script src="https://code.jquery.com/jquery-3.2.1.js" integrity="sha256-
     DZAnKJ/6XZ9si04Hgrsxu/8s717jcIzLy3oi35EouyE=" crossorigin="anonymous"></script>↵
394.          <script
     src="https://cdn.jsdelivr.net/npm/popper.js@1.16.0/dist/umd/popper.min.js"
     integrity="sha384-
     Q6E9RHvbIyZFJoft+2mJbHaEWldlvI9IOYy5n3zV9zzTtmI3UksdQRVvoxMfooAo"
     crossorigin="anonymous"></script>↵
395.          <script
     src="https://stackpath.bootstrapcdn.com/bootstrap/4.4.1/js/bootstrap.min.js"
     integrity="sha384-
     wfSDF2E50Y2D1uUdj0O3uMBJnjuUD4Ih7YwaYd1iqfktj0Uod8GCExl3Og8ifwB6"
     crossorigin="anonymous"></script>↵
396.          <script src="assets/js/initialisation.js"></script>↵
397.          <script src="assets/js/audio.js"></script>↵
398.          <script src="assets/js/animation.js"></script>↵
399.          <script src="assets/js/display.js"></script>↵
400.          <script src="assets/js/game-logic.js"></script>↵
401.          <script src="assets/js/mail.js"></script>↵
402.          <script src="assets/js/maths.js"></script>↵
403.          <script src="assets/js/events.js"></script>↵
404. </body>↵
405. </html>
```

Used the HTML parser.

Total execution time 83 milliseconds.