

Disclaimer

Please ensure you read and understand the following information prior to completing the medical assessment. The consultation should not take longer than 3-5 minutes to complete.

It is important that you answer all the questions correctly and honestly to allow the Pharma Health clinical team to assess your needs and ensure the treatment is safe and effective for you.

The information you provide us is treated with the utmost confidentiality & will be reviewed by a UK registered pharmacist prescriber. The questions listed in this medical assessment will help provide the pharmacist prescriber with an appropriate level of information to make an informed decision on whether the treatment is suitable for your condition.

Confirmation By clicking "Continue", you are confirming that you:

General

- Are 18 years old or above.
- Are completing this questionnaire for yourself and to the best of your knowledge.
- Understand that any treatment prescribed for you is for your personal use only.
- Will disclose any serious illnesses or operations you have had.
- Will disclose any medications (including prescription and non-prescription medications) you currently take.
- Are happy for us to contact you if we have any queries about your condition.
- Agree to follow any additional advice given by the Pharma Health clinical team.
- Have read, understood and agreed to our Terms & Conditions, Privacy Notice and Terms of Sale.
- Understand that this service intends to provide treatment for people who suffer from herpes as cold sores and getting outbreaks on the lower part of the face only. It is not intended to provide treatment for shingles or herpes anywhere else.
- Understand that if you're currently experiencing an outbreak of cold sores, and you feel generally unwell, you should see your doctor as soon as possible; especially if you're unable to swallow liquids, have severe headaches or any vomiting, or have had sores or lumps in your mouth that have been there for more than 3 weeks.
- Understand that outbreak treatment should be initiated at the earliest symptom of a cold sore e.g. tingling,

itching or burning sensation.

Generated on: 10-30-2024 05:43:36 am