

In [1]:

```
import pandas as pd
import numpy as np
from sklearn.linear_model import LogisticRegression
from sklearn.preprocessing import StandardScaler
```

In [2]:

```
df=pd.read_csv(r"C:\Users\91628\Downloads\ionosphere.csv")
df
```

Out[2]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255
...
346	True	False	0.83508	0.08298	0.73739	-0.14706	0.84349	-0.05567
347	True	False	0.95113	0.00419	0.95183	-0.02723	0.93438	-0.01920
348	True	False	0.94701	-0.00034	0.93207	-0.03227	0.95177	-0.03431
349	True	False	0.90608	-0.01657	0.98122	-0.01989	0.95691	-0.03646
350	True	False	0.84710	0.13533	0.73638	-0.06151	0.87873	0.08260

351 rows × 35 columns



In [3]:

```
pd.set_option('display.max_rows',10000000000)
pd.set_option('display.max_columns',10000000000)
pd.set_option('display.width',95)
```

In [4]:

```
print('This DataFrame has %d Rows and %d columns'%(df.shape))
```

This DataFrame has 351 Rows and 35 columns

In [5]:

```
df.head()
```

Out[5]:

	column_a	column_b	column_c	column_d	column_e	column_f	column_g	column_h	column_i
0	True	False	0.99539	-0.05889	0.85243	0.02306	0.83398	-0.37708	
1	True	False	1.00000	-0.18829	0.93035	-0.36156	-0.10868	-0.93597	
2	True	False	1.00000	-0.03365	1.00000	0.00485	1.00000	-0.12062	
3	True	False	1.00000	-0.45161	1.00000	1.00000	0.71216	-1.00000	
4	True	False	1.00000	-0.02401	0.94140	0.06531	0.92106	-0.23255	

In [6]:

```
features_matrix=df.iloc[:,0:34]
```

In [7]:

```
target_vector=df.iloc[:,-1]
```

In [8]:

```
print('The features Matrix Has %d Rows And %d columns'%(features_matrix.shape))
print('The Target Matrix Has %d Rows And %d columns'%(np.array(target_vector).reshape(-1,1).shape))
```

The features Matrix Has 351 Rows And 34 columns

The Target Matrix Has 351 Rows And 1 columns

In [9]:

```
features_matrix_standardized=StandardScaler().fit_transform(features_matrix)
```

In [10]:

```
algorithm=LogisticRegression(penalty='l2',dual=False,tol=1e-4,C=1.0,fit_intercept=True,random_state=42)
```

In [11]:

```
Logistic_Regression_Model=algorithm.fit(features_matrix_standardized,target_vector)
```

In [12]:

```
Observation=[[1,0,0.99539,-0.05889,0.8542999999999999,0.02306,0.8339799999999999,-0.37708,0.93597]]
```

In [15]:

```
predictions=Logistic_Regression_Model.predict(Observation)
print('The Model Predicted The observation To Belong To class %s'%(algorithm.classes_))
```

The Model Predicted The observation To Belong To class ['b' 'g']

In [16]:

```
print('The Algorithm was Trained To Predict One of the Two classes:%s'%(algorithm.classe
```

The Algorithm was Trained To Predict One of the Two classes:['b' 'g']

In [20]:

```
print("""The Model Says The Probability of The Observation we Passed Belonging To class[
print()
print("""The Model Says The Probability of The Observation we Passed Belonging To class
```

The Model Says The Probability of The Observation we Passed Belonging To class ['b'] Is 0.007759545690606995

The Model Says The Probability of The Observation we Passed Belonging To class ['g'] Is 0.992240454309393

In []:

In []: