Project - 5 (DATASET: Online Retail) The transactions

made by a UK-based, registered, non-store online retailer between December 1, 2010, and December 9, 2011, are all included in the transnational data set known as online retail. The company primarily offers one-of-a-kind gifts for every occasion. The company has a large number of wholesalers as clients.Company ObjectiveUsing the global online retail dataset, we will design a clustering model and select the ideal group of clients for the business to target.

In [1]:

```
import pandas as pd
from matplotlib import pyplot as plt
%matplotlib inline
```

In [3]:

```
df=pd.read_csv(r"C:\Users\91628\Downloads\OnlineRetail.csv")
df
```

Out[3]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	C
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	6	01-12-2010 08:26	2.55	17850.0	K
1	536365	71053	WHITE METAL LANTERN	6	01-12-2010 08:26	3.39	17850.0	K
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	8	01-12-2010 08:26	2.75	17850.0	K
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	6	01-12-2010 08:26	3.39	17850.0	K
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	6	01-12-2010 08:26	3.39	17850.0	K
...	...	...	...	...	...	...	...	
541904	581587	22613	PACK OF 20 SPACEBOY NAPKINS	12	09-12-2011 12:50	0.85	12680.0	
541905	581587	22899	CHILDREN'S APRON DOLLY GIRL	6	09-12-2011 12:50	2.10	12680.0	
541906	581587	23254	CHILDRENS CUTLERY DOLLY GIRL	4	09-12-2011 12:50	4.15	12680.0	
541907	581587	23255	CHILDRENS CUTLERY CIRCUS PARADE	4	09-12-2011 12:50	4.15	12680.0	
541908	581587	22138	BAKING SET 9 PIECE RETROSPOT	3	09-12-2011 12:50	4.95	12680.0	

541909 rows × 8 columns

In [4]:

```
1 df.head()
```

Out[4]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	Country
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	6	01-12-2010 08:26	2.55	17850.0	United Kingdom
1	536365	71053	WHITE METAL LANTERN	6	01-12-2010 08:26	3.39	17850.0	United Kingdom
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	8	01-12-2010 08:26	2.75	17850.0	United Kingdom
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	6	01-12-2010 08:26	3.39	17850.0	United Kingdom
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	6	01-12-2010 08:26	3.39	17850.0	United Kingdom

In [5]:

```
1 df.tail()
```

Out[5]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	C
541904	581587	22613	PACK OF 20 SPACEBOY NAPKINS	12	09-12-2011 12:50	0.85	12680.0	
541905	581587	22899	CHILDREN'S APRON DOLLY GIRL	6	09-12-2011 12:50	2.10	12680.0	
541906	581587	23254	CHILDRENS CUTLERY DOLLY GIRL	4	09-12-2011 12:50	4.15	12680.0	
541907	581587	23255	CHILDRENS CUTLERY CIRCUS PARADE	4	09-12-2011 12:50	4.15	12680.0	
541908	581587	22138	BAKING SET 9 PIECE RETROSPOT	3	09-12-2011 12:50	4.95	12680.0	

In [6]:

```
1 df['InvoiceNo'].value_counts()
```

Out[6]:

```
InvoiceNo
573585     1114
581219      749
581492      731
580729      721
558475      705
           ...
554023        1
554022        1
554021        1
554020        1
C558901       1
Name: count, Length: 25900, dtype: int64
```

In [7]:

```
1 df['CustomerID'].value_counts()
```

Out[7]:

```
CustomerID
17841.0    7983
14911.0    5903
14096.0    5128
12748.0    4642
14606.0    2782
           ...
15070.0       1
15753.0       1
17065.0       1
16881.0       1
16995.0       1
Name: count, Length: 4372, dtype: int64
```

In [8]:

```
1 df['Quantity'].value_counts()
```

Out[8]:

```
Quantity
 1        148227
 2         81829
 12        61063
 6         40868
 4         38484
           ...
-472           1
-161           1
-1206          1
-272           1
-80995         1
Name: count, Length: 722, dtype: int64
```

In [9]:

```
plt.scatter(df["CustomerID"],df["Quantity"])
plt.xlabel("CustomerID")
plt.ylabel("Quantity")
```

Out[9]:

```
Text(0, 0.5, 'Quantity')
```



In [10]:

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 541909 entries, 0 to 541908
Data columns (total 8 columns):
 #   Column       Non-Null Count   Dtype
---  ------       --------------   -----
 0   InvoiceNo    541909 non-null  object
 1   StockCode    541909 non-null  object
 2   Description  540455 non-null  object
 3   Quantity     541909 non-null  int64
 4   InvoiceDate  541909 non-null  object
 5   UnitPrice    541909 non-null  float64
 6   CustomerID   406829 non-null  float64
 7   Country      541909 non-null  object
dtypes: float64(2), int64(1), object(5)
memory usage: 33.1+ MB
```

In [12]:

```
df.isnull().sum()
```

Out[12]:

```
InvoiceNo           0
StockCode           0
Description      1454
Quantity            0
InvoiceDate         0
UnitPrice           0
CustomerID     135080
Country             0
dtype: int64
```

In [13]:

```
df.fillna(method='ffill',inplace=True)
```

In [14]:

```
df.isnull().sum()
```

Out[14]:

```
InvoiceNo      0
StockCode      0
Description    0
Quantity       0
InvoiceDate    0
UnitPrice      0
CustomerID     0
Country        0
dtype: int64
```

In [15]:

```
from sklearn.cluster import KMeans
km=KMeans()
km
```

Out[15]:

▾ KMeans

KMeans()

In [16]:

```
y_predicted=km.fit_predict(df[["CustomerID","Quantity"]])
y_predicted

```

```
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-packages\s
klearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init
` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicit
ly to suppress the warning
  warnings.warn(
```

Out[16]:

```
array([4, 4, 4, ..., 2, 2, 2])
```

In [17]:

```
df["cluster"]=y_predicted
df.head()
```

Out[17]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	Country
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	6	01-12-2010 08:26	2.55	17850.0	United Kingdom
1	536365	71053	WHITE METAL LANTERN	6	01-12-2010 08:26	3.39	17850.0	United Kingdom
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	8	01-12-2010 08:26	2.75	17850.0	United Kingdom
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	6	01-12-2010 08:26	3.39	17850.0	United Kingdom
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	6	01-12-2010 08:26	3.39	17850.0	United Kingdom

In [18]:

```
df1=df[df.cluster==0]
df2=df[df.cluster==1]
df3=df[df.cluster==2]
plt.scatter(df1["CustomerID"],df1["Quantity"],color="red")
plt.scatter(df2["CustomerID"],df2["Quantity"],color="green")
plt.scatter(df3["CustomerID"],df3["Quantity"],color="blue")
plt.xlabel("CustomerID")
plt.ylabel("Quantity")
```

Out[18]:

```
Text(0, 0.5, 'Quantity')
```



In [19]:

```
from sklearn.preprocessing import MinMaxScaler
scaler=MinMaxScaler()
scaler.fit(df[["Quantity"]])
df["Quantity"]=scaler.transform(df[["Quantity"]])
df.head()
```

Out[19]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	Country
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	0.500037	01-12-2010 08:26	2.55	17850.0	United Kingdom
1	536365	71053	WHITE METAL LANTERN	0.500037	01-12-2010 08:26	3.39	17850.0	United Kingdom
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	0.500049	01-12-2010 08:26	2.75	17850.0	United Kingdom
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	0.500037	01-12-2010 08:26	3.39	17850.0	United Kingdom
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	0.500037	01-12-2010 08:26	3.39	17850.0	United Kingdom

In [20]:

```
scaler.fit(df[["CustomerID"]])
df["CustomerID"]=scaler.transform(df[["CustomerID"]])
df.head()
```

Out[20]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	Country
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	0.500037	01-12-2010 08:26	2.55	0.926443	United Kingdom
1	536365	71053	WHITE METAL LANTERN	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	0.500049	01-12-2010 08:26	2.75	0.926443	United Kingdom
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom

K-Means Clustering

In [22]:

```
km=KMeans()
```

In [23]:

```
y_predicted=km.fit_predict(df[["CustomerID","Quantity"]])
y_predicted
```

```
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-packages\s
klearn\cluster\_kmeans.py:870: FutureWarning: The default value of `n_init
` will change from 10 to 'auto' in 1.4. Set the value of `n_init` explicit
ly to suppress the warning
  warnings.warn(
```

Out[23]:

```
array([6, 6, 6, ..., 7, 7, 7])
```

In [24]:

```
df["New Cluster"]=y_predicted
df.head()
```

Out[24]:

	InvoiceNo	StockCode	Description	Quantity	InvoiceDate	UnitPrice	CustomerID	Country
0	536365	85123A	WHITE HANGING HEART T-LIGHT HOLDER	0.500037	01-12-2010 08:26	2.55	0.926443	United Kingdom
1	536365	71053	WHITE METAL LANTERN	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom
2	536365	84406B	CREAM CUPID HEARTS COAT HANGER	0.500049	01-12-2010 08:26	2.75	0.926443	United Kingdom
3	536365	84029G	KNITTED UNION FLAG HOT WATER BOTTLE	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom
4	536365	84029E	RED WOOLLY HOTTIE WHITE HEART.	0.500037	01-12-2010 08:26	3.39	0.926443	United Kingdom

In [25]:

```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["CustomerID"],df1["Quantity"],color="red")
plt.scatter(df2["CustomerID"],df2["Quantity"],color="green")
plt.scatter(df3["CustomerID"],df3["Quantity"],color="blue")
plt.xlabel("CustomerID")
plt.ylabel("Quantity")
```

Out[25]:

```
Text(0, 0.5, 'Quantity')
```



In [26]:

```
km.cluster_centers_
```

Out[26]:

```
array([[0.56110069, 0.50005354],
       [0.15972018, 0.5000573 ],
       [0.83691485, 0.50006401],
       [0.29323492, 0.50006423],
       [0.71472253, 0.5000537 ],
       [0.41976699, 0.50006081],
       [0.93899931, 0.50005203],
       [0.05056666, 0.50006664]])
```

In [27]:

```
df1=df[df["New Cluster"]==0]
df2=df[df["New Cluster"]==1]
df3=df[df["New Cluster"]==2]
plt.scatter(df1["CustomerID"],df1["Quantity"],color="red")
plt.scatter(df2["CustomerID"],df2["Quantity"],color="green")
plt.scatter(df3["CustomerID"],df3["Quantity"],color="blue")
plt.scatter(km.cluster_centers_[:,0],km.cluster_centers_[:,1],color="orange",marker=
plt.xlabel("CustomerID")
plt.ylabel("Quantity")
```

Out[27]:

```
Text(0, 0.5, 'Quantity')
```



In [28]:

```
k_rng=range(1,10)
sse=[]
```

In [30]:

```
for k in k_rng:
 km=KMeans(n_clusters=k)
 km.fit(df[["CustomerID","Quantity"]])
 sse.append(km.inertia_)
#km.inertia_ will give you the value of sum of square error
print(sse)
plt.plot(k_rng,sse)
plt.xlabel("K")
plt.ylabel("Sum of Squared Error")
```

```
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
```

In [32]:

```
for k in k_rng:
 km=KMeans(n_clusters=k)
 km.fit(df[["CustomerID","Quantity"]])
 sse.append(km.inertia_)
#km.inertia_ will give you the value of sum of square error
print(sse)
plt.plot(k_rng,sse)
plt.xlabel("K")
plt.ylabel("Sum of Squared Error")
```

```
  warnings.warn(
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(
C:\Users\91628\AppData\Local\Programs\Python\Python311\Lib\site-package
s\sklearn\cluster\_kmeans.py:870: FutureWarning: The default value of `
n_init` will change from 10 to 'auto' in 1.4. Set the value of `n_init`
explicitly to suppress the warning
  warnings.warn(

[46374.84553398485, 11336.065305485563, 4921.706891841403, 2723.5191051
89462, 1695.0459096516024, 1178.4780731904316, 910.3083137510043, 677.2
524027869518, 528.4450344617428, 46374.84553398485, 11336.065820168866,
4916.0914874231, 2723.511227089293, 1695.0400940319334, 1178.5290095375
25, 902.5514533529227, 676.782462130474, 532.5443875394046, 46374.84553
398485, 11336.065820168866, 4915.901018401742, 2723.519105189463, 1695.
1243965135402, 1178.421985263157, 918.3374084334254, 677.291748866367,
530.1248166171943]
```

Conclusion

For the given dataset we use K-means Clustering and done the grouping based on the given data.In the above dataset we will take customer id and quantity based on that we make the clusters. When the K-value is low error rate is more and the K-value is high error rate is very high. So,finally we can Conclude the above dataset is bestfit for K-Means.

In [ ]:

```
1
```