

Auth Form

1. Tambahkan kode berikut pada auth.page.html



2. Coba buka di browser, tampilannya akan menjadi seperti berikut:



3. Modifikasi auth.page.html menjadi seperti berikut:


```
EXPLORER: UNTI... 🖰 🖆 💍 🗗 😈 auth.page.html ×

    umn-homes > src > app > auth > 
    auth.page.html > 
    ion-content


∨ ○ umn-homes

 > 📭 e2e
 > 🐚 node_modules
 ∨ 🖙 src
  v 🛅 арр
    v 🛅 auth
                                                  auth.guard.spec.ts
                                                           <ion-item>
  <ion-label position="floating">E-mail</ion-label>
  <ion-input inputmode="email" type="email"></ion-input>
       auth.guard.ts
       auth.module.ts
        auth.page.html
        auth.page.scss
        auth.page.spec.ts
       auth.page.ts
        auth.service.spec.ts
       A auth.service.ts
                                                      <ion-col col size-sm="6" offset-sm="3">
    <ion-button color="primary" fill="clear" expand="full">Switch to Login</ion-button>
    <ion-button color="primary" (click)="onLogin()" expand="block">Login</ion-button>
    </ion-col>
     > bookings
    > III places
       app-routing.module.ts
       app.component.html
      app.component.spec.ts
       app.component.ts
```


4. Lihat hasilnya di browser, tampilan formulir login akan tetap kecil pada screen lebar (desktop).



5. Modifikasi auth.page.html menjadi seperti berikut:



6. Tambahkan kode berikut pada auth.page.ts




7. Coba login dan perhatikan jendela console

```
R I
         Elements
                     Console
                                                    Performance
                                Sources
                                         Network
▶ O top
                            ▼ ⊙ Filter
                                                             De
  [WDS] Live Reloading enabled.
  _NgForm {submitted: true, _directives: Array(2), ngSubmit: E
    ▼form: FormGroup
        asyncValidator: null
      ▼ controls:
        ▶ email: For Control {asyncValidator: null, pristine: tr
        ▶ password: formControl {asyncValidator: null, pristine:
                   ┛Object
       errors: null
       pristine: true
        status: "INVALID"
      ▶ statusChanges: EventEmitter {_isScalar: false, observers
        touched: false
        validator: null
      ▼ value:
         email: ""
         password: ""
      ▶ valueChanges: EventEmitter { isScalar: false. observers:
```

Handling Validation

1. Perhatikan class yang ada pada ion-item seperti gambar berikut




2. Tambahkan kode berikut pada global.scss

```
EXPLORER: UNTI... 🖰 🖆 ひ 🗇
                                        global.scss ×
Umn-homes
                                      🧿 umn-homes > src > 🤗 global.scss > ધ .ion-invalid.ion
                                              @import "~@ionic/angular/css/float-element
@import "~@ionic/angular/css/text-alignment
 > 📦 e2e
 > node_modules
                                              @import "~@ionic/angular/css/text-transfor


√ key src

                                              @import "~@ionic/angular/css/flex-utils.c
  🗦 🏢 app
                                             .ion-invalid.ion-touched ion-label {
  > e assets
                                                  color: var(--ion-color-danger);
                                       29
    environments
    theme
        global.scss
        index.html
```

3. Coba hasilnya di browser, ketika kita meng-click input field tapi tidak diisi dengan nilai yang sesuai, maka labelnya akan berubah menjadi merah.



4. Tambahkan kode berikut pada auth.page.html




5. Lihat hasilnya di browser, jika kita tidak mengisi email dengan format yang benar, maka akan muncul pesan




6. Coba lakukan hal yang sama untuk field password.

7. Tambahkan kode berikut pada auth.page.html sehingga tombol login disabled jika form tidak valid



8. Lihat hasilnya di browser



Switching Between Auth Modes

1. Tambahkan kode berikut pada auth.page.html

```
EXPLORER: UNTI... 눱 🖆 ひ
                            白
                                     auth.page.html ×
    ahh

    umn-homes > src > app > auth > 
    auth.page.html > 
    ion-content >

     auth 🚞
                                                  <ion-col col size-sm="6" offset-sm="3">
      auth.guard.spec.ts
      auth.guard.ts
                                                      type="button"
      auth.module.ts
                                                      color="primary"
                                                      fill="clear"
                                                      (click)="onSwitchAuthMode()"
                                    57
      auth.page.scss
                                                      expand="block">Switch to Login</ion-button>
      auth.page.spec.ts
      auth.page.ts
                                                      type="submit"
```

2. Tambahkan kode berikut pada auth.page.ts

```
EXPLORER: UNTI... 昔 古 ひ
                           白
                                  auth.page.ts ×
   mili ahh
                                   umn-homes > src > app > auth > 15 auth.page.ts > 43
   🗸 🦳 auth
                                         @Component({
      auth.guard.spec.ts
                                           selector: 'app-auth',
      auth.guard.ts
                                           templateUrl: './auth.page.html',
       auth.module.ts
                                           styleUrls: ['./auth.page.scss'],
       auth.page.html
                                          })
                                             ort class AuthPage implements OnInit {
      auth.page.scss
                                    12
                                          isLoading = false;
      auth.page.spec.ts
                                           isLogin = true;
      auth.page.ts
      auth.service.spec.ts
                                           constructor( ···
      A auth.service.ts
                                            ) { }
   bookings
                                           ngOnInit() {
   > III places
     app-routing.module.ts
     app.component.html
                                           onLogin() { ···
     app.component.scss
     app.component.spec.ts
                                           onSwitchAuthMode() {
     app.component.ts
                                              this.isLogin = !this.isLogin;
     app.module.ts
  > 🏮 assets
                                            onSubmit(form: NgForm) {
   environments
                                             console.log(form);
    theme
                                            }
    g alobal.scss
```

3. Tambahkan kode berikut pada auth.page.html

```
EXPLORER: UNTI... 🖰 📛 ひ 🗗
                                       auth.page.html ×


    umn-homes > src > app > auth > 
    auth.page.html > 
    ion-content > 
    form

     auth
       auth.guard.spec.ts
                                            auth.guard.ts
       auth.module.ts
       auth.page.html
       auth.page.scss
                                            <ion-content padding>
EXPLORER: UNTI.... 🖰 🖆 🖰 🗗
                              🛮 auth.page.html 🗡


    umn-homes > src > app > auth > 
    auth.page.html > 
    ion-content > 
    form > 
    ion-grid > 
    ion-row

    auth 🚞
     auth.guard.spec.ts
     auth.guard.ts
                                              type="button"
       auth.module.ts
                                               color="primary"
        auth.page.html
                                               fill="clear"
     g auth.page.scss
                                               (click)="onSwitchAuthMode()"
     auth.page.spec.ts
                                               expand="block">Switch to {{ isLogin ? 'Signup' : 'Login'}}</ion-button>
     auth.page.ts
                                              type="submit"
       auth.service.spec.ts
```


4. Lihat hasilnya di browser




5. Ubah kode pada auth.page.ts menjadi seperti berikut:



6. Lihat hasilnya di browser, coba login dan lihat jendela console.



7. Revisi, minLength → minlength



New Offer

1. Tambahkan kode berikut pada ew-offer.page.html

```
EXPLORER: UNTI... 🖰 🖆 🖰 🗗
                                                                                                                                                                                                                                                          ■ new-offer.page.html ×
                                                                                                                                                                                                                                                                  🧿 umn-homes > src > app > places > offers > new-offer > 🥫 new-offer.page.html > 🔗 ion-con
                                                                                                                                                                                                                                                                                                         n-homes > src > app > places > offers > new-offer >  new-offer.page.html >  ion-c

<ion-content>
<ion-grid>
<ion-row>
<ion-col size-sm="6" offset-sm="3">
<ion-item>
<ion-item>
<ion-item>
<ion-item>
</ion-item>
</ion-item>
</ion-col size-sm="6" offset-sm="3">
<ion-item>
</ion-item>
</ion-col size-sm="6" offset-sm="3">
<ion-row>
<ion-row>
<ion-row>
<ion-row>
<ion-row>
<ion-item>
<ion-item>
<ion-row>
<ion-row>
<ion-row>
<ion-row-item>
</ion-item>
                      > 🛅 auth
                       > bookings


→ Image
→ places

→ p
                               > 🖿 discover

✓ Image: Value of the offers

off
                                        > edit-offer
                                      ∨ 🗁 new-offer
                                        new-offer.module.ts
                                                                  ■ new-offer.page.html
                                                              new-offer.page.scss
                                                                                                                                                                                                                                                                                                                                    new-offer.page.spec.ts
                                                             new-offer.page.ts
                                         > offer-bookings
                                         > offer-item
                                                          offers.module.ts
                                                        ■ offers.page.html
                                                          g offers.page.scss
                                                          offers.page.spec.ts
                                                       g offers.page.ts
                                                 glace.model.ts
                                                                                                                                                                                                                                                                                                                        </ion-col>
</ion-row>
</ion-grid>
                                                    places-routing.module.ts
                                                                 places.module.ts
                                                  places.page.html
                                                     places.page.scss
```

2. Lihat hasilnya di browser



3. Tambahkan kode berikut pada new-offer.page.html, dan lihat hasilnya di browser

```
EXPLORER: UNTI... 눱 🖆 ひ 🗿
                                                                                                                       ■ new-offer.page.html ×
                                                                                                                            🥑 umn-homes > src > app > places > offers > new-offer > 🥫 new-offer.page.html > 🔗 ion-content
           > 🛅 auth
                                                                                                                                                       > bookings
           > i discover

∨ I offers

                                                                                                                                                          > edit-offer

✓ Image: Very large very lar
                         new-offer.module.ts
                                new-offer.page.html
                               new-offer.page.scss
                                A new-offer.page.spec.ts
                              new-offer.page.ts
                    > offer-bookings
                    > offer-item
                                                                                                                                                             offers.module.ts
                            offers.page.html
                           g offers.page.scss
                            offers.page.spec.ts
                           offers.page.ts
                        place.model.ts
                        places-routing.module.ts
```

4. Tambahkan kode berikut pada new-offer.page.html

5. Tambahkan kode berikut pada new-offer.page.ts


```
EXPLORER: UNTI... 🖰 🖆 ひ 🗿
                                                                                                                                                                                                                                                                                                                                                                                                                new-offer.page.ts ×

    umn-homes > src > app > places > offers > new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-offer > 
    new-of

✓ Image: Value of the offers

off
                                                                 > edit-offer
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               constructor() { }
                                                               ∨ 🗁 new-offer
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 ngOnInit() {
                                                                                                                new-offer.module.ts
                                                                                                           new-offer.page.html
                                                                                                           new-offer.page.scss
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        onCreateOffer() {
                                                                                                           new-offer.page.spec.fs
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      console.log('Creating offered place...');
                                                                                                       new-offer.page.ts
                                                                 > offer-bookings
                                                                   > offer-item
```

6. Lihat hasilnya di browser, perhatikan pada bagian tanggal available from-to, modifikasi sehingga tampilannya bersebelahan.



Reactive Form

1. Ubah kode berikut pada new-offer.module.ts

```
EXPLORER: UNTI... 🖰 🖆 ひ
                                                                                                                                                                                                                                                                                     ョ
                                                                                                                                                                                                                                                                                                                                                                                   new-offer.module.ts ×
                                                                                                                                                                                                                                                                                                                                                                umn-homes > src > app > places > offers > new-

✓ Image: Value of the property of the pro
                                                                                                                                                                                                                                                                                                                                                                                                                                    1;
                                                       > edit-offer

✓ Image: Very method with the properties of the properties of
                                                                                                                                                                                                                                                                                                                                                                                                                                  @NgModule({
                                                                                          new-offer.module.ts
                                                                                                                                                                                                                                                                                                                                                                                                                                                         imports: [
                                                                                          new-offer.page.html
                                                                                                                                                                                                                                                                                                                                                                                                                                                               CommonModule,
                                                                                                                                                                                                                                                                                                                                                                                                                                                                      ReactiveFormsModule,
                                                                                                                                                                                                                                                                                                                                                                          20
                                                                                          new-offer.page.scss
                                                                                                                                                                                                                                                                                                                                                                                                                                                             IonicModule,
                                                                                        new-offer.page.spec.ts
                                                                                                                                                                                                                                                                                                                                                                                                                                                                          RouterModule.forChild(routes)
                                                                                        new-offer.page.ts
                                                         > offer-bookings
                                                                                                                                                                                                                                                                                                                                                                                                                                                        declarations: [NewOfferPage]
                                                         > offer-item
                                                                                                                                                                                                                                                                                                                                                                                                                                    export class NewOfferPageModule {}
                                                                                    offers.module.ts
```

2. Tambahkan kode berikut pada new-offer.page.ts


```
EXPLORER: UNTI... 눱 🖆 ひ 🗿
                                                                                                                                                              new-offer.page.ts ×

    umn-homes > src > app > places > offers > new-offer > 
    new-offer.page.ts > 
    NewOff
    new-offer.page.ts > 
    NewOff
    new-offer.page.ts > 
    new-of

✓ Image: Value of the offers

off
                         > edit-offer
                                                                                                                                                                                                                       rt class NewOfferPage implements OnInit {
                         ∨ 🗁 new-offer
                                                                                                                                                                                                          form: FormGroup;
                                          new-offer.module.ts
                                                                                                                                                                                                            constructor() { }
                                           ■ new-offer.page.html
                                          new-offer.page.scss
                                                                                                                                                                                                            ngOnInit() {
                                           new-offer.page.spec.ts
                                                                                                                                                                                                                        this.form = new FormGroup({
   title: new FormControl(null, {
                                          new-offer.page.ts
                                                                                                                                                                                                                                        updateOn: 'blur',
                           > offer-bookings
                                                                                                                                                                                                                                       validators: [Validators.required]
                          > offer-item
                                     offers.module.ts
                                                                                                                                                                                                                                description: new FormControl(null, {
                                                                                                                                                                                                                                       updateOn: 'blur',
                                     offers.page.html
                                                                                                                                                                                                                                         validators: [Validators.required, Validators.maxLength(180)]
                                     g offers.page.scss
                                    offers.page.spec.ts
                                                                                                                                                                                                                                price: new FormControl(null, {
                                  offers.page.ts
                                                                                                                                                                                                                                       updateOn: 'blur',
                              place.model.ts
                                                                                                                                                                                                                                       validators: [Validators.required, Validators.min(1)]
                                  places-routing.module.ts
                                                                                                                                                                                                                              dateFrom: new FormControl(null, {
  updateOn: 'blur',
                                  places.module.ts
                                           places.page.html
                                                                                                                                                                                                                                        validators: [Validators.required]
                                 places.page.scss
                                                                                                                                                                                                                               dateTo: new FormControl(null, {
                                places.page.spec.ts
                                                                                                                                                                                                                                        updateOn: 'blur',
                              places.page.ts
                                                                                                                                                                                                                                        validators: [Validators.required]
                                places.service.spec.ts
                                                                                                                                                                                                                               })
                                A places.service.ts
```

3. Tambahkan kode berikut pada ew-offer.page.html (jangan lupa tag tutupnya)



4. Tambahkan kode berikut pada new-offer.page.html

```
EXPLORER: UNTI.... 🖰 🖆 ひ 🗗 🥫 new-offer.page.html 🗴
∨ ○ umn-homes
                                                                                  n-homes > src > app > places > offers > new-offer > 🕫 new-offer.page.html > 🚱 ion-content > 🚱 form > 🚱 ion-grid > 🚱 ion-row >

<ion-item>
<ion-cols
<ion-tem>
<ion-cols
<ion-cols
<ion-cols
<ion-cols
<ion-cols
<ion-cols
<ion-tem>
<ion-cols
<ion-tem>
<ion-tem</i>
<ion-tem>
<ion-tem</i>
</or>

 > 📦 e2e
 > node_modules
 ∨ 🖝 src
   ∨ 📠 арр
      > 🛅 auth
      > bookings
                                                                                                             > 🖿 discover
           ∨ 🗁 offers
            > edit-offer


∨ I new-offer

              new-offer.module.ts
                     new-offer.page.html
                      A new-offer.page.spec.ts
                    new-offer.page.ts
               > offer-bookings
               > i offer-item
                    offers.module.ts
                    offers.page.html
                                                                                                                              g offers.page.scss
                                                                                           44 🗸
                      Offers.page.spec.ts
                    s offers.page.ts
```

5. Ubah kode pada new-offer.page.ts menjadi seperti berikut

```
XPLORER: UNTI... 🖰 🖆 ひ 🗿
                                new-offer.page.ts ×
          ..... onenpogenium
                                  umn-homes > src > app > places > offers > ne
        new-offer.page.scss
                                             });
        new-offer.page.spec.ts
       new-offer.page.ts
    > offer-bookings
                                          onCreateOffer() {
    > offer-item
                                             console.log(this.form);
                                   40
                                           }
       offers.module.ts
       ■ offers.page.html
       g offers.page.scss
```


6. Coba di browser



7. Tambahkan kode berikut pada new-offer.page.html




8. Lihat hasilnya di browser



- 9. Tambahkan error message untuk field yang lainnya.
- 10. Tambahkan kode berikut pada new-offer.page.html



11. Tambahkan kode pada edit-offer.page.html sehingga menghasilkan tampilan form seperti berikut



12. Tambahkan kode berikut pada edit-offer.page.ts

```
EXPLORER: UNTI... 쒑 🖆 ひ 🗗
                                                                                        edit-offer.page.ts ×
                                                                                              > 📦 e2e
  > node_modules
  ∨ 🖙 src
                                                                                                                              t class EditOfferPage implements OnInit {

✓ Image app

                                                                                                                  place: Place;
                                                                                                                  form: FormGroup;
        > 🌇 auth
        > bookings
                                                                                                                   constructor(
        private route: ActivatedRoute,
private placesService: PlacesService,
           > discover
                                                                                                                         private navCtrl: NavController
           ) { }
              edit-offer.module.ts
                                                                                                                   ngOnInit() {
                        edit-offer.page.html
                                                                                                                           this.route.paramMap.subscribe(paramMap => {
                       gedit-offer.page.scss
                                                                                                                              if (!paramMap.has('placeId')) {
                                                                                                                                    this.navCtrl.navigateBack('/places/tabs/offers');
                   dit-offer.page.spec.ts
                      gedit-offer.page.ts

✓ Image: Very mean of the property of the
                                                                                                                             this.place = this.placesService.getPlace(paramMap.get('placeId'));
                        new-offer.module.ts
                                                                                                                              this.form = new FormGroup({
   title: new FormControl(this.place.title, {

■ new-offer.page.html

                                                                                                                                    updateOn: 'blur',
validators: [Validators.required]
                        new-offer.page.scss
                        new-offer.page.spec.ts
                       new-offer.page.ts
                                                                                                                                   description: new FormControl(this.place.description, {
                                                                                                                                      updateOn: 'blur'
              > offer-bookings
               > 🖿 offer-item
                                                                                                                                         validators: [Validators.required, Validators.maxLength(180)]
                                                                                                                                     }),
                      offers.module.ts
                                                                                                                              });

■ offers.page.html
```

Booking Form


1. Tambahkan kode berikut pada create-booking.component.html

```
PLORER: UNTITLED (WORKS.... 🏥 🖆 ひ 🗗 🥫 create-booking.component.html 🗴
                                         > reate-booking > 🥫 create-booking.component.html > 🔗 ion-content > 🔗 ion-grid > 🔗 ion-row > 🔗 ion-content
■ e2e
node_modules
src 🔯
🗸 ጩ арр
> 🛅 auth
create-booking.component.htmlcreate-booking.component.scss
   create-booking.component.spec.ts
   create-booking.component.ts
   booking.model.ts
    booking.service.spec.ts
   A booking.service.ts
    bookings.module.ts
   bookings.page.html
     bookings.page.scss
    bookings.page.spec.ts
   bookings.page.ts
 > places
    app-routing.module.ts
    app.component.html
    app.component.scss
   app.component.spec.ts
   app.component.ts
```

2. Lihat hasilnya di browser



3. Tambahkan kode berikut pada create-booking.component.html



4. Modifikasi button pada create-booking.component.html menjadi seperti berikut

```
create-booking.component.html ×

create-booking.component.html ×


create-booking.component.html ×

create-booking.component.html ×


create-booking.component.html

close create-booking.component.html
```


5. Ubah place.model.ts menjadi seperti berikut




6. Modifikasi places.service.ts



7. Tambahkan kode berikut pada create-booking.component.ts



8. Coba hasilnya di browser



9. Tambahkan kode berikut pada place-detail.page.ts

```
RER: UNTITLED (WORKS.... 🗂 🗂 💍 🗗
                                            place-detail.page.ts ×
                                             🌘 umn-homes > src > app > places > discover > place-detail > 📆 place-detail.page.ts > ધ PlaceD
    place-detail.module.ts
                                                      openBookingModal(mode: 'select' | 'random') {
    place-detail.page.html
                                                       console.log(mode);
    place-detail.page.scss
                                                         this.modalCtrl
    place-detail.page.spec.ts
                                                        .create({
                                                          component: CreateBookingComponent,
componentProps: { selectedPlace: this.place, selectedMode: mode }
   discover.module.ts
   discover.page.html
                                                         .then(modalEl => {
  modalEl.present();
     discover.page.scss
```

10. Tambahkan kode berikut pada create-booking.component.ts


```
oreate-booking.component.ts ×
                                                                                                                                      > node modules

✓ 
☐ app
     > 🛅 auth
     export class CreateBookingComponent implement
@Input() selectedPlace: Place;

✓ Image: Value of the control o
                                                                                                                                                             @Input() selectedMode
startDate: string;
                   ■ create-booking.component.html

create-booking.component.scss
                   create-booking.component.spec.t
                                                                                                                                                                 constructor(private modalCtrl: ModalController) { }
                    create-booking.component.ts
               booking.model.ts
                 booking.service.spec.ts
                                                                                                                                                                       const availableFrom = new Date(this.selectedPlace.availableFrom);
const availableTo = new Date(this.selectedPlace.availableTo);
                A booking.service.ts
                                                                                                                                                                             bookings.module.ts
                 5 bookings.page.html
                 bookings.page.scss
                 ▲ bookings.page.spec.ts
                                                                                                                                                                              ).toISOString();
               bookings.page.ts
                                                                                                                                                                              this.endDate = new Date(
  new Date(this.startDate).getTime() +
       v 🗁 pla
                                                                                                                                                                                 Math.random()*
(new Date(this.startDate).getTime() +
6 * 24 * 60 * 60 * 1000 -
new Date(this.startDate).getTime())
              ∨ 🗁 place-detail
                        place-detail.module.ts
                          place-detail.page.html
                                                                                                                                                                               ).toISOString();
                         place-detail.page.scss
                          place-detail.page.spec.ts
```

11. Modifikasi create-booking.component.ts



12. Lihat hasilnya di browser, jika memilih random date, apakah muncul random date?

