

# Auto A11y User Guide

Auto A11y is a web accessibility testing platform. It crawls websites, runs hundreds of automated WCAG checks in a real browser, adds AI-powered visual analysis, and produces reports ranging from a one-page executive summary to a complete offline audit package.


This guide walks through the desktop application using a real example project — **Inaccessibility Matters**, a deliberately inaccessible demonstration site — so every screenshot shows genuine test data.

## Contents

1. [How Auto A11y works](#)
  2. [The Dashboard](#)
  3. [Projects](#)
  4. [Websites and page discovery](#)
  5. [Running tests](#)
  6. [Reading test results](#)
  7. [Reports](#)
  8. [Scheduling recurring tests](#)
  9. [The Testing menu](#)
  10. [Tips, accessibility features, and troubleshooting](#)
- 


## How Auto A11y works

The workflow is a loop: set up a project, find the pages, test them, review what was found, report — then fix the site and re-test to track progress.



*Workflow: 1 Project, 2 Website, 3 Discover, 4 Test, 5 Review, 6 Report, with a feedback loop from Report back to Test labelled “Fix issues on the site, then re-test to track progress”*

Everything you test lives in a simple hierarchy: a **project** contains **websites**, each website contains **pages**, and every page keeps its own history of **test results**. Two engines find the issues:



*Data model: a Project contains Websites, which contain Pages, which accumulate Test Results grouped by touchpoint and severity. Side panels describe the automated JavaScript checks (fixture-validated) and Claude AI visual analysis.*

Issues are graded by **severity**:


| Severity         | Meaning                                                                                             |
|------------------|-----------------------------------------------------------------------------------------------------|
| <b>Error</b>     | A WCAG violation that must be fixed                                                                 |
| <b>Warning</b>   | A likely barrier that should be reviewed                                                            |
| <b>Info</b>      | Worth noting; not necessarily a defect                                                              |
| <b>Discovery</b> | Content the automation found that needs <i>manual</i> review (forms, videos, PDFs, complex widgets) |

and organized by **touchpoint** — the category of accessibility concern (Forms, Headings, Landmarks, Colors and Contrast, Focus Management, and so on). Touchpoints map to the relevant WCAG success criteria in every report.

A quality gate protects you from false positives: each automated check is validated against a library of known test cases (“fixtures”), and **only checks that pass all of their fixtures are enabled**. You can see exactly which checks are active under *Testing* → *Fixture Status*.

## The Dashboard

The Dashboard is the landing page: portfolio-wide statistics, quick actions, test coverage, and system status.



*Dashboard showing stat tiles (Projects 12, Total Pages 543, Tested Pages 484, Total Issues 68263, Errors, Warnings, Info Notes, Discovery), Quick Actions buttons (New Project, Run Tests, Generate Report), a Test Coverage bar at 89.1%, and System Status showing Database Connected, Browser Engine Ready, AI Analysis Enabled*

- **Stat tiles** — totals across all projects: pages, tested pages, and issues broken down by severity.
- **Quick Actions** — jump straight to creating a project, running tests, or generating a report.
- **Test Coverage** — how much of your page inventory has been tested.
- **System Status** — the database, browser engine, and AI analysis must all be green for testing to run.

The top navigation is always available: **Dashboard**, **Projects**, **Testing** (dashboard, configuration, fixture status, trends), and **Reports**, plus the dark-mode toggle, language switcher (English/French), and settings on the right.

## Projects

A project is the container for one audit engagement — its websites, test settings, WCAG level, and reports. Open **Projects** in the navigation to see your project list.

Auto A11y

Dashboard

Projects

Testing

Reports

EN

Desktop User

Projects

New Project

AllActivePausedCompletedArchived

Access Labs Current Site

WebsiteActive

No description

Created: 2026-04-08

Updated: 2026-04-08

View

Edit

CNIB Main Site

WebsiteActive

No description

Created: 2026-04-08

Updated: 2026-04-08

View

Edit

Research Manitoba

WebsiteActive

No description

Created: 2026-04-27

Updated: 2026-04-27

View

Edit

RITHIM

WebsiteActive

No description

Created: 2026-04-27

Updated: 2026-04-27

View

Edit

Map Demo

WebsiteActive

No description

Created: 2026-05-01

Updated: 2026-05-01

View

Edit

Sobeys Dayforce

WebsiteActive

No description

Created: 2026-05-08

Updated: 2026-05-08

View

Edit

Brain Health Pro

WebsiteActive

YVR Map

WebsiteActive

The Arts Station

WebsiteActive

*Projects list page*

## Creating a project

Click **New Project**. Only the name is required; the form also lets you set a description, project type, and compliance settings (such as the target WCAG level).

## Create New Project

**Test Availability:** Only tests that passed fixture validation are enabled. [View Fixture Status](#)

**Project Details**

**Project Name \***

Choose a unique name for your project

**Description**

Optional description of the project goals

**Project Type \***

Website

Select the type of project you're testing

**Drupal Audit (Optional)**

Auto-match by project name

Select the corresponding audit in Drupal for synchronization. Leave as \"Auto-match\" to use the project name.

**Compliance Settings**

*Create New Project form with Project Name, Description, Project Type fields and a Compliance Settings section. A banner notes that only tests that passed fixture validation are enabled.*

Note the banner at the top: it is a reminder that only fixture-validated checks will run, with a link to the current fixture status.

### The project page

Opening a project shows everything in one place:

The screenshot shows the 'Inaccessibility Matters 2' project page in the Auto A11y application. The top navigation bar includes 'Auto A11y', 'Dashboard', 'Projects', 'Testing', and 'Reports'. The project name 'Inaccessibility Matters 2' is followed by an 'Active' status tag. Below the name are several action buttons: 'Test All Websites', 'Test Users', 'Participants', 'Automated Tests', 'Edit', and 'Delete'. A row of four stat cards displays: 'Websites 1', 'Documents 5' (with subtext '5 pages + 0 PDFs'), 'Tested 5' (with subtext '100.0% coverage'), and 'Issues 387' (with subtext '300 warnings'). Below these is a 'PDFs' section with a count of 0. The 'Websites' section features an 'Add Website' button and a list of sites. The first site, 'Main', has a URL 'https://bobjd69.sg-host.com/', '5 pages', and a timestamp '2026-07-21 08:31'. It also shows '387 issues' and '300 warnings' counts. Action buttons 'View', 'Discover', and 'Test' are available for this site. A 'Discovered Pages' section is partially visible at the bottom.

Project page for Inaccessibility Matters 2 showing action buttons (Test All Websites, Test Users, Participants, Automated Tests, Edit, Delete), stat cards (Websites 1, Documents 5, Tested 5 at 100% coverage, Issues 387 with 300 warnings), and the Websites list with View, Discover, and Test buttons

- **Test All Websites** starts a test run over every website in the project.
- **Automated Tests** lets you choose which checks run for this project.
- The **Websites** card lists each site with its issue counts and per-site **View** / **Discover** / **Test** buttons.

## Websites and page discovery

Open a website from the project page to manage its pages and testing.

Auto A11y Dashboard Projects Testing Reports

Projects Inaccessibility.Matters.2 Main

## Main

<https://bobd69.sg-host.com/>

Discover Pages Test All Documents 6 Test Untested Documents

Discovery History Documents Setup Scripts Test Users Schedules Reports Edit

**Manual mode**  
Open a visible Chromium window you can drive yourself. Use "Capture" to add the current URL to the page list, or "Test" to run the test suite against whatever is on screen.

Start visible browser Capture this page Test this page Stop session

No session running.

|                 |        |            |          |
|-----------------|--------|------------|----------|
| Total Documents | Tested | Violations | Warnings |
| 6               | 6      | 476        | 377      |

PDFs 0

Pages (6) Add Page


Website page for “Main” showing Discover Pages, Test All Documents, and Test Untested Documents buttons; a Manual mode panel with Start visible browser, Capture this page, Test this page, and Stop session; stat cards (Total Documents 6, Tested 6, Violations 476, Warnings 377); and the Pages list with an Add Page button

## Finding pages

There are three ways to build the page inventory:

1. **Discover Pages** — crawls the site automatically, following links to find pages. Discovery runs in the background; **Discovery History** shows past crawls.
2. **Add Page** — add a URL by hand (useful for pages the crawler can’t reach).
3. **Manual mode** — opens a *visible* Chromium window that you drive yourself. Navigate wherever you need — through logins, wizards, or dynamic states — then click **Capture this page** to add the current URL to the page list, or **Test this page** to run the test suite against exactly what is on screen.

The **Pages** list shows every page with its status (tested/untested), latest issue counts, and per-page actions.



*Pages list on the website page, showing each page URL with status and issue counts*

## Testing behind logins and complex states

Two supporting tools live on the website page:

- **Test Users** — stored login credentials. When configured, the test runner signs in as that user before testing, so authenticated pages can be audited. A “test login” button verifies the automation works.
- **Setup Scripts** — recorded actions to run before testing a page (dismiss a cookie banner, open a menu, switch a tab), so tests measure the state that matters.

## Running tests


You can start a test at any scope:

| Where                 | Button                         | What runs                        |
|-----------------------|--------------------------------|----------------------------------|
| Project page          | <b>Test All Websites</b>       | Every page in every website      |
| Website page          | <b>Test All Documents</b>      | Every page (and PDF) in the site |
| Website page          | <b>Test Untested Documents</b> | Only pages without results       |
| Page list / page view | <b>Test</b>                    | That single page                 |

During a test, Auto A11y loads the page in a browser, injects and runs the JavaScript check suite, captures a screenshot, and (when enabled) sends the screenshot to Claude AI for visual analysis — catching issues DOM inspection cannot see, such as reading order, visual headings that aren’t marked up, and motion without pause controls. Results are saved to the page’s history.



Tests run as background jobs; you can keep working while they run. Progress is visible on the page itself and under *Testing* → *Dashboard*.



*Testing dashboard showing test activity and job status*

## Reading test results

Open any tested page to see its **Latest Test Results** — the heart of the product. Issues are grouped into severity sections (Errors, Warnings, Info, Discovery), then by touchpoint, then by issue type.

Auto A11y
Dashboard
Projects
Testing
Reports

EN

 Desktop User

[Inaccessibility Matters 2](#)
[Main](#)
[Inaccessibility Matters - About us](#)

## Inaccessibility Matters - About us

[Run Test](#)
[Edit](#)
[Scripts](#)

**Status**  
Tested

**Priority**  
Normal

**Last Tested**  
2026-07-21 08:31

**Test Duration**  
160.83s

**Page Screenshot**

**Automated Accessibility Score**

62.9%

146 / 232 automated checks passed

**Automated WCAG Compliance Score**

23.3%

7 / 30 automated tests passed

**Accessibility Issues Found**

Page view for about.html showing the page details and Latest Test Results below

Errors 1

Warnings 40

High 1

Medium 19

WCAG 1.3.2

WCAG 1.3.3

WCAG 1.4.1

WCAG 1.4.10

Animation

Colors & Contrast

Dialogs & Modals

Event

Info 1

Discovery 8

Low 10

**Affected User Groups**  

Vision

Hearing

Motor

Cognitive

Seizure

**Test User**  

Guest

**Quick Search**

**Latest Test Results**  
Tested on 2026-07-21 08:31:32

**Errors**
69

Issues that must be fixed for WCAG compliance

Accessible Names

Latest Test Results showing the red Errors section with 69 errors, an Accessible Names touchpoint group, and collapsed issue rows each showing an impact badge, description, and XPath

Each issue row shows its **impact** (High/Medium/Low), the **user context** it was tested under (e.g. Guest), a plain-language description, and the **XPath** locating the element. Issues with multiple occurrences group their instances. Expand a row for the full detail:

**Latest Test Results**  
Tested on 2026-07-21 08:31:32

**Errors 69**  
Issues that must be fixed for WCAG compliance

**Accessible Names**

2 **High** An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.

> **Instance 1:** Guest  
An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.  
/html[1]/body[1]/main[1]/table[1]/tbody[1]/tr[1]/td[1]/div[1]/p[1]/iframe[1]

> **Instance 2:** Guest  
An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.  
/html[1]/body[1]/main[1]/footer[1]/div[1]/form[1]/input[1]

> **High** Guest  
A carousel or slider was detected (rotating slides, prev/next controls), but it lacks role="region" with an accessible name, slide-status announcements, and labelled controls.  
/html[1]/body[1]/main[1]/div[2]

> 2 **High** An element has an onclick handler (or similar JavaScript click listener) but no role, no tabindex, and no keyboard event handlers, so it can be clicked but not activated with a keyboard.

*An expanded issue showing two instances of “An interactive element has no accessible name”, each with its own XPath, inside the accordion*


Inside an expanded issue you’ll find:

- **What the issue is / Why it matters / Who it affects** — plain-language explanations suitable for sharing with content owners.
- **How to remediate** — concrete fix guidance.
- **WCAG success criteria** — with links to the *W3C Understanding* and *How to Meet* pages.
- **Location** — the XPath, with a copy button.
- **Code snippet** — the offending HTML.
- **Page thumbnail** — the page as it looked at test time.

Every page keeps a **Test History** table below the latest results, so you can compare runs over time as fixes land.

## Reports

Open **Reports** in the navigation. Six report types cover different audiences and purposes; all generate in the background and appear under *Recent Reports* when complete.



*Reports page showing six cards: Accessibility Report, Discovery Report, Site Structure, Offline Report (Static HTML), Deduplicated Offline Report, and Recordings Report, plus a Generate Report button*

## Accessibility Report

*Audience: managers and stakeholders. The executive overview.*

A structured summary of a project's (or website's) accessibility state: compliance score with letter grade, key metrics, issues by touchpoint and by impact, the most frequent issues, prioritized recommendations, and an **AI Executive Analysis** — an assessment written by Claude AI covering strengths, critical risks, maturity level, user impact by disability group, legal risk, and a phased remediation strategy.

Available formats: **HTML** (shown below), **Excel**, **CSV**, **JSON**, and **PDF**.

## Inaccessibility Matters 2 — Accessibility Report

Project: Inaccessibility Matters 2  
Generated: 2026-07-21 09:57

### Executive Summary




5 pages were tested: 387 violations and 300 warnings were found, and 7 automated checks passed.

**Grade: F**

Share of automated checks that passed across all tested pages.

### Key Metrics



### Issues by Touchpoint



*HTML Accessibility Report for Inaccessibility Matters 2 showing the Executive Summary with a 1.0% compliance ring and grade F, Key Metrics cards, and an Issues by Touchpoint bar chart led by Landmarks with 169 issues*

The **Excel** format is the working spreadsheet: an executive summary sheet plus per-website sheets and a complete issue list with descriptions, WCAG criteria, XPaths, and remediation guidance — ideal for tracking fixes.


| Accessibility Report Summary |                                                                             |
|------------------------------|-----------------------------------------------------------------------------|
| total_pages                  | 5                                                                           |
| total_violations             | 387                                                                         |
| total_warnings               | 300                                                                         |
| total_info                   | 9                                                                           |
| total_discovery              | 123                                                                         |
| total_passes                 | 7                                                                           |
| touchpoint_counts            | defaultdict(<class 'int'>, {'accessible_names': 27, 'animation': 15, 'c     |
| wcag_counts                  | defaultdict(<class 'int'>, {})                                              |
| impact_counts                | defaultdict(<class 'int'>, {'high': 245, 'medium': 363, 'low': 211, 'unk    |
| page_scores                  | []                                                                          |
| top_issue_codes              | Counter({'links_WarnLinkDefaultFocus': 49, 'event_handlers_Disco            |
| project                      | {'name': 'Inaccessibility Matters 2', 'description': '', 'status': <Project |
| recordings                   | []                                                                          |

*First sheet of the Excel accessibility report showing the executive summary table*

## Discovery Report

*Audience: auditors planning manual review.*

Lists the content that automated testing **cannot** judge — forms, videos, PDFs, unusual typography, elements with questionable accessible names — so a human reviewer knows exactly where to look. Site-wide issues (appearing on most pages) are separated from page-specific ones so global components get fixed once. Formats: HTML or PDF.



*Discovery Report for the Main website showing an Executive Summary with cards for 5 Pages Needing Inspection, 337 Discovery Issues, 9 Info Items, and 27 Accessible Name Issues, followed by a Site-Wide Issues section*

## Site Structure

*Audience: anyone needing to understand the site's shape.*

A hierarchical tree of the website's organization as discovered by the crawler — useful for scoping an audit and spotting orphaned sections.

# Site Structure Report

Language: EN

Project: Inaccessibility Matters 2  
Website: Main (https://bobd69.sg-host.com/)  
Generated: 2026-07-21 11:27:29

## Summary

Total Pages: 5  
Tested Pages: 5  
Pages with Issues: 5  
Total Violations: 387  
Total Warnings: 300  
Max Depth: 1 levels

## Site Structure Tree

|                      |                        |
|----------------------|------------------------|
| ▼ bobd69.sg-host.com | (387 total violations) |
| about.html           | (69 total violations)  |
| a11y.html            | (65 total violations)  |
| Default.html         | (89 total violations)  |
| spain.html           | (72 total violations)  |

## Legend

- Directory/Section
- Page
  - Page has been tested
  - Page has accessibility issues
  - Page not yet tested

Expand All Collapse All

*Site Structure Report showing a summary card (5 pages, 387 violations, max depth 1) and the site structure tree with per-page violation counts*

## Offline Report (Static HTML)

*Audience: clients and teams without access to the app.*

A complete, self-contained **multi-page website** delivered as a ZIP: an index of all tested pages with scores and client-side search/filtering, a summary page with statistics, and a full detail page per tested page with the same issue accordions as the app. Everything — CSS, JavaScript, images, screenshots — is bundled, so it works from a file share or email attachment with no server and no internet. Bilingual: every page has an EN/FR switcher.



IndexENFR

Test Information

PROJECT

Inaccessibility Matters 2

WEBSITE URL

https://bobd69.sg-host.com/

TEST DATE

2026-07-20 16:39:42

WCAG LEVEL

AA

PAGES TESTED

2

TOUCHPOINTS TESTED

Colors, Images, Styles

2

PAGES TESTED

93

TOTAL ERRORS

88

TOTAL WARNINGS

3

INFORMATIONAL

39

DISCOVERY ITEMS

0.0%

AVERAGE SCORE

All Pages

Sort by Title

Reset

Showing 2 of 2 pages

Untitled Page

https://bobd69.sg-host.com/

7 Errors

10 Warnings

1 Info

17 Discovery

Tested 2026-07-20 16:34:34.852000

View Details →

0%


Untitled Page

http://localhost

0%

*Offline report index showing page cards with scores, issue badges, search and filter controls*

Options when generating: choose project or single website scope, WCAG level, and whether to include screenshots and discovery items.



*Generate Offline Report dialog listing what the report contains, with Project and Website selectors, WCAG level, and options to include screenshots and discovery items*

## Deduplicated Offline Report


*Audience: developers fixing a template-based site.*

The same offline ZIP concept, but issues are **grouped by common component** — the header, navigation, and footer that repeat on every page are reported once, with the pages they affect, instead of once per page. Scores are shown both for the full page and excluding component issues, so you can see how much a single template fix will move the needle. Also bilingual.

## Deduplicated Accessibility Report

Issues grouped by common components • 2026-07-20 19:04

EN FR



| Common Components                                 |                 |   |
|---------------------------------------------------|-----------------|---|
| Click a component to view its deduplicated issues |                 |   |
| Navigation                                        | header 6be29727 | > |
| 2 page(s) ✓ Score: 100.0%                         |                 |   |
| Navigation                                        | 3815c9a1        | > |
| 2 page(s) ✓ Score: 100.0%                         |                 |   |
| Header                                            | 48311736        | > |
| 2 page(s) ✓ Score: 67.0%                          |                 |   |
| 9 violation(s) 3 warning(s)                       |                 |   |
| Footer                                            | 1aa066b8        | > |
|                                                   |                 |   |

*Deduplicated Accessibility Report showing accessibility and compliance score cards, violation counts, and a Common Components list where each component (navigation, header, footer) shows its pages and score*

## Recordings Report

*Audience: teams complementing automation with lived experience.*

Compiles findings from **recorded manual testing sessions** — audio-recorded walkthroughs by testers with disabilities, uploaded to the project — into an audit document: user quotes with timecodes, pain points, and key takeaways, alongside the structured issues raised. (This example uses the YVR Map project, which has recorded sessions.)

# Recordings Report: YVR Map

Generated: 2026-07-21 11:34:04

## Executive Summary



## Recordings

sam-truncated: YVR Map- Android Talkback- Sam

- ☐ Key Takeaways (17) ▾
- ☐ User Painpoints (23) ▾
- ☐ User Assertions (87) ▾
- ☐ Accessibility Issues (20) ▴

High

Missing heading structure on wayfinding application

3 timecode(s) ▾

High

Website purpose and identity not communicated to screen reader users

2 timecode(s) ▾


*Recordings Report for YVR Map showing executive summary cards (7 recordings, 133 issues by severity) and a recorded session with Key Takeaways, User Painpoints, User Assertions, and Accessibility Issues, each issue with timecodes*

## Generating and downloading

Every report generates as a background job — large reports can take several minutes. Finished reports appear in **Recent Reports** at the bottom of the Reports page with a download button; failed jobs can be restarted, and running jobs can be dropped.

## Scheduling recurring tests

*Reports* → *Schedules* (or the Schedules button on a website page) lets you run tests automatically — daily, weekly, or monthly — so trend data accumulates without anyone remembering to click Test.



*Schedules page for managing recurring test runs*

## The Testing menu

- **Dashboard** — live and recent test activity across all projects.
- **Configure** — runtime testing options.
- **Fixture Status** — the quality gate: every check in the test suite with its validation state. Only checks passing all fixtures run in production.

## Fixture Test Status

View which accessibility tests have passing fixtures

Debug Mode

OFF

All tests available in debug mode

Total Error Codes

0

Error codes with fixtures

All Pass

0

All fixtures passing

Partial Pass

0

Some fixtures passing

All Fail

0

No fixtures passing

Enabled

0

Available for scanning

### Latest Fixture Test Run

No fixture test runs found. Run `python test_fixtures.py` to test fixtures.

### Individual Test Status

Tests are automatically enabled/disabled based on fixture results

- Understanding Test Status:
 
  - Error Code:** Each accessibility issue type (e.g., ErrNoAltText)
  - Fixtures:** Individual HTML test files for each error code (typically 2-3 per code)
  - All Pass:** Every fixture for this error code passes - Enabled for scanning
  - Partial Pass:** Some fixtures pass, others fail - Disabled (needs fixing)
  - All Fail:** No fixtures pass - Disabled (needs implementation or fixing)

Fixture Status page listing accessibility checks and their fixture validation results

- Trends** — violation and warning counts over time, so you can show progress between audits.

## Trend Analysis

All Projects Overview

All Projects

Select a project first

View:

Daily

Weekly

Monthly

Period:

7 days

30 days

90 days

1 year

2026-06-21

to

2026-07-21

→

Filter Trends
 

Clear All

Issue Type

Violations

0

Warnings

0

Impact Level

High

3229

Medium

3484

Low

6442

WCAG Criteria

WCAG 1.1.1

WCAG 1.2.1

WCAG 1.2.2

WCAG 1.2.3

WCAG 1.3.1

Touchpoint

Accessible Names (718)

Buttons (303)

Event Handling (253)

Focus Management (2643)

Form Labels (685)

Affected User Groups

Vision

Hearing

Motor

Cognitive

Seizure

Total Violations

0

Stable

Total Warnings

0

Tests Run

38

Avg per Test

0.0

Violations & Warnings Over Time
 


Show Moving Avg

By Impact Level

Trends page with charts of violations and warnings over time

## Tips, accessibility features, and troubleshooting

**The app practices what it audits.** The interface meets WCAG 2.2 AA: full keyboard operation (expanded accordions draw a double-line focus ring around the entire issue), dark mode via the toggle in the navigation bar, a full French translation via the EN/FR switcher, and screen-reader-tested components.



### Help page

**A page loads in the browser but the test reports “Failed to load page”.** Usually the page never finishes loading its network activity (hung third-party images, long-polling scripts). Auto A11y tolerates this — it tests the loaded DOM after a grace period — but a page that cannot even reach `domcontentloaded` within 30 seconds will fail. Check the URL is reachable from this machine.

**A check you expected didn’t run.** See *Testing → Fixture Status* — the check may be disabled because it has not passed all of its validation fixtures.

**Report generation seems stuck.** Reports over large sites take minutes. The Reports page shows job progress; a stalled job can be dropped and restarted from *Recent Reports*.

**AI analysis findings are missing.** AI visual analysis requires an API key and the *AI Analysis: Enabled* status on the Dashboard. Automated DOM checks run regardless.

**The numbers in this guide look alarming.** They should — *Inaccessibility Matters* is a demonstration site built to fail. A 1.0% compliance score is the point.

---

See also: [API\\_GUIDE.md](#) for automating Auto A11y from scripts and CI, and [ARCHITECTURE.md](#) for how the platform works internally.