


Auto A11y User Guide

Desktop Application User Manual

CNIB Access Labs

July 2026



Auto A11y is a web accessibility testing platform. It crawls websites, runs hundreds of automated WCAG checks in a real browser, adds AI-powered visual analysis, and produces reports ranging from a one-page executive summary to a complete offline audit package.

This guide walks through the desktop application using a real example project — **Inaccessibility Matters**, a deliberately inaccessible demonstration site — so every screenshot shows genuine test data.




Contents

1. [How Auto A11y works](#)
2. [The Dashboard](#)
3. [Projects](#)
4. [Websites and page discovery](#)
5. [Running tests](#)
6. [Reading test results](#)
7. [Reports](#)
8. [Scheduling recurring tests](#)
9. [The Testing menu](#)
10. [Tips, accessibility features, and troubleshooting](#)



1 How Auto A11y works

The workflow is a loop: set up a project, find the pages, test them, review what was found, report — then fix the site and re-test to track progress.



Workflow: 1 Project, 2 Website, 3 Discover, 4 Test, 5 Review, 6 Report, with a feedback loop from Report back to Test labelled “Fix issues on the site, then re-test to track progress”

Everything you test lives in a simple hierarchy: a **project** contains **websites**, each website contains **pages**, and every page keeps its own history of **test results**. Two engines find the issues:



Data model: a Project contains Websites, which contain Pages, which accumulate Test Results grouped by touchpoint and severity. Side panels describe the automated JavaScript checks (fixture-validated) and Claude AI visual analysis.

Issues are graded by **severity**:

Severity	Meaning
Error	A WCAG violation that must be fixed
Warning	A likely barrier that should be reviewed
Info	Worth noting; not necessarily a defect



Severity	Meaning
Discovery	Content the automation found that needs <i>manual</i> review (forms, videos, PDFs, complex widgets)


and organized by **touchpoint** — the category of accessibility concern (Forms, Headings, Landmarks, Colors and Contrast, Focus Management, and so on). Touchpoints map to the relevant WCAG success criteria in every report.

A quality gate protects you from false positives: each automated check is validated against a library of known test cases (“fixtures”), and **only checks that pass all of their fixtures are enabled**. You can see exactly which checks are active under *Testing* → *Fixture Status*.



2 The Dashboard

The Dashboard is the landing page: portfolio-wide statistics, quick actions, test coverage, and system status.



Dashboard showing stat tiles (Projects 12, Total Pages 543, Tested Pages 484, Total Issues 68263, Errors, Warnings, Info Notes, Discovery), Quick Actions buttons (New Project, Run Tests, Generate Report), a Test Coverage bar at 89.1%, and System Status showing Database Connected, Browser Engine Ready, AI Analysis Enabled


- **Stat tiles** — totals across all projects: pages, tested pages, and issues broken down by severity.
- **Quick Actions** — jump straight to creating a project, running tests, or generating a report.
- **Test Coverage** — how much of your page inventory has been tested.
- **System Status** — the database, browser engine, and AI analysis must all be green for testing to run.

The top navigation is always available: **Dashboard**, **Projects**, **Testing** (dashboard, configuration, fixture status, trends), and **Reports**, plus the dark-mode toggle, language switcher (English/French), and settings on the right.



3 Projects

A project is the container for one audit engagement — its websites, test settings, WCAG level, and reports. Open **Projects** in the navigation to see your project list.



The screenshot shows the 'Projects' page in the Auto A11y application. The top navigation bar is blue with the 'Auto A11y' logo and links to 'Dashboard', 'Projects' (active), 'Testing', and 'Reports'. On the right, there are icons for a user profile, language (EN), and a 'Desktop User' dropdown. The main heading is 'Projects' with a 'New Project' button. Below the heading are filter tabs: 'All', 'Active' (selected), 'Paused', 'Completed', and 'Archived'. The projects are displayed in a grid of six cards. Each card shows the project name, a 'Website' icon, an 'Active' status, a description (or 'No description'), creation and update dates, and 'View' and 'Edit' buttons. The projects listed are: 'Access Labs Current Site', 'CNIB Main Site', 'Research Manitoba', 'RITHIM', 'Map Demo', 'Sobeys Dayforce', 'Brain Health Pro', 'YVR Map', and 'The Arts Station'.

Project Name	Status	Description	Created	Updated	View	Edit
Access Labs Current Site	Active	No description	2026-04-08	2026-04-08	View	Edit
CNIB Main Site	Active	No description	2026-04-08	2026-04-08	View	Edit
Research Manitoba	Active	No description	2026-04-27	2026-04-27	View	Edit
RITHIM	Active	No description	2026-04-27	2026-04-27	View	Edit
Map Demo	Active	No description	2026-05-01	2026-05-01	View	Edit
Sobeys Dayforce	Active	No description	2026-05-08	2026-05-08	View	Edit
Brain Health Pro	Active					
YVR Map	Active					
The Arts Station	Active					

Projects list page

3.1 Creating a project

Click **New Project**. Only the name is required; the form also lets you set a description, project type, and compliance settings (such as the target WCAG level).



Create New Project

Test Availability: Only tests that passed fixture validation are enabled. [View Fixture Status](#)

Project Details

Project Name *

Choose a unique name for your project

Description

Optional description of the project goals

Project Type *

Website

Select the type of project you're testing

Drupal Audit (Optional)

Auto-match by project name

Select the corresponding audit in Drupal for synchronization. Leave as \"Auto-match\" to use the project name.

Compliance Settings

Create New Project form with Project Name, Description, Project Type fields and a Compliance Settings section. A banner notes that only tests that passed fixture validation are enabled.

Note the banner at the top: it is a reminder that only fixture-validated checks will run, with a link to the current fixture status.

3.2 The project page

Opening a project shows everything in one place:

Auto A11y Dashboard Projects Testing Reports

EN Desktop User

Inaccessibility Matters 2 Active

No description

[Test All Websites](#)
[Test Users](#)
[Participants](#)
[Automated Tests](#)
[Edit](#)
[Delete](#)

Websites 1	Documents 5 5 pages + 0 PDFs	Tested 5 100.0% coverage	Issues 387 300 warnings
----------------------	---	---------------------------------------	--------------------------------------

PDFs 0

Websites [Add Website](#)

Main 387 issues 300 warnings

<https://bobjd69.sg-host.com/>

5 pages 2026-07-21 08:31

[View](#)
[Discover](#)
[Test](#)

Discovered Pages

Project page for Inaccessibility Matters 2 showing action buttons (Test All Websites, Test Users, Participants, Automated Tests, Edit, Delete), stat cards (Websites 1, Documents 5, Tested 5 at 100% coverage, Issues 387 with 300 warnings), and the Websites list with View, Discover, and Test buttons

- **Test All Websites** starts a test run over every website in the project.
- **Automated Tests** lets you choose which checks run for this project.
- The **Websites** card lists each site with its issue counts and per-site **View** / **Discover** / **Test** buttons.



4 Websites and page discovery

Open a website from the project page to manage its pages and testing.

The screenshot shows the Auto A11y web application interface. At the top is a blue navigation bar with the 'Auto A11y' logo and links to Dashboard, Projects, Testing, and Reports. The main content area is titled 'Main' and shows the URL 'https://bobd69.sg-host.com/'. Below the URL are three buttons: 'Discover Pages', 'Test All Documents', and 'Test Untested Documents'. A secondary row of buttons includes 'Discovery History', 'Documents', 'Setup Scripts', 'Test Users', 'Schedules', 'Reports', and 'Edit'. A 'Manual mode' section contains instructions and four buttons: 'Start visible browser', 'Capture this page', 'Test this page', and 'Stop session'. Below this are four stat cards: 'Total Documents' (6), 'Tested' (6), 'Violations' (476), and 'Warnings' (377). At the bottom, there is a 'PDFs' section with a count of 0, and a 'Pages (6)' section with an 'Add Page' button.

Website page for “Main” showing Discover Pages, Test All Documents, and Test Untested Documents buttons; a Manual mode panel with Start visible browser, Capture this page, Test this page, and Stop session; stat cards (Total Documents 6, Tested 6, Violations 476, Warnings 377); and the Pages list with an Add Page button

4.1 Finding pages

There are three ways to build the page inventory:

1. **Discover Pages** — crawls the site automatically, following links to find pages. Discovery runs in the background; **Discovery History** shows past crawls.
2. **Add Page** — add a URL by hand (useful for pages the crawler can’t reach).
3. **Manual mode** — opens a *visible* Chromium window that you drive yourself. Navigate wherever you need — through logins, wizards, or dynamic states — then click **Capture this page** to add the current URL to the page list, or **Test this page** to run the test suite against exactly what is on screen.

The **Pages** list shows every page with its status (tested/untested), latest issue counts, and per-page actions.



Pages (6)

Add Page

<https://bobd69.sg-host.com/>

Tested

89 violations 77 warnings 2026-07-21 08:05

View Test

<https://bobd69.sg-host.com>

Tested

92 violations 78 warnings 2026-07-21 08:05

View Test

<https://bobd69.sg-host.com/about.html>

Tested

69 violations 55 warnings 2026-07-21 08:31

View Test

<https://bobd69.sg-host.com/a11y.html>

Tested

65 violations 38 warnings 2026-07-21 08:04

View Test

<https://bobd69.sg-host.com/Default.html>

Tested

Pages list on the website page, showing each page URL with status and issue counts

4.2 Testing behind logins and complex states

Two supporting tools live on the website page:

- **Test Users** — stored login credentials. When configured, the test runner signs in as that user before testing, so authenticated pages can be audited. A “test login” button verifies the automation works.
- **Setup Scripts** — recorded actions to run before testing a page (dismiss a cookie banner, open a menu, switch a tab), so tests measure the state that matters.




5 Running tests

You can start a test at any scope:

Where	Button	What runs
Project page	Test All Websites	Every page in every website
Website page	Test All Documents	Every page (and PDF) in the site
Website page	Test Untested Documents	Only pages without results
Page list / page view	Test	That single page

During a test, Auto A11y loads the page in a browser, injects and runs the JavaScript check suite, captures a screenshot, and (when enabled) sends the screenshot to Claude AI for visual analysis — catching issues DOM inspection cannot see, such as reading order, visual headings that aren’t marked up, and motion without pause controls. Results are saved to the page’s history.

Tests run as background jobs; you can keep working while they run. Progress is visible on the page itself and under *Testing → Dashboard*.



Testing dashboard showing test activity and job status



6 Reading test results

Open any tested page to see its **Latest Test Results** — the heart of the product. Issues are grouped into severity sections (Errors, Warnings, Info, Discovery), then by touchpoint, then by issue type.

The screenshot displays the 'Auto A11y' web application interface. The top navigation bar includes links for 'Dashboard', 'Projects', 'Testing', and 'Reports'. The main content area shows the test results for the page 'Inaccessibility Matters - About us'. Key metrics include a 'Status' of 'Tested', a 'Priority' of 'Normal', a 'Last Tested' date of '2026-07-21 08:31', and a 'Test Duration' of '160.83s'. A 'Page Screenshot' is also visible. Two large score boxes show the 'Automated Accessibility Score' at 62.9% (146 / 232 automated checks passed) and the 'Automated WCAG Compliance Score' at 23.3% (7 / 30 automated tests passed). At the bottom, a section for 'Accessibility Issues Found' is partially visible.

Status	Priority	Last Tested	Test Duration
Tested	Normal	2026-07-21 08:31	160.83s

Page Screenshot

Automated Accessibility Score **62.9%**
146 / 232 automated checks passed

Automated WCAG Compliance Score **23.3%**
7 / 30 automated tests passed

Accessibility Issues Found

Page view for about.html showing the page details and Latest Test Results below



The screenshot displays the 'Latest Test Results' section of a web accessibility testing tool. At the top, there are filters for 'Errors' (69), 'Warnings' (40), 'High' (10), and 'Medium' (10). Below these are filters for 'Info' (1), 'Discovery' (8), and 'Low' (10). A list of WCAG criteria is shown: WCAG 1.3.2, WCAG 1.3.3, WCAG 1.4.1, and WCAG 1.4.10. To the right, a list of accessibility categories is provided: Animation, Colors & Contrast, Dialogs & Modals, and Event. Under 'Affected User Groups', there are buttons for Vision, Hearing, Motor, Cognitive, and Seizure. A 'Test User' section shows a 'Guest' user. A 'Quick Search' bar is available for searching in issue descriptions, IDs, or code. The 'Latest Test Results' section indicates the test was performed on 2026-07-21 at 08:31:32. A prominent red banner at the bottom shows 'Errors 69' and 'Issues that must be fixed for WCAG compliance'. Below this, a section titled 'Accessible Names' is visible, followed by a list of collapsed issue rows, each showing an impact badge, a description, and an XPath.

Latest Test Results showing the red Errors section with 69 errors, an Accessible Names touchpoint group, and collapsed issue rows each showing an impact badge, description, and XPath

Each issue row shows its **impact** (High/Medium/Low), the **user context** it was tested under (e.g. Guest), a plain-language description, and the **XPath** locating the element. Issues with multiple occurrences group their instances. Expand a row for the full detail:



Latest Test Results
Tested on 2026-07-21 08:31:32

Errors 69
Issues that must be fixed for WCAG compliance

Accessible Names

2 High An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.

> Instance 1: **Guest**
An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.
/html[1]/body[1]/main[1]/table[1]/tbody[1]/tr[1]/td[1]/div[1]/p[1]/iframe[1]

> Instance 2: **Guest**
An interactive element (button, link, custom widget) has no accessible name derivable from visible text, aria-label, aria-labelledby, alt text, or a <title> child.
/html[1]/body[1]/main[1]/footer[1]/div[1]/form[1]/input[1]

> High **Guest**
A carousel or slider was detected (rotating slides, prev/next controls), but it lacks role="region" with an accessible name, slide-status announcements, and labelled controls.
/html[1]/body[1]/main[1]/div[2]

> 2 High An element has an onclick handler (or similar JavaScript click listener) but no role, no tabindex, and no keyboard event handlers, so it can be clicked but not activated with a keyboard.

An expanded issue showing two instances of “An interactive element has no accessible name”, each with its own XPath, inside the accordion

Inside an expanded issue you’ll find:


- **What the issue is / Why it matters / Who it affects** — plain-language explanations suitable for sharing with content owners.
- **How to remediate** — concrete fix guidance.
- **WCAG success criteria** — with links to the W3C *Understanding* and *How to Meet* pages.
- **Location** — the XPath, with a copy button.
- **Code snippet** — the offending HTML.
- **Page thumbnail** — the page as it looked at test time.

Every page keeps a **Test History** table below the latest results, so you can compare runs over time as fixes land.



7 Reports

Open **Reports** in the navigation. Six report types cover different audiences and purposes; all generate in the background and appear under *Recent Reports* when complete.



Reports page showing six cards: Accessibility Report, Discovery Report, Site Structure, Offline Report (Static HTML), Deduplicated Offline Report, and Recordings Report, plus a Generate Report button


7.1 Accessibility Report

Audience: managers and stakeholders. The executive overview.

A structured summary of a project's (or website's) accessibility state: compliance score with letter grade, key metrics, issues by touchpoint and by impact, the most frequent issues, prioritized recommendations, and an **AI Executive Analysis** — an assessment written by Claude AI covering strengths, critical risks, maturity level, user impact by disability group, legal risk, and a phased remediation strategy.

Available formats: **HTML** (shown below), **Excel**, **CSV**, **JSON**, and **PDF**.





HTML Accessibility Report for Inaccessibility Matters 2 showing the Executive Summary with a 1.0% compliance ring and grade F, Key Metrics cards, and an Issues by Touchpoint bar chart led by Landmarks with 169 issues

The **Excel** format is the working spreadsheet: an executive summary sheet plus per-website sheets and a complete issue list with descriptions, WCAG criteria, XPaths, and remediation guidance — ideal for tracking fixes.



Accessibility Report Summary	
total_pages	5
total_violations	387
total_warnings	300
total_info	9
total_discovery	123
total_passes	7
touchpoint_counts	defaultdict(<class 'int'>, {'accessible_names': 27, 'animation': 15, 'c
wcag_counts	defaultdict(<class 'int'>, {})
impact_counts	defaultdict(<class 'int'>, {'high': 245, 'medium': 363, 'low': 211, 'unk
page_scores	[]
top_issue_codes	Counter({'links_WarnLinkDefaultFocus': 49, 'event_handlers_Disco
project	{'name': 'Inaccessibility Matters 2', 'description': '', 'status': <Project
recordings	[]


First sheet of the Excel accessibility report showing the executive summary table

7.2 Discovery Report

Audience: auditors planning manual review.



Lists the content that automated testing **cannot** judge — forms, videos, PDFs, unusual typography, elements with questionable accessible names — so a human reviewer knows exactly where to look. Site-wide issues (appearing on most pages) are separated from page-specific ones so global components get fixed once. Formats: HTML or PDF.



Discovery Report for the Main website showing an Executive Summary with cards for 5 Pages Needing Inspection, 337 Discovery Issues, 9 Info Items, and 27 Accessible Name Issues, followed by a Site-Wide Issues section

7.3 Site Structure

Audience: anyone needing to understand the site's shape.

A hierarchical tree of the website's organization as discovered by the crawler — useful for scoping an audit and spotting orphaned sections.



Site Structure Report

Language: EN

Project: Inaccessibility Matters 2
Website: Main (https://bobd69.sg-host.com/)
Generated: 2026-07-21 11:27:29

Summary

Total Pages: 5
Tested Pages: 5
Pages with Issues: 5
Total Violations: 387
Total Warnings: 300
Max Depth: 1 levels

Site Structure Tree

▼ bobd69.sg-host.com	(387 total violations)
about.html	(69 total violations)
a11y.html	(65 total violations)
Default.html	(89 total violations)
spain.html	(72 total violations)

Legend

- Directory/Section
- Page
 - Page has been tested
 - Page has accessibility issues
 - Page not yet tested

Expand All Collapse All


Site Structure Report showing a summary card (5 pages, 387 violations, max depth 1) and the site structure tree with per-page violation counts

7.4 Offline Report (Static HTML)

Audience: clients and teams without access to the app.

A complete, self-contained **multi-page website** delivered as a ZIP: an index of all tested pages with scores and client-side search/filtering, a summary page with statistics, and a full detail page per tested page with the same issue accordions as the app. Everything — CSS, JavaScript, images, screenshots — is bundled, so it works from a file share or email attachment with no server and no internet. Bilingual: every page has an EN/FR switcher.






Offline report index showing page cards with scores, issue badges, search and filter controls

Options when generating: choose project or single website scope, WCAG level, and whether to include screenshots and discovery items.





Generate Offline Report dialog listing what the report contains, with Project and Website selectors, WCAG level, and options to include screenshots and discovery items

7.5 Deduplicated Offline Report


Audience: developers fixing a template-based site.

The same offline ZIP concept, but issues are **grouped by common component** — the header, navigation, and footer that repeat on every page are reported once, with the pages they affect, instead of once per page. Scores are shown both for the full page and excluding component issues, so you can see how much a single template fix will move the needle. Also bilingual.

Deduplicated Accessibility Report

Issues grouped by common components • 2026-07-20 19:04

EN FR



Common Components	
Click a component to view its deduplicated issues	
Navigation header 6be29727	>
2 page(s) ✓ Score: 100.0%	
Navigation 3815c9a1	>
2 page(s) ✓ Score: 100.0%	
Header 48311736	>
2 page(s) ✓ Score: 67.0%	9 violation(s) 3 warning(s)
Footer 1aa066b8	

Deduplicated Accessibility Report showing accessibility and compliance score cards, violation counts, and a Common Components list where each component (navigation, header, footer) shows its pages and score

7.6 Recordings Report

Audience: teams complementing automation with lived experience.

Compiles findings from **recorded manual testing sessions** — audio-recorded walkthroughs by testers with disabilities, uploaded to the project — into an audit document: user quotes with timecodes, pain points, and key takeaways, alongside the structured issues raised. (This example uses the YVR Map project, which has recorded sessions.)



Recordings Report: YVR Map

Generated: 2026-07-21 11:34:04

Executive Summary



Recordings

sam-truncated: YVR Map- Android Talkback- Sam

- ☐ Key Takeaways (17) ▾
- ☐ User Painpoints (23) ▾
- ☐ User Assertions (87) ▾
- ☐ Accessibility Issues (20) ▴

High

Missing heading structure on wayfinding application

3 timecode(s) ▾

High

Website purpose and identity not communicated to screen reader users

2 timecode(s) ▾

Recordings Report for YVR Map showing executive summary cards (7 recordings, 133 issues by severity) and a recorded session with Key Takeaways, User Painpoints, User Assertions, and Accessibility Issues, each issue with timecodes


7.7 Generating and downloading

Every report generates as a background job — large reports can take several minutes. Finished reports appear in **Recent Reports** at the bottom of the Reports page with a download button; failed jobs can be restarted, and running jobs can be dropped.



8 Scheduling recurring tests

Reports → *Schedules* (or the Schedules button on a website page) lets you run tests automatically — daily, weekly, or monthly — so trend data accumulates without anyone remembering to click Test.



The screenshot shows the 'Schedules Dashboard' in the Auto A11y application. The top navigation bar includes 'Auto A11y', 'Dashboard', 'Projects', 'Testing', and 'Reports'. The dashboard title is 'Schedules Dashboard' with a subtitle 'Manage scheduled accessibility tests across all projects'. A 'Filter by Project' dropdown is set to 'All Projects'. Below this are four summary cards: 'Total Schedules' (0), 'Active' (0), 'Paused' (0), and 'Upcoming Runs' (0). The main content area has a tab for 'All Schedules' (0) and a message 'No schedules found' with a link to 'Create schedules from individual website pages'. The right sidebar contains three sections: 'Upcoming Runs' (No upcoming runs scheduled), 'By Schedule Type' (No schedules), and 'Quick Links' (Testing Dashboard, Trend Analysis).

Schedules page for managing recurring test runs

9 The Testing menu

- **Dashboard** — live and recent test activity across all projects.
- **Configure** — runtime testing options.
- **Fixture Status** — the quality gate: every check in the test suite with its validation state. Only checks passing all fixtures run in production.

Fixture Status page listing accessibility checks and their fixture validation results

- **Trends** — violation and warning counts over time, so you can show progress between audits.

Trend Analysis

All Projects Overview

All Projects Select a project first

View: Daily Weekly Monthly

Period: 7 days 30 days 90 days 1 year

2026-06-21 to 2026-07-21

Filter Trends

Clear All

Issue Type

Violations 0 Warnings 0

Impact Level

High 3229 Medium 3484 Low 6442

WCAG Criteria

WCAG 1.1.1
WCAG 1.2.1
WCAG 1.2.2
WCAG 1.2.3

Touchpoint

Accessible Names (718)
Buttons (303)
Event Handling (253)
Focus Management (2643)

Affected User Groups

Vision Hearing Motor Cognitive Seizure

Total Violations

0

Stable

Total Warnings

0

Tests Run

38

Avg per Test

0.0

Violations & Warnings Over Time

Show Moving Avg

By Impact Level

Trends page with charts of violations and warnings over time



10 Tips, accessibility features, and troubleshooting

The app practices what it audits. The interface meets WCAG 2.2 AA: full keyboard operation (expanded accordions draw a double-line focus ring around the entire issue), dark mode via the toggle in the navigation bar, a full French translation via the EN/FR switcher, and screen-reader-tested components.

The screenshot shows the 'Help & Documentation' section of the Auto A11y application. The top navigation bar is blue with the 'Auto A11y' logo and links to Dashboard, Projects, Testing, and Reports. A dark mode toggle and language switcher (EN/FR) are also present. The left sidebar lists documentation topics: Understanding Scores, WCAG Standards, Impact Levels, Testing Process, Reports & Exports, FAQ, and About Auto A11y. The main content area is titled 'Help & Documentation' and 'Understanding Your Scores'. It features a light blue box explaining 'Automated vs Manual Testing Scores', followed by two columns: 'Automated Testing Scores' (blue header) and 'Manual Testing Scores' (green header). A purple box at the bottom explains 'Why Do I Have Two Different Scores?' and defines 'Accessibility Score' and 'WCAG Compliance Score'.

Automated vs Manual Testing Scores

Auto A11y provides two types of scores based on your testing approach: **Automated Testing Scores** (from automated scans) and **Manual Testing Scores** (from expert audits and lived experience testing). Each uses similar scoring models but are calculated independently based on their respective test results.

Automated Testing Scores

Generated from automated scanning tools that check pages for technical accessibility issues.

- Fast, consistent, repeatable
- Checks code-level issues
- Can catch 30-40% of accessibility issues
- Available for tested pages

Manual Testing Scores

Generated from human expert audits and lived experience testing with real users.

- Subjective, context-aware testing
- Tests user experience and workflows
- Catches issues automation misses
- Available for manual recordings

Why Do I Have Two Different Scores?

Within each testing type (automated or manual), you'll see two scores:

Accessibility Score	WCAG Compliance Score
Measures the percentage of individual checks/issues that	Measures the percentage of WCAG Success Criteria passed

Help page

A page loads in the browser but the test reports “Failed to load page”. Usually the page never finishes loading its network activity (hung third-party images, long-polling scripts). Auto A11y tolerates this — it tests the loaded DOM after a grace period — but a page that cannot even reach *domcontentloaded* within 30 seconds will fail. Check the URL is reachable from this machine.

A check you expected didn’t run. See *Testing → Fixture Status* — the check may be disabled because it has not passed all of its validation fixtures.

Report generation seems stuck. Reports over large sites take minutes. The Reports page shows job progress; a stalled job can be dropped and restarted from *Recent Reports*.

AI analysis findings are missing. AI visual analysis requires an API key and the *AI Analysis: Enabled* status on the Dashboard. Automated DOM checks run regardless.

The numbers in this guide look alarming. They should — *Inaccessibility Matters* is a demonstration site built to fail. A 1.0% compliance score is the point.



See also: [API_GUIDE.md](#) for automating Auto A11y from scripts and CI, and [ARCHITECTURE.md](#) for how the platform works internally.

