

## Review

## Applications of deep learning in stock market prediction: Recent progress

Weiwei Jiang<sup>\*</sup>

Department of Electronic Engineering, Tsinghua University, Beijing 100084, China

## ARTICLE INFO

## Keywords:

Stock market prediction  
Deep learning  
Machine learning  
Feedforward neural network  
Convolutional neural network  
Recurrent neural network

## ABSTRACT

Stock market prediction has been a classical yet challenging problem, with the attention from both economists and computer scientists. With the purpose of building an effective prediction model, both linear and machine learning tools have been explored for the past couple of decades. Lately, deep learning models have been introduced as new frontiers for this topic and the rapid development is too fast to catch up. Hence, our motivation for this survey is to give a latest review of recent works on deep learning models for stock market prediction. We not only category the different data sources, various neural network structures, and common used evaluation metrics, but also the implementation and reproducibility. Our goal is to help the interested researchers to synchronize with the latest progress and also help them to easily reproduce the previous studies as baselines. Based on the summary, we also highlight some future research directions in this topic.

## 1. Introduction

Stock market prediction is a classical problem in the intersection of finance and computer science. For this problem, the famous efficient market hypothesis (EMH) gives a pessimistic view and implies that financial market is efficient (Fama, 1965), which maintains that technical analysis or fundamental analysis (or any analysis) would not yield any consistent over-average profit to investors. However, many researchers disagree with EMH (Malkiel, 2003). Some studies are trying to measure the different efficiency levels for mature and emerging markets, while other studies are trying to build effective prediction models for stock markets, which is also the scope of this survey.

The effort starts with the stories of fundamental analysis and technical analysis. Fundamental analysis evaluates the stock price based on its intrinsic value, *i.e.*, fair value, while technical analysis only relies on the basis of charts and trends. The technical indicators from experience can be further used as hand-crafted input features for machine learning and deep learning models. Afterwards, linear models are introduced as the solutions for stock market prediction, which include autoregressive integrated moving average (ARIMA) (Hyndman & Athanasopoulos, 2018) and generalized autoregressive conditional heteroskedasticity (GARCH) (Bollerslev, 1986). With the development of machine learning models, they are also applied for stock market prediction, *e.g.*, Logistic regression and support vector machine (Alpaydin, 2014).

Our focus in this survey would be the latest emerging deep learning, which is represents by various structures of deep neural networks

(Goodfellow, Bengio, & Courville, 2016). Powered by the collection of big data from the Web, the parallel processing ability of graphics processing units (GPUs), and the new convolutional neural network family, deep learning has achieved a tremendous success in the past few years, for many different applications including image classification (Rawat & Wang, 2017; Jiang & Zhang, 2020), object detection (Zhao, Zheng, Xu, & Wu, 2019), time series prediction (Brownlee, 2018; Jiang & Zhang, 2018), etc. With a strong ability of dealing with big data and learning the nonlinear relationship between input features and prediction target, deep learning models have shown a better performance than both linear and machine learning models on the tasks that include stock market prediction.

In the past few years, both the basic tools for deep learning and the new prediction models are undergoing a rapid development. With the continuous improved programming packages, it becomes easier to implement and test a novel deep learning model. Also, the collection of online news or twitter data provides new sources of predicting stock market. More recently, graph neural networks using various knowledge graph data appear as new ideas. The study for stock market prediction is not limited to the academia. Attracted by the potential profit by stock trading powered by the latest deep learning models, asset management companies and investment banks are also increasing their research grant for artificial intelligence which is represented by deep learning models nowadays.

Since there are many new developments in this area, this situation makes it difficult for a novice to catch up with the latest progress. To

<sup>\*</sup> Corresponding author.

E-mail address: [jiangweiwei@mail.tsinghua.edu.cn](mailto:jiangweiwei@mail.tsinghua.edu.cn).

alleviate this problem, we summarize the latest progress of deep learning techniques for stock market prediction, especially those which only appear in the past three years. We also present the trend of each step in the prediction workflow in these three years, which would help the new-comers to keep on the right track, without wasting time on obsolete technologies.

We focus on the application of stock market, however, machine learning and deep learning methods have been applied in many financial problems. It would be beyond the scope of this survey to cover all these problems. However, the findings presented in this survey would also be insightful for other time series prediction problems in the finance area, e.g., exchange rate or cryptocurrency price prediction.

We also pay a special attention to the implementation and reproducibility of previous studies, which is often neglected in similar surveys. The list of open data and code from published papers would not only help the readers to check the validity of their findings, but also implement these models as baselines and make a fair comparison on the same datasets. Based on our summary of the surveyed papers, we try to point out some future research directions in this survey, which would help the readers to choose their next movement.

Our main contribution in this survey are summarized as follows:

1. We summarize the latest progress of applying deep learning techniques to stock market prediction, especially those which only appear in the past three years.
2. We give a general workflow for stock market prediction, based on which the previous studies can be easily classified and summarized. And the future studies can refer to the previous work in each step of the workflow.
3. We pay a special attention to implementation and reproducibility, which is often neglected in similar surveys.
4. We point out several future directions, some of which are on-going and help the readers to catch up with the research frontiers.
5. Last but not least, an open GitHub repository on this topic is created<sup>1</sup>, where relevant studies will be collected and updated continuously.

The rest of this survey is organized as follows: Section 2 presents related work; Section 3 gives an overview of the papers we cover; Section 4 describes the major findings in each step of the prediction workflow; Section 5 gives the discussion about implementation and reproducibility; Section 6 points up some possible future research directions; We conclude this survey in Section 7.

## 2. Related Work

Stock market prediction has been a research topic for a long time, and there are some review papers accompanied with the development and flourishing of deep learning methods prior to our work. While their focus could also be applications of deep learning methods, stock market prediction could only be one example of many financial problems in these previous surveys. In this section, we list some of them in a chronological order and discuss our motivation and unique perspectives.

Back to 2009, [Atsalakis and Valavanis \(2009\)](#) surveys more than 100 related published articles that focus on neural and neuro-fuzzy techniques derived and applied to forecast stock markets, with the discussion of classifications of input data, forecasting methodology, performance evaluation and performance measures used. [Li and Ma \(2010\)](#) gives a survey on the application of artificial neural networks in forecasting financial market prices, including the forecast of stock prices, option pricing, exchange rates, banking and financial crisis. [Nikfarjam, Emadzadeh, and Muthaiyah \(2010\)](#) surveys some primary studies which implement text mining techniques to extract qualitative information about companies and use this information to predict the future behavior

of stock prices based on how good or bad are the news about these companies.

[Aguilar-Rivera, Valenzuela-Rendón, and Rodríguez-Ortiz, 2015](#) presents a review of the application of evolutionary computation methods to solving financial problems, including the techniques of genetic algorithms, genetic programming, multi-objective evolutionary algorithms, learning classifier systems, co-evolutionary approaches, and estimation of distribution algorithms. [Cavalcante, Brasileiro, Souza, Nobrega, and Oliveira \(2016\)](#) gives an overview of the most important primary studies published from 2009 to 2015, which cover techniques for preprocessing and clustering of financial data, for forecasting future market movements, for mining financial text information, among others. [Tkáč and Verner \(2016\)](#) provides a systematic overview of neural network applications in business between 1994 and 2015 and reveals that most of the research has aimed at financial distress and bankruptcy problems, stock price forecasting, and decision support, with special attention to classification tasks. Besides conventional multilayer feed-forward network with gradient descent backpropagation, various hybrid networks have been developed in order to improve the performance of standard models.

More recently, [Xing, Cambria, and Welsch \(2018\)](#) reviews the application of cutting-edge NLP techniques for financial forecasting, which would be concerned when text including the financial news or twitters is used as input for stock market prediction. [Rundo, Trenta, di Stallo, and Battiato \(2019\)](#) covers a wider topic both in the machine learning techniques, which include deep learning, but also the field of quantitative finance from HFT trading systems to financial portfolio allocation and optimization systems. [Nti, Adekoya, and Weyori \(2019\)](#) focuses on the fundamental and technical analysis, and find that support vector machine and artificial neural network are the most used machine learning techniques for stock market prediction. Based on its review of stock analysis, [Shah, Isah, and Zulkernine \(2019\)](#) points out some challenges and research opportunities, including issues of live testing, algorithmic trading, self-defeating, long-term predictions, and sentiment analysis on company filings.

Different from other related works that cover more papers from the computer science community, [Reschenhofer, Mangat, Zwatz, and Guzmics \(2019\)](#) reviews articles covered by the Social Sciences Citation Index in the category "Business, Finance" and gives more insight on economic significance. It also points out some problems in the existing literature, including unsuitable benchmarks, short evaluation periods, and nonoperational trading strategies.

Some latest reviews are trying to cover a wider range, e.g., [Shah et al. \(2019\)](#) covers machine learning techniques applied to the prediction of financial market prices, and [Sezer, Gudelek, and Ozbayoglu \(2019\)](#) covers more financial instruments. However, our motivation is to catch up with the research trend of applying deep learning techniques, which have been proved to outperform traditional machine learning techniques, e.g., support vector machine in most of the publications, with only a few exceptions, e.g., [Ballings, den Poel, Hespeels, and Gryp \(2015\)](#) finds that Random Forest is the top algorithm followed by Support Vector Machines, Kernel Factory, AdaBoost, Neural Networks, K-Nearest Neighbors and Logistic Regression, and [Ersan, Nishioka, and Scherp \(2019\)](#) finds that K-Nearest Neighbor and Artificial Neural Network both outperform Support Vector Machines, but there is no obvious pros and cons between the performances of them. With the accumulation of historical prices and diverse input data types, e.g., financial news and twitter, we think the advantages of deep learning techniques would continue and it is necessary to keep updated with this trend for the future research.


Compared with [Sezer et al. \(2019\)](#), whose focus is deep learning for financial time series forecasting and a much longer time period (from 2005 to 2019 exactly), we focus on the recent progress in the past three years (2017–2019) and a narrower scope of stock price and market index prediction. For readers who are also interested in other financial instruments, e.g., commodity price, bond price, cryptocurrency price, etc.,

<sup>1</sup> <https://github.com/jwwthu/DL4Stock>

**Table 1**

List of top source journals and the number of papers we cover in this study.

Journal Name	Paper Count
Expert Systems with Applications	12
IEEE Access	5
Neurocomputing	3
Complexity	2
Journal of Forecasting	2
Knowledge-Based Systems	2
Applied Soft Computing	2
Mathematical Problems in Engineering	2
PLOS ONE	2
Others in total	24

**Fig. 1.** The paper count of different problem types.

we would refer them to this work. We also care more about the implementation workflow and result reproducibility of previous studies, e.g., dataset and code availability, which is a problem that has drawn the attention from the AI researchers (Gundersen & Kjensmo, 2018). We would also pay more attention to the uniqueness of stock market prediction (or financial time series forecasting) from general time series prediction problems, e.g., the evaluation of profitability besides prediction accuracy.

### 3. Overview

In this section, we give an overview of the papers we are going to review in this study. All the works are searched and collected from Google Scholar, with searching keywords such as deep learning, stock prediction, stock forecasting, etc. Most of the covered papers (115 out of 124) are published in the past three years (2017–2019). In total, we cover 56 journal papers, 58 conference papers and 10 preprint papers. These preprint papers are all from arXiv.org, which is a famous website for e-print archive and we cover these papers to keep updated with the latest progress. The top source journals sorted by the number of papers we cover in this study are shown in Table 1.

In this study, the major focus would be the prediction of the close prices of individual stocks and market indexes. Some financial instrument whose price is bounded to the market index is also covered, e.g., some exchange-traded fund (ETF) or equity index futures that track the underlying market index. For intraday prediction, we would also cover mid-price prediction for limit order books. Other financial instruments are not mentioned in this study, e.g., bond price and cryptocurrency price. More specifically, if the target to predict the specific value of the prices, we classify it as a *regression* problem, and if the target is to predict

**Table 2**

List of surveyed markets and stock indexes.

Country	Index	Description
US	S&P 500	Index of 505 common stocks issued by 500 large-cap companies
US	Dow Jones Industrial Average	Index of 30 major companies
US	NASDAQ Composite	Index of common companies in NASDAQ stock market
US	NYSE Composite	Index of common companies in New York Stock Exchange
US	RUSSELL 2000	Index of bottom 2,000 stocks in the Russell 3000 Index
China	SSE Composite	Index of common companies in Shanghai Stock Exchange
China	CSI 300	Index of top 300 stocks in Shanghai and Shenzhen stock exchanges
Hong Kong	HSI	Hang Seng Index of the largest companies in Hong Kong Exchange
Japan	Nikkei 225	Index of 225 large companies in Tokyo Stock Exchange
Korea	Korea Composite	Index of common companies in Korea Stock Exchange
India	BSE 30	Index of 30 companies exist in Bombay Stock Exchange
India	NIFTY 50	Index of 50 companies exist in National Stock Exchange
England	FTSE 100	Index of 100 companies in London Stock Exchange
Brazil	IBOV	Bovespa Index of 60 stocks
France	CAC 40	Index of 40 stocks most significant stocks in Euronext Paris
Germany	DAX	Index of 30 major German companies in Frankfurt Stock Exchange
Turkey	BIST 100	Index of 100 stocks in Borsa Istanbul Stock Exchange
Argentina	MER	Merval Index in Buenos Aires Stock Exchange
Bahrain	BAX	Bahrain All Share Index of 42 stocks
Chile	IPSA	Ipsa Index of 40 most liquid stocks
Australia	All Ordinaries	Index of 500 largest companies in Australian Securities Exchange

the price movement direction, e.g., going up or down, we classify it as a *classification* problem. Most studies are considering the daily prediction (105 of 124) and only a few of them are considering the intraday prediction (18 of 124), e.g., 5-min or hourly prediction. Only one of the 124 papers is considering both the daily and intraday situations (Liu & Wang & Wang, 2019).

Based on the target output and frequency, the prediction problems can be classified into four types: daily classification (52 of 124), daily regression (54 of 124), intraday classification (8 of 124) and intraday regression (11 of 124). A detailed paper count of different prediction problem types is shown in Fig. 1. The reason behind this could be partially justified by the difficulty of collecting the corresponding data. The daily historical prices and news titles are easier to collect and process for research, while the intraday data is very limited in the academia. We would further discuss the data availability in Section 5.

Surveyed markets as well as the most famous stock market index in these markets are shown in the Table 2. Most of the studies would focus on one market, while some of them would evaluate their models on multiple markets. Both mature markets (e.g., US) and emerging markets (e.g., China) are gaining a lot of attention from the research community in the past three years.

### 4. Prediction Workflow

Given different combinations of data sources, previous studies explored the use of deep learning models to predict stock market price/movement. In this section, we summarize the previous studies in a general workflow with four steps that most of the studies follow: Raw

Data, Data Processing, Prediction Model and Model Evaluation. In this section, we would discuss each step separately and reveal a general approach that the future work can easily reproduce.

#### 4.1. Raw Data

The first step of predicting is to collect proper data as the basis. It could be the intrinsic historical prices with the assumption that history repeats itself, or the extrinsic data sources that affect the stock market. In the efficient-market hypothesis, asset prices already reflect all available information. However, in practice many researchers do not agree with this conclusion, thus many different extrinsic sources of data are used for stock market prediction, e.g., Weng, Ahmed, and Megahed (2017) compares the usage of market data, technical indicators, Wikipedia traffic, Google news counts, and generated features, and Liu, Lu, and Du (2019) covers market data, fundamental data, knowledge graph, and news.

##### 4.1.1. Data Types

In this part, we categorize the raw data that are commonly used for stock market prediction into seven types:

- **Market data:** market data includes all trading activities that happen in a stock market, e.g., open/high/low/close prices, trading volume, etc. It is used as both input features (e.g., the historical prices in a look-back window) and prediction target (e.g., the close price of the next day).
- **Text data:** text data refer to the text contributed by individuals, e.g., social media, news, web searches, etc. As a type of alternative data, these data are hard to collect and process, but may provide useful information that is not included in market data. Sentiment analysis can be applied on these text data and produce a sentiment factor (e.g., positive, neutral, or negative) that can be further used for prediction.
- **Macroeconomics data:** macroeconomics data reflects the economic circumstances of a particular country, region or sector, e.g., Consumer Price Index (CPI), Gross domestic product (GDP), etc. These indicators are related with the stock market in the sense that they indicate how healthy the overall stock market is and can provide confirmation as to the quality of a stock market advance or decline.
- **Knowledge graph data:** there are some kind of relationship between different companies and different markets, e.g., the movement of stocks in the same sector may be affected by the same news. Powered by the recently developed graph neural networks, the knowledge graph data from open sources such as FreeBase (Bollacker, Evans, Paritosh, Sturge, & Taylor, 2008) and Wikidata<sup>2</sup> can now be used to improve the prediction performance.
- **Image data:** inspired by the success of convolutional neural networks in 2D image processing, e.g., classification and object detection, candlestick charts are used as input images for stock prediction. While satellite and CCTV images or videos are used to monitor the situation of companies and may be helpful for stock price prediction, they are never used in the surveyed papers because of the prohibitive cost of collection and the potential privacy leakage risk.
- **Fundamental data:** the most common type of fundamental data is the accounting data, which is reported quarterly, e.g., assets, liabilities, etc. It is less used in studies with deep learning models because the low frequency of reporting and also the inaccuracies of the reporting date, e.g., the fundamental data published is indexed by the last date included in the report and precedes the date of the release, which brings in a risk of using future information.
- **Analytics data:** analytics data refers to the data that can be extracted from reports (e.g., recommendation for selling or buying a stock) that




Fig. 2. The usage of different raw data types.




Fig. 3. The distribution of data length.

are provided by investment banks and research firms, who make an in-depth analysis of companies' business models, activities, competitions, etc. These reports provide valuation information, while they may be costly and shared among different consumers, who all want to use this information to make a profit.

Different types or raw data are accompanied with different levels of difficulty for obtaining and processing, and the usage of different data types is shown in Fig. 2. For deep learning models, a huge amount of input data is necessary for the training of a complex neural network model. In this case, market data is the best choice and used for the most as it provides the largest amount of data sample, while the other data types usually have a smaller size. Text data is used for the second most, with the popularity of social media and online news website and the easier use of web crawlers to get the text data. An extreme case is the analytics data, which is never used in the surveyed studies, because of both the data sparsity and the high cost to access.

There is also a trend in Fig. 2 that more diverse data types are used in 2018 and 2019, compared to the studies in 2017. It indicates the fact that it is harder to get a better prediction result based on only the market data. It also reflects the development of new tools so that new types of

<sup>2</sup> <https://www.wikidata.org/>




Fig. 4. Distribution of combinations of input features.

data can be used for prediction, e.g., graph neural networks for knowledge graph data.

#### 4.1.2. Data Length

To evaluate the performance of different models, historical data is necessary for evaluation. However, there is a tradeoff of choosing the data length. A short time period of data is not sufficient to show the effective and has a higher risk of overfitting, while a long time period takes the risk of traversing different market styles and present out-of-dated results. Besides, the data availability and cost are factors that needs to be taken into consideration when choosing the data length.

The distribution of time periods of data used in the surveyed papers is shown in Fig. 3. It is more expensive to get intraday data with a good quality and most of the previous studies involving intraday prediction would use a time period less than one year.

For a single prediction, *lag* is used to denote the time length of the input data to be used by the model, e.g., in the daily prediction, a lag of 30 days means the data in the past 30 days are used to build the input features. For technical indicators, lag is often set as an input parameters and vary a lot in previous studies from 2 to 252 time periods. Correspondingly, *horizon* is used to denote the time length of the future to be predicted by the model. Most of the studies focus on a short-term prediction horizon, e.g., one day or five minutes, with only a few exceptions for a longer horizon such as five days or ten days.

## 4.2. Data Processing

### 4.2.1. Missing Data Imputation

The problem of missing data is not as severe as in other domains, e.g., sensor data, because the market data is more reliable and well supported and maintained by the trading markets. However, to align multiple types of data with different sampling frequencies, e.g., market data and fundamental data, the data with a lower sampling frequency should be inserted in a forward way by propagating the last valid observation forward to next valid, to avoid data leakage of the future information.

### 4.2.2. Denoising

With many irrational behaviors in the stock trading process, the market data is filled with noise, which may misrepresent the trend of price change and misguide the prediction. As a signal processing technique, wavelet transform has been used to eliminate noise in stock price time series (Bao, Yue, & Rao, 2017; Liang, Ge, Sun, He, & Chen, 2019).

Another approach to eliminate noisy data in Sun, Rong, Zhang, Liang, and Xiong (2017) is the use of the kNN-classifiers, based on two training sets with different labels in a data preparation layer.

### 4.2.3. Feature Extraction

For machine learning models, feature engineering is the process of extracting input features from raw data based on domain knowledge. Combined with raw data, these handcrafted features are used as input for the prediction models and can substantially boost machine learning model performance.

For market data, technical analysis is a feature extraction approach that builds various indicators for forecasting the direction of prices based on historical prices and volumes, e.g., moving average, or moving average convergence/divergence (MACD). To extract these technical indicators, chart pattern recognition techniques are widely used (Leigh, Modani, Purvis, & Roberts, 2002; Cervelló-Royo, Guijarro, & Michniuk, 2015; Arévalo, García, Guijarro, & Peris, 2017), e.g., those based on template matching. These technical indicators can be further used to design simple trading strategies. Technical indicators are also used to build image inputs, e.g., 15 different technical indicators with a 15-days periods are used to construct a  $15 \times 15$  sized 2D images in Sezer and Ozbayoglu (2018).

While the feature extraction techniques represented by technical analysis for market data have been used and validated for many years, the tools for extracting features from text data have made a greater progress in the past few years, owing to the various deep learning models developed for natural language processing. Before the popularity of machine learning models, the bag-of-words (BoW) model (Harris, 1954) is used as a representation of text that describes the occurrence of words within a document. In recent years, machine learning and deep learning models show an improved performance for word embedding. Given the sequence of words, the word2vec model (Mikolov, Chen, Corrado, & Dean, 2013), which are shallow and two-layer neural networks, can be used to embed each of these words in a vector of real numbers and has been used in Liu et al. (2019); Liu, Zeng, Ordieres Meré, and Yang, 2019; Lee and Soo, 2017. Global Vectors for Word Representation (GloVe) (Pennington, Socher, & Manning, 2014) is another word embedding method proposed by Stanford University, in which each of the word vectors has a dimension of 50, and has been used in TTang and Chenang and Chen (2018).

Stock markets are highly affected by some public events, which can be extracted from online news data and used as input features. Ding,



**Table 3**

Article Lists of combinations of input features.

Combination	Article List
Historical Prices	(Chen et al., 2019; Ding & Qin, 2019; Zhou et al., 2019; Nguyen et al., 2019; Yang et al., 2017; Li & Tam, 2017; Li et al., 2017; Sachdeva et al., 2019; Mansourfar & Bagherzadeh, xxxx; Tsantekidis et al., 2017; Lliu & Cheniu & Chen, 2019; Qin et al., 2017; Siami-Namini et al., 2019; Guang et al., 2019; Zhao et al., 2017; Althelaya et al., 2018; Baek & Kim, 2018; Liang et al., 2019; Fischer & Krauss, 2018; Pang et al., 2018; Tran et al., 2018; Tsantekidis et al., 2017; Chen et al., 2018; Wang et al., 2019; Zhang et al., 2017; Karathanasopoulos & Osman, 2019; Hollis et al., 2018; KKim & Kangim & Kang, 2019; Cao & Wang, 2019; Selvin et al., 2017; de A. Araújo et al., 2019; Wang & and Wang, 2015; Zhang et al., 2019; Zhang et al., 2017; Wu & Gao, 2018; Long et al., 2019; Cao et al., 2019; Hossain et al., 2018; Eapen et al., 2019; Zhan et al., 2018; Lei, 2018; Chong et al., 2017; Siami-Namini et al., 2018)
Historical Prices + Technical Indicators	(Assis et al. (2018); Cheng et al., 2018; Nelson et al., 2017; Gunduz et al., 2017; Sanboon et al., 2019; Chen & Ge, 2019; Stoean et al., 2019; Al-Thelaya et al., 2019; Yu & Wu, 2019; Li et al., 2019; Gao & Chai, 2018; Chung & Shin, 2018; Yan & Ouyang, 2018; Sethia & Raut, 2019; Sun et al., 2019; Zhang et al., 2019; Chen et al., 2017; Zhou et al., 2018; Borovkova & Tsiamas, 2019; Chen et al., 2019; Feng et al., 2019; Sun et al., 2017; Yang et al., 2018; Ticknor, 2013; Song et al., 2019; Gövken et al., 2016; SSingh & Srivastavaingh & Srivastava, 2017; Patel et al., 2015; Liu & SongLiu & Song, 2017; Merello et al., 2019)
Historical Prices + Text	(Jin et al., 2019; Li et al., 2019; Liu et al., 2019; Liu & Wang & Wang, 2019; Wang et al., 2019; Xu & Cohen, 2018; Matsubara et al., 2018; TTang & Chenang & Chen, 2018; Huang et al., 2018; Wu et al., 2018; Kumar et al., 2019; Li et al., 2017; Tang et al., 2019; Huynh et al., 2017; Mohan et al., 2019; Hu et al., 2018)
Historical Prices + Technical Indicators + Macroeconomics	(Dingli & Fournier, 2017; de Oliveira et al., 2013; Zhong & Enke, 2017; Bao et al., 2017; Tsang et al., 2018; Hoseinzade & Haratizadeh, 2019; Hoseinzade et al., 2019)
Historical Prices + Technical Indicators + Text	(Vargas et al., 2017; Liu et al., 2019; Oncharoen & Vatekul, 2018; Minh et al., 2018; Lee & Soo, 2017; Chen et al., 2018)
Image	(Liu et al., 2018; Hu et al., 2018; Ding et al., 2015; Ding et al., 2014)
Historical Prices + Technical Indicators + Fundamental + Macroeconomics	(Sezer & Ozbayoglu, 2018; Sim et al., 2019; Lee et al., 2019; Sezer & Ozbayoglu, 2019)
Historical Prices + Knowledge Graph	(Ballings et al., 2015; Niaki & Hoseinzade, 2013)
Historical Prices + Knowledge Graph + Text	(Kim et al., 2019; Chen et al., 2018)
Historical Prices + Knowledge Graph + Technical Indicators	(Deng et al., 2019)
Historical Prices + Fundamental data + Text	(Matsunaga et al., 2019)
Historical Prices + Fundamental + Knowledge Graph + Text	(Tan et al., 2019)
Historical Prices + Macroeconomics	(Liu et al., 2019)
Historical Prices + Image	(Jiang et al., 2018)
	(Kim & Kim, 2019)

Zhang, Liu, and Duan (2015) uses a neural tensor network to learn event embeddings for representing news documents. Hu, Liu, Bian, Liu, and Liu (2018) uses a news embedding layer to encode each news into a news vector. Wang, Li, Huang, and Li (2019) uses a convolution neural network (CNN) layer to extract salient features from transformed event representations.

From sentiment aspect, the text data can be further analyzed and a sentiment vector can depict each word, which may present the positive or negative opinions for the future direction of stock prices. For sentiment analysis, Jin, Yang, and Liu (2019) uses CNN and Mohan, Mulla-pudi, Sammeta, Vijayvergia, and Anastasiu (2019) uses Natural Language Toolkit (NLTK) (Loper & Bird, 2002). Lien Minh, Sadeghi-Niaraki, Huy, Min, and Moon (2018) even proposes a sentiment Stock2Vec embedding model trained on both the stock news and the Harvard IV-4 psychological dictionary, which may not be directly related to stock market prediction.

Off-the-shelf commercial software is also available for linguistic features and sentiment analysis. For example, Kumar, Ravi, and Miglani (2019) employs Linguistic Inquiry and Word Count (LIWC) (Tausczik & Pennebaker, 2010) to find out the linguistic features in the news articles, which includes the text analysis module along with a group of built-in dictionaries to count the percentage of words reflecting different emotions, thinking styles, social concerns, and even parts of speech.

For knowledge graph data used more recently, the TransE model (Bordes, Usunier, Garcia-Duran, Weston, & Yakhnenko, 2013) is a computationally efficient predictive model that satisfactorily represents a one-to-one type of relationship and has been used in Liu et al. (2019).

Based on the input raw data and extracted features, we show the distribution of different combinations of input features in Fig. 4 and the detailed article lists in Table 3. From Fig. 4, historical prices and technical indicators are the most commonly used input features and followed by text and macroeconomics data. This could be explained by the easier accessing and processing of market data than other data types.

#### 4.2.4. Dimensionality Reduction

It is possible that many features are highly correlated with each other, e.g., the technical indicators which are all calculated from historical open/high/low/close prices and volume. To alleviate the corresponding problem of deep learning model's overfitting, dimensionality reduction for the input features has been adopted as a preprocessing technique for stock market prediction.

Principal component analysis (PCA) is a commonly used transformation technique that uses Singular Value Decomposition of the input data to project it to a lower dimensional space and has been used in Gao and Chai (2018); Zhang, Zohren, and Roberts, 2019; Zhong and Enke, 2017; Wang and and Wang, 2015; SSingh and Srivastavaingh and Srivastava, 2017; Chong, Han, and Park, 2017. Zhong and Enke (2017) even gives a comparison between different versions of PCA, and finds that the PCA-ANN model give a slightly higher prediction accuracy for the daily direction of SPY for next day, compared to the use of fuzzy robust principal component analysis (FRPCA) and kernel-based principal component analysis (KPCA).

For dimensionality reduction, the other options include independent components analysis (ICA) (Sethia & Raut, 2019), autoencoder (Chong et al., 2017), restricted Boltzmann machine (Chong et al., 2017), empirical mode decomposition (EMD) (Cao, Li, & Li, 2019; Zhou, Zhou, Yang, & Yang, 2019), and sub-mode coordinate algorithm (SMC) (Huang, Zhang, Zhang, & Zhang, 2018). Huang et al. (2018) first utilizes tensor to integrate the multi-sourced data and further proposes an improved SMC model to reduce the variance of their subspace in each dimension produced by the tensor decomposition.

Feature selection is another way of dimensionality reduction, by choosing only a subset of input features. Chi-square method (Zheng, Wu, & Srihari, 2004) and maximum relevance and minimum redundancy (MRMR) (Peng, Long, & Ding, 2005) are two common used feature selection techniques. Chi-square method decides whether a categorical predictor variable and the target class variable are independent or not.




Fig. 5. The example or rolling training-validation-test data splits. (a) Rolling training set; (b) Successive training set.

High chi-squared values indicate the dependence of the target variable on the predictor variable. Minimum redundancy maximum relevance uses a heuristic to minimize redundancy while maximizing relevance to select promising features for both continuous and discrete inputs, through F-statistic values. Chi-square method is used in Gunduz, Yaslan, and Cataltepe (2017); Kumar et al., 2019 and maximum relevance and minimum redundancy is used in Kumar et al. (2019).

Other options for feature selection include rough set attribute reduction (RSAR) (Lei, 2018), autocorrelation function (ACF) and partial correlation function (PCF) (Wu & Gao, 2018), the analysis of variance (ANOVA) (Niaki & Hoseinzade, 2013), and maximal information coefficient feature selection (MICFS) (Yang, Zhu, & Huang, 2018).

#### 4.2.5. Feature Normalization & Standardization

Given different input features with varying scales, feature normalization and standardization are used to guarantee that some machine learning models can work and also help to improve the model's training speed and performance. Feature normalization refers to the process of rescaling the input feature by the minimum and range, to make all the values lie between 0 and 1 (Wang & Wang, 2015; Gunduz et al., 2017; Li, Yang, Xue, & Zhou, 2017; SSingh & Srivastavaingh & Srivastava, 2017; Althelaya, El-Alfy, & Mohammed, 2018; Althelaya, El-Alfy, & Mohammed, 2018; Baek & Kim, 2018; Chen et al., 2018; Chung & Shin, 2018; Gao & Chai, 2018; Hossain, Karim, Thulasiram, Bruce, & Wang, 2018; Hu, Tang, Zhang, & Wang, 2018; Minh et al., 2018; Pang, Zhou, Wang, Lin, & Chang, 2018; TTang & Chenang & Chen, 2018; Tsang, Deng, & Xie, 2018; Yang et al., 2018; Zhan et al., 2018; Al-Thelaya, El-Alfy, & Mohammed, 2019; de A. Araújo et al., 2019; Cao et al., 2019; Cao & Wang, 2019; Ding & Qin, 2019; Lee, Kim, Koh, & Kang, 2019; Li, Li, Yang, Yang, & Liu, 2019; Sachdeva, Jethwani, Manjunath, Balamurugan, & Krishna, 2019; Sethia & Raut, 2019; Tang, Shen, & Yao, 2019), or between -1 and 1 (Ticknor, 2013; Zhang, Aggarwal, & Qi, 2017; Sezer & Ozbayoglu, 2018). Feature standardization means subtracting a measure of location and dividing by a measure of scale, e.g., the z-score method that subtracts the mean and divides by the standard deviation (Tsantekidis et al., 2017; Tsantekidis et al., 2017; Zhang et al., 2019; Li, Song, & Tao, 2019).

#### 4.2.6. Data Split

For evaluation of different prediction models, in-sample/out-of-sample split or train/validation/test split of data samples is commonly used in machine learning and deep learning fields. The model is trained with the training or in-sample data set, the hyper-parameters is fine-tuned on the validation data set optional, and the final performance is evaluated on the test or out-of-sample data set. k-fold cross validation is further used to split the dataset into k consecutive folds, and k-1 folds is used as the training set, while the last fold is then used as a test set.

As a special case, train-validation-test split with a rolling (or sliding, moving, walk-forward) window is also often used for time series tasks

including stock prediction (Bao et al., 2017; Nelson, Pereira, & de Oliveira, 2017; Fischer & Krauss, 2018; Gao & Chai, 2018; Zhou, Pan, Hu, Tang, & Zhao, 2018; NNguyen & Yoonguyen & Yoon, 2019; Kim et al., 2019; Sun, Xiao, Liu, Zhou, & Xiong, 2019; Wang, Sun, Liu, Cao, & Zhu, 2019). The process of a rolling train-validation-test split is shown in Fig. 5(a), where only the latest part of data samples are used for a new training round of prediction models. Another variant is to use successive training sets, which are union set of the rolling training set that come before them, as shown in Fig. 5(b).

#### 4.2.7. Data Augmentation

Data augmentation techniques have been widely used for image classification and object detection tasks and proved to effectively enhance the classification and detection performance. However, it is less used for time series tasks including stock prediction, even though the size of stock price time series is not comparable to the size of public image datasets, which usually have millions of sample and even more in recent years.

There are still a few works that explore the usage of data augmentation. Zhang, Rong, Liang, Sun, and Xiong (2017) firstly clusters different stocks based on their retracement probability density function and combines all the day-wise information of the same stock cluster as enlarged training data. In the ModAugNet framework proposed in Baek and Kim (2018), the authors choose 10 companies' stock that are highly correlated to the stock index and augment the data samples by using the combinations of 10 companies taken 5 at a time in an overfitting prevention LSTM module, before feeding the data samples to a prediction LSTM module for stock market index prediction.

#### 4.3. Prediction Model

Most of the prediction models belong to a supervised learning approach, when training set is used for the training and test set is used for evaluation. Only a few of the studies use semi-supervised learning when the labels are not available in the feature extraction step. We further classify the various prediction models into three types: standard models and their variants, hybrid models, and other models. For standard models, three families of deep learning models, namely, feedforward neural network, convolutional neural network and recurrent neural network, are used a lot. And we category the use of generative adversarial network, transfer learning, and reinforcement learning into other models. These models only appear in recent years and are still in an early stage of being applied for stock market prediction.

In this part, we are focusing on the usage of different types of deep learning models, instead of diving into the details of each model. For a more detailed introduction to deep learning models, we refer the readers to Goodfellow et al. (2016). The abbreviations of machine learning and deep learning methods are shown in Table 12 in the appendix.

Some of the earlier work use ANNs as their prediction models and

**Table 4**

List of standard models or their variants.

Article	Prediction Model	Baselines
<b>Feedforward Neural Network Type</b>		
de Oliveira et al. (2013)	ANN	N/A
Niaki and Hoseinzade (2013)	ANN	Logit, Buy&Hold Strategy
Ticknor (2013)	DNN	ARIMA
Ding et al. (2014)	DNN	SVM
Ding et al. (2015)	DNN	BoW + SVM, structured event tuple + ANN
Wang and Wang (2015)	PCA + STNN	BPNN, PCA + BPNN, STNN
Gökten et al. (2016)	HM-ANN	ANN, GA-ANN
Chen et al. (2017)	DNN	ARMA-GARCH, ARMAX-GARCH, ANN
Chong et al. (2017)	DNN	AR
SSingh and Srivastava and Srivastava (2017)	(2D)2PCA + RBFNN	RBFNN, RNN
Sun et al. (2017)	Stacked Denoising Autoencoder	SVM, Logit, ANN
Zhong and Enke (2017)	PCA + ANN	N/A
Hu et al. (2018)	ISCAG-BPNN	BPNN, GWO-BPNN, PSO-BPNN, WOA-BPNN, SCA-BPNN
de A. Araújo et al. (2019)	DIDLNN	ARIMA, SVM, MLP, LNNN (Yolcu et al., 2013), DEM (Araújo, 2011), DMN (Zamora & Sossa, 2017), NARXT (Jr et al., 2008), PELMNN (Asadi et al., 2012)
Song et al. (2019)	DNN	DNN
<b>Convolutional Neural Network Type</b>		
Dingli and Fournier (2017)	CNN	Logit, SVM
Gunduz et al. (2017)	CNN	Logit
Selvin et al. (2017)	1-D CNN	RNN, LSTM, ARIMA
Tsantekidis et al. (2017)	CNN	SVM, MLP
Sezer and Ozbayoglu (2018)	CNN	Buy&Hold Strategy, RSI (14 days, 70–30), SMA (50 days), LSTM and MLP
Yang et al. (2018)	multichannel CNN	SVM, ANN, CNN
Hoseinzade and Haratizadeh (2019)	CNN	PCA + ANN (Zhong & Enke, 2017), ANN (Kara et al., 2011), CNN (Gunduz et al., 2017)
Cao and Wang (2019)	1-D CNN	DNN, SVM
Deng et al. (2019)	KDTCN	ARIMA, LSTM, CNN, TCN
Sezer and Ozbayoglu (2019)	CNN	Buy&Hold
Sim et al. (2019)	CNN	ANN, SVM
<b>Recurrent Neural Network Type</b>		
Huynh et al. (2017)	BGRU	LSTM, GRU, DNN (Ding et al., 2014), DNN (Peng & Jiang, 2016)
Li and Tam (2017)	WT + LSTM	LSTM
Li et al. (2017)	LSTM	SVM
Nelson et al. (2017)	LSTM	MLP, RF
Tsantekidis et al. (2017)	LSTM	SVM, MLP
Zhang et al. (2017)	GRU	SVM
Zhang et al. (2017)	SFM	AR, LSTM
Zhao et al. (2017)	LSTM	RNN, SVM, RF, AB
Althelaya et al. (2018)	bidirectional and stacked LSTM	ANN, LSTM
Althelaya et al. (2018)	Stacked LSTM	BiLSTM, BGRU, Stacked GRU, MLP
Baek and Kim (2018)	LSTM	DNN, RNN
Cheng et al. (2018)	Attention LSTM	N/A
Chung and Shin (2018)	GA + LSTM	N/A
Fischer and Krauss (2018)	LSTM	RF, DNN, Logit
Gao and Chai (2018)	LSTM	MA, EMA, ARMA, GARCH, SVM, FFNN, and LSTM
Hollis et al. (2018)	Attention LSTM	LSTM
Huang et al. (2018)	SMC + LSTM	SVM, PCA + SVM, TeSIA (Li et al., 2016), SMC + TeSIA
Jiang et al. (2018)	RNN with attention	RNN
Liu et al. (2018)	HCAN	BoW (Joachims, 1998), FastText (Joulin et al., 2017), Structured-Event (Ding et al., 2014), IAN (Ma et al., 2017)
Minh et al. (2018)	two-stream GRU	LSTM, GRU
Siarni-Namini et al. (2018)	LSTM	ARIMA
Tsang et al. (2018)	LSTM	WT + SAEs + LSTM (Bao et al., 2017)
Xu and Cohen (2018)	StockNet	Random Guess, ARIMA, RF, TSLLDA (N Nguyen & Shiraiguyen & Shirai, 2015), HAN (Hu et al., 2018)
Yan and Ouyang (2018)	WT + LSTM	MLP, SVM, kNN
Borovkova and Tsiamas (2019)	stacked LSTM	Lasso, Ridge
Cao et al. (2019)	EMD + LSTM, CEEMDAN + LSTM	LSTM, SVM, MLP
Chen and Ge (2019)	Attention LSTM	LSTM
Chen et al. (2019)	EMD-Attention LSTM	MLP, LSTM, EMD-LSTM, Attention LSTM
Ding and Qin (2019)	LSTM	RNN, LSTM
Feng et al. (2019)	Adversarial Attentive LSTM	MOM, MR, StockNet (Xu & Cohen, 2018), LSTM (Nelson et al., 2017), Attentive RNN (Qin et al., 2017)
Liang et al. (2019)	WT + LSTM	LSTM
Liu et al. (2019)	GRU	N/A
KKim and Kangim and Kang (2019)	weighted LSTM with Attention	MLP, 1D CNN, stacked LSTM, LSTM with attention
Mohan et al. (2019)	LSTM	ARIMA, Facebook Prophet, LSTM
Nguyen et al. (2019)	Dynamic LSTM	LSTM
Mansourfar and Bagherzadeh (xxxx)	LSTM	ANN, SVM, RF
Sachdeva et al. (2019)	LSTM	N/A

(continued on next page)



Table 4 (continued)

Article	Prediction Model	Baselines
Sanboon et al. (2019)	LSTM	SVM, MLP, DT, RF, Logit, kNN
Sethia and Raut (2019)	LSTM	GRU, ANN, SVM
Siarni-Namini et al. (2019)	BiLSTM	LSTM, ARIMA
Tan et al. (2019)	eLSTM	SVM, DT, ANN, LSTM, AZFin Text (Schumaker & Chen, 2009), TeSIA (Li et al., 2016)
Tran et al. (2018)	TABL	Ridge, FFNN, LDA, MDA, MTR, WMTR (Tran et al., 2017), MCSDA (Tran et al., 2017), BoF, N-BoF (Passalis et al., 2017), SVM, MLP, CNN (Tsantekidis et al., 2017), LSTM (Tsantekidis et al., 2017)
Wang et al. (2019)	BiLSTM	Random guess, ARIMA, SVM, MLP, HAN (Hu et al., 2018)
Other Types		
Li et al. (2017)	DBN	N/A
Matsubara et al. (2018)	DGM	SVM, MLP
Liu and Wang and Wang (2019)	seq2seq model with attention	AZFin Text (Schumaker & Chen, 2009), DL4S (Akita et al., 2016), DA-RNN (Qin et al., 2017), MKL, ELM (Li et al., 2016)
Karathanasopoulos and Osman, 2019	DBN	MACD, ARMA

study the effect of different combinations of input features (Niaki & Hoseinzade, 2013; de Oliveira, Nobre, & Zarate, 2013; Zhong & Enke, 2017). In this survey, we use ANN to refer to the neural networks which only have one or zero hidden layers, and DNN to refer to those which have two or more hidden layers. The list of standard models or their variants is shown in Table 4. We organize the standard models into three major types:

- **Feedforward neural network (FFNN).** It is the simplest type of artificial neural network wherein connections between the nodes do not form a cycle. An artificial neural networks (ANN) are learning models inspired by biological neural networks, and the neuron in an ANN consists of an aggregation function which calculates the sum of the inputs, and an activation function which generates the outputs. An autoencoder (AE) is a subset of ANN which has the same number of nodes in the input and output layers. When ANN has two or more hidden layers, we denote it as deep neural network (DNN) is this survey. We also category the following models into this family because they share a similar structure: backpropagation neural network (BPNN), multilayer perceptron (MLP), extreme learning machines (ELM) where the parameters of hidden nodes need not be tuned, deep increasing-decreasing-linear neural network (IDLNN) where each layer is composed of a set of increasing-decreasing-linear processing units (de A. Araújo et al., 2019), stochastic time effective function neural network (STEFNN) (Wang & Wang, 2015), radial basis function network (RBFN) that uses radial basis functions as activation functions.
- **Convolutional neural network (CNN).** Designed for processing two-dimensional images, each group of neurons, which is also called a filter, performs a convolution operation to a different region of the input image and the neurons share the same weights, which reduces the number of parameters compared to the densely connected feed-forward neural network. Pooling operations, e.g., max pooling, are used to reduce the original size and can be used for multiple times, until the final output is concatenated to a dense layer. Powered by the parallel processing ability of graphics processing unit (GPU), the training of CNN has been shortened and CNN has achieved an astonishing performance for image related tasks and competitions. By reducing the convolutional and pooling operations to a single temporal dimension, 1D CNN is proposed for time series classification and prediction, e.g., Deng et al. (2019) uses a 1-D fully-convolutional network (FCN) architecture, where each hidden layer has the same length as the input layer, and zero padding is added to keep subsequent layers the same length as previous ones.
- **Recurrent neural network (RNN).** Compared with feedforward neural network, recurrent neural network is an artificial neural network wherein connections between the nodes form a cycle along a temporal sequence, which helps it to exhibit temporal dynamic behavior. However, normal RNNs are bothered by the vanishing gradient

problem in practice, when the gradients of some of the weights start to shrink or enlarge if the network is unfolded too many times. Long short-term memory (LSTM) networks are RNNs that solve the vanishing gradient problem, where the hidden layer is replaced by recurrent gates called forget gates. Gated recurrent unit (GRU) is another RNN that uses forget gates, but has fewer parameters than LSTM. Bi-directional RNN are RNNs that connect two hidden layers of opposite directions to the same output. Both bi-directional LSTM (BiLSTM) and bi-directional GRU (BGRU) have been used for stock market prediction.

While standard models perform well at early stages of research, their variants are further developed to improve the prediction performance. One approach is to use stacked models, where neural network sub-models are embedded in a larger stacking ensemble model for training and prediction. Another approach is to introduce the attention mechanism (Treisman & Gelade, 1980) into recurrent neural network models, in which attention is a generalized pooling method with bias alignment over inputs.

There are also some types that we list separately:

- **Restricted Boltzmann machine (RBM)** is a generative stochastic artificial neural network that can learn a probability distribution over its set of inputs. And a deep belief network (DBN) can be defined as a stack of RBMs. DBNs have been used in Li et al. (2017) and Karathanasopoulos and Osman (2019) for stock prediction.
- **Sequence to sequence (seq2seq) model** is based on the encoder-decoder architecture to generate a sequence output for a sequence input, in which both the encoder and the decoder use recurrent neural networks. Seq2seq model has been used in Liu and Wang and Wang (2019) for stock prediction.

While our focus in this survey is not the linear models or the traditional machine learning models, they are often used as baselines for comparison with deep learning models.

Some often used linear prediction models are as follows:

- **Linear regression (LR).** Linear regression is a classical linear model that tries to fit the relationship between the predicted target and the input variables with a linear model, in which the parameters can be learned in the least squares approach.
- **Autoregressive integrated moving average (ARIMA).** ARIMA is a generalization of the autoregressive moving average (ARMA) model, which describes a weakly stationary stochastic process with two parts, namely, the autoregression (AR) and the moving average (MA). Compared with ARMA, ARIMA is capable of dealing with non-stationary time series, by introducing an initial differencing step, which is referred as the integrated part in the model.

**Table 5**

List of hybrid models between deep learning models and traditional models.

Article	Prediction Model	Baselines
Patel et al. (2015)	SVRG-ANN	SVR-RF, SVR-SVR
Liu and SongLiu and Song (2017)	Bagging + ANN	SVM, ANN, GA-ANN, RF
Yang et al. (2017)	Bagging + ANN	N/A
Assis et al. (2018)	RBM + SVM	SVM
Chen et al. (2018)	RNN + AdaBoost	MLP, SVR, RNN
Lei (2018)	2RS-WNN	BP-NN, RBF-NN, ANFIS-NN, SVM, WNN, RS-WNN
Wu and Gao (2018)	AB-LSTM	ARIMA, MLP, SVR, ELM, LSTM, AB-MLP, AB-SVR, AB-ELM
Chen et al. (2019)	PLR + CNN + Dual Attention Mechanism based Encoder-Decoder	SVR, LSTM, CNN, LSTM_CNN (Lin et al., 2017), TPM_NC
Li et al. (2019)	LSTM + ARIMA	LSTM
Li et al. (2019)	RNN with high-order MRFs	LSTM, attention based LSTM Encoder-Decoder (Bahdanau et al., 2014), DA-RNN (Qin et al., 2017)
Sun et al. (2019)	ARMA-GARCH-NN	DNN, LSTM
Zhou et al. (2019)	EMD2FNN	ANN, FNN, EMD2NN, WDBPNN (Wang et al., 2011), Long-short Strategy

- *Generalized autoregressive conditional heteroskedasticity (GARCH)*. GARCH is also a generation of the autoregressive conditional heteroscedasticity (ARCH) model, which describes the error variance as a function of the actual sizes of the previous time periods' error terms. Instead of using AR model in ARCH, GARCH assumes an ARMA model for the error variance, which generalizes ARCH.

Similarly, some often used machine learning models are as follows:

- *Logistics regression (Logit)*. Logistics regression can be seen as a generalized linear model, in which a logistic function is used to model the probabilities of a binary target of being 0 or 1. It is suitable for the classification of price movements, e.g., going up or down.
- *Support vector machine/regression (SVM/SVR)*. Support vector machine is a classical and powerful tool for classification with a good theoretical performance guarantee and has been widely adopted before the popularity of deep learning models. SVM tries to learn a hyperplane to distinguish the training samples that maximize distance of the decision boundary from training samples. Combine with the kernel trick, which maps the input training samples into high-dimensional feature spaces, SVM can efficiently perform non-linear classification tasks. Support vector regression is the regression version of SVM.
- *k-nearest neighbor (kNN)*. kNN is a non-parametric model for both classification and regression, in which the output is the class most common or the average of the values among  $k$  nearest neighbors. A useful technique is to assign weights to the neighbors when combining their contributions.

Given the predicted movement direction or prices, a long-short strategy can be further designed to perform trading based on the prediction model, e.g., if the predicted direction is going up, long it, otherwise short it. A simple baseline is the Buy&Hold Strategy, which buys the asset at the beginning and hold it to the end of the testing period, without any further buying or selling operations (Niaki & Hoseinzade, 2013; Sezer & Ozbayoglu, 2018).

Technical indicators are also often used for designing baseline

**Table 6**

List of hybrid models between different deep learning models.

Article	Prediction Model	Baselines
Bao et al. (2017)	WT + SAEs + LSTM	WT + LSTM, LSTM, RNN
Lee and Soo (2017)	RNN + CNN	LSTM
Qin et al., 2017	DA-RNN	ARIMA, NARX RNN (Diaconescu, 2008), Encoder-Decoder (Cho et al., 2014), attention based LSTM Encoder-Decoder (Bahdanau et al., 2014)
Vargas et al. (2017)	CNN + LSTM	DNN (Ding et al., 2014; Ding et al., 2015), CNN (Ding et al., 2015)
Chen et al. (2018)	DNN + AE + RBM	ANN, ELM, RBFNN
Hossain et al. (2018)	LSTM + GRU	MLP, RNN, CNN
Hu et al. (2018)	Hybrid Attention Networks	RF, MLP, GRU, BGRU, Temporal-Attention-RNN, News-Attention-RNN
Oncharoen and Vateekul (2018)	CNN + LSTM	N/A
Pang et al. (2018)	AE + LSTM	DBN, MLP, DBN + MLP
TTang and Chenang and Chen (2018)	CNN + LSTM	LSTM, FFNN, CNN
Wu et al. (2018)	CH-RNN	DA-RNN (Qin et al., 2017)
Zhan et al. (2018)	1D CNN + LSTM	LSTM, GRU
Al-Thelaya et al. (2019)	LSTM AE + stacked LSTM	LSTM, MLP
Eapen et al. (2019)	CNN + BiLSTM	SVR
Guang et al. (2019)	MSTD-RCNN	SVM, RF, FDNN, TreNet (Lin et al., 2017), SFM RNN (HHu & Qiu & Qi, 2017), MS-CNN (Cui et al., 2016)
Jin et al. (2019)	CNN + LSTM + Attention	LSTM
Kim and Kim (2019)	CNN + LSTM	CNN, LSTM
LLiu and Cheniu and Chen (2019)	SRCGUs	MGUs, GRUs and LSTMs
Long et al. (2019)	CNN + RNN	RNN, LSTM, CNN, SVM, Logit, RF, LR
Tang et al. (2019)	MAFN	MA, RF, XGBoost, SVR, Adversarial Attentive LSTM (Feng et al., 2019), HAN (Hu et al., 2018), StockNet (Xu & Cohen, 2018)
Wang et al. (2019)	A Convolutional LSTM Based Variational Seq2seq Model with Attention	CNN, LSTM, seq2seq model with attention
Yu and Wu (2019)	CEAM + DA-RNN	DA-RNN (Qin et al., 2017), CF-DA-RNN
Zhang et al. (2019)	CNN + LSTM	SVM, MLP, CNN (Tsantekidis et al., 2017)

trading strategies, e.g., momentum strategy, which is introduced in Jegadeesh and Titman (1993), is a simple strategy of buying winners and selling losers. MACD (Appel & Dobson, 2007) consists of the MACD line and the signal line, and the most common MACD strategy buys the stock when the MACD line crosses above the signal line and sells the stock when the MACD line crosses below the signal line (Lee et al., 2019). In our surveyed papers, RSI (14 days, 70–30) and SMA (50 days) are used to design baseline trading strategies (Sezer & Ozbayoglu, 2018).


We further categories the hybrids into two classes, namely, the hybrid models between deep learning models and traditional models, and the hybrid models between different deep learning models.

The list of hybrid models between deep learning models and traditional models is shown in Table 5. Li et al. (2019) formulates a sentiment-ARMA model to incorporate the news articles as hidden

**Table 7**

List of other types of models.



Article	Prediction Model	Baselines
<b>Generative Adversarial Network</b>		
Zhou et al. (2018)	GAN	ARIMA-GARCH, ANN, SVM
Zhang et al. (2019)	GAN	LSTM, ANN, SVM
<b>Graph Neural Network</b>		
Chen et al. (2018)	GCNN	LR, LSTM
Feng et al. (2019)	TGC	SFM RNN (Zhang et al., 2017), LSTM
Kim et al. (2019)	HGAN	MLP, CNN, LSTM, GCNN (Chen et al., 2018), TGC (Feng et al., 2019)
Matsunaga et al. (2019)	GNN	LSTM
<b>Capsule Network</b>		
Liu et al., 2019	CapTE	TSLDA (N Nguyen & Shiraguyen & Shirai, 2015), HAN (Hu et al., 2018), HCAN (Xu & Cohen, 2018), CH-RNN (Wu et al., 2018)
<b>Reinforcement Learning</b>		
Lee et al. (2019)	Deep Q-Network + CNN	FC network, CNN, and LSTM, momentum, MACD
<b>Transfer Learning</b>		
Hoseinzade et al. (2019)	Transfer Learning + CNN	PCA + ANN (Zhong & Enke, 2017), ANN (Kara et al., 2011), CNN (Gunduz et al., 2017), CNN (Hoseinzade & Haratizadeh, 2019)
N Nguyen and Yoonguyen and Yoon (2019)	Transfer Learning + LSTM	SVM, RF, KNN, LSTM (Fischer & Krauss, 2018)

**Fig. 6.** The usage of different models.

information and designs a LSTM-based DNN, which consists of three components, namely, LSTM, VADER model and differential privacy mechanism that integrates different news sources. To deal with strong noise, Liu and Song (2017) uses weak ANNs to get some information without over-fitting and get better results by combining the weak results together using optimized bagging. Wu and Gao (2018) uses AdaBoost algorithm to generate both training samples and ensemble weights for each LSTM predictor and the final prediction results are the combination of all the LSTM predictors with ensemble weights.

The list of hybrid models between different deep learning models is shown in Table 6. Two popular combinations are the combination of CNN and RNN structures and the combination of different RNNs.

For the former case, TreNet (Lin, Guo, & Aberer, 2017) hybrids LSTM and CNN for stock trend classification. Zhang et al. (2019) proposes a

**Fig. 7.** The usage of different optimizers.**Fig. 8.** The usage of different baselines.

deep learning model, comprising three main building blocks that include a standard convolutional layer, an Inception Module and a LSTM layer. Guang, Xiaojie, and Ruifan (2019) uses convolutional units to extract multi-scale features that precisely describe the state of the financial market and capture temporal, and uses a recurrent neural network to capture the temporal dependency and complementary across different scales.

For the latter case, Al-Thelaya et al. (2019) proposes a forecasting model, using a combination of LSTM autoencoder and stacked LSTM network. Wang et al. (2019) proposes a hybrid model, consisting of stochastic recurrent networks, the sequence-to-sequence architecture, the self- and inter-attention mechanism, and convolutional LSTM units. L Liu and Cheniu and Chen (2019) proposes an elective Recurrent Neural Networks with Random Connectivity Gated Unit (SRCGUs) that train random connectivity LSTMs, GRUs and MGUs simultaneously.

We list other types of models in Table 7. We category five types of models in this part, which have not been fully explored for stock market prediction but already show some promising results.

- **Generative adversarial network (GAN).** GAN is introduced by Goodfellow et al. (2014), in which a discriminative net  $D$  learns to distinguish whether a given data instance is real or not, and a

**Table 8**

Article Lists archived by different evaluation metrics.

Metrics	Article List
<b>Classification Metrics</b>	
Accuracy	(de Oliveira et al., 2013; Niaki & Hoseinzade, 2013; Ding et al., 2014; Ding et al., 2015; Chen et al., 2017, 2017; Huynh et al., 2017; Li & Tam, 2017; Liu & SongLiu & Song, 2017; Nelson et al., 2017; Selvin et al., 2017; SSingh & Srivastavaingh & Srivastava, 2017; Sun et al., 2017; Vargas et al., 2017; Weng et al., 2017; Yang et al., 2017; Zhang et al., 2017; Zhao et al., 2017; Assis et al., 2018; Chen et al., 2018; Chen et al., 2018; Chen et al., 2018; Cheng et al., 2018; Fischer & Krauss, 2018; Gao & Chai, 2018; Hu et al., 2018; Huang et al., 2018; Liu et al., 2018; Liu & Wang & Wang, 2019; Matsubara et al., 2018; Minh et al., 2018; Oncharoen & Vateekul, 2018; Pang et al., 2018; Sezer & Ozbayoglu, 2018; TTang & Chenang & Chen, 2018; Tran et al., 2018; Wu et al., 2018; Yang et al., 2018; Zhou et al., 2018; de A. Araújo et al., 2019; Chen & Ge, 2019; Deng et al., 2019; Feng et al., 2019; Guang et al., 2019; Karathanasopoulos & Osman, 2019; Lee et al., 2019; Li et al., 2019; Li et al., 2019; Liu et al., 2019; Liu et al., 2019; Long et al., 2019; Merello et al., 2019, 2019; Sanboon et al., 2019; Song et al., 2019; Sun et al., 2019; Tan et al., 2019; Tang et al., 2019; Wang et al., 2019)
Precision	(Gunduz et al., 2017; Li et al., 2017; Nelson et al., 2017; Tsantekidis et al., 2017; Tsantekidis et al., 2017; Cheng et al., 2018; Minh et al., 2018; Tran et al., 2018; Sezer & Ozbayoglu, 2018; Li et al., 2019; Wang et al., 2019; Zhang et al., 2019)
Recall	(Gunduz et al., 2017; Li et al., 2017; Nelson et al., 2017; Tsantekidis et al., 2017; Tsantekidis et al., 2017; Cheng et al., 2018; Minh et al., 2018; Tran et al., 2018; Sezer & Ozbayoglu, 2018; Li et al., 2019; Zhang et al., 2019)
Sensitivity	(Sim et al., 2019)
Specificity	(Sim et al., 2019)
F1 score (F1)	(Gunduz et al., 2017; Li et al., 2017; Nelson et al., 2017; Sun et al., 2017; Tsantekidis et al., 2017; Tsantekidis et al., 2017; Zhang et al., 2017; Cheng et al., 2018; Jiang et al., 2018; Sezer & Ozbayoglu, 2018; Tran et al., 2018; Deng et al., 2019; Guang et al., 2019; Li et al., 2019; Wang et al., 2019; Zhang et al., 2019)
Macro-average F-score (MAFS)	(Hoseinzade & Haratizadeh, 2019; Hoseinzade et al., 2019)
Matthews Correlation Coefficient (MCC)	(Ding et al., 2014; Ding et al., 2015; SSingh & Srivastavaingh & Srivastava, 2017; Huang et al., 2018; Matsubara et al., 2018; Tsang et al., 2018; Cao & Wang, 2019; Feng et al., 2019; Li et al., 2019; Liu et al., 2019; Merello et al., 2019; Tan et al., 2019; Tang et al., 2019)
Average AUC Score (AUC)	(Ballings et al., 2015; Jiang et al., 2018; Borovkova & Tsiamas, 2019; Zhang et al., 2019)
Theil's U Coefficient (Theil's U)	(de Oliveira et al., 2013; Bao et al., 2017; Yan & Ouyang, 2018; de A. Araújo et al., 2019)
Hit Ratio (Hit)	(SSingh & Srivastavaingh & Srivastava, 2017; Hu et al., 2018; Sim et al., 2019)
Average Relative Variance (ARV)	(de A. Araújo et al., 2019)
<b>Regression Metrics</b>	
Mean Absolute Error (MAE)	Patel et al. (2015); Chong et al., 2017; Li et al., 2017; Qin et al., 2017; Althelaya et al., 2018; Althelaya et al., 2018; Baek and Kim, 2018; Chen et al., 2018; Chung and Shin, 2018; Gao and Chai, 2018; Hossain et al., 2018; Lei, 2018; Al-Thelaya et al., 2019; Cao et al., 2019; Chen et al., 2019; Ding and Qin, 2019; Jin et al., 2019; Karathanasopoulos and Osman, 2019; LLiu and Cheniu and Chen, 2019; Mansourfar and Bagherzadeh, xxxx; Nguyen et al., 2019; Tang et al., 2019; Yu and Wu, 2019; Zhang et al., 2019; Zhou et al., 2019
Root Mean Absolute Error (RMAE)	Kim and Kim (2019)
Mean Squared Error (MSE)	Patel et al. (2015); Li et al., 2017; Zhang et al., 2017; Zhong and Enke, 2017; Baek and Kim, 2018; Chung and Shin, 2018; Hollis et al., 2018; Hossain et al., 2018; Liu and Wang and Wang, 2019; Pang et al., 2018; Zhan et al., 2018; de A. Araújo et al., 2019; Eapen et al., 2019; Feng et al., 2019; Karathanasopoulos and Osman, 2019; Nguyen et al., 2019; Mansourfar and Bagherzadeh, xxxx; Sachdeva et al., 2019; Stoean et al., 2019
Normalized MSE (NMSE)	Chong et al. (2017)
Root Mean Squared Error (RMSE)	de Oliveira et al. (2013); Chong et al., 2017; Lee and Soo, 2017; Li et al., 2017; Qin et al., 2017; SSingh and Srivastavaingh and Srivastava, 2017; Althelaya et al., 2018; Althelaya et al., 2018; Chen et al., 2018; Chen et al., 2018; Gao and Chai, 2018; Lei, 2018; Siami-Namini et al., 2018; Al-Thelaya et al., 2019; Cao et al., 2019; Cao and Wang, 2019; Chen et al., 2019; Chen et al., 2019; Jin et al., 2019; Karathanasopoulos and Osman, 2019; Kim and Kim, 2019; LLiu and Cheniu and Chen, 2019; Mansourfar and Bagherzadeh, xxxx; Sethia and Raut, 2019; Siami-Namini et al., 2019; Sun et al., 2019; Tang et al., 2019; Yu and Wu, 2019; Zhang et al., 2019; Zhou et al., 2019
Relative RMSE (rRMSE)	Patel et al. (2015); Nguyen et al., 2019
Normalized RMSE (NRMSE)	Kumar et al. (2019)
Mean Absolute Percentage Error (MAPE)	de Oliveira et al. (2013); Ticknor, 2013; Patel et al., 2015; Bao et al., 2017; Li and Tam, 2017; Qin et al., 2017; SSingh and Srivastavaingh and Srivastava, 2017; Yang et al., 2017; Baek and Kim, 2018; Chen et al., 2018; Chen et al., 2018; Chung and Shin, 2018; Gao and Chai, 2018; Hossain et al., 2018; Lei, 2018; Wu and Gao, 2018; Tsang et al., 2018; Yan and Ouyang, 2018; de A. Araújo et al., 2019; Cao et al., 2019; Chen et al., 2019; Jin et al., 2019; Karathanasopoulos and Osman, 2019; Kim and Kim, 2019; Kumar et al., 2019; Mohan et al., 2019; Nguyen et al., 2019; Sachdeva et al., 2019; Yu and Wu, 2019; Zhang et al., 2019; Zhou et al., 2019
Root Mean Squared Relative Error (RMSRE)	Zhou et al. (2018)
Mutual Information (MUL)	Chong et al. (2017)
$R^2$	Bao et al. (2017); Althelaya et al., 2018; Althelaya et al., 2018; Al-Thelaya et al., 2019; Chen et al., 2019; Jin et al., 2019; LLiu and Cheniu and Chen, 2019; Sethia and Raut, 2019
<b>Profit Metrics</b>	
Return	Niaki and Hoseinzade (2013); Ding et al., 2015; Bao et al., 2017; Chen et al., 2017; Lee and Soo, 2017; SSingh and Srivastavaingh and Srivastava, 2017; Zhong and Enke, 2017; Fischer and Krauss, 2018; Hu et al., 2018; Matsubara et al., 2018; Oncharoen and Vateekul, 2018, 2018; Wu et al., 2018; Tsang et al., 2018; Yang et al., 2018; Chen and Ge, 2019; Feng et al., 2019; Hoseinzade and Haratizadeh, 2019; Karathanasopoulos and Osman, 2019; Kim and Kim, 2019; Lee et al., 2019; Long et al., 2019; Matsunaga et al., 2019; Merello et al., 2019; Sezer and Ozbayoglu, 2019; Stoean et al., 2019; Song et al., 2019; Sun et al., 2019; Wang et al., 2019; Zhang et al., 2019; Zhou et al., 2019
Maximum Drawdown	Zhou et al. (2019)
Annualized Volatility	Karathanasopoulos and Osman (2019)
Sharpe Ratio	Chen et al. (2017); Fischer and Krauss, 2018; Sezer and Ozbayoglu, 2018; Hoseinzade and Haratizadeh, 2019; Karathanasopoulos and Osman, 2019; Matsunaga et al., 2019; Merello et al., 2019; Stoean et al., 2019; Wang et al., 2019; Zhou et al., 2019
<b>Significance Analysis</b>	
Kruskal-Wallis Test	Zhang et al. (2019)
Diebold-Mariano Test	Kumar et al. (2019)

generative net  $G$  learns to confuse  $D$  by generating high quality fake data. This game between  $G$  and  $D$  would lead to a Nash equilibrium. Since the introduction of GAN, it has been applied in multiple image-related tasks, especially for image generation and enhancement, and generates a large family of variants. Inspired the success of GANs,

Zhou et al. (2018) proposes a generic GAN framework employing LSTM and CNN for adversarial training to predict high-frequency stock market.

- *Graph neural network (GNN)*. GNN is designed to utilize graph-structured data, thus capable of utilizing the network structure to




Fig. 9. The usage of different classification metrics.

incorporate the interconnectivity of the market and make better predictions, compared to relying solely on the historical stock prices of each individual company or on hand-crafted features (Matsunaga, Suzumura, & Takahashi, 2019). Chen, Wei, and Huang (2018) first constructs a graph including 3,024 listed companies based on investment facts from real market, then learns a distributed representation for each company via node embedding methods applied on the graph, and applies three-layer graph convolutional networks to predict. Kim et al. (2019) uses LSTM for the individual stock prediction task and GRU for the index movement prediction task where an additional graph pooling layer is needed.

- **Capsule Network.** Different from the method of CNNs and RNNs, the capsule network increases the weights of similar information through its dynamic routing, which is proposed by Sabour, Frosst, and Hinton (2017) and displaces the pooling operation used in conventional convolution neural network. Liu et al. (2019) is the first to introduce the capsule network for the problem of stock movements prediction based on social media and show that the capsule network is effective for this task.
- **Reinforcement learning.** Unlike supervised learning, reinforcement learning trains an agent to choose the optimal action given a current state, with the goal to maximize cumulative rewards in the training process. Reinforcement learning can be applied for stock prediction with the advantage of using information from not only the next time step but from all subsequent time steps (Lee et al., 2019). Reinforcement learning is also used for building algorithmic trading systems (Deng, Bao, Kong, Ren, & Dai, 2016).
- **Transfer learning.** Transfer learning can be used in training deep neural networks with a small amount of training data and a reduced training time, by tuning the pre-trained model on a larger training dataset, e.g., NNguyen and Yoonguyen and Yoon (2019) trains a LSTM base model on 50 stocks and transfers parameters for the prediction model on KOSPI 200 or S&P 500.

We show the change trend of models used in the past three years in Fig. 6. RNN Models are used for the most, but the ratio drops with the emerging new models in 2019. We also show the change of common optimizers used in our surveyed papers in Fig. 7, which include Adam (Kingma & Ba, 2014), stochastic gradient descent (SGD), RMSprop (Tieleman & Hinton, 2012), AdaDelta (Zeiler, 2012). Adam has been used the most for stock prediction, which is a combination of RMSprop and stochastic gradient descent with momentum and presents several benefits, e.g., computationally efficiency and little memory requirement.




Fig. 10. The usage of different regression metrics.

For the baselines used in the survey studies, both linear, machine learning and deep learning models are covered. The change of baseline models used is shown in Fig. 8. With the further exploration of deep learning models for stock prediction, their ratio as baselines keeps increasing in the past three years.

#### 4.4. Model Evaluation

In this part, we category the evaluation metrics for the prediction models mentioned in the last part into four types:

- **Classification metrics.** Classification metrics are used to measure the model's performance on movement prediction, which is modeled as a classification problem. Common used metrics include accuracy (which is the correct number of prediction for directional change), precision, recall, sensitivity, specificity, F1 score, macro-average F-score, Matthews correlation coefficient (which is a discrete case for Pearson correlation coefficient), average AUC score (area under Receiver Operating Characteristic curves (Fawcett, 2006)), Theil's U coefficient, hit ratio, average relative variance, etc. Confusion matrices and boxplots for daily accuracy are also used for classification performance analysis (Guang et al., 2019; Zhong & Enke, 2017; Zhang et al., 2019).
- **Regression metrics.** Regression metrics are used to measure the model's performance on stock/index price prediction, which is modeled as a regression problem. Common used metrics include mean absolute error (MAE), root mean absolute error (RMAE), mean squared error (MSE), normalized MSE (NMSE), root mean squared error (RMSE), relative RMSE, normalized RMSE (NRMSE), mean absolute percentage error (MAPE), root mean squared relative error (RMSRE), mutual information,  $R^2$  (which is the coefficient of determination).
- **Profit Analysis.** Profit analysis evaluates whether the predicted-based trading strategy can bring a profit or not. It is usually evaluated from two aspects, the return and the risk. The return is the change in value on the stock portfolio and the risk can be evaluated by maximum drawdown (Zhou et al., 2019), which is the largest peak-to-trough decline in the value of a portfolio and represents the max possible loss, or the annualized volatility (Karathanasopoulos & Osman, 2019). Sharpe Ratio is a comprehensive metric with both the return and risk into consideration, which is the average return earned in excess of the risk-free per unit of volatility (Sharpe, 1994). More detailed analysis about the transactions is given in Sezer and Ozbayoglu (2018); Sezer and Ozbayoglu, 2019.



**Table 9**

List of GPUs used for stock market prediction.

GPU Type (all from NVIDIA)	Articles
Tesla P100	Zhang et al. (2019)
GeForce GTX 1060	Song et al. (2019)
GeForce GTX 1080 Ti	Eapen et al. (2019)
Quadro P2000	Nguyen et al. (2019)
TITAN X	Chong et al. (2017); Minh et al., 2018; Chen and Ge, 2019
TITAN Xp	Chen and Ge (2019)
TITAN RTX	Wang et al. (2019)
Not specified	Xu and Cohen (2018); Fischer and Krauss (2018); Guang et al. (2019)

- **Significance Analysis.** In order to determine if there is significant difference in terms of predictions when comparing the deep learning models to the baselines, Kruskal–Wallis (Kruskal & Wallis, 1952) and Diebold–Mariano (Diebold & Mariano, 2002) tests can be used to test the statistical significance, which decides a statistically better model. They are not used often for stock prediction, with only a few studies in 2019 (Kumar et al., 2019; Zhang et al., 2019).

The detailed list of studies using each metrics (as well as the metrics' abbreviations) is shown in Table 8.

We further show the change of classification and regression metrics in Fig. 9 and Fig. 10. For classification metrics, accuracy and F1 score are the most often used, followed by precision, recall, and MCC. For regression metrics, RMSE and MAPE are the most often used, followed by MAE and MSE.

## 5. Implementation and Reproducibility

### 5.1. Implementation

In this section, we pay a special attention to the implementation details of the papers we survey, which is less discussed before in previous surveys.

We firstly investigate the programming language used for the implementation of machine learning and deep learning models. Among them, Python is becoming the dominant choice in the past three years, which provides a bunch of packages and frameworks for model implementation purpose, e.g., Keras<sup>3</sup>, TensorFlow<sup>4</sup>, PyTorch<sup>5</sup>, Theano<sup>6</sup>, scikit-learn<sup>7</sup>. Other choices include R, Matlab, Java, etc. Keras and TensorFlow are the dominant frameworks for deep learning-based stock market prediction research. For further reference, the readers may refer to Hatcher and Yu (2018) for a comprehensive introduction of deep learning tools.

Deep learning models require a larger amount of computation for training, and GPU has been used to accelerate the convolutional operations involved. With the need of processing multiple types of input data, especially the text data, the need for GPU would keep increasing in this research area. We give a list of different types of GPU used in the surveyed papers in Table 9. Cloud computing is another solution when GPU is not available locally. There are many commercial choices of cloud computing services, e.g., Amazon Web Services<sup>8</sup>, Google Cloud<sup>9</sup>,

<sup>3</sup> <http://keras.io/>. Keras has been incorporated in TensorFlow 2.0 and higher versions.

<sup>4</sup> <https://www.tensorflow.org/>

<sup>5</sup> <https://pytorch.org/>

<sup>6</sup> <http://deeplearning.net/software/theano/>. It is a discontinued project and not recommended for further use.

<sup>7</sup> <https://scikit-learn.org/stable/index.html>

<sup>8</sup> <https://aws.amazon.com/>

<sup>9</sup> <https://cloud.google.com/>

**Table 10**

List of articles with public available data links.

Articles	Data Description & Link
Bao et al., 2017	CSI 300, Nifty 50, Hang Seng index, Nikkei 225, S&P500 and DJIA index from Jul-01–2008 to Sep-30–2016. Link: <a href="https://doi.org/10.6084/m9.figshare.5028110">https://doi.org/10.6084/m9.figshare.5028110</a>
Qin et al., 2017	One-minute stock prices of 104 corporations under NASDAQ 100 and the index value of NASDAQ 100 from Jul-26–2016 to Apr-28–2017. Link: <a href="http://cseweb.ucsd.edu/yaq007/NASDAQ100_stock_data.html">http://cseweb.ucsd.edu/yaq007/NASDAQ100_stock_data.html</a>
Zhang et al., 2017	The daily opening prices of 50 stocks in US among 10 sectors from 2007 to 2016. Link: <a href="https://github.com/z331565360/State-Frequency-Memory-stock-prediction/tree/master/dataset">https://github.com/z331565360/State-Frequency-Memory-stock-prediction/tree/master/dataset</a> (also used in Feng et al., 2019)
Hollis et al., 2018	Historical data and Thomson Reuters news since 2007. Link: <a href="https://www.kaggle.com/c/two-sigma-financial-news">https://www.kaggle.com/c/two-sigma-financial-news</a>
Huang et al., 2018	78 A-share stocks in CSI 100 and 13 popular HK stocks in the year 2015 and 2016. Financial web news dataset: <a href="https://pan.baidu.com/s/1mhCLJJI">https://pan.baidu.com/s/1mhCLJJI</a> ; Guba dataset: <a href="https://pan.baidu.com/s/1i5zAWh3">https://pan.baidu.com/s/1i5zAWh3</a>
Wu et al., 2018	Prices and Twitter for 47 stocks listed in S&P 500 from January 2017 to November 2017. Link: <a href="https://github.com/wuhuizhe/CHRRN">https://github.com/wuhuizhe/CHRRN</a> (also used in Liu et al., 2019)
Xu and Cohen, 2018	Historical data of 88 high-trade-volume-stocks in NASDAQ and NYSE markets from Jan-01–2014 to Jan-01–2016. Link: <a href="https://github.com/yumoxu/stocknet-dataset">https://github.com/yumoxu/stocknet-dataset</a> (also used in Feng et al., 2019)
Feng et al., 2019	Data from previous studies (Zhang et al., 2017; Xu & Cohen, 2018). Link: <a href="https://github.com/fulifeng/Adv-ALSTM/tree/master/data">https://github.com/fulifeng/Adv-ALSTM/tree/master/data</a>
Feng et al., 2019	Historical price data, Sector-industry relations, and Wiki relations between their companies such as supplier–consumer relation and ownership relation for 1,026 NASDAQ and 1,737 NYSE stocks from Jan-03–2017 to Dec-08–2017. Link: <a href="https://github.com/fulifeng/">https://github.com/fulifeng/</a>
LLiu and Cheniu and Chen, 2019	Temporal Relational Stock Ranking/tree/master/data
Kim and Kim, 2019	6 top banks in US from 2008 to 2016. Link: <a href="https://www.kaggle.com/rohan8594/stock-data">https://www.kaggle.com/rohan8594/stock-data</a>
Sim et al., 2019	Minute SPY ticker data from Oct-14–2016 to Oct-16–2017. Link: <a href="https://dx.doi.org/10.6084/m9.figshare.7471568">https://dx.doi.org/10.6084/m9.figshare.7471568</a>
Stoean et al., 2019	Minute data of the S&P 500 index from 10:30 pm on Apr-03–2017, to 2:15 pm on May-02–2017. Link: <a href="https://www.kesci.com/home/dataset/5bdc2513631bc00109c29a4/files">https://www.kesci.com/home/dataset/5bdc2513631bc00109c29a4/files</a>
Liu et al., 2019	25 companies listed under the Romanian stock market from Oct-16–1997 to Mar-13–2019. Link: <a href="https://doi.org/10.6084/m9.figshare.7976144.v1">https://doi.org/10.6084/m9.figshare.7976144.v1</a>
	News headlines from Thomson Reuters and Cable News Network for 6 stocks in US markets. Link: <a href="https://github.com/linechany/knowledge-graph">https://github.com/linechany/knowledge-graph</a>

and Microsoft Azure<sup>10</sup>. However, they are not widely adopted in current study of stock market prediction and no previous study covered in this survey mentions the usage of cloud service explicitly.

### 5.2. Result Reproducibility

While deep learning techniques have been proved to be effective in many different problems and most of the previous studies have proven their effectiveness for time series forecasting problems, while there are still doubts and concerns, e.g., in the M4 open forecasting competition with 100,000 time series which started on Jan 1, 2018 and ended on May 31, 2018, statistical approaches outperform pure ML methods (Makridakis, Spiliotis, & Assimakopoulos, 2018) and there are similar results with the dataset of the earlier M3 competition (Makridakis, Spiliotis, & Assimakopoulos, 2018). These studies also question the reproducibility and replicability in the previous papers which use ML methods.

While it is beyond the scope of this study to check the result of each paper, we instead investigate the data and code availability of the surveyed papers, which are two important aspects for the result

<sup>10</sup> <https://azure.microsoft.com/>

**Table 11**

List of articles with public code links.

Articles	Method Description & Link
Weng et al. (2017)	Artificial neural networks (ANN), decision trees (DT), and support vector machines (SVM) in R. Link: <a href="https://github.com/binweng/ShinyStock">https://github.com/binweng/ShinyStock</a>
Zhang et al. (2017)	State frequency memory (SFM) recurrent network. Link: <a href="https://github.com/z331565360/State-Frequency-Memory-stock-prediction">https://github.com/z331565360/State-Frequency-Memory-stock-prediction</a>
Hu et al. (2018)	Hybrid attention network (HAN). Link: <a href="https://github.com/gkeng/Listening-to-Chaotic-Whispers-Code">https://github.com/gkeng/Listening-to-Chaotic-Whispers-Code</a>
Xu and Cohen (2018)	A deep generative model named StockNet. Link: <a href="https://github.com/yumoxu/stocknet-code">https://github.com/yumoxu/stocknet-code</a>
Feng et al. (2019)	Adversarial attentive LSTM. Link: <a href="https://github.com/fulifeng/Adv-ALSTM">https://github.com/fulifeng/Adv-ALSTM</a>
Feng et al. (2019)	Relational stock ranking (RSR). Link: <a href="https://github.com/fulifeng/Temporal_Relational_Stock_Ranking">https://github.com/fulifeng/Temporal_Relational_Stock_Ranking</a>
Kim et al. (2019)	Hierarchical graph attention network (HATS). Link: <a href="https://github.com/dmis-lab/hats">https://github.com/dmis-lab/hats</a>
Lee et al. (2019)	Deep Q-Network. Link: <a href="https://github.com/lee-jinho/DQN-global-stock-market-prediction/">https://github.com/lee-jinho/DQN-global-stock-market-prediction/</a>

reproducibility. Some of the source journals would require or recommend the data and code submitted as supplementary files for peer review, e.g., PLOS ONE. In other cases, the authors would share their data and code proactively, for the consideration that following works can easily use them as baselines, which gains a higher impact for their publications.

#### 5.2.1. Data Availability

There are many free data sources on the Internet for the research purpose of stock market prediction. For historical price and volume, the first choice should be the widely used Yahoo! Finance<sup>11</sup>, which provides free access to data including stock quotes, up-to-date news, international market data, etc., and has been mentioned at least in 25 out of 124 papers. Other similar options include Tushare<sup>12</sup>, which can be used to crawl historical data of China stocks. Some stock markets would also provide the download service of historical data on their official websites. For macroeconomic indicators, International Monetary Fund (IMF)<sup>13</sup> and World Bank<sup>14</sup> are good choices to explore. For financial news, previous studies would crawl some major news sources, e.g., CNBC<sup>15</sup>, Reuters<sup>16</sup>, Wall Street Journal<sup>17</sup>, Fortune<sup>18</sup>, etc. Social networking websites, e.g., Twitter<sup>19</sup> and Sina Weibo<sup>20</sup>, provide web Application Programming Interface (API) for the access of their data (usually pre-processed and anonymous). And researchers could filter the financial related tweet using companies' names as keywords. For relational data, Wikidata<sup>21</sup> provides relations between companies such as supplier-consumer relation and ownership relation.

There are many commercial choices too, e.g., Bloomberg<sup>22</sup>, Wind<sup>23</sup>, Quantopian<sup>24</sup>, Investing.com<sup>25</sup>. Online brokers such as Interactive Brokers<sup>26</sup> also provide data-related services. There are also some well-

established databases for research purpose and contain many different types of financial data, which can be used for stock market prediction and other financial problems. One example is the CSMAR database<sup>27</sup>, which provides financial statements and stock trading data for Chinese companies, including balance sheets, income statements, cash flows, stock prices and returns, market returns and indices, and other data on Chinese equities. Another example is Wharton Research Data Services (WRDS)<sup>28</sup>, which provides access to many financial, accounting, banking, economics, marketing, and public policy databases through a uniform, web-based interface.

Data competition websites, e.g., Kaggle<sup>29</sup>, are also becoming a good choice of data repository for stock market prediction. And quantitative companies could collaborate with these websites to host stock market prediction competitions, e.g., Two Sigma Financial Modeling Challenge<sup>30</sup>, which is organized by a hedge fund named Two Sigma<sup>31</sup>.

Even though most of the data sources are available on the Internet, it would be more convenient for replicability if the authors could release the exact dataset they use. In Table 10, we list those with the data description and link, for those data which is hosted in software host websites such as Github<sup>32</sup>, cloud services, researcher's own website, and data competition websites such as Kaggle. For the mid-price prediction of limit order book data, there is a benchmark dataset provided by Ntakaris, Magris, Kanninen, Gabbouj, and Iosifidis (2017) and has been used in the following studies (Tran, Iosifidis, Kanninen, & Gabbouj, 2018).

#### 5.2.2. Code Availability

Github has been the mainstream platform of hosting source code in the computer science field. However, only a small number of studies would release their code for now, in the area of stock market prediction. In Table 11, we list the articles with public code repositories. A short description of each method is mentioned, and the details can be found in Section 4 and the original documents.

## 6. Future Directions

Based on our review of recent works, we give some future directions in this section, which aims to bring new insight to interested researchers.

### 6.1. New Models

Different structures of neural networks are not fully studied for stock prediction, especially those who only appear in recent years. There are two steps where deep learning models involve in stock prediction, namely, Data Processing and Prediction Model in Section 4. While we already covered some latest effort of applying new models in this survey, e.g., the attention mechanism and generative adversarial networks, there are still a huge space to explore for new models. For example, for sentiment analysis of text data, Transformer (Vaswani et al., 2017) and pre-trained BERT (Bidirectional Encoder Representations from Transformers) (Devlin, Chang, Lee, & Toutanova, 2018) are widely used in natural language processing, but is less discussed for financial news analysis.

### 6.2. Multiple Data Sources

Observed from our discussion in Section 4, it is not wise to design a stock prediction solution based on a single data source, e.g., market

<sup>11</sup> <https://finance.yahoo.com/>

<sup>12</sup> <https://tushare.pro/>

<sup>13</sup> <https://www.imf.org/>

<sup>14</sup> <https://www.worldbank.org/>

<sup>15</sup> <https://www.cnbc.com/>

<sup>16</sup> <https://www.reuters.com/>

<sup>17</sup> <https://www.wsj.com/>

<sup>18</sup> <https://fortune.com/>

<sup>19</sup> <https://twitter.com/>

<sup>20</sup> <https://www.weibo.com/>

<sup>21</sup> [https://www.wikidata.org/wiki/Wikidata:Main\\_Page](https://www.wikidata.org/wiki/Wikidata:Main_Page)

<sup>22</sup> <https://www.bloomberg.com/>

<sup>23</sup> <https://www.wind.com.cn/>

<sup>24</sup> <https://www.quantopian.com/>

<sup>25</sup> <https://www.investing.com/>

<sup>26</sup> <https://www.interactivebrokers.com/>

<sup>27</sup> <http://us.gtadata.com/>

<sup>28</sup> <https://wrds-web.wharton.upenn.edu/>

<sup>29</sup> <https://www.kaggle.com/>

<sup>30</sup> <https://www.kaggle.com/c/two-sigma-financial-modeling>

<sup>31</sup> <https://www.twosigma.com/>

<sup>32</sup> <https://github.com/>

data, as it has been heavily used in previous studies and it would be very challenging to outperform existing solutions. A better idea is to collect and use multiple data sources, especially those which are less explored in the literature (Zhou, Gao, Liu, & Xiao, 2019).

### 6.3. Cross-market Analysis

Most of the existing studies focus on only one stock market, in the sense that stock markets differ from each other because of the trading rules, while different markets may share some common phenomenon that can be leveraged for prediction by approaches such as transfer learning. There are already a few studies showing positive results for cross-market analysis (Hoseinzade & Haratizadeh, 2019; Lee et al., 2019; Merello, Ratto, Oneto, & Cambria, 2019; NNguyen & Yoonguyen & Yoon, 2019; Hoseinzade, Haratizadeh, & Khoeini, 2019), it is worth exploring in the following studies. In Lee et al. (2019), the model is trained only on US stock market data and tested on the stock market data of 31 different countries over 12 years. Even though the authors do not use the terminology of transfer learning, it is a practice of model transfer.

### 6.4. Algorithmic Trading

The prediction is not the end of the journey. Good prediction is one factor to make money in the stock market, but not the whole story. Some of the studies have evaluated the profit and risk of the trading strategies based on the prediction result, as we discussed in Section 4.4. However, these strategies are simple and intuitive, which may be impractical limited by the trading rules. The transaction cost is often omitted or simplified, which makes the conclusion less persuasive. Another problem is the adaption for different market styles, as the training of deep learning models is time-consuming. These studies are not sufficient for building a practical algorithmic trading system. One possible direction is deep reinforcement learning, which has recent successes in a variety of applications and is also been used in a few studies for stock prediction and trading (Xiong, Liu, Zhong, Yang, & Walid, 2018; Lee et al., 2019). It has advantages of simulating more possible cases and making a faster and better trading choice than human traders.

## 7. Conclusion

Inspired by the rapid development and increasing usage of deep learning models for stock market prediction, we give a review of recent progress by surveying more than 100 related published articles in the past three years. We cover each step from raw data collection and data processing to prediction model and model evaluation and present the research trend from 2017 to 2019. We also pay a special attention to the implementation of deep learning models and the reproducibility of

published articles, with the hope to accelerate the process of adopting published models as baselines (maybe with new data input). With some future directions pointed up, the insight and summary in the survey would help to boost the future research in related topics.

Our contributions in this survey are summarized in both practical and theoretical aspects. As for the practical aspect, a general workflow is given for newcomers in this area, which is easy to follow. The discussion about implementation and reproducibility would be extremely useful when implementing the surveyed papers as baselines. From the theoretical aspect, compared with other relevant studies in expert and intelligent systems, our focus is deep learning, which is proven effective for a wide range of applications. In this survey, the latest progress of the deep learning techniques to a specific scenario, e.g., stock market prediction, is discussed and summarized, with the basic theoretical introduction given to these deep learning techniques. Furthermore, future research directions are given theoretically for interested researchers.

The limitations of this survey are summarized in three points. The first point is that only the recent progress of the deep learning application in the stock market is covered in this survey, without giving a whole picture of the relevant history. For those who are interested in the earlier literature, the relevant discussion can be found in previous surveys discussed in Section 2. The second point is that the scope of this survey is limited to the stock market, without discussing the application of deep learning in other important financial markets, e.g., the foreign exchange and futures markets. However, some of the techniques covered in this survey are still applicable to these markets. The third point is that even though deep learning is proven as the state-of-the-art technique for predicting the stock market in most of the surveyed studies, this survey does not aim to provide a comprehensive experimental comparison between deep learning and other prediction techniques, which requires a huge amount of computation resource and is left for future studies.

### Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

### Acknowledgement

Weiwei Jiang: Conceptualization; Data curation; Formal analysis; Funding acquisition; Investigation; Methodology; Project administration; Resources; Software; Supervision; Validation; Visualization; Roles/ Writing - original draft; Writing - review & editing.

### Appendix A

**Table 12**  
Abbreviations of machine learning and deep learning methods.

Abbreviation	Full Name
Preprocessing Techniques	
BoF	Bag-of-feature
BoW	Bag-of-words
CEAM	Cycle Embeddings with Attention Mechanism
CEEMDAN	Complete Ensemble Empirical Mode Decomposition with Adaptive Noise
EMD	Empirical Mode Decomposition
MACD	Moving Average Convergence/ Divergence
MOM	Momentum
N-BoF	Neural Bag-of-Feature
PCA	Principal Components Analysis
RS	Rough Set
RSI	Relative Strength Index
SMA	Simple Moving Average
SMC	Sub-mode Coordinate Algorithm

(continued on next page)

Table 12 (continued)

Abbreviation	Full Name
WT	Wavelet Transform
(2D)2PCA	2-Directional 2- Dimensional Principal Component Analysis
Optimization Algorithms	
HM	Harmony Memory
GA	Genetic Algorithm
ISCA	Improved Sine Cosine Algorithm
GWO	Grey Wolf Optimizer
PSO	particle swarm optimization
WOA	Whale Optimization Algorithm
SCA	Sine Cosine Algorithm
Linear Models	
AR	Autoregressive
ARMA	Autoregressive Moving Average
ARIMA	Autoregressive Integrated Moving Average
EMA	Estimated Moving Average
GARCH	Generalized Autoregressive Conditional Heteroskedasticity
LDA	Linear Discriminant Analysis
LR	Linear Regression
PLR	Piecewise Linear Regression
MA	Moving Average
MR	Mean Reversion
MCSDA	Multilinear Class-specific Discriminant Analysis
MDA	Multilinear Discriminant Analysis
MTR	Multilinear Time-series Regression
WMTR	Weighted Multilinear Time-series Regression
Machine Learning Models	
AB	AdaBoost
ANFIS	Adaptive Neuro-fuzzy Inference System
kNN	k-Nearest neighbor
Lasso	Lasso Regression
Logit	Logistics Regression
MKL	Multiple Kernel Learning
MRFs	Markov Random Fields
RF	Random Forest
Ridge	Ridge Regression
SVM	Support Vector Machine
SVR	Support Vector Regression
Deep Learning Models	
AE	Autoencoder
ANN	Artificial Neural Network
BGRU	Bidirectional GRU
BiLSTM	bi-directional long short-term memory
BPNN	Backpropagation Neural Network
CapTE	Capsule network based Transformer Encoder
CF-DA-RNN	DA-RNN with cycle value
CH-RNN	Cross-modal Attention based Hybrid Recurrent Neural Network
CNN	Convolutional Neural Network
DA-RNN	Dual-Stage Attention-Based RNN
DBN	Deep Belief Network
DEM	Dilation-erosion Model
DGM	Deep Neural Generative Model
DIDLNN	Deep IncreasingG-decreasing-linear Neural Network
DMN	Dendrite Morphological Neuron
DNN	Deep Neural Network
ELM	Extreme Learning Machines
eLSTM	Tensor-based Event-LSTM
EMD2FNN	Empirical Mode Decomposition and Factorization Machine based Neural Network
EMD2NN	Empirical Mode Decomposition based Neural Network
FDNN	Fuzzy Deep Neural Network
FFNN	Feedforward Neural Network
FNN	Factorization Machine based Neural Network
GAN	Generative Adversarial Network
GCNN	Graph Convolutional Neural network
GNN	Graph Neural Network
GRU	Gated Recurrent Unit
HAN	Discriminative Deep Neural Network with Hierarchical Attention
HCAN	Hierarchical Complementary Attention Network
HGAN	Hierarchical Graph Attention Network
KDTCN	Knowledge-Driven Temporal Convolutional Network
LNN	Linear and Nonlinear Neural Network
LSTM	Long Short Term Memory
MAFN	Multi-head Attention Fusion Network
MGU	Minimal Gated Unit

(continued on next page)

Table 12 (continued)

Abbreviation	Full Name
MLP	Multilayer Perceptron
MS-CNN	Multi-Scale CNN
MSTD-RCNN	Multi-Scale Temporal Dependent Recurrent Convolutional Neural Network
NARXT	Nonlinear Autoregressive Neural Network with Exogenous Takens Inputs
NN	Neural Network
PELMNN	Prediction Evolutionary Levenberg–marquardt Neural Networks
RBFNN	Radial Basis Function Neural Network
RBM	Restricted Boltzmann Machines
RNN	Recurrent Neural Network
SAEs	Stacked Autoencoders
SFM	State Frequency Memory
SRGGUs	Selective Recurrent Neural Networks with Random Connectivity Gated Unit
STNN	Stochastic Time Effective Function Neural Network
TABL	Temporal Attention Augmented Bilinear Layer
TGC	Temporal Graph Convolution
TSLDA	Generative Topic Model Jointly Learning Topics and Sentiments
WMN	Wavelet Neural Network
WDBPNN	Wavelet De-noising based BPNN
1D CNN	One-dimensional Convolutional Neural Networks

## References

- de A. Araújo, R., Nedjah, N., Oliveira, A.L., & de L. Meira, S.R. (2019). A deep increasing–decreasing–linear neural network for financial time series prediction. *Neurocomputing*, 347, 59–81. [url:http://www.sciencedirect.com/science/article/pii/S0925231219303194](http://www.sciencedirect.com/science/article/pii/S0925231219303194). doi:<https://doi.org/10.1016/j.neucom.2019.03.017>.
- Aguilar-Rivera, R., Valenzuela-Rendón, M., & Rodríguez-Ortiz, J. (2015). Genetic algorithms and darwinian approaches in financial applications: A survey. *Expert Systems with Applications*, 42, 7684–7697. <https://doi.org/10.1016/j.eswa.2015.06.001>. [url:http://www.sciencedirect.com/science/article/pii/S0957417415003954](http://www.sciencedirect.com/science/article/pii/S0957417415003954).
- Akita, R., Yoshihara, A., Matsubara, T., & Uehara, K. (2016). Deep learning for stock prediction using numerical and textual information. In *2016 IEEE/ACIS 15th International Conference on Computer and Information Science (ICIS)* (pp. 1–6). <https://doi.org/10.1109/ICIS.2016.7550882>.
- Al-Thelaya, K. A., El-Alfy, E.-S. M., & Mohammed, S. (2019). Forecasting of bahrain stock market with deep learning: Methodology and case study. In *2019 8th International Conference on Modeling Simulation and Applied Optimization (ICMSAO)* (pp. 1–5). IEEE.
- Alpaydin, E. (2014). *Introduction to machine learning*. MIT press.
- Althelaya, K. A., El-Alfy, E. M., & Mohammed, S. (2018). Stock market forecast using multivariate analysis with bidirectional and stacked (lstm, gru). In *2018 21st Saudi Computer Society National Computer Conference (NCC)* (pp. 1–7). <https://doi.org/10.1109/NCG.2018.8593076>.
- Althelaya, K. A., El-Alfy, E.-S. M., & Mohammed, S. (2018). In *Evaluation of bidirectional lstm for short- and long-term stock market prediction*. In *2018 9th International Conference on Information and Communication Systems (ICIS)* (pp. 151–156). IEEE.
- Appel, G., & Dobson, E. (2007). Understanding MACD. *Traders Press*.
- Araújo, R. d. A. (2011). A class of hybrid morphological perceptrons with application in time series forecasting. *Knowledge-Based Systems*, 24, 513–529.
- Arévalo, R., García, J., Guíjarro, F., & Peris, A. (2017). A dynamic trading rule based on filtered flag pattern recognition for stock market price forecasting. *Expert Systems with Applications*, 81, 177–192.
- Asadi, S., Hadavandi, E., Mehmanpazir, F., & Nakhoshtin, M. M. (2012). Hybridization of evolutionary levenberg–marquardt neural networks and data pre-processing for stock market prediction. *Knowledge-Based Systems*, 35, 245–258.
- Assis, C. A., Pereira, A. C., Carrano, E. G., Ramos, R., & Dias, W. (2018). Restricted boltzmann machines for the prediction of trends in financial time series. In *2018 International Joint Conference on Neural Networks (IJCNN)* (pp. 1–8). IEEE.
- Atsalakis, G. S., & Valavanis, K. P. (2009). Surveying stock market forecasting techniques – part ii: Soft computing methods. *Expert Systems with Applications*, 36, 5932–5941. <https://doi.org/10.1016/j.eswa.2008.07.006>. [url:http://www.sciencedirect.com/science/article/pii/S0957417417408004417](http://www.sciencedirect.com/science/article/pii/S0957417417408004417).
- Baek, Y., & Kim, H. Y. (2018). Modaguent: A new forecasting framework for stock market index value with an overfitting prevention lstm module and a prediction lstm module. *Expert Systems with Applications*, 113, 457–480. <https://doi.org/10.1016/j.eswa.2018.07.019>. [url:http://www.sciencedirect.com/science/article/pii/S0957417418304342](http://www.sciencedirect.com/science/article/pii/S0957417418304342).
- Bahdanau, D., Cho, K., & Bengio, Y. (2014). Neural machine translation by jointly learning to align and translate. *arXiv preprint arXiv:1409.0473*.
- Ballings, M., den Poel, D. V., Hespels, N., & Gryp, R. (2015). Evaluating multiple classifiers for stock price direction prediction. *Expert Systems with Applications*, 42, 7046–7056. <https://doi.org/10.1016/j.eswa.2015.05.013>. [url:http://www.sciencedirect.com/science/article/pii/S0957417415003334](http://www.sciencedirect.com/science/article/pii/S0957417415003334).
- Bao, W., Yue, J., & Rao, Y. (2017). A deep learning framework for financial time series using stacked autoencoders and long-short term memory. *PLOS ONE*, 12, 1–24. <https://doi.org/10.1371/journal.pone.0180944>.
- Bollacker, K., Evans, C., Paritosh, P., Sturge, T., & Taylor, J. (2008). Freebase: a collaboratively created graph database for structuring human knowledge. In *Proceedings of the 2008 ACM SIGMOD international conference on Management of data* (pp. 1247–1250).
- Bollerslev, T. (1986). Generalized autoregressive conditional heteroskedasticity. *Journal of econometrics*, 31, 307–327.
- Bordes, A., Usunier, N., Garcia-Duran, A., Weston, J., & Yakhnenko, O. (2013). Translating embeddings for modeling multi-relational data. In *Advances in neural information processing systems* (pp. 2787–2795).
- Borovkova, S., & Tsiamas, I. (2019). An ensemble of lstm neural networks for high-frequency stock market classification. *Journal of Forecasting*.
- Brownlee, J. (2018). Deep Learning for Time Series Forecasting: Predict the Future with MLPs, CNNs and LSTMs in Python. *Machine Learning Mastery*.
- Cao, J., Li, Z., & Li, J. (2019). Financial time series forecasting model based on ceemdan and lstm. *Physica A: Statistical Mechanics and its Applications*, 519, 127–139. <https://doi.org/10.1016/j.physa.2018.11.061>. [url:http://www.sciencedirect.com/science/article/pii/S0378437118314985](http://www.sciencedirect.com/science/article/pii/S0378437118314985).
- Cao, J., & Wang, J. (2019). Stock price forecasting model based on modified convolution neural network and financial time series analysis. *International Journal of Communication Systems*, 32, e3987. [url:https://onlinelibrary.wiley.com/doi/abs/10.1002/dac.3987](https://onlinelibrary.wiley.com/doi/abs/10.1002/dac.3987). doi:10.1002/dac.3987. [arXiv:https://onlinelibrary.wiley.com/doi/pdf/10.1002/dac.3987](https://onlinelibrary.wiley.com/doi/pdf/10.1002/dac.3987). E3987 IJCS-18-0961.R2.
- Cavalcante, R. C., Brasileiro, R. C., Souza, V. L., Nobrega, J. P., & Oliveira, A. L. (2016). Computational intelligence and financial markets: A survey and future directions. *Expert Systems with Applications*, 55, 194–211. <https://doi.org/10.1016/j.eswa.2016.02.006>. [url:http://www.sciencedirect.com/science/article/pii/S095741741630029X](http://www.sciencedirect.com/science/article/pii/S095741741630029X).
- Cervelló-Royo, R., Guíjarro, F., & Michniuk, K. (2015). Stock market trading rule based on pattern recognition and technical analysis: Forecasting the djia index with intraday data. *Expert Systems with Applications*, 42, 5963–5975.
- Chen, H., Xiao, K., Sun, J., & Wu, S. (2017). A double-layer neural network framework for high-frequency forecasting. *ACM Transactions on Management Information Systems (TMIS)*, 7, 11.
- Chen, L., Chi, Y., Guan, Y., & Fan, J. (2019). A hybrid attention-based emd-lstm model for financial time series prediction. In *2019 2nd International Conference on Artificial Intelligence and Big Data (ICAIBD)* (pp. 113–118). IEEE.
- Chen, L., Qiao, Z., Wang, M., Wang, C., Du, R., & Stanley, H. E. (2018). Which artificial intelligence algorithm better predicts the chinese stock market? *IEEE Access*, 6, 48625–48633.
- Chen, S., & Ge, L. (2019). Exploring the attention mechanism in lstm-based hong kong stock price movement prediction. *Quantitative Finance*, 19, 1507–1515.
- Chen, W., Yeo, C. K., Lau, C. T., & Lee, B. S. (2018). Leveraging social media news to predict stock index movement using rnn-boost. *Data & Knowledge Engineering*, 118, 14–24.
- Chen, Y., Lin, W., & Wang, J. Z. (2019). A dual-attention-based stock price trend prediction model with dual features. *IEEE Access*, 7, 148047–148058. <https://doi.org/10.1109/ACCESS.2019.2946223>.
- Chen, Y., Wei, Z., & Huang, X. (2018). Incorporating corporation relationship via graph convolutional neural networks for stock price prediction. In *Proceedings of the 27th ACM International Conference on Information and Knowledge Management CIKM*, '18 pp. 1655–1658). New York, NY, USA: ACM. <https://doi.org/10.1145/3269206.3269269>.
- Cheng, L.-C., Huang, Y.-H., & Wu, M.-E. (2018). Applied attention-based lstm neural networks in stock prediction. In *2018 IEEE International Conference on Big Data (Big Data)* (pp. 4716–4718). IEEE.
- Cho, K., Van Merriënboer, B., Gulcehre, C., Bahdanau, D., Bougares, F., Schwenk, H., & Bengio, Y. (2014). Learning phrase representations using rnn encoder-decoder for statistical machine translation. *arXiv preprint arXiv:1406.1078*.



- Chong, E., Han, C., & Park, F. C. (2017). Deep learning networks for stock market analysis and prediction: Methodology, data representations, and case studies. *Expert Systems with Applications*, 83, 187–205. <https://doi.org/10.1016/j.eswa.2017.04.030>. url:<http://www.sciencedirect.com/science/article/pii/S0957417417302750>.
- Chung, H., & Shin, K.-S. (2018). Genetic algorithm-optimized long short-term memory network for stock market prediction. *Sustainability*, 10, 3765.
- Cui, Z., Chen, W., & Chen, Y. (2016). Multi-scale convolutional neural networks for time series classification. arXiv preprint arXiv:1603.06995.
- Deng, S., Zhang, N., Zhang, W., Chen, J., Pan, J. Z., & Chen, H. (2019). Knowledge-driven stock trend prediction and explanation via temporal convolutional network. In *Companion Proceedings of The 2019 World Wide Web Conference WWW '19* (pp. 678–685). New York, NY, USA: ACM. <https://doi.org/10.1145/3308560.3317701>. url:<http://doi.acm.org/10.1145/3308560.3317701>.
- Deng, Y., Bao, F., Kong, Y., Ren, Z., & Dai, Q. (2016). Deep direct reinforcement learning for financial signal representation and trading. *IEEE Transactions on Neural Networks and Learning Systems*, 28, 653–664.
- Devlin, J., Chang, M.-W., Lee, K., & Toutanova, K. (2018). Bert: Pre-training of deep bidirectional transformers for language understanding. arXiv preprint arXiv:1810.04805.
- Diaconescu, E. (2008). The use of narx neural networks to predict chaotic time series. *Weas Transactions on computer research*, 3, 182–191.
- Diebold, F. X., & Mariano, R. S. (2002). Comparing predictive accuracy. *Journal of Business & economic statistics*, 20, 134–144.
- Ding, G., & Qin, L. (2019). Study on the prediction of stock price based on the associated network model of lstm. *International Journal of Machine Learning and Cybernetics*, 1–11.
- Ding, X., Zhang, Y., Liu, T., & Duan, J. (2014). Using structured events to predict stock price movement: An empirical investigation. In *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)* (pp. 1415–1425).
- Ding, X., Zhang, Y., Liu, T., & Duan, J. (2015). Deep learning for event-driven stock prediction. In *Twenty-fourth international joint conference on artificial intelligence*.
- Dingli, A., & Fournier, K. S. (2017). Financial time series forecasting—a deep learning approach. *International Journal of Machine Learning and Computing*, 7, 118–122.
- Eapen, J., Bein, D., & Verma, A. (2019). Novel deep learning model with cnn and bi-directional lstm for improved stock market index prediction. In *2019 IEEE 9th Annual Computing and Communication Workshop and Conference (CCWC)* (pp. 0264–0270). <https://doi.org/10.1109/CCWC.2019.8666592>
- Ersan, D., Nishioka, C., & Scherp, A. (2019). Comparison of machine learning methods for financial time series forecasting at the examples of over 10 years of daily and hourly data of dax 30 and s&p 500. *Journal of Computational Social Science*, 1–31.
- Fama, E. F. (1965). The behavior of stock-market prices. *The Journal of Business*, 38, 34–105.
- Fawcett, T. (2006). An introduction to roc analysis. *Pattern recognition letters*, 27, 861–874.
- Feng, F., Chen, H., He, X., Ding, J., Sun, M., & Chua, T.-S. (2019). Enhancing stock movement prediction with adversarial training. In *Proceedings of the Twenty-Eighth International Joint Conference on Artificial Intelligence, IJCAI-19* (pp. 5843–5849). International Joint Conferences on Artificial Intelligence Organization. url:<https://doi.org/10.24963/ijcai.2019/810>. doi:10.24963/ijcai.2019/810.
- Feng, F., He, X., Wang, X., Luo, C., Liu, Y., & Chua, T.-S. (2019). Temporal relational ranking for stock prediction. *ACM Transactions on Information Systems*, 37, 27:1–27:30. <https://doi.org/10.1145/3309547>
- Fischer, T., & Krauss, C. (2018). Deep learning with long short-term memory networks for financial market predictions. *European Journal of Operational Research*, 270, 654–669. <https://doi.org/10.1016/j.ejor.2017.11.054>. url:<http://www.sciencedirect.com/science/article/pii/S0377221717310652>.
- Gao, T., & Chai, Y. (2018). Improving stock closing price prediction using recurrent neural network and technical indicators. *Neural Computation*, 30, 2833–2854. [https://doi.org/10.1162/neco\\_a\\_01124](https://doi.org/10.1162/neco_a_01124). arXiv:[https://doi.org/10.1162/neco\\_a\\_01124](https://doi.org/10.1162/neco_a_01124). PMID: 30148707.
- Goodfellow, I., Bengio, Y., & Courville, A. (2016). *Deep learning*. MIT press.
- Goodfellow, I., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2014). Generative adversarial nets. In *Advances in neural information processing systems* (pp. 2672–2680).
- Guang, L., Xiaojie, W., & Ruifan, L. (2019). Multi-scale rcnn model for financial time-series classification. arXiv preprint arXiv:1911.09359.
- Gundersen, O. E., & Kjensmo, S. (2018). State of the art: Reproducibility in artificial intelligence. In *Thirty-Second AAAI Conference on Artificial Intelligence*.
- Gunduz, H., Yaslan, Y., & Cataltepe, Z. (2017). Intraday prediction of borsa istanbul using convolutional neural networks and feature correlations. *Knowledge-Based Systems*, 137, 138–148.
- Göken, M., Özçalıcı, M., Boru, A., & Dosdoğru, A.T. (2016). Integrating metaheuristics and artificial neural networks for improved stock price prediction. *Expert Systems with Applications*, 44, 320–331. url:<http://www.sciencedirect.com/science/article/pii/S0957417415006570>. doi: 10.1016/j.eswa.2015.09.029.
- Harris, S. S. (1954). *Distributional structure*. *World*, 10, 146–162.
- Hatcher, W. G., & Yu, W. (2018). A survey of deep learning: Platforms, applications and emerging research trends. *IEEE Access*, 6, 24411–24432. <https://doi.org/10.1109/ACCESS.2018.2830661>
- Hollis, T., Viscardi, A., & Yi, S.E. (2018). A comparison of lstms and attention mechanisms for forecasting financial time series. arXiv preprint arXiv:1812.07699.
- Hoseinzade, E., & Haratizadeh, S. (2019). Cnnpred: Cnn-based stock market prediction using a diverse set of variables. *Expert Systems with Applications*, 129, 273–285.
- Hoseinzade, E., Haratizadeh, S., & Khoeini, A. (2019). U-cnnpred: A universal cnn-based predictor for stock markets. arXiv preprint arXiv:1911.12540.
- Hossain, M. A., Karim, R., Thulasiram, R., Bruce, N. D. B., & Wang, Y. (2018). Hybrid deep learning model for stock price prediction. In *2018 IEEE Symposium Series on Computational Intelligence (SSCI)* (pp. 1837–1844). <https://doi.org/10.1109/SSCI.2018.8628641>
- Hu, H., & Qi, G.-J. (2017). State-frequency memory recurrent neural networks. In *Proceedings of the 34th International Conference on Machine Learning-Volume 70* (pp. 1568–1577). JMLR. org.
- Hu, H., Tang, L., Zhang, S., & Wang, H. (2018). Predicting the direction of stock markets using optimized neural networks with google trends. *Neurocomputing*, 285, 188–195. url:<http://www.sciencedirect.com/science/article/pii/S0925231218300572>. 10.1016/j.neucom.2018.01.038.
- Hu, Z., Liu, W., Bian, J., Liu, X., & Liu, T.-Y. (2018). Listening to chaotic whispers: A deep learning framework for news-oriented stock trend prediction. In *Proceedings of the Eleventh ACM International Conference on Web Search and Data Mining WSDM '18* (pp. 261–269). New York, NY, USA: ACM. <https://doi.org/10.1145/3159652.3159690>.
- Huang, J., Zhang, Y., Zhang, J., & Zhang, X. (2018). A tensor-based sub-mode coordinate algorithm for stock prediction. In *2018 IEEE Third International Conference on Data Science in Cyberspace (DSC)* (pp. 716–721). <https://doi.org/10.1109/DSC.2018.00114>
- Huynh, H. D., Dang, L. M., & Duong, D. (2017). A new model for stock price movements prediction using deep neural network. In *Proceedings of the Eighth International Symposium on Information and Communication Technology* (pp. 57–62). ACM.
- Hyndman, R. J., & Athanasopoulos, G. (2018). *Forecasting: principles and practice*. OTexts.
- Jegadeesh, N., & Titman, S. (1993). Returns to buying winners and selling losers: Implications for stock market efficiency. *The Journal of finance*, 48, 65–91.
- Jiang, W., & Zhang, L. (2018). Geospatial data to images: A deep-learning framework for traffic forecasting. *Tsinghua Science and Technology*, 24, 52–64.
- Jiang, W., & Zhang, L. (2020). Edge-siamnet and edge-tripenet: New deep learning models for handwritten numeral recognition. *IEICE Transactions on Information and Systems*, 103.
- Jiang, X., Pan, S., Jiang, J., & Long, G. (2018). Cross-domain deep learning approach for multiple financial market prediction. In *2018 International Joint Conference on Neural Networks (IJCNN)* (pp. 1–8). <https://doi.org/10.1109/IJCNN.2018.8489360>
- Jin, Z., Yang, Y., & Liu, Y. (2019). Stock closing price prediction based on sentiment analysis and lstm. *Neural Computing and Applications*, 1–17.
- Joachims, T. (1998). In *Text categorization with support vector machines: Learning with many relevant features*. In *European conference on machine learning* (pp. 137–142). Springer.
- Joulin, A., Grave, É., Bojanowski, P., & Mikolov, T. (2017). Bag of tricks for efficient text classification. In *Proceedings of the 15th Conference of the European Chapter of the Association for Computational Linguistics: Volume 2, Short Papers* (pp. 427–431).
- Kara, Y., Boyacioglu, M. A., & Baykan, Ö. K. (2011). Predicting direction of stock price index movement using artificial neural networks and support vector machines: The sample of the istanbul stock exchange. *Expert Systems with Applications*, 38, 5311–5319.
- Karathanasopoulos, A., & Osman, M. (2019). Forecasting the dubai financial market with a combination of momentum effect with a deep belief network. *Journal of Forecasting*, 38, 346–353. url:<https://onlinelibrary.wiley.com/doi/abs/10.1002/for.2560>. 10.1002/for.2560.
- Kim, R., So, C.H., Jeong, M., Lee, S., Kim, J., & Kang, J. (2019). Hats: A hierarchical graph attention network for stock movement prediction. arXiv preprint arXiv:1908.07999.
- Kim, S., & Kang, M. (2019). Financial series prediction using attention lstm. arXiv preprint arXiv:1902.10877.
- Kim, T., & Kim, H. Y. (2019). Forecasting stock prices with a feature fusion lstm-cnn model using different representations of the same data. *PLoS one*, 14, Article e0212320.
- Kingma, D.P., & Ba, J. (2014). Adam: A method for stochastic optimization. arXiv preprint arXiv:1412.6980.
- Kruskal, W. H., & Wallis, W. A. (1952). Use of ranks in one-criterion variance analysis. *Journal of the American statistical Association*, 47, 583–621.
- Kumar, B.S., Ravi, V., & Miglani, R. (2019). Predicting indian stock market using the psycho-linguistic features of financial news. arXiv preprint arXiv:1911.06193.
- Lee, C.-Y., & Soo, V.-W. (2017). Predict stock price with financial news based on recurrent convolutional neural networks. In *2017 Conference on Technologies and Applications of Artificial Intelligence (TAAI)* (pp. 160–165). IEEE.
- Lee, J., Kim, R., Koh, Y., & Kang, J. (2019). Global stock market prediction based on stock chart images using deep q-network. arXiv preprint arXiv:1902.10948.
- Lei, L. (2018). Wavelet neural network prediction method of stock price trend based on rough set attribute reduction. *Applied Soft Computing*, 62, 923–932. <https://doi.org/10.1016/j.asoc.2017.09.029>. url:<http://www.sciencedirect.com/science/article/pii/S1568494617305689>.
- Leigh, W., Modani, N., Purvis, R., & Roberts, T. (2002). Stock market trading rule discovery using technical charting heuristics. *Expert Systems with Applications*, 23, 155–159.
- Li, C., Song, D., & Tao, D. (2019). Multi-task recurrent neural networks and higher-order markov random fields for stock price movement prediction: Multi-task rnn and higher-order mrfs for stock price classification. In *Proceedings of the 25th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining KDD '19* (pp. 1141–1151). New York, NY, USA: ACM. <https://doi.org/10.1145/3292500.3330983>.
- Li, J., Bu, H., & Wu, J. (2017). Sentiment-aware stock market prediction: A deep learning method. In *2017 International Conference on Service Systems and Service Management* (pp. 1–6). IEEE.

- Li, Q., Chen, Y., Jiang, L. L., Li, P., & Chen, H. (2016). A tensor-based information framework for predicting the stock market. *ACM Transactions on Information Systems (TOIS)*, 34, 1–30.
- Li, X., Li, Y., Yang, H., Yang, L., & Liu, X.-Y. (2019). Dp-lstm: Differential privacy-inspired lstm for stock prediction using financial news. arXiv preprint arXiv: 1912.10806.
- Li, X., Xie, H., Wang, R., Cai, Y., Cao, J., Wang, F., Min, H., & Deng, X. (2016). Empirical analysis: stock market prediction via extreme learning machine. *Neural Computing & Applications*, 27, 67–78.
- Li, X., Yang, L., Xue, F., & Zhou, H. (2017). In Time series prediction of stock price using deep belief networks with intrinsic plasticity. In *2017 29th Chinese Control And Decision Conference (CCDC)* (pp. 1237–1242). IEEE.
- Li, Y., & Ma, W. (2010). Applications of artificial neural networks in financial economics: A survey. In *2010 International Symposium on Computational Intelligence and Design* (pp. 211–214). volume 1.
- Li, Z., & Tam, V. (2017). Combining the real-time wavelet denoising and long-short-term-memory neural network for predicting stock indexes. In *2017 IEEE Symposium Series on Computational Intelligence (SSCI)* (pp. 1–8). IEEE.
- Liang, X., Ge, Z., Sun, L., He, M., & Chen, H. (2019). Lstm with wavelet transform based data preprocessing for stock price prediction. *Mathematical Problems in Engineering*, 2019.
- Lien Minh, D., Sadeghi-Niaraki, A., Huy, H. D., Min, K., & Moon, H. (2018). Deep learning approach for short-term stock trends prediction based on two-stream gated recurrent unit network. *IEEE Access*, 6, 55392–55404. <https://doi.org/10.1109/ACCESS.2018.2868970>
- Lin, T., Guo, T., & Aberer, K. (2017). Hybrid neural networks for learning the trend in time series. In *Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence CONF* (pp. 2273–2279).
- Liu, G., & Wang, X. (2019). A numerical-based attention method for stock market prediction with dual information. *IEEE Access*, 7, 7357–7367. <https://doi.org/10.1109/ACCESS.2018.2886367>
- Liu, H., & Song, B. (2017). Stock trends forecasting by multi-layer stochastic ann bagging. In *2017 IEEE 29th International Conference on Tools with Artificial Intelligence (ICTAI)* (pp. 322–329). <https://doi.org/10.1109/ICTAI.2017.00058>
- Liu, J., & Chen, S. (2019). Non-stationary multivariate time series prediction with selective recurrent neural networks. In *Pacific Rim International Conference on Artificial Intelligence* (pp. 636–649). Springer.
- Liu, J., Lin, H., Liu, X., Xu, B., Ren, Y., Diao, Y., & Yang, L. (2019). Transformer-based capsule network for stock movement prediction. In *Proceedings of the First Workshop on Financial Technology and Natural Language Processing* (pp. 66–73).
- Liu, J., Lu, Z., & Du, W. (2019). Combining enterprise knowledge graph and news sentiment analysis for stock price prediction. In *Proceedings of the 52nd Hawaii International Conference on System Sciences*.
- Liu, Q., Cheng, X., Su, S., & Zhu, S. (2018). Hierarchical complementary attention network for predicting stock price movements with news. In *Proceedings of the 27th ACM International Conference on Information and Knowledge Management CIKM '18* (pp. 1603–1606). New York, NY, USA: ACM. <https://doi.org/10.1145/3269206.3269286>.
- Liu, Y., Zeng, Q., Ordieres Meré, J., & Yang, H. (2019). Anticipating stock market of the renowned companies: A knowledge graph approach. *Complexity*, 2019.
- Long, W., Lu, Z., & Cui, L. (2019). Deep learning-based feature engineering for stock price movement prediction. *Knowledge-Based Systems*, 164, 163–173. <https://doi.org/10.1016/j.knsys.2018.10.034>. url: <http://www.sciencedirect.com/science/article/pii/S0950705118305264>.
- Loper, E., & Bird, S. (2002). Nltk: the natural language toolkit. arXiv preprint cs/0205028.
- Ma, D., Li, S., Zhang, X., & Wang, H. (2017). Interactive attention networks for aspect-level sentiment classification. arXiv preprint arXiv:1709.00893.
- Makridakis, S., Spiliotis, E., & Assimakopoulos, V. (2018). The m4 competition: Results, findings, conclusion and way forward. *International Journal of Forecasting*. <https://doi.org/10.1016/j.ijforecast.2018.06.001>. url: <http://www.sciencedirect.com/science/article/pii/S0169207018300785>.
- Makridakis, S., Spiliotis, E., & Assimakopoulos, V. (2018). Statistical and machine learning forecasting methods: Concerns and ways forward. *PLOS ONE*, 13, 1–26. <https://doi.org/10.1371/journal.pone.0194889>
- Malkiel, B. G. (2003). The efficient market hypothesis and its critics. *Journal of Economic Perspectives*, 17, 59–82.
- Matsubara, T., Akita, R., & Uehara, K. (2018). Stock price prediction by deep neural generative model of news articles. *IEICE Transactions on Information and Systems*, 101, 901–908.
- Matsunaga, D., Suzumura, T., & Takahashi, T. (2019). Exploring graph neural networks for stock market predictions with rolling window analysis. arXiv preprint arXiv: 1909.10660.
- Menezes Jr, J. M. P., & Barreto, G. A. (2008). Long-term time series prediction with the narx network: An empirical evaluation. *Neurocomputing*, 71, 3335–3343.
- Merello, S., Ratto, A. P., Oneto, L., & Cambria, E. (2019). Ensemble application of transfer learning and sample weighting for stock market prediction. In *2019 International Joint Conference on Neural Networks (IJCNN)* (pp. 1–8). IEEE.
- Mikolov, T., Chen, K., Corrado, G., & Dean, J. (2013). Efficient estimation of word representations in vector space. arXiv preprint arXiv:1301.3781.
- Mohan, S., Mullaipudi, S., Sammeta, S., Vijayvergia, P., & Anastasiu, D. C. (2019). Stock price prediction using news sentiment analysis. In *2019 IEEE Fifth International Conference on Big Data Computing Service and Applications (BigDataService)* (pp. 205–208). IEEE.
- Nelson, D. M., Pereira, A. C., & de Oliveira, R. A. (2017). Stock market's price movement prediction with lstm neural networks. In *2017 International Joint Conference on Neural Networks (IJCNN)* (pp. 1419–1426). IEEE.
- Nguyen, D. H. D., Tran, L. P., & Nguyen, V. (2019). Predicting stock prices using dynamic lstm models. In *International Conference on Applied Informatics* (pp. 199–212). Springer.
- Nguyen, T. H., & Shirai, K. (2015). Topic modeling based sentiment analysis on social media for stock market prediction. In *Proceedings of the 53rd Annual Meeting of the Association for Computational Linguistics and the 7th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)* (pp. 1354–1364).
- Nguyen, T.-T., & Yoon, S. (2019). A novel approach to short-term stock price movement prediction using transfer learning. *Applied Sciences*, 9, 4745.
- Niaki, S. T. A., & Hoseinzade, S. (2013). Forecasting s&p 500 index using artificial neural networks and design of experiments. *Journal of Industrial Engineering International*, 9, 1.
- Nikfarjam, A., Emadzadeh, E., & Muthaiyah, S. (2010). Text mining approaches for stock market prediction. In *2010 The 2nd International Conference on Computer and Automation Engineering (ICCAE)* (pp. 256–260). volume 4. doi:10.1109/ICCAE.2010.5451705.
- Nikou, M., Mansourfar, G., & Bagherzadeh, J. Stock price prediction using deep learning algorithm and its comparison with machine learning algorithms. *Intelligent Systems in Accounting, Finance and Management*.
- Ntakaris, A., Magris, M., Kannianen, J., Gabbouj, M., & Iosifidis, A. (2017). Benchmark dataset for mid-price prediction of limit order book data. arXiv preprint arXiv: 1705.03233.
- Nti, I. K., Adekoya, A. F., & Weyori, B. A. (2019). A systematic review of fundamental and technical analysis of stock market predictions. *Artificial Intelligence Review*, 1–51.
- de Oliveira, F. A., Nobre, C. N., & Zarate, L. E. (2013). Applying artificial neural networks to prediction of stock price and improvement of the directional prediction index—case study of petra4, petrobras, brazil. *Expert Systems with Applications*, 40, 7596–7606.
- Oncharoen, P., & Vateekul, P. (2018). Deep learning for stock market prediction using event embedding and technical indicators. In *2018 5th International Conference on Advanced Informatics: Concept Theory and Applications (ICAICTA)* (pp. 19–24). <https://doi.org/10.1109/ICAICTA.2018.8541310>
- Pang, X., Zhou, Y., Wang, P., Lin, W., & Chang, V. (2018). An innovative neural network approach for stock market prediction. *The Journal of Supercomputing*. <https://doi.org/10.1007/s11227-017-2228-y>
- Passalis, N., Tsantekidis, A., Tefas, A., Kannianen, J., Gabbouj, M., & Iosifidis, A. (2017). Time-series classification using neural bag-of-features. In *2017 25th European Signal Processing Conference (EUSIPCO)* (pp. 301–305). IEEE.
- Patel, J., Shah, S., Thakkar, P., & Kotecha, K. (2015). Predicting stock market index using fusion of machine learning techniques. *Expert Systems with Applications*, 42, 2162–2172. <https://doi.org/10.1016/j.eswa.2014.10.031>. url: <http://www.sciencedirect.com/science/article/pii/S0957417414006551>.
- Peng, H., Long, F., & Ding, C. (2005). Feature selection based on mutual information criteria of max-dependency, max-relevance, and min-redundancy. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 27, 1226–1238.
- Peng, Y., & Jiang, H. (2016). Leverage financial news to predict stock price movements using word embeddings and deep neural networks. In *Proceedings of the 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies* (pp. 374–379). San Diego, California: Association for Computational Linguistics. url: <https://www.aclweb.org/anthology/N16-1041>. doi:10.18653/v1/N16-1041.
- Pennington, J., Socher, R., & Manning, C. D. (2014). Glove: Global vectors for word representation. In *Proceedings of the 2014 conference on empirical methods in natural language processing (EMNLP)* (pp. 1532–1543).
- Qin, Y., Song, D., Chen, H., Cheng, W., Jiang, G., & Cottrell, G. W. (2017). A dual-stage attention-based recurrent neural network for time series prediction. In *Proceedings of the Twenty-Sixth International Joint Conference on Artificial Intelligence, IJCAI-17* (pp. 2627–2633).
- Rawat, W., & Wang, Z. (2017). Deep convolutional neural networks for image classification: A comprehensive review. *Neural Computation*, 29, 2352–2449.
- Reschenhofer, E., Mangat, M. K., Zwatz, C., & Guzmics, S. (2019). Evaluation of current research on stock return predictability. *Journal of Forecasting*.
- Rundo, F., Trenta, F., di Stallo, A. L., & Battiato, S. (2019). Machine learning for quantitative finance applications: A survey. *Applied Sciences*, 9, 5574.
- Sabour, S., Frosst, N., & Hinton, G. E. (2017). Dynamic routing between capsules. In *Advances in neural information processing systems* (pp. 3856–3866).
- Sachdeva, A., Jethwani, G., Manjunath, C., Balamurugan, M., & Krishna, A. V. (2019). An effective time series analysis for equity market prediction using deep learning model. In *2019 International Conference on Data Science and Communication (IconDSC)* (pp. 1–5). IEEE.
- Sanboon, T., Keatruangkamala, K., & Jaiyen, S. (2019). A deep learning model for predicting buy and sell recommendations in stock exchange of thailand using long short-term memory. In *2019 IEEE 4th International Conference on Computer and Communication Systems (ICCCS)* (pp. 757–760). IEEE.
- Schumaker, R. P., & Chen, H. (2009). Textual analysis of stock market prediction using breaking financial news: The azfin text system. *Acm Transactions on Information Systems*, 27, 1–19.
- Selvin, S., Vinayakumar, R., Gopalakrishnan, E. A., Menon, V. K., & Soman, K. P. (2017). Stock price prediction using lstm, rnn and cnn-sliding window model. In *2017 International Conference on Advances in Computing, Communications and Informatics (ICACCI)* (pp. 1643–1647). <https://doi.org/10.1109/ICACCI.2017.8126078>



- Sethia, A., & Raut, P. (2019). Application of lstm, gru and ica for stock price prediction. In S. C. Satapathy, & A. Joshi (Eds.), *Information and Communication Technology for Intelligent Systems* (pp. 479–487). Singapore: Springer Singapore.
- Sezer, O.B., Gudelek, M.U., & Ozbayoglu, A.M. (2019). Financial time series forecasting with deep learning: A systematic literature review: 2005–2019. arXiv preprint arXiv: 1911.13288.
- Sezer, O. B., & Ozbayoglu, A. M. (2018). Algorithmic financial trading with deep convolutional neural networks: Time series to image conversion approach. *Applied Soft Computing*, 70, 525–538. <https://doi.org/10.1016/j.asoc.2018.04.024>. url: <http://www.sciencedirect.com/science/article/pii/S1568494618302151>.
- Sezer, O.B., & Ozbayoglu, A.M. (2019). Financial trading model with stock bar chart image time series with deep convolutional neural networks. arXiv preprint arXiv: 1903.04610.
- Shah, D., Isah, H., & Zulkernine, F. (2019). Stock market analysis: A review and taxonomy of prediction techniques. *International Journal of Financial Studies*, 7, 26.
- Sharpe, W. F. (1994). The sharpe ratio. *Journal of portfolio management*, 21, 49–58.
- Siami-Namini, S., Tavakoli, N., & Namin, A.S. (2019). A comparative analysis of forecasting financial time series using arima, lstm, and bilstm. arXiv preprint arXiv: 1911.09512.
- Siami-Namini, S., Tavakoli, N., & Siami Namin, A. (2018). A comparison of arima and lstm in forecasting time series. In *2018 17th IEEE International Conference on Machine Learning and Applications (ICMLA)* (pp. 1394–1401). <https://doi.org/10.1109/ICMLA.2018.00227>
- Sim, H.S., Kim, H.I., & Ahn, J.J. (2019). Is deep learning for image recognition applicable to stock market prediction? Complexity, 2019.
- Singh, R., & Srivastava, S. (2017). Stock prediction using deep learning. *Multimedia Tools and Applications*, 76, 18569–18584. <https://doi.org/10.1007/s11042-016-4159-7>
- Song, Y., Lee, J. W., & Lee, J. (2019). A study on novel filtering and relationship between input-features and target-vectors in a deep learning model for stock price prediction. *Applied Intelligence*, 49, 897–911. <https://doi.org/10.1007/s10489-018-1308-x>
- Stoean, C., Paja, W., Stoean, R., & Sandita, A. (2019). Deep architectures for long-term stock price prediction with a heuristic-based strategy for trading simulations. *PLoS one*, 14.
- Sun, H., Rong, W., Zhang, J., Liang, Q., & Xiong, Z. (2017). Stacked denoising autoencoder based stock market trend prediction via k-nearest neighbour data selection. In D. Liu, S. Xie, Y. Li, D. Zhao, & E.-S. M. El-Alfy (Eds.), *Neural Information Processing* (pp. 882–892). Cham: Springer International Publishing.
- Sun, J., Xiao, K., Liu, C., Zhou, W., & Xiong, H. (2019). Exploiting intra-day patterns for market shock prediction: A machine learning approach. *Expert Systems with Applications*, 127, 272–281.
- Tan, J., Wang, J., Rinprasertmeechai, D., Xing, R., & Li, Q. (2019). A tensor-based elstm model to predict stock price using financial news. In *Proceedings of the 52nd Hawaii International Conference on System Sciences*.
- Tang, J., & Chen, X. (2018). Stock market prediction based on historic prices and news titles. In *Proceedings of the 2018 International Conference on Machine Learning Technologies ICMLT '18* (pp. 29–34). New York, NY, USA: ACM. <https://doi.org/10.1145/3231884.3231887>.
- Tang, N., Shen, Y., & Yao, J. (2019). Learning to fuse multiple semantic aspects from rich texts for stock price prediction. In *International Conference on Web Information Systems Engineering* (pp. 65–81). Springer.
- Tausczik, Y. R., & Pennebaker, J. W. (2010). The psychological meaning of words: Liwc and computerized text analysis methods. *Journal of Language and Social Psychology*, 29, 24–54.
- Ticknor, J. L. (2013). A bayesian regularized artificial neural network for stock market forecasting. *Expert Systems with Applications*, 40, 5501–5506. <https://doi.org/10.1016/j.eswa.2013.04.013>. url: <http://www.sciencedirect.com/science/article/pii/S0957417413002509>.
- Tieleman, T., & Hinton, G. (2012). Lecture 6.5-rmsprop: Divide the gradient by a running average of its recent magnitude. *COURSERA: Neural networks for machine learning*, 4, 26–31.
- Tkáč, M., & Verner, R. (2016). Artificial neural networks in business: Two decades of research. *Applied Soft Computing*, 38, 788–804. <https://doi.org/10.1016/j.asoc.2015.09.040>. url: <http://www.sciencedirect.com/science/article/pii/S1568494615006122>.
- Tran, D. T., Gabbouj, M., & Iosifidis, A. (2017). Multilinear class-specific discriminant analysis. *Pattern Recognition Letters*, 100, 131–136.
- Tran, D. T., Iosifidis, A., Kannianen, J., & Gabbouj, M. (2018). Temporal attention-augmented bilinear network for financial time-series data analysis. *IEEE Transactions on Neural Networks and Learning Systems*, 30, 1407–1418.
- Tran, D. T., Magris, M., Kannianen, J., Gabbouj, M., & Iosifidis, A. (2017). Tensor representation in high-frequency financial data for price change prediction. In *2017 IEEE Symposium Series on Computational Intelligence (SSCI)* (pp. 1–7). IEEE.
- Treisman, A. M., & Gelade, G. (1980). A feature-integration theory of attention. *Cognitive Psychology*, 12, 97–136.
- Tsang, G., Deng, J., & Xie, X. (2018). Recurrent neural networks for financial time-series modelling. In *2018 24th International Conference on Pattern Recognition (ICPR)* (pp. 892–897). <https://doi.org/10.1109/ICPR.2018.8545666>
- Tsantekidis, A., Passalis, N., Tefas, A., Kannianen, J., Gabbouj, M., & Iosifidis, A. (2017). Forecasting stock prices from the limit order book using convolutional neural networks. In *2017 IEEE 19th Conference on Business Informatics (CBI)* (pp. 7–12). IEEE volume 1.
- Tsantekidis, A., Passalis, N., Tefas, A., Kannianen, J., Gabbouj, M., & Iosifidis, A. (2017). Using deep learning to detect price change indications in financial markets. In *2017 25th European Signal Processing Conference (EUSIPCO)* (pp. 2511–2515). IEEE.
- Vargas, M. R., de Lima, B. S. L. P., & Evsukoff, A. G. (2017). Deep learning for stock market prediction from financial news articles. In *2017 IEEE International Conference on Computational Intelligence and Virtual Environments for Measurement Systems and Applications (CIVEMSA)* (pp. 60–65). <https://doi.org/10.1109/CIVEMSA.2017.7995302>
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A.N., Kaiser, L., & Polosukhin, I. (2017). Attention is all you need. In *Advances in neural information processing systems* (pp. 5998–6008).
- Wang, J., Sun, T., Liu, B., Cao, Y., & Zhu, H. (2019). Clvsa: A convolutional lstm based variational sequence-to-sequence model with attention for predicting trends of financial markets. In *Proceedings of the 28th International Joint Conference on Artificial Intelligence* (pp. 3705–3711). AAAI Press.
- Wang, J., & Wang, J. (2015). Forecasting stock market indexes using principle component analysis and stochastic time effective neural networks. *Neurocomputing*, 156, 68–78. <https://doi.org/10.1016/j.neucom.2014.12.084>. url: <http://www.sciencedirect.com/science/article/pii/S0952523121500090>.
- Wang, J.-Z., Wang, J.-J., Zhang, Z.-G., & Guo, S.-P. (2011). Forecasting stock indices with back propagation neural network. *Expert Systems with Applications*, 38, 14346–14355. <https://doi.org/10.1016/j.eswa.2011.04.222>. url: <http://www.sciencedirect.com/science/article/pii/S0957417411007494>.
- Wang, Y., Li, Q., Huang, Z., & Li, J. (2019). Ean: Event attention network for stock price trend prediction based on sentimental embedding. In *Proceedings of the 10th ACM Conference on Web Science WebSci '19* (pp. 311–320). New York, NY, USA: ACM. <https://doi.org/10.1145/3292522.3266014>.
- Weng, B., Ahmed, M. A., & Megahed, F. M. (2017). Stock market one-day ahead movement prediction using disparate data sources. *Expert Systems with Applications*, 79, 153–163.
- Wu, H., Zhang, W., Shen, W., & Wang, J. (2018). Hybrid deep sequential modeling for social text-driven stock prediction. In *Proceedings of the 27th ACM International Conference on Information and Knowledge Management CIKM '18* (pp. 1627–1630). New York, NY, USA: ACM. <https://doi.org/10.1145/3269206.3269290>.
- Wu, Y., & Gao, J. (2018). Adaboost-based long short-term memory ensemble learning approach for financial time series forecasting. *Current Science*, 00113891, 115.
- Xing, F. Z., Cambria, E., & Welsch, R. E. (2018). Natural language based financial forecasting: a survey. *Artificial Intelligence Review*, 50, 49–73.
- Xiong, Z., Liu, X.-Y., Zhong, S., Yang, H., & Walid, A. (2018). Practical deep reinforcement learning approach for stock trading. arXiv preprint arXiv: 1811.07522.
- Xu, Y., & Cohen, S. B. (2018). Stock movement prediction from tweets and historical prices. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)* (pp. 1970–1979). Melbourne, Australia: Association for Computational Linguistics. <https://doi.org/10.18653/v1/P18-1183>.
- Yan, H., & Ouyang, H. (2018). Financial time series prediction based on deep learning. *Wireless Personal Communications*, 102, 683–700. <https://doi.org/10.1007/s11277-017-5086-2>
- Yang, B., Gong, Z.-J., & Yang, W. (2017). Stock market index prediction using deep neural network ensemble. In *2017 36th Chinese Control Conference (CCC)* (pp. 3882–3887). IEEE.
- Yang, H., Zhu, Y., & Huang, Q. (2018). A multi-indicator feature selection for cnn-driven stock index prediction. In L. Cheng, A. C. S. Leung, & S. Ozawa (Eds.), *Neural Information Processing* (pp. 35–46). Cham: Springer International Publishing.
- Yolcu, U., Egrioglu, E., & Aladag, C. H. (2013). A new linear & nonlinear artificial neural network model for time series forecasting. *Decision Support Systems*, 54, 1340–1347.
- Yu, M.-H., & Wu, J.-L. (2019). Ceam: A novel approach using cycle embeddings with attention mechanism for stock price prediction. In *A novel approach using cycle embeddings with attention mechanism for stock price prediction*. In *2019 IEEE International Conference on Big Data and Smart Computing (BigComp)* (pp. 1–4). IEEE.
- Zamora, E., & Sossa, H. (2017). Dendrite morphological neurons trained by stochastic gradient descent. *Neurocomputing*, 260, 420–431.
- Zeiler, M.D. (2012). Adadelta: an adaptive learning rate method. arXiv preprint arXiv: 1212.5701.
- Zhan, X., Li, Y., Li, R., Gu, X., Habimana, O., & Wang, H. (2018). Stock price prediction using time convolution long short-term memory network. In W. Liu, F. Giunchiglia, & B. Yang (Eds.), *Knowledge Science, Engineering and Management* (pp. 461–468). Cham: Springer International Publishing.
- Zhang, J., Rong, W., Liang, Q., Sun, H., & Xiong, Z. (2017). Data augmentation based stock trend prediction using self-organising map. In D. Liu, S. Xie, Y. Li, D. Zhao, & E.-S. M. El-Alfy (Eds.), *Neural Information Processing* (pp. 903–912). Cham: Springer International Publishing.
- Zhang, K., Zhong, G., Dong, J., Wang, S., & Wang, Y. (2019). Stock market prediction based on generative adversarial network. *Procedia Computer Science*, 147, 400–406. url: <http://www.sciencedirect.com/science/article/pii/S1877050919302789>. doi: 10.1016/j.procs.2019.01.256. 2018 International Conference on Identification, Information and Knowledge in the Internet of Things.
- Zhang, L., Aggarwal, C., & Qi, G.-J. (2017). Stock price prediction via discovering multi-frequency trading patterns. In *Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining KDD, '17* (pp. 2141–2149). New York, NY, USA: ACM. <https://doi.org/10.1145/3097983.3098117>.
- Zhang, Z., Zohren, S., & Roberts, S. (2019). Deeplob: Deep convolutional neural networks for limit order books. *IEEE Transactions on Signal Processing*, 67, 3001–3012.
- Zhao, Z., Rao, R., Tu, S., & Shi, J. (2017). Time-weighted lstm model with redefined labeling for stock trend prediction. In *2017 IEEE 29th International Conference on Tools with Artificial Intelligence (ICTAI)* (pp. 1210–1217). <https://doi.org/10.1109/ICTAI.2017.00184>
- Zhao, Z.-Q., Zheng, P., Xu, S.-T., & Wu, X. (2019). Object detection with deep learning: A review. *IEEE Transactions on Neural Networks and Learning Systems*, 30, 3212–3232.
- Zheng, Z., Wu, X., & Srihari, R. (2004). Feature selection for text categorization on imbalanced data. *ACM Sigkdd Explorations Newsletter*, 6, 80–89.

- Zhong, X., & Enke, D. (2017). Forecasting daily stock market return using dimensionality reduction. *Expert Systems with Applications*, 67, 126–139. <https://doi.org/10.1016/j.eswa.2016.09.027>. url:<http://www.sciencedirect.com/science/article/pii/S0957417416305115>.
- Zhou, F., Zhou, H.-M., Yang, Z., & Yang, L. (2019). Emd2fnn: A strategy combining empirical mode decomposition and factorization machine based neural network for stock market trend prediction. *Expert Systems with Applications*, 115, 136–151.
- Zhou, X., Pan, Z., Hu, G., Tang, S., & Zhao, C. (2018). Stock market prediction on high-frequency data using generative adversarial nets. *Mathematical Problems in Engineering*, 2018.
- Zhou, Z., Gao, M., Liu, Q., & Xiao, H. (2019). Forecasting stock price movements with multiple data sources: Evidence from stock market in china. *Physica A: Statistical Mechanics and its Applications*, 123389.