

hw1

October 22, 2025

1 Homework 1

- Group 9
- Griselda Lleshi, Hyejun Park, Jacqueline Mc Kenna Reardon

2 Exercise 1.1 1D Poisson equation

2.1 (a) compute the exact solution of (1). Add these to the code

$$-u''(x) = f(x)$$

for $x \in (0, 1)$, $u(0) = a$, $u(1) = b$

- (a) Given the boundary conditions $a = b = 0$, and the right hand side functions $f(x) = 1$ and $f(x) = \sin(\pi x)$, compute the exact solution of (1). Add these to the code

2.1.1 CASE $f(x) = 1$

If $f(x) = 1$,

$$u''(x) = -1$$

Integrate :

$$u(x)' = -x + C_1$$

$$u(x) = -\frac{1}{2}x^2 + C_1x + C_2$$

Boundary condition:

- $x = 0$, $u(0) = 0 \rightarrow C_2$
- $x = 1$, $u(1) = 1/2 \rightarrow C_1$

Thus,

$$u(x) = -\frac{1}{2}x^2 + \frac{1}{2}x = -\frac{1}{2}x(x-1)$$

2.1.2 CASE $f(x) = \sin(x)$

$$-u''(x) = \sin(\pi x)$$

$$u''(x) = -\sin(\pi x)$$

$$u'(x) = \frac{1}{\pi} \cos(\pi x) + C_1$$

$$u(x) = \frac{1}{\pi^2} (\sin(\pi x)) + C_1 x + C_2$$

Boundary Conditions

- $x = 0 \rightarrow u(0) = 0 \rightarrow C_2 = 0$
- $x = 1 \rightarrow \sin(\pi)/\pi^2 + C_1$
 - $\sin(\pi) = 0 \rightarrow C_1 = 0$

Thus,

$$u(x) = \frac{\sin(\pi x)}{\pi^2}$$

In code, this is represented as below :

```
[ ]: # right-hand-side function and exact solution
if (testfunction == "const"):
    testproblem["f"] = lambda x: x * 0 + 1 # f(x) = 1
    testproblem["uexact"] = lambda x: 0.5 * x * (1 - x) # u(x) = 1/2x(1 - x)
elif (testfunction == "sin"):
    testproblem["f"] = lambda x: np.sin(np.pi * x) # f(x) = sin pi x
    testproblem["uexact"] = lambda x: np.sin(np.pi * x) / (np.pi ** 2) # u(x) = sin pi x / pi^2
```

2.2 (b) solve type == full

We want to code up the reduced system (1.21) from the lecture notes.

First, we do it the "naive" way using a **dense matrix** representation. In the given code (solver type == "full"), the diagonal and the off-diagonals are added to a numpy (full) matrix and the system is solved with `np.linalg.solve()`

3 Reduced System(1.21)

PDE $\rightarrow Au = b$

Divide $[0,1]$ to $N+1$ sections

$\rightarrow$ We get $N+2$ dots

$0, x_1, x_2, \dots, x_N, x_{N+1} = 1 \rightarrow N \times N$ matrix

$$D_c = \frac{u_{i+1} - 2u_i + u_{i-1}}{dx^2}, h = \frac{1-0}{N+1}$$

$$-\frac{u_{i+1} - 2u_i + u_{i-1}}{dx^2} = f(x_i)$$

$$-u_{i-1} + 2u_i - u_{i+1} = dx^2 f(x_i)$$

We can represent above in python like below :

```
[ ]: rhs = dx**2 * f(x[1:-1])
      # x[1:-1] : x1 ~ tail
      # f(x[1:-1]) : calc f(x) at x
```

$$\begin{bmatrix} 2 & -1 & 0 & \dots & 0 \\ -1 & 2 & -1 & \dots & 0 \\ 0 & -1 & 2 & \dots & 0 \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ 0 & \dots & -1 & -1 & 2 \end{bmatrix} \begin{bmatrix} u_1 \\ u_2 \\ \vdots \\ u_N \end{bmatrix} = h^2 \begin{bmatrix} f(x_1) \\ f(x_2) \\ \vdots \\ f(x_N) \end{bmatrix}$$

```
[ ]: l = -np.ones(N-1) # left diag. (-1)
      d = 2*np.ones(N) # center diag. (2)
      r = -np.ones(N-1) # right diag. (-1)
```

so the full `get_rhs_diag` should look like :

```
[ ]: def get_rhs_diag(f,N,x,dx):
      # create right-hand-side vector
      # x[0] = xL, x[N+1] = xR,    x[1:N]
      rhs = dx**2 * f(x[1:-1])

      # compute diagonals of matrix and store each of them in a vector,
      # which we will use later on to set up the matrix
      l = -np.ones(N-1)
      d = 2*np.ones(N)
      r = -np.ones(N-1)

      return rhs, l, d, r
```

Full matrix solver code

“full” : solve with dense matrix

```
[ ]: # solve with full matrix
      if solver_type == "full":

          # create full matrix
          matrix = np.zeros((N, N)) # init with 0 NxN array
          # zip : pairs elements from two lists together
          # [l,d,r] : left, center, right diagonal values
          # [-1,0,1] : offsets(position) for diagonals -> 0: main diagonal, -1:
          ↪ lower diagonal, 1: upper diagonal
          # np.diag(entries,offset) : add entries vectors to offset diagonals of
          ↪ matrix
          for entries, offset in zip([l, d, r], [-1, 0, 1]):
              matrix += np.diag(entries, offset) # add each diagonal to the
          ↪ matrix -> tridiagonal matrix

          # note: the result of the last three lines can also be accomplished
          # matrix = functools.reduce(
          #     lambda a, b: a + np.diag(b[0], b[1]), zip([l, d, r], [-1, 0, 1]),
          ↪ np.zeros((N, N)))

          # solve
          solution = np.linalg.solve(matrix, rhs)
```

3.0.1 Visualize

- $l = [-1, -1, -1, -1]$ left diag.
- $d = [2, 2, 2, 2]$ center diag.
- $r = [-1, -, 1, 1]$ right diag.

How this code works :

1. NxN Matrix
2. $\text{matrix} += \text{np.diag}(l, -1)$ fill out the left diagonals with -1
3. $\text{matrix} += \text{np.diag}(d, 0)$ fill out the center diagonals with 2
4. $\text{matrix} += \text{np.diag}(r, 1)$ fill out the right diag. with -1

so it will look like this :

$$A = \begin{bmatrix} 2 & -1 & 0 & 0 \\ -1 & 2 & -1 & 0 \\ 0 & -1 & 2 & -1 \\ 0 & 0 & 2 & -1 \end{bmatrix}$$

3.1 get_rhs_diag(f,N,x,dx)

3.2 (c) Solve for the mesh res.

Run the code implemented in (b) to solve the two test problems defined in (a).

Solve for the mesh resolutions N [20,40,80,160,320,640,1280] and compute the maximum norm of the error $\max_i |u_i - u(x_i)|$. What convergence order do you get?

3.2.1 Code

3.2.2 Tester

```
[ ]: import numpy as np
import Poisson_template as program

testproblems = ["const", "sin"] # choose
parameters = program.define_default_parameters()

# 2. N values given
N_values = [20, 40, 80, 160, 320, 640, 1280]

for problem_name in testproblems:
    print(f"\nSolving test problem: {problem_name}")
    testproblem = program.get_testproblem(problem_name)

    err_max_list = []

    for N in N_values:
        # solver exec.
        err_max, _ = program.my_driver("full", testproblem, parameters, N)
        # err_max, _ = program.my_driver("sparse", testproblem, parameters, N)
        err_max_list.append(err_max)

    # max err
    print("N\tMax error")
    for N, err in zip(N_values, err_max_list):
        print(f"{N}\t{err:.2e}")

    # (log-log)
    err_max_array = np.array(err_max_list)
    rate = np.log(err_max_array[:-1]/err_max_array[1:])/np.log(2)
    print("Convergence rates:", rate)
```

3.2.3 Result

```
[ ]: Solving test problem: sin
Error in Max norm:      1.89e-04
Solved in:              4.82e-05 seconds
Error in Max norm:      4.96e-05
Solved in:              4.51e-05 seconds
Error in Max norm:      1.27e-05
Solved in:              1.05e-04 seconds
Error in Max norm:      3.21e-06
Solved in:              2.06e-04 seconds
Error in Max norm:      8.09e-07
Solved in:              6.06e-04 seconds
Error in Max norm:      2.03e-07
Solved in:              1.43e-02 seconds
Error in Max norm:      5.08e-08
Solved in:              2.56e-02 seconds

N      Max error
20      1.89e-04
40      4.96e-05
80      1.27e-05
160     3.21e-06
320     8.09e-07
640     2.03e-07
1280    5.08e-08
Convergence rates: [1.92867986 1.96412327 1.98201217 1.99099437 1.99549438 1.
↪99774683]
```

→ as N increase, max error decrease

→ convergence order =2 ($p = \frac{\log(\text{error}_{i+1}/\text{error}_i)}{\log(h_{i+1}/h_i)}$)

```
[ ]: Solving test problem: const
Error in Max norm:      7.63e-17
Solved in:              3.04e-04 seconds
Error in Max norm:      6.80e-16
Solved in:              5.98e-05 seconds
Error in Max norm:      1.12e-15
Solved in:              9.51e-05 seconds
Error in Max norm:      1.79e-15
Solved in:              1.86e-03 seconds
Error in Max norm:      7.04e-15
Solved in:              1.07e-03 seconds
Error in Max norm:      1.38e-14
Solved in:              1.04e-02 seconds
Error in Max norm:      3.43e-14
Solved in:              3.64e-02 seconds
```

N	Max error
20	7.63e-17
40	6.80e-16
80	1.12e-15
160	1.79e-15
320	7.04e-15
640	1.38e-14
1280	3.43e-14

Convergence rates: [-3.15527823 -0.72514016 -0.67137725 -1.97461468 -0.96835437
↪ -1.31609902]

→ for const : the numerical solution is essentially exact (error = 0), so the computed convergence rates are meaningless or dominated by floating-point noise

3.3 (d) add timer

Add timers around the solution step. What do you observe regarding runtime? The Gaussian elimination for a $N \times N$ matrix is in $O(N^3)$. Using the runtime, compare the cost of solving the reduced system to a Gaussian elimination: is it the same, better, or worse? Hint: For timing, you can use, e.g., the functions `t = time.time()` and `t solution = time.time() - t`.

I have already added timer during solving for(c), and the result is posted on (c).

- Time increase as N increase

Comparison Part

- Gaussian elimination for a $N \times N$ matrix is in $O(N^3)$
- In this code, because we use `solution = np.linalg.solve(matrix, rhs)`, the run time is still $O(N^3)$. Therefore, it is the same. However, if we change this to Thomas algorithm we roughly get $O(N)$ code.

3.4 (e) solve sparse

We want to examine the question: Does the usage of sparse matrices reduce the time to solution? For this task, you need to implement the case solver type == "sparse".

A useful package for sparse linear algebra in Python is `scipy`. From here, you could use, e.g., the functions `scipy.sparse.csr matrix()`, `scipy.sparse.diags()`, and `scipy.sparse.linalg.spsolve()`.

How do the timings compare with the approach using the dense matrix?

3.4.1 Code

```
[ ]: elif solver_type == "sparse":
    # create sparse tridiagonal matrix
    offsets = [-1, 0, 1]
    data = [l, d, r]
    sparse_matrix = diags(data, offsets, format='csr')

    # start timer
    t0 = time.time()

    # solve sparse system
    solution = spsolve(sparse_matrix, rhs)

    # end timer
    t_solution = time.time() - t0
```

3.4.2 Output

- compared to “full”
- For small to moderate N, the runtime of the sparse solver is comparable to the dense solver.
- However, as N grows larger, the sparse solver is expected to outperform the dense one due to reduced computational complexity and memory usage

```
[ ]: Solving test problem: sin
Error in Max norm:      1.89e-04
Solved in:              3.39e-05 seconds
Error in Max norm:      4.96e-05
Solved in:              2.57e-05 seconds
Error in Max norm:      1.27e-05
Solved in:              3.08e-05 seconds
Error in Max norm:      3.21e-06
Solved in:              4.08e-05 seconds
Error in Max norm:      8.09e-07
Solved in:              7.87e-05 seconds
Error in Max norm:      2.03e-07
Solved in:              1.21e-04 seconds
Error in Max norm:      5.08e-08
Solved in:              2.18e-04 seconds

N      Max error
20     1.89e-04
40     4.96e-05
80     1.27e-05
160    3.21e-06
320    8.09e-07
640    2.03e-07
1280   5.08e-08
```



```
Convergence rates: [1.92867986 1.96412327 1.98201217 1.99099437 1.99549438 1.
↪99774683]
```

```
(base) █ homework1 git:(main) █
```

```
[ ]: Solving test problem: const
```

```
Error in Max norm:      6.25e-17
Solved in:              8.85e-04 seconds
Error in Max norm:      7.22e-16
Solved in:              3.70e-05 seconds
Error in Max norm:      1.08e-15
Solved in:              3.79e-05 seconds
Error in Max norm:      1.64e-15
Solved in:              4.91e-05 seconds
Error in Max norm:      6.80e-15
Solved in:              7.99e-05 seconds
Error in Max norm:      1.44e-14
Solved in:              1.23e-04 seconds
Error in Max norm:      3.37e-14
Solved in:              2.36e-04 seconds
```

N	Max error
20	6.25e-17
40	7.22e-16
80	1.08e-15
160	1.64e-15
320	6.80e-15
640	1.44e-14
1280	3.37e-14

```
Convergence rates: [-3.53051472 -0.5849625 -0.59724083 -2.05399489 -1.08572987
↪-1.22377896]
```

4 Exercise 1.2 Different Quotient

- Definitions

Definitions

Forward difference:

$$D^+ f(x) = \frac{f(x+h) - f(x)}{h}$$

Backward difference:

$$D^- f(x) = \frac{f(x) - f(x-h)}{h}$$

Central difference (first derivative):

$$D_c^1 f(x) = \frac{f(x+h) - f(x-h)}{2h}$$

Central difference (second derivative):

$$D_c^2 f(x) = \frac{f(x+h) - 2f(x) + f(x-h)}{h^2}$$

4.1 (a) Show that $D^+ D^- = D_c^2$

Compute $D^+ D^- f(x)$:

Apply D^- :

$$g(x) := D^- f(x) = \frac{f(x) - f(x-h)}{h}$$

Apply D^+ :

$$D^+(g(x)) = \frac{g(x+h) - g(x)}{h}$$

- $g(x+h) = D^- f(x+h) = \frac{f(x+h) - f(x)}{h}$
- $g(x) = D^- f(x) = \frac{f(x) - f(x-h)}{h}$

Then,

$$\begin{aligned} D^+ D^- f(x) &= \frac{\frac{f(x+h) - f(x)}{h} - \frac{f(x) - f(x-h)}{h}}{h} \\ &= \frac{f(x+h) - 2f(x) + f(x-h)}{h^2} \end{aligned}$$

which is same the central difference

4.2 (b) Show that $D_c^1 D_c^1 = D_c^2$

Compute $D_c^1 D_c^1 f(x)$:

$$g(x) := D_c^1 f(x) = \frac{f(x+h) - f(x-h)}{2h}$$

Apply D_c^1 :

$$D_c^1 g(x) = \frac{g(x+h) - g(x-h)}{2h}$$

- $g(x+h) = \frac{f(x+2h)-f(x)}{2h}$
- $g(x-h) = \frac{f(x)-f(x-2h)}{2h}$

Then,

$$\begin{aligned} D_c^1 D_c^1 f(x) &= \frac{\frac{f(x+2h)-f(x)}{2h} - \frac{f(x)-f(x-2h)}{2h}}{2h} \\ &= \frac{f(x+2h) - 2f(x) + f(x-2h)}{(2h)^2} \end{aligned}$$

4.3 (c) How can you modify D_c^1 to obtain D_c^2 in part (b)?

Use D_c^1 with step size $2h$

$$D_c^1|_{h \rightarrow 2h} = \frac{f(x+2h) - f(x-2h)}{4h}$$

5 Exercise 1.3 1D linear advection equation

5.1 (a) Complete compute_dt

CFL Condition:

$$v = \frac{a\Delta t}{\Delta x} \leq CFL$$

Thus, dt (time gap) should be :

$$\Delta t = CFL * \frac{\Delta x}{a}$$

which will be written as :

```
[ ]: def compute_dt(CFL, a, dx):
      dt = CFL * dx / a
      return dt
```

5.2 (b) Update Codes

5.2.1 update ftcs(U,a,dt,dx)

FTCS formula :

$$u_i^{n+1} = u_i^n - \frac{a\Delta t}{2\Delta x}(u_{i+1}^n - u_{i-1}^n)$$

- index out of Bounds : $U[0]$, $U[-1]$
 - we need $i+1$, $i-1$ with the formula
 - $i=1 \rightarrow i-1 = 0$ OK
 - $i=N \rightarrow i+1 = N+1$ OK
 - so update with $U[1:-1]$

```
[ ]: def update_ftcs(U, a, dt, dx):
    #
    U_temp = U.copy()
    U_temp[1:-1] = U[1:-1] - (a * dt / (2*dx)) * (U[2:] - U[:-2])
    U[:] = U_temp
```

5.2.2 update upwind

Upwind formula when $a > 0$:

$$u_i^{n_1} = u_i^n - \frac{a\Delta t}{\Delta x}(u_i^n - u_{i-1}^n)$$

```
[ ]: def update_upwind(U, a, dt, dx):
    U_temp = U.copy()
    U_temp[1:-1] = U[1:-1] - (a * dt / dx) * (U[1:-1] - U[:-2])
    U[:] = U_temp
```

5.3 (c) Compute error

$$err_{max} = \max_i |U_i - u_{exact}(x_i, t)|$$

```
[ ]: def compute_error(x, time, uexact, U):
    U_exact = uexact(x, time)
    err_max = np.max(np.abs(U - U_exact))
    return err_max
```

5.4 (d) Test

$$u_0(x) = \sin(2\pi x)$$

What do you observe for FTCS and for upwind? Estimate the convergence order of the upwind scheme using a convergence table.

- Test Code

```
[ ]: """
    Run tests for 1D linear advection:
    - Compare FTCS and Upwind schemes
    - Check convergence for Upwind
    """
```

```

- Investigate CFL effects
"""

import os
import numpy as np
import advection_template as adv

def main():
    # Ensure results folder exists
    if not os.path.exists("results"):
        os.makedirs("results")

    testproblem = adv.get_testproblem()

    # --- Part D: FTCS and Upwind comparison ---
    print("=== FTCS Scheme ===")
    parameters = adv.define_default_parameters()
    parameters["Nrefine"] = 2 # N = 40, 80, 160
    adv.my_driver("FTCS", testproblem, parameters, parameters["N"])

    print("=== Upwind Scheme ===")
    adv.my_driver("upwind", testproblem, parameters, parameters["N"])

    # --- Part E: CFL influence for Upwind ---
    CFL_values = [0.8, 1.0, 1.2]
    N = 40

    for CFL in CFL_values:
        print(f"\n--- Upwind Scheme with CFL = {CFL} ---")
        parameters = adv.define_default_parameters()
        parameters["CFL"] = CFL
        parameters["Nrefine"] = 0 # single run
        adv.my_driver("upwind", testproblem, parameters, N)

    # --- Part 3: Show convergence table ---
    print("\nConvergence table stored in 'results/error.txt':")
    if os.path.exists("results/error.txt"):
        with open("results/error.txt") as f:
            print(f.read())
    else:
        print("No convergence table found. Run with Nrefine > 0.")

if __name__ == "__main__":
    main()

```

- result

```

[ ]: base) [ ] homework1 git:(main) [ ] python advection_de_test.py
=== FTCS Scheme ===

# START PROGRAM
Taking time step 1:      update from 0.000000      to 0.020000
Taking time step 2:      update from 0.020000      to 0.040000
Taking time step 3:      update from 0.040000      to 0.060000
Taking time step 4:      update from 0.060000      to 0.080000
Taking time step 5:      update from 0.080000      to 0.100000
Taking time step 6:      update from 0.100000      to 0.120000
Taking time step 7:      update from 0.120000      to 0.140000
Taking time step 8:      update from 0.140000      to 0.160000
Taking time step 9:      update from 0.160000      to 0.180000
Taking time step 10:     update from 0.180000      to 0.200000
Taking time step 11:     update from 0.200000      to 0.220000
Taking time step 12:     update from 0.220000      to 0.240000
Taking time step 13:     update from 0.240000      to 0.260000
Taking time step 14:     update from 0.260000      to 0.280000
Taking time step 15:     update from 0.280000      to 0.300000
Taking time step 16:     update from 0.300000      to 0.320000
Taking time step 17:     update from 0.320000      to 0.340000
Taking time step 18:     update from 0.340000      to 0.360000
Taking time step 19:     update from 0.360000      to 0.380000
Taking time step 20:     update from 0.380000      to 0.400000
Taking time step 21:     update from 0.400000      to 0.420000
Taking time step 22:     update from 0.420000      to 0.440000
Taking time step 23:     update from 0.440000      to 0.460000
Taking time step 24:     update from 0.460000      to 0.480000
Taking time step 25:     update from 0.480000      to 0.500000
Taking time step 26:     update from 0.500000      to 0.520000
Taking time step 27:     update from 0.520000      to 0.540000
Taking time step 28:     update from 0.540000      to 0.560000
Taking time step 29:     update from 0.560000      to 0.580000
Taking time step 30:     update from 0.580000      to 0.600000
Taking time step 31:     update from 0.600000      to 0.620000
Taking time step 32:     update from 0.620000      to 0.640000
Taking time step 33:     update from 0.640000      to 0.660000
Taking time step 34:     update from 0.660000      to 0.680000
Taking time step 35:     update from 0.680000      to 0.700000
Taking time step 36:     update from 0.700000      to 0.720000
Taking time step 37:     update from 0.720000      to 0.740000
Taking time step 38:     update from 0.740000      to 0.760000
Taking time step 39:     update from 0.760000      to 0.780000
Taking time step 40:     update from 0.780000      to 0.800000
Taking time step 41:     update from 0.800000      to 0.820000
Taking time step 42:     update from 0.820000      to 0.840000
Taking time step 43:     update from 0.840000      to 0.860000

```

```

Taking time step 44:    update from 0.860000    to 0.880000
Taking time step 45:    update from 0.880000    to 0.900000
Taking time step 46:    update from 0.900000    to 0.920000
Taking time step 47:    update from 0.920000    to 0.940000
Taking time step 48:    update from 0.940000    to 0.960000
Taking time step 49:    update from 0.960000    to 0.980000
Taking time step 50:    update from 0.980000    to 1.000000
Have reached time tend; stop now
The PostScript backend does not support transparency; partially transparent
↳ artists will be rendered opaque.
Error in maximum norm:  4.80e-01

=== Upwind Scheme ===

# START PROGRAM
Taking time step 1:    update from 0.000000    to 0.020000
Taking time step 2:    update from 0.020000    to 0.040000
Taking time step 3:    update from 0.040000    to 0.060000
Taking time step 4:    update from 0.060000    to 0.080000
Taking time step 5:    update from 0.080000    to 0.100000
Taking time step 6:    update from 0.100000    to 0.120000
Taking time step 7:    update from 0.120000    to 0.140000
Taking time step 8:    update from 0.140000    to 0.160000
Taking time step 9:    update from 0.160000    to 0.180000
Taking time step 10:   update from 0.180000    to 0.200000
Taking time step 11:   update from 0.200000    to 0.220000
Taking time step 12:   update from 0.220000    to 0.240000
Taking time step 13:   update from 0.240000    to 0.260000
Taking time step 14:   update from 0.260000    to 0.280000
Taking time step 15:   update from 0.280000    to 0.300000
Taking time step 16:   update from 0.300000    to 0.320000
Taking time step 17:   update from 0.320000    to 0.340000
Taking time step 18:   update from 0.340000    to 0.360000
Taking time step 19:   update from 0.360000    to 0.380000
Taking time step 20:   update from 0.380000    to 0.400000
Taking time step 21:   update from 0.400000    to 0.420000
Taking time step 22:   update from 0.420000    to 0.440000
Taking time step 23:   update from 0.440000    to 0.460000
Taking time step 24:   update from 0.460000    to 0.480000
Taking time step 25:   update from 0.480000    to 0.500000
Taking time step 26:   update from 0.500000    to 0.520000
Taking time step 27:   update from 0.520000    to 0.540000
Taking time step 28:   update from 0.540000    to 0.560000
Taking time step 29:   update from 0.560000    to 0.580000
Taking time step 30:   update from 0.580000    to 0.600000
Taking time step 31:   update from 0.600000    to 0.620000
Taking time step 32:   update from 0.620000    to 0.640000

```

```

Taking time step 33:    update from 0.640000    to 0.660000
Taking time step 34:    update from 0.660000    to 0.680000
Taking time step 35:    update from 0.680000    to 0.700000
Taking time step 36:    update from 0.700000    to 0.720000
Taking time step 37:    update from 0.720000    to 0.740000
Taking time step 38:    update from 0.740000    to 0.760000
Taking time step 39:    update from 0.760000    to 0.780000
Taking time step 40:    update from 0.780000    to 0.800000
Taking time step 41:    update from 0.800000    to 0.820000
Taking time step 42:    update from 0.820000    to 0.840000
Taking time step 43:    update from 0.840000    to 0.860000
Taking time step 44:    update from 0.860000    to 0.880000
Taking time step 45:    update from 0.880000    to 0.900000
Taking time step 46:    update from 0.900000    to 0.920000
Taking time step 47:    update from 0.920000    to 0.940000
Taking time step 48:    update from 0.940000    to 0.960000
Taking time step 49:    update from 0.960000    to 0.980000
Taking time step 50:    update from 0.980000    to 1.000000
Have reached time tend; stop now
The PostScript backend does not support transparency; partially transparent
↪artists will be rendered opaque.
Error in maximum norm:    9.40e-02

```

```

[ ]: Error in maximum norm:
FTCS: 4.80e-01
Upwind: 9.40e-02

```

FTCS vs Upwind Observation

- The **FTCS scheme** shows a much **larger error** than the upwind scheme for this advection problem.
- The **Upwind scheme** is more stable and accurate for this test case.

5.5 (e) CFL Observation

Solve the equation using the upwind scheme with the same initial data for $N = 40$ and $\{0.8, 1., 1.2\}$. What do you observe? Which behavior was expected from the lecture?

Using the same test source code from (d),

- Upwind CFL = 0.8 : max error 0.094
- Upwind, CFL = 1.0 : max error **3.77e-15**
- Upwind, CFL = 1.2 : max error 0.0988 (gets larger again)

Thus,

- CFL 1.0 $\rightarrow$ stable, small error
- CFL > 1.0 $\rightarrow$ unstable, error increases
- full result

[]:

--- Upwind Scheme with CFL = 0.8 ---

START PROGRAM

Taking time step 1:	update from 0.000000	to 0.020000
Taking time step 2:	update from 0.020000	to 0.040000
Taking time step 3:	update from 0.040000	to 0.060000
Taking time step 4:	update from 0.060000	to 0.080000
Taking time step 5:	update from 0.080000	to 0.100000
Taking time step 6:	update from 0.100000	to 0.120000
Taking time step 7:	update from 0.120000	to 0.140000
Taking time step 8:	update from 0.140000	to 0.160000
Taking time step 9:	update from 0.160000	to 0.180000
Taking time step 10:	update from 0.180000	to 0.200000
Taking time step 11:	update from 0.200000	to 0.220000
Taking time step 12:	update from 0.220000	to 0.240000
Taking time step 13:	update from 0.240000	to 0.260000
Taking time step 14:	update from 0.260000	to 0.280000
Taking time step 15:	update from 0.280000	to 0.300000
Taking time step 16:	update from 0.300000	to 0.320000
Taking time step 17:	update from 0.320000	to 0.340000
Taking time step 18:	update from 0.340000	to 0.360000
Taking time step 19:	update from 0.360000	to 0.380000
Taking time step 20:	update from 0.380000	to 0.400000
Taking time step 21:	update from 0.400000	to 0.420000
Taking time step 22:	update from 0.420000	to 0.440000
Taking time step 23:	update from 0.440000	to 0.460000
Taking time step 24:	update from 0.460000	to 0.480000
Taking time step 25:	update from 0.480000	to 0.500000
Taking time step 26:	update from 0.500000	to 0.520000
Taking time step 27:	update from 0.520000	to 0.540000
Taking time step 28:	update from 0.540000	to 0.560000
Taking time step 29:	update from 0.560000	to 0.580000
Taking time step 30:	update from 0.580000	to 0.600000
Taking time step 31:	update from 0.600000	to 0.620000
Taking time step 32:	update from 0.620000	to 0.640000
Taking time step 33:	update from 0.640000	to 0.660000
Taking time step 34:	update from 0.660000	to 0.680000
Taking time step 35:	update from 0.680000	to 0.700000
Taking time step 36:	update from 0.700000	to 0.720000
Taking time step 37:	update from 0.720000	to 0.740000
Taking time step 38:	update from 0.740000	to 0.760000
Taking time step 39:	update from 0.760000	to 0.780000
Taking time step 40:	update from 0.780000	to 0.800000
Taking time step 41:	update from 0.800000	to 0.820000
Taking time step 42:	update from 0.820000	to 0.840000
Taking time step 43:	update from 0.840000	to 0.860000
Taking time step 44:	update from 0.860000	to 0.880000

```

Taking time step 45:      update from 0.880000      to 0.900000
Taking time step 46:      update from 0.900000      to 0.920000
Taking time step 47:      update from 0.920000      to 0.940000
Taking time step 48:      update from 0.940000      to 0.960000
Taking time step 49:      update from 0.960000      to 0.980000
Taking time step 50:      update from 0.980000      to 1.000000
Have reached time tend; stop now
The PostScript backend does not support transparency; partially transparent
↳ artists will be rendered opaque.
Error in maximum norm:    9.40e-02

--- Upwind Scheme with CFL = 1.0 ---

# START PROGRAM
Taking time step 1:      update from 0.000000      to 0.025000
Taking time step 2:      update from 0.025000      to 0.050000
Taking time step 3:      update from 0.050000      to 0.075000
Taking time step 4:      update from 0.075000      to 0.100000
Taking time step 5:      update from 0.100000      to 0.125000
Taking time step 6:      update from 0.125000      to 0.150000
Taking time step 7:      update from 0.150000      to 0.175000
Taking time step 8:      update from 0.175000      to 0.200000
Taking time step 9:      update from 0.200000      to 0.225000
Taking time step 10:     update from 0.225000      to 0.250000
Taking time step 11:     update from 0.250000      to 0.275000
Taking time step 12:     update from 0.275000      to 0.300000
Taking time step 13:     update from 0.300000      to 0.325000
Taking time step 14:     update from 0.325000      to 0.350000
Taking time step 15:     update from 0.350000      to 0.375000
Taking time step 16:     update from 0.375000      to 0.400000
Taking time step 17:     update from 0.400000      to 0.425000
Taking time step 18:     update from 0.425000      to 0.450000
Taking time step 19:     update from 0.450000      to 0.475000
Taking time step 20:     update from 0.475000      to 0.500000
Taking time step 21:     update from 0.500000      to 0.525000
Taking time step 22:     update from 0.525000      to 0.550000
Taking time step 23:     update from 0.550000      to 0.575000
Taking time step 24:     update from 0.575000      to 0.600000
Taking time step 25:     update from 0.600000      to 0.625000
Taking time step 26:     update from 0.625000      to 0.650000
Taking time step 27:     update from 0.650000      to 0.675000
Taking time step 28:     update from 0.675000      to 0.700000
Taking time step 29:     update from 0.700000      to 0.725000
Taking time step 30:     update from 0.725000      to 0.750000
Taking time step 31:     update from 0.750000      to 0.775000
Taking time step 32:     update from 0.775000      to 0.800000
Taking time step 33:     update from 0.800000      to 0.825000

```

```

Taking time step 34:      update from 0.825000      to 0.850000
Taking time step 35:      update from 0.850000      to 0.875000
Taking time step 36:      update from 0.875000      to 0.900000
Taking time step 37:      update from 0.900000      to 0.925000
Taking time step 38:      update from 0.925000      to 0.950000
Taking time step 39:      update from 0.950000      to 0.975000
Taking time step 40:      update from 0.975000      to 1.000000
Have reached time tend; stop now
The PostScript backend does not support transparency; partially transparent
↳ artists will be rendered opaque.
Error in maximum norm:    3.77e-15

--- Upwind Scheme with CFL = 1.2 ---

# START PROGRAM
Taking time step 1:      update from 0.000000      to 0.030000
Taking time step 2:      update from 0.030000      to 0.060000
Taking time step 3:      update from 0.060000      to 0.090000
Taking time step 4:      update from 0.090000      to 0.120000
Taking time step 5:      update from 0.120000      to 0.150000
Taking time step 6:      update from 0.150000      to 0.180000
Taking time step 7:      update from 0.180000      to 0.210000
Taking time step 8:      update from 0.210000      to 0.240000
Taking time step 9:      update from 0.240000      to 0.270000
Taking time step 10:     update from 0.270000      to 0.300000
Taking time step 11:     update from 0.300000      to 0.330000
Taking time step 12:     update from 0.330000      to 0.360000
Taking time step 13:     update from 0.360000      to 0.390000
Taking time step 14:     update from 0.390000      to 0.420000
Taking time step 15:     update from 0.420000      to 0.450000
Taking time step 16:     update from 0.450000      to 0.480000
Taking time step 17:     update from 0.480000      to 0.510000
Taking time step 18:     update from 0.510000      to 0.540000
Taking time step 19:     update from 0.540000      to 0.570000
Taking time step 20:     update from 0.570000      to 0.600000
Taking time step 21:     update from 0.600000      to 0.630000
Taking time step 22:     update from 0.630000      to 0.660000
Taking time step 23:     update from 0.660000      to 0.690000
Taking time step 24:     update from 0.690000      to 0.720000
Taking time step 25:     update from 0.720000      to 0.750000
Taking time step 26:     update from 0.750000      to 0.780000
Taking time step 27:     update from 0.780000      to 0.810000
Taking time step 28:     update from 0.810000      to 0.840000
Taking time step 29:     update from 0.840000      to 0.870000
Taking time step 30:     update from 0.870000      to 0.900000
Taking time step 31:     update from 0.900000      to 0.930000
Taking time step 32:     update from 0.930000      to 0.960000

```

```
Taking time step 33:    update from 0.960000    to 0.990000
Taking time step 34:    update from 0.990000    to 1.000000
Have reached time tend; stop now
The PostScript backend does not support transparency; partially transparent
↳ artists will be rendered opaque.
Error in maximum norm:  9.88e-02

Convergence table stored in 'results/error.txt':
No convergence table found. Run with Nrefine > 0.
```