

Cognitive (Neuro) Psychology


III. Pattern vision

Marianne Maertens

Technische Universität Berlin

July 2016


Cortical visual pathways



SENSATION & PERCEPTION 2e, Figure 3.1

Path of image processing: eye to brain

- eye




SENSATION & PERCEPTION 2e, Figure 2.7

© 2008 Sinauer Associates, Inc.

Path of image processing: eye to brain


- eye
- lateral geniculate nucleus LGN
- primary visual cortex V1



SENSATION & PERCEPTION 2e, Figure 3.1 (Part 1)


© 2008 Sinauer Associates, Inc.

Basic visual functions: Acuity



Acuity: the smallest spatial detail that can be resolved

Basic visual functions: Acuity




Acuity: the smallest spatial detail that can be resolved

How to measure acuity?

Visual angle of one cycle of the grating


- $\text{atan}\left(\frac{\text{size}}{\text{distance}}\right) = \text{atan}\left(\frac{2}{6500}\right) = .017$



How to measure acuity?

Snellen E test


- eye doctors use distance to characterize acuity
- "20/20 vision" your distance/normal vision distance



SENSATION & PERCEPTION 2e, Figure 3.5

© 2010 Sinauer Associates, Inc.



Resolution acuity limits spatial vision



SENSATION & PERCEPTION 2e, Figure 3.4

Acuity for low contrast stimuli


- Contrast



- Spatial frequency




Contrast Sensitivity Function - CSF



SENSATION & PERCEPTION 2e, Figure 3.7

© 2008 Sinauer Associates, Inc.

Contrast Sensitivity Function - CSF




SENSATION & PERCEPTION 2e, Figure 3.8

© 2008 Sinauer Associates, Inc.

Retinal ganglion cell responses to stripes

- sensitivity to spatial frequency






SENSATION & PERCEPTION 2e, Figure 3.9

© 2008 Sinauer Associates, Inc.


Detour - single cell recordings

- recordings of action potentials in monkeys
- “spike” counts



Retinal ganglion cell responses to stripes

- sensitivity to spatial frequency




SENSATION & PERCEPTION 2e, Figure 3.9

© 2008 Sinauer Associates, Inc.


Retinal ganglion cell responses to stripes

- sensitivity to spatial phase


(a) 0° – Positive response




(b) 90° – No response




(c) 180° – Negative response



(d) 270° – No response



Down the visual pathway



SENSATION & PERCEPTION 2e, Figure 3.1 (Part 1)


© 2008 Sinauer Associates, Inc.

The Lateral Geniculate Nucleus - LGN




- parvocellular layers - details of stationary targets
- magnocellular layer - large, fast-moving objects

The Lateral Geniculate Nucleus - LGN




Down the visual pathway



SENSATION & PERCEPTION 2e, Figure 3.1 (Part 1)

© 2008 Sinauer Associates, Inc.


The Primary Visual Cortex - V1



- parvocellular layers - 4C β
- magnocellular layer - 4C α

The Primary Visual Cortex - V1


- Topography and magnification



The Primary Visual Cortex - V1

е ѿ т Е т 3 ш


V1 neurons are orientation selective



SENSATION & PERCEPTION 2e, Figure 3.16


© 2008 Sinauer Associates, Inc.

V1 neurons are orientation selective



SENSATION & PERCEPTION 2e, Figure 3.16

© 2014 Sinauer Associates, Inc.




SENSATION & PERCEPTION 2e, Figure 3.17


© 2014 Sinauer Associates, Inc.

Simple and complex cells in V1

Simple




Stripe detector




Complex

Simple and complex cells in V1

Simple




Complex




Simple and complex cells in V1


Simple







Complex




End-stopped




Selective adaptation: the psychologist's electrode






Selective adaptation: the psychologist's electrode




—




•




Selective adaptation: the psychologist's electrode








—





•





Selective adaptation: the psychologist's electrode





Selective adaptation: the psychologist's electrode








Selective adaptation: the psychologist's electrode




Selective adaptation: the psychologist's electrode



Selective adaptation: the psychologist's electrode



Spatial frequency tuned pattern analyzers in human vision



Summary

-
-
-
-

References

- Wolfe, J.M., Kluender, K.R. & Levi, D.M. (2012). *Sensation & Perception*. Sinauer Associates: Sunderland, MA.
-