

```
travis_fold:start:worker_info
[OK[33;1mWorker information[0m
hostname: 40cd8902-600f-4abd-b19f-f6523ff57ca1@1.production-1-worker-
org-gce-51g9
version: v6.2.0 https://github.com/travis-
ci/worker/tree/5e5476e01646095f48eec13196fdb3faf8f5cbf7
instance: travis-job-0f6f4e24-da84-446a-8638-884c704af28d travis-ci-
garnet-trusty-1512502259-986baf0 (via amqp)
startup: 6.938401596s
travis_fold:end:worker_info
[OKtravis_fold:start:system_info
[OK[33;1mBuild system information[0m
Build language: java
Build group: stable
Build dist: trusty
Build id: 510400822
Job id: 510400823
Runtime kernel version: 4.4.0-101-generic
travis-build version: d6b12fc73
[34m[1mBuild image provisioning date and time[0m
Tue Dec  5 19:58:13 UTC 2017
[34m[1mOperating System Details[0m
Distributor ID: Ubuntu
Description:    Ubuntu 14.04.5 LTS
Release:        14.04
Codename:       trusty
[34m[1mCookbooks Version[0m
7c2c6a6 https://github.com/travis-ci/travis-cookbooks/tree/7c2c6a6
[34m[1mgit version[0m
git version 2.15.1
[34m[1mbash version[0m
GNU bash, version 4.3.11(1)-release (x86_64-pc-linux-gnu)
[34m[1mgcc version[0m
gcc (Ubuntu 4.8.4-2ubuntu1~14.04.3) 4.8.4
Copyright (C) 2013 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.  There
is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE.
```

```
[34m[1mdocker version[0m
Client:
  Version:      17.09.0-ce
  API version:  1.32
  Go version:   go1.8.3
  Git commit:   afdb6d4
  Built:        Tue Sep 26 22:42:38 2017
  OS/Arch:      linux/amd64

Server:
  Version:      17.09.0-ce
  API version:  1.32 (minimum version 1.12)
  Go version:   go1.8.3
  Git commit:   afdb6d4
  Built:        Tue Sep 26 22:41:20 2017
  OS/Arch:      linux/amd64
```

Experimental: false
[34m[1mclang version[0m
clang version 5.0.0 (tags/RELEASE_500/final)
Target: x86_64-unknown-linux-gnu
Thread model: posix
InstalledDir: /usr/local/clang-5.0.0/bin
[34m[1mjqr version[0m
jq-1.5
[34m[1mbats version[0m
Bats 0.4.0
[34m[1mshellcheck version[0m
0.4.6
[34m[1mshfmt version[0m
v2.0.0
[34m[1mccache version[0m
ccache version 3.1.9

Copyright (C) 2002-2007 Andrew Tridgell
Copyright (C) 2009-2011 Joel Rosdahl

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

[34m[1mcmake version[0m
cmake version 3.9.2

CMake suite maintained and supported by Kitware (kitware.com/cmake).

[34m[1mheroku version[0m
heroku-cli/6.14.39-addc925 (linux-x64) node-v9.2.0

[34m[1mimagemagick version[0m
Version: ImageMagick 6.7.7-10 2017-07-31 Q16
<http://www.imagemagick.org>

[34m[1mmd5deep version[0m
4.2

[34m[1mmmercurial version[0m
Mercurial Distributed SCM (version 4.2.2)
(see <https://mercurial-scm.org> for more information)

Copyright (C) 2005-2017 Matt Mackall and others
This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

[34m[1mmysql version[0m
mysql Ver 14.14 Distrib 5.6.33, for debian-linux-gnu (x86_64) using EditLine wrapper
[34m[1mopenssl version[0m
OpenSSL 1.0.1f 6 Jan 2014
[34m[1mpacker version[0m
Packer v1.0.2

Your version of Packer is out of date! The latest version is 1.1.2. You can update by downloading from www.packer.io

```
[34m[1mpostgresql client version[0m
psql (PostgreSQL) 9.6.6
[34m[1mrage1 version[0m
Rage1 State Machine Compiler version 6.8 Feb 2013
Copyright (c) 2001-2009 by Adrian Thurston
[34m[1msubversion version[0m
svn, version 1.8.8 (r1568071)
    compiled Aug 10 2017, 17:20:39 on x86_64-pc-linux-gnu
```

Copyright (C) 2013 The Apache Software Foundation.
This software consists of contributions made by many people;
see the NOTICE file for more information.
Subversion is open source software, see <http://subversion.apache.org/>

The following repository access (RA) modules are available:

- * ra_svn : Module for accessing a repository using the svn network protocol.
 - with Cyrus SASL authentication
 - handles 'svn' scheme
- * ra_local : Module for accessing a repository on local disk.
 - handles 'file' scheme
- * ra_serf : Module for accessing a repository via WebDAV protocol using serf.
 - using serf 1.3.3
 - handles 'http' scheme
 - handles 'https' scheme

```
[34m[1msudo version[0m
Sudo version 1.8.9p5
Configure options: --prefix=/usr -v --with-all-insults --with-pam --
with-fqdn --with-logging=syslog --with-logfac=authpriv --with-env-
editor --with-editor=/usr/bin/editor --with-timeout=15 --with-
password-timeout=0 --with-passprompt=[sudo] password for %p: --
without-lecture --with-tty-tickets --disable-root-mailer --enable-
admin-flag --with-sendmail=/usr/sbin/sendmail --with-
timedir=/var/lib/sudo --mandir=/usr/share/man --
libexecdir=/usr/lib/sudo --with-sssd --with-sssd-lib=/usr/lib/x86_64-
linux-gnu --with-selinux
Sudoers policy plugin version 1.8.9p5
Sudoers file grammar version 43
```

```
Sudoers path: /etc/sudoers
Authentication methods: 'pam'
Syslog facility if syslog is being used for logging: authpriv
Syslog priority to use when user authenticates successfully: notice
Syslog priority to use when user authenticates unsuccessfully: alert
Send mail if the user is not in sudoers
Use a separate timestamp for each user/tty combo
Lecture user the first time they run sudo
Root may run sudo
Allow some information gathering to give useful error messages
Require fully-qualified hostnames in the sudoers file
Visudo will honor the EDITOR environment variable
Set the LOGNAME and USER environment variables
Length at which to wrap log file lines (0 for no wrap): 80
Authentication timestamp timeout: 15.0 minutes
```

Password prompt timeout: 0.0 minutes
Number of tries to enter a password: 3
Umask to use or 0777 to use user's: 022
Path to mail program: /usr/sbin/sendmail
Flags for mail program: -t
Address to send mail to: root
Subject line for mail messages: *** SECURITY information for %h ***
Incorrect password message: Sorry, try again.
Path to authentication timestamp dir: /var/lib/sudo
Default password prompt: [sudo] password for %p:
Default user to run commands as: root
Value to override user's \$PATH with:
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/snap/bin
Path to the editor for use by visudo: /usr/bin/editor
When to require a password for 'list' pseudocommand: any
When to require a password for 'verify' pseudocommand: all
File descriptors >= 3 will be closed before executing a command
Environment variables to check for sanity:
TZ
TERM
LINGUAS
LC_*
LANGUAGE
LANG
COLORTERM
Environment variables to remove:
RUBYOPT
RUBYLIB
PYTHONUSERBASE
PYTHONINSPECT
PYTHONPATH
PYTHONHOME
TMPPREFIX
ZDOTDIR
READNULLCMD
NULLCMD
FPATH
PERL5DB
PERL5OPT
PERL5LIB
PERLLIB
PERLIO_DEBUG
JAVA_TOOL_OPTIONS
SHELLOPTS
GLOBIGNORE
PS4
BASH_ENV
ENV
TERMCAP
TERMPATH
TERMINFO_DIRS
TERMINFO
_RLD*
LD_*
PATH_LOCALE
NLSPATH
HOSTALIASES

RES_OPTIONS
LOCALDOMAIN
CDPATH
IFS

Environment variables to preserve:

JAVA_HOME
TRAVIS
CI
DEBIAN_FRONTEND
XAUTHORIZATION
XAUTHORITY
PS2
PS1
PATH
LS_COLORS
KRB5CCNAME
HOSTNAME
HOME
DISPLAY
COLORS

Locale to use while parsing sudoers: C

Directory in which to store input/output logs: /var/log/sudo-io

File in which to store the input/output log: %{seq}

Add an entry to the utmp/utmpx file when allocating a pty

PAM service name to use

PAM service name to use for login shells

Create a new PAM session for the command to run in

Maximum I/O log sequence number: 0

Local IP address and netmask pairs:

10.240.0.28/255.255.255.255

172.17.0.1/255.255.0.0

Sudoers I/O plugin version 1.8.9p5

[34m[1mgzip version[0m

gzip 1.6

Copyright (C) 2007, 2010, 2011 Free Software Foundation, Inc.

Copyright (C) 1993 Jean-loup Gailly.

This is free software. You may redistribute copies of it under the terms of

the GNU General Public License <<http://www.gnu.org/licenses/gpl.html>>.

There is NO WARRANTY, to the extent permitted by law.

Written by Jean-loup Gailly.

[34m[1mzip version[0m

Copyright (c) 1990-2008 Info-ZIP - Type 'zip "-L"' for software license.

This is Zip 3.0 (July 5th 2008), by Info-ZIP.

Currently maintained by E. Gordon. Please send bug reports to the authors using the web page at www.info-zip.org; see README for details.

Latest sources and executables are at [ftp://ftp.info-](ftp://ftp.info-zip.org/pub/infozip)

[zip.org/pub/infozip](ftp://ftp.info-zip.org/pub/infozip),

as of above date; see <http://www.info-zip.org/> for other sites.

Compiled with gcc 4.8.2 for Unix (Linux ELF) on Oct 21 2013.

Zip special compilation options:

USE_EF_UT_TIME (store Universal Time)
BZIP2_SUPPORT (bzip2 library version 1.0.6, 6-Sept-2010)
bzip2 code and library copyright (c) Julian R Seward
(See the bzip2 license for terms of use)
SYMLINK_SUPPORT (symbolic links supported)
LARGE_FILE_SUPPORT (can read and write large files on file system)
ZIP64_SUPPORT (use Zip64 to store large files in archives)
UNICODE_SUPPORT (store and read UTF-8 Unicode paths)
STORE_UNIX_UIDs_GIDs (store UID/GID sizes/values using new extra field)
UIDGID_NOT_16BIT (old Unix 16-bit UID/GID extra field not used)
[encryption, version 2.91 of 05 Jan 2007] (modified for Zip 3)

Encryption notice:

The encryption code of this program is not copyrighted and is put in the public domain. It was originally written in Europe and, to the best of our knowledge, can be freely distributed in both source and object forms from any country, including the USA under License Exception TSU of the U.S. Export Administration Regulations (section 740.13(e)) of 6 June 2002.

Zip environment options:

ZIP: [none]
ZIPOPT: [none]
[34m[1mvim version[0m
VIM - Vi IMProved 7.4 (2013 Aug 10, compiled Nov 24 2016 16:43:18)
Included patches: 1-52
Extra patches: 8.0.0056
Modified by pkg-vim-maintainers@lists.alioth.debian.org
Compiled by builddd@
Huge version without GUI. Features included (+) or not (-):
+acl +farsi +mouse_netterm +syntax
+arabic +file_in_path +mouse_sgr +tag_binary
+autocmd +find_in_path -mouse_sysmouse +tag_old_static
-balloon_eval +float +mouse_urxvt -tag_any_white
-browse +folding +mouse_xterm -tcl
++builtin_terms -footer +multi_byte +terminfo
+byte_offset +fork() +multi_lang +termresponse
+cindent +gettext -mzscheme +textobjects
-clientserver -hangul_input +netbeans_intg +title
-clipboard +iconv +path_extra -toolbar
+cmdline_compl +insert_expand -perl +user_commands
+cmdline_hist +jumplist +persistent_undo +vertsplitleft
+cmdline_info +keymap +postscript +virtualedit
+comments +langmap +printer +visual
+conceal +libcall +profile +visualextra
+cryptv +linebreak +python +viminfo
+cscope +lispindent -python3 +vreplace
+cursorbind +listcmds +quickfix +wildignore
+cursorshape +localmap +reltime +wildmenu
+dialog_con -lua +rightleft +windows

```

+diff                +menu                -ruby                +writebackup
+digraphs            +mksession            +scrollbind          -X11
-dnd                 +modify_fname        +signs               -xfontset
-ebcdic              +mouse               +smartindent         -xim
+emacs_tags          -mouseshape          -sniff               -xsmp
+eval                +mouse_dec           +startuptime         -xterm_clipboard
+ex_extra            +mouse_gpm           +statusline          -xterm_save
+extra_search        -mouse_jsbterm       -sun_workshop        -xpm

    system vimrc file: "$VIM/vimrc"
    user vimrc file: "$HOME/.vimrc"
  2nd user vimrc file: "~/.vim/vimrc"
    user exrc file: "$HOME/.exrc"
  fall-back for $VIM: "/usr/share/vim"
Compilation: gcc -c -I. -Iproto -DHAVE_CONFIG_H -g -O2 -fstack-
protector --param=ssp-buffer-size=4 -Wformat -Werror=format-security -
U_FORTIFY_SOURCE -D_FORTIFY_SOURCE=1
Linking: gcc -Wl,-Bsymbolic-functions -Wl,-z,relro -Wl,--as-needed -
o vim -lm -ltinfo -lnsl -lselinux -lacl -lattrib -lgpm -ldl
-L/usr/lib/python2.7/config-x86_64-linux-gnu -lpython2.7 -lpthread -
ldl -lutil -lm -Xlinker -export-dynamic -Wl,-O1 -Wl,-Bsymbolic-
functions
[34m[1miptables version[0m
iptables v1.4.21
[34m[1mcurl version[0m
curl 7.35.0 (x86_64-pc-linux-gnu) libcurl/7.35.0 OpenSSL/1.0.1f
zlib/1.2.8 libidn/1.28 librtmp/2.3
[34m[1mwget version[0m
GNU Wget 1.15 built on linux-gnu.
[34m[1mrsync version[0m
rsync version 3.1.0 protocol version 31
[34m[1mgimme version[0m
v1.2.0
[34m[1mnvm version[0m
0.33.6
[34m[1mperlbrew version[0m
/home/travis/perl5/perlbrew/bin/perlbrew - App::perlbrew/0.80
[34m[1mphpenv version[0m
rbenv 1.1.1-25-g6aa70b6
[34m[1mrvm version[0m
rvm 1.29.3 (latest) by Michal Papis, Piotr Kuczynski, Wayne E. Seguin
[https://rvm.io]
[34m[1mdefault ruby version[0m
ruby 2.4.1p111 (2017-03-22 revision 58053) [x86_64-linux]
[34m[1mCouchDB version[0m
couchdb 1.6.1
[34m[1mElasticSearch version[0m
5.5.0
[34m[1mInstalled Firefox version[0m
firefox 56.0.2
[34m[1mMongoDB version[0m
MongoDB 3.4.10
[34m[1mPhantomJS version[0m
2.1.1
[34m[1mPre-installed PostgreSQL versions[0m
9.2.24
9.3.20
9.4.15

```

9.5.10
9.6.6
[34m[1mRabbitMQ Version[0m
3.6.14
[34m[1mRedis version[0m
redis-server 4.0.6
[34m[1mriak version[0m
2.2.3
[34m[1mPre-installed Go versions[0m
1.7.4
[34m[1mant version[0m
Apache Ant(TM) version 1.9.3 compiled on April 8 2014
[34m[1mmvn version[0m
Apache Maven 3.5.2 (138edd61fd100ec658bfa2d307c43b76940a5d7d; 2017-10-18T07:58:13Z)
Maven home: /usr/local/maven-3.5.2
Java version: 1.8.0_151, vendor: Oracle Corporation
Java home: /usr/lib/jvm/java-8-oracle/jre
Default locale: en_US, platform encoding: UTF-8
OS name: "linux", version: "4.4.0-98-generic", arch: "amd64", family: "unix"
[34m[1mgradle version[0m

Gradle 4.0.1

Build time: 2017-07-07 14:02:41 UTC
Revision: 38e5dc0f772daeccald2681885d3d85414eb6826

Groovy: 2.4.11
Ant: Apache Ant(TM) version 1.9.6 compiled on June 29 2015
JVM: 1.8.0_151 (Oracle Corporation 25.151-b12)
OS: Linux 4.4.0-98-generic amd64

[34m[1mlein version[0m
Leiningen 2.8.1 on Java 1.8.0_151 Java HotSpot(TM) 64-Bit Server VM
[34m[1mPre-installed Node.js versions[0m
v4.8.6
v6.12.0
v6.12.1
v8.9
v8.9.1
[34m[1mphpenv versions[0m
system
5.6
* 5.6.32 (set by /home/travis/.phpenv/version)
7.0
7.0.25
7.1
7.1.11
hhvm
hhvm-stable
[34m[1mcomposer --version[0m
Composer version 1.5.2 2017-09-11 16:59:25
[34m[1mPre-installed Ruby versions[0m
ruby-2.2.7


```

ruby-2.3.4
ruby-2.4.1
travis_fold:end:system_info
[OK
depth=1 C = BE, O = GlobalSign nv-sa, CN = GlobalSign CloudSSL CA -
SHA256 - G3
verify error:num=20:unable to get local issuer certificate
verify return:0
DONE

travis_fold:start:git.checkout
[OKtravis_time:start:0c4b1987
[OK$ git clone --depth=50 https://github.com/TUDa-BP-11/opendiabetes-
uam-heuristik.git TUDa-BP-11/opendiabetes-uam-heuristik
Cloning into 'TUDa-BP-11/opendiabetes-uam-heuristik'...
travis_time:end:0c4b1987:start=1553372679483592518,finish=155337268093
7535519,duration=1453943001
[OK$ cd TUDa-BP-11/opendiabetes-uam-heuristik
travis_time:start:19b7ed8c
[OK$ git fetch origin +refs/pull/45/merge:
From https://github.com/TUDa-BP-11/opendiabetes-uam-heuristik
* branch                refs/pull/45/merge -> FETCH_HEAD
travis_time:end:19b7ed8c:start=1553372680943294162,finish=155337268135
1714578,duration=408420416
[OK$ git checkout -qf FETCH_HEAD
travis_fold:end:git.checkout
[OK

[33;1mSetting environment variables from repository settings[0m
$ export encrypted_45abb2cc142e_key=[secure]
$ export encrypted_45abb2cc142e_iv=[secure]

[33;1mSetting environment variables from .travis.yml[0m
$ export COVERITY_SCAN_TOKEN=[secure]
$ export NS_HOST=[secure]
$ export NS_APISECRET=[secure]
$ export NS_HOST_2=[secure]
$ export NS_APISECRET_2=[secure]

$ java -Xmx32m -version
java version "1.8.0_151"
Java(TM) SE Runtime Environment (build 1.8.0_151-b12)
Java HotSpot(TM) 64-Bit Server VM (build 25.151-b12, mixed mode)
$ javac -J-Xmx32m -version
javac 1.8.0_151
travis_fold:start:before_install.1
[OKtravis_time:start:08355a90
[OK$ echo -n | openssl s_client -connect scan.coverity.com:https | sed
-ne '/-BEGIN CERTIFICATE-/,/-END CERTIFICATE-/p' | sudo tee -a
/etc/ssl/certs/ca-
depth=1 C = BE, O = GlobalSign nv-sa, CN = GlobalSign CloudSSL CA -
SHA256 - G3
verify error:num=20:unable to get local issuer certificate
verify return:0
DONE
-----BEGIN CERTIFICATE-----
MIIF0zCCBLugAwIBAgIMMi+Gr0Am2nS3IkbqMA0GCSqGSIb3DQEBCwUAMFcxCzAJ

```

BgNVBAYTAkJFMRkwFwYDVQQKExBHbG9iYWxTaWduIG52LXNhMS0wKwYDVQQDEyRH
bG9iYWxTaWduIENsb3VkU1NMIENBIC0gU0hBMjU2IC0gRzMwHhcNMTkwMTI2MDEx
OTU1WhcNMTkwNjEwMDk0MDIyWjBGMQswCQYDVQQGEwJVUzERMA8GA1UECBMIRGVs
YXdhcmUxDjAMBgNVBAcTBURvdmVyMRYwFAYDVQQKEw1JbmNhcHNlbGEgSW5jMRYw
FAYDVQQDEw1pbmNhcHNlbGEuY29tMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8AMIIB
CgKCAQEAWHONkWDmVzsMgawf/tcsZb47+6lqSx/NYJkFK1LN748tm9g7GjHIEPEC
4l8bWtpKNohMN8EuGpfGqPlFn7p6YAbZxa+QWpvoSZx+GBnvmm6ItYVbpaUXierH
xTf6qRO20eUhmEFCSPZdRaRFHdApZX2zyVDuVelvAa5/SyzB+0EWKPR+espbUPu8
HwHwfegsBUjLX0eAbdYeVLJXSlJlSLyDa4AXhWG3pRTKsasbtaN0afG8HQMlAKmz
dnTWXDlZDB+QTcneRcsTeeu3kPuslTNBHgxAzL5HWJvkqtpcbGXHtrQEzeLaydiZ
KASDaZyJtZuBlDGNbg288tVqBivMsQIDAQABo4IClDCCApAwDgYDVR0PAQH/BAQD
AgWgMIGKBggrBgEFBQcBAQR+MHwwQgYIKwYBBQUHMAKNmh0dHA6Ly9zZWN1cmUu
Z2xvYmFsc2lnbi5jb20vY2FjZXJ0L2Nsb3Vkc3Nsc2hhMmczLmNydDA2BggrBgEF
BQcwAYYqaHR0cDovL29jc3AyLmdsb2JhbHNpZ24uY29tL2Nsb3Vkc3Nsc2hhMmcz
MFYGA1UdIARPME0wQQYJKwYBBAGgMgEUMDQwMgYIKwYBBQUHAQEWJmh0dHBzOi8v
d3d3Lmdsb2JhbHNpZ24uY29tL3JlcG9zaXRvcnkvaGAgBmeBDAECAjAJBgNVHRME
AjaAMCgGA1UdEQQhMB+CDWluY2Fwc3VsYS5jb22CDiouY292ZXJpdHkuY29tMB0G
A1UdJQQWMBQGCSGAQUFBwMBBggrBgEFBQcDAjAdBgNVHQ4EFggQURPfw1uIQZlX5
U+C6HKQDA02fRsQwHwYDVR0jBBgwFoAUqSuH4c4kRzsbv8+FNwJVnQ2UW0YwggED
BgorBgEEAdZ5AgQCBIH0BIHxAO8AdgBVgdTCFpA2AUrqC5tXFPpwwOQ4eHA1CBcv
o6odBxPTDAAAaWiHveijAAAEAwBHMEUCIQCYjxKNk2JP2JeIC7RSIKtVIqcUgdnm
QpaXuodoTYVqYQIgLMQ/waQirZzUOB8azMksPuPI/+SIgtYBlaROEEtYancAdQDu
S723dc5guuFCaR+r4Z5mow9+X7By2IMAXHuJeqj9ywAAAWiHvehxAAAEAwBGMEQC
IFQGP92eoc+GTuPa53nOly0v8iXquOBiAceKDQ/xjTlQAiBIASBr6UCrdkPktSWf
zrsgKLc/tmwraE/sWxtX0AoAczANBgkqhkiG9w0BAQsFAAOCAQEAEevddM79yQ3X
KLEkL8biVSOaTT+S3HzxCGjBsMfLOZl2VKBvG8dGoAibzq6VqWEDmP4YK1t5Q4M8
NayqcHDJBCXZzf6XuqakcmymCxKa5ES69h1xQcknQgDxWm424tnTSqt2+roD8ZHK
6eL4/JMTg2AFwvX1str0grIFvOeE3/kDGPFgyMaBDc5aloyX2C5Em9QFdTodh3PE
OdE8XNy2OEKvU8MjzIHwYA+pr2UiNq6rpLXdREPRWnqnuipddt2y7Tk7kWg/iE+h
AMHj7QF41syi0yGgAN848QX8qCB5DW8+ssVtw7bETqesf+7gZHgjvUY67BckyEU
QJvmlCdWJw==

-----END CERTIFICATE-----

travis_time:end:08355a90:start=1553372682203764237,finish=155337268226
3430521,duration=59666284

[0Ktravis_fold:end:before_install.1

[0Ktravis_fold:start:before_install.2

[0Ktravis_time:start:008f9f14

[0K\$ wget --no-check-certificate

https://www.apache.org/dist/ant/binaries/apache-ant-1.10.5-bin.tar.gz

--2019-03-23 20:24:42--

https://www.apache.org/dist/ant/binaries/apache-ant-1.10.5-bin.tar.gz

Resolving www.apache.org (www.apache.org)... 95.216.24.32, 40.79.78.1,
2a01:4f9:2a:185f::2

Connecting to www.apache.org (www.apache.org)|95.216.24.32|:443...
connected.

HTTP request sent, awaiting response... 200 OK

Length: 6108214 (5.8M) [application/x-gzip]

Saving to: 'apache-ant-1.10.5-bin.tar.gz'

0K	0%
200K 30s	
50K	1%
400K 22s	
100K	2%
53.0M 15s	
150K	3%
404K 14s	

200K	4%
35.1M 11s	
250K	5%
73.8M 9s	
300K	5%
29.2M 8s	
350K	6%
276M 7s	
400K	7%
410K 8s	
450K	8%
89.9M 7s	
500K	9%
28.1M 6s	
550K	10%
27.9M 6s	
600K	10%
40.3M 5s	
650K	11%
40.9M 5s	
700K	12%
38.9M 4s	
750K	13%
40.6M 4s	
800K	14%
1.67M 4s	
850K	15%
574K 4s	
900K	15%
61.4M 4s	
950K	16%
56.7M 4s	
1000K	17%
57.8M 4s	
1050K	18%
41.4M 3s	
1100K	19%
40.0M 3s	
1150K	20%
80.9M 3s	
1200K	20%
53.4M 3s	
1250K	21%
79.9M 3s	
1300K	22%
44.8M 3s	
1350K	23%
38.5M 2s	
1400K	24%
22.2M 2s	
1450K	25%
80.7M 2s	
1500K	25%
82.5M 2s	
1550K	26%
68.8M 2s	
1600K	27%

61.8M 2s	
1650K	28%
2.08M 2s	
1700K	29%
577K 2s	
1750K	30%
75.7M 2s	
1800K	31%
33.9M 2s	
1850K	31%
83.2M 2s	
1900K	32%
86.1M 2s	
1950K	33%
54.8M 2s	
2000K	34%
62.0M 2s	
2050K	35%
67.6M 2s	
2100K	36%
36.5M 2s	
2150K	36%
36.5M 2s	
2200K	37%
83.9M 1s	
2250K	38%
47.0M 1s	
2300K	39%
80.8M 1s	
2350K	40%
111M 1s	
2400K	41%
63.5M 1s	
2450K	41%
92.2M 1s	
2500K	42%
73.5M 1s	
2550K	43%
55.9M 1s	
2600K	44%
60.9M 1s	
2650K	45%
53.0M 1s	
2700K	46%
61.3M 1s	
2750K	46%
45.7M 1s	
2800K	47%
32.9M 1s	
2850K	48%
132M 1s	
2900K	49%
28.0M 1s	
2950K	50%
312M 1s	
3000K	51%
48.4M 1s	

3050K	51%
85.4M 1s	
3100K	52%
77.5M 1s	
3150K	53%
65.3M 1s	
3200K	54%
34.5M 1s	
3250K	55%
115M 1s	
3300K	56%
3.95M 1s	
3350K	56%
156M 1s	
3400K	57%
46.3M 1s	
3450K	58%
587K 1s	
3500K	59%
65.0M 1s	
3550K	60%
124M 1s	
3600K	61%
45.6M 1s	
3650K	62%
98.5M 1s	
3700K	62%
90.1M 1s	
3750K	63%
45.5M 1s	
3800K	64%
117M 1s	
3850K	65%
86.1M 1s	
3900K	66%
62.7M 1s	
3950K	67%
83.4M 0s	
4000K	67%
68.2M 0s	
4050K	68%
60.5M 0s	
4100K	69%
57.0M 0s	
4150K	70%
49.9M 0s	
4200K	71%
51.1M 0s	
4250K	72%
43.0M 0s	
4300K	72%
205M 0s	
4350K	73%
88.8M 0s	
4400K	74%
48.1M 0s	
4450K	75%

80.0M 0s	
4500K	76%
51.2M 0s	
4550K	77%
79.5M 0s	
4600K	77%
77.3M 0s	
4650K	78%
36.9M 0s	
4700K	79%
80.1M 0s	
4750K	80%
88.9M 0s	
4800K	81%
60.6M 0s	
4850K	82%
45.8M 0s	
4900K	82%
62.3M 0s	
4950K	83%
60.1M 0s	
5000K	84%
106M 0s	
5050K	85%
49.3M 0s	
5100K	86%
61.6M 0s	
5150K	87%
40.3M 0s	
5200K	88%
41.6M 0s	
5250K	88%
69.9M 0s	
5300K	89%
103M 0s	
5350K	90%
74.0M 0s	
5400K	91%
5.17M 0s	
5450K	92%
36.5M 0s	
5500K	93%
207M 0s	
5550K	93%
68.7M 0s	
5600K	94%
588K 0s	
5650K	95%
74.5M 0s	
5700K	96%
53.4M 0s	
5750K	97%
88.0M 0s	
5800K	98%
87.7M 0s	
5850K	98%
48.2M 0s	

```
5900K ..... 99%
58.2M 0s
5950K ..... 100%
186M=1.1s
```

```
2019-03-23 20:24:43 (5.15 MB/s) - 'apache-ant-1.10.5-bin.tar.gz' saved
[6108214/6108214]
```

```
travis_time:end:008f9f14:start=1553372682273394987,finish=155337268395
0539577,duration=1677144590
[OKtravis_fold:end:before_install.2
[OKtravis_fold:start:before_install.3
[OKtravis_time:start:2aa740fc
[OK$ tar -xzf apache-ant-1.10.5-bin.tar.gz
travis_time:end:2aa740fc:start=1553372683956607940,finish=155337268420
0155522,duration=243547582
[OKtravis_fold:end:before_install.3
[OKtravis_fold:start:before_install.4
[OKtravis_time:start:1680a4bc
[OK$ export PATH=`pwd`/apache-ant-1.10.5/bin:$PATH
travis_time:end:1680a4bc:start=1553372684207414403,finish=155337268421
2012887,duration=4598484
[OKtravis_fold:end:before_install.4
[OKtravis_fold:start:before_install.5
[OKtravis_time:start:2d5c28f8
[OK$ echo $(ant -version)
Apache Ant(TM) version 1.10.5 compiled on July 10 2018
travis_time:end:2d5c28f8:start=1553372684218558621,finish=155337268455
5681515,duration=337122894
[OKtravis_fold:end:before_install.5
[OKtravis_fold:start:install
[OKtravis_time:start:253ded6c
[OK$ chmod -R 755 lib/junit/
travis_time:end:253ded6c:start=1553372684562478488,finish=155337268456
6926511,duration=4448023
[OKtravis_fold:end:install
[OKcoverity_scan:start
$ export PROJECT_NAME=TUDa-BP-11/opendiabetes-uam-heuristik
coverity_scan:end
travis_time:start:05b4c128
[OK$ ant -lib lib/junit
Buildfile: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/build.xml
[taskdef] Could not load definitions from resource
com/puppycrawl/tools/checkstyle/ant/checkstyle-ant-task.properties. It
could not be found.
```

Engine:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build

-warn-already-built-jar:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/built-jar.properties

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/generated-sources/ap-source-output

[javac] Compiling 27 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

NSApi:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:

```
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:

deps-clean:
  [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-NSApi/build

-warn-already-built-clean:
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-
clean.properties

-check-call-dep:
-maybe-call-dep:
-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
```

-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:

```
-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:

-warn-already-built-clean:
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-
clean.properties

-do-clean:
    [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build

-post-clean:

clean:

-do-clean:

-post-clean:

clean:

-deps-jar-init:

deps-jar:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-NSApi/build

-warn-already-built-jar:
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-
jar.properties

-check-call-dep:

-maybe-call-dep:
```

-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:

-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-jar-init:
deps-jar:
-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-jar.properties
-check-automatic-build:
-clean-after-automatic-build:
-verify-automatic-build:
-pre-pre-compile:
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/generated-sources/ap-source-output

[javac] Compiling 20 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[javac] Note: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/src/de/opendiabetes/vault/nsapi/Main.java uses unchecked or unsafe operations.

[javac] Note: Recompile with -Xlint:unchecked for details.

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-

```
uam-heuristik/code/OpenDiabetes-NSApi/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-
with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar
de.opendiabetes.vault.nsapi.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:
```

-check-automatic-build:
-clean-after-automatic-build:
-verify-automatic-build:
-pre-pre-compile:
-pre-compile:
-copy-persistence-xml:
-compile-depend:
-do-compile:
-post-compile:
compile:
-pre-jar:
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes
-check-module-main-class:
-set-module-main-class:
-pre-pre-jar:
-do-jar-create-manifest:
-do-jar-copy-manifest:
 [copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build
-do-jar-set-mainclass:
-do-jar-set-profile:
-do-jar-set-splashscreen:
-do-jar-jar:
-init-macrodef-copylibs:
-do-jar-copylibs:
 [copylibs] Copy libraries to /home/travis/build/TUDa-BP-

```
11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/lib.  
[copylibs] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-  
uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar  
[echo] To run this application from the command line without Ant,  
try:  
[echo] java -jar "/home/travis/build/TUDa-BP-11/opendiabetes-uam-  
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar"  
  
-do-jar-delete-manifest:  
  
-do-jar-without-libraries:  
  
-do-jar-with-libraries:  
  
-post-jar:  
  
-do-jar:  
  
-pre-deploy:  
  
-check-jlink:  
  
-do-deploy:  
  
-post-deploy:  
  
deploy:  
  
jar:  
  
junit5-test-check:  
  
-pre-pre-compile-test:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-  
uam-heuristik/code/OpenDiabetes-NSApi/build/test/classes  
  
-pre-compile-test:  
  
-init-test-javac-module-properties-with-module:  
  
-init-test-module-properties-without-module:  
  
-init-test-module-properties:  
  
-compile-test-depend:  
  
-do-compile-test:  
[javac] Compiling 6 source files to /home/travis/build/TUDa-BP-  
11/opendiabetes-uam-heuristik/code/OpenDiabetes-  
NSApi/build/test/classes  
  
-post-compile-test:  
  
compile-test:  
  
junit5-test:  
[junitlauncher]
```

```

[junitlauncher] Test run finished after 55 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [          0 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [          0 tests successful             ]
[junitlauncher] [          0 tests failed                 ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 0 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [          0 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [          0 tests successful             ]
[junitlauncher] [          0 tests failed                 ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 1 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [          0 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [          0 tests successful             ]
[junitlauncher] [          0 tests failed                 ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 1105 ms
[junitlauncher] [          5 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          5 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          5 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [         15 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [         15 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [         15 tests successful             ]

```

```
[junitlauncher] [          0 tests failed          ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 9 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          3 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          3 containers successful    ]
[junitlauncher] [          0 containers failed        ]
[junitlauncher] [          2 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [          2 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [          2 tests successful          ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 1 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          2 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          2 containers successful    ]
[junitlauncher] [          0 containers failed        ]
[junitlauncher] [          0 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [          0 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [          0 tests successful          ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 17948 ms
[junitlauncher] [          5 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          5 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          5 containers successful    ]
[junitlauncher] [          0 containers failed        ]
[junitlauncher] [         24 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [         24 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [         24 tests successful          ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 1039 ms
[junitlauncher] [          4 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          4 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          4 containers successful    ]
[junitlauncher] [          0 containers failed        ]
[junitlauncher] [         11 tests found              ]
[junitlauncher] [          0 tests skipped            ]
```

```

[junitlauncher] [          11 tests started          ]
[junitlauncher] [           0 tests aborted           ]
[junitlauncher] [          11 tests successful          ]
[junitlauncher] [           0 tests failed             ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 3 ms
[junitlauncher] [           3 containers found          ]
[junitlauncher] [           0 containers skipped        ]
[junitlauncher] [           3 containers started        ]
[junitlauncher] [           0 containers aborted        ]
[junitlauncher] [           3 containers successful     ]
[junitlauncher] [           0 containers failed         ]
[junitlauncher] [           1 tests found               ]
[junitlauncher] [           0 tests skipped             ]
[junitlauncher] [           1 tests started             ]
[junitlauncher] [           0 tests aborted             ]
[junitlauncher] [           1 tests successful          ]
[junitlauncher] [           0 tests failed              ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 5 ms
[junitlauncher] [           3 containers found          ]
[junitlauncher] [           0 containers skipped        ]
[junitlauncher] [           3 containers started        ]
[junitlauncher] [           0 containers aborted        ]
[junitlauncher] [           3 containers successful     ]
[junitlauncher] [           0 containers failed         ]
[junitlauncher] [           6 tests found               ]
[junitlauncher] [           0 tests skipped             ]
[junitlauncher] [           6 tests started             ]
[junitlauncher] [           0 tests aborted             ]
[junitlauncher] [           6 tests successful          ]
[junitlauncher] [           0 tests failed              ]
[junitlauncher]

```

full:

Synchronizer:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-warn-already-built-clean:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-clean.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:
deps-clean:
-warn-already-built-clean:
[echo] Cycle detected: OpenDiabetes-NSApi was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-clean.properties
-check-call-dep:
-maybe-call-dep:
-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:

-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:

-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:
deps-clean:
-warn-already-built-clean:
 [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/built-clean.properties
-do-clean:
 [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build
-post-clean:
clean:
-do-clean:
-post-clean:
clean:
-check-call-dep:
-maybe-call-dep:
-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:

-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-warn-already-built-clean:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-clean.properties

-do-clean:

[delete] Deleting directory /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-post-clean:

clean:

-do-clean:

-post-clean:

clean:

-deps-jar-init:

deps-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-warn-already-built-jar:
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-jar-init:
deps-jar:

-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetes-NSApi was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/generated-sources/ap-source-output

[javac] Compiling 3 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-

```
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Synchronizer/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:
```

-post-jar:
-do-jar:
-pre-deploy:
-check-jlink:
-do-deploy:
-post-deploy:
deploy:
jar:
-check-automatic-build:
-clean-after-automatic-build:
-verify-automatic-build:
-pre-pre-compile:
-pre-compile:
-copy-persistence-xml:
-compile-depend:
-do-compile:
-post-compile:
compile:
-pre-jar:
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
 [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
-check-module-main-class:
-set-module-main-class:
-pre-pre-jar:
-do-jar-create-manifest:

```
-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:
```


-check-call-dep:
-maybe-call-dep:
-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-jar-init:
deps-jar:
-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/built-jar.properties
-check-automatic-build:
-clean-after-automatic-build:
-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[echo] To run this application from the command line without Ant, try:

[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/dist/OpenDiabetes-Synchronizer.jar de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

```
-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar into
    /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetes-Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
    11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
    [echo] To run this application from the command line without Ant,
    try:
        [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
        /home/travis/build/TUDa-BP-11/opendiabetes-uam-
        heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
        Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
        heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
        NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
        heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
        dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
        heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
        uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
        11/opendiabetes-uam-heuristik/code/OpenDiabetes-
        Synchronizer/dist/OpenDiabetes-Synchronizer.jar
```

```
de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

junit5-test-check:

-pre-pre-compile-test:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Synchronizer/build/test/classes

-pre-compile-test:

-init-test-javac-module-properties-with-module:

-init-test-module-properties-without-module:

-init-test-module-properties:

-compile-test-depend:

-do-compile-test:
    [javac] Compiling 1 source file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/test/classes

-post-compile-test:

compile-test:

junit5-test:
[junitlauncher]
[junitlauncher] Test run finished after 16523 ms
[junitlauncher] [          3 containers found          ]
```

```
[junitlauncher] [          0 containers skipped    ]
[junitlauncher] [          3 containers started      ]
[junitlauncher] [          0 containers aborted      ]
[junitlauncher] [          3 containers successful   ]
[junitlauncher] [          0 containers failed       ]
[junitlauncher] [          2 tests found             ]
[junitlauncher] [          0 tests skipped           ]
[junitlauncher] [          2 tests started           ]
[junitlauncher] [          0 tests aborted           ]
[junitlauncher] [          2 tests successful        ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
```

full:

Algo:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:

-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:

-deps-clean-init:

deps-clean:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-clean:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-clean.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:

Trying to override old definition of task

<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:

```
init:

-deps-clean-init:

deps-clean:

-warn-already-built-clean:
    [echo] Cycle detected: OpenDiabetes-NSApi was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
clean.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
http://www.netbeans.org/ns/j2se-project/3:test-impl

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:
```

-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:
deps-clean:

```
-warn-already-built-clean:
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
clean.properties

-do-clean:
    [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-post-clean:

clean:

-do-clean:

-post-clean:

clean:

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
```

Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:

Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

```
-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-clean:
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
clean.properties

-do-clean:
    [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-post-clean:

clean:

-do-clean:

-post-clean:

clean:

-deps-jar-init:

deps-jar:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-jar:
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:
```

-init-macrodef-property:
-init-modules-supported:
-do-init:
-post-init:
-init-check:
-init-ap-cmdline-properties:
-init-macrodef-modulename:
-init-source-module-properties:
-init-macrodef-javac-with-module:
-init-macrodef-javac-with-processors:
-init-macrodef-javac-without-processors:
-init-macrodef-javac:
-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-junit-init:
-init-test-properties:
-init-macrodef-junit-prototype-with-module:
-init-macrodef-junit-prototype-without-module:
-init-macrodef-junit-single:
-init-macrodef-junit-batch:
-init-macrodef-junit:
-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-jar-init:
deps-jar:
-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetes-NSApi was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
jar.properties
-check-call-dep:
-maybe-call-dep:
-pre-init:
-init-private:
-init-user:
-init-project:
-init-macrodef-property:
-init-modules-supported:
-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-jar-init:
deps-jar:
-warn-already-built-jar:
[echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-jar.properties
-check-automatic-build:
-clean-after-automatic-build:
-verify-automatic-build:
-pre-pre-compile:
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
-pre-compile:
-copy-persistence-xml:
-compile-depend:
-do-compile:
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/empty
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/generated-sources/ap-source-output
[javac] Compiling 1 source file to /home/travis/build/TUDa-BP-

11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar

[echo] To run this application from the command line without Ant, try:

```
[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/dist/OpenDiabetes-Algo.jar de.opendiabetes.vault.main.Main
```

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar

[echo] To run this application from the command line without Ant, try:

[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar de.opendiabetes.vault.main.Main

-init-macrodef-copylibs:

- do-jar-copylibs:
- do-jar-delete-manifest:
- do-jar-without-libraries:
- do-jar-with-libraries:
- post-jar:
- do-jar:
- pre-deploy:
- check-jlink:
- do-deploy:
- post-deploy:
- deploy:
- jar:
- check-call-dep:
- maybe-call-dep:
- pre-init:
- init-private:
- init-user:
- init-project:
- init-macrodef-property:
- init-modules-supported:
- do-init:
- post-init:
- init-check:
- init-ap-cmdline-properties:
- init-macrodef-modulename:
- init-source-module-properties:
- init-macrodef-javac-with-module:
- init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:
Trying to override old definition of task
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:


```
-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

-warn-already-built-jar:
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-
jar.properties

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-slf4j-impl-2.10.0.jar into
```

```
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/build/classes
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
[copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[echo] To run this application from the command line without Ant,
try:
[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/dist/OpenDiabetes-Algo.jar de.opendiabetes.vault.main.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:
```

```
-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

compile-nsapi:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar into
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:
```

-do-jar-set-splashscreen:

-do-jar-jar:

```
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/dist/OpenDiabetes-Algo.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/dist/OpenDiabetes-Algo.jar de.opendiabetes.vault.main.Main
```

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

junit5-test-check:

-pre-pre-compile-test:

```
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Algo/build/test/classes
```

-pre-compile-test:

-init-test-javac-module-properties-with-module:

```

-init-test-module-properties-without-module:

-init-test-module-properties:

-compile-test-depend:

-do-compile-test:
    [javac] Compiling 2 source files to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/build/test/classes

-post-compile-test:

compile-test:

junit5-test:
[junitlauncher]
[junitlauncher] Test run finished after 9 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          3 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          3 containers successful        ]
[junitlauncher] [          0 containers failed          ]
[junitlauncher] [          4 tests found                ]
[junitlauncher] [          0 tests skipped              ]
[junitlauncher] [          4 tests started              ]
[junitlauncher] [          0 tests aborted              ]
[junitlauncher] [          4 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 6 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          3 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          3 containers successful        ]
[junitlauncher] [          0 containers failed          ]
[junitlauncher] [          5 tests found                ]
[junitlauncher] [          0 tests skipped              ]
[junitlauncher] [          5 tests started              ]
[junitlauncher] [          0 tests aborted              ]
[junitlauncher] [          5 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]

full:

all:

BUILD SUCCESSFUL
Total time: 1 minute 6 seconds
travis_time:end:05b4c128:start=1553372684616260209,finish=155337275103
7763202,duration=66421502993
[OK[32;1mThe command "ant -lib lib/junit" exited with 0.[0m

```

```
travis_time:start:111070c5
[OK$ cat code/*/dist/TEST-*.txt
Testcase: de.opendiabetes.vault.main.math.AdjustBasalTreatmentsTest
Test: testSimpleDuration() took 3 milli sec(s)
Test: testExceptions() took 3 milli sec(s)
Test: testRandomDuration() took 1 milli sec(s)
Test: testRandomValues() took 0 milli sec(s)
Tests run: 4, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 8
milli sec(s)
Testcase: de.opendiabetes.vault.main.math.BasalCalcDifferenceTest
Test: testExceptions() took 2 milli sec(s)
Test: noBasalProfile() took 0 milli sec(s)
Test: testRecursiveCall() took 1 milli sec(s)
Test: testCalcTemp() took 0 milli sec(s)
Test: singleBasalProfile() took 1 milli sec(s)
Tests run: 5, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 6
milli sec(s)
Testcase: de.opendiabetes.vault.nsapi.ExportImportTest
Test: testInvalidData() took 697 milli sec(s)
Test: testExportType() took 4 milli sec(s)
Test: testExportIOError() took 2 milli sec(s)
Test: testTimezones(VaultEntryType)[1] took 34 milli sec(s)
Test: testTimezones(VaultEntryType)[2] took 1 milli sec(s)
Test: testTimezones(VaultEntryType)[3] took 3 milli sec(s)
Test: testTimezones(VaultEntryType)[4] took 2 milli sec(s)
Test: testExport() took 6 milli sec(s)
Test: testImportData(String)[1] took 2 milli sec(s)
Test: testImportData(String)[2] took 1 milli sec(s)
Test: testImportData(String)[3] took 0 milli sec(s)
Test: testImportData(String)[4] took 6 milli sec(s)
Test: testImportIOError() took 1 milli sec(s)
Test: testImport() took 2 milli sec(s)
Test: testExportMerge() took 15 milli sec(s)
Tests run: 15, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 1
sec(s)
----- Standard Error -----
2019-03-23 20:24:58 [WARNING] Could not parse JSON Object:
{"type":"invalid"}
-----
Testcase: de.opendiabetes.vault.nsapi.FormatterTest
Test: testDefaultFormatter() took 0 milli sec(s)
Test: testDebugFormatter() took 4 milli sec(s)
Tests run: 2, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 6
milli sec(s)
Testcase: de.opendiabetes.vault.nsapi.NSApiTest
Test: testEntries() took 499 milli sec(s)
Test: test404() took 111 milli sec(s)
Test: testSlice() took 232 milli sec(s)
Test: testTimes() took 115 milli sec(s)
Test: testEcho(String, String)[1] took 111 milli sec(s)
Test: testEcho(String, String)[2] took 115 milli sec(s)
Test: testTreatmentsBetween() took 463 milli sec(s)
Test: testEntriesBetween() took 458 milli sec(s)
Test: testProfile() took 121 milli sec(s)
Test: testDataCursor(int)[1] took 811 milli sec(s)
Test: testDataCursor(int)[2] took 1 sec(s)
```

```
Test: testDataCursor(int)[3] took 1 sec(s)
Test: testDataCursor(int)[4] took 811 milli sec(s)
Test: testDataCursor(int)[5] took 807 milli sec(s)
Test: testDataCursor(int)[6] took 1 sec(s)
Test: testDataCursor(int)[7] took 1 sec(s)
Test: testDataCursor(int)[8] took 1 sec(s)
Test: testDataCursor(int)[9] took 749 milli sec(s)
Test: testDataCursor(int)[10] took 1 sec(s)
Test: testDataCursor(int)[11] took 690 milli sec(s)
Test: testDataCursor(int)[12] took 1 sec(s)
Test: testEchoTimes() took 110 milli sec(s)
Test: testTreatments() took 465 milli sec(s)
Test: testStatus() took 235 milli sec(s)
Tests run: 24, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 17
sec(s)
----- Standard Error -----
Checking api path entries for multiple objects in same minute...

Checking api path treatments for multiple objects in same minute...

-----
Testcase: de.opendiabetes.vault.nsapi.NSApiToolsTest
Test: testSplit() took 4 milli sec(s)
Test: testWrite() took 1 sec(s)
Test: testRead() took 2 milli sec(s)
Test: testDirectory() took 1 milli sec(s)
Test: testReadAndFilter(String)[1] took 3 milli sec(s)
Test: testReadAndFilter(String)[2] took 1 milli sec(s)
Test: testReadAndFilter(String)[3] took 0 milli sec(s)
Test: testReadAndFilter(String)[4] took 1 milli sec(s)
Test: testGetZonedDatetime() took 2 milli sec(s)
Test: testFileNotFound() took 0 milli sec(s)
Test: testReadAndSort() took 2 milli sec(s)
Tests run: 11, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 1
sec(s)
Testcase: de.opendiabetes.vault.parser.TestProfileParser
Test: randomProfile() took 2 milli sec(s)
Tests run: 1, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 2
milli sec(s)
Testcase: de.opendiabetes.vault.parser.TestToZulu
Test: testAddingEntries() took 2 milli sec(s)
Test: testToZuluMinus() took 0 milli sec(s)
Test: testOnlyOneEntry() took 0 milli sec(s)
Test: testNoChange() took 0 milli sec(s)
Test: testToZuluPlus() took 1 milli sec(s)
Test: testRemovingEntries() took 0 milli sec(s)
Tests run: 6, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 4
milli sec(s)
Testcase: de.opendiabetes.vault.synchronizer.SynchronizerTest
Test: testMissingEntry() took 7 sec(s)
Test: testMissingTreatments() took 8 sec(s)
Tests run: 2, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 16
sec(s)
travis_time:end:111070c5:start=1553372751044527557,finish=155337275107
8012020,duration=33484463
[OK[32;1mThe command "cat code/*/dist/TEST-*.txt" exited with 0.[0m
```

Done. Your build exited with 0.