

```
travis_fold:start:worker_info
[OK[33;1mWorker information[0m
hostname: 388dale3-d864-40ea-ac6d-1f310e3619f0@1.production-2-worker-
org-gce-2z1z
version: v6.2.0 https://github.com/travis-
ci/worker/tree/5e5476e01646095f48eec13196fdb3faf8f5cbf7
instance: travis-job-44fed8b9-e191-4065-b643-91666f09a2c0 travis-ci-
garnet-trusty-1512502259-986baf0 (via amqp)
startup: 6.344452606s
travis_fold:end:worker_info
[OKtravis_fold:start:system_info
[OK[33;1mBuild system information[0m
Build language: java
Build group: stable
Build dist: trusty
Build id: 510608322
Job id: 510608323
Runtime kernel version: 4.4.0-101-generic
travis-build version: d6b12fc73
[34m[1mBuild image provisioning date and time[0m
Tue Dec  5 19:58:13 UTC 2017
[34m[1mOperating System Details[0m
Distributor ID: Ubuntu
Description:    Ubuntu 14.04.5 LTS
Release:        14.04
Codename:       trusty
[34m[1mCookbooks Version[0m
7c2c6a6 https://github.com/travis-ci/travis-cookbooks/tree/7c2c6a6
[34m[1mgit version[0m
git version 2.15.1
[34m[1mbash version[0m
GNU bash, version 4.3.11(1)-release (x86_64-pc-linux-gnu)
[34m[1mgcc version[0m
gcc (Ubuntu 4.8.4-2ubuntu1~14.04.3) 4.8.4
Copyright (C) 2013 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.  There
is NO
warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR
PURPOSE.
```

```
[34m[1mdocker version[0m
Client:
  Version:      17.09.0-ce
  API version:  1.32
  Go version:   go1.8.3
  Git commit:   afdb6d4
  Built:        Tue Sep 26 22:42:38 2017
  OS/Arch:      linux/amd64
```

```
Server:
  Version:      17.09.0-ce
  API version:  1.32 (minimum version 1.12)
  Go version:   go1.8.3
  Git commit:   afdb6d4
  Built:        Tue Sep 26 22:41:20 2017
  OS/Arch:      linux/amd64
```

Experimental: false  
[34m[1mclang version[0m  
clang version 5.0.0 (tags/RELEASE\_500/final)  
Target: x86\_64-unknown-linux-gnu  
Thread model: posix  
InstalledDir: /usr/local/clang-5.0.0/bin  
[34m[1mjqr version[0m  
jq-1.5  
[34m[1mbats version[0m  
Bats 0.4.0  
[34m[1mshellcheck version[0m  
0.4.6  
[34m[1mshfmt version[0m  
v2.0.0  
[34m[1mccache version[0m  
ccache version 3.1.9

Copyright (C) 2002-2007 Andrew Tridgell  
Copyright (C) 2009-2011 Joel Rosdahl

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

[34m[1mcmake version[0m  
cmake version 3.9.2

CMake suite maintained and supported by Kitware ([kitware.com/cmake](http://kitware.com/cmake)).

[34m[1mheroku version[0m  
heroku-cli/6.14.39-addc925 (linux-x64) node-v9.2.0

[34m[1mimagemagick version[0m  
Version: ImageMagick 6.7.7-10 2017-07-31 Q16  
<http://www.imagemagick.org>

[34m[1mmd5deep version[0m  
4.2

[34m[1mmercurial version[0m  
Mercurial Distributed SCM (version 4.2.2)  
(see <https://mercurial-scm.org> for more information)

Copyright (C) 2005-2017 Matt Mackall and others  
This is free software; see the source for copying conditions. There is NO warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

[34m[1mmysql version[0m  
mysql Ver 14.14 Distrib 5.6.33, for debian-linux-gnu (x86\_64) using EditLine wrapper  
[34m[1mopenssl version[0m  
OpenSSL 1.0.1f 6 Jan 2014  
[34m[1mpacker version[0m  
Packer v1.0.2

Your version of Packer is out of date! The latest version is 1.1.2. You can update by downloading from [www.packer.io](http://www.packer.io)

```
[34m[1mpostgresql client version[0m
psql (PostgreSQL) 9.6.6
[34m[1mrage1 version[0m
Rage1 State Machine Compiler version 6.8 Feb 2013
Copyright (c) 2001-2009 by Adrian Thurston
[34m[1msubversion version[0m
svn, version 1.8.8 (r1568071)
    compiled Aug 10 2017, 17:20:39 on x86_64-pc-linux-gnu
```

Copyright (C) 2013 The Apache Software Foundation.  
This software consists of contributions made by many people;  
see the NOTICE file for more information.  
Subversion is open source software, see <http://subversion.apache.org/>

The following repository access (RA) modules are available:

- \* ra\_svn : Module for accessing a repository using the svn network protocol.
  - with Cyrus SASL authentication
  - handles 'svn' scheme
- \* ra\_local : Module for accessing a repository on local disk.
  - handles 'file' scheme
- \* ra\_serf : Module for accessing a repository via WebDAV protocol using serf.
  - using serf 1.3.3
  - handles 'http' scheme
  - handles 'https' scheme

```
[34m[1msudo version[0m
Sudo version 1.8.9p5
Configure options: --prefix=/usr -v --with-all-insults --with-pam --
with-fqdn --with-logging=syslog --with-logfac=authpriv --with-env-
editor --with-editor=/usr/bin/editor --with-timeout=15 --with-
password-timeout=0 --with-passprompt=[sudo] password for %p: --
without-lecture --with-tty-tickets --disable-root-mailer --enable-
admin-flag --with-sendmail=/usr/sbin/sendmail --with-
timedir=/var/lib/sudo --mandir=/usr/share/man --
libexecdir=/usr/lib/sudo --with-sssd --with-sssd-lib=/usr/lib/x86_64-
linux-gnu --with-selinux
Sudoers policy plugin version 1.8.9p5
Sudoers file grammar version 43
```

```
Sudoers path: /etc/sudoers
Authentication methods: 'pam'
Syslog facility if syslog is being used for logging: authpriv
Syslog priority to use when user authenticates successfully: notice
Syslog priority to use when user authenticates unsuccessfully: alert
Send mail if the user is not in sudoers
Use a separate timestamp for each user/tty combo
Lecture user the first time they run sudo
Root may run sudo
Allow some information gathering to give useful error messages
Require fully-qualified hostnames in the sudoers file
Visudo will honor the EDITOR environment variable
Set the LOGNAME and USER environment variables
Length at which to wrap log file lines (0 for no wrap): 80
Authentication timestamp timeout: 15.0 minutes
```

Password prompt timeout: 0.0 minutes  
Number of tries to enter a password: 3  
Umask to use or 0777 to use user's: 022  
Path to mail program: /usr/sbin/sendmail  
Flags for mail program: -t  
Address to send mail to: root  
Subject line for mail messages: \*\*\* SECURITY information for %h \*\*\*  
Incorrect password message: Sorry, try again.  
Path to authentication timestamp dir: /var/lib/sudo  
Default password prompt: [sudo] password for %p:  
Default user to run commands as: root  
Value to override user's \$PATH with:  
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/snap/bin  
Path to the editor for use by visudo: /usr/bin/editor  
When to require a password for 'list' pseudocommand: any  
When to require a password for 'verify' pseudocommand: all  
File descriptors >= 3 will be closed before executing a command  
Environment variables to check for sanity:  
TZ  
TERM  
LINGUAS  
LC\_\*  
LANGUAGE  
LANG  
COLORTERM  
Environment variables to remove:  
RUBYOPT  
RUBYLIB  
PYTHONUSERBASE  
PYTHONINSPECT  
PYTHONPATH  
PYTHONHOME  
TMPPREFIX  
ZDOTDIR  
READNULLCMD  
NULLCMD  
FPATH  
PERL5DB  
PERL5OPT  
PERL5LIB  
PERLLIB  
PERLIO\_DEBUG  
JAVA\_TOOL\_OPTIONS  
SHELLOPTS  
GLOBIGNORE  
PS4  
BASH\_ENV  
ENV  
TERMCAP  
TERMPATH  
TERMINFO\_DIRS  
TERMINFO  
\_RLD\*  
LD\_\*  
PATH\_LOCALE  
NLSPATH  
HOSTALIASES

RES\_OPTIONS  
LOCALDOMAIN  
CDPATH  
IFS

Environment variables to preserve:

JAVA\_HOME  
TRAVIS  
CI  
DEBIAN\_FRONTEND  
XAUTHORIZATION  
XAUTHORITY  
PS2  
PS1  
PATH  
LS\_COLORS  
KRB5CCNAME  
HOSTNAME  
HOME  
DISPLAY  
COLORS

Locale to use while parsing sudoers: C

Directory in which to store input/output logs: /var/log/sudo-io

File in which to store the input/output log: %{seq}

Add an entry to the utmp/utmpx file when allocating a pty

PAM service name to use

PAM service name to use for login shells

Create a new PAM session for the command to run in

Maximum I/O log sequence number: 0

Local IP address and netmask pairs:

10.240.0.28/255.255.255.255  
172.17.0.1/255.255.0.0

Sudoers I/O plugin version 1.8.9p5

[34m[1mgzip version[0m

gzip 1.6

Copyright (C) 2007, 2010, 2011 Free Software Foundation, Inc.

Copyright (C) 1993 Jean-loup Gailly.

This is free software. You may redistribute copies of it under the terms of

the GNU General Public License <<http://www.gnu.org/licenses/gpl.html>>.

There is NO WARRANTY, to the extent permitted by law.

Written by Jean-loup Gailly.

[34m[1mzip version[0m

Copyright (c) 1990-2008 Info-ZIP - Type 'zip "-L"' for software license.

This is Zip 3.0 (July 5th 2008), by Info-ZIP.

Currently maintained by E. Gordon. Please send bug reports to the authors using the web page at [www.info-zip.org](http://www.info-zip.org); see README for details.

Latest sources and executables are at [ftp://ftp.info-](ftp://ftp.info-zip.org/pub/infozip)

[zip.org/pub/infozip](ftp://ftp.info-zip.org/pub/infozip),

as of above date; see <http://www.info-zip.org/> for other sites.

Compiled with gcc 4.8.2 for Unix (Linux ELF) on Oct 21 2013.

## Zip special compilation options:

USE\_EF\_UT\_TIME (store Universal Time)  
BZIP2\_SUPPORT (bzip2 library version 1.0.6, 6-Sept-2010)  
bzip2 code and library copyright (c) Julian R Seward  
(See the bzip2 license for terms of use)  
SYMLINK\_SUPPORT (symbolic links supported)  
LARGE\_FILE\_SUPPORT (can read and write large files on file system)  
ZIP64\_SUPPORT (use Zip64 to store large files in archives)  
UNICODE\_SUPPORT (store and read UTF-8 Unicode paths)  
STORE\_UNIX\_UIDs\_GIDs (store UID/GID sizes/values using new extra field)  
UIDGID\_NOT\_16BIT (old Unix 16-bit UID/GID extra field not used)  
[encryption, version 2.91 of 05 Jan 2007] (modified for Zip 3)

## Encryption notice:

The encryption code of this program is not copyrighted and is put in the public domain. It was originally written in Europe and, to the best of our knowledge, can be freely distributed in both source and object forms from any country, including the USA under License Exception TSU of the U.S. Export Administration Regulations (section 740.13(e)) of 6 June 2002.

## Zip environment options:

ZIP: [none]  
ZIPOPT: [none]  
[34m[1mvim version[0m  
VIM - Vi IMProved 7.4 (2013 Aug 10, compiled Nov 24 2016 16:43:18)  
Included patches: 1-52  
Extra patches: 8.0.0056  
Modified by pkg-vim-maintainers@lists.alioth.debian.org  
Compiled by builddd@  
Huge version without GUI. Features included (+) or not (-):  
+acl +farsi +mouse\_netterm +syntax  
+arabic +file\_in\_path +mouse\_sgr +tag\_binary  
+autocmd +find\_in\_path -mouse\_sysmouse +tag\_old\_static  
-balloon\_eval +float +mouse\_urxvt -tag\_any\_white  
-browse +folding +mouse\_xterm -tcl  
++builtin\_terms -footer +multi\_byte +terminfo  
+byte\_offset +fork() +multi\_lang +termresponse  
+cindent +gettext -mzscheme +textobjects  
-clientserver -hangul\_input +netbeans\_intg +title  
-clipboard +iconv +path\_extra -toolbar  
+cmdline\_compl +insert\_expand -perl +user\_commands  
+cmdline\_hist +jumplist +persistent\_undo +vertsplitlet  
+cmdline\_info +keymap +postscript +virtualedit  
+comments +langmap +printer +visual  
+conceal +libcall +profile +visualextra  
+cryptv +linebreak +python +viminfo  
+cscope +lispindent -python3 +vreplace  
+cursorbind +listcmds +quickfix +wildignore  
+cursorshape +localmap +reltime +wildmenu  
+dialog\_con -lua +rightleft +windows

```

+diff                +menu                -ruby                +writebackup
+digraphs            +mksession            +scrollbind          -X11
-dnd                 +modify_fname        +signs               -xfontset
-ebcdic              +mouse               +smartindent         -xim
+emacs_tags          -mouseshape          -sniff               -xsmp
+eval                +mouse_dec           +startuptime         -xterm_clipboard
+ex_extra             +mouse_gpm           +statusline          -xterm_save
+extra_search        -mouse_jsbterm       -sun_workshop        -xpm

    system vimrc file: "$VIM/vimrc"
    user vimrc file: "$HOME/.vimrc"
  2nd user vimrc file: "~/.vim/vimrc"
    user exrc file: "$HOME/.exrc"
  fall-back for $VIM: "/usr/share/vim"

Compilation: gcc -c -I. -Iproto -DHAVE_CONFIG_H -g -O2 -fstack-
protector --param=ssp-buffer-size=4 -Wformat -Werror=format-security -
U_FORTIFY_SOURCE -D_FORTIFY_SOURCE=1
Linking: gcc -Wl,-Bsymbolic-functions -Wl,-z,relro -Wl,--as-needed -
o vim -lm -ltinfo -lnsl -lselinux -lacl -lattrib -lgpm -ldl
-L/usr/lib/python2.7/config-x86_64-linux-gnu -lpython2.7 -lpthread -
ldl -lutil -lm -Xlinker -export-dynamic -Wl,-O1 -Wl,-Bsymbolic-
functions
[34m[1miptables version[0m
iptables v1.4.21
[34m[1mcurl version[0m
curl 7.35.0 (x86_64-pc-linux-gnu) libcurl/7.35.0 OpenSSL/1.0.1f
zlib/1.2.8 libidn/1.28 librtmp/2.3
[34m[1mwget version[0m
GNU Wget 1.15 built on linux-gnu.
[34m[1mrsync version[0m
rsync version 3.1.0 protocol version 31
[34m[1mgimme version[0m
v1.2.0
[34m[1mnvm version[0m
0.33.6
[34m[1mperlbrew version[0m
/home/travis/perl5/perlbrew/bin/perlbrew - App::perlbrew/0.80
[34m[1mphpenv version[0m
rbenv 1.1.1-25-g6aa70b6
[34m[1mrvm version[0m
rvm 1.29.3 (latest) by Michal Papis, Piotr Kuczynski, Wayne E. Seguin
[https://rvm.io]
[34m[1mdefault ruby version[0m
ruby 2.4.1p111 (2017-03-22 revision 58053) [x86_64-linux]
[34m[1mCouchDB version[0m
couchdb 1.6.1
[34m[1mElasticSearch version[0m
5.5.0
[34m[1mInstalled Firefox version[0m
firefox 56.0.2
[34m[1mMongoDB version[0m
MongoDB 3.4.10
[34m[1mPhantomJS version[0m
2.1.1
[34m[1mPre-installed PostgreSQL versions[0m
9.2.24
9.3.20
9.4.15

```

9.5.10  
9.6.6  
[34m[1mRabbitMQ Version[0m  
3.6.14  
[34m[1mRedis version[0m  
redis-server 4.0.6  
[34m[1mriak version[0m  
2.2.3  
[34m[1mPre-installed Go versions[0m  
1.7.4  
[34m[1mant version[0m  
Apache Ant(TM) version 1.9.3 compiled on April 8 2014  
[34m[1mmvn version[0m  
Apache Maven 3.5.2 (138edd61fd100ec658bfa2d307c43b76940a5d7d; 2017-10-18T07:58:13Z)  
Maven home: /usr/local/maven-3.5.2  
Java version: 1.8.0\_151, vendor: Oracle Corporation  
Java home: /usr/lib/jvm/java-8-oracle/jre  
Default locale: en\_US, platform encoding: UTF-8  
OS name: "linux", version: "4.4.0-98-generic", arch: "amd64", family: "unix"  
[34m[1mgradle version[0m

-----  
Gradle 4.0.1  
-----

Build time: 2017-07-07 14:02:41 UTC  
Revision: 38e5dc0f772daecca1d2681885d3d85414eb6826

Groovy: 2.4.11  
Ant: Apache Ant(TM) version 1.9.6 compiled on June 29 2015  
JVM: 1.8.0\_151 (Oracle Corporation 25.151-b12)  
OS: Linux 4.4.0-98-generic amd64

[34m[1mlein version[0m  
Leiningen 2.8.1 on Java 1.8.0\_151 Java HotSpot(TM) 64-Bit Server VM  
[34m[1mPre-installed Node.js versions[0m  
v4.8.6  
v6.12.0  
v6.12.1  
v8.9  
v8.9.1  
[34m[1mphpenv versions[0m  
system  
5.6  
\* 5.6.32 (set by /home/travis/.phpenv/version)  
7.0  
7.0.25  
7.1  
7.1.11  
hhvm  
hhvm-stable  
[34m[1mcomposer --version[0m  
Composer version 1.5.2 2017-09-11 16:59:25  
[34m[1mPre-installed Ruby versions[0m  
ruby-2.2.7



```

ruby-2.3.4
ruby-2.4.1
travis_fold:end:system_info
[OK
depth=1 C = BE, O = GlobalSign nv-sa, CN = GlobalSign CloudSSL CA -
SHA256 - G3
verify error:num=20:unable to get local issuer certificate
verify return:0
DONE

travis_fold:start:git.checkout
[OKtravis_time:start:0062edbd
[OK$ git clone --depth=50 --branch=algorithm https://github.com/TUDa-
BP-11/opendiabetes-uam-heuristik.git TUDa-BP-11/opendiabetes-uam-
heuristik
Cloning into 'TUDa-BP-11/opendiabetes-uam-heuristik'...
travis_time:end:0062edbd:start=1553441214308922439,finish=155344121663
2455759,duration=2323533320
[OK$ cd TUDa-BP-11/opendiabetes-uam-heuristik
$ git checkout -qf 97b0201e62a09c521de34df19e8e3784321fa46a
travis_fold:end:git.checkout
[OK

[33;1mSetting environment variables from repository settings[0m
$ export encrypted_45abb2cc142e_key=[secure]
$ export encrypted_45abb2cc142e_iv=[secure]

[33;1mSetting environment variables from .travis.yml[0m
$ export COVERITY_SCAN_TOKEN=[secure]
$ export NS_HOST=[secure]
$ export NS_APISECRET=[secure]
$ export NS_HOST_2=[secure]
$ export NS_APISECRET_2=[secure]

$ java -Xmx32m -version
java version "1.8.0_151"
Java(TM) SE Runtime Environment (build 1.8.0_151-b12)
Java HotSpot(TM) 64-Bit Server VM (build 25.151-b12, mixed mode)
$ javac -J-Xmx32m -version
javac 1.8.0_151
travis_fold:start:before_install.1
[OKtravis_time:start:0e2e40e8
[OK$ echo -n | openssl s_client -connect scan.coverity.com:https | sed
-ne '/-BEGIN CERTIFICATE-/,/-END CERTIFICATE-/p' | sudo tee -a
/etc/ssl/certs/ca-
depth=1 C = BE, O = GlobalSign nv-sa, CN = GlobalSign CloudSSL CA -
SHA256 - G3
verify error:num=20:unable to get local issuer certificate
verify return:0
DONE
-----BEGIN CERTIFICATE-----
MIIF0zCCBLugAwIBAgIMMi+Gr0Am2nS3IkbqMA0GCSqGSIb3DQEBCwUAMFcx
CzAJBgNVBAYTAkJKFMRkwFwYDVQQKEwBHbG9iYWxTaWduIG52LXNhMS0w
KwYDVQQDEyRHbG9iYWxTaWduIENsb3Vku1NMIENBIC0gU0hBMjU2IC0gRzRm
WwHhcNMjU2MDE5OTU1WhcNMjU2MDE5OTU1WjBGMQswCQYDVQQGEwJVUzER
MA8GA1UECBMIRGVsYXZlbnR1b3VkaW8wDQYJKoZIhvcNAQEFBQAwDQYJKo
ZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJ
KoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQ
EFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvc
NAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZI
hvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJK
oZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQ
YJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAw
DQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQ
AwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEFBQAwDQYJKoZIhvcNAQEF
BQAwDQYJKoZIhvcNAQEFBQAwDQ
```

CgKCAQEAWhONkWDmVzsMgawf/tcsZb47+6lqSx/NYJkFK1LN748tm9g7GjHIEPEC  
4l8bWtpKNohMN8EuGpfGqPlFn7p6YAbZxa+QWpvoSZx+GBnvmm6ItYVbpaUXierH  
xTf6qRO20eUhmEFCSPZdRaRFHdApZX2zyVDuVelvAa5/SyzB+0EWKPR+espbUPu8  
HwHWFegsBUjLX0eAbdYeVLJXSlJlSLyDa4AXhWG3pRTKsasbtaN0afG8HQMlAKmz  
dnTWXDlZDB+QTcneRcsTeeu3kPuslTNBHgxAzL5HWJvkqtpcbGXHtrQEzeLAydiZ  
KAsDaZyJtZuBlDgnbg288tVqBivMsQIDAQABo4IClDCCApAwDgYDVR0PAQH/BAQD  
AgWgMIGKBggrBgEFBQcBAQR+MHwwQgYIKwYBBQUHMAKNmh0dHA6Ly9zZWw1cmUu  
Z2xvYmFsc2lnbi5jb20vY2FjZlZlL2Nsbn3Vkc3Nsc2hhMmczLmNydDA2BggrBgEF  
BQcwAYYqAHR0cDovL29jc3AyLmdsb2JhbHNpZ24uY29tL2Nsbn3Vkc3Nsc2hhMmcz  
MFYGA1UdIARPME0wQQYJKwYBBAGgMgEUMDQwMgYIKwYBBQUHAgEwJmh0dHBzOi8v  
d3d3Lmdsb2JhbHNpZ24uY29tL3JlcG9zaXRvcnkvaGAgBmeBDAECAjAJBgNVHRME  
AjaAMCgGA1UdEQQhMB+CDWluY2Fwc3VsYS5jb22CDiouY292ZXJpdHkuY29tMB0G  
A1UdJQQWMBQGCSGAQUFBwMBBggrBgEFBQcDAjAdBgNVHQ4EFgQURPfwluIQZlX5  
U+C6HKQDAO2fRsQwHwYDVR0jBBgwFoAUqSuH4c4kRzsbv8+FNwJVnQ2UWOYwggED  
BgorBgEEAdZ5AgQCBIH0BIHxAO8AdgBVgdTCFpA2AUrqC5tXFPFpwOQ4eHA1CBcv  
o6odBxPTDAAAwwiHveijAAAEAwBHMEUCIQCYjxKNk2JP2JeIC7RSIKtVIqcUgdnm  
QpaXuodoTYVqYQIgImQ/waQirZzUOB8azMksPuPI/+SIgtYBlaROEEtYancAdQDu  
S723dc5guuFCar+r4Z5mow9+X7By2IMaxHuJeqj9ywAAAwHvehxAAAEAwBGMEQC  
IFQGP92eoc+GTuPa53nOly0v8iXquOBiAceKDQ/xjTlQAiBIASBr6UCrdkPkTswf  
zrsgKLc/tmwraE/sWxtX0AoAczANBgkqhkiG9w0BAQsFAAOCAQEAEevddM79yQ3X  
KLEkl8biVSOaTT+S3HzxCGjBsMfLOZl2VKBvG8dGoAibzq6VqWEDmP4YK1t5Q4M8  
NAyqcHdJBCXZzf6XuqakcmymCxKa5ES69hlxQcknQgDxWm424tnTSqt2+roD8ZHK  
6eL4/JMTg2AFwvXlstr0grIFvOeE3/kDGPFGymaBDc5aloyX2C5Em9QFdTodh3PE  
OdE8XNy2OEKvU8MjzIHwYA+pr2UiNq6rpLXdREPRWnqnuiipddt2y7Tk7kWg/iE+h  
AMHj7QF41syi0yGgAN848QX8qCB5DW8+ssVtw7bETqesf+7gZHgjvUY67BckyEU  
QJvmlCdWJw==

-----END CERTIFICATE-----

travis\_time:end:0e2e40e8:start=1553441217463011075,finish=155344121751  
5201252,duration=52190177

[OKtravis\_fold:end:before\_install.1

[OKtravis\_fold:start:before\_install.2

[OKtravis\_time:start:0f11f260

[OK\$ wget --no-check-certificate

https://www.apache.org/dist/ant/binaries/apache-ant-1.10.5-bin.tar.gz

--2019-03-24 15:26:57--

https://www.apache.org/dist/ant/binaries/apache-ant-1.10.5-bin.tar.gz

Resolving www.apache.org (www.apache.org)... 95.216.24.32, 40.79.78.1,  
2a01:4f9:2a:185f::2

Connecting to www.apache.org (www.apache.org)|95.216.24.32|:443...  
connected.

HTTP request sent, awaiting response... 200 OK

Length: 6108214 (5.8M) [application/x-gzip]

Saving to: 'apache-ant-1.10.5-bin.tar.gz'

0K .....	0%
196K 30s	
50K .....	1%
391K 22s	
100K .....	2%
53.5M 15s	
150K .....	3%
394K 15s	
200K .....	4%
66.1M 12s	
250K .....	5%
50.3M 10s	
300K .....	5%

41.7M 8s	
350K .....	6%
1.38M 8s	
400K .....	7%
553K 8s	
450K .....	8%
79.8M 7s	
500K .....	9%
51.0M 6s	
550K .....	10%
77.5M 6s	
600K .....	10%
48.0M 5s	
650K .....	11%
42.1M 5s	
700K .....	12%
44.9M 4s	
750K .....	13%
1.53M 4s	
800K .....	14%
552K 5s	
850K .....	15%
112M 4s	
900K .....	15%
12.0M 4s	
950K .....	16%
102M 4s	
1000K .....	17%
44.5M 4s	
1050K .....	18%
59.7M 3s	
1100K .....	19%
44.5M 3s	
1150K .....	20%
70.6M 3s	
1200K .....	20%
74.7M 3s	
1250K .....	21%
46.0M 3s	
1300K .....	22%
73.2M 3s	
1350K .....	23%
80.6M 3s	
1400K .....	24%
111M 2s	
1450K .....	25%
57.1M 2s	
1500K .....	25%
14.4M 2s	
1550K .....	26%
2.23M 2s	
1600K .....	27%
30.8M 2s	
1650K .....	28%
63.9M 2s	
1700K .....	29%
572K 2s	

1750K .....	30%
76.2M 2s	
1800K .....	31%
16.8M 2s	
1850K .....	31%
71.4M 2s	
1900K .....	32%
40.3M 2s	
1950K .....	33%
122M 2s	
2000K .....	34%
65.9M 2s	
2050K .....	35%
92.0M 2s	
2100K .....	36%
73.2M 2s	
2150K .....	36%
96.8M 2s	
2200K .....	37%
49.5M 1s	
2250K .....	38%
73.4M 1s	
2300K .....	39%
230M 1s	
2350K .....	40%
39.8M 1s	
2400K .....	41%
15.8M 1s	
2450K .....	41%
324M 1s	
2500K .....	42%
281M 1s	
2550K .....	43%
378M 1s	
2600K .....	44%
351M 1s	
2650K .....	45%
477M 1s	
2700K .....	46%
95.2M 1s	
2750K .....	46%
169M 1s	
2800K .....	47%
57.8M 1s	
2850K .....	48%
121M 1s	
2900K .....	49%
77.4M 1s	
2950K .....	50%
67.8M 1s	
3000K .....	51%
230M 1s	
3050K .....	51%
76.5M 1s	
3100K .....	52%
2.79M 1s	
3150K .....	53%

48.5M 1s	
3200K .....	54%
48.9M 1s	
3250K .....	55%
136M 1s	
3300K .....	56%
47.2M 1s	
3350K .....	56%
92.2M 1s	
3400K .....	57%
1.21M 1s	
3450K .....	58%
1.04M 1s	
3500K .....	59%
148M 1s	
3550K .....	60%
65.3M 1s	
3600K .....	61%
71.2M 1s	
3650K .....	62%
34.2M 1s	
3700K .....	62%
56.7M 1s	
3750K .....	63%
189M 1s	
3800K .....	64%
60.0M 1s	
3850K .....	65%
80.0M 1s	
3900K .....	66%
57.4M 1s	
3950K .....	67%
47.0M 1s	
4000K .....	67%
69.1M 0s	
4050K .....	68%
89.5M 0s	
4100K .....	69%
116M 0s	
4150K .....	70%
87.3M 0s	
4200K .....	71%
87.9M 0s	
4250K .....	72%
129M 0s	
4300K .....	72%
79.7M 0s	
4350K .....	73%
138M 0s	
4400K .....	74%
64.4M 0s	
4450K .....	75%
110M 0s	
4500K .....	76%
17.9M 0s	
4550K .....	77%
325M 0s	

4600K .....	77%
331M 0s	
4650K .....	78%
385M 0s	
4700K .....	79%
396M 0s	
4750K .....	80%
361M 0s	
4800K .....	81%
63.6M 0s	
4850K .....	82%
136M 0s	
4900K .....	82%
93.9M 0s	
4950K .....	83%
86.9M 0s	
5000K .....	84%
116M 0s	
5050K .....	85%
162M 0s	
5100K .....	86%
95.6M 0s	
5150K .....	87%
75.6M 0s	
5200K .....	88%
69.5M 0s	
5250K .....	88%
65.9M 0s	
5300K .....	89%
54.5M 0s	
5350K .....	90%
60.2M 0s	
5400K .....	91%
143M 0s	
5450K .....	92%
66.7M 0s	
5500K .....	93%
88.7M 0s	
5550K .....	93%
90.0M 0s	
5600K .....	94%
44.0M 0s	
5650K .....	95%
139M 0s	
5700K .....	96%
93.0M 0s	
5750K .....	97%
5.40M 0s	
5800K .....	98%
78.6M 0s	
5850K .....	98%
83.0M 0s	
5900K .....	99%
75.9M 0s	
5950K .....	100%
270M=1.1s	

2019-03-24 15:26:59 (5.48 MB/s) - 'apache-ant-1.10.5-bin.tar.gz' saved  
[6108214/6108214]

```
travis_time:end:0f11f260:start=1553441217524326679,finish=155344121915
2158013,duration=1627831334
[OKtravis_fold:end:before_install.2
[OKtravis_fold:start:before_install.3
[OKtravis_time:start:1e793590
[OK$ tar -xzf apache-ant-1.10.5-bin.tar.gz
travis_time:end:1e793590:start=1553441219159632376,finish=155344121940
9255758,duration=249623382
[OKtravis_fold:end:before_install.3
[OKtravis_fold:start:before_install.4
[OKtravis_time:start:023e7dd4
[OK$ export PATH=`pwd`/apache-ant-1.10.5/bin:$PATH
travis_time:end:023e7dd4:start=1553441219416195872,finish=155344121942
0369023,duration=4173151
[OKtravis_fold:end:before_install.4
[OKtravis_fold:start:before_install.5
[OKtravis_time:start:1acd3b80
[OK$ echo $(ant -version)
Apache Ant(TM) version 1.10.5 compiled on July 10 2018
travis_time:end:1acd3b80:start=1553441219425609295,finish=155344121974
8725061,duration=323115766
[OKtravis_fold:end:before_install.5
[OKtravis_fold:start:install
[OKtravis_time:start:322e1bd0
[OK$ chmod -R 755 lib/junit/
travis_time:end:322e1bd0:start=1553441219754789430,finish=155344121975
9352975,duration=4563545
[OKtravis_fold:end:install
[OKcoverity_scan:start
$ export PROJECT_NAME=TUDa-BP-11/opendiabetes-uam-heuristik
coverity_scan:end
travis_time:start:17d42208
[OK$ ant -lib lib/junit
Buildfile: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/build.xml
```

Engine:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:



-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build

-warn-already-built-jar:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/built-jar.properties

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/generated-sources/ap-source-output

[javac] Compiling 27 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-

11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

NSApi:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
  
deps-clean:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build  
  
-warn-already-built-clean:  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-clean.properties  
  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
deps-clean:  
-warn-already-built-clean:  
[echo] Cycle detected: OpenDiabetesVault-Engine was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-clean.properties  
-do-clean:  
[delete] Deleting directory /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build  
-post-clean:  
clean:  
-do-clean:  
-post-clean:  
clean:  
-deps-jar-init:  
deps-jar:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build  
-warn-already-built-jar:  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-jar.properties  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:

-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:



-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-jar-init:  
deps-jar:  
-warn-already-built-jar:  
[echo] Cycle detected: OpenDiabetesVault-Engine was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/built-jar.properties  
-check-automatic-build:  
-clean-after-automatic-build:  
-verify-automatic-build:  
-pre-pre-compile:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes  
-pre-compile:  
-copy-persistence-xml:  
-compile-depend:  
-do-compile:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-

uam-heuristik/code/OpenDiabetes-NSApi/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/generated-sources/ap-source-output

[javac] Compiling 20 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[javac] Note: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/src/de/opendiabetes/vault/nsapi/Main.java uses unchecked or unsafe operations.

[javac] Note: Recompile with -Xlint:unchecked for details.

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:  
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar  
[echo] To run this application from the command line without Ant, try:  
[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar de.opendiabetes.vault.nsapi.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

```
-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
    Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetes-NSApi/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar
    into /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetes-NSApi/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-
    11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
    11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar
    [echo] To run this application from the command line without Ant,
    try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
    /home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
    Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
    11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-
    with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
    heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
```

```
uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar  
de.opendiabetes.vault.nsapi.Main
```

```
-init-macrodef-copylibs:
```

```
-do-jar-copylibs:
```

```
-do-jar-delete-manifest:
```

```
-do-jar-without-libraries:
```

```
-do-jar-with-libraries:
```

```
-post-jar:
```

```
-do-jar:
```

```
-pre-deploy:
```

```
-check-jlink:
```

```
-do-deploy:
```

```
-post-deploy:
```

```
deploy:
```

```
jar:
```

```
junit5-test-check:
```

```
-pre-pre-compile-test:
```

```
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-  
uam-heuristik/code/OpenDiabetes-NSApi/build/test/classes
```

```
-pre-compile-test:
```

```
-init-test-javac-module-properties-with-module:
```

```
-init-test-module-properties-without-module:
```

```
-init-test-module-properties:
```

```
-compile-test-depend:
```

```
-do-compile-test:
```

```
    [javac] Compiling 7 source files to /home/travis/build/TUDa-BP-  
11/opendiabetes-uam-heuristik/code/OpenDiabetes-  
NSApi/build/test/classes
```

```
-post-compile-test:
```

```
compile-test:
```

```
junit5-test:
```

```
[junitlauncher]
```

```
[junitlauncher] Test run finished after 47 ms
```

```
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful       ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped               ]
[junitlauncher] [          0 tests started               ]
[junitlauncher] [          0 tests aborted               ]
[junitlauncher] [          0 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]
[junitlauncher] Test run finished after 0 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful       ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped               ]
[junitlauncher] [          0 tests started               ]
[junitlauncher] [          0 tests aborted               ]
[junitlauncher] [          0 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]
[junitlauncher] Test run finished after 0 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful       ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          0 tests found                 ]
[junitlauncher] [          0 tests skipped               ]
[junitlauncher] [          0 tests started               ]
[junitlauncher] [          0 tests aborted               ]
[junitlauncher] [          0 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]
[junitlauncher] Test run finished after 345 ms
[junitlauncher] [          5 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          5 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          5 containers successful       ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [         15 tests found                 ]
[junitlauncher] [          0 tests skipped               ]
[junitlauncher] [         15 tests started               ]
[junitlauncher] [          0 tests aborted               ]
[junitlauncher] [         15 tests successful            ]
[junitlauncher] [          0 tests failed                ]
```

```
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 6 ms
[junitlauncher] [      3 containers found      ]
[junitlauncher] [      0 containers skipped    ]
[junitlauncher] [      3 containers started    ]
[junitlauncher] [      0 containers aborted    ]
[junitlauncher] [      3 containers successful ]
[junitlauncher] [      0 containers failed     ]
[junitlauncher] [      2 tests found           ]
[junitlauncher] [      0 tests skipped         ]
[junitlauncher] [      2 tests started         ]
[junitlauncher] [      0 tests aborted         ]
[junitlauncher] [      2 tests successful      ]
[junitlauncher] [      0 tests failed          ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 0 ms
[junitlauncher] [      2 containers found      ]
[junitlauncher] [      0 containers skipped    ]
[junitlauncher] [      2 containers started    ]
[junitlauncher] [      0 containers aborted    ]
[junitlauncher] [      2 containers successful ]
[junitlauncher] [      0 containers failed     ]
[junitlauncher] [      0 tests found           ]
[junitlauncher] [      0 tests skipped         ]
[junitlauncher] [      0 tests started         ]
[junitlauncher] [      0 tests aborted         ]
[junitlauncher] [      0 tests successful      ]
[junitlauncher] [      0 tests failed          ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 48634 ms
[junitlauncher] [      5 containers found      ]
[junitlauncher] [      0 containers skipped    ]
[junitlauncher] [      5 containers started    ]
[junitlauncher] [      0 containers aborted    ]
[junitlauncher] [      5 containers successful ]
[junitlauncher] [      0 containers failed     ]
[junitlauncher] [     24 tests found           ]
[junitlauncher] [      0 tests skipped         ]
[junitlauncher] [     24 tests started         ]
[junitlauncher] [      0 tests aborted         ]
[junitlauncher] [     24 tests successful      ]
[junitlauncher] [      0 tests failed          ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 1027 ms
[junitlauncher] [      4 containers found      ]
[junitlauncher] [      0 containers skipped    ]
[junitlauncher] [      4 containers started    ]
[junitlauncher] [      0 containers aborted    ]
[junitlauncher] [      4 containers successful ]
[junitlauncher] [      0 containers failed     ]
[junitlauncher] [     11 tests found           ]
[junitlauncher] [      0 tests skipped         ]
[junitlauncher] [     11 tests started         ]
```

```

[junitlauncher] [          0 tests aborted          ]
[junitlauncher] [        11 tests successful        ]
[junitlauncher] [          0 tests failed          ]
[junitlauncher]
[junitlauncher] Test run finished after 6 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          3 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          3 containers successful     ]
[junitlauncher] [          0 containers failed         ]
[junitlauncher] [          6 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [          6 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [          6 tests successful         ]
[junitlauncher] [          0 tests failed             ]
[junitlauncher]
[junitlauncher] Test run finished after 2 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          3 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          3 containers successful     ]
[junitlauncher] [          0 containers failed         ]
[junitlauncher] [          1 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [          1 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [          1 tests successful         ]
[junitlauncher] [          0 tests failed             ]
[junitlauncher]
[junitlauncher] Test run finished after 4 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped        ]
[junitlauncher] [          3 containers started        ]
[junitlauncher] [          0 containers aborted        ]
[junitlauncher] [          3 containers successful     ]
[junitlauncher] [          0 containers failed         ]
[junitlauncher] [          6 tests found              ]
[junitlauncher] [          0 tests skipped            ]
[junitlauncher] [          6 tests started            ]
[junitlauncher] [          0 tests aborted            ]
[junitlauncher] [          6 tests successful         ]
[junitlauncher] [          0 tests failed             ]
[junitlauncher]

```

full:

Synchronizer:

-pre-init:

-init-private:



-pre-init-libraries:  
-init-private-libraries:  
-init-libraries:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:

-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
deps-clean:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build  
-warn-already-built-clean:  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-clean.properties  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:

-pre-init-libraries:  
-init-private-libraries:  
-init-libraries:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:

-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
deps-clean:  
-warn-already-built-clean:  
[echo] Cycle detected: OpenDiabetes-NSApi was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-clean.properties  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:

-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:

```
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:
deps-clean:
-warn-already-built-clean:
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/built-clean.properties
-do-clean:
    [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build
-post-clean:
clean:
-do-clean:
-post-clean:
clean:
```

-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

```
-init-macrodef-testng:
-init-macrodef-testng-impl:
-init-macrodef-test:
-init-macrodef-junit-debug-impl:
-init-macrodef-test-debug-junit:
-init-macrodef-testng-debug:
-init-macrodef-testng-debug-impl:
-init-macrodef-test-debug-testng:
-init-macrodef-test-debug:
-init-debug-args:
-init-macrodef-nbjpda:
-init-macrodef-debug:
-init-macrodef-java-with-module:
-init-macrodef-java-with-unnamed-module:
-init-macrodef-java-without-module:
-init-macrodef-java:
-init-presetdef-jar:
-init-ap-cmdline-supported:
-init-ap-cmdline:
init:
-deps-clean-init:
deps-clean:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Synchronizer/build
-init-clean:
    [delete] Deleting directory /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build
-post-clean:
```



clean:

-do-clean:

-post-clean:

clean:

-deps-jar-init:

deps-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-warn-already-built-jar:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-jar-init:  
deps-jar:  
-warn-already-built-jar:  
[echo] Cycle detected: OpenDiabetes-NSApi was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:

Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:

Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

```
-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

-warn-already-built-jar:
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/empty
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/generated-sources/ap-source-output
    [javac] Compiling 3 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/dist

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/dist/OpenDiabetes-Synchronizer.jar

[echo] To run this application from the command line without Ant, try:

[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-

```
11/opendiabetes-uam-heuristik/code/OpenDiabetes-  
Synchronizer/dist/OpenDiabetes-Synchronizer.jar  
de.opendiabetes.vault.synchronizer.Main
```

```
-init-macrodef-copylibs:
```

```
-do-jar-copylibs:
```

```
-do-jar-delete-manifest:
```

```
-do-jar-without-libraries:
```

```
-do-jar-with-libraries:
```

```
-post-jar:
```

```
-do-jar:
```

```
-pre-deploy:
```

```
-check-jlink:
```

```
-do-deploy:
```

```
-post-deploy:
```

```
deploy:
```

```
jar:
```

```
-check-automatic-build:
```

```
-clean-after-automatic-build:
```

```
-verify-automatic-build:
```

```
-pre-pre-compile:
```

```
-pre-compile:
```

```
-copy-persistence-xml:
```

```
-compile-depend:
```

```
-do-compile:
```

```
-post-compile:
```

```
compile:
```

```
-pre-jar:
```

```
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-  
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-  
Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-  
heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-  
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar
```

```
into /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Synchronizer/build/classes
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:
```



-do-jar:  
-pre-deploy:  
-check-jlink:  
-do-deploy:  
-post-deploy:  
deploy:  
jar:  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:

-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-jar-init:

deps-jar:

-warn-already-built-jar:

```
[echo] Cycle detected: OpenDiabetesVault-Engine was already built
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/built-jar.properties
```

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/log4j-slf4j-impl-2.10.0.jar into
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/
opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build/classes
```

```
[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/classes
```

```
-check-module-main-class:
```

```
-set-module-main-class:
```

```
-pre-pre-jar:
```

```
-do-jar-create-manifest:
```

```
-do-jar-copy-manifest:
```

```
[copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build
```

```
-do-jar-set-mainclass:
```

```
-do-jar-set-profile:
```

```
-do-jar-set-splashscreen:
```

```
-do-jar-jar:
```

```
[echo] To run this application from the command line without Ant,
try:
```

```
[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
de.opendiabetes.vault.synchronizer.Main
```

```
-init-macrodef-copylibs:
```

```
-do-jar-copylibs:
```

```
-do-jar-delete-manifest:
```

```
-do-jar-without-libraries:
```

```
-do-jar-with-libraries:
```

```
-post-jar:
```

```
-do-jar:
```

```
-pre-deploy:
```

```
-check-jlink:
```

```
-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
    [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar into
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Synchronizer/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Synchronizer/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
```

```
[echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-
Engine.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-
NSApi.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/JSAP-2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/lib/gson-2.8.0.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/dist/OpenDiabetes-Synchronizer.jar
de.opendiabetes.vault.synchronizer.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

junit5-test-check:

-pre-pre-compile-test:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Synchronizer/build/test/classes

-pre-compile-test:

-init-test-javac-module-properties-with-module:

-init-test-module-properties-without-module:

-init-test-module-properties:

-compile-test-depend:
```

```
-do-compile-test:
    [javac] Compiling 1 source file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Synchronizer/build/test/classes
```

```
-post-compile-test:
```

```
compile-test:
```

```
junit5-test:
```

```
[junitlauncher]
[junitlauncher] Test run finished after 17898 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          3 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          3 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          2 tests found                 ]
[junitlauncher] [          0 tests skipped               ]
[junitlauncher] [          2 tests started               ]
[junitlauncher] [          0 tests aborted               ]
[junitlauncher] [          2 tests successful            ]
[junitlauncher] [          0 tests failed                ]
[junitlauncher]
```

```
full:
```

```
Algo:
```

```
-pre-init:
```

```
-init-private:
```

```
-pre-init-libraries:
```

```
-init-private-libraries:
```

```
-init-libraries:
```

```
-init-user:
```

```
-init-project:
```

```
-init-macrodef-property:
```

```
-init-modules-supported:
```

```
-do-init:
```

```
-post-init:
```

```
-init-check:
```

```
-init-ap-cmdline-properties:
```

-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:



-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-clean:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-clean.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-pre-init-libraries:

-init-private-libraries:

-init-libraries:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
deps-clean:  
-warn-already-built-clean:  
[echo] Cycle detected: OpenDiabetes-NSApi was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-clean.properties  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-clean-init:  
deps-clean:  
-warn-already-built-clean:  
    [echo] Cycle detected: OpenDiabetesVault-Engine was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-  
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-  
clean.properties  
-do-clean:  
    [delete] Deleting directory /home/travis/build/TUDa-BP-  
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build  
-post-clean:  
clean:  
-do-clean:  
-post-clean:  
clean:  
-check-call-dep:  
-maybe-call-dep:  
-pre-init:  
-init-private:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:

-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-clean-init:

deps-clean:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-clean:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-clean.properties

-do-clean:

[delete] Deleting directory /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-post-clean:

clean:

-do-clean:

-post-clean:

clean:

-deps-jar-init:

deps-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-warn-already-built-jar:

[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:  
-init-private:  
-pre-init-libraries:  
-init-private-libraries:  
-init-libraries:  
-init-user:  
-init-project:  
-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:



-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:

-init-macrodef-test:

-init-macrodef-junit-debug-impl:

-init-macrodef-test-debug-junit:

-init-macrodef-testng-debug:

-init-macrodef-testng-debug-impl:

-init-macrodef-test-debug-testng:

-init-macrodef-test-debug:

-init-debug-args:

-init-macrodef-nbjpda:

-init-macrodef-debug:

-init-macrodef-java-with-module:

-init-macrodef-java-with-unnamed-module:

-init-macrodef-java-without-module:

-init-macrodef-java:

-init-presetdef-jar:

-init-ap-cmdline-supported:

-init-ap-cmdline:

init:

-deps-jar-init:

deps-jar:

-warn-already-built-jar:  
[echo] Cycle detected: OpenDiabetes-NSApi was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-jar.properties

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:

-init-modules-supported:

-do-init:

-post-init:

-init-check:

-init-ap-cmdline-properties:

-init-macrodef-modulename:

-init-source-module-properties:

-init-macrodef-javac-with-module:

-init-macrodef-javac-with-processors:

-init-macrodef-javac-without-processors:

-init-macrodef-javac:

-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-junit-init:

-init-test-properties:

-init-macrodef-junit-prototype-with-module:

-init-macrodef-junit-prototype-without-module:

-init-macrodef-junit-single:

-init-macrodef-junit-batch:

-init-macrodef-junit:

-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>

-init-macrodef-testng:

-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:  
-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-jar-init:  
deps-jar:  
-warn-already-built-jar:  
[echo] Cycle detected: OpenDiabetesVault-Engine was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-jar.properties  
-check-automatic-build:  
-clean-after-automatic-build:  
-verify-automatic-build:  
-pre-pre-compile:  
[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/empty

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/generated-sources/ap-source-output

[javac] Compiling 22 source files to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[javac] Note: Some input files use unchecked or unsafe operations.

[javac] Note: Recompile with -Xlint:unchecked for details.

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

[mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist

```
-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/lib/JSAP-
2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar
de.opendiabetes.vault.main.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:
```

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-Engine/dist/OpenDiabetesVault-Engine.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/JSAP-2.1.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-

Algo/dist/OpenDiabetes-Algo.jar

[echo] To run this application from the command line without Ant, try:

```
[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/lib/JSAP-
2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar
de.opendiabetes.vault.main.Main
```

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-call-dep:

-maybe-call-dep:

-pre-init:

-init-private:

-init-user:

-init-project:

-init-macrodef-property:  
-init-modules-supported:  
-do-init:  
-post-init:  
-init-check:  
-init-ap-cmdline-properties:  
-init-macrodef-modulename:  
-init-source-module-properties:  
-init-macrodef-javac-with-module:  
-init-macrodef-javac-with-processors:  
-init-macrodef-javac-without-processors:  
-init-macrodef-javac:  
-init-macrodef-test-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-junit-init:  
-init-test-properties:  
-init-macrodef-junit-prototype-with-module:  
-init-macrodef-junit-prototype-without-module:  
-init-macrodef-junit-single:  
-init-macrodef-junit-batch:  
-init-macrodef-junit:  
-init-macrodef-junit-impl:  
Trying to override old definition of task  
<http://www.netbeans.org/ns/j2se-project/3:test-impl>  
-init-macrodef-testng:  
-init-macrodef-testng-impl:  
-init-macrodef-test:  
-init-macrodef-junit-debug-impl:  
-init-macrodef-test-debug-junit:  
-init-macrodef-testng-debug:



-init-macrodef-testng-debug-impl:  
-init-macrodef-test-debug-testng:  
-init-macrodef-test-debug:  
-init-debug-args:  
-init-macrodef-nbjpda:  
-init-macrodef-debug:  
-init-macrodef-java-with-module:  
-init-macrodef-java-with-unnamed-module:  
-init-macrodef-java-without-module:  
-init-macrodef-java:  
-init-presetdef-jar:  
-init-ap-cmdline-supported:  
-init-ap-cmdline:  
init:  
-deps-jar-init:  
deps-jar:  
-warn-already-built-jar:  
[echo] Cycle detected: OpenDiabetesVault-Engine was already built  
[propertyfile] Updating property file: /home/travis/build/TUDa-BP-  
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/built-  
jar.properties  
-check-automatic-build:  
-clean-after-automatic-build:  
-verify-automatic-build:  
-pre-pre-compile:  
-pre-compile:  
-copy-persistence-xml:  
-compile-depend:  
-do-compile:  
-post-compile:

compile:

-pre-jar:

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/gson-2.8.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/hsqldb.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/javacsv.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-api-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-core-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/log4j-slf4j-impl-2.10.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-core-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

[unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/ormlite-jdbc-5.0.jar into /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:

[copy] Copying 1 file to /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:

[echo] To run this application from the command line without Ant, try:

[echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp /home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-java-1.4.10-SNAPSHOT-jar-with-dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-

```
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/lib/JSAP-
2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar
de.opendiabetes.vault.main.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

-check-automatic-build:

-clean-after-automatic-build:

-verify-automatic-build:

-pre-pre-compile:

-pre-compile:

-copy-persistence-xml:

-compile-depend:

-do-compile:

-post-compile:

compile:

-pre-jar:
  [unjar] Expanding: /home/travis/build/TUDa-BP-11/opendiabetes-uam-
```

```

heuristik/code/OpenDiabetes-NSApi/dist/OpenDiabetes-NSApi.jar into
/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/build/classes

-check-module-main-class:

-set-module-main-class:

-pre-pre-jar:

-do-jar-create-manifest:

-do-jar-copy-manifest:
    [copy] Copying 1 file to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-Algo/build

-do-jar-set-mainclass:

-do-jar-set-profile:

-do-jar-set-splashscreen:

-do-jar-jar:
[j2seproject1:jar] Building jar: /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/dist/OpenDiabetes-Algo.jar
    [echo] To run this application from the command line without Ant,
try:
    [echo] /usr/lib/jvm/java-8-oracle/jre/bin/java -cp
/home/travis/build/TUDa-BP-11/opendiabetes-uam-heuristik/lib/unirest-
java-1.4.10-SNAPSHOT-jar-with-
dependencies.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/lib/commons-math3-3.6.1.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-
heuristik/lib/Matplotlib4j.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
NSApi/dist/OpenDiabetes-NSApi.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetesVault-
Engine/dist/OpenDiabetesVault-Engine.jar:/home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/lib/JSAP-
2.1.jar:/home/travis/build/TUDa-BP-11/opendiabetes-uam-
heuristik/code/OpenDiabetes-Algo/dist/OpenDiabetes-Algo.jar
de.opendiabetes.vault.main.Main

-init-macrodef-copylibs:

-do-jar-copylibs:

-do-jar-delete-manifest:

-do-jar-without-libraries:

-do-jar-with-libraries:

-post-jar:

-do-jar:

```

```

-pre-deploy:

-check-jlink:

-do-deploy:

-post-deploy:

deploy:

jar:

junit5-test-check:

-pre-pre-compile-test:
    [mkdir] Created dir: /home/travis/build/TUDa-BP-11/opendiabetes-
uam-heuristik/code/OpenDiabetes-Algo/build/test/classes

-pre-compile-test:

-init-test-javac-module-properties-with-module:

-init-test-module-properties-without-module:

-init-test-module-properties:

-compile-test-depend:

-do-compile-test:
    [javac] Compiling 6 source files to /home/travis/build/TUDa-BP-
11/opendiabetes-uam-heuristik/code/OpenDiabetes-
Algo/build/test/classes

-post-compile-test:

compile-test:

junit5-test:
[junitlauncher]
[junitlauncher] Test run finished after 1 ms
[junitlauncher] [          2 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          2 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          2 containers successful          ]
[junitlauncher] [          0 containers failed          ]
[junitlauncher] [          0 tests found          ]
[junitlauncher] [          0 tests skipped          ]
[junitlauncher] [          0 tests started          ]
[junitlauncher] [          0 tests aborted          ]
[junitlauncher] [          0 tests successful          ]
[junitlauncher] [          0 tests failed          ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 165 ms
[junitlauncher] [          3 containers found          ]

```

```
[junitlauncher] [          0 containers skipped      ]
[junitlauncher] [          3 containers started      ]
[junitlauncher] [          0 containers aborted      ]
[junitlauncher] [          3 containers successful    ]
[junitlauncher] [          0 containers failed       ]
[junitlauncher] [          3 tests found             ]
[junitlauncher] [          0 tests skipped           ]
[junitlauncher] [          3 tests started           ]
[junitlauncher] [          0 tests aborted           ]
[junitlauncher] [          3 tests successful         ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 183 ms
[junitlauncher] [          3 containers found        ]
[junitlauncher] [          0 containers skipped      ]
[junitlauncher] [          3 containers started      ]
[junitlauncher] [          0 containers aborted      ]
[junitlauncher] [          3 containers successful    ]
[junitlauncher] [          0 containers failed       ]
[junitlauncher] [          1 tests found             ]
[junitlauncher] [          0 tests skipped           ]
[junitlauncher] [          1 tests started           ]
[junitlauncher] [          0 tests aborted           ]
[junitlauncher] [          1 tests successful         ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 4 ms
[junitlauncher] [          3 containers found        ]
[junitlauncher] [          0 containers skipped      ]
[junitlauncher] [          3 containers started      ]
[junitlauncher] [          0 containers aborted      ]
[junitlauncher] [          3 containers successful    ]
[junitlauncher] [          0 containers failed       ]
[junitlauncher] [          3 tests found             ]
[junitlauncher] [          0 tests skipped           ]
[junitlauncher] [          3 tests started           ]
[junitlauncher] [          0 tests aborted           ]
[junitlauncher] [          3 tests successful         ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 2 ms
[junitlauncher] [          3 containers found        ]
[junitlauncher] [          0 containers skipped      ]
[junitlauncher] [          3 containers started      ]
[junitlauncher] [          0 containers aborted      ]
[junitlauncher] [          3 containers successful    ]
[junitlauncher] [          0 containers failed       ]
[junitlauncher] [          4 tests found             ]
[junitlauncher] [          0 tests skipped           ]
[junitlauncher] [          4 tests started           ]
[junitlauncher] [          0 tests aborted           ]
[junitlauncher] [          4 tests successful         ]
[junitlauncher] [          0 tests failed            ]
[junitlauncher]
```

```

[junitlauncher]
[junitlauncher] Test run finished after 4 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          3 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          3 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          4 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [          4 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [          4 tests successful              ]
[junitlauncher] [          0 tests failed                 ]
[junitlauncher]
[junitlauncher]
[junitlauncher] Test run finished after 3 ms
[junitlauncher] [          3 containers found          ]
[junitlauncher] [          0 containers skipped          ]
[junitlauncher] [          3 containers started          ]
[junitlauncher] [          0 containers aborted          ]
[junitlauncher] [          3 containers successful        ]
[junitlauncher] [          0 containers failed           ]
[junitlauncher] [          3 tests found                 ]
[junitlauncher] [          0 tests skipped                ]
[junitlauncher] [          3 tests started                ]
[junitlauncher] [          0 tests aborted                ]
[junitlauncher] [          3 tests successful              ]
[junitlauncher] [          0 tests failed                 ]
[junitlauncher]

```

full:

all:

BUILD SUCCESSFUL

Total time: 1 minute 40 seconds

travis\_time:end:17d42208:start=1553441219804675512,finish=1553441320407114789,duration=100602439277

[0K[32;1mThe command "ant -lib lib/junit" exited with 0.[0m

travis\_time:start:19699464

[0K\$ cat code/\*/dist/TEST-\*.txt

Testcase: de.opendiabetes.vault.main.algo.TestAlgorithms

Test: testLine took 137 milli sec(s)

Test: testMealCalculation took 1 milli sec(s)

Test: testFallingGraph took 5 milli sec(s)

Tests run: 3, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 146 milli sec(s)

----- Standard Output -----

Thu Jan 01 00:00:00 UTC 1970

Thu Jan 01 00:05:00 UTC 1970

Thu Jan 01 00:10:00 UTC 1970

Thu Jan 01 00:15:00 UTC 1970

Thu Jan 01 00:20:00 UTC 1970

Thu Jan 01 00:25:00 UTC 1970

Thu Jan 01 00:30:00 UTC 1970

Thu Jan 01 00:35:00 UTC 1970  
Thu Jan 01 00:40:00 UTC 1970  
Thu Jan 01 00:45:00 UTC 1970  
Thu Jan 01 00:50:00 UTC 1970  
Thu Jan 01 00:55:00 UTC 1970  
Thu Jan 01 01:00:00 UTC 1970  
Thu Jan 01 01:05:00 UTC 1970  
Thu Jan 01 01:10:00 UTC 1970  
Thu Jan 01 01:15:00 UTC 1970  
Thu Jan 01 01:20:00 UTC 1970  
Thu Jan 01 01:25:00 UTC 1970  
Thu Jan 01 01:30:00 UTC 1970  
Thu Jan 01 01:35:00 UTC 1970

-----  
Testcase:

de.opendiabetes.vault.main.dataprovider.TestNightscoutDataProvider

Test: testArguments() took 182 milli sec(s)

Tests run: 1, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 182 milli sec(s)

Testcase: de.opendiabetes.vault.main.math.AdjustBasalTreatmentsTest

Test: testSimpleDuration() took 1 milli sec(s)

Test: testRandomDuration() took 0 milli sec(s)

Test: testRandomValues() took 0 milli sec(s)

Tests run: 3, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 2 milli sec(s)

Testcase: de.opendiabetes.vault.main.math.BasalCalcDifferenceTest

Test: noBasalProfile() took 1 milli sec(s)

Test: testRecursiveCall() took 1 milli sec(s)

Test: testCalcTemp() took 0 milli sec(s)

Test: singleBasalProfile() took 0 milli sec(s)

Tests run: 4, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 2 milli sec(s)

Testcase: de.opendiabetes.vault.main.math.TestFilter

Test: testMedianMaxTimeDiff() took 0 milli sec(s)

Test: testAverage() took 0 milli sec(s)

Test: testAverageMaxTimeDiff() took 1 milli sec(s)

Test: testMedian() took 0 milli sec(s)

Tests run: 4, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 3 milli sec(s)

Testcase: de.opendiabetes.vault.main.math.TestPredictions

Test: testCob() took 0 milli sec(s)

Test: testDeltaBGC() took 0 milli sec(s)

Test: testDeltaBGI() took 0 milli sec(s)

Tests run: 3, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 2 milli sec(s)

Testcase: de.opendiabetes.vault.nsapi.ExportImportTest

Test: testInvalidData() took 88 milli sec(s)

Test: testExportType() took 6 milli sec(s)

Test: testExportIOError() took 1 milli sec(s)

Test: testTimezones(VaultEntryType)[1] took 25 milli sec(s)

Test: testTimezones(VaultEntryType)[2] took 1 milli sec(s)

Test: testTimezones(VaultEntryType)[3] took 1 milli sec(s)

Test: testTimezones(VaultEntryType)[4] took 1 milli sec(s)

Test: testExport() took 3 milli sec(s)

Test: testImportData(String)[1] took 2 milli sec(s)

Test: testImportData(String)[2] took 0 milli sec(s)

Test: testImportData(String)[3] took 1 milli sec(s)



```
Test: testImportData(String)[4] took 6 milli sec(s)
Test: testImportIOError() took 1 milli sec(s)
Test: testImport() took 13 milli sec(s)
Test: testExportMerge() took 18 milli sec(s)
Tests run: 15, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 321
milli sec(s)
----- Standard Error -----
2019-03-24 15:27:14 [WARNING] Could not parse JSON Object:
{"type":"invalid"}
-----
Testcase: de.opendiabetes.vault.nsapi.FormatterTest
Test: testDefaultFormatter() took 0 milli sec(s)
Test: testDebugFormatter() took 3 milli sec(s)
Tests run: 2, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 5
milli sec(s)
Testcase: de.opendiabetes.vault.nsapi.NSApiTest
Test: testEntries() took 695 milli sec(s)
Test: test404() took 112 milli sec(s)
Test: testSlice() took 237 milli sec(s)
Test: testTimes() took 115 milli sec(s)
Test: testEcho(String, String)[1] took 112 milli sec(s)
Test: testEcho(String, String)[2] took 111 milli sec(s)
Test: testTreatmentsBetween() took 460 milli sec(s)
Test: testEntriesBetween() took 596 milli sec(s)
Test: testProfile() took 113 milli sec(s)
Test: testDataCursor(int)[1] took 1 sec(s)
Test: testDataCursor(int)[2] took 5 sec(s)
Test: testDataCursor(int)[3] took 1 sec(s)
Test: testDataCursor(int)[4] took 5 sec(s)
Test: testDataCursor(int)[5] took 1 sec(s)
Test: testDataCursor(int)[6] took 2 sec(s)
Test: testDataCursor(int)[7] took 7 sec(s)
Test: testDataCursor(int)[8] took 2 sec(s)
Test: testDataCursor(int)[9] took 7 sec(s)
Test: testDataCursor(int)[10] took 3 sec(s)
Test: testDataCursor(int)[11] took 1 sec(s)
Test: testDataCursor(int)[12] took 2 sec(s)
Test: testEchoTimes() took 110 milli sec(s)
Test: testTreatments() took 464 milli sec(s)
Test: testStatus() took 234 milli sec(s)
Tests run: 24, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 48
sec(s)
Testcase: de.opendiabetes.vault.nsapi.NSApiToolsTest
Test: testSplit() took 3 milli sec(s)
Test: testWrite() took 1 sec(s)
Test: testRead() took 2 milli sec(s)
Test: testDirectory() took 1 milli sec(s)
Test: testReadAndFilter(String)[1] took 3 milli sec(s)
Test: testReadAndFilter(String)[2] took 1 milli sec(s)
Test: testReadAndFilter(String)[3] took 1 milli sec(s)
Test: testReadAndFilter(String)[4] took 0 milli sec(s)
Test: testGetZonedDatetime() took 2 milli sec(s)
Test: testFileNotFound() took 0 milli sec(s)
Test: testReadAndSort() took 1 milli sec(s)
Tests run: 11, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 1
sec(s)
Testcase: de.opendiabetes.vault.parser.TestProfileParser
```

```
Test: randomProfile() took 1 milli sec(s)
Tests run: 1, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 2
milli sec(s)
Testcase: de.opendiabetes.vault.parser.TestProfile
Test: testAddingEntries() took 1 milli sec(s)
Test: testToZuluMinus() took 0 milli sec(s)
Test: testOnlyOneEntry() took 0 milli sec(s)
Test: testNoChange() took 0 milli sec(s)
Test: testToZuluPlus() took 0 milli sec(s)
Test: testRemovingEntries() took 1 milli sec(s)
Tests run: 6, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 5
milli sec(s)
Testcase: de.opendiabetes.vault.parser.TestToZulu
Test: testAddingEntries() took 1 milli sec(s)
Test: testToZuluMinus() took 0 milli sec(s)
Test: testOnlyOneEntry() took 1 milli sec(s)
Test: testNoChange() took 0 milli sec(s)
Test: testToZuluPlus() took 0 milli sec(s)
Test: testRemovingEntries() took 0 milli sec(s)
Tests run: 6, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 3
milli sec(s)
Testcase: de.opendiabetes.vault.synchronizer.SynchronizerTest
Test: testMissingEntry() took 7 sec(s)
Test: testMissingTreatments() took 10 sec(s)
Tests run: 2, Failures: 0, Skipped: 0, Aborted: 0, Time elapsed: 17
sec(s)
travis_time:end:19699464:start=1553441320413455681,finish=155344132041
9521470,duration=6065789
[OK[32;1mThe command "cat code/*/dist/TEST-*.txt" exited with 0.[0m
```

Done. Your build exited with 0.