Xometry Europe GmbH
Rudolf-Diesel-Straße 11-13
85521, Hohenbrunn-Riemerling
P: +49 893 803 4818
F: +49 89 93 960 142
E: info@xometry.eu
www.xometry.de

Director: Dmitry Kafidov

UST-id.Nr.: DE318027176
Steuer-Nr.: 143/194/00231
Handelsregister: Amtsgericht München / HRB 256172
Bank: J.P. Morgan AG
IBAN: DE38 5011 0800 6161 5322 02
BIC: CHASDEFX

QUOTE E-1650808-1596897

To: **MAME-University of Windsor**

Attn: Aman Thomson



Billing address: 401 Sunset Ave
N9B 3P4, Windsor
Canada

Quote Number: **E-1650808-1596897**

Quote Date: **04.05.2026**

Lead time: 45 business days
* (calculated from customer order date)

Price valid till: **06.12.2025**




Pos.	Description	Quantity	Price per 1	Total
10.	**Part name:** 0_ISO-Bell Mouth.CATPart **Bounding Box:** 709.4mm × 709.38mm × 485.7mm **Process:** CNC Machining **Material:** ABS, Black **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 7, 11 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	~~€1,594.60~~ €1,113.83	~~€1,594.60~~ €1,113.83 (-30.1%)
20. 	**Part name:** 1_Distortion Screen Casing Ring.CATPart **Bounding Box:** 605.0mm × 605.0mm × 508.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** 114 locations **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 7, 4 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	~~€9,847.92~~ €6,105.71	~~€9,847.92~~ €6,105.71 (-38.0%)
30. 	**Part name:** 2_Rotor Casing Ring.CATPart **Bounding Box:** 605.0mm × 605.0mm × 460.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** 192 locations **Threads and Tapped Holes:** 18 locations **Tolerance:** ISO 286 - grade 6, 4 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	~~€9,072.36~~ €5,624.86	~~€9,072.36~~ €5,624.86 (-38.0%)
40. 	**Part name:** 3_Stator_Casing_Ring.CATPart **Bounding Box:** 605.0mm × 605.0mm × 435.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** 114 locations **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 6, 5 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	~~€8,773.57~~ €5,439.61	~~€8,773.57~~ €5,439.61 (-38.0%)

Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply

Xometry Europe GmbH
Rudolf-Diesel-Straße 11-13
85521, Hohenbrunn-Riemerling
P: +49 893 803 4818
F: +49 89 93 960 142
E: info@xometry.eu
www.xometry.de

Director: Dmitry Kafidov

UST-id.Nr.: DE318027176
Steuer-Nr.: 143/194/00231
Handelsregister: Amtsgericht München / HRB 256172
Bank: J.P. Morgan AG
IBAN: DE38 5011 0800 6161 5322 02
BIC: CHASDEFX




50. 	**Part name:** 4-STRUT CASING RING.pdf **Bounding Box:** 704.0mm × 704.0mm × 437.5mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 7, 5 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	€10,711.16	€10,711.16
60.	**Part name:** 5_Hub.CATPart **Bounding Box:** 650.0mm × 310.0mm × 310.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** 8 locations **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 7, 4 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	€4,004.90	€4,004.90
70. 	**Part name:** 6_Spinner.CATPart **Bounding Box:** 141.56mm × 141.56mm × 119.26mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 8, 7 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	€641.41	€641.41
80.	**Part name:** 7- Rotor Blisk.CATPart **Bounding Box:** 503.36mm × 503.16mm × 126.07mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** 18 locations **Tolerance:** ISO 286 - grade 6, 2 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	1	€6,015.12	€6,015.12
90. 	**Part name:** 8-STATOR SECTOR.pdf **Bounding Box:** 393.15mm × 275.77mm × 182.05mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** 22 locations **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 6, 2 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	3	€2,149.29	€6,447.87

Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply

Xometry Europe GmbH
Rudolf-Diesel-Straße 11-13
85521, Hohenbrunn-Riemerling
P: +49 893 803 4818
F: +49 89 93 960 142
E: info@xometry.eu
www.xometry.de

Director: Dmitry Kafidov

UST-id.Nr.: DE318027176
Steuer-Nr.: 143/194/00231
Handelsregister: Amtsgericht München / HRB 256172
Bank: J.P. Morgan AG
IBAN: DE38 5011 0800 6161 5322 02
BIC: CHASDEFX




100.	**Part name:** 9-Traverse Base Plate.CATPart **Bounding Box:** 453.5mm × 311.84mm × 120.0mm **Process:** CNC Machining **Material:** Any available stainless steel grade **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** 10 locations **Tolerance:** ISO 286 - grade 7, 1 locations **Surface Roughness:** Standard (3.2 um Ra), entire part **Samples:** 1 piece (10 business days to confirm, please see samples policy below)	3	€915.19	€2,745.57
130.	 **Part name:** TUFRG_Updated_Venturi.stp **Bounding Box:** 363.31mm × 258.76mm × 258.76mm **Process:** CNC Machining **Material:** Aluminium EN AW-6082 / 3.2315 / Al-Si1Mg **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 6, 2 locations **Surface Roughness:** Standard (3.2 um Ra), entire part	6	€1,567.05	€9,402.30
140.	 **Part name:** 13-Rotor Hub Abradable.pdf **Bounding Box:** 153.64mm × 153.63mm × 11.0mm **Process:** CNC Machining **Material:** Nylon 66 / Nylon 6/6 **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 2768 - medium (mK), entire part **Surface Roughness:** Standard (3.2 um Ra), entire part	4	€172.47	€689.88
150.	 **Part name:** 14-Strut Hub Abradable.pdf **Bounding Box:** 256.07mm × 256.05mm × 11.0mm **Process:** CNC Machining **Material:** Nylon 66 / Nylon 6/6 **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 2768 - medium (mK), entire part **Surface Roughness:** Standard (3.2 um Ra), entire part	4	€157.97	€631.88
160.	**Part name:** 15-Upstream Traverse Plugs.CATPart **Bounding Box:** 315.47mm × 60.78mm × 60.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 2768 - medium (mK), entire part **Surface Roughness:** Standard (3.2 um Ra), entire part	6	€213.56	€1,281.36

Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply

Xometry Europe GmbH
Rudolf-Diesel-Straße 11-13
85521, Hohenbrunn-Riemerling
P: +49 893 803 4818
F: +49 89 93 960 142
E: info@xometry.eu
www.xometry.de

Director: Dmitry Kafidov

UST-id.Nr.: DE318027176
Steuer-Nr.: 143/194/00231
Handelsregister: Amtsgericht München / HRB 256172
Bank: J.P. Morgan AG
IBAN: DE38 5011 0800 6161 5322 02
BIC: CHASDEFX

170. 	**Part name:** 16-Downstream Traverse Plugs.pdf **Bounding Box:** 315.47mm × 62.47mm × 60.0mm **Process:** CNC Machining **Material:** Aluminium EN AW-6061 / 3.3211 / Al-Mg1SiCu **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 2768 - medium (mK), entire part **Surface Roughness:** Standard (3.2 um Ra), entire part	6	€213.56	€1,281.36
220. 	**Part name:** 10-HELICAL RACK.pdf **Bounding Box:** 346.37mm × 218.01mm × 60.0mm **Process:** CNC Machining **Material:** Any available stainless steel grade **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** - **Tolerance:** ISO 286 - grade 7, 15 locations **Surface Roughness:** Standard (3.2 um Ra), entire part **Notes:** Simplified version of rack in line item 120, eliminating it's need	1	€643.54	€643.54
230. 	**Part name:** 11-TRAVERSE SLIDING RING.pdf **Bounding Box:** 525.68mm × 169.5mm × 80.0mm **Process:** CNC Machining **Material:** Any available stainless steel grade **Finish:** Standard **Inserts:** - **Threads and Tapped Holes:** 23 locations **Tolerance:** ISO 286 - grade 7, 9 locations **Surface Roughness:** Standard (3.2 um Ra), entire part **Notes:** Modified version of line item 130/140 that eliminates the need for Line item 120 There are a total of 23 threaded holes (15 in the top view , 4 in Auxiliary View A, and 2 each in Auxiliary views B and C of the provided drawing).	3	€1,060.36	€3,181.08
	CMM (for position 30)			€125.00
	CMM (for position 40)			€125.00
	CMM (for position 60)			€125.00
	CMM (for position 80)			€125.00
	CMM (for position 90)			€125.00
	First Article Inspection Report (FAIR) (for position 10)			€150.00
	First Article Inspection Report (FAIR) (for position 20)			€150.00
	First Article Inspection Report (FAIR) (for position 50)			€150.00
	First Article Inspection Report (FAIR) (for position 70)			€150.00
	First Article Inspection Report (FAIR) (for position 100)			€150.00
	First Article Inspection Report (FAIR) (for position 130)			€150.00
	First Article Inspection Report (FAIR) (for position 140)			€150.00
	First Article Inspection Report (FAIR) (for position 150)			€150.00

Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply

Xometry Europe GmbH
Rudolf-Diesel-Straße 11-13
85521, Hohenbrunn-Riemerling
P: +49 893 803 4818
F: +49 89 93 960 142
E: info@xometry.eu
www.xometry.de

Director: Dmitry Kafidov

UST-id.Nr.: DE318027176
Steuer-Nr.: 143/194/00231
Handelsregister: Amtsgericht München / HRB 256172
Bank: J.P. Morgan AG
IBAN: DE38 5011 0800 6161 5322 02
BIC: CHASDEFX

	First Article Inspection Report (FAIR) (for position 160)	€150.00
	First Article Inspection Report (FAIR) (for position 170)	€150.00
	First Article Inspection Report (FAIR) (for position 220)	€150.00
	First Article Inspection Report (FAIR) (for position 230)	€150.00
	Raw material certificate (metals)	€340.00
	Shipping cost to: MAME-University of Windsor, 401 Sunset Ave N9B 3P4 Windsor , Canada. (Delivery terms: DAP)	€3,200.00
	Total order value net, EUR:	**€71,926.44**
	Total order value brutto, EUR:	**€71,926.44**

Notes: - Order will be shipped in 45 business days from Germany to Canada (it may take another week for parts to arrive to Canada). Xometry cover any loss or damage to parts during transit.
- Order will be shipped on DAP terms. Customer will need to handle customs clearance.
- Regular material certificate will be used
- For the final manufacturing process, our provider will strictly adhere to all dimensions and tolerances explicitly stated in your 2D drawings.

Quote status: Order placed

Open the quote

We want to earn your business. If you get a lower quote, send it to us and we will try to beat it.

Please review this quote for accuracy prior to order

- We have priced and estimated a delivery window for your job based on the geometry in 3D model you have provided, along with the tolerances, features and secondary operations you have selected during the submission process and which are specifically confirmed by us in this Quote. We do not automatically extract features, tolerances or other non-geometric information from your submitted 3D model, even if represented there (e.g. threads, tapped holes, etc.). Even though our prices are dynamically generated in real time, we will honor the price in this Quote until 06.12.2025 (although the estimated delivery window will be re-calculated at time of actual order placement).

- While we may provide you with design for manufacturing assistance, you are ultimately responsible for the suitability of your design, and associated material selection, for any intended purpose. You may submit one or more engineered drawings and or specification sheets to us. While we will do our best to identify any inconsistencies or conflicts in your materials prior to manufacturing your part, you alone are responsible for any inconsistencies between the materials you provide to us and what is reflected in this Quote.

Sharp internal corners will be machined with 2mm radius unless explicitly requested otherwise.

- Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply

- Parts made of rust-prone materials may be coated with oil-based anti-corrosion agent at our discretion. Please inform us if you accept the risk of possible corrosion during transportation and want to receive your parts oil-free

Summary of our Sample Evaluation and Acceptance Policy:

1. **Evaluation Period:** Xometry provides ten (10) working days from the receipt of samples for you to assess their quality and conformity to your specifications.
2. **Acceptance of Samples:** If the samples meet your expectations, please formally acknowledge their acceptance within the 10-day period via email or our client portal, mentioning the order number. We will then proceed with the production of your order.
3. **Feedback on Non-Acceptance:** Should the samples not meet your requirements, it is crucial to communicate this within the 10 working-day timeframe, providing detailed feedback for necessary adjustments. This 10-day period commences upon receipt of your samples.
4. **Design Freeze Requirement:** To proceed with sample production, designs must be finalised and fixed before the sample phase begins. Any changes during or after sample production would reclassify the process as prototyping, which involves additional costs and timelines.
5. **Purpose of Samples:** The purpose of the sample phase is to confirm the conformity of part quality and alignment with specifications prior to full-scale production.
6. **Proceeding to Production:** In the absence of any communication from your end within the 10-day period, we will assume the samples are approved, and we will initiate the production phase based on the provided samples.

Unless specified otherwise, Terms and Conditions of Xometry Europe GmbH apply