Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-01

03/26/2026

Line		Product	Ordered	Shipped
1	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long Your Part Number: **Support 3**	**18** **Each**	**18**
2	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long Your Part Number: **Support 3**	**16** **Each**	**16**
3	**5537T201**	T-Slotted Framing, Diagonal Brace for 40mm High Single Rail, 6" Long, Silver Your Part Number: **Support 3**	**4** **Each**	**4**
4	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long Your Part Number: **Support 3**	**4** **Each**	**4**
5	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail Your Part Number: **Support 3**	**8** **Each**	**8**
15	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long Your Part Number: **Support 1**	**14** **Each**	**14**
16	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long Your Part Number: **Support 1**	**4** **Each**	**4**
17	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail Your Part Number: **Support 1**	**8** **Each**	**8**
18	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long Your Part Number: **Support 1**	**10** **Each**	**10**
23	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long Your Part Number: **Motor Support**	**4** **Each**	**4**
24	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long Your Part Number: **Motor Support**	**12** **Each**	**12**
25	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long Your Part Number: **Motor Support**	**18** **Each**	**18**
26	**5537T973**	T-Slotted Framing, Silver Tee Surface Bracket for 40mm High Single Rail Your Part Number: **Motor Support**	**2** **Each**	**2**
27	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail Your Part Number: **Motor Support**	**5** **Each**	**5**

Tracking	Carrier	Weight
CPK003826243	Purolator	48 lb

Shipped separately from our Cleveland warehouse on 04/01

7	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285** **Centimeters**	**285**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-01

03/26/2026

Line		Description	Ordered	Shipped
9	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=34, NMBR=3	**102** Centimeters	**102**
12	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285** Centimeters	**285**
20	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=7	**399** Centimeters	**399**
21	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=39, NMBR=8	**312** Centimeters	**312**
6	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=76, NMBR=4	**304** Centimeters	**304**
8	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=5	**230** Centimeters	**230**
10	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=21, NMBR=2	**42** Centimeters	**42**
11	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=96, NMBR=4	**384** Centimeters	**384**
13	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=20, NMBR=5	**100** Centimeters	**100**
14	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=44, NMBR=1	**44** Centimeters	**44**
19	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=100, NMBR=6	**600** Centimeters	**600**
22	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=2	**92** Centimeters	**92**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-02

04/01/2026

Line		Product	Ordered	Shipped
7	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285** Centimeters	**285**
9	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=34, NMBR=3	**102** Centimeters	**102**
12	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285** Centimeters	**285**
20	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=7	**399** Centimeters	**399**
21	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=39, NMBR=8	**312** Centimeters	**312**

Tracking	Carrier	Weight
CPK003839801	Purolator	36 lb
CPK003839877	Purolator	41 lb

Shipped separately from our Cleveland warehouse on 03/26

1	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**18** Each	**18**
2	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**16** Each	**16**
3	**5537T201**	T-Slotted Framing, Diagonal Brace for 40mm High Single Rail, 6" Long, Silver	**4** Each	**4**
4	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4** Each	**4**
5	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**8** Each	**8**
15	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**14** Each	**14**
16	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4** Each	**4**
17	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**8** Each	**8**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-02

04/01/2026

Line		Description	Ordered	Shipped
18	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**10 Each**	**10**
23	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4 Each**	**4**
24	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**12 Each**	**12**
25	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**18 Each**	**18**
26	**5537T973**	T-Slotted Framing, Silver Tee Surface Bracket for 40mm High Single Rail	**2 Each**	**2**
27	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**5 Each**	**5**
6	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=76, NMBR=4	**304 Centimeters**	**304**
8	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=5	**230 Centimeters**	**230**
10	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=21, NMBR=2	**42 Centimeters**	**42**
11	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=96, NMBR=4	**384 Centimeters**	**384**
13	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=20, NMBR=5	**100 Centimeters**	**100**
14	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=44, NMBR=1	**44 Centimeters**	**44**
19	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=100, NMBR=6	**600 Centimeters**	**600**
22	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=2	**92 Centimeters**	**92**

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-03

04/06/2026

Line		Product	Ordered	Shipped
6	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=76, NMBR=4	**304** Centimeters	**304**
8	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=5	**230** Centimeters	**230**
10	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=21, NMBR=2	**42** Centimeters	**42**
11	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=96, NMBR=4	**384** Centimeters	**384**
13	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=20, NMBR=5	**100** Centimeters	**100**
14	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=44, NMBR=1	**44** Centimeters	**44**
19	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=100, NMBR=6	**600** Centimeters	**600**
22	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=46, NMBR=2	**92** Centimeters	**92**

Tracking	Carrier	Weight
CPK003848314	Purolator	45 lb
CPK003848417	Purolator	54 lb

Shipped separately from our Cleveland warehouse on 03/26

1	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**18** Each	**18**
2	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**16** Each	**16**
3	**5537T201**	T-Slotted Framing, Diagonal Brace for 40mm High Single Rail, 6" Long, Silver	**4** Each	**4**
4	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4** Each	**4**
5	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**8** Each	**8**
15	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**14** Each	**14**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-03

04/06/2026

Line		Description	Ordered	Shipped
16	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4 Each**	**4**
17	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**8 Each**	**8**
18	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**10 Each**	**10**
23	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long	**4 Each**	**4**
24	**5537T519**	T-Slotted Framing, Open Gusset Bracket for 40mm High Rail, 1-37/64" Long	**12 Each**	**12**
25	**5537T946**	T-Slotted Framing, Silver Surface Bracket for 40 mm Single Rail, 3" Long	**18 Each**	**18**
26	**5537T973**	T-Slotted Framing, Silver Tee Surface Bracket for 40mm High Single Rail	**2 Each**	**2**
27	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail	**5 Each**	**5**
7	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285 Centimeters**	**285**
9	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=34, NMBR=3	**102 Centimeters**	**102**
12	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=5	**285 Centimeters**	**285**
20	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=57, NMBR=7	**399 Centimeters**	**399**
21	**5537T904**	T-Slotted Framing, Single 4-Slot Rail, Silver, 40 mm Square, Solid, LGTH=39, NMBR=8	**312 Centimeters**	**312**

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-11

04/08/2026

Line		Product	Ordered	Shipped
27	**5537T573**	T-Slotted Framing, Black Mounting Foot for 40 mm High Single Rail Your Part Number: **Motor Support**	**5** **Each**	**5**

Tracking	Carrier	Weight	
1Z0835206603996440	UPS Canada Express	3 lb	Received by Amond at Receiver 04/09/26

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
401 Sunset Ave.

Purchase Order
0326JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4829426-12

04/28/2026

Line		Product	Ordered	Shipped
3	**5537T201**	T-Slotted Framing, Diagonal Brace for 40mm High Single Rail, 6" Long, Silver Your Part Number: **Support 3**	**2** **Each**	**2**
4	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long Your Part Number: **Support 3**	**4** **Each**	**4**
16	**5537T37**	T-Slotted Framing, Diagonal Brace for 40 mm High Single Rail, 12" Long Your Part Number: **Support 1**	**1** **Each**	**1**

Tracking	Carrier	Weight
CPK003903234	Purolator	9 lb