McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-01

03/19/2026

Line		Product	Ordered	Shipped
1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long Your Part Number: **Support 2 Diagonal Brace**	**2 Each**	**1**

Tracking	Carrier	Weight	
1Z6028366603178362	UPS Canada Express	3 lb	Received by Trina at Dock 03/20/26

Shipped separately from our Cleveland warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2 Each**	**1**
2	**5537T574**	T-Slotted Framing, Black Mounting Foot for 45 mm High Single Rail	**4 Each**	**4**
3	**5537T974**	T-Slotted Framing, Silver Tee Surface Bracket for 45mm High Single Rail	**8 Each**	**8**
4	**5537T965**	T-Slotted Framing, Silver 90 Degree Surface Bracket for 45 mm High Rail	**4 Each**	**4**
5	**5537T578**	T-Slotted Framing, Black Mounting Foot for 90 mm High Double/Quad Rail	**2 Each**	**2**
10	**23595T17**	Zinc-Plated Steel Wheel Axle, 1/2" Diameter x 3-1/4" Long	**20 Each**	**20**
11	**2781T97**	Polypropylene Wheel without Bearing, 4" Diameter x 1-1/4" Wide, for 1/2" Axle	**8 Each**	**8**
12	**2781T96**	Polypropylene Wheel without Bearing, 3" Diameter x 1-1/4" Wide, for 1/2" Axle	**15 Each**	**15**
13	**91290A434**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 30 mm Long	**2 Packs**	**2**
14	**93070A181**	Alloy Steel Low-Profile Socket Head Screw, Hex Drive, M8 x 1.25 mm Thread, 40 mm Long	**1 Pack**	**1**
15	**91290A448**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 50 mm Long, Partially Threaded	**2 Packs**	**2**

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-01

03/19/2026

Line		Description	Ordered	Shipped
16	**90695A040**	Medium-Strength Steel Thin-Profile Hex Nut, Class 04, M8 x 1.25 mm Thread	**1 Pack**	**1**
17	**91595A372**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 30 mm Long	**2 Packs**	**2**
18	**91595A392**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 50 mm Long	**3 Packs**	**3**
19	**96194A102**	Medium-Strength Steel Serrated Flange Nut, Class 8, Zinc-Plated, M8 x 1.25 mm Thread Size	**1 Pack**	**1**
20	**90128A212**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 10 mm Long	**2 Packs**	**2**
21	**90128A217**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 25 mm Long	**2 Packs**	**2**
22	**91239A149**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 14 mm Long	**1 Pack**	**1**
23	**91239A158**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 35 mm Long	**2 Packs**	**2**
24	**92871A844**	18-8 Stainless Steel Unthreaded Spacer, 16 mm OD, 15 mm Long, for M8 Screw Size	**24 Each**	**24**
25	**94639A263**	Off-White Nylon Unthreaded Spacer, 1" OD, 3/16" Long, for 1/2" Screw Size	**2 Packs**	**2**
26	**94397A480**	110 Copper Shims, 1/2" ID, 0.01" Thick	**2 Packs**	**2**
27	**92510A817**	Aluminum Unthreaded Spacer, 1" OD, 3/8" Long, for 1/2" Screw Size	**8 Each**	**8**
33	**4844N136**	T-Slotted Framing Structural Bracket, Surface Bracket for 1" and 25 mm High Rail, Silver	**24 Each**	**24**
34	**47065T329**	T-Slotted Framing, Silver 60 Degree Surface Bracket for 1" High Single Rail	**16 Each**	**16**

03/19/2026

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-01

Line		Description	Ordered	Shipped
35	**1764K42**	Steel Duct Flange with Mounting Holes, Duct Size 4, 4-1/16" Female ID	**6 Each**	**6**
36	**1764K12**	Steel Duct Flange with Mounting Holes, Duct Size 7, 7-1/8" Female ID	**6 Each**	**6**
37	**48925K32**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 5 Pipe Size, 10 Feet Long	**1 Each**	**1**
38	**48925K308**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 2 Feet Long	**1 Each**	**1**
39	**48925K18**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 10 Feet Long	**1 Each**	**1**
40	**91290A438**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 35 mm Long	**2 Packs**	**2**
41	**90591A161**	Zinc-Plated Steel Hex Nut, Medium-Strength, ISO Class 8, M8 x 1.25 mm Thread Size	**2 Packs**	**2**
42	**93475A270**	18-8 Stainless Steel General Purpose Washer for M8 Screw Size, 8.4 mm ID, 16 mm OD	**1 Pack**	**1**
43	**4802N43**	Thick-Wall Dark Gray PVC Pipe for Water, Unthreaded, 12 Pipe Size, 2 Feet Long	**1 Each**	**1**
44	**91251A542**	Black-Oxide Alloy Steel Socket Head Screw, 1/4"-20 Thread Size, 1" Long	**1 Pack**	**1**
45	**91251A583**	Black-Oxide Alloy Steel Socket Head Screw, 5/16"-18 Thread Size, 1" Long	**1 Pack**	**1**
46	**90975A307**	Steel Tee Nut Inserts, 1/4"-20 Thread Size, 0.36" Installed Length, 3/4" Flange Diameter	**1 Pack**	**1**
47	**99904A102**	Medium-Strength Steel Serrated Flange Nuts, Grade 5, Zinc-Plated, 5/16"-18 Thread Size	**1 Pack**	**1**
48	**5537T528**	T-Slotted Framing, Open Gusset Bracket for 45 mm High Rail, 1-49/64" Long	**4 Each**	**4**

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-01

03/19/2026

Line		Description	Ordered	Shipped
49	**5537T947**	T-Slotted Framing, Silver Surface Bracket for 45 mm High Rail, 3-3/8" Long	**8 Each**	**8**
6	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=96, NMBR=2	**192 Centimeters**	**192**
51	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=16, NMBR=4	**64 Centimeters**	**64**
52	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=5, NMBR=2	**10 Centimeters**	**10**
7	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=56, NMBR=1	**56 Centimeters**	**56**
8	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=65, NMBR=1	**65 Centimeters**	**65**
9	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=40, NMBR=1	**40 Centimeters**	**40**
28	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=44.5, NMBR=4	**178 Centimeters**	**178**
29	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=30.5, NMBR=4	**122 Centimeters**	**122**
30	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=81.5, NMBR=2	**163 Centimeters**	**163**
31	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=41.9, NMBR=1	**42 Centimeters**	**42**
32	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=100, NMBR=2	**200 Centimeters**	**200**
50	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=10, NMBR=2	**20 Centimeters**	**20**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-02

03/19/2026

Line		Product	Ordered	Shipped
1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long Your Part Number: **Support 2 Diagonal Brace**	**2** **Each**	**1**
2	**5537T574**	T-Slotted Framing, Black Mounting Foot for 45 mm High Single Rail Your Part Number: **Support 2 mounting feet**	**4** **Each**	**4**
3	**5537T974**	T-Slotted Framing, Silver Tee Surface Bracket for 45mm High Single Rail Your Part Number: **Support 2 Connectors**	**8** **Each**	**8**
4	**5537T965**	T-Slotted Framing, Silver 90 Degree Surface Bracket for 45 mm High Rail Your Part Number: **Support 2 Connectors**	**4** **Each**	**4**
5	**5537T578**	T-Slotted Framing, Black Mounting Foot for 90 mm High Double/Quad Rail Your Part Number: **Support 2 double feet**	**2** **Each**	**2**
10	**23595T17**	Zinc-Plated Steel Wheel Axle, 1/2" Diameter x 3-1/4" Long Your Part Number: **Roller Support Axles**	**20** **Each**	**20**
11	**2781T97**	Polypropylene Wheel without Bearing, 4" Diameter x 1-1/4" Wide, for 1/2" Axle Your Part Number: **Rotor Stator support rollers**	**8** **Each**	**8**
12	**2781T96**	Polypropylene Wheel without Bearing, 3" Diameter x 1-1/4" Wide, for 1/2" Axle Your Part Number: **Support 1 and 3 rollers**	**15** **Each**	**15**
13	**91290A434**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 30 mm Long, Packs of 50 Your Part Number: **Casing Flange connections**	**2** **Packs**	**2**
14	**93070A181**	Alloy Steel Low-Profile Socket Head Screw, Hex Drive, M8 x 1.25 mm Thread, 40 mm Long, Packs of 25 Your Part Number: **Rotor Support flange connection**	**1** **Pack**	**1**
15	**91290A448**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 50 mm Long, Partially Threaded, Packs of 25 Your Part Number: **Casing and Support Connections**	**2** **Packs**	**2**
16	**90695A040**	Medium-Strength Steel Thin-Profile Hex Nut, Class 04, M8 x 1.25 mm Thread, Packs of 100 Your Part Number: **Rotor Casign flanges**	**1** **Pack**	**1**
17	**91595A372**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 30 mm Long, Packs of 25 Your Part Number: **Dowels Casing Flanges**	**2** **Packs**	**2**
18	**91595A392**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 50 mm Long, Packs of 10 Your Part Number: **Dowels Casing Flanges adn support**	**3** **Packs**	**3**
19	**96194A102**	Medium-Strength Steel Serrated Flange Nut, Class 8, Zinc-Plated, M8 x 1.25 mm Thread Size, Packs of 100 Your Part Number: **Casing Flanges**	**1** **Pack**	**1**
20	**90128A212**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 10 mm Long, Packs of 100 Your Part Number: **Traverse Plugs**	**2** **Packs**	**2**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-02

03/19/2026

Line		Product	Ordered	Shipped
21	**90128A217**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 25 mm Long, Packs of 100 Your Part Number: **3D Printed Traverse Pieces**	**2 Packs**	**2**
22	**91239A149**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 14 mm Long, Packs of 100 Your Part Number: **Stator Sector- Casing Connection**	**1 Pack**	**1**
23	**91239A158**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 35 mm Long, Packs of 50 Your Part Number: **Stator Sector-Hub**	**2 Packs**	**2**
24	**92871A844**	18-8 Stainless Steel Unthreaded Spacer, 16 mm OD, 15 mm Long, for M8 Screw Size Your Part Number: **Support 1/3 Spacer - bolts**	**24 Each**	**24**
25	**94639A263**	Off-White Nylon Unthreaded Spacer, 1" OD, 3/16" Long, for 1/2" Screw Size, Packs of 25 Your Part Number: **Support 1/3 Wheel Axle spacers**	**2 Packs**	**2**
26	**94397A480**	110 Copper Shims, 1/2" ID, 0.01" Thick, Packs of 10 Your Part Number: **Support 1/3 Wheel Axle spacers**	**2 Packs**	**2**
27	**92510A817**	Aluminum Unthreaded Spacer, 1" OD, 3/8" Long, for 1/2" Screw Size Your Part Number: **Support 2 Wheel Spacers**	**8 Each**	**8**
33	**4844N136**	T-Slotted Framing Structural Bracket, Surface Bracket for 1" and 25 mm High Rail, Silver Your Part Number: **Plenum Support-Loris**	**24 Each**	**24**
34	**47065T329**	T-Slotted Framing, Silver 60 Degree Surface Bracket for 1" High Single Rail Your Part Number: **Plenum Support-Loris**	**16 Each**	**16**
35	**1764K42**	Steel Duct Flange with Mounting Holes, Duct Size 4, 4-1/16" Female ID Your Part Number: **Outflow sysem-Loris**	**6 Each**	**6**
36	**1764K12**	Steel Duct Flange with Mounting Holes, Duct Size 7, 7-1/8" Female ID Your Part Number: **Outflow sysem-Loris**	**6 Each**	**6**
37	**48925K32**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 5 Pipe Size, 10 Feet Long Your Part Number: **Outflow sysem-Loris**	**1 Each**	**1**
38	**48925K308**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 2 Feet Long Your Part Number: **Outflow sysem-Loris**	**1 Each**	**1**
39	**48925K18**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 10 Feet Long Your Part Number: **Outflow sysem-Loris**	**1 Each**	**1**
40	**91290A438**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 35 mm Long, Packs of 50 Your Part Number: **Plenum loris**	**2 Packs**	**2**
41	**90591A161**	Zinc-Plated Steel Hex Nut, Medium-Strength, ISO Class 8, M8 x 1.25 mm Thread Size, Packs of 100 Your Part Number: **Plenum loris**	**2 Packs**	**2**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-02

03/19/2026

Line		Product	Ordered	Shipped
42	**93475A270**	18-8 Stainless Steel General Purpose Washer for M8 Screw Size, 8.4 mm ID, 16 mm OD, Packs of 100 Your Part Number: **Plenum loris**	**1 Pack**	**1**
43	**4802N43**	Thick-Wall Dark Gray PVC Pipe for Water, Unthreaded, 12 Pipe Size, 2 Feet Long Your Part Number: **Hub Peice- Plenum**	**1 Each**	**1**
44	**91251A542**	Black-Oxide Alloy Steel Socket Head Screw, 1/4"-20 Thread Size, 1" Long, Packs of 50 Your Part Number: **Plenum loris**	**1 Pack**	**1**
45	**91251A583**	Black-Oxide Alloy Steel Socket Head Screw, 5/16"-18 Thread Size, 1" Long, Packs of 50 Your Part Number: **Plenum loris**	**1 Pack**	**1**
46	**90975A307**	Steel Tee Nut Inserts, 1/4"-20 Thread Size, 0.36" Installed Length, 3/4" Flange Diameter, Packs of 100 Your Part Number: **Plenum loris**	**1 Pack**	**1**
47	**99904A102**	Medium-Strength Steel Serrated Flange Nuts, Grade 5, Zinc-Plated, 5/16"-18 Thread Size, Packs of 100 Your Part Number: **Plenum loris**	**1 Pack**	**1**
48	**5537T528**	T-Slotted Framing, Open Gusset Bracket for 45 mm High Rail, 1-49/64" Long Your Part Number: **Support 2- extended base**	**4 Each**	**4**
49	**5537T947**	T-Slotted Framing, Silver Surface Bracket for 45 mm High Rail, 3-3/8" Long Your Part Number: **Support 2- extended base**	**8 Each**	**8**

Tracking	Carrier	Weight	
7012665539	TST Overland	203 lb	Received by Trina 03/20/26

Shipped separately from our Cleveland warehouse on 03/26

6	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=96, NMBR=2	**192 Centimeters**	**192**
51	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=16, NMBR=4	**64 Centimeters**	**64**
52	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=5, NMBR=2	**10 Centimeters**	**10**
7	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=56, NMBR=1	**56 Centimeters**	**56**
8	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=65, NMBR=1	**65 Centimeters**	**65**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-02

03/19/2026

Line		Description	Ordered	Shipped
9	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=40, NMBR=1	**40** Centimeters	**40**
28	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=44.5, NMBR=4	**178** Centimeters	**178**
29	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=30.5, NMBR=4	**122** Centimeters	**122**
30	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=81.5, NMBR=2	**163** Centimeters	**163**
31	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=41.9, NMBR=1	**42** Centimeters	**42**
32	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=100, NMBR=2	**200** Centimeters	**200**
50	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=10, NMBR=2	**20** Centimeters	**20**

Shipped separately from our Chicago warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2** Each	**1**

Notes about your shipment

Certificates for lines 15, 16, 21, 22, 23, 42, 44 and 47 are available at mcmaster.com/order-history.

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-03

03/26/2026

Line		Product	Ordered	Shipped
6	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=96, NMBR=2 Your Part Number: **SUPPORT 2 EXTRUSION LEGS**	**192** **Centimeters**	**192**
51	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=16, NMBR=4 Your Part Number: **SUPPORT 2- EXTENDED BASE**	**64** **Centimeters**	**64**
52	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=5, NMBR=2	**10** **Centimeters**	**10**

Tracking	Carrier	Weight
CPK003826510	Purolator	19 lb

Shipped separately from our Cleveland warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2** **Each**	**1**
2	**5537T574**	T-Slotted Framing, Black Mounting Foot for 45 mm High Single Rail	**4** **Each**	**4**
3	**5537T974**	T-Slotted Framing, Silver Tee Surface Bracket for 45mm High Single Rail	**8** **Each**	**8**
4	**5537T965**	T-Slotted Framing, Silver 90 Degree Surface Bracket for 45 mm High Rail	**4** **Each**	**4**
5	**5537T578**	T-Slotted Framing, Black Mounting Foot for 90 mm High Double/Quad Rail	**2** **Each**	**2**
10	**23595T17**	Zinc-Plated Steel Wheel Axle, 1/2" Diameter x 3-1/4" Long	**20** **Each**	**20**
11	**2781T97**	Polypropylene Wheel without Bearing, 4" Diameter x 1-1/4" Wide, for 1/2" Axle	**8** **Each**	**8**
12	**2781T96**	Polypropylene Wheel without Bearing, 3" Diameter x 1-1/4" Wide, for 1/2" Axle	**15** **Each**	**15**
13	**91290A434**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 30 mm Long	**2** **Packs**	**2**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-03

03/26/2026

Line		Description	Ordered	Shipped
14	**93070A181**	Alloy Steel Low-Profile Socket Head Screw, Hex Drive, M8 x 1.25 mm Thread, 40 mm Long	**1 Pack**	**1**
15	**91290A448**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 50 mm Long, Partially Threaded	**2 Packs**	**2**
16	**90695A040**	Medium-Strength Steel Thin-Profile Hex Nut, Class 04, M8 x 1.25 mm Thread	**1 Pack**	**1**
17	**91595A372**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 30 mm Long	**2 Packs**	**2**
18	**91595A392**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 50 mm Long	**3 Packs**	**3**
19	**96194A102**	Medium-Strength Steel Serrated Flange Nut, Class 8, Zinc-Plated, M8 x 1.25 mm Thread Size	**1 Pack**	**1**
20	**90128A212**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 10 mm Long	**2 Packs**	**2**
21	**90128A217**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 25 mm Long	**2 Packs**	**2**
22	**91239A149**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 14 mm Long	**1 Pack**	**1**
23	**91239A158**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 35 mm Long	**2 Packs**	**2**
24	**92871A844**	18-8 Stainless Steel Unthreaded Spacer, 16 mm OD, 15 mm Long, for M8 Screw Size	**24 Each**	**24**
25	**94639A263**	Off-White Nylon Unthreaded Spacer, 1" OD, 3/16" Long, for 1/2" Screw Size	**2 Packs**	**2**
26	**94397A480**	110 Copper Shims, 1/2" ID, 0.01" Thick	**2 Packs**	**2**
27	**92510A817**	Aluminum Unthreaded Spacer, 1" OD, 3/8" Long, for 1/2" Screw Size	**8 Each**	**8**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-03

03/26/2026

Line		Description	Ordered	Shipped
33	**4844N136**	T-Slotted Framing Structural Bracket, Surface Bracket for 1" and 25 mm High Rail, Silver	**24 Each**	**24**
34	**47065T329**	T-Slotted Framing, Silver 60 Degree Surface Bracket for 1" High Single Rail	**16 Each**	**16**
35	**1764K42**	Steel Duct Flange with Mounting Holes, Duct Size 4, 4-1/16" Female ID	**6 Each**	**6**
36	**1764K12**	Steel Duct Flange with Mounting Holes, Duct Size 7, 7-1/8" Female ID	**6 Each**	**6**
37	**48925K32**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 5 Pipe Size, 10 Feet Long	**1 Each**	**1**
38	**48925K308**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 2 Feet Long	**1 Each**	**1**
39	**48925K18**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 10 Feet Long	**1 Each**	**1**
40	**91290A438**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 35 mm Long	**2 Packs**	**2**
41	**90591A161**	Zinc-Plated Steel Hex Nut, Medium-Strength, ISO Class 8, M8 x 1.25 mm Thread Size	**2 Packs**	**2**
42	**93475A270**	18-8 Stainless Steel General Purpose Washer for M8 Screw Size, 8.4 mm ID, 16 mm OD	**1 Pack**	**1**
43	**4802N43**	Thick-Wall Dark Gray PVC Pipe for Water, Unthreaded, 12 Pipe Size, 2 Feet Long	**1 Each**	**1**
44	**91251A542**	Black-Oxide Alloy Steel Socket Head Screw, 1/4"-20 Thread Size, 1" Long	**1 Pack**	**1**
45	**91251A583**	Black-Oxide Alloy Steel Socket Head Screw, 5/16"-18 Thread Size, 1" Long	**1 Pack**	**1**
46	**90975A307**	Steel Tee Nut Inserts, 1/4"-20 Thread Size, 0.36" Installed Length, 3/4" Flange Diameter	**1 Pack**	**1**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-03

03/26/2026

Line		Description	Ordered	Shipped
47	**99904A102**	Medium-Strength Steel Serrated Flange Nuts, Grade 5, Zinc-Plated, 5/16"-18 Thread Size	**1 Pack**	**1**
48	**5537T528**	T-Slotted Framing, Open Gusset Bracket for 45 mm High Rail, 1-49/64" Long	**4 Each**	**4**
49	**5537T947**	T-Slotted Framing, Silver Surface Bracket for 45 mm High Rail, 3-3/8" Long	**8 Each**	**8**
7	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=56, NMBR=1	**56 Centimeters**	**56**
8	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=65, NMBR=1	**65 Centimeters**	**65**
9	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=40, NMBR=1	**40 Centimeters**	**40**
28	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=44.5, NMBR=4	**178 Centimeters**	**178**
29	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=30.5, NMBR=4	**122 Centimeters**	**122**
30	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=81.5, NMBR=2	**163 Centimeters**	**163**
31	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=41.9, NMBR=1	**42 Centimeters**	**42**
32	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=100, NMBR=2	**200 Centimeters**	**200**
50	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=10, NMBR=2	**20 Centimeters**	**20**

Shipped separately from our Chicago warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2 Each**	**1**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-04

03/30/2026

Line		Product	Ordered	Shipped
7	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=56, NMBR=1 Your Part Number: **SUPPORT 2 EXTRUSION**	**56** Centimeters	**56**
8	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=65, NMBR=1 Your Part Number: **SUPPORT 2 EXTRUSION**	**65** Centimeters	**65**
9	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=40, NMBR=1 Your Part Number: **SUPPORT 2 EXTRUSION**	**40** Centimeters	**40**
28	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=44.5, NMBR=4 Your Part Number: **PLENUM SUPPORT-LORIS**	**178** Centimeters	**178**
29	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=30.5, NMBR=4 Your Part Number: **PLENUM SUPPORT-LORIS**	**122** Centimeters	**122**
30	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=81.5, NMBR=2 Your Part Number: **PLENUM SUPPORT-LORIS**	**163** Centimeters	**163**
31	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=41.9, NMBR=1 Your Part Number: **PLENUM SUPPORT-LORIS**	**42** Centimeters	**42**
32	**47065T992**	T-Slotted Framing, Single Four Slot Rail, Silver, 1" HT X 1" Wide, Solid, LGTH=100, NMBR=2 Your Part Number: **PLENUM SUPPORT-LORIS**	**200** Centimeters	**200**
50	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=10, NMBR=2 Your Part Number: **SUPPORT 2- EXTENDED BASE**	**20** Centimeters	**20**

Tracking	Carrier	Weight
CPK003833405	Purolator	31 lb

Shipped separately from our Cleveland warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2** Each	**1**
2	**5537T574**	T-Slotted Framing, Black Mounting Foot for 45 mm High Single Rail	**4** Each	**4**
3	**5537T974**	T-Slotted Framing, Silver Tee Surface Bracket for 45mm High Single Rail	**8** Each	**8**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-04

03/30/2026

Line		Description	Ordered	Shipped
4	**5537T965**	T-Slotted Framing, Silver 90 Degree Surface Bracket for 45 mm High Rail	**4 Each**	**4**
5	**5537T578**	T-Slotted Framing, Black Mounting Foot for 90 mm High Double/Quad Rail	**2 Each**	**2**
10	**23595T17**	Zinc-Plated Steel Wheel Axle, 1/2" Diameter x 3-1/4" Long	**20 Each**	**20**
11	**2781T97**	Polypropylene Wheel without Bearing, 4" Diameter x 1-1/4" Wide, for 1/2" Axle	**8 Each**	**8**
12	**2781T96**	Polypropylene Wheel without Bearing, 3" Diameter x 1-1/4" Wide, for 1/2" Axle	**15 Each**	**15**
13	**91290A434**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 30 mm Long	**2 Packs**	**2**
14	**93070A181**	Alloy Steel Low-Profile Socket Head Screw, Hex Drive, M8 x 1.25 mm Thread, 40 mm Long	**1 Pack**	**1**
15	**91290A448**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 50 mm Long, Partially Threaded	**2 Packs**	**2**
16	**90695A040**	Medium-Strength Steel Thin-Profile Hex Nut, Class 04, M8 x 1.25 mm Thread	**1 Pack**	**1**
17	**91595A372**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 30 mm Long	**2 Packs**	**2**
18	**91595A392**	Dowel Pin, 52100 Alloy Steel, 5 mm Diameter, 50 mm Long	**3 Packs**	**3**
19	**96194A102**	Medium-Strength Steel Serrated Flange Nut, Class 8, Zinc-Plated, M8 x 1.25 mm Thread Size	**1 Pack**	**1**
20	**90128A212**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 10 mm Long	**2 Packs**	**2**
21	**90128A217**	Zinc-Plated Alloy Steel Socket Head Screw, M4 x 0.7 mm Thread, 25 mm Long	**2 Packs**	**2**

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-04

03/30/2026

Line		Description	Ordered	Shipped
22	**91239A149**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 14 mm Long	**1 Pack**	**1**
23	**91239A158**	Black-Oxide Button Head Hex-Drive Screw, Class 10.9 Alloy Steel, M4 x 0.7 mm Thread Size, 35 mm Long	**2 Packs**	**2**
24	**92871A844**	18-8 Stainless Steel Unthreaded Spacer, 16 mm OD, 15 mm Long, for M8 Screw Size	**24 Each**	**24**
25	**94639A263**	Off-White Nylon Unthreaded Spacer, 1" OD, 3/16" Long, for 1/2" Screw Size	**2 Packs**	**2**
26	**94397A480**	110 Copper Shims, 1/2" ID, 0.01" Thick	**2 Packs**	**2**
27	**92510A817**	Aluminum Unthreaded Spacer, 1" OD, 3/8" Long, for 1/2" Screw Size	**8 Each**	**8**
33	**4844N136**	T-Slotted Framing Structural Bracket, Surface Bracket for 1" and 25 mm High Rail, Silver	**24 Each**	**24**
34	**47065T329**	T-Slotted Framing, Silver 60 Degree Surface Bracket for 1" High Single Rail	**16 Each**	**16**
35	**1764K42**	Steel Duct Flange with Mounting Holes, Duct Size 4, 4-1/16" Female ID	**6 Each**	**6**
36	**1764K12**	Steel Duct Flange with Mounting Holes, Duct Size 7, 7-1/8" Female ID	**6 Each**	**6**
37	**48925K32**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 5 Pipe Size, 10 Feet Long	**1 Each**	**1**
38	**48925K308**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 2 Feet Long	**1 Each**	**1**
39	**48925K18**	Standard-Wall Unthreaded Rigid PVC Pipe for Water, 4 Pipe Size, 10 Feet Long	**1 Each**	**1**
40	**91290A438**	Black-Oxide Alloy Steel Socket Head Screw, M8 x 1.25 mm Thread Size, 35 mm Long	**2 Packs**	**2**

McMASTER-CARR

Packing List

200 Aurora Industrial Pkwy
Aurora OH 44202-8087
330-995-5500
cle.sales@mcmaster.com

University of Windsor
401 Sunset Ave
Windsor ON N9B 3P4
Canada
Attention: Jeff Defoe
Cei Room 1123

Purchase Order
0319JDEFOE

Order Placed By
Jeff Defoe

McMaster-Carr Number
4465635-04

03/30/2026

Line		Description	Ordered	Shipped
41	**90591A161**	Zinc-Plated Steel Hex Nut, Medium-Strength, ISO Class 8, M8 x 1.25 mm Thread Size	**2 Packs**	**2**
42	**93475A270**	18-8 Stainless Steel General Purpose Washer for M8 Screw Size, 8.4 mm ID, 16 mm OD	**1 Pack**	**1**
43	**4802N43**	Thick-Wall Dark Gray PVC Pipe for Water, Unthreaded, 12 Pipe Size, 2 Feet Long	**1 Each**	**1**
44	**91251A542**	Black-Oxide Alloy Steel Socket Head Screw, 1/4"-20 Thread Size, 1" Long	**1 Pack**	**1**
45	**91251A583**	Black-Oxide Alloy Steel Socket Head Screw, 5/16"-18 Thread Size, 1" Long	**1 Pack**	**1**
46	**90975A307**	Steel Tee Nut Inserts, 1/4"-20 Thread Size, 0.36" Installed Length, 3/4" Flange Diameter	**1 Pack**	**1**
47	**99904A102**	Medium-Strength Steel Serrated Flange Nuts, Grade 5, Zinc-Plated, 5/16"-18 Thread Size	**1 Pack**	**1**
48	**5537T528**	T-Slotted Framing, Open Gusset Bracket for 45 mm High Rail, 1-49/64" Long	**4 Each**	**4**
49	**5537T947**	T-Slotted Framing, Silver Surface Bracket for 45 mm High Rail, 3-3/8" Long	**8 Each**	**8**
6	**6575N415**	T-Slotted Framing Rail, Double Six Slot, Smooth, Silver, 90MM High X 45MM Wide, LGTH=96, NMBR=2	**192 Centimeters**	**192**
51	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=16, NMBR=4	**64 Centimeters**	**64**
52	**5537T907**	T-Slotted Framing, Single 4-Slot Rail, Silver, 45 mm Square, Hollow, LGTH=5, NMBR=2	**10 Centimeters**	**10**

Shipped separately from our Chicago warehouse on 03/19

1	**5537T373**	T-Slotted Framing, Diagonal Brace for 90 mm High Double/Quad Rail, 12" Long	**2 Each**	**1**